

ATOM	9522	CA	THR	F	87	61.283	68.231	63.915	1.00	52.56	F
ATOM	9523	CB	THR	F	87	59.991	67.888	64.665	1.00	50.66	F
ATOM	9524	OG1	THR	F	87	60.052	68.448	65.984	1.00	59.40	F
ATOM	9525	CG2	THR	F	87	59.815	66.397	64.759	1.00	46.29	F
ATOM	9526	C	THR	F	87	61.122	69.635	63.331	1.00	54.84	F
ATOM	9527	O	THR	F	87	60.284	69.849	62.459	1.00	52.52	F
ATOM	9528	N	SER	F	88	61.923	70.583	63.815	1.00	58.25	F
ATOM	9529	CA	SER	F	88	61.864	71.962	63.344	1.00	57.78	F
ATOM	9530	CB	SER	F	88	60.821	72.739	64.147	1.00	60.26	F
ATOM	9531	OG	SER	F	88	61.278	72.975	65.472	1.00	60.21	F
ATOM	9532	C	SER	F	88	63.217	72.642	63.524	1.00	59.17	F
ATOM	9533	O	SER	F	88	64.019	72.224	64.363	1.00	58.40	F
ATOM	9534	N	GLU	F	89	63.472	73.686	62.738	1.00	57.60	F
ATOM	9535	CA	GLU	F	89	64.719	74.414	62.889	1.00	54.32	F
ATOM	9536	CB	GLU	F	89	64.977	75.359	61.714	1.00	56.59	F
ATOM	9537	CG	GLU	F	89	65.999	76.448	62.041	1.00	54.92	F
ATOM	9538	CD	GLU	F	89	66.605	77.089	60.810	1.00	57.24	F
ATOM	9539	OE1	GLU	F	89	65.879	77.336	59.822	1.00	57.16	F
ATOM	9540	OE2	GLU	F	89	67.817	77.357	60.839	1.00	56.41	F
ATOM	9541	C	GLU	F	89	64.585	75.206	64.176	1.00	51.93	F
ATOM	9542	O	GLU	F	89	63.611	75.918	64.393	1.00	52.45	F
ATOM	9543	N	THR	F	90	65.585	75.056	65.022	1.00	50.24	F
ATOM	9544	CA	THR	F	90	65.647	75.689	66.317	1.00	47.99	F
ATOM	9545	CB	THR	F	90	66.831	75.102	67.078	1.00	46.15	F
ATOM	9546	OG1	THR	F	90	66.447	74.833	68.424	1.00	54.70	F
ATOM	9547	CG2	THR	F	90	68.008	76.054	67.052	1.00	41.07	F
ATOM	9548	C	THR	F	90	65.783	77.210	66.259	1.00	49.56	F
ATOM	9549	O	THR	F	90	65.989	77.779	65.195	1.00	49.13	F
ATOM	9550	N	PRO	F	91	65.626	77.889	67.411	1.00	54.13	F
ATOM	9551	CD	PRO	F	91	64.982	77.382	68.639	1.00	55.21	F
ATOM	9552	CA	PRO	F	91	65.752	79.349	67.471	1.00	54.45	F
ATOM	9553	CB	PRO	F	91	65.253	79.677	68.882	1.00	54.61	F
ATOM	9554	CG	PRO	F	91	64.251	78.599	69.142	1.00	52.81	F
ATOM	9555	C	PRO	F	91	67.230	79.702	67.278	1.00	52.70	F
ATOM	9556	O	PRO	F	91	68.093	78.848	67.467	1.00	52.27	F
ATOM	9557	N	ARG	F	92	67.527	80.952	66.932	1.00	54.25	F
ATOM	9558	CA	ARG	F	92	68.913	81.354	66.690	1.00	55.23	F
ATOM	9559	CB	ARG	F	92	68.983	82.293	65.467	1.00	57.07	F
ATOM	9560	CG	ARG	F	92	68.179	83.580	65.567	1.00	63.55	F
ATOM	9561	CD	ARG	F	92	68.453	84.505	64.371	1.00	63.28	F
ATOM	9562	NE	ARG	F	92	67.944	85.875	64.536	1.00	69.03	F
ATOM	9563	CZ	ARG	F	92	68.058	86.608	65.648	1.00	72.59	F
ATOM	9564	NH1	ARG	F	92	68.654	86.114	66.734	1.00	69.14	F
ATOM	9565	NH2	ARG	F	92	67.606	87.858	65.667	1.00	69.92	F
ATOM	9566	C	ARG	F	92	69.707	81.970	67.843	1.00	51.92	F
ATOM	9567	O	ARG	F	92	69.220	82.846	68.549	1.00	58.43	F
ATOM	9568	N	VAL	F	93	70.934	81.481	68.022	1.00	44.48	F
ATOM	9569	CA	VAL	F	93	71.865	81.972	69.032	1.00	40.61	F
ATOM	9570	CB	VAL	F	93	72.679	80.839	69.651	1.00	36.13	F
ATOM	9571	CG1	VAL	F	93	73.711	81.401	70.615	1.00	33.94	F
ATOM	9572	CG2	VAL	F	93	71.772	79.886	70.351	1.00	39.69	F
ATOM	9573	C	VAL	F	93	72.849	82.892	68.299	1.00	44.22	F
ATOM	9574	O	VAL	F	93	73.112	82.691	67.110	1.00	45.89	F
ATOM	9575	N	VAL	F	94	73.403	83.893	68.985	1.00	45.01	F
ATOM	9576	CA	VAL	F	94	74.332	84.783	68.296	1.00	44.36	F
ATOM	9577	CB	VAL	F	94	73.958	86.294	68.415	1.00	43.12	F
ATOM	9578	CG1	VAL	F	94	72.440	86.486	68.292	1.00	42.50	F
ATOM	9579	CG2	VAL	F	94	74.524	86.879	69.689	1.00	33.31	F

ATOM	9580	C	VAL	F	94	75.776	84.646	68.732	1.00	46.04	F
ATOM	9581	O	VAL	F	94	76.092	84.436	69.910	1.00	44.15	F
ATOM	9582	N	TYR	F	95	76.646	84.760	67.737	1.00	46.59	F
ATOM	9583	CA	TYR	F	95	78.077	84.694	67.935	1.00	44.77	F
ATOM	9584	CB	TYR	F	95	78.673	83.581	67.074	1.00	39.33	F
ATOM	9585	CG	TYR	F	95	78.462	82.222	67.666	1.00	34.11	F
ATOM	9586	CD1	TYR	F	95	77.201	81.652	67.699	1.00	32.81	F
ATOM	9587	CE1	TYR	F	95	76.980	80.449	68.336	1.00	31.64	F
ATOM	9588	CD2	TYR	F	95	79.512	81.542	68.283	1.00	37.74	F
ATOM	9589	CE2	TYR	F	95	79.303	80.334	68.927	1.00	37.66	F
ATOM	9590	CZ	TYR	F	95	78.029	79.797	68.951	1.00	38.90	F
ATOM	9591	OH	TYR	F	95	77.793	78.611	69.611	1.00	49.26	F
ATOM	9592	C	TYR	F	95	78.640	86.053	67.530	1.00	44.90	F
ATOM	9593	O	TYR	F	95	78.422	86.520	66.399	1.00	45.12	F
ATOM	9594	N	ASN	F	96	79.347	86.680	68.465	1.00	38.91	F
ATOM	9595	CA	ASN	F	96	79.945	87.984	68.240	1.00	36.44	F
ATOM	9596	CB	ASN	F	96	79.058	89.063	68.814	1.00	40.01	F
ATOM	9597	CG	ASN	F	96	78.381	88.622	70.074	1.00	45.96	F
ATOM	9598	OD1	ASN	F	96	77.190	88.316	70.059	1.00	55.80	F
ATOM	9599	ND2	ASN	F	96	79.134	88.560	71.177	1.00	44.93	F
ATOM	9600	C	ASN	F	96	81.306	88.108	68.883	1.00	36.73	F
ATOM	9601	O	ASN	F	96	81.518	88.939	69.760	1.00	37.39	F
ATOM	9602	N	SER	F	97	82.240	87.285	68.448	1.00	34.30	F
ATOM	9603	CA	SER	F	97	83.570	87.358	68.998	1.00	32.25	F
ATOM	9604	CB	SER	F	97	83.557	86.975	70.471	1.00	18.38	F
ATOM	9605	OG	SER	F	97	84.852	86.545	70.864	1.00	28.27	F
ATOM	9606	C	SER	F	97	84.477	86.438	68.214	1.00	34.32	F
ATOM	9607	O	SER	F	97	84.059	85.376	67.776	1.00	34.88	F
ATOM	9608	N	ARG	F	98	85.716	86.869	68.016	1.00	39.00	F
ATOM	9609	CA	ARG	F	98	86.672	86.067	67.283	1.00	40.96	F
ATOM	9610	CB	ARG	F	98	87.899	86.899	66.894	1.00	42.78	F
ATOM	9611	CG	ARG	F	98	87.639	87.970	65.839	1.00	52.50	F
ATOM	9612	CD	ARG	F	98	88.947	88.566	65.296	1.00	55.58	F
ATOM	9613	NE	ARG	F	98	88.714	89.522	64.209	1.00	63.97	F
ATOM	9614	CZ	ARG	F	98	88.182	90.736	64.363	1.00	67.50	F
ATOM	9615	NH1	ARG	F	98	87.820	91.170	65.567	1.00	66.11	F
ATOM	9616	NH2	ARG	F	98	88.003	91.520	63.306	1.00	66.98	F
ATOM	9617	C	ARG	F	98	87.079	84.935	68.202	1.00	45.04	F
ATOM	9618	O	ARG	F	98	87.726	83.976	67.782	1.00	47.99	F
ATOM	9619	N	THR	F	99	86.686	85.045	69.466	1.00	47.95	F
ATOM	9620	CA	THR	F	99	87.018	84.020	70.443	1.00	50.09	F
ATOM	9621	CB	THR	F	99	86.879	84.549	71.865	1.00	48.50	F
ATOM	9622	OG1	THR	F	99	87.563	85.801	71.979	1.00	50.11	F
ATOM	9623	CG2	THR	F	99	87.479	83.564	72.840	1.00	46.62	F
ATOM	9624	C	THR	F	99	86.102	82.810	70.302	1.00	51.67	F
ATOM	9625	O	THR	F	99	84.873	82.953	70.270	1.00	52.27	F
ATOM	9626	N	ASP	F	100	86.702	81.623	70.227	1.00	50.71	F
ATOM	9627	CA	ASP	F	100	85.926	80.393	70.094	1.00	51.54	F
ATOM	9628	CB	ASP	F	100	86.835	79.168	70.006	1.00	54.90	F
ATOM	9629	CG	ASP	F	100	87.414	78.961	68.628	1.00	60.25	F
ATOM	9630	OD1	ASP	F	100	86.726	79.272	67.625	1.00	60.94	F
ATOM	9631	OD2	ASP	F	100	88.557	78.461	68.557	1.00	58.96	F
ATOM	9632	C	ASP	F	100	84.965	80.168	71.246	1.00	50.29	F
ATOM	9633	O	ASP	F	100	85.379	79.902	72.366	1.00	50.20	F
ATOM	9634	N	LYS	F	101	83.679	80.268	70.948	1.00	51.19	F
ATOM	9635	CA	LYS	F	101	82.619	80.041	71.915	1.00	50.50	F
ATOM	9636	CB	LYS	F	101	81.525	81.093	71.742	1.00	52.71	F
ATOM	9637	CG	LYS	F	101	80.194	80.750	72.391	1.00	59.31	F

ATOM	9638	CD	LYS	F	101	79.175	81.861	72.174	1.00	60.20	F
ATOM	9639	CE	LYS	F	101	77.850	81.545	72.838	1.00	59.89	F
ATOM	9640	NZ	LYS	F	101	76.948	82.714	72.696	1.00	57.76	F
ATOM	9641	C	LYS	F	101	82.069	78.649	71.591	1.00	49.57	F
ATOM	9642	O	LYS	F	101	82.205	78.174	70.461	1.00	45.39	F
ATOM	9643	N	PRO	F	102	81.463	77.968	72.581	1.00	50.13	F
ATOM	9644	CD	PRO	F	102	81.544	78.203	74.031	1.00	50.38	F
ATOM	9645	CA	PRO	F	102	80.918	76.631	72.325	1.00	48.48	F
ATOM	9646	CB	PRO	F	102	80.736	76.048	73.732	1.00	47.91	F
ATOM	9647	CG	PRO	F	102	81.741	76.801	74.549	1.00	50.79	F
ATOM	9648	C	PRO	F	102	79.599	76.692	71.578	1.00	43.97	F
ATOM	9649	O	PRO	F	102	78.965	77.738	71.496	1.00	42.60	F
ATOM	9650	N	TRP	F	103	79.214	75.567	71.001	1.00	41.56	F
ATOM	9651	CA	TRP	F	103	77.939	75.462	70.303	1.00	40.22	F
ATOM	9652	CB	TRP	F	103	78.160	74.757	68.970	1.00	35.41	F
ATOM	9653	CG	TRP	F	103	76.948	74.658	68.142	1.00	31.77	F
ATOM	9654	CD2	TRP	F	103	76.499	73.504	67.430	1.00	30.19	F
ATOM	9655	CE2	TRP	F	103	75.314	73.866	66.753	1.00	23.26	F
ATOM	9656	CE3	TRP	F	103	76.988	72.197	67.292	1.00	29.14	F
ATOM	9657	CD1	TRP	F	103	76.045	75.647	67.884	1.00	31.19	F
ATOM	9658	NE1	TRP	F	103	75.056	75.179	67.048	1.00	26.12	F
ATOM	9659	CZ2	TRP	F	103	74.604	72.969	65.960	1.00	21.66	F
ATOM	9660	CZ3	TRP	F	103	76.278	71.308	66.500	1.00	28.86	F
ATOM	9661	CH2	TRP	F	103	75.099	71.702	65.843	1.00	23.54	F
ATOM	9662	C	TRP	F	103	77.167	74.602	71.326	1.00	38.41	F
ATOM	9663	O	TRP	F	103	77.343	73.378	71.412	1.00	36.08	F
ATOM	9664	N	PRO	F	104	76.333	75.261	72.145	1.00	35.98	F
ATOM	9665	CD	PRO	F	104	75.865	76.625	71.826	1.00	35.14	F
ATOM	9666	CA	PRO	F	104	75.515	74.678	73.208	1.00	33.42	F
ATOM	9667	CB	PRO	F	104	74.901	75.906	73.852	1.00	31.07	F
ATOM	9668	CG	PRO	F	104	74.608	76.764	72.657	1.00	26.97	F
ATOM	9669	C	PRO	F	104	74.479	73.674	72.727	1.00	32.85	F
ATOM	9670	O	PRO	F	104	73.292	73.992	72.588	1.00	33.32	F
ATOM	9671	N	VAL	F	105	74.948	72.460	72.474	1.00	27.89	F
ATOM	9672	CA	VAL	F	105	74.096	71.393	72.016	1.00	24.81	F
ATOM	9673	CB	VAL	F	105	74.327	71.054	70.530	1.00	26.67	F
ATOM	9674	CG1	VAL	F	105	73.306	70.010	70.080	1.00	23.23	F
ATOM	9675	CG2	VAL	F	105	74.201	72.288	69.686	1.00	23.33	F
ATOM	9676	C	VAL	F	105	74.435	70.168	72.820	1.00	27.07	F
ATOM	9677	O	VAL	F	105	75.618	69.850	73.017	1.00	23.26	F
ATOM	9678	N	ALA	F	106	73.397	69.492	73.301	1.00	30.65	F
ATOM	9679	CA	ALA	F	106	73.589	68.272	74.067	1.00	34.12	F
ATOM	9680	CB	ALA	F	106	73.691	68.574	75.540	1.00	33.00	F
ATOM	9681	C	ALA	F	106	72.427	67.342	73.801	1.00	37.05	F
ATOM	9682	O	ALA	F	106	71.276	67.771	73.686	1.00	39.66	F
ATOM	9683	N	LEU	F	107	72.760	66.066	73.671	1.00	38.83	F
ATOM	9684	CA	LEU	F	107	71.791	65.014	73.432	1.00	39.37	F
ATOM	9685	CB	LEU	F	107	72.371	63.985	72.461	1.00	37.38	F
ATOM	9686	CG	LEU	F	107	71.960	64.063	70.985	1.00	38.75	F
ATOM	9687	CD1	LEU	F	107	71.728	65.491	70.561	1.00	30.59	F
ATOM	9688	CD2	LEU	F	107	73.019	63.391	70.137	1.00	29.39	F
ATOM	9689	C	LEU	F	107	71.500	64.343	74.757	1.00	40.34	F
ATOM	9690	O	LEU	F	107	72.417	63.984	75.494	1.00	41.60	F
ATOM	9691	N	TYR	F	108	70.221	64.215	75.077	1.00	42.92	F
ATOM	9692	CA	TYR	F	108	69.791	63.538	76.300	1.00	42.53	F
ATOM	9693	CB	TYR	F	108	68.891	64.447	77.138	1.00	43.02	F
ATOM	9694	CG	TYR	F	108	69.685	65.432	77.945	1.00	48.12	F
ATOM	9695	CD1	TYR	F	108	69.942	66.712	77.465	1.00	57.28	F

ATOM	9696	CE1	TYR	F	108	70.759	67.597	78.171	1.00	61.95	F
ATOM	9697	CD2	TYR	F	108	70.259	65.054	79.155	1.00	48.47	F
ATOM	9698	CE2	TYR	F	108	71.078	65.920	79.869	1.00	56.19	F
ATOM	9699	CZ	TYR	F	108	71.328	67.194	79.376	1.00	62.65	F
ATOM	9700	OH	TYR	F	108	72.141	68.062	80.085	1.00	63.58	F
ATOM	9701	C	TYR	F	108	69.042	62.298	75.831	1.00	39.12	F
ATOM	9702	O	TYR	F	108	67.911	62.382	75.348	1.00	37.20	F
ATOM	9703	N	LEU	F	109	69.702	61.153	75.955	1.00	39.45	F
ATOM	9704	CA	LEU	F	109	69.137	59.895	75.481	1.00	44.77	F
ATOM	9705	CB	LEU	F	109	70.091	59.271	74.454	1.00	40.80	F
ATOM	9706	CG	LEU	F	109	70.606	60.235	73.384	1.00	38.05	F
ATOM	9707	CD1	LEU	F	109	71.605	59.523	72.490	1.00	30.66	F
ATOM	9708	CD2	LEU	F	109	69.442	60.783	72.588	1.00	22.38	F
ATOM	9709	C	LEU	F	109	68.838	58.873	76.568	1.00	44.26	F
ATOM	9710	O	LEU	F	109	69.709	58.557	77.373	1.00	42.59	F
ATOM	9711	N	THR	F	110	67.606	58.360	76.570	1.00	42.62	F
ATOM	9712	CA	THR	F	110	67.172	57.355	77.536	1.00	40.28	F
ATOM	9713	CB	THR	F	110	65.941	57.822	78.327	1.00	43.16	F
ATOM	9714	OG1	THR	F	110	66.225	59.079	78.941	1.00	53.87	F
ATOM	9715	CG2	THR	F	110	65.595	56.818	79.420	1.00	42.20	F
ATOM	9716	C	THR	F	110	66.814	56.053	76.838	1.00	37.78	F
ATOM	9717	O	THR	F	110	65.927	56.012	75.967	1.00	36.61	F
ATOM	9718	N	PRO	F	111	67.486	54.961	77.224	1.00	37.07	F
ATOM	9719	CD	PRO	F	111	68.527	54.863	78.257	1.00	39.10	F
ATOM	9720	CA	PRO	F	111	67.231	53.650	76.623	1.00	39.91	F
ATOM	9721	CB	PRO	F	111	68.226	52.729	77.340	1.00	41.55	F
ATOM	9722	CG	PRO	F	111	69.312	53.653	77.783	1.00	42.98	F
ATOM	9723	C	PRO	F	111	65.802	53.210	76.846	1.00	39.29	F
ATOM	9724	O	PRO	F	111	65.187	53.556	77.856	1.00	38.74	F
ATOM	9725	N	VAL	F	112	65.278	52.452	75.892	1.00	41.99	F
ATOM	9726	CA	VAL	F	112	63.921	51.935	75.993	1.00	47.06	F
ATOM	9727	CB	VAL	F	112	63.277	51.733	74.606	1.00	47.21	F
ATOM	9728	CG1	VAL	F	112	63.057	53.085	73.940	1.00	46.45	F
ATOM	9729	CG2	VAL	F	112	64.164	50.843	73.744	1.00	39.90	F
ATOM	9730	C	VAL	F	112	63.991	50.599	76.708	1.00	51.26	F
ATOM	9731	O	VAL	F	112	65.035	49.937	76.703	1.00	53.23	F
ATOM	9732	N	SER	F	113	62.886	50.209	77.333	1.00	54.68	F
ATOM	9733	CA	SER	F	113	62.835	48.943	78.063	1.00	56.84	F
ATOM	9734	CB	SER	F	113	61.413	48.675	78.549	1.00	57.14	F
ATOM	9735	OG	SER	F	113	60.538	48.517	77.450	1.00	60.02	F
ATOM	9736	C	SER	F	113	63.298	47.770	77.206	1.00	55.68	F
ATOM	9737	O	SER	F	113	63.836	46.791	77.727	1.00	56.92	F
ATOM	9738	N	SER	F	114	63.094	47.877	75.895	1.00	51.06	F
ATOM	9739	CA	SER	F	114	63.473	46.811	74.989	1.00	49.53	F
ATOM	9740	CB	SER	F	114	62.565	46.839	73.755	1.00	51.34	F
ATOM	9741	OG	SER	F	114	62.755	48.006	72.986	1.00	49.27	F
ATOM	9742	C	SER	F	114	64.939	46.839	74.568	1.00	49.63	F
ATOM	9743	O	SER	F	114	65.406	45.952	73.857	1.00	48.92	F
ATOM	9744	N	ALA	F	115	65.672	47.844	75.019	1.00	52.14	F
ATOM	9745	CA	ALA	F	115	67.080	47.962	74.666	1.00	55.33	F
ATOM	9746	CB	ALA	F	115	67.670	49.200	75.327	1.00	56.97	F
ATOM	9747	C	ALA	F	115	67.889	46.716	75.055	1.00	56.95	F
ATOM	9748	O	ALA	F	115	67.909	46.316	76.228	1.00	52.50	F
ATOM	9749	N	GLY	F	116	68.572	46.127	74.065	1.00	59.50	F
ATOM	9750	CA	GLY	F	116	69.371	44.928	74.288	1.00	58.50	F
ATOM	9751	C	GLY	F	116	70.450	45.021	75.356	1.00	56.37	F
ATOM	9752	O	GLY	F	116	70.185	45.288	76.531	1.00	56.03	F
ATOM	9753	N	GLY	F	117	71.678	44.753	74.943	1.00	53.11	F

ATOM	9754	CA	GLY	F	117	72.810	44.835	75.847	1.00	50.41	F
ATOM	9755	C	GLY	F	117	73.614	45.994	75.296	1.00	45.89	F
ATOM	9756	O	GLY	F	117	73.749	47.032	75.948	1.00	43.27	F
ATOM	9757	N	VAL	F	118	74.131	45.808	74.081	1.00	40.98	F
ATOM	9758	CA	VAL	F	118	74.881	46.839	73.374	1.00	36.93	F
ATOM	9759	CB	VAL	F	118	75.859	46.220	72.392	1.00	33.65	F
ATOM	9760	CG1	VAL	F	118	76.357	47.275	71.418	1.00	28.62	F
ATOM	9761	CG2	VAL	F	118	77.010	45.611	73.151	1.00	31.70	F
ATOM	9762	C	VAL	F	118	73.897	47.686	72.577	1.00	33.39	F
ATOM	9763	O	VAL	F	118	73.534	47.313	71.484	1.00	37.61	F
ATOM	9764	N	ALA	F	119	73.463	48.816	73.119	1.00	30.58	F
ATOM	9765	CA	ALA	F	119	72.511	49.666	72.408	1.00	31.92	F
ATOM	9766	CB	ALA	F	119	71.679	50.447	73.400	1.00	23.12	F
ATOM	9767	C	ALA	F	119	73.155	50.630	71.399	1.00	35.08	F
ATOM	9768	O	ALA	F	119	72.446	51.265	70.620	1.00	33.47	F
ATOM	9769	N	ILE	F	120	74.484	50.754	71.443	1.00	34.53	F
ATOM	9770	CA	ILE	F	120	75.238	51.615	70.536	1.00	33.84	F
ATOM	9771	CB	ILE	F	120	75.463	53.008	71.138	1.00	37.22	F
ATOM	9772	CG2	ILE	F	120	76.402	53.816	70.251	1.00	27.71	F
ATOM	9773	CG1	ILE	F	120	74.131	53.731	71.295	1.00	36.35	F
ATOM	9774	CD1	ILE	F	120	74.252	55.074	71.959	1.00	36.43	F
ATOM	9775	C	ILE	F	120	76.615	51.001	70.262	1.00	37.04	F
ATOM	9776	O	ILE	F	120	77.420	50.838	71.186	1.00	39.36	F
ATOM	9777	N	LYS	F	121	76.894	50.663	69.005	1.00	30.25	F
ATOM	9778	CA	LYS	F	121	78.183	50.070	68.682	1.00	33.67	F
ATOM	9779	CB	LYS	F	121	78.131	49.337	67.327	1.00	43.20	F
ATOM	9780	CG	LYS	F	121	77.632	47.901	67.334	1.00	46.26	F
ATOM	9781	CD	LYS	F	121	76.158	47.812	67.704	1.00	58.27	F
ATOM	9782	CE	LYS	F	121	75.590	46.456	67.325	1.00	61.66	F
ATOM	9783	NZ	LYS	F	121	75.770	46.200	65.858	1.00	65.25	F
ATOM	9784	C	LYS	F	121	79.368	51.042	68.652	1.00	33.63	F
ATOM	9785	O	LYS	F	121	79.276	52.202	68.235	1.00	32.49	F
ATOM	9786	N	ALA	F	122	80.500	50.533	69.104	1.00	33.94	F
ATOM	9787	CA	ALA	F	122	81.725	51.297	69.087	1.00	35.61	F
ATOM	9788	CB	ALA	F	122	82.864	50.477	69.707	1.00	21.51	F
ATOM	9789	C	ALA	F	122	82.021	51.578	67.607	1.00	37.44	F
ATOM	9790	O	ALA	F	122	82.010	50.662	66.777	1.00	36.51	F
ATOM	9791	N	GLY	F	123	82.267	52.845	67.289	1.00	36.12	F
ATOM	9792	CA	GLY	F	123	82.588	53.227	65.930	1.00	33.99	F
ATOM	9793	C	GLY	F	123	81.409	53.567	65.040	1.00	33.57	F
ATOM	9794	O	GLY	F	123	81.597	53.902	63.870	1.00	36.03	F
ATOM	9795	N	SER	F	124	80.199	53.511	65.579	1.00	32.27	F
ATOM	9796	CA	SER	F	124	79.018	53.784	64.773	1.00	32.48	F
ATOM	9797	CB	SER	F	124	77.847	52.916	65.266	1.00	30.72	F
ATOM	9798	OG	SER	F	124	77.572	53.107	66.644	1.00	24.59	F
ATOM	9799	C	SER	F	124	78.563	55.237	64.656	1.00	31.36	F
ATOM	9800	O	SER	F	124	78.827	56.075	65.510	1.00	31.18	F
ATOM	9801	N	LEU	F	125	77.867	55.526	63.573	1.00	31.47	F
ATOM	9802	CA	LEU	F	125	77.359	56.864	63.362	1.00	32.12	F
ATOM	9803	CB	LEU	F	125	76.857	57.076	61.920	1.00	29.14	F
ATOM	9804	CG	LEU	F	125	76.101	58.400	61.753	1.00	28.02	F
ATOM	9805	CD1	LEU	F	125	77.043	59.561	62.003	1.00	21.81	F
ATOM	9806	CD2	LEU	F	125	75.503	58.485	60.376	1.00	29.12	F
ATOM	9807	C	LEU	F	125	76.206	56.913	64.311	1.00	29.25	F
ATOM	9808	O	LEU	F	125	75.243	56.172	64.181	1.00	32.46	F
ATOM	9809	N	ILE	F	126	76.315	57.796	65.273	1.00	30.20	F
ATOM	9810	CA	ILE	F	126	75.297	57.936	66.288	1.00	31.31	F
ATOM	9811	CB	ILE	F	126	75.989	58.115	67.659	1.00	33.57	F

ATOM	9812	CG2	ILE	F	126	75.606	59.420	68.321	1.00	23.95	F
ATOM	9813	CG1	ILE	F	126	75.715	56.890	68.497	1.00	31.43	F
ATOM	9814	CD1	ILE	F	126	76.466	56.904	69.775	1.00	50.99	F
ATOM	9815	C	ILE	F	126	74.336	59.064	65.988	1.00	30.25	F
ATOM	9816	O	ILE	F	126	73.171	58.965	66.325	1.00	30.83	F
ATOM	9817	N	ALA	F	127	74.821	60.127	65.346	1.00	30.48	F
ATOM	9818	CA	ALA	F	127	73.970	61.273	65.013	1.00	27.10	F
ATOM	9819	CB	ALA	F	127	73.629	62.044	66.278	1.00	23.98	F
ATOM	9820	C	ALA	F	127	74.605	62.227	64.009	1.00	24.00	F
ATOM	9821	O	ALA	F	127	75.828	62.252	63.849	1.00	27.01	F
ATOM	9822	N	VAL	F	128	73.763	62.994	63.329	1.00	17.44	F
ATOM	9823	CA	VAL	F	128	74.226	63.992	62.386	1.00	19.27	F
ATOM	9824	CB	VAL	F	128	73.844	63.658	60.919	1.00	17.28	F
ATOM	9825	CG1	VAL	F	128	74.176	64.864	60.015	1.00	12.32	F
ATOM	9826	CG2	VAL	F	128	74.623	62.440	60.426	1.00	15.75	F
ATOM	9827	C	VAL	F	128	73.554	65.308	62.792	1.00	24.73	F
ATOM	9828	O	VAL	F	128	72.327	65.390	62.827	1.00	28.45	F
ATOM	9829	N	LEU	F	129	74.354	66.326	63.110	1.00	23.96	F
ATOM	9830	CA	LEU	F	129	73.816	67.618	63.524	1.00	27.64	F
ATOM	9831	CB	LEU	F	129	74.341	67.996	64.907	1.00	27.35	F
ATOM	9832	CG	LEU	F	129	74.006	67.025	66.042	1.00	38.04	F
ATOM	9833	CD1	LEU	F	129	74.583	67.566	67.325	1.00	29.73	F
ATOM	9834	CD2	LEU	F	129	72.488	66.849	66.173	1.00	35.53	F
ATOM	9835	C	LEU	F	129	74.154	68.731	62.539	1.00	30.45	F
ATOM	9836	O	LEU	F	129	75.322	68.964	62.208	1.00	31.30	F
ATOM	9837	N	ILE	F	130	73.123	69.427	62.077	1.00	26.89	F
ATOM	9838	CA	ILE	F	130	73.334	70.495	61.129	1.00	26.66	F
ATOM	9839	CB	ILE	F	130	72.356	70.406	59.945	1.00	27.82	F
ATOM	9840	CG2	ILE	F	130	72.526	71.611	59.037	1.00	20.45	F
ATOM	9841	CG1	ILE	F	130	72.625	69.124	59.151	1.00	19.70	F
ATOM	9842	CD1	ILE	F	130	71.639	68.910	58.038	1.00	29.87	F
ATOM	9843	C	ILE	F	130	73.224	71.867	61.749	1.00	30.37	F
ATOM	9844	O	ILE	F	130	72.161	72.285	62.226	1.00	32.61	F
ATOM	9845	N	LEU	F	131	74.359	72.559	61.726	1.00	33.24	F
ATOM	9846	CA	LEU	F	131	74.496	73.902	62.247	1.00	30.22	F
ATOM	9847	CB	LEU	F	131	75.889	74.067	62.826	1.00	26.36	F
ATOM	9848	CG	LEU	F	131	76.191	75.421	63.450	1.00	35.42	F
ATOM	9849	CD1	LEU	F	131	77.402	75.295	64.355	1.00	33.85	F
ATOM	9850	CD2	LEU	F	131	76.420	76.458	62.362	1.00	33.68	F
ATOM	9851	C	LEU	F	131	74.286	74.850	61.078	1.00	32.06	F
ATOM	9852	O	LEU	F	131	74.976	74.751	60.073	1.00	35.21	F
ATOM	9853	N	ARG	F	132	73.328	75.762	61.211	1.00	34.13	F
ATOM	9854	CA	ARG	F	132	73.025	76.729	60.158	1.00	33.73	F
ATOM	9855	CB	ARG	F	132	71.550	76.665	59.800	1.00	32.57	F
ATOM	9856	CG	ARG	F	132	71.118	77.651	58.771	1.00	26.80	F
ATOM	9857	CD	ARG	F	132	69.719	77.317	58.374	1.00	32.86	F
ATOM	9858	NE	ARG	F	132	69.362	77.867	57.073	1.00	50.47	F
ATOM	9859	CZ	ARG	F	132	68.236	77.567	56.427	1.00	56.27	F
ATOM	9860	NH1	ARG	F	132	67.362	76.721	56.967	1.00	56.77	F
ATOM	9861	NH2	ARG	F	132	67.983	78.105	55.237	1.00	58.27	F
ATOM	9862	C	ARG	F	132	73.377	78.131	60.619	1.00	34.90	F
ATOM	9863	O	ARG	F	132	72.833	78.621	61.611	1.00	36.41	F
ATOM	9864	N	GLN	F	133	74.271	78.775	59.874	1.00	36.15	F
ATOM	9865	CA	GLN	F	133	74.749	80.110	60.210	1.00	33.72	F
ATOM	9866	CB	GLN	F	133	76.252	80.060	60.467	1.00	34.30	F
ATOM	9867	CG	GLN	F	133	76.911	81.414	60.670	1.00	39.57	F
ATOM	9868	CD	GLN	F	133	77.509	81.988	59.399	1.00	38.53	F
ATOM	9869	OE1	GLN	F	133	78.316	81.349	58.733	1.00	43.80	F

ATOM	9870	NE2	GLN	F	133	77.123	83.206	59.066	1.00	39.22	F
ATOM	9871	C	GLN	F	133	74.460	81.159	59.159	1.00	33.35	F
ATOM	9872	O	GLN	F	133	74.773	80.983	57.984	1.00	34.90	F
ATOM	9873	N	THR	F	134	73.852	82.251	59.608	1.00	33.56	F
ATOM	9874	CA	THR	F	134	73.514	83.399	58.769	1.00	32.76	F
ATOM	9875	CB	THR	F	134	72.016	83.571	58.656	1.00	29.22	F
ATOM	9876	OG1	THR	F	134	71.453	83.391	59.959	1.00	42.08	F
ATOM	9877	CG2	THR	F	134	71.421	82.570	57.689	1.00	19.49	F
ATOM	9878	C	THR	F	134	74.074	84.635	59.482	1.00	36.34	F
ATOM	9879	O	THR	F	134	74.866	84.516	60.424	1.00	35.33	F
ATOM	9880	N	ASN	F	135	73.667	85.824	59.048	1.00	38.89	F
ATOM	9881	CA	ASN	F	135	74.168	87.037	59.687	1.00	42.65	F
ATOM	9882	CB	ASN	F	135	75.605	87.312	59.242	1.00	41.20	F
ATOM	9883	CG	ASN	F	135	75.730	87.408	57.743	1.00	42.29	F
ATOM	9884	OD1	ASN	F	135	74.871	87.979	57.077	1.00	40.78	F
ATOM	9885	ND2	ASN	F	135	76.802	86.851	57.199	1.00	42.15	F
ATOM	9886	C	ASN	F	135	73.311	88.246	59.379	1.00	44.15	F
ATOM	9887	O	ASN	F	135	72.388	88.187	58.558	1.00	44.56	F
ATOM	9888	N	ASN	F	136	73.620	89.345	60.052	1.00	45.73	F
ATOM	9889	CA	ASN	F	136	72.896	90.592	59.830	1.00	50.51	F
ATOM	9890	CB	ASN	F	136	72.740	91.359	61.133	1.00	47.85	F
ATOM	9891	CG	ASN	F	136	74.069	91.673	61.774	1.00	51.73	F
ATOM	9892	OD1	ASN	F	136	74.127	92.238	62.866	1.00	54.65	F
ATOM	9893	ND2	ASN	F	136	75.151	91.304	61.101	1.00	54.57	F
ATOM	9894	C	ASN	F	136	73.691	91.443	58.860	1.00	52.19	F
ATOM	9895	O	ASN	F	136	73.720	92.663	58.991	1.00	51.78	F
ATOM	9896	N	TYR	F	137	74.355	90.793	57.905	1.00	54.92	F
ATOM	9897	CA	TYR	F	137	75.158	91.514	56.932	1.00	55.63	F
ATOM	9898	CB	TYR	F	137	76.646	91.236	57.135	1.00	62.79	F
ATOM	9899	CG	TYR	F	137	77.517	92.035	56.191	1.00	70.51	F
ATOM	9900	CD1	TYR	F	137	77.430	93.427	56.139	1.00	69.43	F
ATOM	9901	CE1	TYR	F	137	78.217	94.165	55.261	1.00	73.84	F
ATOM	9902	CD2	TYR	F	137	78.420	91.399	55.336	1.00	75.66	F
ATOM	9903	CE2	TYR	F	137	79.216	92.132	54.454	1.00	75.09	F
ATOM	9904	CZ	TYR	F	137	79.106	93.510	54.422	1.00	74.61	F
ATOM	9905	OH	TYR	F	137	79.872	94.230	53.540	1.00	76.08	F
ATOM	9906	C	TYR	F	137	74.798	91.243	55.488	1.00	52.14	F
ATOM	9907	O	TYR	F	137	74.782	92.163	54.688	1.00	55.38	F
ATOM	9908	N	ASN	F	138	74.517	89.995	55.144	1.00	49.22	F
ATOM	9909	CA	ASN	F	138	74.153	89.673	53.765	1.00	50.77	F
ATOM	9910	CB	ASN	F	138	75.397	89.551	52.904	1.00	51.66	F
ATOM	9911	CG	ASN	F	138	76.351	88.509	53.415	1.00	51.29	F
ATOM	9912	OD1	ASN	F	138	77.434	88.350	52.883	1.00	55.19	F
ATOM	9913	ND2	ASN	F	138	75.952	87.788	54.447	1.00	52.57	F
ATOM	9914	C	ASN	F	138	73.338	88.399	53.639	1.00	53.71	F
ATOM	9915	O	ASN	F	138	72.766	87.923	54.622	1.00	56.23	F
ATOM	9916	N	SER	F	139	73.290	87.834	52.435	1.00	53.66	F
ATOM	9917	CA	SER	F	139	72.508	86.616	52.221	1.00	53.60	F
ATOM	9918	CB	SER	F	139	71.968	86.580	50.785	1.00	52.64	F
ATOM	9919	OG	SER	F	139	73.023	86.535	49.840	1.00	62.57	F
ATOM	9920	C	SER	F	139	73.246	85.309	52.527	1.00	49.31	F
ATOM	9921	O	SER	F	139	72.856	84.247	52.034	1.00	50.06	F
ATOM	9922	N	ASP	F	140	74.299	85.382	53.338	1.00	46.87	F
ATOM	9923	CA	ASP	F	140	75.066	84.189	53.705	1.00	45.08	F
ATOM	9924	CB	ASP	F	140	76.330	84.580	54.492	1.00	42.13	F
ATOM	9925	CG	ASP	F	140	77.489	84.998	53.582	1.00	45.18	F
ATOM	9926	OD1	ASP	F	140	78.559	85.417	54.095	1.00	33.58	F
ATOM	9927	OD2	ASP	F	140	77.335	84.903	52.343	1.00	41.21	F

ATOM	9928	C	ASP	F	140	74.227	83.195	54.528	1.00	46.20	F
ATOM	9929	O	ASP	F	140	73.732	83.515	55.613	1.00	45.17	F
ATOM	9930	N	ASP	F	141	74.069	81.988	53.995	1.00	46.06	F
ATOM	9931	CA	ASP	F	141	73.314	80.928	54.661	1.00	42.86	F
ATOM	9932	CB	ASP	F	141	71.950	80.779	53.998	1.00	48.22	F
ATOM	9933	CG	ASP	F	141	70.969	79.980	54.837	1.00	52.47	F
ATOM	9934	OD1	ASP	F	141	71.400	79.201	55.713	1.00	53.31	F
ATOM	9935	OD2	ASP	F	141	69.751	80.122	54.601	1.00	58.02	F
ATOM	9936	C	ASP	F	141	74.131	79.645	54.463	1.00	37.88	F
ATOM	9937	O	ASP	F	141	73.937	78.928	53.478	1.00	35.24	F
ATOM	9938	N	PHE	F	142	75.037	79.364	55.392	1.00	30.23	F
ATOM	9939	CA	PHE	F	142	75.907	78.196	55.285	1.00	32.72	F
ATOM	9940	CB	PHE	F	142	77.370	78.611	55.506	1.00	31.86	F
ATOM	9941	CG	PHE	F	142	77.855	79.662	54.551	1.00	37.68	F
ATOM	9942	CD1	PHE	F	142	78.501	80.808	55.022	1.00	40.81	F
ATOM	9943	CD2	PHE	F	142	77.697	79.499	53.174	1.00	32.10	F
ATOM	9944	CE1	PHE	F	142	78.993	81.778	54.135	1.00	32.79	F
ATOM	9945	CE2	PHE	F	142	78.181	80.454	52.285	1.00	29.13	F
ATOM	9946	CZ	PHE	F	142	78.833	81.600	52.772	1.00	30.65	F
ATOM	9947	C	PHE	F	142	75.556	77.094	56.278	1.00	35.05	F
ATOM	9948	O	PHE	F	142	75.010	77.351	57.361	1.00	36.52	F
ATOM	9949	N	GLN	F	143	75.892	75.861	55.918	1.00	31.31	F
ATOM	9950	CA	GLN	F	143	75.604	74.735	56.782	1.00	30.55	F
ATOM	9951	CB	GLN	F	143	74.693	73.737	56.090	1.00	30.44	F
ATOM	9952	CG	GLN	F	143	73.298	74.216	55.814	1.00	37.93	F
ATOM	9953	CD	GLN	F	143	72.396	73.065	55.477	1.00	46.00	F
ATOM	9954	OE1	GLN	F	143	72.796	72.153	54.753	1.00	46.23	F
ATOM	9955	NE2	GLN	F	143	71.170	73.088	56.004	1.00	51.53	F
ATOM	9956	C	GLN	F	143	76.860	74.020	57.200	1.00	32.27	F
ATOM	9957	O	GLN	F	143	77.711	73.706	56.375	1.00	34.20	F
ATOM	9958	N	PHE	F	144	76.967	73.774	58.500	1.00	33.26	F
ATOM	9959	CA	PHE	F	144	78.107	73.085	59.069	1.00	31.18	F
ATOM	9960	CB	PHE	F	144	78.715	73.904	60.204	1.00	27.45	F
ATOM	9961	CG	PHE	F	144	79.397	75.159	59.735	1.00	32.07	F
ATOM	9962	CD1	PHE	F	144	78.663	76.214	59.188	1.00	30.50	F
ATOM	9963	CD2	PHE	F	144	80.784	75.301	59.846	1.00	33.59	F
ATOM	9964	CE1	PHE	F	144	79.303	77.397	58.763	1.00	21.24	F
ATOM	9965	CE2	PHE	F	144	81.429	76.474	59.427	1.00	23.71	F
ATOM	9966	CZ	PHE	F	144	80.680	77.525	58.886	1.00	18.32	F
ATOM	9967	C	PHE	F	144	77.553	71.775	59.573	1.00	32.17	F
ATOM	9968	O	PHE	F	144	76.801	71.736	60.554	1.00	32.99	F
ATOM	9969	N	VAL	F	145	77.931	70.700	58.889	1.00	26.72	F
ATOM	9970	CA	VAL	F	145	77.446	69.386	59.233	1.00	24.09	F
ATOM	9971	CB	VAL	F	145	77.189	68.576	57.958	1.00	24.74	F
ATOM	9972	CG1	VAL	F	145	76.684	67.209	58.317	1.00	19.40	F
ATOM	9973	CG2	VAL	F	145	76.163	69.306	57.068	1.00	20.99	F
ATOM	9974	C	VAL	F	145	78.367	68.610	60.145	1.00	26.74	F
ATOM	9975	O	VAL	F	145	79.531	68.387	59.823	1.00	33.30	F
ATOM	9976	N	TRP	F	146	77.842	68.184	61.290	1.00	27.93	F
ATOM	9977	CA	TRP	F	146	78.639	67.420	62.247	1.00	25.53	F
ATOM	9978	CB	TRP	F	146	78.546	68.061	63.638	1.00	22.97	F
ATOM	9979	CG	TRP	F	146	78.796	69.540	63.609	1.00	23.12	F
ATOM	9980	CD2	TRP	F	146	80.070	70.203	63.583	1.00	19.97	F
ATOM	9981	CE2	TRP	F	146	79.817	71.588	63.458	1.00	22.02	F
ATOM	9982	CE3	TRP	F	146	81.400	69.763	63.648	1.00	18.12	F
ATOM	9983	CD1	TRP	F	146	77.855	70.521	63.504	1.00	24.57	F
ATOM	9984	NE1	TRP	F	146	78.458	71.754	63.408	1.00	28.30	F
ATOM	9985	CZ2	TRP	F	146	80.840	72.536	63.403	1.00	20.45	F

ATOM	9986	CZ3	TRP	F	146	82.426	70.718	63.590	1.00	19.99	F
ATOM	9987	CH2	TRP	F	146	82.135	72.083	63.470	1.00	14.70	F
ATOM	9988	C	TRP	F	146	78.183	65.959	62.296	1.00	26.65	F
ATOM	9989	O	TRP	F	146	77.018	65.659	62.566	1.00	28.02	F
ATOM	9990	N	ASN	F	147	79.103	65.047	62.002	1.00	25.61	F
ATOM	9991	CA	ASN	F	147	78.786	63.626	62.029	1.00	25.67	F
ATOM	9992	CB	ASN	F	147	79.405	62.909	60.816	1.00	22.18	F
ATOM	9993	CG	ASN	F	147	78.962	63.518	59.490	1.00	28.38	F
ATOM	9994	OD1	ASN	F	147	77.769	63.721	59.236	1.00	25.40	F
ATOM	9995	ND2	ASN	F	147	79.924	63.805	58.636	1.00	34.60	F
ATOM	9996	C	ASN	F	147	79.329	63.070	63.337	1.00	26.95	F
ATOM	9997	O	ASN	F	147	80.537	62.950	63.522	1.00	27.80	F
ATOM	9998	N	ILE	F	148	78.421	62.750	64.252	1.00	25.76	F
ATOM	9999	CA	ILE	F	148	78.802	62.239	65.566	1.00	26.05	F
ATOM	10000	CB	ILE	F	148	77.736	62.606	66.621	1.00	25.73	F
ATOM	10001	CG2	ILE	F	148	78.359	62.575	67.999	1.00	26.85	F
ATOM	10002	CG1	ILE	F	148	77.093	63.969	66.296	1.00	30.69	F
ATOM	10003	CD1	ILE	F	148	78.011	65.175	66.263	1.00	19.85	F
ATOM	10004	C	ILE	F	148	78.995	60.726	65.632	1.00	24.06	F
ATOM	10005	O	ILE	F	148	78.043	59.979	65.486	1.00	29.63	F
ATOM	10006	N	TYR	F	149	80.219	60.273	65.854	1.00	21.38	F
ATOM	10007	CA	TYR	F	149	80.496	58.842	65.974	1.00	24.87	F
ATOM	10008	CB	TYR	F	149	81.707	58.439	65.118	1.00	21.05	F
ATOM	10009	CG	TYR	F	149	81.433	58.399	63.634	1.00	27.54	F
ATOM	10010	CD1	TYR	F	149	81.358	59.580	62.883	1.00	26.94	F
ATOM	10011	CE1	TYR	F	149	81.067	59.552	61.526	1.00	28.08	F
ATOM	10012	CD2	TYR	F	149	81.209	57.186	62.980	1.00	27.21	F
ATOM	10013	CE2	TYR	F	149	80.915	57.149	61.618	1.00	29.70	F
ATOM	10014	CZ	TYR	F	149	80.848	58.335	60.899	1.00	30.10	F
ATOM	10015	OH	TYR	F	149	80.583	58.300	59.555	1.00	31.41	F
ATOM	10016	C	TYR	F	149	80.787	58.475	67.437	1.00	28.65	F
ATOM	10017	O	TYR	F	149	81.371	59.270	68.169	1.00	36.35	F
ATOM	10018	N	ALA	F	150	80.371	57.287	67.868	1.00	27.14	F
ATOM	10019	CA	ALA	F	150	80.635	56.844	69.232	1.00	28.14	F
ATOM	10020	CB	ALA	F	150	79.493	56.053	69.749	1.00	26.19	F
ATOM	10021	C	ALA	F	150	81.892	55.988	69.211	1.00	30.78	F
ATOM	10022	O	ALA	F	150	82.010	55.088	68.392	1.00	35.39	F
ATOM	10023	N	ASN	F	151	82.822	56.256	70.119	1.00	28.96	F
ATOM	10024	CA	ASN	F	151	84.077	55.529	70.138	1.00	29.61	F
ATOM	10025	CB	ASN	F	151	85.160	56.335	70.856	1.00	34.70	F
ATOM	10026	CG	ASN	F	151	85.704	57.468	70.020	1.00	36.27	F
ATOM	10027	OD1	ASN	F	151	86.182	57.260	68.907	1.00	36.03	F
ATOM	10028	ND2	ASN	F	151	85.644	58.677	70.559	1.00	37.07	F
ATOM	10029	C	ASN	F	151	83.981	54.199	70.806	1.00	32.38	F
ATOM	10030	O	ASN	F	151	84.834	53.334	70.602	1.00	37.71	F
ATOM	10031	N	ASN	F	152	82.938	54.028	71.604	1.00	31.65	F
ATOM	10032	CA	ASN	F	152	82.781	52.801	72.361	1.00	31.16	F
ATOM	10033	CB	ASN	F	152	83.272	53.052	73.772	1.00	32.07	F
ATOM	10034	CG	ASN	F	152	82.408	54.066	74.500	1.00	34.33	F
ATOM	10035	OD1	ASN	F	152	82.485	55.269	74.248	1.00	39.93	F
ATOM	10036	ND2	ASN	F	152	81.560	53.580	75.389	1.00	30.91	F
ATOM	10037	C	ASN	F	152	81.342	52.310	72.439	1.00	31.31	F
ATOM	10038	O	ASN	F	152	80.403	53.050	72.107	1.00	26.34	F
ATOM	10039	N	ASP	F	153	81.178	51.069	72.911	1.00	30.50	F
ATOM	10040	CA	ASP	F	153	79.844	50.498	73.063	1.00	32.96	F
ATOM	10041	CB	ASP	F	153	79.864	48.981	73.321	1.00	33.05	F
ATOM	10042	CG	ASP	F	153	80.467	48.168	72.188	1.00	40.75	F
ATOM	10043	OD1	ASP	F	153	80.472	48.603	71.012	1.00	44.27	F

ATOM	10044	OD2	ASP	F	153	80.919	47.048	72.494	1.00	39.01	F
ATOM	10045	C	ASP	F	153	79.178	51.103	74.285	1.00	33.56	F
ATOM	10046	O	ASP	F	153	79.824	51.331	75.300	1.00	37.56	F
ATOM	10047	N	VAL	F	154	77.888	51.374	74.172	1.00	34.54	F
ATOM	10048	CA	VAL	F	154	77.096	51.843	75.295	1.00	33.09	F
ATOM	10049	CB	VAL	F	154	76.287	53.070	74.950	1.00	35.99	F
ATOM	10050	CG1	VAL	F	154	75.337	53.410	76.112	1.00	30.67	F
ATOM	10051	CG2	VAL	F	154	77.210	54.202	74.658	1.00	40.35	F
ATOM	10052	C	VAL	F	154	76.115	50.694	75.611	1.00	34.56	F
ATOM	10053	O	VAL	F	154	75.127	50.472	74.893	1.00	30.43	F
ATOM	10054	N	VAL	F	155	76.414	49.953	76.670	1.00	37.88	F
ATOM	10055	CA	VAL	F	155	75.582	48.829	77.101	1.00	37.52	F
ATOM	10056	CB	VAL	F	155	76.414	47.744	77.855	1.00	36.79	F
ATOM	10057	CG1	VAL	F	155	75.493	46.813	78.599	1.00	40.41	F
ATOM	10058	CG2	VAL	F	155	77.264	46.944	76.875	1.00	42.20	F
ATOM	10059	C	VAL	F	155	74.466	49.267	78.035	1.00	35.62	F
ATOM	10060	O	VAL	F	155	74.665	50.107	78.911	1.00	34.65	F
ATOM	10061	N	VAL	F	156	73.286	48.697	77.821	1.00	37.60	F
ATOM	10062	CA	VAL	F	156	72.124	48.944	78.674	1.00	40.02	F
ATOM	10063	CB	VAL	F	156	70.900	49.343	77.866	1.00	43.02	F
ATOM	10064	CG1	VAL	F	156	69.648	49.238	78.742	1.00	37.74	F
ATOM	10065	CG2	VAL	F	156	71.087	50.763	77.328	1.00	43.57	F
ATOM	10066	C	VAL	F	156	71.837	47.599	79.330	1.00	40.40	F
ATOM	10067	O	VAL	F	156	71.345	46.684	78.675	1.00	42.72	F
ATOM	10068	N	PRO	F	157	72.141	47.459	80.629	1.00	39.83	F
ATOM	10069	CD	PRO	F	157	72.592	48.518	81.542	1.00	40.86	F
ATOM	10070	CA	PRO	F	157	71.923	46.208	81.368	1.00	38.96	F
ATOM	10071	CB	PRO	F	157	72.276	46.587	82.800	1.00	38.34	F
ATOM	10072	CG	PRO	F	157	73.260	47.722	82.620	1.00	40.05	F
ATOM	10073	C	PRO	F	157	70.507	45.661	81.258	1.00	35.56	F
ATOM	10074	O	PRO	F	157	69.529	46.425	81.222	1.00	32.77	F
ATOM	10075	N	THR	F	158	70.400	44.339	81.176	1.00	32.84	F
ATOM	10076	CA	THR	F	158	69.087	43.717	81.102	1.00	38.19	F
ATOM	10077	CB	THR	F	158	69.182	42.273	80.655	1.00	40.68	F
ATOM	10078	OG1	THR	F	158	67.905	41.659	80.827	1.00	49.84	F
ATOM	10079	CG2	THR	F	158	70.185	41.530	81.481	1.00	46.45	F
ATOM	10080	C	THR	F	158	68.416	43.761	82.482	1.00	37.81	F
ATOM	10081	O	THR	F	158	69.064	43.479	83.501	1.00	38.86	F
ATOM	10082	N	GLY	F	159	67.132	44.132	82.509	1.00	34.68	F
ATOM	10083	CA	GLY	F	159	66.399	44.227	83.764	1.00	35.48	F
ATOM	10084	C	GLY	F	159	65.735	42.938	84.244	1.00	39.73	F
ATOM	10085	O	GLY	F	159	65.850	41.877	83.604	1.00	37.58	F
ATOM	10086	N	GLY	F	160	65.053	43.011	85.385	1.00	35.22	F
ATOM	10087	CA	GLY	F	160	64.389	41.824	85.886	1.00	34.97	F
ATOM	10088	C	GLY	F	160	63.024	41.767	85.242	1.00	36.62	F
ATOM	10089	O	GLY	F	160	62.584	42.781	84.690	1.00	36.99	F
ATOM	10090	N	CYS	F	161	62.348	40.620	85.308	1.00	35.39	F
ATOM	10091	CA	CYS	F	161	61.021	40.506	84.707	1.00	38.65	F
ATOM	10092	C	CYS	F	161	59.879	40.968	85.626	1.00	40.33	F
ATOM	10093	O	CYS	F	161	60.099	41.268	86.804	1.00	43.24	F
ATOM	10094	CB	CYS	F	161	60.802	39.081	84.270	1.00	37.85	F
ATOM	10095	SG	CYS	F	161	62.198	38.457	83.291	1.00	45.26	F
ATOM	10096	N	ASP	F	162	58.667	41.071	85.087	1.00	38.46	F
ATOM	10097	CA	ASP	F	162	57.554	41.496	85.923	1.00	45.24	F
ATOM	10098	CB	ASP	F	162	56.786	42.661	85.301	1.00	52.78	F
ATOM	10099	CG	ASP	F	162	55.811	43.308	86.291	1.00	66.12	F
ATOM	10100	OD1	ASP	F	162	56.221	43.605	87.439	1.00	66.72	F
ATOM	10101	OD2	ASP	F	162	54.634	43.529	85.927	1.00	73.89	F

ATOM	10102	C	ASP	F	162	56.618	40.335	86.154	1.00	48.44	F
ATOM	10103	O	ASP	F	162	56.210	39.646	85.218	1.00	49.57	F
ATOM	10104	N	VAL	F	163	56.290	40.112	87.416	1.00	49.87	F
ATOM	10105	CA	VAL	F	163	55.424	39.017	87.780	1.00	56.69	F
ATOM	10106	CB	VAL	F	163	55.968	38.299	89.017	1.00	54.80	F
ATOM	10107	CG1	VAL	F	163	55.043	37.176	89.421	1.00	55.56	F
ATOM	10108	CG2	VAL	F	163	57.365	37.754	88.708	1.00	52.68	F
ATOM	10109	C	VAL	F	163	54.018	39.529	88.017	1.00	65.02	F
ATOM	10110	O	VAL	F	163	53.613	39.815	89.137	1.00	67.86	F
ATOM	10111	N	SER	F	164	53.286	39.646	86.919	1.00	74.84	F
ATOM	10112	CA	SER	F	164	51.914	40.118	86.919	1.00	82.88	F
ATOM	10113	CB	SER	F	164	51.406	40.192	85.474	1.00	86.59	F
ATOM	10114	OG	SER	F	164	52.427	40.645	84.591	1.00	83.85	F
ATOM	10115	C	SER	F	164	51.028	39.173	87.729	1.00	87.55	F
ATOM	10116	O	SER	F	164	50.770	38.036	87.311	1.00	87.89	F
ATOM	10117	N	ALA	F	165	50.572	39.651	88.886	1.00	91.49	F
ATOM	10118	CA	ALA	F	165	49.703	38.872	89.769	1.00	95.63	F
ATOM	10119	CB	ALA	F	165	50.489	38.396	90.988	1.00	95.41	F
ATOM	10120	C	ALA	F	165	48.515	39.725	90.208	1.00	97.82	F
ATOM	10121	O	ALA	F	165	48.689	40.876	90.610	1.00	101.18	F
ATOM	10122	N	ARG	F	166	47.311	39.165	90.131	1.00	98.21	F
ATOM	10123	CA	ARG	F	166	46.116	39.903	90.519	1.00	100.73	F
ATOM	10124	CB	ARG	F	166	44.878	39.052	90.244	1.00	99.07	F
ATOM	10125	CG	ARG	F	166	44.781	38.662	88.772	1.00	97.38	F
ATOM	10126	CD	ARG	F	166	43.505	37.907	88.427	1.00	96.43	F
ATOM	10127	NE	ARG	F	166	43.485	37.521	87.014	1.00	95.13	F
ATOM	10128	CZ	ARG	F	166	42.579	36.716	86.463	1.00	94.01	F
ATOM	10129	NH1	ARG	F	166	41.603	36.203	87.205	1.00	90.25	F
ATOM	10130	NH2	ARG	F	166	42.660	36.410	85.172	1.00	91.65	F
ATOM	10131	C	ARG	F	166	46.174	40.373	91.978	1.00	104.42	F
ATOM	10132	O	ARG	F	166	46.241	41.584	92.219	1.00	107.01	F
ATOM	10133	N	ASP	F	167	46.152	39.439	92.938	1.00	104.50	F
ATOM	10134	CA	ASP	F	167	46.246	39.773	94.374	1.00	104.28	F
ATOM	10135	CB	ASP	F	167	45.254	40.876	94.769	1.00	107.39	F
ATOM	10136	CG	ASP	F	167	45.459	41.367	96.210	1.00	111.31	F
ATOM	10137	OD1	ASP	F	167	44.569	42.078	96.731	1.00	113.91	F
ATOM	10138	OD2	ASP	F	167	46.508	41.044	96.820	1.00	109.69	F
ATOM	10139	C	ASP	F	167	46.033	38.585	95.311	1.00	102.78	F
ATOM	10140	O	ASP	F	167	46.268	37.437	94.937	1.00	104.79	F
ATOM	10141	N	VAL	F	168	45.593	38.891	96.533	1.00	98.33	F
ATOM	10142	CA	VAL	F	168	45.324	37.913	97.583	1.00	93.87	F
ATOM	10143	CB	VAL	F	168	45.027	38.631	98.922	1.00	94.11	F
ATOM	10144	CG1	VAL	F	168	44.007	39.734	98.698	1.00	95.13	F
ATOM	10145	CG2	VAL	F	168	44.514	37.637	99.954	1.00	93.09	F
ATOM	10146	C	VAL	F	168	44.147	37.008	97.213	1.00	88.58	F
ATOM	10147	O	VAL	F	168	42.994	37.292	97.535	1.00	88.60	F
ATOM	10148	N	THR	F	169	44.464	35.911	96.536	1.00	82.65	F
ATOM	10149	CA	THR	F	169	43.473	34.949	96.083	1.00	79.76	F
ATOM	10150	CB	THR	F	169	44.138	33.793	95.321	1.00	80.15	F
ATOM	10151	OG1	THR	F	169	44.638	34.275	94.070	1.00	81.54	F
ATOM	10152	CG2	THR	F	169	43.149	32.671	95.067	1.00	78.95	F
ATOM	10153	C	THR	F	169	42.636	34.351	97.190	1.00	78.58	F
ATOM	10154	O	THR	F	169	43.163	33.825	98.171	1.00	77.63	F
ATOM	10155	N	VAL	F	170	41.321	34.425	97.011	1.00	78.78	F
ATOM	10156	CA	VAL	F	170	40.382	33.868	97.973	1.00	79.85	F
ATOM	10157	CB	VAL	F	170	38.989	34.546	97.880	1.00	82.56	F
ATOM	10158	CG1	VAL	F	170	38.092	34.027	98.983	1.00	83.97	F
ATOM	10159	CG2	VAL	F	170	39.123	36.059	97.999	1.00	86.37	F

ATOM	10160	C	VAL	F	170	40.232	32.379	97.662	1.00	78.52	F
ATOM	10161	O	VAL	F	170	39.473	31.986	96.777	1.00	71.23	F
ATOM	10162	N	THR	F	171	40.999	31.563	98.380	1.00	82.10	F
ATOM	10163	CA	THR	F	171	40.971	30.118	98.218	1.00	84.55	F
ATOM	10164	CB	THR	F	171	42.208	29.448	98.909	1.00	82.30	F
ATOM	10165	OG1	THR	F	171	42.047	28.026	98.927	1.00	84.27	F
ATOM	10166	CG2	THR	F	171	42.363	29.922	100.329	1.00	77.80	F
ATOM	10167	C	THR	F	171	39.686	29.660	98.883	1.00	89.07	F
ATOM	10168	O	THR	F	171	39.655	28.639	99.573	1.00	93.98	F
ATOM	10169	N	LEU	F	172	38.620	30.420	98.657	1.00	89.84	F
ATOM	10170	CA	LEU	F	172	37.332	30.122	99.261	1.00	92.76	F
ATOM	10171	CB	LEU	F	172	36.363	31.301	99.055	1.00	97.93	F
ATOM	10172	CG	LEU	F	172	35.169	31.496	100.013	1.00	102.57	F
ATOM	10173	CD1	LEU	F	172	34.597	32.903	99.840	1.00	102.88	F
ATOM	10174	CD2	LEU	F	172	34.086	30.452	99.755	1.00	103.56	F
ATOM	10175	C	LEU	F	172	36.667	28.816	98.823	1.00	91.94	F
ATOM	10176	O	LEU	F	172	35.928	28.232	99.611	1.00	92.72	F
ATOM	10177	N	PRO	F	173	36.921	28.329	97.588	1.00	89.78	F
ATOM	10178	CD	PRO	F	173	38.043	28.586	96.673	1.00	87.53	F
ATOM	10179	CA	PRO	F	173	36.253	27.073	97.220	1.00	89.87	F
ATOM	10180	CB	PRO	F	173	37.083	26.573	96.033	1.00	86.88	F
ATOM	10181	CG	PRO	F	173	38.418	27.188	96.261	1.00	87.46	F
ATOM	10182	C	PRO	F	173	36.255	26.110	98.402	1.00	90.82	F
ATOM	10183	O	PRO	F	173	37.179	25.314	98.561	1.00	94.22	F
ATOM	10184	N	ASP	F	174	35.208	26.209	99.222	1.00	87.80	F
ATOM	10185	CA	ASP	F	174	35.048	25.421	100.439	1.00	83.90	F
ATOM	10186	CB	ASP	F	174	33.565	25.190	100.711	1.00	89.24	F
ATOM	10187	CG	ASP	F	174	32.824	26.493	100.948	1.00	93.37	F
ATOM	10188	OD1	ASP	F	174	32.628	27.252	99.971	1.00	93.27	F
ATOM	10189	OD2	ASP	F	174	32.456	26.770	102.113	1.00	99.59	F
ATOM	10190	C	ASP	F	174	35.832	24.125	100.475	1.00	78.11	F
ATOM	10191	O	ASP	F	174	35.914	23.402	99.485	1.00	73.38	F
ATOM	10192	N	TYR	F	175	36.402	23.861	101.646	1.00	74.59	F
ATOM	10193	CA	TYR	F	175	37.269	22.718	101.884	1.00	74.10	F
ATOM	10194	CB	TYR	F	175	36.755	21.825	103.005	1.00	72.41	F
ATOM	10195	CG	TYR	F	175	37.541	20.533	103.023	1.00	70.62	F
ATOM	10196	CD1	TYR	F	175	38.919	20.543	103.218	1.00	68.03	F
ATOM	10197	CE1	TYR	F	175	39.667	19.380	103.107	1.00	69.48	F
ATOM	10198	CD2	TYR	F	175	36.933	19.319	102.725	1.00	69.90	F
ATOM	10199	CE2	TYR	F	175	37.678	18.150	102.614	1.00	69.55	F
ATOM	10200	CZ	TYR	F	175	39.042	18.191	102.805	1.00	66.26	F
ATOM	10201	OH	TYR	F	175	39.778	17.041	102.699	1.00	65.79	F
ATOM	10202	C	TYR	F	175	37.661	21.808	100.726	1.00	74.44	F
ATOM	10203	O	TYR	F	175	38.845	21.571	100.501	1.00	81.85	F
ATOM	10204	N	PRO	F	176	36.693	21.242	100.002	1.00	66.99	F
ATOM	10205	CD	PRO	F	176	35.252	21.006	100.206	1.00	57.18	F
ATOM	10206	CA	PRO	F	176	37.232	20.393	98.935	1.00	61.29	F
ATOM	10207	CB	PRO	F	176	36.087	19.428	98.680	1.00	60.83	F
ATOM	10208	CG	PRO	F	176	34.875	20.319	98.928	1.00	61.91	F
ATOM	10209	C	PRO	F	176	37.678	21.129	97.664	1.00	56.63	F
ATOM	10210	O	PRO	F	176	38.525	20.635	96.917	1.00	52.23	F
ATOM	10211	N	GLY	F	177	37.107	22.311	97.442	1.00	56.19	F
ATOM	10212	CA	GLY	F	177	37.390	23.101	96.247	1.00	56.67	F
ATOM	10213	C	GLY	F	177	38.813	23.516	95.911	1.00	56.16	F
ATOM	10214	O	GLY	F	177	39.683	23.569	96.782	1.00	60.26	F
ATOM	10215	N	SER	F	178	39.039	23.824	94.635	1.00	49.66	F
ATOM	10216	CA	SER	F	178	40.349	24.246	94.165	1.00	47.96	F
ATOM	10217	CB	SER	F	178	41.119	23.047	93.603	1.00	41.26	F

ATOM	10218	OG	SER F 178	40.742	22.774	92.256	1.00	32.45	F
ATOM	10219	C	SER F 178	40.197	25.309	93.075	1.00	51.64	F
ATOM	10220	O	SER F 178	39.382	25.158	92.169	1.00	55.16	F
ATOM	10221	N	VAL F 179	40.979	26.383	93.155	1.00	52.51	F
ATOM	10222	CA	VAL F 179	40.895	27.431	92.144	1.00	51.42	F
ATOM	10223	CB	VAL F 179	40.660	28.846	92.741	1.00	46.10	F
ATOM	10224	CG1	VAL F 179	39.648	28.799	93.834	1.00	50.13	F
ATOM	10225	CG2	VAL F 179	41.955	29.413	93.257	1.00	49.74	F
ATOM	10226	C	VAL F 179	42.190	27.527	91.373	1.00	53.82	F
ATOM	10227	O	VAL F 179	43.220	26.970	91.779	1.00	51.89	F
ATOM	10228	N	PRO F 180	42.148	28.222	90.223	1.00	55.73	F
ATOM	10229	CD	PRO F 180	40.934	28.608	89.482	1.00	51.18	F
ATOM	10230	CA	PRO F 180	43.336	28.412	89.391	1.00	53.12	F
ATOM	10231	CB	PRO F 180	42.750	28.604	87.998	1.00	50.14	F
ATOM	10232	CG	PRO F 180	41.509	29.348	88.287	1.00	52.71	F
ATOM	10233	C	PRO F 180	43.965	29.682	89.962	1.00	48.35	F
ATOM	10234	O	PRO F 180	43.262	30.522	90.532	1.00	43.32	F
ATOM	10235	N	ILE F 181	45.283	29.799	89.852	1.00	47.94	F
ATOM	10236	CA	ILE F 181	45.987	30.958	90.382	1.00	44.76	F
ATOM	10237	CB	ILE F 181	47.118	30.551	91.315	1.00	45.38	F
ATOM	10238	CG2	ILE F 181	47.749	31.792	91.891	1.00	52.01	F
ATOM	10239	CG1	ILE F 181	46.582	29.675	92.444	1.00	46.78	F
ATOM	10240	CD1	ILE F 181	47.638	29.178	93.399	1.00	46.94	F
ATOM	10241	C	ILE F 181	46.587	31.787	89.272	1.00	43.84	F
ATOM	10242	O	ILE F 181	47.578	31.404	88.643	1.00	36.42	F
ATOM	10243	N	PRO F 182	45.992	32.952	89.022	1.00	47.49	F
ATOM	10244	CD	PRO F 182	44.864	33.544	89.756	1.00	48.66	F
ATOM	10245	CA	PRO F 182	46.464	33.853	87.975	1.00	46.15	F
ATOM	10246	CB	PRO F 182	45.425	34.969	87.980	1.00	52.40	F
ATOM	10247	CG	PRO F 182	44.217	34.357	88.688	1.00	51.90	F
ATOM	10248	C	PRO F 182	47.832	34.366	88.362	1.00	46.04	F
ATOM	10249	O	PRO F 182	47.986	35.032	89.388	1.00	41.79	F
ATOM	10250	N	LEU F 183	48.827	34.024	87.553	1.00	48.15	F
ATOM	10251	CA	LEU F 183	50.191	34.462	87.789	1.00	47.70	F
ATOM	10252	CB	LEU F 183	50.826	33.683	88.945	1.00	48.18	F
ATOM	10253	CG	LEU F 183	51.939	34.381	89.740	1.00	45.37	F
ATOM	10254	CD1	LEU F 183	52.366	33.518	90.912	1.00	44.46	F
ATOM	10255	CD2	LEU F 183	53.116	34.651	88.839	1.00	52.98	F
ATOM	10256	C	LEU F 183	50.972	34.233	86.507	1.00	50.45	F
ATOM	10257	O	LEU F 183	51.186	33.097	86.066	1.00	51.31	F
ATOM	10258	N	THR F 184	51.378	35.337	85.897	1.00	51.66	F
ATOM	10259	CA	THR F 184	52.139	35.296	84.661	1.00	50.11	F
ATOM	10260	CB	THR F 184	51.313	35.851	83.498	1.00	49.94	F
ATOM	10261	OG1	THR F 184	50.695	37.079	83.908	1.00	57.45	F
ATOM	10262	CG2	THR F 184	50.241	34.863	83.082	1.00	45.78	F
ATOM	10263	C	THR F 184	53.373	36.159	84.840	1.00	47.01	F
ATOM	10264	O	THR F 184	53.467	36.920	85.799	1.00	43.89	F
ATOM	10265	N	VAL F 185	54.323	36.016	83.927	1.00	44.20	F
ATOM	10266	CA	VAL F 185	55.540	36.799	83.969	1.00	46.67	F
ATOM	10267	CB	VAL F 185	56.731	36.029	84.605	1.00	47.00	F
ATOM	10268	CG1	VAL F 185	56.437	35.718	86.035	1.00	58.85	F
ATOM	10269	CG2	VAL F 185	57.015	34.747	83.843	1.00	45.67	F
ATOM	10270	C	VAL F 185	55.945	37.157	82.557	1.00	48.16	F
ATOM	10271	O	VAL F 185	55.829	36.342	81.635	1.00	44.42	F
ATOM	10272	N	TYR F 186	56.411	38.384	82.381	1.00	49.30	F
ATOM	10273	CA	TYR F 186	56.883	38.801	81.077	1.00	51.57	F
ATOM	10274	CB	TYR F 186	55.873	39.711	80.376	1.00	48.54	F
ATOM	10275	CG	TYR F 186	55.589	40.984	81.100	1.00	53.89	F

ATOM	10276	CD1	TYR	F	186	56.343	42.133	80.858	1.00	58.87	F
ATOM	10277	CE1	TYR	F	186	56.095	43.315	81.558	1.00	61.00	F
ATOM	10278	CD2	TYR	F	186	54.576	41.046	82.058	1.00	62.77	F
ATOM	10279	CE2	TYR	F	186	54.319	42.220	82.765	1.00	62.14	F
ATOM	10280	CZ	TYR	F	186	55.083	43.347	82.514	1.00	61.85	F
ATOM	10281	OH	TYR	F	186	54.856	44.493	83.239	1.00	66.26	F
ATOM	10282	C	TYR	F	186	58.184	39.510	81.337	1.00	50.91	F
ATOM	10283	O	TYR	F	186	58.413	40.003	82.441	1.00	49.34	F
ATOM	10284	N	CYS	F	187	59.046	39.512	80.327	1.00	52.38	F
ATOM	10285	CA	CYS	F	187	60.350	40.144	80.406	1.00	50.84	F
ATOM	10286	C	CYS	F	187	60.564	41.058	79.203	1.00	50.54	F
ATOM	10287	O	CYS	F	187	60.378	40.637	78.063	1.00	48.18	F
ATOM	10288	CB	CYS	F	187	61.454	39.089	80.386	1.00	50.87	F
ATOM	10289	SG	CYS	F	187	61.340	37.729	81.586	1.00	57.36	F
ATOM	10290	N	ALA	F	188	60.989	42.293	79.454	1.00	52.46	F
ATOM	10291	CA	ALA	F	188	61.260	43.238	78.371	1.00	48.55	F
ATOM	10292	CB	ALA	F	188	61.781	44.545	78.941	1.00	44.28	F
ATOM	10293	C	ALA	F	188	62.286	42.618	77.418	1.00	46.29	F
ATOM	10294	O	ALA	F	188	62.279	42.878	76.220	1.00	49.26	F
ATOM	10295	N	LYS	F	189	63.158	41.788	77.964	1.00	44.51	F
ATOM	10296	CA	LYS	F	189	64.170	41.105	77.180	1.00	47.86	F
ATOM	10297	CB	LYS	F	189	65.579	41.557	77.586	1.00	52.03	F
ATOM	10298	CG	LYS	F	189	65.813	43.063	77.573	1.00	57.12	F
ATOM	10299	CD	LYS	F	189	65.728	43.620	76.167	1.00	63.32	F
ATOM	10300	CE	LYS	F	189	66.748	42.972	75.227	1.00	61.67	F
ATOM	10301	NZ	LYS	F	189	66.493	43.367	73.801	1.00	66.73	F
ATOM	10302	C	LYS	F	189	64.022	39.628	77.505	1.00	51.69	F
ATOM	10303	O	LYS	F	189	64.076	39.244	78.678	1.00	55.59	F
ATOM	10304	N	SER	F	190	63.831	38.796	76.486	1.00	50.60	F
ATOM	10305	CA	SER	F	190	63.698	37.363	76.721	1.00	50.56	F
ATOM	10306	CB	SER	F	190	63.598	36.597	75.411	1.00	51.12	F
ATOM	10307	OG	SER	F	190	64.290	35.361	75.520	1.00	50.39	F
ATOM	10308	C	SER	F	190	64.877	36.811	77.513	1.00	49.58	F
ATOM	10309	O	SER	F	190	66.020	37.227	77.321	1.00	49.11	F
ATOM	10310	N	GLN	F	191	64.581	35.862	78.399	1.00	50.63	F
ATOM	10311	CA	GLN	F	191	65.595	35.226	79.237	1.00	47.61	F
ATOM	10312	CB	GLN	F	191	66.121	36.227	80.257	1.00	45.70	F
ATOM	10313	CG	GLN	F	191	65.040	36.888	81.077	1.00	50.64	F
ATOM	10314	CD	GLN	F	191	65.606	37.897	82.045	1.00	51.82	F
ATOM	10315	OE1	GLN	F	191	66.370	37.549	82.947	1.00	55.61	F
ATOM	10316	NE2	GLN	F	191	65.243	39.160	81.861	1.00	53.10	F
ATOM	10317	C	GLN	F	191	65.022	34.011	79.954	1.00	44.30	F
ATOM	10318	O	GLN	F	191	63.814	33.895	80.126	1.00	42.85	F
ATOM	10319	N	ASN	F	192	65.892	33.103	80.367	1.00	45.64	F
ATOM	10320	CA	ASN	F	192	65.442	31.911	81.068	1.00	47.62	F
ATOM	10321	CB	ASN	F	192	66.481	30.815	80.935	1.00	48.35	F
ATOM	10322	CG	ASN	F	192	66.865	30.581	79.509	1.00	54.65	F
ATOM	10323	OD1	ASN	F	192	66.003	30.533	78.622	1.00	56.71	F
ATOM	10324	ND2	ASN	F	192	68.162	30.433	79.263	1.00	62.43	F
ATOM	10325	C	ASN	F	192	65.149	32.160	82.541	1.00	47.62	F
ATOM	10326	O	ASN	F	192	65.963	32.717	83.284	1.00	52.94	F
ATOM	10327	N	LEU	F	193	63.965	31.744	82.957	1.00	45.05	F
ATOM	10328	CA	LEU	F	193	63.545	31.899	84.328	1.00	39.08	F
ATOM	10329	CB	LEU	F	193	62.288	32.760	84.419	1.00	34.72	F
ATOM	10330	CG	LEU	F	193	62.426	34.266	84.242	1.00	40.78	F
ATOM	10331	CD1	LEU	F	193	61.079	34.936	84.521	1.00	33.98	F
ATOM	10332	CD2	LEU	F	193	63.502	34.797	85.196	1.00	41.58	F
ATOM	10333	C	LEU	F	193	63.235	30.542	84.901	1.00	39.87	F

ATOM	10334	O	LEU	F	193	62.984	29.584	84.179	1.00	39.84	F
ATOM	10335	N	GLY	F	194	63.255	30.480	86.220	1.00	40.84	F
ATOM	10336	CA	GLY	F	194	62.940	29.263	86.927	1.00	38.18	F
ATOM	10337	C	GLY	F	194	62.341	29.755	88.218	1.00	36.55	F
ATOM	10338	O	GLY	F	194	62.579	30.908	88.588	1.00	36.19	F
ATOM	10339	N	TYR	F	195	61.541	28.932	88.886	1.00	33.60	F
ATOM	10340	CA	TYR	F	195	60.990	29.356	90.161	1.00	30.66	F
ATOM	10341	CB	TYR	F	195	59.642	30.038	89.982	1.00	29.45	F
ATOM	10342	CG	TYR	F	195	58.519	29.091	89.691	1.00	41.96	F
ATOM	10343	CD1	TYR	F	195	58.329	28.576	88.409	1.00	40.71	F
ATOM	10344	CE1	TYR	F	195	57.289	27.699	88.148	1.00	42.90	F
ATOM	10345	CD2	TYR	F	195	57.636	28.698	90.707	1.00	40.48	F
ATOM	10346	CE2	TYR	F	195	56.592	27.819	90.454	1.00	41.73	F
ATOM	10347	CZ	TYR	F	195	56.424	27.320	89.172	1.00	43.82	F
ATOM	10348	OH	TYR	F	195	55.404	26.429	88.912	1.00	43.47	F
ATOM	10349	C	TYR	F	195	60.846	28.206	91.131	1.00	30.45	F
ATOM	10350	O	TYR	F	195	60.912	27.034	90.750	1.00	31.27	F
ATOM	10351	N	TYR	F	196	60.699	28.553	92.403	1.00	30.64	F
ATOM	10352	CA	TYR	F	196	60.502	27.562	93.450	1.00	29.73	F
ATOM	10353	CB	TYR	F	196	61.829	26.994	93.976	1.00	30.67	F
ATOM	10354	CG	TYR	F	196	62.702	27.960	94.746	1.00	30.88	F
ATOM	10355	CD1	TYR	F	196	62.313	28.460	95.995	1.00	32.00	F
ATOM	10356	CE1	TYR	F	196	63.121	29.334	96.694	1.00	27.19	F
ATOM	10357	CD2	TYR	F	196	63.921	28.368	94.228	1.00	24.06	F
ATOM	10358	CE2	TYR	F	196	64.731	29.246	94.918	1.00	32.18	F
ATOM	10359	CZ	TYR	F	196	64.334	29.724	96.147	1.00	31.83	F
ATOM	10360	OH	TYR	F	196	65.176	30.572	96.816	1.00	30.82	F
ATOM	10361	C	TYR	F	196	59.716	28.206	94.572	1.00	28.56	F
ATOM	10362	O	TYR	F	196	59.766	29.430	94.770	1.00	24.61	F
ATOM	10363	N	LEU	F	197	58.961	27.366	95.274	1.00	28.33	F
ATOM	10364	CA	LEU	F	197	58.124	27.788	96.383	1.00	21.78	F
ATOM	10365	CB	LEU	F	197	56.867	26.936	96.417	1.00	20.39	F
ATOM	10366	CG	LEU	F	197	56.042	27.036	95.142	1.00	23.48	F
ATOM	10367	CD1	LEU	F	197	54.812	26.166	95.263	1.00	23.67	F
ATOM	10368	CD2	LEU	F	197	55.637	28.484	94.911	1.00	23.18	F
ATOM	10369	C	LEU	F	197	58.890	27.655	97.689	1.00	21.32	F
ATOM	10370	O	LEU	F	197	59.872	26.907	97.793	1.00	20.62	F
ATOM	10371	N	SER	F	198	58.427	28.380	98.690	1.00	18.02	F
ATOM	10372	CA	SER	F	198	59.085	28.377	99.983	1.00	18.36	F
ATOM	10373	CB	SER	F	198	60.196	29.415	99.964	1.00	17.67	F
ATOM	10374	OG	SER	F	198	59.625	30.712	99.807	1.00	23.99	F
ATOM	10375	C	SER	F	198	58.072	28.731	101.073	1.00	20.73	F
ATOM	10376	O	SER	F	198	57.209	29.605	100.902	1.00	17.17	F
ATOM	10377	N	GLY	F	199	58.192	28.057	102.205	1.00	20.76	F
ATOM	10378	CA	GLY	F	199	57.275	28.308	103.294	1.00	20.52	F
ATOM	10379	C	GLY	F	199	57.202	27.121	104.223	1.00	21.01	F
ATOM	10380	O	GLY	F	199	57.762	26.067	103.942	1.00	23.80	F
ATOM	10381	N	THR	F	200	56.520	27.299	105.343	1.00	26.00	F
ATOM	10382	CA	THR	F	200	56.365	26.237	106.334	1.00	28.24	F
ATOM	10383	CB	THR	F	200	55.707	26.770	107.591	1.00	25.46	F
ATOM	10384	OG1	THR	F	200	56.467	27.872	108.073	1.00	26.62	F
ATOM	10385	CG2	THR	F	200	55.667	25.712	108.657	1.00	30.57	F
ATOM	10386	C	THR	F	200	55.510	25.113	105.779	1.00	26.46	F
ATOM	10387	O	THR	F	200	54.421	25.339	105.282	1.00	24.61	F
ATOM	10388	N	THR	F	201	56.016	23.897	105.881	1.00	27.85	F
ATOM	10389	CA	THR	F	201	55.327	22.736	105.352	1.00	29.71	F
ATOM	10390	CB	THR	F	201	56.290	21.991	104.428	1.00	27.59	F
ATOM	10391	OG1	THR	F	201	56.018	22.382	103.082	1.00	28.57	F

ATOM	10392	CG2	THR	F	201	56.178	20.493	104.599	1.00	35.56	F
ATOM	10393	C	THR	F	201	54.780	21.803	106.436	1.00	29.82	F
ATOM	10394	O	THR	F	201	55.290	21.778	107.563	1.00	30.99	F
ATOM	10395	N	ALA	F	202	53.767	21.011	106.097	1.00	25.17	F
ATOM	10396	CA	ALA	F	202	53.189	20.130	107.103	1.00	24.51	F
ATOM	10397	CB	ALA	F	202	51.705	20.487	107.316	1.00	16.89	F
ATOM	10398	C	ALA	F	202	53.315	18.651	106.807	1.00	24.36	F
ATOM	10399	O	ALA	F	202	52.731	17.829	107.519	1.00	24.75	F
ATOM	10400	N	ASP	F	203	54.081	18.296	105.784	1.00	22.78	F
ATOM	10401	CA	ASP	F	203	54.191	16.892	105.403	1.00	21.00	F
ATOM	10402	CB	ASP	F	203	53.284	16.616	104.210	1.00	24.38	F
ATOM	10403	CG	ASP	F	203	53.568	17.530	103.035	1.00	32.04	F
ATOM	10404	OD1	ASP	F	203	53.724	17.015	101.909	1.00	36.45	F
ATOM	10405	OD2	ASP	F	203	53.629	18.761	103.232	1.00	33.20	F
ATOM	10406	C	ASP	F	203	55.585	16.472	105.044	1.00	22.77	F
ATOM	10407	O	ASP	F	203	56.417	17.311	104.719	1.00	24.92	F
ATOM	10408	N	ALA	F	204	55.834	15.169	105.088	1.00	21.68	F
ATOM	10409	CA	ALA	F	204	57.137	14.625	104.757	1.00	22.20	F
ATOM	10410	CB	ALA	F	204	57.153	13.161	105.027	1.00	15.15	F
ATOM	10411	C	ALA	F	204	57.503	14.891	103.288	1.00	29.38	F
ATOM	10412	O	ALA	F	204	58.686	14.989	102.940	1.00	35.06	F
ATOM	10413	N	GLY	F	205	56.496	15.003	102.429	1.00	25.75	F
ATOM	10414	CA	GLY	F	205	56.762	15.269	101.031	1.00	27.27	F
ATOM	10415	C	GLY	F	205	57.024	16.749	100.841	1.00	27.65	F
ATOM	10416	O	GLY	F	205	57.250	17.238	99.742	1.00	23.75	F
ATOM	10417	N	ASN	F	206	56.967	17.468	101.948	1.00	31.43	F
ATOM	10418	CA	ASN	F	206	57.229	18.893	101.957	1.00	32.46	F
ATOM	10419	CB	ASN	F	206	58.742	19.120	101.848	1.00	32.01	F
ATOM	10420	CG	ASN	F	206	59.134	20.570	102.049	1.00	39.34	F
ATOM	10421	OD1	ASN	F	206	59.871	21.136	101.244	1.00	47.33	F
ATOM	10422	ND2	ASN	F	206	58.646	21.180	103.125	1.00	38.46	F
ATOM	10423	C	ASN	F	206	56.481	19.686	100.880	1.00	29.98	F
ATOM	10424	O	ASN	F	206	57.018	20.627	100.318	1.00	28.14	F
ATOM	10425	N	SER	F	207	55.228	19.337	100.615	1.00	33.14	F
ATOM	10426	CA	SER	F	207	54.478	20.069	99.596	1.00	35.37	F
ATOM	10427	CB	SER	F	207	54.357	19.236	98.330	1.00	36.23	F
ATOM	10428	OG	SER	F	207	53.337	18.283	98.494	1.00	43.75	F
ATOM	10429	C	SER	F	207	53.083	20.537	99.995	1.00	31.91	F
ATOM	10430	O	SER	F	207	52.317	20.954	99.137	1.00	34.14	F
ATOM	10431	N	ILE	F	208	52.749	20.459	101.281	1.00	29.56	F
ATOM	10432	CA	ILE	F	208	51.442	20.915	101.779	1.00	27.49	F
ATOM	10433	CB	ILE	F	208	50.679	19.777	102.485	1.00	21.07	F
ATOM	10434	CG2	ILE	F	208	49.324	20.254	102.914	1.00	18.64	F
ATOM	10435	CG1	ILE	F	208	50.515	18.603	101.525	1.00	22.51	F
ATOM	10436	CD1	ILE	F	208	50.147	17.331	102.180	1.00	27.27	F
ATOM	10437	C	ILE	F	208	51.720	22.052	102.762	1.00	32.62	F
ATOM	10438	O	ILE	F	208	52.211	21.839	103.887	1.00	33.08	F
ATOM	10439	N	PHE	F	209	51.422	23.269	102.330	1.00	33.60	F
ATOM	10440	CA	PHE	F	209	51.705	24.418	103.160	1.00	35.80	F
ATOM	10441	CB	PHE	F	209	51.771	25.678	102.294	1.00	37.93	F
ATOM	10442	CG	PHE	F	209	52.955	25.696	101.362	1.00	35.88	F
ATOM	10443	CD1	PHE	F	209	52.887	25.073	100.120	1.00	33.91	F
ATOM	10444	CD2	PHE	F	209	54.174	26.239	101.775	1.00	37.29	F
ATOM	10445	CE1	PHE	F	209	54.010	24.977	99.304	1.00	32.08	F
ATOM	10446	CE2	PHE	F	209	55.303	26.147	100.969	1.00	35.51	F
ATOM	10447	CZ	PHE	F	209	55.219	25.512	99.728	1.00	35.50	F
ATOM	10448	C	PHE	F	209	50.782	24.604	104.338	1.00	39.96	F
ATOM	10449	O	PHE	F	209	49.570	24.721	104.201	1.00	46.89	F

ATOM	10450	N	THR	F	210	51.402	24.607	105.507	1.00	44.59	F
ATOM	10451	CA	THR	F	210	50.758	24.761	106.802	1.00	47.83	F
ATOM	10452	CB	THR	F	210	51.822	25.106	107.855	1.00	48.02	F
ATOM	10453	OG1	THR	F	210	52.596	23.934	108.138	1.00	51.20	F
ATOM	10454	CG2	THR	F	210	51.192	25.646	109.120	1.00	51.79	F
ATOM	10455	C	THR	F	210	49.664	25.814	106.849	1.00	51.30	F
ATOM	10456	O	THR	F	210	49.800	26.891	106.264	1.00	50.34	F
ATOM	10457	N	ASN	F	211	48.582	25.495	107.560	1.00	55.30	F
ATOM	10458	CA	ASN	F	211	47.479	26.429	107.698	1.00	56.28	F
ATOM	10459	CB	ASN	F	211	46.212	25.735	108.179	1.00	58.78	F
ATOM	10460	CG	ASN	F	211	45.054	26.711	108.352	1.00	63.24	F
ATOM	10461	OD1	ASN	F	211	43.955	26.326	108.755	1.00	68.52	F
ATOM	10462	ND2	ASN	F	211	45.299	27.983	108.046	1.00	57.50	F
ATOM	10463	C	ASN	F	211	47.839	27.512	108.688	1.00	55.03	F
ATOM	10464	O	ASN	F	211	48.052	27.255	109.866	1.00	51.94	F
ATOM	10465	N	THR	F	212	47.891	28.735	108.190	1.00	58.08	F
ATOM	10466	CA	THR	F	212	48.225	29.885	109.008	1.00	63.10	F
ATOM	10467	CB	THR	F	212	49.415	30.627	108.403	1.00	59.51	F
ATOM	10468	OG1	THR	F	212	50.611	29.903	108.696	1.00	53.75	F
ATOM	10469	CG2	THR	F	212	49.513	32.031	108.952	1.00	62.84	F
ATOM	10470	C	THR	F	212	47.029	30.825	109.093	1.00	68.26	F
ATOM	10471	O	THR	F	212	46.708	31.525	108.133	1.00	69.74	F
ATOM	10472	N	ALA	F	213	46.373	30.835	110.245	1.00	71.45	F
ATOM	10473	CA	ALA	F	213	45.208	31.682	110.448	1.00	74.27	F
ATOM	10474	CB	ALA	F	213	44.084	31.259	109.511	1.00	66.85	F
ATOM	10475	C	ALA	F	213	44.757	31.557	111.892	1.00	77.63	F
ATOM	10476	O	ALA	F	213	45.020	30.544	112.549	1.00	74.42	F
ATOM	10477	N	SER	F	214	44.078	32.587	112.385	1.00	83.95	F
ATOM	10478	CA	SER	F	214	43.593	32.565	113.757	1.00	91.28	F
ATOM	10479	CB	SER	F	214	43.768	33.937	114.404	1.00	92.80	F
ATOM	10480	OG	SER	F	214	43.638	33.838	115.814	1.00	97.74	F
ATOM	10481	C	SER	F	214	42.129	32.117	113.863	1.00	94.45	F
ATOM	10482	O	SER	F	214	41.846	31.080	114.471	1.00	92.60	F
ATOM	10483	N	PHE	F	215	41.210	32.884	113.269	1.00	97.80	F
ATOM	10484	CA	PHE	F	215	39.779	32.554	113.325	1.00	102.71	F
ATOM	10485	CB	PHE	F	215	38.997	33.273	112.216	1.00	109.46	F
ATOM	10486	CG	PHE	F	215	37.507	32.989	112.241	1.00	117.60	F
ATOM	10487	CD1	PHE	F	215	36.755	33.031	111.066	1.00	120.34	F
ATOM	10488	CD2	PHE	F	215	36.857	32.674	113.438	1.00	118.79	F
ATOM	10489	CE1	PHE	F	215	35.381	32.760	111.077	1.00	121.17	F
ATOM	10490	CE2	PHE	F	215	35.486	32.403	113.461	1.00	121.39	F
ATOM	10491	CZ	PHE	F	215	34.747	32.446	112.278	1.00	122.32	F
ATOM	10492	C	PHE	F	215	39.488	31.056	113.229	1.00	102.54	F
ATOM	10493	O	PHE	F	215	39.387	30.500	112.132	1.00	99.59	F
ATOM	10494	N	SER	F	216	39.326	30.426	114.391	1.00	104.24	F
ATOM	10495	CA	SER	F	216	39.052	28.998	114.478	1.00	105.16	F
ATOM	10496	CB	SER	F	216	37.546	28.737	114.444	1.00	108.55	F
ATOM	10497	OG	SER	F	216	37.278	27.368	114.700	1.00	112.72	F
ATOM	10498	C	SER	F	216	39.733	28.284	113.322	1.00	103.49	F
ATOM	10499	O	SER	F	216	39.145	28.073	112.260	1.00	104.40	F
ATOM	10500	N	PRO	F	217	40.996	27.901	113.521	1.00	101.08	F
ATOM	10501	CD	PRO	F	217	41.713	27.923	114.807	1.00	101.05	F
ATOM	10502	CA	PRO	F	217	41.786	27.212	112.504	1.00	97.88	F
ATOM	10503	CB	PRO	F	217	43.129	27.018	113.195	1.00	99.53	F
ATOM	10504	CG	PRO	F	217	42.727	26.820	114.621	1.00	99.95	F
ATOM	10505	C	PRO	F	217	41.196	25.895	112.033	1.00	93.33	F
ATOM	10506	O	PRO	F	217	41.327	24.881	112.711	1.00	92.43	F
ATOM	10507	N	ALA	F	218	40.537	25.917	110.878	1.00	87.34	F

ATOM	10508	CA	ALA	F	218	39.981	24.696	110.327	1.00	83.11	F
ATOM	10509	CB	ALA	F	218	39.484	24.936	108.919	1.00	78.55	F
ATOM	10510	C	ALA	F	218	41.156	23.723	110.311	1.00	80.97	F
ATOM	10511	O	ALA	F	218	41.893	23.643	109.329	1.00	86.56	F
ATOM	10512	N	GLN	F	219	41.333	22.992	111.403	1.00	75.62	F
ATOM	10513	CA	GLN	F	219	42.441	22.056	111.527	1.00	73.73	F
ATOM	10514	CB	GLN	F	219	42.521	21.534	112.956	1.00	75.97	F
ATOM	10515	CG	GLN	F	219	43.650	20.544	113.162	1.00	84.49	F
ATOM	10516	CD	GLN	F	219	43.584	19.874	114.507	1.00	88.78	F
ATOM	10517	OE1	GLN	F	219	44.426	19.038	114.840	1.00	92.27	F
ATOM	10518	NE2	GLN	F	219	42.578	20.237	115.297	1.00	93.28	F
ATOM	10519	C	GLN	F	219	42.401	20.861	110.588	1.00	70.17	F
ATOM	10520	O	GLN	F	219	41.336	20.458	110.134	1.00	67.95	F
ATOM	10521	N	GLY	F	220	43.582	20.305	110.305	1.00	68.25	F
ATOM	10522	CA	GLY	F	220	43.683	19.119	109.464	1.00	65.48	F
ATOM	10523	C	GLY	F	220	43.853	19.257	107.960	1.00	62.73	F
ATOM	10524	O	GLY	F	220	44.088	18.257	107.271	1.00	59.78	F
ATOM	10525	N	VAL	F	221	43.748	20.476	107.440	1.00	59.89	F
ATOM	10526	CA	VAL	F	221	43.885	20.666	106.010	1.00	56.67	F
ATOM	10527	CB	VAL	F	221	42.749	21.550	105.455	1.00	55.75	F
ATOM	10528	CG1	VAL	F	221	42.633	21.354	103.955	1.00	54.26	F
ATOM	10529	CG2	VAL	F	221	41.453	21.197	106.114	1.00	52.01	F
ATOM	10530	C	VAL	F	221	45.243	21.243	105.594	1.00	55.22	F
ATOM	10531	O	VAL	F	221	46.279	20.679	105.921	1.00	54.50	F
ATOM	10532	N	GLY	F	222	45.234	22.362	104.874	1.00	51.65	F
ATOM	10533	CA	GLY	F	222	46.469	22.959	104.400	1.00	46.46	F
ATOM	10534	C	GLY	F	222	46.406	23.152	102.894	1.00	42.17	F
ATOM	10535	O	GLY	F	222	45.732	22.392	102.202	1.00	41.35	F
ATOM	10536	N	VAL	F	223	47.107	24.164	102.390	1.00	37.72	F
ATOM	10537	CA	VAL	F	223	47.125	24.493	100.962	1.00	35.87	F
ATOM	10538	CB	VAL	F	223	47.216	26.020	100.777	1.00	37.56	F
ATOM	10539	CG1	VAL	F	223	47.381	26.368	99.309	1.00	35.41	F
ATOM	10540	CG2	VAL	F	223	45.980	26.683	101.360	1.00	36.71	F
ATOM	10541	C	VAL	F	223	48.268	23.852	100.169	1.00	35.14	F
ATOM	10542	O	VAL	F	223	49.422	23.859	100.610	1.00	36.72	F
ATOM	10543	N	GLN	F	224	47.948	23.306	98.996	1.00	31.55	F
ATOM	10544	CA	GLN	F	224	48.960	22.679	98.139	1.00	32.25	F
ATOM	10545	CB	GLN	F	224	48.770	21.170	98.079	1.00	23.80	F
ATOM	10546	CG	GLN	F	224	49.892	20.445	97.377	1.00	29.29	F
ATOM	10547	CD	GLN	F	224	49.603	18.964	97.213	1.00	35.38	F
ATOM	10548	OE1	GLN	F	224	50.492	18.127	97.327	1.00	39.88	F
ATOM	10549	NE2	GLN	F	224	48.354	18.636	96.928	1.00	39.88	F
ATOM	10550	C	GLN	F	224	48.823	23.264	96.739	1.00	34.83	F
ATOM	10551	O	GLN	F	224	47.714	23.405	96.230	1.00	36.65	F
ATOM	10552	N	LEU	F	225	49.946	23.625	96.124	1.00	33.16	F
ATOM	10553	CA	LEU	F	225	49.899	24.212	94.798	1.00	26.80	F
ATOM	10554	CB	LEU	F	225	50.818	25.424	94.708	1.00	24.47	F
ATOM	10555	CG	LEU	F	225	50.532	26.535	95.713	1.00	30.63	F
ATOM	10556	CD1	LEU	F	225	51.273	27.797	95.318	1.00	26.95	F
ATOM	10557	CD2	LEU	F	225	49.051	26.804	95.765	1.00	31.03	F
ATOM	10558	C	LEU	F	225	50.255	23.214	93.724	1.00	28.30	F
ATOM	10559	O	LEU	F	225	51.149	22.367	93.873	1.00	28.82	F
ATOM	10560	N	THR	F	226	49.555	23.340	92.613	1.00	27.64	F
ATOM	10561	CA	THR	F	226	49.757	22.429	91.524	1.00	26.10	F
ATOM	10562	CB	THR	F	226	48.541	21.476	91.519	1.00	27.06	F
ATOM	10563	OG1	THR	F	226	48.919	20.200	90.996	1.00	32.61	F
ATOM	10564	CG2	THR	F	226	47.393	22.085	90.724	1.00	23.72	F
ATOM	10565	C	THR	F	226	49.918	23.227	90.213	1.00	24.33	F

ATOM	10566	O	THR	F	226	49.410	24.358	90.089	1.00	18.60	F
ATOM	10567	N	ARG	F	227	50.666	22.664	89.265	1.00	23.63	F
ATOM	10568	CA	ARG	F	227	50.878	23.313	87.957	1.00	28.25	F
ATOM	10569	CB	ARG	F	227	52.366	23.732	87.768	1.00	23.97	F
ATOM	10570	CG	ARG	F	227	53.389	22.592	87.856	1.00	19.97	F
ATOM	10571	CD	ARG	F	227	54.838	23.097	87.707	1.00	32.16	F
ATOM	10572	NE	ARG	F	227	55.717	22.101	87.084	1.00	24.19	F
ATOM	10573	CZ	ARG	F	227	56.521	21.281	87.746	1.00	33.86	F
ATOM	10574	NH1	ARG	F	227	56.585	21.329	89.079	1.00	41.00	F
ATOM	10575	NH2	ARG	F	227	57.245	20.396	87.073	1.00	32.98	F
ATOM	10576	C	ARG	F	227	50.413	22.306	86.885	1.00	29.12	F
ATOM	10577	O	ARG	F	227	51.119	21.340	86.550	1.00	19.26	F
ATOM	10578	N	ASN	F	228	49.203	22.542	86.371	1.00	37.43	F
ATOM	10579	CA	ASN	F	228	48.576	21.640	85.399	1.00	40.87	F
ATOM	10580	CB	ASN	F	228	49.280	21.732	84.046	1.00	46.11	F
ATOM	10581	CG	ASN	F	228	48.941	23.004	83.310	1.00	53.57	F
ATOM	10582	OD1	ASN	F	228	49.144	23.100	82.106	1.00	63.83	F
ATOM	10583	ND2	ASN	F	228	48.418	23.994	84.029	1.00	55.74	F
ATOM	10584	C	ASN	F	228	48.614	20.197	85.920	1.00	39.85	F
ATOM	10585	O	ASN	F	228	49.092	19.278	85.248	1.00	36.61	F
ATOM	10586	N	GLY	F	229	48.142	20.008	87.145	1.00	40.15	F
ATOM	10587	CA	GLY	F	229	48.136	18.673	87.708	1.00	41.53	F
ATOM	10588	C	GLY	F	229	49.365	18.225	88.474	1.00	44.11	F
ATOM	10589	O	GLY	F	229	49.256	17.351	89.336	1.00	47.09	F
ATOM	10590	N	THR	F	230	50.529	18.795	88.173	1.00	43.06	F
ATOM	10591	CA	THR	F	230	51.756	18.409	88.865	1.00	38.98	F
ATOM	10592	CB	THR	F	230	52.980	18.692	88.028	1.00	38.48	F
ATOM	10593	OG1	THR	F	230	52.997	17.804	86.914	1.00	40.77	F
ATOM	10594	CG2	THR	F	230	54.243	18.493	88.850	1.00	39.33	F
ATOM	10595	C	THR	F	230	51.904	19.171	90.159	1.00	40.34	F
ATOM	10596	O	THR	F	230	51.704	20.391	90.204	1.00	44.88	F
ATOM	10597	N	ILE	F	231	52.263	18.446	91.211	1.00	35.92	F
ATOM	10598	CA	ILE	F	231	52.426	19.039	92.527	1.00	31.43	F
ATOM	10599	CB	ILE	F	231	52.391	17.957	93.635	1.00	35.44	F
ATOM	10600	CG2	ILE	F	231	52.887	18.529	94.965	1.00	26.88	F
ATOM	10601	CG1	ILE	F	231	50.976	17.400	93.781	1.00	32.09	F
ATOM	10602	CD1	ILE	F	231	50.886	16.318	94.833	1.00	37.20	F
ATOM	10603	C	ILE	F	231	53.749	19.760	92.597	1.00	31.11	F
ATOM	10604	O	ILE	F	231	54.754	19.297	92.060	1.00	29.98	F
ATOM	10605	N	ILE	F	232	53.744	20.904	93.264	1.00	30.85	F
ATOM	10606	CA	ILE	F	232	54.960	21.680	93.417	1.00	28.10	F
ATOM	10607	CB	ILE	F	232	54.732	23.125	92.941	1.00	25.91	F
ATOM	10608	CG2	ILE	F	232	56.033	23.919	93.006	1.00	23.07	F
ATOM	10609	CG1	ILE	F	232	54.218	23.111	91.495	1.00	31.02	F
ATOM	10610	CD1	ILE	F	232	53.700	24.448	91.009	1.00	13.97	F
ATOM	10611	C	ILE	F	232	55.435	21.686	94.882	1.00	28.20	F
ATOM	10612	O	ILE	F	232	54.902	22.413	95.721	1.00	30.12	F
ATOM	10613	N	PRO	F	233	56.403	20.828	95.221	1.00	23.51	F
ATOM	10614	CD	PRO	F	233	56.797	19.579	94.548	1.00	20.51	F
ATOM	10615	CA	PRO	F	233	56.862	20.850	96.613	1.00	25.49	F
ATOM	10616	CB	PRO	F	233	57.588	19.505	96.772	1.00	27.31	F
ATOM	10617	CG	PRO	F	233	57.954	19.118	95.378	1.00	26.02	F
ATOM	10618	C	PRO	F	233	57.785	22.047	96.810	1.00	27.96	F
ATOM	10619	O	PRO	F	233	58.404	22.521	95.857	1.00	29.04	F
ATOM	10620	N	ALA	F	234	57.865	22.545	98.039	1.00	27.60	F
ATOM	10621	CA	ALA	F	234	58.714	23.694	98.356	1.00	24.69	F
ATOM	10622	CB	ALA	F	234	58.629	24.008	99.816	1.00	24.83	F
ATOM	10623	C	ALA	F	234	60.155	23.424	97.995	1.00	24.80	F

ATOM	10624	O	ALA	F	234	60.646	22.319	98.210	1.00	26.82	F
ATOM	10625	N	ASN	F	235	60.829	24.433	97.442	1.00	23.62	F
ATOM	10626	CA	ASN	F	235	62.242	24.317	97.067	1.00	23.66	F
ATOM	10627	CB	ASN	F	235	63.072	24.041	98.318	1.00	21.66	F
ATOM	10628	CG	ASN	F	235	62.825	25.081	99.395	1.00	30.10	F
ATOM	10629	OD1	ASN	F	235	62.306	24.775	100.470	1.00	29.35	F
ATOM	10630	ND2	ASN	F	235	63.165	26.330	99.097	1.00	26.68	F
ATOM	10631	C	ASN	F	235	62.560	23.284	95.992	1.00	26.35	F
ATOM	10632	O	ASN	F	235	63.547	22.566	96.078	1.00	26.83	F
ATOM	10633	N	ASN	F	236	61.700	23.216	94.985	1.00	27.81	F
ATOM	10634	CA	ASN	F	236	61.853	22.318	93.859	1.00	29.25	F
ATOM	10635	CB	ASN	F	236	60.676	21.337	93.807	1.00	40.50	F
ATOM	10636	CG	ASN	F	236	60.618	20.541	92.502	1.00	41.01	F
ATOM	10637	OD1	ASN	F	236	61.560	19.835	92.149	1.00	42.82	F
ATOM	10638	ND2	ASN	F	236	59.500	20.657	91.785	1.00	48.16	F
ATOM	10639	C	ASN	F	236	61.787	23.285	92.694	1.00	33.48	F
ATOM	10640	O	ASN	F	236	60.708	23.749	92.351	1.00	36.42	F
ATOM	10641	N	THR	F	237	62.924	23.604	92.085	1.00	32.09	F
ATOM	10642	CA	THR	F	237	62.918	24.572	91.003	1.00	32.86	F
ATOM	10643	CB	THR	F	237	64.359	25.021	90.647	1.00	37.39	F
ATOM	10644	OG1	THR	F	237	65.079	25.342	91.849	1.00	41.30	F
ATOM	10645	CG2	THR	F	237	64.315	26.262	89.775	1.00	35.44	F
ATOM	10646	C	THR	F	237	62.201	24.119	89.739	1.00	32.52	F
ATOM	10647	O	THR	F	237	62.508	23.082	89.162	1.00	30.22	F
ATOM	10648	N	VAL	F	238	61.222	24.911	89.331	1.00	35.14	F
ATOM	10649	CA	VAL	F	238	60.453	24.625	88.134	1.00	39.69	F
ATOM	10650	CB	VAL	F	238	58.950	24.928	88.314	1.00	44.18	F
ATOM	10651	CG1	VAL	F	238	58.247	24.903	86.951	1.00	38.87	F
ATOM	10652	CG2	VAL	F	238	58.318	23.908	89.243	1.00	49.27	F
ATOM	10653	C	VAL	F	238	60.980	25.532	87.050	1.00	41.50	F
ATOM	10654	O	VAL	F	238	60.943	26.761	87.170	1.00	39.01	F
ATOM	10655	N	SER	F	239	61.462	24.918	85.982	1.00	43.89	F
ATOM	10656	CA	SER	F	239	62.014	25.671	84.878	1.00	43.31	F
ATOM	10657	CB	SER	F	239	63.013	24.830	84.118	1.00	41.32	F
ATOM	10658	OG	SER	F	239	63.468	25.575	83.011	1.00	55.91	F
ATOM	10659	C	SER	F	239	60.975	26.169	83.905	1.00	41.15	F
ATOM	10660	O	SER	F	239	60.288	25.383	83.266	1.00	43.92	F
ATOM	10661	N	LEU	F	240	60.882	27.483	83.782	1.00	39.28	F
ATOM	10662	CA	LEU	F	240	59.932	28.110	82.874	1.00	39.73	F
ATOM	10663	CB	LEU	F	240	59.601	29.504	83.380	1.00	31.02	F
ATOM	10664	CG	LEU	F	240	58.590	29.568	84.509	1.00	32.72	F
ATOM	10665	CD1	LEU	F	240	58.492	30.995	85.017	1.00	33.67	F
ATOM	10666	CD2	LEU	F	240	57.240	29.078	84.004	1.00	21.36	F
ATOM	10667	C	LEU	F	240	60.417	28.221	81.421	1.00	41.76	F
ATOM	10668	O	LEU	F	240	59.628	28.528	80.526	1.00	41.30	F
ATOM	10669	N	GLY	F	241	61.704	27.971	81.189	1.00	43.70	F
ATOM	10670	CA	GLY	F	241	62.249	28.098	79.847	1.00	44.79	F
ATOM	10671	C	GLY	F	241	62.505	29.567	79.520	1.00	46.23	F
ATOM	10672	O	GLY	F	241	62.859	30.351	80.398	1.00	48.46	F
ATOM	10673	N	ALA	F	242	62.329	29.953	78.262	1.00	45.42	F
ATOM	10674	CA	ALA	F	242	62.538	31.341	77.883	1.00	44.17	F
ATOM	10675	CB	ALA	F	242	63.034	31.432	76.470	1.00	43.97	F
ATOM	10676	C	ALA	F	242	61.241	32.104	78.016	1.00	43.79	F
ATOM	10677	O	ALA	F	242	60.203	31.675	77.521	1.00	44.88	F
ATOM	10678	N	VAL	F	243	61.305	33.234	78.704	1.00	43.78	F
ATOM	10679	CA	VAL	F	243	60.136	34.072	78.899	1.00	44.98	F
ATOM	10680	CB	VAL	F	243	59.861	34.287	80.372	1.00	40.29	F
ATOM	10681	CG1	VAL	F	243	58.634	35.158	80.547	1.00	43.32	F

ATOM	10682	CG2	VAL	F	243	59.672	32.960	81.035	1.00	46.37	F
ATOM	10683	C	VAL	F	243	60.447	35.414	78.260	1.00	47.99	F
ATOM	10684	O	VAL	F	243	61.485	36.013	78.546	1.00	52.18	F
ATOM	10685	N	GLY	F	244	59.549	35.877	77.397	1.00	43.01	F
ATOM	10686	CA	GLY	F	244	59.771	37.127	76.718	1.00	42.00	F
ATOM	10687	C	GLY	F	244	58.705	38.175	76.927	1.00	48.13	F
ATOM	10688	O	GLY	F	244	58.173	38.342	78.032	1.00	47.71	F
ATOM	10689	N	THR	F	245	58.389	38.883	75.846	1.00	53.38	F
ATOM	10690	CA	THR	F	245	57.414	39.968	75.885	1.00	56.00	F
ATOM	10691	CB	THR	F	245	57.529	40.840	74.612	1.00	56.51	F
ATOM	10692	OG1	THR	F	245	57.498	40.006	73.445	1.00	60.63	F
ATOM	10693	CG2	THR	F	245	58.846	41.613	74.637	1.00	53.46	F
ATOM	10694	C	THR	F	245	55.986	39.507	76.098	1.00	55.75	F
ATOM	10695	O	THR	F	245	55.160	40.255	76.632	1.00	59.16	F
ATOM	10696	N	SER	F	246	55.697	38.274	75.693	1.00	55.15	F
ATOM	10697	CA	SER	F	246	54.362	37.715	75.881	1.00	54.53	F
ATOM	10698	CB	SER	F	246	54.034	36.691	74.791	1.00	53.65	F
ATOM	10699	OG	SER	F	246	54.354	37.185	73.507	1.00	61.51	F
ATOM	10700	C	SER	F	246	54.367	37.016	77.238	1.00	50.99	F
ATOM	10701	O	SER	F	246	55.198	36.133	77.484	1.00	48.78	F
ATOM	10702	N	ALA	F	247	53.449	37.416	78.110	1.00	46.88	F
ATOM	10703	CA	ALA	F	247	53.343	36.825	79.433	1.00	45.75	F
ATOM	10704	CB	ALA	F	247	52.145	37.407	80.157	1.00	45.24	F
ATOM	10705	C	ALA	F	247	53.229	35.300	79.383	1.00	45.81	F
ATOM	10706	O	ALA	F	247	52.690	34.725	78.443	1.00	48.45	F
ATOM	10707	N	VAL	F	248	53.757	34.650	80.405	1.00	44.02	F
ATOM	10708	CA	VAL	F	248	53.707	33.212	80.499	1.00	44.23	F
ATOM	10709	CB	VAL	F	248	55.114	32.588	80.519	1.00	45.20	F
ATOM	10710	CG1	VAL	F	248	55.022	31.114	80.873	1.00	36.97	F
ATOM	10711	CG2	VAL	F	248	55.781	32.767	79.169	1.00	41.96	F
ATOM	10712	C	VAL	F	248	53.023	32.885	81.799	1.00	46.78	F
ATOM	10713	O	VAL	F	248	53.447	33.344	82.862	1.00	48.51	F
ATOM	10714	N	SER	F	249	51.960	32.093	81.706	1.00	47.54	F
ATOM	10715	CA	SER	F	249	51.194	31.677	82.877	1.00	46.17	F
ATOM	10716	CB	SER	F	249	49.789	31.257	82.446	1.00	42.37	F
ATOM	10717	OG	SER	F	249	48.963	30.970	83.552	1.00	41.35	F
ATOM	10718	C	SER	F	249	51.907	30.500	83.520	1.00	44.65	F
ATOM	10719	O	SER	F	249	52.313	29.580	82.823	1.00	44.96	F
ATOM	10720	N	LEU	F	250	52.087	30.530	84.838	1.00	46.06	F
ATOM	10721	CA	LEU	F	250	52.741	29.403	85.516	1.00	46.48	F
ATOM	10722	CB	LEU	F	250	53.173	29.780	86.937	1.00	46.58	F
ATOM	10723	CG	LEU	F	250	54.096	30.989	87.130	1.00	51.31	F
ATOM	10724	CD1	LEU	F	250	54.652	30.952	88.555	1.00	48.57	F
ATOM	10725	CD2	LEU	F	250	55.239	30.968	86.110	1.00	48.38	F
ATOM	10726	C	LEU	F	250	51.751	28.232	85.581	1.00	44.34	F
ATOM	10727	O	LEU	F	250	52.131	27.092	85.845	1.00	39.78	F
ATOM	10728	N	GLY	F	251	50.479	28.535	85.325	1.00	40.41	F
ATOM	10729	CA	GLY	F	251	49.453	27.518	85.352	1.00	40.77	F
ATOM	10730	C	GLY	F	251	49.313	26.925	86.733	1.00	40.95	F
ATOM	10731	O	GLY	F	251	49.330	25.698	86.904	1.00	44.42	F
ATOM	10732	N	LEU	F	252	49.165	27.804	87.715	1.00	35.39	F
ATOM	10733	CA	LEU	F	252	49.046	27.391	89.100	1.00	37.43	F
ATOM	10734	CB	LEU	F	252	49.734	28.411	90.013	1.00	34.93	F
ATOM	10735	CG	LEU	F	252	51.246	28.607	89.896	1.00	33.59	F
ATOM	10736	CD1	LEU	F	252	51.638	29.779	90.773	1.00	30.61	F
ATOM	10737	CD2	LEU	F	252	51.988	27.344	90.297	1.00	27.37	F
ATOM	10738	C	LEU	F	252	47.613	27.232	89.571	1.00	39.19	F
ATOM	10739	O	LEU	F	252	46.717	27.937	89.125	1.00	41.97	F

ATOM	10740	N	THR	F	253	47.408	26.292	90.482	1.00	38.95	F
ATOM	10741	CA	THR	F	253	46.102	26.071	91.082	1.00	40.00	F
ATOM	10742	CB	THR	F	253	45.369	24.867	90.478	1.00	42.89	F
ATOM	10743	OG1	THR	F	253	44.697	25.267	89.281	1.00	49.54	F
ATOM	10744	CG2	THR	F	253	44.359	24.314	91.458	1.00	33.29	F
ATOM	10745	C	THR	F	253	46.329	25.779	92.549	1.00	40.67	F
ATOM	10746	O	THR	F	253	47.237	25.005	92.905	1.00	36.91	F
ATOM	10747	N	ALA	F	254	45.521	26.416	93.393	1.00	37.89	F
ATOM	10748	CA	ALA	F	254	45.600	26.189	94.824	1.00	38.62	F
ATOM	10749	CB	ALA	F	254	45.124	27.427	95.590	1.00	33.12	F
ATOM	10750	C	ALA	F	254	44.690	24.989	95.117	1.00	42.64	F
ATOM	10751	O	ALA	F	254	43.561	24.907	94.614	1.00	45.36	F
ATOM	10752	N	ASN	F	255	45.189	24.058	95.919	1.00	41.18	F
ATOM	10753	CA	ASN	F	255	44.435	22.863	96.275	1.00	38.17	F
ATOM	10754	CB	ASN	F	255	45.064	21.632	95.632	1.00	35.34	F
ATOM	10755	CG	ASN	F	255	45.160	21.742	94.155	1.00	30.32	F
ATOM	10756	OD1	ASN	F	255	44.319	21.230	93.434	1.00	37.05	F
ATOM	10757	ND2	ASN	F	255	46.191	22.413	93.683	1.00	39.65	F
ATOM	10758	C	ASN	F	255	44.498	22.644	97.763	1.00	36.06	F
ATOM	10759	O	ASN	F	255	45.490	22.992	98.393	1.00	42.17	F
ATOM	10760	N	TYR	F	256	43.452	22.063	98.331	1.00	35.57	F
ATOM	10761	CA	TYR	F	256	43.485	21.726	99.748	1.00	31.63	F
ATOM	10762	CB	TYR	F	256	42.091	21.713	100.367	1.00	26.70	F
ATOM	10763	CG	TYR	F	256	41.396	23.046	100.493	1.00	28.19	F
ATOM	10764	CD1	TYR	F	256	40.375	23.408	99.609	1.00	30.12	F
ATOM	10765	CE1	TYR	F	256	39.656	24.594	99.771	1.00	31.72	F
ATOM	10766	CD2	TYR	F	256	41.695	23.910	101.540	1.00	29.54	F
ATOM	10767	CE2	TYR	F	256	40.989	25.106	101.714	1.00	33.61	F
ATOM	10768	CZ	TYR	F	256	39.968	25.444	100.832	1.00	36.51	F
ATOM	10769	OH	TYR	F	256	39.255	26.613	101.018	1.00	33.10	F
ATOM	10770	C	TYR	F	256	44.043	20.299	99.798	1.00	31.07	F
ATOM	10771	O	TYR	F	256	43.708	19.457	98.960	1.00	33.53	F
ATOM	10772	N	ALA	F	257	44.915	20.033	100.756	1.00	32.69	F
ATOM	10773	CA	ALA	F	257	45.475	18.699	100.928	1.00	34.35	F
ATOM	10774	CB	ALA	F	257	46.936	18.686	100.555	1.00	35.66	F
ATOM	10775	C	ALA	F	257	45.308	18.398	102.404	1.00	39.13	F
ATOM	10776	O	ALA	F	257	45.187	19.311	103.220	1.00	40.14	F
ATOM	10777	N	ARG	F	258	45.288	17.129	102.764	1.00	45.68	F
ATOM	10778	CA	ARG	F	258	45.125	16.792	104.170	1.00	52.13	F
ATOM	10779	CB	ARG	F	258	44.226	15.562	104.332	1.00	55.74	F
ATOM	10780	CG	ARG	F	258	42.780	15.766	103.930	1.00	57.90	F
ATOM	10781	CD	ARG	F	258	42.041	14.454	104.041	1.00	67.74	F
ATOM	10782	NE	ARG	F	258	42.081	13.937	105.407	1.00	77.15	F
ATOM	10783	CZ	ARG	F	258	41.859	12.667	105.729	1.00	80.11	F
ATOM	10784	NH1	ARG	F	258	41.587	11.784	104.780	1.00	86.14	F
ATOM	10785	NH2	ARG	F	258	41.900	12.281	106.998	1.00	80.81	F
ATOM	10786	C	ARG	F	258	46.473	16.526	104.810	1.00	53.94	F
ATOM	10787	O	ARG	F	258	47.312	15.803	104.252	1.00	55.27	F
ATOM	10788	N	THR	F	259	46.664	17.111	105.988	1.00	54.24	F
ATOM	10789	CA	THR	F	259	47.900	16.966	106.739	1.00	56.63	F
ATOM	10790	CB	THR	F	259	48.181	18.208	107.557	1.00	55.58	F
ATOM	10791	OG1	THR	F	259	47.003	18.574	108.280	1.00	61.23	F
ATOM	10792	CG2	THR	F	259	48.591	19.352	106.658	1.00	61.12	F
ATOM	10793	C	THR	F	259	47.813	15.804	107.696	1.00	60.70	F
ATOM	10794	O	THR	F	259	48.250	14.696	107.383	1.00	60.49	F
ATOM	10795	N	GLY	F	260	47.230	16.080	108.862	1.00	67.47	F
ATOM	10796	CA	GLY	F	260	47.067	15.080	109.903	1.00	69.73	F
ATOM	10797	C	GLY	F	260	46.022	14.032	109.589	1.00	70.13	F

ATOM	10798	O	GLY	F	260	46.193	13.234	108.666	1.00	68.47	F
ATOM	10799	N	GLY	F	261	44.935	14.028	110.354	1.00	73.81	F
ATOM	10800	CA	GLY	F	261	43.886	13.046	110.122	1.00	76.54	F
ATOM	10801	C	GLY	F	261	42.486	13.633	110.075	1.00	77.80	F
ATOM	10802	O	GLY	F	261	41.933	13.865	108.999	1.00	79.08	F
ATOM	10803	N	GLN	F	262	41.909	13.877	111.244	1.00	78.34	F
ATOM	10804	CA	GLN	F	262	40.568	14.437	111.333	1.00	79.18	F
ATOM	10805	CB	GLN	F	262	40.089	14.399	112.784	1.00	86.21	F
ATOM	10806	CG	GLN	F	262	38.580	14.467	112.986	1.00	93.67	F
ATOM	10807	CD	GLN	F	262	37.893	13.151	112.661	1.00	97.05	F
ATOM	10808	OE1	GLN	F	262	36.869	12.808	113.259	1.00	99.19	F
ATOM	10809	NE2	GLN	F	262	38.450	12.410	111.702	1.00	99.13	F
ATOM	10810	C	GLN	F	262	40.541	15.881	110.841	1.00	74.98	F
ATOM	10811	O	GLN	F	262	41.211	16.749	111.409	1.00	75.27	F
ATOM	10812	N	VAL	F	263	39.772	16.133	109.786	1.00	68.31	F
ATOM	10813	CA	VAL	F	263	39.646	17.479	109.255	1.00	63.60	F
ATOM	10814	CB	VAL	F	263	39.168	17.457	107.791	1.00	59.54	F
ATOM	10815	CG1	VAL	F	263	38.959	18.869	107.295	1.00	55.47	F
ATOM	10816	CG2	VAL	F	263	40.184	16.733	106.913	1.00	54.81	F
ATOM	10817	C	VAL	F	263	38.625	18.191	110.135	1.00	62.86	F
ATOM	10818	O	VAL	F	263	37.719	17.567	110.661	1.00	66.34	F
ATOM	10819	N	THR	F	264	38.756	19.495	110.292	1.00	60.50	F
ATOM	10820	CA	THR	F	264	37.844	20.213	111.162	1.00	61.89	F
ATOM	10821	CB	THR	F	264	38.511	20.386	112.508	1.00	58.11	F
ATOM	10822	OG1	THR	F	264	38.921	19.097	112.974	1.00	58.44	F
ATOM	10823	CG2	THR	F	264	37.589	21.043	113.499	1.00	46.60	F
ATOM	10824	C	THR	F	264	37.423	21.573	110.620	1.00	68.36	F
ATOM	10825	O	THR	F	264	38.207	22.263	109.979	1.00	72.53	F
ATOM	10826	N	ALA	F	265	36.182	21.959	110.888	1.00	71.65	F
ATOM	10827	CA	ALA	F	265	35.662	23.232	110.399	1.00	73.50	F
ATOM	10828	CB	ALA	F	265	34.216	23.408	110.829	1.00	76.18	F
ATOM	10829	C	ALA	F	265	36.481	24.420	110.867	1.00	74.06	F
ATOM	10830	O	ALA	F	265	37.170	24.354	111.886	1.00	74.75	F
ATOM	10831	N	GLY	F	266	36.388	25.510	110.109	1.00	75.31	F
ATOM	10832	CA	GLY	F	266	37.115	26.722	110.440	1.00	74.64	F
ATOM	10833	C	GLY	F	266	37.791	27.340	109.232	1.00	72.28	F
ATOM	10834	O	GLY	F	266	37.603	26.884	108.100	1.00	72.09	F
ATOM	10835	N	ASN	F	267	38.581	28.380	109.468	1.00	70.04	F
ATOM	10836	CA	ASN	F	267	39.289	29.042	108.379	1.00	69.39	F
ATOM	10837	CB	ASN	F	267	39.525	30.519	108.708	1.00	75.06	F
ATOM	10838	CG	ASN	F	267	38.280	31.360	108.526	1.00	80.89	F
ATOM	10839	OD1	ASN	F	267	38.308	32.579	108.701	1.00	81.84	F
ATOM	10840	ND2	ASN	F	267	37.178	30.712	108.164	1.00	83.08	F
ATOM	10841	C	ASN	F	267	40.628	28.385	108.034	1.00	64.91	F
ATOM	10842	O	ASN	F	267	41.270	27.742	108.873	1.00	58.72	F
ATOM	10843	N	VAL	F	268	41.026	28.544	106.776	1.00	61.00	F
ATOM	10844	CA	VAL	F	268	42.282	28.008	106.281	1.00	58.63	F
ATOM	10845	CB	VAL	F	268	42.053	26.814	105.349	1.00	58.77	F
ATOM	10846	CG1	VAL	F	268	43.380	26.313	104.803	1.00	56.39	F
ATOM	10847	CG2	VAL	F	268	41.352	25.708	106.105	1.00	59.98	F
ATOM	10848	C	VAL	F	268	42.966	29.120	105.503	1.00	57.69	F
ATOM	10849	O	VAL	F	268	42.519	29.508	104.425	1.00	57.03	F
ATOM	10850	N	GLN	F	269	44.038	29.652	106.071	1.00	57.70	F
ATOM	10851	CA	GLN	F	269	44.781	30.723	105.428	1.00	61.18	F
ATOM	10852	CB	GLN	F	269	44.650	32.010	106.247	1.00	61.56	F
ATOM	10853	CG	GLN	F	269	43.340	32.762	106.038	1.00	65.55	F
ATOM	10854	CD	GLN	F	269	43.146	33.894	107.040	1.00	73.01	F
ATOM	10855	OE1	GLN	F	269	44.053	34.692	107.281	1.00	79.30	F

ATOM	10856	NE2	GLN	F	269	41.955	33.970	107.624	1.00	75.63	F
ATOM	10857	C	GLN	F	269	46.247	30.327	105.277	1.00	63.76	F
ATOM	10858	O	GLN	F	269	46.768	29.512	106.045	1.00	64.51	F
ATOM	10859	N	SER	F	270	46.915	30.888	104.275	1.00	64.96	F
ATOM	10860	CA	SER	F	270	48.315	30.560	104.060	1.00	63.37	F
ATOM	10861	CB	SER	F	270	48.438	29.163	103.460	1.00	66.20	F
ATOM	10862	OG	SER	F	270	49.802	28.820	103.307	1.00	76.25	F
ATOM	10863	C	SER	F	270	49.090	31.548	103.199	1.00	61.03	F
ATOM	10864	O	SER	F	270	48.545	32.184	102.287	1.00	61.55	F
ATOM	10865	N	ILE	F	271	50.379	31.660	103.513	1.00	58.46	F
ATOM	10866	CA	ILE	F	271	51.307	32.550	102.818	1.00	52.59	F
ATOM	10867	CB	ILE	F	271	51.852	33.594	103.782	1.00	56.01	F
ATOM	10868	CG2	ILE	F	271	50.882	34.777	103.857	1.00	55.78	F
ATOM	10869	CG1	ILE	F	271	52.086	32.939	105.150	1.00	56.94	F
ATOM	10870	CD1	ILE	F	271	52.270	33.918	106.308	1.00	65.79	F
ATOM	10871	C	ILE	F	271	52.449	31.731	102.233	1.00	47.20	F
ATOM	10872	O	ILE	F	271	53.143	31.004	102.943	1.00	46.54	F
ATOM	10873	N	ILE	F	272	52.618	31.845	100.923	1.00	42.32	F
ATOM	10874	CA	ILE	F	272	53.637	31.107	100.195	1.00	36.56	F
ATOM	10875	CB	ILE	F	272	52.992	30.167	99.165	1.00	33.32	F
ATOM	10876	CG2	ILE	F	272	54.049	29.359	98.445	1.00	35.96	F
ATOM	10877	CG1	ILE	F	272	52.028	29.216	99.872	1.00	48.40	F
ATOM	10878	CD1	ILE	F	272	51.255	28.298	98.921	1.00	51.81	F
ATOM	10879	C	ILE	F	272	54.581	32.036	99.447	1.00	35.18	F
ATOM	10880	O	ILE	F	272	54.172	33.043	98.872	1.00	32.15	F
ATOM	10881	N	GLY	F	273	55.855	31.694	99.440	1.00	31.36	F
ATOM	10882	CA	GLY	F	273	56.772	32.527	98.714	1.00	35.39	F
ATOM	10883	C	GLY	F	273	57.048	31.906	97.369	1.00	37.95	F
ATOM	10884	O	GLY	F	273	57.241	30.686	97.274	1.00	37.51	F
ATOM	10885	N	VAL	F	274	57.025	32.734	96.325	1.00	35.95	F
ATOM	10886	CA	VAL	F	274	57.336	32.260	94.989	1.00	32.52	F
ATOM	10887	CB	VAL	F	274	56.228	32.585	93.971	1.00	32.53	F
ATOM	10888	CG1	VAL	F	274	56.417	31.723	92.725	1.00	29.70	F
ATOM	10889	CG2	VAL	F	274	54.870	32.306	94.558	1.00	32.57	F
ATOM	10890	C	VAL	F	274	58.606	33.003	94.610	1.00	33.04	F
ATOM	10891	O	VAL	F	274	58.606	34.229	94.502	1.00	30.75	F
ATOM	10892	N	THR	F	275	59.693	32.255	94.435	1.00	34.34	F
ATOM	10893	CA	THR	F	275	60.986	32.842	94.106	1.00	36.22	F
ATOM	10894	CB	THR	F	275	62.081	32.328	95.074	1.00	37.66	F
ATOM	10895	OG1	THR	F	275	61.829	32.853	96.378	1.00	37.50	F
ATOM	10896	CG2	THR	F	275	63.482	32.749	94.615	1.00	38.43	F
ATOM	10897	C	THR	F	275	61.441	32.567	92.685	1.00	35.77	F
ATOM	10898	O	THR	F	275	61.757	31.428	92.336	1.00	37.95	F
ATOM	10899	N	PHE	F	276	61.485	33.624	91.878	1.00	33.31	F
ATOM	10900	CA	PHE	F	276	61.929	33.521	90.497	1.00	32.51	F
ATOM	10901	CB	PHE	F	276	61.296	34.633	89.646	1.00	28.98	F
ATOM	10902	CG	PHE	F	276	59.842	34.428	89.385	1.00	31.36	F
ATOM	10903	CD1	PHE	F	276	58.894	34.810	90.322	1.00	30.68	F
ATOM	10904	CD2	PHE	F	276	59.417	33.783	88.220	1.00	35.48	F
ATOM	10905	CE1	PHE	F	276	57.528	34.552	90.102	1.00	36.63	F
ATOM	10906	CE2	PHE	F	276	58.053	33.520	87.988	1.00	32.00	F
ATOM	10907	CZ	PHE	F	276	57.111	33.905	88.930	1.00	33.03	F
ATOM	10908	C	PHE	F	276	63.454	33.606	90.432	1.00	30.40	F
ATOM	10909	O	PHE	F	276	64.050	34.588	90.866	1.00	30.27	F
ATOM	10910	N	VAL	F	277	64.084	32.572	89.892	1.00	28.50	F
ATOM	10911	CA	VAL	F	277	65.533	32.570	89.795	1.00	30.80	F
ATOM	10912	CB	VAL	F	277	66.103	31.194	90.106	1.00	34.79	F
ATOM	10913	CG1	VAL	F	277	67.601	31.278	90.192	1.00	33.14	F

ATOM	10914	CG2	VAL	F	277	65.511	30.671	91.413	1.00	33.27	F
ATOM	10915	C	VAL	F	277	66.012	32.984	88.419	1.00	29.40	F
ATOM	10916	O	VAL	F	277	65.607	32.407	87.422	1.00	28.01	F
ATOM	10917	N	TYR	F	278	66.885	33.989	88.387	1.00	29.92	F
ATOM	10918	CA	TYR	F	278	67.429	34.532	87.151	1.00	25.50	F
ATOM	10919	CB	TYR	F	278	67.616	36.033	87.267	1.00	23.10	F
ATOM	10920	CG	TYR	F	278	66.321	36.771	87.347	1.00	19.15	F
ATOM	10921	CD1	TYR	F	278	65.557	36.740	88.508	1.00	17.27	F
ATOM	10922	CE1	TYR	F	278	64.316	37.399	88.576	1.00	24.80	F
ATOM	10923	CD2	TYR	F	278	65.834	37.476	86.243	1.00	15.31	F
ATOM	10924	CE2	TYR	F	278	64.604	38.136	86.295	1.00	26.27	F
ATOM	10925	CZ	TYR	F	278	63.844	38.094	87.474	1.00	30.13	F
ATOM	10926	OH	TYR	F	278	62.632	38.753	87.559	1.00	32.01	F
ATOM	10927	C	TYR	F	278	68.743	33.933	86.755	1.00	30.16	F
ATOM	10928	O	TYR	F	278	69.654	33.798	87.580	1.00	29.51	F
ATOM	10929	N	GLN	F	279	68.842	33.582	85.477	1.00	31.65	F
ATOM	10930	CA	GLN	F	279	70.075	33.000	84.964	1.00	33.84	F
ATOM	10931	CB	GLN	F	279	69.806	32.255	83.659	1.00	27.95	F
ATOM	10932	CG	GLN	F	279	71.038	31.569	83.108	1.00	33.59	F
ATOM	10933	CD	GLN	F	279	70.860	31.019	81.693	1.00	39.62	F
ATOM	10934	OE1	GLN	F	279	71.627	30.144	81.273	1.00	45.12	F
ATOM	10935	NE2	GLN	F	279	69.865	31.538	80.946	1.00	30.33	F
ATOM	10936	C	GLN	F	279	71.182	34.057	84.765	1.00	34.20	F
ATOM	10937	O	GLN	F	279	72.343	33.736	85.094	1.00	35.06	F
ATOM	10938	OXT	GLN	F	279	70.894	35.181	84.279	1.00	29.74	F
ATOM	10939	C	GLY	G	1	93.507	124.937	144.425	1.00	49.59	G
ATOM	10940	O	GLY	G	1	92.353	125.122	144.054	1.00	54.21	G
ATOM	10941	N	GLY	G	1	93.883	122.629	145.020	1.00	51.22	G
ATOM	10942	CA	GLY	G	1	94.227	123.671	144.025	1.00	50.66	G
ATOM	10943	N	VAL	G	2	94.166	125.794	145.201	1.00	42.76	G
ATOM	10944	CA	VAL	G	2	93.548	127.036	145.634	1.00	34.54	G
ATOM	10945	CB	VAL	G	2	93.700	127.239	147.154	1.00	32.06	G
ATOM	10946	CG1	VAL	G	2	93.217	128.615	147.527	1.00	31.89	G
ATOM	10947	CG2	VAL	G	2	92.884	126.187	147.915	1.00	25.68	G
ATOM	10948	C	VAL	G	2	94.195	128.184	144.881	1.00	35.93	G
ATOM	10949	O	VAL	G	2	95.418	128.300	144.844	1.00	38.69	G
ATOM	10950	N	ALA	G	3	93.375	129.030	144.262	1.00	38.04	G
ATOM	10951	CA	ALA	G	3	93.904	130.145	143.480	1.00	35.28	G
ATOM	10952	CB	ALA	G	3	93.786	129.840	142.003	1.00	26.55	G
ATOM	10953	C	ALA	G	3	93.281	131.497	143.761	1.00	34.01	G
ATOM	10954	O	ALA	G	3	92.087	131.607	144.007	1.00	37.60	G
ATOM	10955	N	LEU	G	4	94.113	132.528	143.726	1.00	31.84	G
ATOM	10956	CA	LEU	G	4	93.647	133.878	143.950	1.00	29.56	G
ATOM	10957	CB	LEU	G	4	94.808	134.777	144.361	1.00	28.72	G
ATOM	10958	CG	LEU	G	4	95.556	134.394	145.633	1.00	24.06	G
ATOM	10959	CD1	LEU	G	4	96.512	135.528	146.014	1.00	18.07	G
ATOM	10960	CD2	LEU	G	4	94.559	134.127	146.733	1.00	24.42	G
ATOM	10961	C	LEU	G	4	93.062	134.376	142.637	1.00	33.04	G
ATOM	10962	O	LEU	G	4	93.490	133.935	141.553	1.00	32.52	G
ATOM	10963	N	GLY	G	5	92.098	135.295	142.740	1.00	32.35	G
ATOM	10964	CA	GLY	G	5	91.447	135.865	141.569	1.00	26.35	G
ATOM	10965	C	GLY	G	5	92.167	137.038	140.931	1.00	27.80	G
ATOM	10966	O	GLY	G	5	91.667	137.614	139.984	1.00	35.64	G
ATOM	10967	N	ALA	G	6	93.333	137.407	141.444	1.00	29.26	G
ATOM	10968	CA	ALA	G	6	94.109	138.506	140.871	1.00	30.77	G
ATOM	10969	CB	ALA	G	6	93.750	139.805	141.535	1.00	26.28	G
ATOM	10970	C	ALA	G	6	95.582	138.216	141.100	1.00	32.15	G
ATOM	10971	O	ALA	G	6	95.925	137.427	141.974	1.00	41.39	G

ATOM	10972	N	THR	G	7	96.455	138.849	140.334	1.00	26.01	G
ATOM	10973	CA	THR	G	7	97.877	138.631	140.499	1.00	22.97	G
ATOM	10974	CB	THR	G	7	98.593	138.400	139.149	1.00	22.01	G
ATOM	10975	OG1	THR	G	7	98.590	139.611	138.377	1.00	16.11	G
ATOM	10976	CG2	THR	G	7	97.910	137.266	138.372	1.00	19.03	G
ATOM	10977	C	THR	G	7	98.483	139.836	141.168	1.00	26.99	G
ATOM	10978	O	THR	G	7	99.703	139.989	141.195	1.00	29.62	G
ATOM	10979	N	ARG	G	8	97.622	140.705	141.687	1.00	28.82	G
ATOM	10980	CA	ARG	G	8	98.050	141.920	142.391	1.00	27.08	G
ATOM	10981	CB	ARG	G	8	98.826	142.869	141.482	1.00	21.06	G
ATOM	10982	CG	ARG	G	8	97.934	143.690	140.548	1.00	28.33	G
ATOM	10983	CD	ARG	G	8	98.260	143.469	139.084	1.00	24.16	G
ATOM	10984	NE	ARG	G	8	99.658	143.785	138.774	1.00	25.35	G
ATOM	10985	CZ	ARG	G	8	100.601	142.866	138.576	1.00	24.04	G
ATOM	10986	NH1	ARG	G	8	101.839	143.239	138.303	1.00	20.27	G
ATOM	10987	NH2	ARG	G	8	100.302	141.570	138.639	1.00	12.36	G
ATOM	10988	C	ARG	G	8	96.808	142.643	142.903	1.00	28.62	G
ATOM	10989	O	ARG	G	8	95.681	142.343	142.512	1.00	29.74	G
ATOM	10990	N	VAL	G	9	97.025	143.606	143.778	1.00	28.42	G
ATOM	10991	CA	VAL	G	9	95.936	144.342	144.363	1.00	26.23	G
ATOM	10992	CB	VAL	G	9	95.593	143.787	145.728	1.00	23.29	G
ATOM	10993	CG1	VAL	G	9	94.640	144.707	146.424	1.00	29.93	G
ATOM	10994	CG2	VAL	G	9	95.001	142.419	145.583	1.00	20.37	G
ATOM	10995	C	VAL	G	9	96.342	145.787	144.519	1.00	29.51	G
ATOM	10996	O	VAL	G	9	97.467	146.103	144.924	1.00	27.95	G
ATOM	10997	N	ILE	G	10	95.414	146.662	144.162	1.00	30.31	G
ATOM	10998	CA	ILE	G	10	95.630	148.081	144.277	1.00	31.68	G
ATOM	10999	CB	ILE	G	10	95.223	148.802	143.008	1.00	26.83	G
ATOM	11000	CG2	ILE	G	10	95.427	150.299	143.170	1.00	28.47	G
ATOM	11001	CG1	ILE	G	10	96.089	148.298	141.861	1.00	29.25	G
ATOM	11002	CD1	ILE	G	10	97.569	148.601	142.017	1.00	19.98	G
ATOM	11003	C	ILE	G	10	94.769	148.556	145.420	1.00	36.67	G
ATOM	11004	O	ILE	G	10	93.549	148.431	145.379	1.00	35.86	G
ATOM	11005	N	TYR	G	11	95.409	149.073	146.459	1.00	38.74	G
ATOM	11006	CA	TYR	G	11	94.670	149.571	147.603	1.00	38.93	G
ATOM	11007	CB	TYR	G	11	95.358	149.189	148.904	1.00	36.10	G
ATOM	11008	CG	TYR	G	11	94.418	149.203	150.077	1.00	41.99	G
ATOM	11009	CD1	TYR	G	11	93.778	148.036	150.485	1.00	45.69	G
ATOM	11010	CE1	TYR	G	11	92.868	148.036	151.534	1.00	45.81	G
ATOM	11011	CD2	TYR	G	11	94.127	150.384	150.754	1.00	40.10	G
ATOM	11012	CE2	TYR	G	11	93.210	150.396	151.811	1.00	43.85	G
ATOM	11013	CZ	TYR	G	11	92.582	149.213	152.193	1.00	44.06	G
ATOM	11014	OH	TYR	G	11	91.652	149.195	153.209	1.00	41.27	G
ATOM	11015	C	TYR	G	11	94.620	151.087	147.497	1.00	38.64	G
ATOM	11016	O	TYR	G	11	95.637	151.754	147.683	1.00	31.44	G
ATOM	11017	N	PRO	G	12	93.434	151.643	147.171	1.00	41.91	G
ATOM	11018	CD	PRO	G	12	92.229	150.893	146.775	1.00	42.99	G
ATOM	11019	CA	PRO	G	12	93.203	153.088	147.030	1.00	39.70	G
ATOM	11020	CB	PRO	G	12	91.806	153.164	146.417	1.00	38.09	G
ATOM	11021	CG	PRO	G	12	91.618	151.812	145.770	1.00	38.97	G
ATOM	11022	C	PRO	G	12	93.236	153.735	148.398	1.00	37.88	G
ATOM	11023	O	PRO	G	12	92.437	153.381	149.264	1.00	38.22	G
ATOM	11024	N	ALA	G	13	94.158	154.665	148.608	1.00	41.28	G
ATOM	11025	CA	ALA	G	13	94.242	155.323	149.906	1.00	47.10	G
ATOM	11026	CB	ALA	G	13	95.297	156.415	149.883	1.00	47.71	G
ATOM	11027	C	ALA	G	13	92.870	155.905	150.250	1.00	50.57	G
ATOM	11028	O	ALA	G	13	92.265	156.619	149.446	1.00	52.67	G
ATOM	11029	N	GLY	G	14	92.370	155.571	151.436	1.00	51.62	G

ATOM	11030	CA	GLY	G	14	91.076	156.066	151.847	1.00	52.12	G
ATOM	11031	C	GLY	G	14	90.053	154.955	151.954	1.00	57.62	G
ATOM	11032	O	GLY	G	14	89.298	154.909	152.926	1.00	59.30	G
ATOM	11033	N	GLN	G	15	90.024	154.060	150.964	1.00	58.12	G
ATOM	11034	CA	GLN	G	15	89.076	152.947	150.959	1.00	58.36	G
ATOM	11035	CB	GLN	G	15	89.443	151.933	149.877	1.00	61.76	G
ATOM	11036	CG	GLN	G	15	89.579	152.516	148.483	1.00	68.87	G
ATOM	11037	CD	GLN	G	15	88.312	152.406	147.661	1.00	73.69	G
ATOM	11038	OE1	GLN	G	15	87.235	152.826	148.092	1.00	77.18	G
ATOM	11039	NE2	GLN	G	15	88.434	151.842	146.463	1.00	75.66	G
ATOM	11040	C	GLN	G	15	89.099	152.259	152.312	1.00	60.77	G
ATOM	11041	O	GLN	G	15	90.162	152.029	152.888	1.00	61.27	G
ATOM	11042	N	LYS	G	16	87.927	151.935	152.833	1.00	63.32	G
ATOM	11043	CA	LYS	G	16	87.872	151.273	154.122	1.00	66.28	G
ATOM	11044	CB	LYS	G	16	86.437	151.222	154.626	1.00	72.40	G
ATOM	11045	CG	LYS	G	16	86.302	150.720	156.050	1.00	82.60	G
ATOM	11046	CD	LYS	G	16	84.836	150.514	156.438	1.00	91.20	G
ATOM	11047	CE	LYS	G	16	83.944	151.686	155.990	1.00	94.82	G
ATOM	11048	NZ	LYS	G	16	84.414	153.017	156.482	1.00	97.45	G
ATOM	11049	C	LYS	G	16	88.402	149.860	153.967	1.00	66.46	G
ATOM	11050	O	LYS	G	16	88.945	149.290	154.908	1.00	69.21	G
ATOM	11051	N	GLN	G	17	88.255	149.302	152.768	1.00	64.37	G
ATOM	11052	CA	GLN	G	17	88.703	147.938	152.509	1.00	61.37	G
ATOM	11053	CB	GLN	G	17	87.863	146.969	153.334	1.00	61.02	G
ATOM	11054	CG	GLN	G	17	86.390	147.115	153.047	1.00	62.49	G
ATOM	11055	CD	GLN	G	17	85.608	145.851	153.309	1.00	66.57	G
ATOM	11056	OE1	GLN	G	17	85.598	145.332	154.436	1.00	64.08	G
ATOM	11057	NE2	GLN	G	17	84.933	145.344	152.266	1.00	61.13	G
ATOM	11058	C	GLN	G	17	88.618	147.516	151.034	1.00	57.22	G
ATOM	11059	O	GLN	G	17	87.742	147.954	150.297	1.00	57.60	G
ATOM	11060	N	VAL	G	18	89.537	146.654	150.614	1.00	51.47	G
ATOM	11061	CA	VAL	G	18	89.535	146.158	149.253	1.00	46.80	G
ATOM	11062	CB	VAL	G	18	90.850	146.451	148.549	1.00	45.14	G
ATOM	11063	CG1	VAL	G	18	90.842	145.843	147.165	1.00	47.44	G
ATOM	11064	CG2	VAL	G	18	91.047	147.939	148.449	1.00	49.87	G
ATOM	11065	C	VAL	G	18	89.349	144.659	149.368	1.00	47.34	G
ATOM	11066	O	VAL	G	18	89.740	144.058	150.363	1.00	49.98	G
ATOM	11067	N	GLN	G	19	88.749	144.045	148.363	1.00	44.42	G
ATOM	11068	CA	GLN	G	19	88.533	142.623	148.442	1.00	44.55	G
ATOM	11069	CB	GLN	G	19	87.043	142.340	148.531	1.00	50.15	G
ATOM	11070	CG	GLN	G	19	86.213	143.113	147.551	1.00	59.38	G
ATOM	11071	CD	GLN	G	19	84.771	143.194	147.994	1.00	63.19	G
ATOM	11072	OE1	GLN	G	19	84.465	143.799	149.021	1.00	63.63	G
ATOM	11073	NE2	GLN	G	19	83.875	142.575	147.228	1.00	67.29	G
ATOM	11074	C	GLN	G	19	89.169	141.849	147.308	1.00	41.40	G
ATOM	11075	O	GLN	G	19	89.327	142.362	146.208	1.00	37.97	G
ATOM	11076	N	LEU	G	20	89.554	140.613	147.620	1.00	37.57	G
ATOM	11077	CA	LEU	G	20	90.210	139.705	146.699	1.00	34.15	G
ATOM	11078	CB	LEU	G	20	91.664	139.511	147.146	1.00	31.26	G
ATOM	11079	CG	LEU	G	20	92.592	138.600	146.330	1.00	34.22	G
ATOM	11080	CD1	LEU	G	20	92.851	139.221	144.985	1.00	29.34	G
ATOM	11081	CD2	LEU	G	20	93.905	138.394	147.069	1.00	29.62	G
ATOM	11082	C	LEU	G	20	89.453	138.372	146.721	1.00	34.86	G
ATOM	11083	O	LEU	G	20	88.922	137.965	147.751	1.00	36.12	G
ATOM	11084	N	ALA	G	21	89.403	137.692	145.585	1.00	34.72	G
ATOM	11085	CA	ALA	G	21	88.689	136.426	145.505	1.00	32.88	G
ATOM	11086	CB	ALA	G	21	87.916	136.334	144.184	1.00	26.25	G
ATOM	11087	C	ALA	G	21	89.632	135.253	145.614	1.00	33.35	G

ATOM	11088	O	ALA	G	21	90.773	135.305	145.149	1.00	32.09	G
ATOM	11089	N	VAL	G	22	89.129	134.192	146.228	1.00	35.08	G
ATOM	11090	CA	VAL	G	22	89.877	132.964	146.392	1.00	36.72	G
ATOM	11091	CB	VAL	G	22	90.235	132.658	147.843	1.00	35.99	G
ATOM	11092	CG1	VAL	G	22	91.518	131.841	147.887	1.00	31.78	G
ATOM	11093	CG2	VAL	G	22	90.329	133.927	148.631	1.00	37.22	G
ATOM	11094	C	VAL	G	22	88.923	131.885	145.981	1.00	41.77	G
ATOM	11095	O	VAL	G	22	87.744	131.900	146.347	1.00	42.46	G
ATOM	11096	N	THR	G	23	89.444	130.929	145.241	1.00	44.73	G
ATOM	11097	CA	THR	G	23	88.633	129.839	144.789	1.00	46.19	G
ATOM	11098	CB	THR	G	23	88.217	130.078	143.338	1.00	48.88	G
ATOM	11099	OG1	THR	G	23	87.761	128.848	142.763	1.00	61.61	G
ATOM	11100	CG2	THR	G	23	89.379	130.622	142.540	1.00	49.72	G
ATOM	11101	C	THR	G	23	89.442	128.560	144.938	1.00	44.41	G
ATOM	11102	O	THR	G	23	90.636	128.543	144.657	1.00	41.88	G
ATOM	11103	N	ASN	G	24	88.772	127.510	145.408	1.00	44.60	G
ATOM	11104	CA	ASN	G	24	89.358	126.199	145.624	1.00	42.99	G
ATOM	11105	CB	ASN	G	24	89.010	125.728	147.033	1.00	39.25	G
ATOM	11106	CG	ASN	G	24	89.398	124.279	147.280	1.00	47.34	G
ATOM	11107	OD1	ASN	G	24	90.297	123.748	146.627	1.00	45.75	G
ATOM	11108	ND2	ASN	G	24	88.730	123.636	148.242	1.00	42.16	G
ATOM	11109	C	ASN	G	24	88.810	125.221	144.590	1.00	48.64	G
ATOM	11110	O	ASN	G	24	87.621	124.883	144.610	1.00	49.98	G
ATOM	11111	N	ASN	G	25	89.687	124.775	143.693	1.00	52.88	G
ATOM	11112	CA	ASN	G	25	89.349	123.834	142.615	1.00	56.33	G
ATOM	11113	CB	ASN	G	25	90.496	123.745	141.613	1.00	54.97	G
ATOM	11114	CG	ASN	G	25	90.750	125.043	140.906	1.00	54.33	G
ATOM	11115	OD1	ASN	G	25	90.517	126.118	141.457	1.00	59.09	G
ATOM	11116	ND2	ASN	G	25	91.251	124.957	139.682	1.00	56.51	G
ATOM	11117	C	ASN	G	25	89.067	122.418	143.088	1.00	58.74	G
ATOM	11118	O	ASN	G	25	88.026	121.844	142.789	1.00	62.14	G
ATOM	11119	N	ASP	G	26	90.024	121.856	143.810	1.00	59.99	G
ATOM	11120	CA	ASP	G	26	89.920	120.499	144.312	1.00	62.40	G
ATOM	11121	CB	ASP	G	26	90.944	120.282	145.410	1.00	66.86	G
ATOM	11122	CG	ASP	G	26	92.356	120.433	144.907	1.00	68.64	G
ATOM	11123	OD1	ASP	G	26	93.282	120.337	145.739	1.00	69.08	G
ATOM	11124	OD2	ASP	G	26	92.532	120.650	143.681	1.00	71.06	G
ATOM	11125	C	ASP	G	26	88.554	120.106	144.808	1.00	63.45	G
ATOM	11126	O	ASP	G	26	88.189	120.364	145.950	1.00	63.25	G
ATOM	11127	N	GLU	G	27	87.814	119.451	143.929	1.00	68.53	G
ATOM	11128	CA	GLU	G	27	86.470	118.989	144.223	1.00	72.57	G
ATOM	11129	CB	GLU	G	27	86.000	118.054	143.100	1.00	78.42	G
ATOM	11130	CG	GLU	G	27	85.561	118.811	141.840	1.00	91.01	G
ATOM	11131	CD	GLU	G	27	85.823	118.060	140.541	1.00	96.40	G
ATOM	11132	OE1	GLU	G	27	85.403	116.884	140.424	1.00	100.30	G
ATOM	11133	OE2	GLU	G	27	86.443	118.661	139.633	1.00	100.11	G
ATOM	11134	C	GLU	G	27	86.350	118.301	145.573	1.00	70.36	G
ATOM	11135	O	GLU	G	27	85.265	118.244	146.135	1.00	69.79	G
ATOM	11136	N	ASN	G	28	87.453	117.793	146.109	1.00	69.84	G
ATOM	11137	CA	ASN	G	28	87.365	117.121	147.394	1.00	73.18	G
ATOM	11138	CB	ASN	G	28	86.877	115.680	147.192	1.00	78.29	G
ATOM	11139	CG	ASN	G	28	87.684	114.927	146.145	1.00	81.19	G
ATOM	11140	OD1	ASN	G	28	87.285	113.847	145.700	1.00	78.77	G
ATOM	11141	ND2	ASN	G	28	88.826	115.494	145.747	1.00	81.74	G
ATOM	11142	C	ASN	G	28	88.652	117.142	148.194	1.00	72.80	G
ATOM	11143	O	ASN	G	28	89.566	116.358	147.961	1.00	75.76	G
ATOM	11144	N	SER	G	29	88.692	118.052	149.156	1.00	72.16	G
ATOM	11145	CA	SER	G	29	89.833	118.250	150.043	1.00	70.79	G

ATOM	11146	CB	SER	G	29	91.152	118.220	149.254	1.00	71.27	G
ATOM	11147	OG	SER	G	29	91.178	119.214	148.243	1.00	66.95	G
ATOM	11148	C	SER	G	29	89.631	119.627	150.675	1.00	67.79	G
ATOM	11149	O	SER	G	29	89.607	120.640	149.980	1.00	69.41	G
ATOM	11150	N	THR	G	30	89.463	119.668	151.987	1.00	63.08	G
ATOM	11151	CA	THR	G	30	89.251	120.938	152.648	1.00	59.12	G
ATOM	11152	CB	THR	G	30	88.590	120.729	154.017	1.00	58.48	G
ATOM	11153	OG1	THR	G	30	87.414	119.925	153.859	1.00	59.71	G
ATOM	11154	CG2	THR	G	30	88.177	122.053	154.607	1.00	63.69	G
ATOM	11155	C	THR	G	30	90.575	121.663	152.824	1.00	55.37	G
ATOM	11156	O	THR	G	30	91.640	121.056	152.744	1.00	57.78	G
ATOM	11157	N	TYR	G	31	90.505	122.970	153.038	1.00	52.13	G
ATOM	11158	CA	TYR	G	31	91.696	123.784	153.245	1.00	48.54	G
ATOM	11159	CB	TYR	G	31	92.121	124.462	151.957	1.00	47.48	G
ATOM	11160	CG	TYR	G	31	92.807	123.574	150.964	1.00	50.32	G
ATOM	11161	CD1	TYR	G	31	92.197	123.251	149.749	1.00	49.24	G
ATOM	11162	CE1	TYR	G	31	92.860	122.494	148.801	1.00	53.64	G
ATOM	11163	CD2	TYR	G	31	94.093	123.109	151.202	1.00	51.51	G
ATOM	11164	CE2	TYR	G	31	94.766	122.351	150.257	1.00	55.64	G
ATOM	11165	CZ	TYR	G	31	94.145	122.050	149.060	1.00	55.71	G
ATOM	11166	OH	TYR	G	31	94.822	121.325	148.113	1.00	63.45	G
ATOM	11167	C	TYR	G	31	91.452	124.878	154.269	1.00	47.20	G
ATOM	11168	O	TYR	G	31	90.331	125.352	154.452	1.00	48.53	G
ATOM	11169	N	LEU	G	32	92.513	125.270	154.948	1.00	44.44	G
ATOM	11170	CA	LEU	G	32	92.425	126.341	155.911	1.00	43.25	G
ATOM	11171	CB	LEU	G	32	93.158	125.985	157.202	1.00	51.21	G
ATOM	11172	CG	LEU	G	32	92.357	125.237	158.264	1.00	55.30	G
ATOM	11173	CD1	LEU	G	32	93.297	124.805	159.390	1.00	58.24	G
ATOM	11174	CD2	LEU	G	32	91.240	126.132	158.785	1.00	50.24	G
ATOM	11175	C	LEU	G	32	93.130	127.484	155.219	1.00	44.66	G
ATOM	11176	O	LEU	G	32	94.296	127.371	154.809	1.00	41.65	G
ATOM	11177	N	ILE	G	33	92.410	128.580	155.056	1.00	41.93	G
ATOM	11178	CA	ILE	G	33	92.984	129.733	154.410	1.00	37.18	G
ATOM	11179	CB	ILE	G	33	91.933	130.433	153.548	1.00	37.29	G
ATOM	11180	CG2	ILE	G	33	92.560	131.604	152.794	1.00	39.50	G
ATOM	11181	CG1	ILE	G	33	91.297	129.409	152.601	1.00	36.10	G
ATOM	11182	CD1	ILE	G	33	92.294	128.594	151.802	1.00	31.67	G
ATOM	11183	C	ILE	G	33	93.481	130.661	155.495	1.00	36.25	G
ATOM	11184	O	ILE	G	33	92.737	131.037	156.396	1.00	37.93	G
ATOM	11185	N	GLN	G	34	94.751	131.013	155.405	1.00	34.84	G
ATOM	11186	CA	GLN	G	34	95.378	131.902	156.367	1.00	36.40	G
ATOM	11187	CB	GLN	G	34	96.405	131.124	157.178	1.00	40.40	G
ATOM	11188	CG	GLN	G	34	96.654	131.637	158.560	1.00	39.38	G
ATOM	11189	CD	GLN	G	34	97.576	130.724	159.317	1.00	46.48	G
ATOM	11190	OE1	GLN	G	34	98.746	130.569	158.960	1.00	54.46	G
ATOM	11191	NE2	GLN	G	34	97.057	130.097	160.362	1.00	51.22	G
ATOM	11192	C	GLN	G	34	96.071	132.968	155.531	1.00	36.63	G
ATOM	11193	O	GLN	G	34	96.986	132.666	154.775	1.00	37.55	G
ATOM	11194	N	SER	G	35	95.644	134.216	155.676	1.00	35.41	G
ATOM	11195	CA	SER	G	35	96.208	135.302	154.891	1.00	33.66	G
ATOM	11196	CB	SER	G	35	95.104	135.924	154.036	1.00	39.70	G
ATOM	11197	OG	SER	G	35	94.316	134.914	153.432	1.00	46.24	G
ATOM	11198	C	SER	G	35	96.855	136.395	155.720	1.00	33.13	G
ATOM	11199	O	SER	G	35	96.474	136.624	156.857	1.00	40.90	G
ATOM	11200	N	TRP	G	36	97.828	137.082	155.142	1.00	27.65	G
ATOM	11201	CA	TRP	G	36	98.496	138.174	155.832	1.00	27.41	G
ATOM	11202	CB	TRP	G	36	99.479	137.650	156.882	1.00	19.29	G
ATOM	11203	CG	TRP	G	36	100.729	137.073	156.334	1.00	17.10	G

ATOM	11204	CD2	TRP	G	36	100.916	135.733	155.888	1.00	19.99	G
ATOM	11205	CE2	TRP	G	36	102.245	135.630	155.411	1.00	23.53	G
ATOM	11206	CE3	TRP	G	36	100.090	134.601	155.850	1.00	16.79	G
ATOM	11207	CD1	TRP	G	36	101.912	137.719	156.124	1.00	21.38	G
ATOM	11208	NE1	TRP	G	36	102.833	136.859	155.566	1.00	24.02	G
ATOM	11209	CZ2	TRP	G	36	102.767	134.436	154.896	1.00	17.43	G
ATOM	11210	CZ3	TRP	G	36	100.612	133.405	155.341	1.00	18.74	G
ATOM	11211	CH2	TRP	G	36	101.940	133.336	154.873	1.00	15.50	G
ATOM	11212	C	TRP	G	36	99.225	139.055	154.829	1.00	28.55	G
ATOM	11213	O	TRP	G	36	99.324	138.735	153.648	1.00	28.27	G
ATOM	11214	N	VAL	G	37	99.733	140.176	155.309	1.00	27.67	G
ATOM	11215	CA	VAL	G	37	100.422	141.092	154.440	1.00	26.31	G
ATOM	11216	CB	VAL	G	37	99.554	142.332	154.165	1.00	25.90	G
ATOM	11217	CG1	VAL	G	37	100.293	143.286	153.265	1.00	28.87	G
ATOM	11218	CG2	VAL	G	37	98.254	141.912	153.525	1.00	23.19	G
ATOM	11219	C	VAL	G	37	101.716	141.531	155.078	1.00	26.84	G
ATOM	11220	O	VAL	G	37	101.724	142.029	156.198	1.00	31.15	G
ATOM	11221	N	GLU	G	38	102.809	141.338	154.359	1.00	25.11	G
ATOM	11222	CA	GLU	G	38	104.110	141.743	154.845	1.00	27.79	G
ATOM	11223	CB	GLU	G	38	105.148	140.689	154.487	1.00	26.76	G
ATOM	11224	CG	GLU	G	38	104.821	139.338	155.099	1.00	30.20	G
ATOM	11225	CD	GLU	G	38	105.676	138.245	154.548	1.00	32.19	G
ATOM	11226	OE1	GLU	G	38	106.720	138.602	153.963	1.00	28.22	G
ATOM	11227	OE2	GLU	G	38	105.313	137.047	154.703	1.00	30.85	G
ATOM	11228	C	GLU	G	38	104.419	143.044	154.148	1.00	28.64	G
ATOM	11229	O	GLU	G	38	103.828	143.338	153.114	1.00	29.42	G
ATOM	11230	N	ASN	G	39	105.310	143.844	154.721	1.00	30.40	G
ATOM	11231	CA	ASN	G	39	105.671	145.093	154.076	1.00	30.25	G
ATOM	11232	CB	ASN	G	39	106.086	146.148	155.093	1.00	31.43	G
ATOM	11233	CG	ASN	G	39	107.355	145.784	155.837	1.00	42.39	G
ATOM	11234	OD1	ASN	G	39	108.157	144.962	155.377	1.00	46.84	G
ATOM	11235	ND2	ASN	G	39	107.558	146.415	156.989	1.00	41.89	G
ATOM	11236	C	ASN	G	39	106.819	144.809	153.113	1.00	32.78	G
ATOM	11237	O	ASN	G	39	107.238	143.656	152.949	1.00	28.93	G
ATOM	11238	N	ALA	G	40	107.328	145.867	152.489	1.00	35.34	G
ATOM	11239	CA	ALA	G	40	108.387	145.741	151.507	1.00	35.47	G
ATOM	11240	CB	ALA	G	40	108.821	147.100	151.050	1.00	38.88	G
ATOM	11241	C	ALA	G	40	109.573	144.959	152.014	1.00	38.67	G
ATOM	11242	O	ALA	G	40	110.162	144.181	151.278	1.00	41.53	G
ATOM	11243	N	ASP	G	41	109.934	145.150	153.272	1.00	40.82	G
ATOM	11244	CA	ASP	G	41	111.066	144.422	153.806	1.00	42.57	G
ATOM	11245	CB	ASP	G	41	111.637	145.161	155.001	1.00	46.72	G
ATOM	11246	CG	ASP	G	41	112.305	146.447	154.605	1.00	51.80	G
ATOM	11247	OD1	ASP	G	41	113.147	146.407	153.685	1.00	56.21	G
ATOM	11248	OD2	ASP	G	41	111.996	147.491	155.211	1.00	53.65	G
ATOM	11249	C	ASP	G	41	110.757	142.973	154.176	1.00	43.06	G
ATOM	11250	O	ASP	G	41	111.629	142.246	154.633	1.00	47.28	G
ATOM	11251	N	GLY	G	42	109.521	142.544	153.977	1.00	39.49	G
ATOM	11252	CA	GLY	G	42	109.187	141.173	154.290	1.00	33.03	G
ATOM	11253	C	GLY	G	42	108.735	140.972	155.714	1.00	33.33	G
ATOM	11254	O	GLY	G	42	108.450	139.851	156.111	1.00	34.86	G
ATOM	11255	N	VAL	G	43	108.651	142.035	156.501	1.00	34.26	G
ATOM	11256	CA	VAL	G	43	108.214	141.844	157.872	1.00	35.96	G
ATOM	11257	CB	VAL	G	43	108.994	142.755	158.862	1.00	30.65	G
ATOM	11258	CG1	VAL	G	43	110.129	143.449	158.158	1.00	26.63	G
ATOM	11259	CG2	VAL	G	43	108.064	143.734	159.531	1.00	35.58	G
ATOM	11260	C	VAL	G	43	106.704	142.024	158.052	1.00	39.43	G
ATOM	11261	O	VAL	G	43	106.077	142.904	157.438	1.00	40.00	G

ATOM	11262	N	LYS	G	44	106.125	141.171	158.892	1.00	36.47	G
ATOM	11263	CA	LYS	G	44	104.703	141.228	159.150	1.00	41.05	G
ATOM	11264	CB	LYS	G	44	104.198	139.909	159.757	1.00	43.62	G
ATOM	11265	CG	LYS	G	44	104.370	138.652	158.921	1.00	44.27	G
ATOM	11266	CD	LYS	G	44	105.253	137.650	159.637	1.00	51.11	G
ATOM	11267	CE	LYS	G	44	105.413	136.379	158.839	1.00	53.69	G
ATOM	11268	NZ	LYS	G	44	104.088	135.755	158.625	1.00	61.06	G
ATOM	11269	C	LYS	G	44	104.358	142.360	160.118	1.00	44.95	G
ATOM	11270	O	LYS	G	44	104.218	142.135	161.323	1.00	45.81	G
ATOM	11271	N	ASP	G	45	104.268	143.588	159.626	1.00	45.75	G
ATOM	11272	CA	ASP	G	45	103.841	144.654	160.519	1.00	43.36	G
ATOM	11273	CB	ASP	G	45	104.349	146.015	160.075	1.00	44.84	G
ATOM	11274	CG	ASP	G	45	104.239	146.223	158.590	1.00	40.67	G
ATOM	11275	OD1	ASP	G	45	103.316	145.654	157.971	1.00	39.49	G
ATOM	11276	OD2	ASP	G	45	105.074	146.973	158.055	1.00	33.82	G
ATOM	11277	C	ASP	G	45	102.337	144.574	160.366	1.00	45.75	G
ATOM	11278	O	ASP	G	45	101.830	143.699	159.659	1.00	51.12	G
ATOM	11279	N	GLY	G	46	101.598	145.469	160.986	1.00	45.66	G
ATOM	11280	CA	GLY	G	46	100.160	145.329	160.859	1.00	45.42	G
ATOM	11281	C	GLY	G	46	99.545	146.352	159.952	1.00	46.08	G
ATOM	11282	O	GLY	G	46	98.353	146.641	160.060	1.00	45.90	G
ATOM	11283	N	ARG	G	47	100.357	146.909	159.058	1.00	44.47	G
ATOM	11284	CA	ARG	G	47	99.867	147.922	158.149	1.00	42.13	G
ATOM	11285	CB	ARG	G	47	100.920	148.248	157.109	1.00	47.61	G
ATOM	11286	CG	ARG	G	47	101.558	149.598	157.335	1.00	57.36	G
ATOM	11287	CD	ARG	G	47	102.394	149.620	158.589	1.00	64.35	G
ATOM	11288	NE	ARG	G	47	102.863	150.973	158.865	1.00	76.44	G
ATOM	11289	CZ	ARG	G	47	102.112	151.921	159.420	1.00	84.45	G
ATOM	11290	NH1	ARG	G	47	100.860	151.655	159.765	1.00	88.28	G
ATOM	11291	NH2	ARG	G	47	102.600	153.141	159.623	1.00	87.40	G
ATOM	11292	C	ARG	G	47	98.571	147.513	157.471	1.00	41.25	G
ATOM	11293	O	ARG	G	47	97.694	148.341	157.244	1.00	40.78	G
ATOM	11294	N	PHE	G	48	98.439	146.234	157.148	1.00	37.61	G
ATOM	11295	CA	PHE	G	48	97.221	145.768	156.506	1.00	38.17	G
ATOM	11296	CB	PHE	G	48	97.436	145.551	154.994	1.00	38.39	G
ATOM	11297	CG	PHE	G	48	97.632	146.824	154.233	1.00	33.31	G
ATOM	11298	CD1	PHE	G	48	98.899	147.388	154.119	1.00	33.69	G
ATOM	11299	CD2	PHE	G	48	96.535	147.520	153.733	1.00	31.75	G
ATOM	11300	CE1	PHE	G	48	99.074	148.633	153.533	1.00	29.95	G
ATOM	11301	CE2	PHE	G	48	96.692	148.762	153.145	1.00	31.02	G
ATOM	11302	CZ	PHE	G	48	97.958	149.326	153.044	1.00	32.79	G
ATOM	11303	C	PHE	G	48	96.751	144.489	157.153	1.00	35.18	G
ATOM	11304	O	PHE	G	48	97.560	143.677	157.549	1.00	34.42	G
ATOM	11305	N	ILE	G	49	95.439	144.320	157.256	1.00	34.01	G
ATOM	11306	CA	ILE	G	49	94.877	143.134	157.861	1.00	37.52	G
ATOM	11307	CB	ILE	G	49	94.256	143.485	159.217	1.00	41.49	G
ATOM	11308	CG2	ILE	G	49	93.608	142.260	159.850	1.00	38.06	G
ATOM	11309	CG1	ILE	G	49	95.367	143.988	160.136	1.00	44.66	G
ATOM	11310	CD1	ILE	G	49	94.862	144.779	161.313	1.00	53.46	G
ATOM	11311	C	ILE	G	49	93.857	142.504	156.929	1.00	36.49	G
ATOM	11312	O	ILE	G	49	93.062	143.188	156.299	1.00	36.66	G
ATOM	11313	N	VAL	G	50	93.897	141.185	156.843	1.00	33.54	G
ATOM	11314	CA	VAL	G	50	93.005	140.459	155.964	1.00	35.20	G
ATOM	11315	CB	VAL	G	50	93.803	139.478	155.072	1.00	35.32	G
ATOM	11316	CG1	VAL	G	50	92.888	138.828	154.056	1.00	34.09	G
ATOM	11317	CG2	VAL	G	50	94.939	140.212	154.393	1.00	32.99	G
ATOM	11318	C	VAL	G	50	92.007	139.662	156.774	1.00	35.63	G
ATOM	11319	O	VAL	G	50	92.354	139.108	157.810	1.00	37.76	G

ATOM	11320	N	THR	G	51	90.768	139.600	156.304	1.00	34.41	G
ATOM	11321	CA	THR	G	51	89.747	138.830	157.002	1.00	34.68	G
ATOM	11322	CB	THR	G	51	88.736	139.714	157.763	1.00	37.19	G
ATOM	11323	OG1	THR	G	51	88.141	140.645	156.853	1.00	39.53	G
ATOM	11324	CG2	THR	G	51	89.406	140.465	158.889	1.00	42.43	G
ATOM	11325	C	THR	G	51	88.950	138.045	155.992	1.00	35.36	G
ATOM	11326	O	THR	G	51	88.765	138.474	154.854	1.00	35.84	G
ATOM	11327	N	PRO	G	52	88.515	136.849	156.379	1.00	35.41	G
ATOM	11328	CD	PRO	G	52	87.340	136.181	155.800	1.00	34.03	G
ATOM	11329	CA	PRO	G	52	88.809	136.318	157.711	1.00	33.96	G
ATOM	11330	CB	PRO	G	52	87.830	135.157	157.856	1.00	32.47	G
ATOM	11331	CG	PRO	G	52	87.423	134.840	156.446	1.00	39.04	G
ATOM	11332	C	PRO	G	52	90.250	135.859	157.802	1.00	34.47	G
ATOM	11333	O	PRO	G	52	90.779	135.257	156.879	1.00	39.44	G
ATOM	11334	N	PRO	G	53	90.909	136.139	158.922	1.00	33.87	G
ATOM	11335	CD	PRO	G	53	90.422	136.771	160.162	1.00	32.34	G
ATOM	11336	CA	PRO	G	53	92.300	135.716	159.054	1.00	33.58	G
ATOM	11337	CB	PRO	G	53	92.685	136.249	160.434	1.00	35.93	G
ATOM	11338	CG	PRO	G	53	91.368	136.229	161.187	1.00	27.34	G
ATOM	11339	C	PRO	G	53	92.507	134.211	158.927	1.00	34.02	G
ATOM	11340	O	PRO	G	53	93.613	133.764	158.639	1.00	34.91	G
ATOM	11341	N	LEU	G	54	91.449	133.433	159.139	1.00	35.42	G
ATOM	11342	CA	LEU	G	54	91.545	131.971	159.071	1.00	37.05	G
ATOM	11343	CB	LEU	G	54	92.107	131.419	160.372	1.00	35.64	G
ATOM	11344	CG	LEU	G	54	92.221	129.902	160.478	1.00	37.13	G
ATOM	11345	CD1	LEU	G	54	93.490	129.433	159.768	1.00	40.13	G
ATOM	11346	CD2	LEU	G	54	92.261	129.504	161.932	1.00	35.57	G
ATOM	11347	C	LEU	G	54	90.185	131.343	158.857	1.00	39.92	G
ATOM	11348	O	LEU	G	54	89.279	131.558	159.665	1.00	46.00	G
ATOM	11349	N	PHE	G	55	90.038	130.554	157.798	1.00	36.69	G
ATOM	11350	CA	PHE	G	55	88.752	129.919	157.516	1.00	35.83	G
ATOM	11351	CB	PHE	G	55	87.796	130.909	156.861	1.00	31.55	G
ATOM	11352	CG	PHE	G	55	88.262	131.403	155.529	1.00	40.01	G
ATOM	11353	CD1	PHE	G	55	87.840	130.790	154.352	1.00	41.20	G
ATOM	11354	CD2	PHE	G	55	89.159	132.465	155.445	1.00	43.42	G
ATOM	11355	CE1	PHE	G	55	88.304	131.227	153.106	1.00	44.19	G
ATOM	11356	CE2	PHE	G	55	89.631	132.910	154.211	1.00	45.78	G
ATOM	11357	CZ	PHE	G	55	89.203	132.290	153.035	1.00	46.90	G
ATOM	11358	C	PHE	G	55	88.914	128.724	156.610	1.00	38.58	G
ATOM	11359	O	PHE	G	55	89.963	128.546	155.978	1.00	40.62	G
ATOM	11360	N	ALA	G	56	87.864	127.910	156.534	1.00	39.63	G
ATOM	11361	CA	ALA	G	56	87.908	126.707	155.713	1.00	38.58	G
ATOM	11362	CB	ALA	G	56	87.387	125.536	156.509	1.00	34.59	G
ATOM	11363	C	ALA	G	56	87.168	126.793	154.379	1.00	37.95	G
ATOM	11364	O	ALA	G	56	86.142	127.461	154.249	1.00	36.33	G
ATOM	11365	N	MET	G	57	87.721	126.116	153.384	1.00	37.90	G
ATOM	11366	CA	MET	G	57	87.114	126.055	152.072	1.00	39.15	G
ATOM	11367	CB	MET	G	57	87.993	126.720	151.028	1.00	34.17	G
ATOM	11368	CG	MET	G	57	88.246	128.176	151.293	1.00	41.04	G
ATOM	11369	SD	MET	G	57	88.246	129.113	149.749	1.00	43.32	G
ATOM	11370	CE	MET	G	57	89.684	128.474	149.023	1.00	54.74	G
ATOM	11371	C	MET	G	57	86.999	124.570	151.792	1.00	42.80	G
ATOM	11372	O	MET	G	57	88.001	123.893	151.559	1.00	42.71	G
ATOM	11373	N	LYS	G	58	85.772	124.065	151.843	1.00	45.68	G
ATOM	11374	CA	LYS	G	58	85.526	122.653	151.611	1.00	52.46	G
ATOM	11375	CB	LYS	G	58	84.441	122.159	152.565	1.00	57.34	G
ATOM	11376	CG	LYS	G	58	84.390	120.657	152.726	1.00	61.30	G
ATOM	11377	CD	LYS	G	58	83.238	120.250	153.632	1.00	68.55	G

ATOM	11378	CE	LYS	G	58	83.486	118.895	154.282	1.00	72.68	G
ATOM	11379	NZ	LYS	G	58	84.645	118.954	155.229	1.00	70.38	G
ATOM	11380	C	LYS	G	58	85.113	122.386	150.167	1.00	54.89	G
ATOM	11381	O	LYS	G	58	84.105	122.906	149.690	1.00	57.59	G
ATOM	11382	N	GLY	G	59	85.897	121.568	149.474	1.00	56.50	G
ATOM	11383	CA	GLY	G	59	85.589	121.247	148.092	1.00	55.78	G
ATOM	11384	C	GLY	G	59	85.539	122.486	147.227	1.00	54.26	G
ATOM	11385	O	GLY	G	59	85.924	123.563	147.681	1.00	51.66	G
ATOM	11386	N	LYS	G	60	85.066	122.340	145.989	1.00	55.02	G
ATOM	11387	CA	LYS	G	60	84.984	123.469	145.069	1.00	57.94	G
ATOM	11388	CB	LYS	G	60	84.424	123.035	143.713	1.00	57.32	G
ATOM	11389	CG	LYS	G	60	85.241	121.952	143.037	1.00	59.37	G
ATOM	11390	CD	LYS	G	60	85.101	121.985	141.523	1.00	65.25	G
ATOM	11391	CE	LYS	G	60	85.783	123.215	140.938	1.00	74.59	G
ATOM	11392	NZ	LYS	G	60	85.780	123.242	139.438	1.00	80.57	G
ATOM	11393	C	LYS	G	60	84.095	124.536	145.677	1.00	57.82	G
ATOM	11394	O	LYS	G	60	82.881	124.368	145.759	1.00	60.15	G
ATOM	11395	N	LYS	G	61	84.718	125.626	146.111	1.00	52.92	G
ATOM	11396	CA	LYS	G	61	84.018	126.730	146.743	1.00	49.31	G
ATOM	11397	CB	LYS	G	61	84.132	126.621	148.268	1.00	49.93	G
ATOM	11398	CG	LYS	G	61	82.804	126.503	148.993	1.00	54.57	G
ATOM	11399	CD	LYS	G	61	82.719	127.493	150.150	1.00	62.63	G
ATOM	11400	CE	LYS	G	61	83.790	127.235	151.217	1.00	70.91	G
ATOM	11401	NZ	LYS	G	61	83.798	128.272	152.314	1.00	69.28	G
ATOM	11402	C	LYS	G	61	84.652	128.032	146.283	1.00	49.00	G
ATOM	11403	O	LYS	G	61	85.677	128.037	145.603	1.00	48.31	G
ATOM	11404	N	GLU	G	62	84.035	129.142	146.651	1.00	48.80	G
ATOM	11405	CA	GLU	G	62	84.560	130.446	146.287	1.00	49.31	G
ATOM	11406	CB	GLU	G	62	83.928	130.905	144.977	1.00	50.88	G
ATOM	11407	CG	GLU	G	62	84.867	131.695	144.092	1.00	67.05	G
ATOM	11408	CD	GLU	G	62	84.621	133.196	144.148	1.00	73.96	G
ATOM	11409	OE1	GLU	G	62	84.591	133.759	145.266	1.00	78.53	G
ATOM	11410	OE2	GLU	G	62	84.464	133.812	143.067	1.00	74.18	G
ATOM	11411	C	GLU	G	62	84.213	131.385	147.434	1.00	46.08	G
ATOM	11412	O	GLU	G	62	83.089	131.377	147.926	1.00	52.51	G
ATOM	11413	N	ASN	G	63	85.181	132.159	147.900	1.00	41.54	G
ATOM	11414	CA	ASN	G	63	84.907	133.078	148.994	1.00	41.39	G
ATOM	11415	CB	ASN	G	63	85.363	132.529	150.345	1.00	43.03	G
ATOM	11416	CG	ASN	G	63	84.629	131.286	150.747	1.00	46.81	G
ATOM	11417	OD1	ASN	G	63	85.028	130.182	150.399	1.00	49.84	G
ATOM	11418	ND2	ASN	G	63	83.538	131.455	151.480	1.00	51.69	G
ATOM	11419	C	ASN	G	63	85.647	134.347	148.743	1.00	39.76	G
ATOM	11420	O	ASN	G	63	86.457	134.421	147.814	1.00	42.94	G
ATOM	11421	N	THR	G	64	85.392	135.338	149.587	1.00	35.33	G
ATOM	11422	CA	THR	G	64	86.051	136.620	149.434	1.00	35.73	G
ATOM	11423	CB	THR	G	64	85.040	137.728	149.182	1.00	34.50	G
ATOM	11424	OG1	THR	G	64	84.180	137.351	148.101	1.00	45.53	G
ATOM	11425	CG2	THR	G	64	85.757	139.018	148.835	1.00	29.69	G
ATOM	11426	C	THR	G	64	86.915	137.065	150.594	1.00	36.26	G
ATOM	11427	O	THR	G	64	86.491	137.052	151.748	1.00	40.08	G
ATOM	11428	N	LEU	G	65	88.133	137.470	150.267	1.00	34.80	G
ATOM	11429	CA	LEU	G	65	89.059	137.975	151.257	1.00	35.47	G
ATOM	11430	CB	LEU	G	65	90.486	137.577	150.900	1.00	32.19	G
ATOM	11431	CG	LEU	G	65	90.795	136.095	151.019	1.00	26.54	G
ATOM	11432	CD1	LEU	G	65	92.255	135.852	150.734	1.00	29.05	G
ATOM	11433	CD2	LEU	G	65	90.456	135.632	152.405	1.00	37.26	G
ATOM	11434	C	LEU	G	65	88.923	139.489	151.216	1.00	36.79	G
ATOM	11435	O	LEU	G	65	88.785	140.061	150.141	1.00	35.92	G

ATOM	11436	N	ARG	G	66	88.939	140.130	152.382	1.00	39.73	G
ATOM	11437	CA	ARG	G	66	88.827	141.584	152.460	1.00	40.77	G
ATOM	11438	CB	ARG	G	66	87.581	141.978	153.252	1.00	42.41	G
ATOM	11439	CG	ARG	G	66	86.286	141.460	152.646	1.00	51.58	G
ATOM	11440	CD	ARG	G	66	85.105	141.703	153.570	1.00	60.99	G
ATOM	11441	NE	ARG	G	66	83.995	140.794	153.294	1.00	60.92	G
ATOM	11442	CZ	ARG	G	66	83.256	140.830	152.195	1.00	62.50	G
ATOM	11443	NH1	ARG	G	66	83.507	141.740	151.265	1.00	65.63	G
ATOM	11444	NH2	ARG	G	66	82.275	139.950	152.020	1.00	66.02	G
ATOM	11445	C	ARG	G	66	90.069	142.144	153.130	1.00	40.01	G
ATOM	11446	O	ARG	G	66	90.408	141.741	154.237	1.00	43.67	G
ATOM	11447	N	ILE	G	67	90.753	143.053	152.443	1.00	38.55	G
ATOM	11448	CA	ILE	G	67	91.969	143.664	152.965	1.00	39.06	G
ATOM	11449	CB	ILE	G	67	93.010	143.909	151.856	1.00	35.68	G
ATOM	11450	CG2	ILE	G	67	94.180	144.689	152.416	1.00	38.18	G
ATOM	11451	CG1	ILE	G	67	93.510	142.585	151.282	1.00	38.49	G
ATOM	11452	CD1	ILE	G	67	92.563	141.947	150.303	1.00	40.69	G
ATOM	11453	C	ILE	G	67	91.675	145.006	153.641	1.00	42.53	G
ATOM	11454	O	ILE	G	67	91.198	145.957	153.009	1.00	42.99	G
ATOM	11455	N	LEU	G	68	91.990	145.084	154.927	1.00	38.47	G
ATOM	11456	CA	LEU	G	68	91.730	146.286	155.679	1.00	38.44	G
ATOM	11457	CB	LEU	G	68	91.082	145.936	157.010	1.00	39.33	G
ATOM	11458	CG	LEU	G	68	89.929	144.946	156.984	1.00	38.46	G
ATOM	11459	CD1	LEU	G	68	89.492	144.698	158.398	1.00	39.13	G
ATOM	11460	CD2	LEU	G	68	88.793	145.494	156.154	1.00	41.76	G
ATOM	11461	C	LEU	G	68	92.965	147.121	155.947	1.00	42.66	G
ATOM	11462	O	LEU	G	68	94.022	146.613	156.335	1.00	40.93	G
ATOM	11463	N	ASP	G	69	92.793	148.424	155.757	1.00	44.92	G
ATOM	11464	CA	ASP	G	69	93.831	149.406	155.966	1.00	43.39	G
ATOM	11465	CB	ASP	G	69	93.422	150.675	155.237	1.00	41.71	G
ATOM	11466	CG	ASP	G	69	94.381	151.817	155.457	1.00	46.79	G
ATOM	11467	OD1	ASP	G	69	94.152	152.886	154.846	1.00	50.70	G
ATOM	11468	OD2	ASP	G	69	95.349	151.656	156.232	1.00	36.57	G
ATOM	11469	C	ASP	G	69	93.992	149.667	157.457	1.00	48.72	G
ATOM	11470	O	ASP	G	69	93.104	150.212	158.097	1.00	52.63	G
ATOM	11471	N	ALA	G	70	95.114	149.261	158.027	1.00	54.15	G
ATOM	11472	CA	ALA	G	70	95.340	149.497	159.444	1.00	61.50	G
ATOM	11473	CB	ALA	G	70	96.007	148.301	160.078	1.00	61.31	G
ATOM	11474	C	ALA	G	70	96.239	150.708	159.561	1.00	69.79	G
ATOM	11475	O	ALA	G	70	96.210	151.429	160.562	1.00	70.84	G
ATOM	11476	N	THR	G	71	97.043	150.920	158.520	1.00	78.61	G
ATOM	11477	CA	THR	G	71	97.976	152.041	158.479	1.00	85.01	G
ATOM	11478	CB	THR	G	71	98.923	151.962	157.246	1.00	81.73	G
ATOM	11479	OG1	THR	G	71	99.734	153.142	157.195	1.00	84.20	G
ATOM	11480	CG2	THR	G	71	98.139	151.838	155.958	1.00	80.84	G
ATOM	11481	C	THR	G	71	97.231	153.364	158.458	1.00	91.97	G
ATOM	11482	O	THR	G	71	96.713	153.784	157.416	1.00	94.53	G
ATOM	11483	N	ASN	G	72	97.171	154.010	159.622	1.00	96.58	G
ATOM	11484	CA	ASN	G	72	96.494	155.294	159.758	1.00	101.26	G
ATOM	11485	CB	ASN	G	72	96.451	155.712	161.234	1.00	105.20	G
ATOM	11486	CG	ASN	G	72	95.360	154.997	162.017	1.00	109.20	G
ATOM	11487	OD1	ASN	G	72	95.194	155.223	163.218	1.00	109.86	G
ATOM	11488	ND2	ASN	G	72	94.604	154.138	161.336	1.00	110.79	G
ATOM	11489	C	ASN	G	72	97.184	156.380	158.929	1.00	102.36	G
ATOM	11490	O	ASN	G	72	97.789	157.304	159.479	1.00	105.01	G
ATOM	11491	N	ASN	G	73	97.091	156.263	157.607	1.00	100.65	G
ATOM	11492	CA	ASN	G	73	97.704	157.229	156.701	1.00	97.72	G
ATOM	11493	CB	ASN	G	73	96.847	158.499	156.624	1.00	99.27	G

ATOM	11494	CG	ASN	G	73	95.359	158.199	156.555	1.00	100.20	G
ATOM	11495	OD1	ASN	G	73	94.775	157.660	157.500	1.00	99.28	G
ATOM	11496	ND2	ASN	G	73	94.738	158.548	155.436	1.00	97.54	G
ATOM	11497	C	ASN	G	73	99.116	157.597	157.173	1.00	94.76	G
ATOM	11498	O	ASN	G	73	99.536	158.749	157.051	1.00	95.27	G
ATOM	11499	N	GLN	G	74	99.838	156.619	157.718	1.00	89.24	G
ATOM	11500	CA	GLN	G	74	101.197	156.841	158.214	1.00	83.63	G
ATOM	11501	CB	GLN	G	74	101.443	155.974	159.458	1.00	88.28	G
ATOM	11502	CG	GLN	G	74	100.493	156.303	160.627	1.00	94.38	G
ATOM	11503	CD	GLN	G	74	100.426	155.212	161.703	1.00	97.31	G
ATOM	11504	OE1	GLN	G	74	99.707	155.350	162.698	1.00	95.57	G
ATOM	11505	NE2	GLN	G	74	101.167	154.124	161.500	1.00	96.25	G
ATOM	11506	C	GLN	G	74	102.219	156.516	157.125	1.00	76.27	G
ATOM	11507	O	GLN	G	74	103.421	156.411	157.390	1.00	75.07	G
ATOM	11508	N	LEU	G	75	101.727	156.367	155.897	1.00	66.95	G
ATOM	11509	CA	LEU	G	75	102.574	156.049	154.752	1.00	60.35	G
ATOM	11510	CB	LEU	G	75	101.935	154.940	153.906	1.00	48.80	G
ATOM	11511	CG	LEU	G	75	101.685	153.572	154.531	1.00	45.98	G
ATOM	11512	CD1	LEU	G	75	100.708	152.798	153.669	1.00	35.62	G
ATOM	11513	CD2	LEU	G	75	103.002	152.822	154.693	1.00	41.78	G
ATOM	11514	C	LEU	G	75	102.774	157.266	153.861	1.00	59.23	G
ATOM	11515	O	LEU	G	75	101.996	158.219	153.906	1.00	59.64	G
ATOM	11516	N	PRO	G	76	103.828	157.250	153.037	1.00	57.93	G
ATOM	11517	CD	PRO	G	76	104.894	156.238	152.964	1.00	57.86	G
ATOM	11518	CA	PRO	G	76	104.106	158.363	152.128	1.00	60.06	G
ATOM	11519	CB	PRO	G	76	105.260	157.829	151.289	1.00	54.98	G
ATOM	11520	CG	PRO	G	76	106.001	156.993	152.260	1.00	53.40	G
ATOM	11521	C	PRO	G	76	102.856	158.634	151.279	1.00	63.17	G
ATOM	11522	O	PRO	G	76	102.206	157.695	150.825	1.00	61.68	G
ATOM	11523	N	GLN	G	77	102.527	159.908	151.061	1.00	66.55	G
ATOM	11524	CA	GLN	G	77	101.342	160.260	150.282	1.00	66.33	G
ATOM	11525	CB	GLN	G	77	100.523	161.304	151.035	1.00	65.70	G
ATOM	11526	CG	GLN	G	77	99.980	160.783	152.344	1.00	71.58	G
ATOM	11527	CD	GLN	G	77	99.152	159.527	152.162	1.00	74.26	G
ATOM	11528	OE1	GLN	G	77	99.327	158.541	152.883	1.00	73.04	G
ATOM	11529	NE2	GLN	G	77	98.239	159.557	151.197	1.00	74.48	G
ATOM	11530	C	GLN	G	77	101.599	160.743	148.855	1.00	66.14	G
ATOM	11531	O	GLN	G	77	100.660	161.072	148.130	1.00	66.79	G
ATOM	11532	N	ASP	G	78	102.863	160.766	148.448	1.00	63.01	G
ATOM	11533	CA	ASP	G	78	103.222	161.202	147.106	1.00	61.07	G
ATOM	11534	CB	ASP	G	78	104.474	162.082	147.162	1.00	61.29	G
ATOM	11535	CG	ASP	G	78	105.654	161.386	147.824	1.00	65.74	G
ATOM	11536	OD1	ASP	G	78	106.794	161.858	147.651	1.00	68.21	G
ATOM	11537	OD2	ASP	G	78	105.453	160.373	148.526	1.00	69.61	G
ATOM	11538	C	ASP	G	78	103.478	160.033	146.148	1.00	61.56	G
ATOM	11539	O	ASP	G	78	103.521	160.212	144.927	1.00	61.86	G
ATOM	11540	N	ARG	G	79	103.634	158.834	146.700	1.00	59.99	G
ATOM	11541	CA	ARG	G	79	103.931	157.663	145.888	1.00	56.07	G
ATOM	11542	CB	ARG	G	79	105.439	157.453	145.864	1.00	57.91	G
ATOM	11543	CG	ARG	G	79	106.006	157.130	147.239	1.00	60.87	G
ATOM	11544	CD	ARG	G	79	107.492	157.354	147.284	1.00	60.65	G
ATOM	11545	NE	ARG	G	79	107.772	158.780	147.215	1.00	67.04	G
ATOM	11546	CZ	ARG	G	79	108.976	159.306	147.020	1.00	67.15	G
ATOM	11547	NH1	ARG	G	79	110.041	158.525	146.868	1.00	62.32	G
ATOM	11548	NH2	ARG	G	79	109.110	160.624	146.975	1.00	67.52	G
ATOM	11549	C	ARG	G	79	103.275	156.431	146.467	1.00	50.78	G
ATOM	11550	O	ARG	G	79	102.772	156.461	147.580	1.00	49.57	G
ATOM	11551	N	GLU	G	80	103.287	155.343	145.706	1.00	47.82	G

ATOM	11552	CA	GLU	G	80	102.709	154.091	146.179	1.00	43.41	G
ATOM	11553	CB	GLU	G	80	102.495	153.108	145.035	1.00	40.09	G
ATOM	11554	CG	GLU	G	80	101.658	153.574	143.886	1.00	34.56	G
ATOM	11555	CD	GLU	G	80	101.497	152.476	142.859	1.00	34.94	G
ATOM	11556	OE1	GLU	G	80	100.365	151.988	142.664	1.00	29.57	G
ATOM	11557	OE2	GLU	G	80	102.517	152.089	142.251	1.00	42.08	G
ATOM	11558	C	GLU	G	80	103.716	153.452	147.128	1.00	43.61	G
ATOM	11559	O	GLU	G	80	104.919	153.714	147.044	1.00	42.90	G
ATOM	11560	N	SER	G	81	103.226	152.611	148.029	1.00	39.93	G
ATOM	11561	CA	SER	G	81	104.110	151.917	148.939	1.00	37.52	G
ATOM	11562	CB	SER	G	81	103.726	152.209	150.387	1.00	39.60	G
ATOM	11563	OG	SER	G	81	103.847	153.599	150.664	1.00	46.67	G
ATOM	11564	C	SER	G	81	103.929	150.454	148.605	1.00	37.65	G
ATOM	11565	O	SER	G	81	102.799	149.993	148.433	1.00	41.31	G
ATOM	11566	N	LEU	G	82	105.034	149.727	148.483	1.00	36.91	G
ATOM	11567	CA	LEU	G	82	104.979	148.304	148.150	1.00	37.13	G
ATOM	11568	CB	LEU	G	82	106.273	147.881	147.453	1.00	35.78	G
ATOM	11569	CG	LEU	G	82	106.555	146.384	147.290	1.00	36.90	G
ATOM	11570	CD1	LEU	G	82	105.371	145.643	146.705	1.00	33.84	G
ATOM	11571	CD2	LEU	G	82	107.758	146.234	146.404	1.00	35.01	G
ATOM	11572	C	LEU	G	82	104.733	147.388	149.344	1.00	37.47	G
ATOM	11573	O	LEU	G	82	105.376	147.524	150.402	1.00	35.55	G
ATOM	11574	N	PHE	G	83	103.795	146.459	149.164	1.00	34.65	G
ATOM	11575	CA	PHE	G	83	103.458	145.483	150.199	1.00	34.77	G
ATOM	11576	CB	PHE	G	83	102.178	145.866	150.935	1.00	33.70	G
ATOM	11577	CG	PHE	G	83	102.354	146.996	151.901	1.00	40.57	G
ATOM	11578	CD1	PHE	G	83	102.385	148.315	151.463	1.00	28.39	G
ATOM	11579	CD2	PHE	G	83	102.534	146.732	153.262	1.00	44.10	G
ATOM	11580	CE1	PHE	G	83	102.598	149.349	152.363	1.00	33.34	G
ATOM	11581	CE2	PHE	G	83	102.747	147.768	154.168	1.00	38.29	G
ATOM	11582	CZ	PHE	G	83	102.778	149.076	153.711	1.00	36.55	G
ATOM	11583	C	PHE	G	83	103.253	144.129	149.558	1.00	35.44	G
ATOM	11584	O	PHE	G	83	103.099	144.031	148.343	1.00	36.75	G
ATOM	11585	N	TRP	G	84	103.248	143.079	150.373	1.00	34.46	G
ATOM	11586	CA	TRP	G	84	103.046	141.750	149.844	1.00	27.62	G
ATOM	11587	CB	TRP	G	84	104.329	140.945	149.925	1.00	19.24	G
ATOM	11588	CG	TRP	G	84	105.394	141.513	149.062	1.00	22.26	G
ATOM	11589	CD2	TRP	G	84	105.638	141.210	147.679	1.00	19.25	G
ATOM	11590	CE2	TRP	G	84	106.737	141.989	147.268	1.00	18.32	G
ATOM	11591	CE3	TRP	G	84	105.030	140.362	146.749	1.00	23.41	G
ATOM	11592	CD1	TRP	G	84	106.323	142.435	149.418	1.00	22.15	G
ATOM	11593	NE1	TRP	G	84	107.140	142.726	148.348	1.00	24.80	G
ATOM	11594	CZ2	TRP	G	84	107.242	141.945	145.967	1.00	16.88	G
ATOM	11595	CZ3	TRP	G	84	105.530	140.317	145.459	1.00	12.56	G
ATOM	11596	CH2	TRP	G	84	106.621	141.101	145.081	1.00	19.87	G
ATOM	11597	C	TRP	G	84	101.925	141.021	150.536	1.00	28.79	G
ATOM	11598	O	TRP	G	84	101.918	140.881	151.756	1.00	32.46	G
ATOM	11599	N	MET	G	85	100.983	140.565	149.715	1.00	29.19	G
ATOM	11600	CA	MET	G	85	99.792	139.836	150.114	1.00	26.46	G
ATOM	11601	CB	MET	G	85	98.655	140.248	149.169	1.00	27.32	G
ATOM	11602	CG	MET	G	85	97.372	139.455	149.284	1.00	31.46	G
ATOM	11603	SD	MET	G	85	96.392	139.904	150.701	1.00	42.11	G
ATOM	11604	CE	MET	G	85	95.030	138.740	150.563	1.00	31.88	G
ATOM	11605	C	MET	G	85	100.086	138.333	150.007	1.00	27.54	G
ATOM	11606	O	MET	G	85	100.530	137.848	148.958	1.00	25.74	G
ATOM	11607	N	ASN	G	86	99.839	137.607	151.099	1.00	29.22	G
ATOM	11608	CA	ASN	G	86	100.076	136.162	151.166	1.00	26.02	G
ATOM	11609	CB	ASN	G	86	101.213	135.843	152.163	1.00	20.12	G

ATOM	11610	CG	ASN	G	86	102.577	136.413	151.721	1.00	29.14	G
ATOM	11611	OD1	ASN	G	86	102.860	137.599	151.908	1.00	27.73	G
ATOM	11612	ND2	ASN	G	86	103.417	135.568	151.131	1.00	17.66	G
ATOM	11613	C	ASN	G	86	98.814	135.393	151.561	1.00	24.26	G
ATOM	11614	O	ASN	G	86	98.143	135.752	152.503	1.00	29.57	G
ATOM	11615	N	VAL	G	87	98.499	134.335	150.822	1.00	25.42	G
ATOM	11616	CA	VAL	G	87	97.330	133.498	151.079	1.00	20.11	G
ATOM	11617	CB	VAL	G	87	96.252	133.694	149.984	1.00	18.33	G
ATOM	11618	CG1	VAL	G	87	95.061	132.773	150.222	1.00	10.64	G
ATOM	11619	CG2	VAL	G	87	95.802	135.150	149.966	1.00	11.94	G
ATOM	11620	C	VAL	G	87	97.849	132.067	151.054	1.00	24.87	G
ATOM	11621	O	VAL	G	87	98.287	131.545	150.020	1.00	24.78	G
ATOM	11622	N	LYS	G	88	97.812	131.462	152.230	1.00	27.09	G
ATOM	11623	CA	LYS	G	88	98.287	130.113	152.464	1.00	29.45	G
ATOM	11624	CB	LYS	G	88	99.016	130.093	153.797	1.00	29.28	G
ATOM	11625	CG	LYS	G	88	99.484	128.764	154.280	1.00	31.74	G
ATOM	11626	CD	LYS	G	88	100.582	129.012	155.296	1.00	33.49	G
ATOM	11627	CE	LYS	G	88	100.798	127.831	156.197	1.00	34.97	G
ATOM	11628	NZ	LYS	G	88	101.739	128.231	157.255	1.00	39.47	G
ATOM	11629	C	LYS	G	88	97.150	129.118	152.489	1.00	30.68	G
ATOM	11630	O	LYS	G	88	96.105	129.395	153.059	1.00	34.55	G
ATOM	11631	N	ALA	G	89	97.354	127.960	151.867	1.00	30.11	G
ATOM	11632	CA	ALA	G	89	96.331	126.923	151.842	1.00	30.79	G
ATOM	11633	CB	ALA	G	89	96.094	126.446	150.422	1.00	32.33	G
ATOM	11634	C	ALA	G	89	96.806	125.769	152.709	1.00	32.30	G
ATOM	11635	O	ALA	G	89	97.653	124.980	152.310	1.00	31.28	G
ATOM	11636	N	ILE	G	90	96.252	125.676	153.905	1.00	35.10	G
ATOM	11637	CA	ILE	G	90	96.635	124.630	154.838	1.00	42.25	G
ATOM	11638	CB	ILE	G	90	96.457	125.110	156.301	1.00	43.77	G
ATOM	11639	CG2	ILE	G	90	96.752	123.974	157.266	1.00	36.94	G
ATOM	11640	CG1	ILE	G	90	97.362	126.316	156.569	1.00	43.56	G
ATOM	11641	CD1	ILE	G	90	97.152	126.955	157.928	1.00	39.32	G
ATOM	11642	C	ILE	G	90	95.814	123.357	154.654	1.00	49.26	G
ATOM	11643	O	ILE	G	90	94.581	123.360	154.788	1.00	52.58	G
ATOM	11644	N	PRO	G	91	96.483	122.243	154.338	1.00	51.33	G
ATOM	11645	CD	PRO	G	91	97.900	122.033	154.016	1.00	50.53	G
ATOM	11646	CA	PRO	G	91	95.724	121.010	154.165	1.00	54.05	G
ATOM	11647	CB	PRO	G	91	96.721	120.097	153.476	1.00	45.39	G
ATOM	11648	CG	PRO	G	91	97.998	120.526	154.054	1.00	50.62	G
ATOM	11649	C	PRO	G	91	95.272	120.495	155.532	1.00	60.50	G
ATOM	11650	O	PRO	G	91	95.057	121.271	156.461	1.00	61.08	G
ATOM	11651	N	SER	G	92	95.129	119.186	155.654	1.00	67.71	G
ATOM	11652	CA	SER	G	92	94.691	118.586	156.901	1.00	71.17	G
ATOM	11653	CB	SER	G	92	93.202	118.270	156.797	1.00	70.34	G
ATOM	11654	OG	SER	G	92	92.871	117.939	155.456	1.00	67.85	G
ATOM	11655	C	SER	G	92	95.507	117.326	157.117	1.00	75.06	G
ATOM	11656	O	SER	G	92	95.914	116.696	156.151	1.00	77.82	G
ATOM	11657	N	MET	G	93	95.750	116.959	158.372	1.00	80.82	G
ATOM	11658	CA	MET	G	93	96.547	115.767	158.677	1.00	87.27	G
ATOM	11659	CB	MET	G	93	97.045	115.820	160.133	1.00	93.41	G
ATOM	11660	CG	MET	G	93	98.216	114.870	160.462	1.00	102.58	G
ATOM	11661	SD	MET	G	93	97.812	113.160	160.995	1.00	110.10	G
ATOM	11662	CE	MET	G	93	98.513	113.142	162.647	1.00	104.70	G
ATOM	11663	C	MET	G	93	95.787	114.460	158.449	1.00	87.50	G
ATOM	11664	O	MET	G	93	94.715	114.257	159.019	1.00	85.87	G
ATOM	11665	N	ASP	G	94	96.341	113.586	157.607	1.00	89.23	G
ATOM	11666	CA	ASP	G	94	95.724	112.289	157.339	1.00	90.41	G
ATOM	11667	CB	ASP	G	94	96.391	111.551	156.164	1.00	92.55	G

ATOM	11668	CG	ASP	G	94	96.318	112.313	154.854	1.00	97.27	G
ATOM	11669	OD1	ASP	G	94	96.255	111.649	153.791	1.00	93.77	G
ATOM	11670	OD2	ASP	G	94	96.343	113.563	154.880	1.00	99.45	G
ATOM	11671	C	ASP	G	94	95.939	111.443	158.578	1.00	90.08	G
ATOM	11672	O	ASP	G	94	97.078	111.223	158.992	1.00	90.58	G
ATOM	11673	N	LYS	G	95	94.854	110.983	159.185	1.00	89.11	G
ATOM	11674	CA	LYS	G	95	94.979	110.129	160.352	1.00	87.67	G
ATOM	11675	CB	LYS	G	95	93.664	110.088	161.128	1.00	85.78	G
ATOM	11676	CG	LYS	G	95	93.331	111.378	161.862	1.00	82.26	G
ATOM	11677	CD	LYS	G	95	92.889	112.489	160.938	1.00	84.50	G
ATOM	11678	CE	LYS	G	95	91.489	112.242	160.396	1.00	83.35	G
ATOM	11679	NZ	LYS	G	95	90.981	113.408	159.620	1.00	83.42	G
ATOM	11680	C	LYS	G	95	95.306	108.760	159.776	1.00	88.16	G
ATOM	11681	O	LYS	G	95	95.455	107.780	160.498	1.00	87.66	G
ATOM	11682	N	SER	G	96	95.429	108.732	158.451	1.00	90.38	G
ATOM	11683	CA	SER	G	96	95.724	107.527	157.681	1.00	90.92	G
ATOM	11684	CB	SER	G	96	95.046	107.628	156.310	1.00	91.16	G
ATOM	11685	OG	SER	G	96	95.408	108.830	155.645	1.00	90.18	G
ATOM	11686	C	SER	G	96	97.217	107.229	157.485	1.00	90.82	G
ATOM	11687	O	SER	G	96	97.616	106.063	157.439	1.00	91.39	G
ATOM	11688	N	LYS	G	97	98.036	108.270	157.355	1.00	89.51	G
ATOM	11689	CA	LYS	G	97	99.473	108.081	157.163	1.00	88.43	G
ATOM	11690	CB	LYS	G	97	99.976	108.960	156.016	1.00	90.08	G
ATOM	11691	CG	LYS	G	97	99.107	108.942	154.761	1.00	96.22	G
ATOM	11692	CD	LYS	G	97	98.999	107.558	154.143	1.00	101.85	G
ATOM	11693	CE	LYS	G	97	98.100	107.584	152.913	1.00	103.11	G
ATOM	11694	NZ	LYS	G	97	97.868	106.222	152.357	1.00	104.30	G
ATOM	11695	C	LYS	G	97	100.219	108.433	158.448	1.00	86.24	G
ATOM	11696	O	LYS	G	97	101.433	108.609	158.453	1.00	84.80	G
ATOM	11697	N	LEU	G	98	99.465	108.514	159.535	1.00	86.72	G
ATOM	11698	CA	LEU	G	98	99.974	108.858	160.857	1.00	88.40	G
ATOM	11699	CB	LEU	G	98	98.840	108.662	161.875	1.00	91.68	G
ATOM	11700	CG	LEU	G	98	99.053	108.924	163.368	1.00	93.73	G
ATOM	11701	CD1	LEU	G	98	99.708	107.714	164.018	1.00	92.82	G
ATOM	11702	CD2	LEU	G	98	99.879	110.192	163.555	1.00	95.16	G
ATOM	11703	C	LEU	G	98	101.254	108.147	161.333	1.00	88.65	G
ATOM	11704	O	LEU	G	98	102.146	108.794	161.890	1.00	88.92	G
ATOM	11705	N	THR	G	99	101.350	106.832	161.131	1.00	87.28	G
ATOM	11706	CA	THR	G	99	102.537	106.077	161.561	1.00	84.34	G
ATOM	11707	CB	THR	G	99	102.173	104.668	162.107	1.00	85.41	G
ATOM	11708	OG1	THR	G	99	101.685	103.848	161.034	1.00	85.46	G
ATOM	11709	CG2	THR	G	99	101.109	104.764	163.198	1.00	80.16	G
ATOM	11710	C	THR	G	99	103.484	105.891	160.387	1.00	81.72	G
ATOM	11711	O	THR	G	99	104.220	104.906	160.308	1.00	80.87	G
ATOM	11712	N	GLU	G	100	103.448	106.848	159.471	1.00	80.60	G
ATOM	11713	CA	GLU	G	100	104.291	106.808	158.287	1.00	78.96	G
ATOM	11714	CB	GLU	G	100	103.426	106.726	157.030	1.00	82.22	G
ATOM	11715	CG	GLU	G	100	102.787	105.372	156.789	1.00	86.02	G
ATOM	11716	CD	GLU	G	100	101.783	105.401	155.652	1.00	87.19	G
ATOM	11717	OE1	GLU	G	100	102.134	105.888	154.557	1.00	89.23	G
ATOM	11718	OE2	GLU	G	100	100.643	104.932	155.855	1.00	89.54	G
ATOM	11719	C	GLU	G	100	105.182	108.030	158.183	1.00	74.42	G
ATOM	11720	O	GLU	G	100	104.947	109.042	158.835	1.00	72.57	G
ATOM	11721	N	ASN	G	101	106.217	107.915	157.364	1.00	72.78	G
ATOM	11722	CA	ASN	G	101	107.127	109.019	157.127	1.00	71.55	G
ATOM	11723	CB	ASN	G	101	108.478	108.495	156.666	1.00	71.82	G
ATOM	11724	CG	ASN	G	101	109.439	108.330	157.809	1.00	76.51	G
ATOM	11725	OD1	ASN	G	101	109.025	108.171	158.961	1.00	79.74	G

ATOM	11726	ND2	ASN	G	101	110.731	108.364	157.508	1.00	78.17	G
ATOM	11727	C	ASN	G	101	106.458	109.819	156.034	1.00	69.65	G
ATOM	11728	O	ASN	G	101	106.302	109.336	154.910	1.00	69.52	G
ATOM	11729	N	THR	G	102	106.052	111.039	156.364	1.00	65.38	G
ATOM	11730	CA	THR	G	102	105.349	111.869	155.395	1.00	60.98	G
ATOM	11731	CB	THR	G	102	103.872	111.997	155.779	1.00	62.49	G
ATOM	11732	OG1	THR	G	102	103.771	112.594	157.076	1.00	66.53	G
ATOM	11733	CG2	THR	G	102	103.214	110.627	155.822	1.00	67.37	G
ATOM	11734	C	THR	G	102	105.881	113.274	155.184	1.00	55.53	G
ATOM	11735	O	THR	G	102	106.641	113.812	155.995	1.00	49.70	G
ATOM	11736	N	LEU	G	103	105.476	113.850	154.058	1.00	54.69	G
ATOM	11737	CA	LEU	G	103	105.839	115.221	153.708	1.00	52.60	G
ATOM	11738	CB	LEU	G	103	106.870	115.296	152.575	1.00	47.25	G
ATOM	11739	CG	LEU	G	103	107.057	116.743	152.079	1.00	47.44	G
ATOM	11740	CD1	LEU	G	103	107.695	117.596	153.188	1.00	46.46	G
ATOM	11741	CD2	LEU	G	103	107.912	116.771	150.837	1.00	44.43	G
ATOM	11742	C	LEU	G	103	104.595	115.929	153.232	1.00	48.63	G
ATOM	11743	O	LEU	G	103	103.930	115.468	152.312	1.00	48.20	G
ATOM	11744	N	GLN	G	104	104.265	117.040	153.864	1.00	49.21	G
ATOM	11745	CA	GLN	G	104	103.109	117.789	153.416	1.00	49.74	G
ATOM	11746	CB	GLN	G	104	102.063	117.887	154.519	1.00	51.24	G
ATOM	11747	CG	GLN	G	104	100.821	117.070	154.195	1.00	49.69	G
ATOM	11748	CD	GLN	G	104	99.713	117.246	155.206	1.00	49.33	G
ATOM	11749	OE1	GLN	G	104	98.631	116.694	155.045	1.00	50.00	G
ATOM	11750	NE2	GLN	G	104	99.975	118.016	156.257	1.00	51.39	G
ATOM	11751	C	GLN	G	104	103.523	119.170	152.951	1.00	47.08	G
ATOM	11752	O	GLN	G	104	104.408	119.801	153.540	1.00	44.92	G
ATOM	11753	N	LEU	G	105	102.902	119.620	151.869	1.00	41.88	G
ATOM	11754	CA	LEU	G	105	103.201	120.937	151.354	1.00	40.38	G
ATOM	11755	CB	LEU	G	105	103.455	120.883	149.856	1.00	41.12	G
ATOM	11756	CG	LEU	G	105	104.641	120.050	149.381	1.00	41.02	G
ATOM	11757	CD1	LEU	G	105	104.793	120.246	147.883	1.00	42.78	G
ATOM	11758	CD2	LEU	G	105	105.911	120.477	150.092	1.00	40.64	G
ATOM	11759	C	LEU	G	105	102.019	121.845	151.627	1.00	38.86	G
ATOM	11760	O	LEU	G	105	100.893	121.388	151.744	1.00	42.13	G
ATOM	11761	N	ALA	G	106	102.299	123.131	151.757	1.00	36.14	G
ATOM	11762	CA	ALA	G	106	101.284	124.144	151.980	1.00	29.93	G
ATOM	11763	CB	ALA	G	106	101.430	124.752	153.366	1.00	28.87	G
ATOM	11764	C	ALA	G	106	101.568	125.192	150.912	1.00	29.92	G
ATOM	11765	O	ALA	G	106	102.574	125.913	150.960	1.00	30.56	G
ATOM	11766	N	ILE	G	107	100.693	125.264	149.926	1.00	29.95	G
ATOM	11767	CA	ILE	G	107	100.886	126.218	148.854	1.00	27.02	G
ATOM	11768	CB	ILE	G	107	100.054	125.849	147.632	1.00	26.49	G
ATOM	11769	CG2	ILE	G	107	100.545	126.648	146.426	1.00	20.21	G
ATOM	11770	CG1	ILE	G	107	100.180	124.348	147.353	1.00	23.98	G
ATOM	11771	CD1	ILE	G	107	101.566	123.915	146.932	1.00	18.99	G
ATOM	11772	C	ILE	G	107	100.455	127.582	149.324	1.00	28.97	G
ATOM	11773	O	ILE	G	107	99.465	127.719	150.040	1.00	32.51	G
ATOM	11774	N	ILE	G	108	101.204	128.593	148.911	1.00	29.72	G
ATOM	11775	CA	ILE	G	108	100.901	129.969	149.275	1.00	31.90	G
ATOM	11776	CB	ILE	G	108	101.945	130.522	150.277	1.00	30.73	G
ATOM	11777	CG2	ILE	G	108	101.560	131.943	150.713	1.00	21.72	G
ATOM	11778	CG1	ILE	G	108	102.074	129.568	151.467	1.00	25.35	G
ATOM	11779	CD1	ILE	G	108	103.298	129.837	152.321	1.00	19.52	G
ATOM	11780	C	ILE	G	108	100.966	130.826	148.020	1.00	30.62	G
ATOM	11781	O	ILE	G	108	101.810	130.595	147.153	1.00	29.69	G
ATOM	11782	N	SER	G	109	100.074	131.804	147.914	1.00	28.15	G
ATOM	11783	CA	SER	G	109	100.117	132.699	146.764	1.00	27.63	G

ATOM	11784	CB	SER	G	109	98.744	132.801	146.103	1.00	25.06	G
ATOM	11785	OG	SER	G	109	98.271	131.517	145.704	1.00	24.15	G
ATOM	11786	C	SER	G	109	100.531	134.024	147.386	1.00	28.45	G
ATOM	11787	O	SER	G	109	99.944	134.444	148.390	1.00	26.97	G
ATOM	11788	N	ARG	G	110	101.575	134.637	146.835	1.00	23.61	G
ATOM	11789	CA	ARG	G	110	102.079	135.908	147.335	1.00	24.07	G
ATOM	11790	CB	ARG	G	110	103.516	135.769	147.870	1.00	20.12	G
ATOM	11791	CG	ARG	G	110	104.387	137.019	147.625	1.00	25.51	G
ATOM	11792	CD	ARG	G	110	105.800	136.933	148.223	1.00	21.86	G
ATOM	11793	NE	ARG	G	110	105.713	136.892	149.676	1.00	32.34	G
ATOM	11794	CZ	ARG	G	110	106.305	137.739	150.511	1.00	30.35	G
ATOM	11795	NH1	ARG	G	110	107.070	138.728	150.069	1.00	19.16	G
ATOM	11796	NH2	ARG	G	110	106.081	137.613	151.806	1.00	29.17	G
ATOM	11797	C	ARG	G	110	102.060	136.900	146.186	1.00	30.25	G
ATOM	11798	O	ARG	G	110	102.762	136.727	145.181	1.00	30.32	G
ATOM	11799	N	ILE	G	111	101.260	137.950	146.347	1.00	31.93	G
ATOM	11800	CA	ILE	G	111	101.144	138.963	145.318	1.00	30.17	G
ATOM	11801	CB	ILE	G	111	99.766	138.894	144.679	1.00	32.14	G
ATOM	11802	CG2	ILE	G	111	99.575	137.520	144.032	1.00	28.56	G
ATOM	11803	CG1	ILE	G	111	98.697	139.149	145.737	1.00	27.58	G
ATOM	11804	CD1	ILE	G	111	97.297	139.238	145.171	1.00	24.82	G
ATOM	11805	C	ILE	G	111	101.383	140.372	145.829	1.00	26.93	G
ATOM	11806	O	ILE	G	111	101.231	140.651	147.011	1.00	27.18	G
ATOM	11807	N	LYS	G	112	101.753	141.265	144.926	1.00	26.18	G
ATOM	11808	CA	LYS	G	112	102.008	142.638	145.316	1.00	28.55	G
ATOM	11809	CB	LYS	G	112	102.670	143.407	144.182	1.00	24.11	G
ATOM	11810	CG	LYS	G	112	103.824	142.698	143.518	1.00	26.60	G
ATOM	11811	CD	LYS	G	112	104.275	143.517	142.319	1.00	37.22	G
ATOM	11812	CE	LYS	G	112	105.343	142.825	141.505	1.00	42.49	G
ATOM	11813	NZ	LYS	G	112	105.755	143.661	140.340	1.00	43.11	G
ATOM	11814	C	LYS	G	112	100.709	143.344	145.686	1.00	28.42	G
ATOM	11815	O	LYS	G	112	99.646	143.068	145.145	1.00	32.28	G
ATOM	11816	N	LEU	G	113	100.806	144.248	146.638	1.00	27.06	G
ATOM	11817	CA	LEU	G	113	99.672	145.031	147.062	1.00	28.76	G
ATOM	11818	CB	LEU	G	113	99.220	144.608	148.454	1.00	27.59	G
ATOM	11819	CG	LEU	G	113	98.283	145.558	149.202	1.00	27.84	G
ATOM	11820	CD1	LEU	G	113	97.292	146.172	148.252	1.00	42.24	G
ATOM	11821	CD2	LEU	G	113	97.531	144.784	150.264	1.00	32.90	G
ATOM	11822	C	LEU	G	113	100.213	146.449	147.092	1.00	33.03	G
ATOM	11823	O	LEU	G	113	101.162	146.725	147.824	1.00	40.28	G
ATOM	11824	N	TYR	G	114	99.666	147.341	146.270	1.00	29.46	G
ATOM	11825	CA	TYR	G	114	100.152	148.712	146.301	1.00	32.39	G
ATOM	11826	CB	TYR	G	114	100.358	149.291	144.902	1.00	27.99	G
ATOM	11827	CG	TYR	G	114	101.355	148.572	144.046	1.00	26.51	G
ATOM	11828	CD1	TYR	G	114	100.938	147.813	142.963	1.00	21.57	G
ATOM	11829	CE1	TYR	G	114	101.844	147.156	142.167	1.00	24.58	G
ATOM	11830	CD2	TYR	G	114	102.719	148.658	144.309	1.00	30.42	G
ATOM	11831	CE2	TYR	G	114	103.647	148.002	143.504	1.00	30.15	G
ATOM	11832	CZ	TYR	G	114	103.194	147.251	142.436	1.00	28.58	G
ATOM	11833	OH	TYR	G	114	104.074	146.577	141.626	1.00	36.73	G
ATOM	11834	C	TYR	G	114	99.180	149.615	147.034	1.00	37.02	G
ATOM	11835	O	TYR	G	114	97.962	149.538	146.844	1.00	37.17	G
ATOM	11836	N	TYR	G	115	99.729	150.455	147.896	1.00	40.94	G
ATOM	11837	CA	TYR	G	115	98.939	151.434	148.620	1.00	43.42	G
ATOM	11838	CB	TYR	G	115	99.591	151.742	149.964	1.00	42.86	G
ATOM	11839	CG	TYR	G	115	98.891	152.822	150.741	1.00	46.71	G
ATOM	11840	CD1	TYR	G	115	97.658	152.578	151.352	1.00	48.42	G
ATOM	11841	CE1	TYR	G	115	96.999	153.566	152.062	1.00	47.54	G

ATOM	11842	CD2	TYR	G	115	99.450	154.098	150.862	1.00	48.98	G
ATOM	11843	CE2	TYR	G	115	98.796	155.102	151.575	1.00	46.60	G
ATOM	11844	CZ	TYR	G	115	97.571	154.826	152.171	1.00	49.30	G
ATOM	11845	OH	TYR	G	115	96.906	155.800	152.874	1.00	51.50	G
ATOM	11846	C	TYR	G	115	99.100	152.623	147.680	1.00	45.88	G
ATOM	11847	O	TYR	G	115	100.199	153.158	147.543	1.00	48.63	G
ATOM	11848	N	ARG	G	116	98.031	153.013	146.998	1.00	50.40	G
ATOM	11849	CA	ARG	G	116	98.108	154.126	146.057	1.00	50.95	G
ATOM	11850	CB	ARG	G	116	97.447	153.739	144.735	1.00	53.43	G
ATOM	11851	CG	ARG	G	116	97.479	154.836	143.674	1.00	55.06	G
ATOM	11852	CD	ARG	G	116	97.050	154.290	142.322	1.00	48.62	G
ATOM	11853	NE	ARG	G	116	98.036	153.354	141.800	1.00	47.77	G
ATOM	11854	CZ	ARG	G	116	97.771	152.428	140.886	1.00	45.61	G
ATOM	11855	NH1	ARG	G	116	96.547	152.319	140.399	1.00	43.12	G
ATOM	11856	NH2	ARG	G	116	98.724	151.611	140.457	1.00	42.20	G
ATOM	11857	C	ARG	G	116	97.462	155.381	146.596	1.00	52.47	G
ATOM	11858	O	ARG	G	116	96.244	155.504	146.599	1.00	53.68	G
ATOM	11859	N	PRO	G	117	98.276	156.335	147.065	1.00	58.13	G
ATOM	11860	CD	PRO	G	117	99.749	156.362	147.049	1.00	59.63	G
ATOM	11861	CA	PRO	G	117	97.741	157.587	147.606	1.00	64.15	G
ATOM	11862	CB	PRO	G	117	98.986	158.457	147.765	1.00	61.78	G
ATOM	11863	CG	PRO	G	117	100.054	157.471	148.030	1.00	60.55	G
ATOM	11864	C	PRO	G	117	96.783	158.172	146.591	1.00	69.16	G
ATOM	11865	O	PRO	G	117	97.211	158.680	145.562	1.00	72.32	G
ATOM	11866	N	ALA	G	118	95.491	158.081	146.863	1.00	75.02	G
ATOM	11867	CA	ALA	G	118	94.502	158.615	145.939	1.00	81.35	G
ATOM	11868	CB	ALA	G	118	93.101	158.127	146.331	1.00	85.40	G
ATOM	11869	C	ALA	G	118	94.567	160.143	145.967	1.00	83.08	G
ATOM	11870	O	ALA	G	118	93.886	160.778	146.774	1.00	83.98	G
ATOM	11871	N	LYS	G	119	95.388	160.721	145.086	1.00	83.77	G
ATOM	11872	CA	LYS	G	119	95.561	162.173	145.008	1.00	82.54	G
ATOM	11873	CB	LYS	G	119	95.789	162.743	146.409	1.00	83.09	G
ATOM	11874	CG	LYS	G	119	95.490	164.230	146.557	1.00	84.62	G
ATOM	11875	CD	LYS	G	119	93.998	164.497	146.701	1.00	82.61	G
ATOM	11876	CE	LYS	G	119	93.744	165.923	147.192	1.00	87.30	G
ATOM	11877	NZ	LYS	G	119	92.309	166.209	147.509	1.00	88.42	G
ATOM	11878	C	LYS	G	119	96.765	162.526	144.128	1.00	82.39	G
ATOM	11879	O	LYS	G	119	97.293	163.638	144.194	1.00	83.60	G
ATOM	11880	N	LEU	G	120	97.197	161.582	143.300	1.00	80.79	G
ATOM	11881	CA	LEU	G	120	98.354	161.803	142.437	1.00	77.41	G
ATOM	11882	CB	LEU	G	120	99.117	160.490	142.259	1.00	76.72	G
ATOM	11883	CG	LEU	G	120	99.309	159.682	143.549	1.00	74.33	G
ATOM	11884	CD1	LEU	G	120	100.041	158.388	143.243	1.00	72.18	G
ATOM	11885	CD2	LEU	G	120	100.071	160.506	144.570	1.00	71.59	G
ATOM	11886	C	LEU	G	120	97.951	162.360	141.079	1.00	75.93	G
ATOM	11887	O	LEU	G	120	96.857	162.085	140.578	1.00	75.20	G
ATOM	11888	N	ALA	G	121	98.848	163.136	140.480	1.00	74.63	G
ATOM	11889	CA	ALA	G	121	98.590	163.754	139.183	1.00	71.44	G
ATOM	11890	CB	ALA	G	121	99.565	164.905	138.959	1.00	68.99	G
ATOM	11891	C	ALA	G	121	98.683	162.765	138.030	1.00	68.34	G
ATOM	11892	O	ALA	G	121	97.681	162.383	137.434	1.00	68.34	G
ATOM	11893	N	LEU	G	122	99.900	162.356	137.718	1.00	66.67	G
ATOM	11894	CA	LEU	G	122	100.123	161.431	136.627	1.00	67.30	G
ATOM	11895	CB	LEU	G	122	101.602	161.058	136.577	1.00	65.44	G
ATOM	11896	CG	LEU	G	122	102.008	159.886	135.688	1.00	65.55	G
ATOM	11897	CD1	LEU	G	122	101.208	159.903	134.397	1.00	68.15	G
ATOM	11898	CD2	LEU	G	122	103.508	159.964	135.425	1.00	68.82	G
ATOM	11899	C	LEU	G	122	99.270	160.175	136.729	1.00	69.14	G

ATOM	11900	O	LEU	G	122	99.498	159.339	137.590	1.00	72.01	G
ATOM	11901	N	PRO	G	123	98.280	160.021	135.837	1.00	70.38	G
ATOM	11902	CD	PRO	G	123	97.905	160.935	134.743	1.00	71.15	G
ATOM	11903	CA	PRO	G	123	97.407	158.840	135.854	1.00	71.25	G
ATOM	11904	CB	PRO	G	123	96.305	159.224	134.871	1.00	71.74	G
ATOM	11905	CG	PRO	G	123	97.044	160.046	133.859	1.00	72.41	G
ATOM	11906	C	PRO	G	123	98.156	157.557	135.446	1.00	69.65	G
ATOM	11907	O	PRO	G	123	98.845	157.522	134.426	1.00	71.09	G
ATOM	11908	N	PRO	G	124	98.007	156.485	136.236	1.00	66.74	G
ATOM	11909	CD	PRO	G	124	96.969	156.371	137.269	1.00	66.20	G
ATOM	11910	CA	PRO	G	124	98.650	155.187	136.010	1.00	64.85	G
ATOM	11911	CB	PRO	G	124	97.760	154.212	136.789	1.00	63.91	G
ATOM	11912	CG	PRO	G	124	96.492	154.980	137.039	1.00	68.03	G
ATOM	11913	C	PRO	G	124	98.866	154.768	134.562	1.00	63.81	G
ATOM	11914	O	PRO	G	124	99.913	154.231	134.208	1.00	61.78	G
ATOM	11915	N	ASP	G	125	97.878	155.009	133.723	1.00	67.46	G
ATOM	11916	CA	ASP	G	125	97.986	154.659	132.310	1.00	73.46	G
ATOM	11917	CB	ASP	G	125	96.735	155.129	131.593	1.00	79.95	G
ATOM	11918	CG	ASP	G	125	96.456	156.596	131.856	1.00	86.89	G
ATOM	11919	OD1	ASP	G	125	97.215	157.459	131.357	1.00	87.34	G
ATOM	11920	OD2	ASP	G	125	95.489	156.888	132.588	1.00	92.25	G
ATOM	11921	C	ASP	G	125	99.187	155.352	131.670	1.00	73.78	G
ATOM	11922	O	ASP	G	125	99.865	154.797	130.804	1.00	74.01	G
ATOM	11923	N	GLN	G	126	99.428	156.577	132.114	1.00	73.28	G
ATOM	11924	CA	GLN	G	126	100.490	157.427	131.599	1.00	75.03	G
ATOM	11925	CB	GLN	G	126	99.962	158.872	131.658	1.00	79.75	G
ATOM	11926	CG	GLN	G	126	100.801	159.978	131.014	1.00	84.72	G
ATOM	11927	CD	GLN	G	126	100.110	161.338	131.111	1.00	86.68	G
ATOM	11928	OE1	GLN	G	126	100.724	162.387	130.885	1.00	86.35	G
ATOM	11929	NE2	GLN	G	126	98.820	161.319	131.446	1.00	86.01	G
ATOM	11930	C	GLN	G	126	101.828	157.283	132.352	1.00	75.32	G
ATOM	11931	O	GLN	G	126	102.573	158.255	132.496	1.00	76.44	G
ATOM	11932	N	ALA	G	127	102.150	156.073	132.811	1.00	73.19	G
ATOM	11933	CA	ALA	G	127	103.392	155.860	133.562	1.00	68.26	G
ATOM	11934	CB	ALA	G	127	103.083	155.145	134.868	1.00	61.97	G
ATOM	11935	C	ALA	G	127	104.511	155.126	132.817	1.00	67.00	G
ATOM	11936	O	ALA	G	127	105.662	155.552	132.854	1.00	66.81	G
ATOM	11937	N	ALA	G	128	104.186	154.035	132.137	1.00	66.09	G
ATOM	11938	CA	ALA	G	128	105.200	153.279	131.412	1.00	68.37	G
ATOM	11939	CB	ALA	G	128	104.543	152.166	130.608	1.00	63.20	G
ATOM	11940	C	ALA	G	128	106.050	154.162	130.492	1.00	73.32	G
ATOM	11941	O	ALA	G	128	107.269	153.997	130.420	1.00	74.75	G
ATOM	11942	N	GLU	G	129	105.404	155.097	129.799	1.00	76.81	G
ATOM	11943	CA	GLU	G	129	106.086	156.002	128.873	1.00	78.80	G
ATOM	11944	CB	GLU	G	129	105.100	157.006	128.295	1.00	85.39	G
ATOM	11945	CG	GLU	G	129	103.659	156.551	128.305	1.00	101.27	G
ATOM	11946	CD	GLU	G	129	102.692	157.728	128.290	1.00	107.44	G
ATOM	11947	OE1	GLU	G	129	101.473	157.497	128.105	1.00	111.60	G
ATOM	11948	OE2	GLU	G	129	103.157	158.879	128.477	1.00	108.90	G
ATOM	11949	C	GLU	G	129	107.191	156.799	129.556	1.00	78.44	G
ATOM	11950	O	GLU	G	129	108.268	157.003	128.990	1.00	79.64	G
ATOM	11951	N	LYS	G	130	106.904	157.268	130.768	1.00	74.25	G
ATOM	11952	CA	LYS	G	130	107.847	158.073	131.534	1.00	69.49	G
ATOM	11953	CB	LYS	G	130	107.196	158.547	132.835	1.00	73.03	G
ATOM	11954	CG	LYS	G	130	105.865	159.278	132.653	1.00	76.18	G
ATOM	11955	CD	LYS	G	130	106.053	160.646	132.011	1.00	77.28	G
ATOM	11956	CE	LYS	G	130	104.721	161.323	131.726	1.00	77.23	G
ATOM	11957	NZ	LYS	G	130	104.915	162.683	131.140	1.00	76.34	G

ATOM	11958	C	LYS	G	130	109.128	157.330	131.866	1.00	65.86	G
ATOM	11959	O	LYS	G	130	110.035	157.900	132.468	1.00	63.81	G
ATOM	11960	N	LEU	G	131	109.204	156.065	131.469	1.00	64.66	G
ATOM	11961	CA	LEU	G	131	110.380	155.254	131.752	1.00	66.98	G
ATOM	11962	CB	LEU	G	131	110.058	153.767	131.608	1.00	64.08	G
ATOM	11963	CG	LEU	G	131	111.205	152.869	132.096	1.00	61.82	G
ATOM	11964	CD1	LEU	G	131	111.298	152.966	133.622	1.00	55.70	G
ATOM	11965	CD2	LEU	G	131	110.978	151.433	131.662	1.00	57.48	G
ATOM	11966	C	LEU	G	131	111.577	155.561	130.876	1.00	70.49	G
ATOM	11967	O	LEU	G	131	111.592	155.209	129.697	1.00	74.44	G
ATOM	11968	N	ARG	G	132	112.590	156.195	131.454	1.00	73.42	G
ATOM	11969	CA	ARG	G	132	113.799	156.521	130.706	1.00	80.13	G
ATOM	11970	CB	ARG	G	132	114.297	157.911	131.100	1.00	85.21	G
ATOM	11971	CG	ARG	G	132	113.247	159.006	130.961	1.00	91.69	G
ATOM	11972	CD	ARG	G	132	113.659	160.260	131.734	1.00	98.55	G
ATOM	11973	NE	ARG	G	132	112.520	161.132	132.022	1.00	102.81	G
ATOM	11974	CZ	ARG	G	132	112.560	162.170	132.856	1.00	104.54	G
ATOM	11975	NH1	ARG	G	132	113.687	162.478	133.491	1.00	103.78	G
ATOM	11976	NH2	ARG	G	132	111.466	162.893	133.065	1.00	106.09	G
ATOM	11977	C	ARG	G	132	114.867	155.468	131.008	1.00	80.58	G
ATOM	11978	O	ARG	G	132	114.592	154.475	131.684	1.00	78.38	G
ATOM	11979	N	PHE	G	133	116.081	155.679	130.510	1.00	82.44	G
ATOM	11980	CA	PHE	G	133	117.157	154.723	130.739	1.00	87.87	G
ATOM	11981	CB	PHE	G	133	117.231	153.723	129.584	1.00	87.31	G
ATOM	11982	CG	PHE	G	133	116.046	152.811	129.498	1.00	87.90	G
ATOM	11983	CD1	PHE	G	133	114.814	153.287	129.064	1.00	87.56	G
ATOM	11984	CD2	PHE	G	133	116.156	151.476	129.879	1.00	89.19	G
ATOM	11985	CE1	PHE	G	133	113.707	152.449	129.014	1.00	89.35	G
ATOM	11986	CE2	PHE	G	133	115.058	150.623	129.835	1.00	87.91	G
ATOM	11987	CZ	PHE	G	133	113.829	151.109	129.402	1.00	90.43	G
ATOM	11988	C	PHE	G	133	118.539	155.334	130.951	1.00	92.29	G
ATOM	11989	O	PHE	G	133	118.684	156.524	131.237	1.00	94.77	G
ATOM	11990	N	ARG	G	134	119.550	154.486	130.809	1.00	94.20	G
ATOM	11991	CA	ARG	G	134	120.953	154.855	130.972	1.00	97.43	G
ATOM	11992	CB	ARG	G	134	121.227	155.314	132.401	1.00	95.44	G
ATOM	11993	CG	ARG	G	134	122.698	155.494	132.716	1.00	95.32	G
ATOM	11994	CD	ARG	G	134	122.912	155.490	134.217	1.00	98.10	G
ATOM	11995	NE	ARG	G	134	122.168	156.559	134.876	1.00	99.94	G
ATOM	11996	CZ	ARG	G	134	121.853	156.559	136.168	1.00	101.40	G
ATOM	11997	NH1	ARG	G	134	122.215	155.541	136.941	1.00	100.16	G
ATOM	11998	NH2	ARG	G	134	121.181	157.578	136.688	1.00	100.15	G
ATOM	11999	C	ARG	G	134	121.711	153.567	130.696	1.00	100.90	G
ATOM	12000	O	ARG	G	134	121.982	152.783	131.611	1.00	102.28	G
ATOM	12001	N	ARG	G	135	122.057	153.353	129.432	1.00	102.91	G
ATOM	12002	CA	ARG	G	135	122.732	152.123	129.037	1.00	103.24	G
ATOM	12003	CB	ARG	G	135	122.061	151.574	127.781	1.00	104.38	G
ATOM	12004	CG	ARG	G	135	122.293	152.400	126.536	1.00	101.96	G
ATOM	12005	CD	ARG	G	135	123.113	151.584	125.585	1.00	102.87	G
ATOM	12006	NE	ARG	G	135	122.488	150.282	125.406	1.00	102.03	G
ATOM	12007	CZ	ARG	G	135	123.121	149.201	124.974	1.00	102.89	G
ATOM	12008	NH1	ARG	G	135	122.459	148.060	124.846	1.00	103.92	G
ATOM	12009	NH2	ARG	G	135	124.413	149.259	124.677	1.00	103.06	G
ATOM	12010	C	ARG	G	135	124.233	152.192	128.808	1.00	103.21	G
ATOM	12011	O	ARG	G	135	124.698	152.883	127.904	1.00	104.47	G
ATOM	12012	N	SER	G	136	124.982	151.463	129.633	1.00	102.50	G
ATOM	12013	CA	SER	G	136	126.436	151.400	129.508	1.00	102.73	G
ATOM	12014	CB	SER	G	136	127.099	151.290	130.888	1.00	101.17	G
ATOM	12015	OG	SER	G	136	127.017	152.511	131.603	1.00	101.04	G

ATOM	12016	C	SER	G	136	126.765	150.160	128.674	1.00103.59	G
ATOM	12017	O	SER	G	136	126.076	149.862	127.696	1.00103.45	G
ATOM	12018	N	ALA	G	137	127.816	149.443	129.055	1.00104.10	G
ATOM	12019	CA	ALA	G	137	128.204	148.226	128.348	1.00105.16	G
ATOM	12020	CB	ALA	G	137	129.644	148.331	127.868	1.00104.98	G
ATOM	12021	C	ALA	G	137	128.057	147.064	129.325	1.00105.81	G
ATOM	12022	O	ALA	G	137	128.528	145.952	129.070	1.00105.85	G
ATOM	12023	N	ASN	G	138	127.389	147.344	130.443	1.00105.36	G
ATOM	12024	CA	ASN	G	138	127.171	146.359	131.494	1.00103.83	G
ATOM	12025	CB	ASN	G	138	128.501	146.035	132.184	1.00103.68	G
ATOM	12026	CG	ASN	G	138	129.314	147.285	132.517	1.00103.06	G
ATOM	12027	OD1	ASN	G	138	128.843	148.201	133.206	1.00 99.57	G
ATOM	12028	ND2	ASN	G	138	130.546	147.322	132.027	1.00 99.11	G
ATOM	12029	C	ASN	G	138	126.163	146.814	132.546	1.00101.80	G
ATOM	12030	O	ASN	G	138	125.606	145.994	133.275	1.00 99.92	G
ATOM	12031	N	SER	G	139	125.913	148.116	132.615	1.00100.80	G
ATOM	12032	CA	SER	G	139	125.000	148.632	133.625	1.00 99.51	G
ATOM	12033	CB	SER	G	139	125.809	149.401	134.671	1.00 98.25	G
ATOM	12034	OG	SER	G	139	126.922	148.634	135.100	1.00 98.99	G
ATOM	12035	C	SER	G	139	123.836	149.500	133.140	1.00 98.58	G
ATOM	12036	O	SER	G	139	123.850	150.719	133.318	1.00 99.45	G
ATOM	12037	N	LEU	G	140	122.829	148.869	132.536	1.00 95.60	G
ATOM	12038	CA	LEU	G	140	121.642	149.583	132.065	1.00 90.82	G
ATOM	12039	CB	LEU	G	140	120.833	148.695	131.129	1.00 89.45	G
ATOM	12040	CG	LEU	G	140	119.731	149.392	130.333	1.00 91.51	G
ATOM	12041	CD1	LEU	G	140	118.986	148.353	129.499	1.00 89.36	G
ATOM	12042	CD2	LEU	G	140	118.781	150.122	131.275	1.00 93.29	G
ATOM	12043	C	LEU	G	140	120.818	149.898	133.317	1.00 88.54	G
ATOM	12044	O	LEU	G	140	120.481	148.999	134.086	1.00 91.76	G
ATOM	12045	N	THR	G	141	120.472	151.162	133.514	1.00 83.80	G
ATOM	12046	CA	THR	G	141	119.740	151.545	134.711	1.00 80.99	G
ATOM	12047	CB	THR	G	141	120.561	152.588	135.522	1.00 80.27	G
ATOM	12048	OG1	THR	G	141	121.842	152.031	135.847	1.00 79.76	G
ATOM	12049	CG2	THR	G	141	119.838	152.977	136.815	1.00 78.74	G
ATOM	12050	C	THR	G	141	118.326	152.083	134.508	1.00 80.51	G
ATOM	12051	O	THR	G	141	118.136	153.286	134.293	1.00 80.07	G
ATOM	12052	N	LEU	G	142	117.337	151.190	134.598	1.00 77.65	G
ATOM	12053	CA	LEU	G	142	115.930	151.574	134.460	1.00 74.36	G
ATOM	12054	CB	LEU	G	142	115.003	150.418	134.859	1.00 69.72	G
ATOM	12055	CG	LEU	G	142	115.025	149.027	134.196	1.00 71.60	G
ATOM	12056	CD1	LEU	G	142	114.335	149.060	132.849	1.00 66.16	G
ATOM	12057	CD2	LEU	G	142	116.460	148.519	134.080	1.00 67.71	G
ATOM	12058	C	LEU	G	142	115.699	152.751	135.411	1.00 73.97	G
ATOM	12059	O	LEU	G	142	116.121	152.718	136.566	1.00 72.95	G
ATOM	12060	N	ILE	G	143	115.039	153.795	134.928	1.00 74.25	G
ATOM	12061	CA	ILE	G	143	114.789	154.968	135.756	1.00 73.94	G
ATOM	12062	CB	ILE	G	143	115.703	156.142	135.319	1.00 73.32	G
ATOM	12063	CG2	ILE	G	143	115.941	156.075	133.831	1.00 75.33	G
ATOM	12064	CG1	ILE	G	143	115.096	157.487	135.730	1.00 71.36	G
ATOM	12065	CD1	ILE	G	143	115.069	157.731	137.226	1.00 75.77	G
ATOM	12066	C	ILE	G	143	113.328	155.390	135.696	1.00 73.86	G
ATOM	12067	O	ILE	G	143	112.819	155.758	134.640	1.00 75.74	G
ATOM	12068	N	ASN	G	144	112.664	155.338	136.846	1.00 71.92	G
ATOM	12069	CA	ASN	G	144	111.253	155.688	136.956	1.00 68.75	G
ATOM	12070	CB	ASN	G	144	110.471	154.484	137.488	1.00 65.98	G
ATOM	12071	CG	ASN	G	144	109.042	154.818	137.830	1.00 65.57	G
ATOM	12072	OD1	ASN	G	144	108.537	155.885	137.480	1.00 63.76	G
ATOM	12073	ND2	ASN	G	144	108.372	153.895	138.516	1.00 65.62	G

ATOM	12074	C	ASN	G	144	111.036	156.897	137.854	1.00	68.46	G
ATOM	12075	O	ASN	G	144	111.273	156.840	139.060	1.00	68.40	G
ATOM	12076	N	PRO	G	145	110.584	158.018	137.265	1.00	69.59	G
ATOM	12077	CD	PRO	G	145	110.606	158.222	135.803	1.00	69.26	G
ATOM	12078	CA	PRO	G	145	110.314	159.287	137.954	1.00	69.37	G
ATOM	12079	CB	PRO	G	145	110.695	160.316	136.908	1.00	68.41	G
ATOM	12080	CG	PRO	G	145	110.154	159.664	135.657	1.00	69.78	G
ATOM	12081	C	PRO	G	145	108.864	159.463	138.404	1.00	69.99	G
ATOM	12082	O	PRO	G	145	108.541	160.408	139.124	1.00	72.52	G
ATOM	12083	N	THR	G	146	107.990	158.564	137.969	1.00	68.71	G
ATOM	12084	CA	THR	G	146	106.576	158.639	138.326	1.00	65.38	G
ATOM	12085	CB	THR	G	146	105.760	157.686	137.456	1.00	63.89	G
ATOM	12086	OG1	THR	G	146	105.659	156.417	138.106	1.00	54.55	G
ATOM	12087	CG2	THR	G	146	106.452	157.484	136.112	1.00	64.51	G
ATOM	12088	C	THR	G	146	106.404	158.225	139.779	1.00	66.52	G
ATOM	12089	O	THR	G	146	107.384	158.033	140.490	1.00	70.61	G
ATOM	12090	N	PRO	G	147	105.157	158.109	140.252	1.00	65.33	G
ATOM	12091	CD	PRO	G	147	104.000	158.901	139.803	1.00	65.87	G
ATOM	12092	CA	PRO	G	147	104.971	157.699	141.647	1.00	63.07	G
ATOM	12093	CB	PRO	G	147	104.007	158.741	142.172	1.00	64.87	G
ATOM	12094	CG	PRO	G	147	103.068	158.854	141.018	1.00	65.77	G
ATOM	12095	C	PRO	G	147	104.387	156.293	141.743	1.00	60.39	G
ATOM	12096	O	PRO	G	147	103.757	155.951	142.744	1.00	59.95	G
ATOM	12097	N	TYR	G	148	104.591	155.488	140.702	1.00	57.58	G
ATOM	12098	CA	TYR	G	148	104.076	154.117	140.677	1.00	57.12	G
ATOM	12099	CB	TYR	G	148	103.065	153.915	139.543	1.00	52.80	G
ATOM	12100	CG	TYR	G	148	101.959	154.927	139.474	1.00	57.87	G
ATOM	12101	CD1	TYR	G	148	102.182	156.209	138.962	1.00	58.42	G
ATOM	12102	CE1	TYR	G	148	101.151	157.146	138.902	1.00	56.59	G
ATOM	12103	CD2	TYR	G	148	100.679	154.607	139.923	1.00	60.57	G
ATOM	12104	CE2	TYR	G	148	99.641	155.538	139.870	1.00	60.01	G
ATOM	12105	CZ	TYR	G	148	99.886	156.801	139.363	1.00	59.51	G
ATOM	12106	OH	TYR	G	148	98.865	157.716	139.355	1.00	65.73	G
ATOM	12107	C	TYR	G	148	105.181	153.088	140.482	1.00	56.01	G
ATOM	12108	O	TYR	G	148	106.188	153.352	139.823	1.00	56.98	G
ATOM	12109	N	TYR	G	149	104.985	151.904	141.044	1.00	51.69	G
ATOM	12110	CA	TYR	G	149	105.968	150.855	140.872	1.00	48.00	G
ATOM	12111	CB	TYR	G	149	105.727	149.701	141.858	1.00	45.91	G
ATOM	12112	CG	TYR	G	149	106.402	149.879	143.195	1.00	44.96	G
ATOM	12113	CD1	TYR	G	149	105.822	150.644	144.195	1.00	46.89	G
ATOM	12114	CE1	TYR	G	149	106.478	150.853	145.418	1.00	48.37	G
ATOM	12115	CD2	TYR	G	149	107.655	149.319	143.443	1.00	48.78	G
ATOM	12116	CE2	TYR	G	149	108.319	149.525	144.663	1.00	43.63	G
ATOM	12117	CZ	TYR	G	149	107.727	150.289	145.642	1.00	42.23	G
ATOM	12118	OH	TYR	G	149	108.363	150.480	146.850	1.00	42.41	G
ATOM	12119	C	TYR	G	149	105.855	150.351	139.436	1.00	44.62	G
ATOM	12120	O	TYR	G	149	104.779	149.965	138.987	1.00	46.01	G
ATOM	12121	N	LEU	G	150	106.963	150.357	138.712	1.00	39.63	G
ATOM	12122	CA	LEU	G	150	106.923	149.880	137.346	1.00	38.98	G
ATOM	12123	CB	LEU	G	150	107.753	150.790	136.428	1.00	39.49	G
ATOM	12124	CG	LEU	G	150	107.267	152.246	136.274	1.00	48.25	G
ATOM	12125	CD1	LEU	G	150	108.153	152.961	135.271	1.00	47.76	G
ATOM	12126	CD2	LEU	G	150	105.806	152.297	135.800	1.00	43.15	G
ATOM	12127	C	LEU	G	150	107.412	148.447	137.254	1.00	37.35	G
ATOM	12128	O	LEU	G	150	108.562	148.137	137.590	1.00	36.68	G
ATOM	12129	N	THR	G	151	106.526	147.562	136.817	1.00	36.73	G
ATOM	12130	CA	THR	G	151	106.907	146.175	136.666	1.00	38.88	G
ATOM	12131	CB	THR	G	151	105.735	145.216	137.004	1.00	37.72	G

ATOM	12132	OG1	THR	G	151	105.282	145.451	138.341	1.00	38.01	G
ATOM	12133	CG2	THR	G	151	106.184	143.769	136.895	1.00	37.86	G
ATOM	12134	C	THR	G	151	107.337	145.995	135.213	1.00	43.48	G
ATOM	12135	O	THR	G	151	106.549	145.588	134.359	1.00	44.72	G
ATOM	12136	N	VAL	G	152	108.592	146.334	134.940	1.00	47.23	G
ATOM	12137	CA	VAL	G	152	109.164	146.217	133.605	1.00	49.52	G
ATOM	12138	CB	VAL	G	152	110.494	146.987	133.503	1.00	51.93	G
ATOM	12139	CG1	VAL	G	152	111.183	146.654	132.194	1.00	50.66	G
ATOM	12140	CG2	VAL	G	152	110.246	148.489	133.620	1.00	45.01	G
ATOM	12141	C	VAL	G	152	109.443	144.764	133.266	1.00	51.64	G
ATOM	12142	O	VAL	G	152	110.185	144.097	133.969	1.00	54.65	G
ATOM	12143	N	THR	G	153	108.843	144.286	132.186	1.00	54.86	G
ATOM	12144	CA	THR	G	153	109.028	142.916	131.736	1.00	58.48	G
ATOM	12145	CB	THR	G	153	107.763	142.065	132.034	1.00	59.98	G
ATOM	12146	OG1	THR	G	153	107.972	140.702	131.625	1.00	59.96	G
ATOM	12147	CG2	THR	G	153	106.552	142.644	131.310	1.00	60.31	G
ATOM	12148	C	THR	G	153	109.310	142.948	130.225	1.00	63.68	G
ATOM	12149	O	THR	G	153	109.150	143.990	129.574	1.00	62.88	G
ATOM	12150	N	GLU	G	154	109.737	141.807	129.680	1.00	68.07	G
ATOM	12151	CA	GLU	G	154	110.071	141.677	128.259	1.00	69.62	G
ATOM	12152	CB	GLU	G	154	108.806	141.668	127.399	1.00	66.47	G
ATOM	12153	CG	GLU	G	154	107.957	140.430	127.591	1.00	71.83	G
ATOM	12154	CD	GLU	G	154	107.013	140.183	126.429	1.00	77.77	G
ATOM	12155	OE1	GLU	G	154	106.250	139.188	126.470	1.00	74.09	G
ATOM	12156	OE2	GLU	G	154	107.042	140.984	125.470	1.00	82.82	G
ATOM	12157	C	GLU	G	154	111.005	142.788	127.797	1.00	71.86	G
ATOM	12158	O	GLU	G	154	110.824	143.371	126.730	1.00	74.59	G
ATOM	12159	N	LEU	G	155	112.007	143.075	128.618	1.00	74.09	G
ATOM	12160	CA	LEU	G	155	112.986	144.111	128.312	1.00	76.74	G
ATOM	12161	CB	LEU	G	155	113.715	144.540	129.586	1.00	70.99	G
ATOM	12162	CG	LEU	G	155	114.665	145.727	129.483	1.00	66.79	G
ATOM	12163	CD1	LEU	G	155	113.870	146.990	129.144	1.00	68.58	G
ATOM	12164	CD2	LEU	G	155	115.405	145.898	130.799	1.00	64.00	G
ATOM	12165	C	LEU	G	155	113.987	143.534	127.326	1.00	81.53	G
ATOM	12166	O	LEU	G	155	114.300	142.345	127.382	1.00	82.06	G
ATOM	12167	N	ASN	G	156	114.494	144.373	126.428	1.00	87.29	G
ATOM	12168	CA	ASN	G	156	115.462	143.916	125.437	1.00	90.01	G
ATOM	12169	CB	ASN	G	156	114.724	143.366	124.225	1.00	86.88	G
ATOM	12170	CG	ASN	G	156	113.651	142.381	124.614	1.00	88.28	G
ATOM	12171	OD1	ASN	G	156	113.943	141.309	125.141	1.00	87.99	G
ATOM	12172	ND2	ASN	G	156	112.396	142.744	124.375	1.00	88.64	G
ATOM	12173	C	ASN	G	156	116.412	145.023	125.007	1.00	92.96	G
ATOM	12174	O	ASN	G	156	115.996	146.165	124.790	1.00	90.94	G
ATOM	12175	N	ALA	G	157	117.691	144.672	124.900	1.00	97.54	G
ATOM	12176	CA	ALA	G	157	118.725	145.613	124.483	1.00	101.75	G
ATOM	12177	CB	ALA	G	157	120.094	145.107	124.917	1.00	101.09	G
ATOM	12178	C	ALA	G	157	118.658	145.717	122.965	1.00	105.21	G
ATOM	12179	O	ALA	G	157	119.673	145.895	122.289	1.00	106.44	G
ATOM	12180	N	GLY	G	158	117.439	145.596	122.446	1.00	108.17	G
ATOM	12181	CA	GLY	G	158	117.211	145.659	121.017	1.00	110.25	G
ATOM	12182	C	GLY	G	158	116.904	144.275	120.486	1.00	112.68	G
ATOM	12183	O	GLY	G	158	115.831	144.041	119.926	1.00	113.08	G
ATOM	12184	N	THR	G	159	117.853	143.358	120.672	1.00	114.34	G
ATOM	12185	CA	THR	G	159	117.718	141.974	120.220	1.00	115.40	G
ATOM	12186	CB	THR	G	159	118.824	141.593	119.222	1.00	116.55	G
ATOM	12187	OG1	THR	G	159	120.097	141.673	119.877	1.00	118.97	G
ATOM	12188	CG2	THR	G	159	118.819	142.532	118.021	1.00	119.09	G
ATOM	12189	C	THR	G	159	117.866	141.062	121.424	1.00	115.64	G

ATOM	12190	O	THR	G	159	117.101	140.113	121.601	1.00115.53	G
ATOM	12191	N	ARG	G	160	118.871	141.360	122.241	1.00115.94	G
ATOM	12192	CA	ARG	G	160	119.148	140.586	123.437	1.00117.09	G
ATOM	12193	CB	ARG	G	160	120.441	141.080	124.091	1.00122.13	G
ATOM	12194	CG	ARG	G	160	120.929	140.235	125.269	1.00129.68	G
ATOM	12195	CD	ARG	G	160	121.611	138.945	124.800	1.00134.68	G
ATOM	12196	NE	ARG	G	160	122.310	138.258	125.884	1.00138.10	G
ATOM	12197	CZ	ARG	G	160	121.729	137.455	126.771	1.00137.91	G
ATOM	12198	NH1	ARG	G	160	120.423	137.216	126.709	1.00138.58	G
ATOM	12199	NH2	ARG	G	160	122.453	136.911	127.741	1.00137.71	G
ATOM	12200	C	ARG	G	160	117.991	140.735	124.417	1.00115.04	G
ATOM	12201	O	ARG	G	160	117.455	141.830	124.607	1.00114.44	G
ATOM	12202	N	VAL	G	161	117.602	139.625	125.031	1.00112.42	G
ATOM	12203	CA	VAL	G	161	116.522	139.638	126.008	1.00110.38	G
ATOM	12204	CB	VAL	G	161	115.631	138.373	125.883	1.00112.72	G
ATOM	12205	CG1	VAL	G	161	116.470	137.115	126.097	1.00112.63	G
ATOM	12206	CG2	VAL	G	161	114.485	138.441	126.888	1.00110.93	G
ATOM	12207	C	VAL	G	161	117.126	139.697	127.410	1.00106.44	G
ATOM	12208	O	VAL	G	161	118.034	138.935	127.742	1.00105.52	G
ATOM	12209	N	LEU	G	162	116.622	140.608	128.233	1.00102.56	G
ATOM	12210	CA	LEU	G	162	117.136	140.757	129.588	1.00 99.26	G
ATOM	12211	CB	LEU	G	162	117.367	142.235	129.894	1.00100.66	G
ATOM	12212	CG	LEU	G	162	118.389	142.918	128.991	1.00101.26	G
ATOM	12213	CD1	LEU	G	162	118.586	144.357	129.440	1.00100.66	G
ATOM	12214	CD2	LEU	G	162	119.699	142.153	129.053	1.00101.45	G
ATOM	12215	C	LEU	G	162	116.265	140.147	130.686	1.00 95.72	G
ATOM	12216	O	LEU	G	162	115.377	139.327	130.429	1.00 95.84	G
ATOM	12217	N	GLU	G	163	116.536	140.561	131.917	1.00 90.68	G
ATOM	12218	CA	GLU	G	163	115.804	140.067	133.070	1.00 85.60	G
ATOM	12219	CB	GLU	G	163	116.796	139.657	134.158	1.00 89.29	G
ATOM	12220	CG	GLU	G	163	116.205	138.813	135.264	1.00 95.78	G
ATOM	12221	CD	GLU	G	163	117.232	137.882	135.876	1.00 96.59	G
ATOM	12222	OE1	GLU	G	163	117.581	136.878	135.219	1.00 97.49	G
ATOM	12223	OE2	GLU	G	163	117.695	138.158	137.004	1.00 97.73	G
ATOM	12224	C	GLU	G	163	114.847	141.145	133.574	1.00 79.10	G
ATOM	12225	O	GLU	G	163	115.209	142.325	133.671	1.00 78.10	G
ATOM	12226	N	ASN	G	164	113.621	140.727	133.880	1.00 69.99	G
ATOM	12227	CA	ASN	G	164	112.574	141.629	134.352	1.00 61.23	G
ATOM	12228	CB	ASN	G	164	111.379	140.818	134.822	1.00 61.03	G
ATOM	12229	CG	ASN	G	164	110.976	139.768	133.823	1.00 63.28	G
ATOM	12230	OD1	ASN	G	164	110.473	140.078	132.745	1.00 67.04	G
ATOM	12231	ND2	ASN	G	164	111.209	138.510	134.167	1.00 70.97	G
ATOM	12232	C	ASN	G	164	113.033	142.537	135.476	1.00 57.18	G
ATOM	12233	O	ASN	G	164	113.976	142.232	136.199	1.00 58.33	G
ATOM	12234	N	ALA	G	165	112.357	143.660	135.640	1.00 54.01	G
ATOM	12235	CA	ALA	G	165	112.739	144.575	136.691	1.00 52.43	G
ATOM	12236	CB	ALA	G	165	113.667	145.637	136.142	1.00 55.29	G
ATOM	12237	C	ALA	G	165	111.518	145.214	137.311	1.00 52.44	G
ATOM	12238	O	ALA	G	165	110.459	145.297	136.687	1.00 52.23	G
ATOM	12239	N	LEU	G	166	111.677	145.640	138.559	1.00 49.34	G
ATOM	12240	CA	LEU	G	166	110.618	146.296	139.304	1.00 47.01	G
ATOM	12241	CB	LEU	G	166	110.267	145.487	140.552	1.00 43.22	G
ATOM	12242	CG	LEU	G	166	109.260	146.132	141.506	1.00 48.56	G
ATOM	12243	CD1	LEU	G	166	107.909	146.314	140.795	1.00 42.83	G
ATOM	12244	CD2	LEU	G	166	109.110	145.261	142.736	1.00 42.53	G
ATOM	12245	C	LEU	G	166	111.203	147.641	139.686	1.00 47.60	G
ATOM	12246	O	LEU	G	166	112.052	147.734	140.565	1.00 48.03	G
ATOM	12247	N	VAL	G	167	110.764	148.694	139.015	1.00 49.19	G

ATOM	12248	CA	VAL	G	167	111.326	149.996	139.311	1.00	50.27	G
ATOM	12249	CB	VAL	G	167	111.604	150.802	138.040	1.00	50.01	G
ATOM	12250	CG1	VAL	G	167	112.404	152.043	138.395	1.00	51.47	G
ATOM	12251	CG2	VAL	G	167	112.362	149.938	137.031	1.00	49.82	G
ATOM	12252	C	VAL	G	167	110.465	150.830	140.219	1.00	49.91	G
ATOM	12253	O	VAL	G	167	109.375	151.258	139.853	1.00	50.00	G
ATOM	12254	N	PRO	G	168	110.965	151.083	141.427	1.00	51.05	G
ATOM	12255	CD	PRO	G	168	112.298	150.628	141.857	1.00	49.77	G
ATOM	12256	CA	PRO	G	168	110.321	151.868	142.480	1.00	53.39	G
ATOM	12257	CB	PRO	G	168	111.334	151.802	143.615	1.00	52.74	G
ATOM	12258	CG	PRO	G	168	112.650	151.662	142.887	1.00	53.44	G
ATOM	12259	C	PRO	G	168	109.996	153.306	142.085	1.00	56.25	G
ATOM	12260	O	PRO	G	168	110.676	153.901	141.256	1.00	57.85	G
ATOM	12261	N	PRO	G	169	108.945	153.881	142.690	1.00	58.65	G
ATOM	12262	CD	PRO	G	169	108.062	153.202	143.651	1.00	60.56	G
ATOM	12263	CA	PRO	G	169	108.479	155.251	142.449	1.00	61.01	G
ATOM	12264	CB	PRO	G	169	107.369	155.422	143.484	1.00	60.51	G
ATOM	12265	CG	PRO	G	169	106.810	154.055	143.594	1.00	62.55	G
ATOM	12266	C	PRO	G	169	109.598	156.258	142.668	1.00	62.33	G
ATOM	12267	O	PRO	G	169	110.352	156.146	143.635	1.00	64.41	G
ATOM	12268	N	MET	G	170	109.702	157.240	141.779	1.00	62.34	G
ATOM	12269	CA	MET	G	170	110.731	158.259	141.903	1.00	60.73	G
ATOM	12270	CB	MET	G	170	110.285	159.286	142.936	1.00	60.39	G
ATOM	12271	CG	MET	G	170	109.120	160.113	142.444	1.00	71.16	G
ATOM	12272	SD	MET	G	170	108.289	161.058	143.714	1.00	83.34	G
ATOM	12273	CE	MET	G	170	106.742	160.134	143.842	1.00	83.17	G
ATOM	12274	C	MET	G	170	112.061	157.629	142.297	1.00	60.63	G
ATOM	12275	O	MET	G	170	112.819	158.181	143.101	1.00	60.98	G
ATOM	12276	N	GLY	G	171	112.327	156.461	141.724	1.00	57.60	G
ATOM	12277	CA	GLY	G	171	113.552	155.756	142.017	1.00	59.37	G
ATOM	12278	C	GLY	G	171	114.094	155.111	140.765	1.00	62.77	G
ATOM	12279	O	GLY	G	171	113.703	155.482	139.661	1.00	64.81	G
ATOM	12280	N	GLU	G	172	114.984	154.139	140.929	1.00	65.15	G
ATOM	12281	CA	GLU	G	172	115.578	153.469	139.783	1.00	69.22	G
ATOM	12282	CB	GLU	G	172	116.622	154.391	139.154	1.00	74.36	G
ATOM	12283	CG	GLU	G	172	117.582	154.997	140.166	1.00	79.15	G
ATOM	12284	CD	GLU	G	172	118.401	156.124	139.576	1.00	85.03	G
ATOM	12285	OE1	GLU	G	172	119.194	155.855	138.646	1.00	87.63	G
ATOM	12286	OE2	GLU	G	172	118.244	157.278	140.037	1.00	85.83	G
ATOM	12287	C	GLU	G	172	116.205	152.118	140.119	1.00	67.77	G
ATOM	12288	O	GLU	G	172	116.478	151.811	141.272	1.00	67.01	G
ATOM	12289	N	SER	G	173	116.438	151.322	139.086	1.00	69.02	G
ATOM	12290	CA	SER	G	173	117.016	149.999	139.241	1.00	72.78	G
ATOM	12291	CB	SER	G	173	115.905	148.950	139.239	1.00	72.94	G
ATOM	12292	OG	SER	G	173	114.722	149.472	139.822	1.00	79.29	G
ATOM	12293	C	SER	G	173	117.954	149.740	138.069	1.00	75.06	G
ATOM	12294	O	SER	G	173	117.699	150.193	136.952	1.00	72.74	G
ATOM	12295	N	ALA	G	174	119.030	149.004	138.315	1.00	79.41	G
ATOM	12296	CA	ALA	G	174	119.973	148.702	137.253	1.00	82.65	G
ATOM	12297	CB	ALA	G	174	121.377	149.180	137.650	1.00	80.82	G
ATOM	12298	C	ALA	G	174	120.002	147.212	136.920	1.00	84.57	G
ATOM	12299	O	ALA	G	174	120.339	146.385	137.766	1.00	86.64	G
ATOM	12300	N	VAL	G	175	119.623	146.873	135.695	1.00	87.25	G
ATOM	12301	CA	VAL	G	175	119.657	145.490	135.244	1.00	94.44	G
ATOM	12302	CB	VAL	G	175	118.510	145.186	134.258	1.00	95.09	G
ATOM	12303	CG1	VAL	G	175	118.747	143.831	133.583	1.00	92.37	G
ATOM	12304	CG2	VAL	G	175	117.167	145.194	134.971	1.00	94.87	G
ATOM	12305	C	VAL	G	175	120.985	145.286	134.529	1.00	100.08	G

ATOM	12306	O	VAL	G	175	121.394	146.132	133.734	1.00102.14	G
ATOM	12307	N	LYS	G	176	121.658	144.175	134.826	1.00102.91	G
ATOM	12308	CA	LYS	G	176	122.953	143.893	134.209	1.00106.87	G
ATOM	12309	CB	LYS	G	176	123.470	142.505	134.606	1.00105.22	G
ATOM	12310	CG	LYS	G	176	123.865	142.366	136.086	1.00106.34	G
ATOM	12311	CD	LYS	G	176	122.651	142.443	137.030	1.00102.57	G
ATOM	12312	CE	LYS	G	176	123.008	142.018	138.458	1.00 92.54	G
ATOM	12313	NZ	LYS	G	176	124.097	142.860	139.034	1.00 85.88	G
ATOM	12314	C	LYS	G	176	122.851	143.974	132.682	1.00111.78	G
ATOM	12315	O	LYS	G	176	122.133	143.196	132.052	1.00112.73	G
ATOM	12316	N	LEU	G	177	123.568	144.931	132.095	1.00115.47	G
ATOM	12317	CA	LEU	G	177	123.601	145.143	130.646	1.00118.52	G
ATOM	12318	CB	LEU	G	177	123.952	146.608	130.386	1.00116.65	G
ATOM	12319	CG	LEU	G	177	123.897	147.174	128.966	1.00115.38	G
ATOM	12320	CD1	LEU	G	177	122.728	146.576	128.187	1.00114.26	G
ATOM	12321	CD2	LEU	G	177	123.749	148.697	129.040	1.00114.01	G
ATOM	12322	C	LEU	G	177	124.640	144.187	130.033	1.00121.55	G
ATOM	12323	O	LEU	G	177	125.846	144.349	130.228	1.00121.63	G
ATOM	12324	N	PRO	G	178	124.169	143.185	129.269	1.00124.09	G
ATOM	12325	CD	PRO	G	178	122.750	143.068	128.885	1.00124.83	G
ATOM	12326	CA	PRO	G	178	124.956	142.145	128.596	1.00126.43	G
ATOM	12327	CB	PRO	G	178	123.880	141.245	128.004	1.00125.03	G
ATOM	12328	CG	PRO	G	178	122.829	142.221	127.629	1.00127.33	G
ATOM	12329	C	PRO	G	178	125.988	142.549	127.546	1.00129.20	G
ATOM	12330	O	PRO	G	178	126.899	141.772	127.245	1.00130.27	G
ATOM	12331	N	SER	G	179	125.845	143.745	126.983	1.00131.19	G
ATOM	12332	CA	SER	G	179	126.755	144.249	125.944	1.00132.11	G
ATOM	12333	CB	SER	G	179	128.227	144.009	126.329	1.00132.96	G
ATOM	12334	OG	SER	G	179	129.102	144.713	125.461	1.00133.64	G
ATOM	12335	C	SER	G	179	126.460	143.703	124.538	1.00131.51	G
ATOM	12336	O	SER	G	179	126.966	144.228	123.533	1.00130.85	G
ATOM	12337	N	ASP	G	180	125.660	142.636	124.477	1.00130.62	G
ATOM	12338	CA	ASP	G	180	125.210	142.053	123.200	1.00128.64	G
ATOM	12339	CB	ASP	G	180	124.613	140.651	123.418	1.00128.38	G
ATOM	12340	CG	ASP	G	180	125.621	139.656	123.952	1.00127.56	G
ATOM	12341	OD1	ASP	G	180	125.229	138.493	124.229	1.00126.37	G
ATOM	12342	OD2	ASP	G	180	126.806	140.028	124.085	1.00125.52	G
ATOM	12343	C	ASP	G	180	124.102	143.038	122.835	1.00126.72	G
ATOM	12344	O	ASP	G	180	123.116	142.725	122.190	1.00124.73	G
ATOM	12345	N	ALA	G	181	124.348	144.247	123.316	1.00125.38	G
ATOM	12346	CA	ALA	G	181	123.534	145.445	123.247	1.00123.97	G
ATOM	12347	CB	ALA	G	181	124.372	146.595	123.690	1.00122.69	G
ATOM	12348	C	ALA	G	181	122.849	145.827	121.949	1.00123.73	G
ATOM	12349	O	ALA	G	181	122.470	144.997	121.121	1.00122.71	G
ATOM	12350	N	GLY	G	182	122.645	147.140	121.867	1.00124.44	G
ATOM	12351	CA	GLY	G	182	122.012	147.823	120.759	1.00125.65	G
ATOM	12352	C	GLY	G	182	121.804	149.243	121.253	1.00126.82	G
ATOM	12353	O	GLY	G	182	122.743	150.042	121.289	1.00127.54	G
ATOM	12354	N	SER	G	183	120.576	149.527	121.664	1.00126.53	G
ATOM	12355	CA	SER	G	183	120.167	150.819	122.180	1.00125.03	G
ATOM	12356	CB	SER	G	183	120.879	151.971	121.475	1.00126.04	G
ATOM	12357	OG	SER	G	183	120.883	153.125	122.299	1.00128.53	G
ATOM	12358	C	SER	G	183	118.698	150.828	121.823	1.00123.11	G
ATOM	12359	O	SER	G	183	117.930	151.703	122.230	1.00122.48	G
ATOM	12360	N	ASN	G	184	118.328	149.822	121.037	1.00120.93	G
ATOM	12361	CA	ASN	G	184	116.954	149.620	120.603	1.00118.49	G
ATOM	12362	CB	ASN	G	184	116.907	148.625	119.430	1.00118.39	G
ATOM	12363	CG	ASN	G	184	115.488	148.309	118.984	1.00117.96	G

ATOM	12364	OD1	ASN	G	184	114.748	149.202	118.569	1.00119.66	G
ATOM	12365	ND2	ASN	G	184	115.100	147.035	119.072	1.00116.16	G
ATOM	12366	C	ASN	G	184	116.237	149.038	121.807	1.00115.96	G
ATOM	12367	O	ASN	G	184	115.466	148.078	121.696	1.00116.12	G
ATOM	12368	N	ILE	G	185	116.526	149.611	122.970	1.00112.51	G
ATOM	12369	CA	ILE	G	185	115.915	149.152	124.205	1.00108.39	G
ATOM	12370	CB	ILE	G	185	116.236	150.107	125.375	1.00105.76	G
ATOM	12371	CG2	ILE	G	185	115.578	149.594	126.650	1.00106.86	G
ATOM	12372	CG1	ILE	G	185	117.752	150.192	125.579	1.00100.54	G
ATOM	12373	CD1	ILE	G	185	118.170	151.059	126.740	1.00 96.71	G
ATOM	12374	C	ILE	G	185	114.400	149.039	124.025	1.00105.79	G
ATOM	12375	O	ILE	G	185	113.735	149.985	123.600	1.00105.31	G
ATOM	12376	N	THR	G	186	113.867	147.864	124.339	1.00101.10	G
ATOM	12377	CA	THR	G	186	112.445	147.602	124.193	1.00 94.96	G
ATOM	12378	CB	THR	G	186	112.227	146.681	123.016	1.00 92.78	G
ATOM	12379	OG1	THR	G	186	113.136	145.579	123.108	1.00 93.19	G
ATOM	12380	CG2	THR	G	186	112.496	147.413	121.729	1.00 94.14	G
ATOM	12381	C	THR	G	186	111.848	146.976	125.447	1.00 92.02	G
ATOM	12382	O	THR	G	186	112.477	146.134	126.093	1.00 91.50	G
ATOM	12383	N	TYR	G	187	110.626	147.376	125.786	1.00 88.06	G
ATOM	12384	CA	TYR	G	187	109.994	146.861	126.994	1.00 81.22	G
ATOM	12385	CB	TYR	G	187	110.561	147.596	128.197	1.00 76.60	G
ATOM	12386	CG	TYR	G	187	110.123	149.038	128.231	1.00 70.13	G
ATOM	12387	CD1	TYR	G	187	108.863	149.393	128.704	1.00 72.55	G
ATOM	12388	CE1	TYR	G	187	108.432	150.711	128.701	1.00 71.03	G
ATOM	12389	CD2	TYR	G	187	110.947	150.043	127.754	1.00 71.09	G
ATOM	12390	CE2	TYR	G	187	110.527	151.369	127.745	1.00 74.07	G
ATOM	12391	CZ	TYR	G	187	109.268	151.693	128.221	1.00 72.26	G
ATOM	12392	OH	TYR	G	187	108.852	153.001	128.219	1.00 75.15	G
ATOM	12393	C	TYR	G	187	108.488	147.034	127.021	1.00 78.08	G
ATOM	12394	O	TYR	G	187	107.935	147.923	126.380	1.00 80.99	G
ATOM	12395	N	ARG	G	188	107.836	146.184	127.799	1.00 74.04	G
ATOM	12396	CA	ARG	G	188	106.394	146.247	128.002	1.00 69.90	G
ATOM	12397	CB	ARG	G	188	105.722	144.998	127.427	1.00 70.47	G
ATOM	12398	CG	ARG	G	188	106.096	144.709	125.984	1.00 74.86	G
ATOM	12399	CD	ARG	G	188	105.574	143.362	125.525	1.00 74.72	G
ATOM	12400	NE	ARG	G	188	104.121	143.335	125.415	1.00 81.68	G
ATOM	12401	CZ	ARG	G	188	103.430	144.009	124.503	1.00 84.90	G
ATOM	12402	NH1	ARG	G	188	104.063	144.766	123.620	1.00 84.17	G
ATOM	12403	NH2	ARG	G	188	102.106	143.923	124.469	1.00 87.65	G
ATOM	12404	C	ARG	G	188	106.299	146.252	129.534	1.00 65.52	G
ATOM	12405	O	ARG	G	188	107.308	146.027	130.205	1.00 68.84	G
ATOM	12406	N	THR	G	189	105.136	146.536	130.106	1.00 56.15	G
ATOM	12407	CA	THR	G	189	105.048	146.496	131.561	1.00 50.87	G
ATOM	12408	CB	THR	G	189	105.039	147.874	132.206	1.00 43.27	G
ATOM	12409	OG1	THR	G	189	103.735	148.446	132.074	1.00 35.72	G
ATOM	12410	CG2	THR	G	189	106.089	148.760	131.573	1.00 39.60	G
ATOM	12411	C	THR	G	189	103.793	145.776	131.999	1.00 52.98	G
ATOM	12412	O	THR	G	189	103.056	145.238	131.169	1.00 56.05	G
ATOM	12413	N	ILE	G	190	103.551	145.755	133.307	1.00 50.15	G
ATOM	12414	CA	ILE	G	190	102.385	145.068	133.828	1.00 43.74	G
ATOM	12415	CB	ILE	G	190	102.828	143.886	134.700	1.00 39.00	G
ATOM	12416	CG2	ILE	G	190	101.627	143.038	135.084	1.00 40.88	G
ATOM	12417	CG1	ILE	G	190	103.828	143.039	133.895	1.00 38.09	G
ATOM	12418	CD1	ILE	G	190	104.242	141.741	134.512	1.00 30.17	G
ATOM	12419	C	ILE	G	190	101.513	146.056	134.582	1.00 44.35	G
ATOM	12420	O	ILE	G	190	101.928	146.638	135.583	1.00 45.25	G
ATOM	12421	N	ASN	G	191	100.306	146.264	134.065	1.00 43.17	G

ATOM	12422	CA	ASN	G	191	99.369	147.214	134.652	1.00	42.09	G
ATOM	12423	CB	ASN	G	191	98.430	147.752	133.582	1.00	42.39	G
ATOM	12424	CG	ASN	G	191	97.599	146.657	132.957	1.00	44.64	G
ATOM	12425	OD1	ASN	G	191	96.974	145.838	133.652	1.00	45.06	G
ATOM	12426	ND2	ASN	G	191	97.587	146.626	131.640	1.00	43.93	G
ATOM	12427	C	ASN	G	191	98.515	146.630	135.762	1.00	40.07	G
ATOM	12428	O	ASN	G	191	98.482	145.415	135.989	1.00	40.43	G
ATOM	12429	N	ASP	G	192	97.793	147.536	136.407	1.00	32.97	G
ATOM	12430	CA	ASP	G	192	96.903	147.237	137.503	1.00	28.92	G
ATOM	12431	CB	ASP	G	192	95.973	148.421	137.740	1.00	28.99	G
ATOM	12432	CG	ASP	G	192	96.705	149.673	138.205	1.00	34.36	G
ATOM	12433	OD1	ASP	G	192	96.011	150.616	138.618	1.00	38.45	G
ATOM	12434	OD2	ASP	G	192	97.950	149.727	138.165	1.00	42.13	G
ATOM	12435	C	ASP	G	192	96.053	145.999	137.302	1.00	33.86	G
ATOM	12436	O	ASP	G	192	95.485	145.472	138.257	1.00	34.31	G
ATOM	12437	N	TYR	G	193	95.943	145.521	136.070	1.00	37.36	G
ATOM	12438	CA	TYR	G	193	95.104	144.356	135.833	1.00	40.23	G
ATOM	12439	CB	TYR	G	193	94.126	144.645	134.701	1.00	43.13	G
ATOM	12440	CG	TYR	G	193	93.462	145.974	134.901	1.00	45.07	G
ATOM	12441	CD1	TYR	G	193	93.859	147.085	134.165	1.00	45.60	G
ATOM	12442	CE1	TYR	G	193	93.307	148.343	134.410	1.00	50.42	G
ATOM	12443	CD2	TYR	G	193	92.492	146.143	135.893	1.00	46.42	G
ATOM	12444	CE2	TYR	G	193	91.936	147.392	136.149	1.00	49.37	G
ATOM	12445	CZ	TYR	G	193	92.346	148.491	135.404	1.00	48.51	G
ATOM	12446	OH	TYR	G	193	91.795	149.733	135.648	1.00	46.98	G
ATOM	12447	C	TYR	G	193	95.943	143.163	135.520	1.00	41.12	G
ATOM	12448	O	TYR	G	193	95.442	142.138	135.046	1.00	40.24	G
ATOM	12449	N	GLY	G	194	97.231	143.305	135.804	1.00	43.76	G
ATOM	12450	CA	GLY	G	194	98.158	142.221	135.567	1.00	49.30	G
ATOM	12451	C	GLY	G	194	98.188	141.935	134.094	1.00	50.40	G
ATOM	12452	O	GLY	G	194	98.390	140.798	133.673	1.00	45.62	G
ATOM	12453	N	ALA	G	195	97.969	142.996	133.322	1.00	54.81	G
ATOM	12454	CA	ALA	G	195	97.953	142.922	131.871	1.00	56.28	G
ATOM	12455	CB	ALA	G	195	96.682	143.575	131.347	1.00	57.58	G
ATOM	12456	C	ALA	G	195	99.190	143.617	131.296	1.00	57.59	G
ATOM	12457	O	ALA	G	195	99.647	144.632	131.833	1.00	53.51	G
ATOM	12458	N	LEU	G	196	99.730	143.049	130.216	1.00	60.44	G
ATOM	12459	CA	LEU	G	196	100.911	143.596	129.551	1.00	62.76	G
ATOM	12460	CB	LEU	G	196	101.491	142.584	128.561	1.00	62.94	G
ATOM	12461	CG	LEU	G	196	102.269	141.386	129.111	1.00	67.12	G
ATOM	12462	CD1	LEU	G	196	102.606	140.414	127.992	1.00	66.24	G
ATOM	12463	CD2	LEU	G	196	103.533	141.879	129.782	1.00	65.50	G
ATOM	12464	C	LEU	G	196	100.558	144.857	128.788	1.00	64.82	G
ATOM	12465	O	LEU	G	196	99.644	144.857	127.968	1.00	69.48	G
ATOM	12466	N	THR	G	197	101.268	145.941	129.058	1.00	65.21	G
ATOM	12467	CA	THR	G	197	100.995	147.167	128.337	1.00	65.81	G
ATOM	12468	CB	THR	G	197	101.618	148.390	129.032	1.00	62.72	G
ATOM	12469	OG1	THR	G	197	103.049	148.301	128.987	1.00	58.24	G
ATOM	12470	CG2	THR	G	197	101.146	148.462	130.472	1.00	61.09	G
ATOM	12471	C	THR	G	197	101.618	146.968	126.960	1.00	70.18	G
ATOM	12472	O	THR	G	197	102.327	145.983	126.728	1.00	69.39	G
ATOM	12473	N	PRO	G	198	101.350	147.884	126.021	1.00	73.29	G
ATOM	12474	CD	PRO	G	198	100.465	149.062	126.079	1.00	73.36	G
ATOM	12475	CA	PRO	G	198	101.927	147.732	124.686	1.00	75.89	G
ATOM	12476	CB	PRO	G	198	101.105	148.706	123.855	1.00	74.21	G
ATOM	12477	CG	PRO	G	198	100.849	149.814	124.828	1.00	73.53	G
ATOM	12478	C	PRO	G	198	103.425	148.053	124.660	1.00	79.12	G
ATOM	12479	O	PRO	G	198	103.895	148.961	125.362	1.00	79.19	G

ATOM	12480	N	LYS	G	199	104.159	147.291	123.849	1.00	80.19	G
ATOM	12481	CA	LYS	G	199	105.604	147.442	123.680	1.00	78.89	G
ATOM	12482	CB	LYS	G	199	106.065	146.514	122.558	1.00	77.62	G
ATOM	12483	CG	LYS	G	199	107.511	146.637	122.134	1.00	82.94	G
ATOM	12484	CD	LYS	G	199	107.837	145.473	121.186	1.00	88.74	G
ATOM	12485	CE	LYS	G	199	109.034	145.745	120.272	1.00	93.24	G
ATOM	12486	NZ	LYS	G	199	110.320	145.896	120.997	1.00	88.26	G
ATOM	12487	C	LYS	G	199	105.984	148.882	123.367	1.00	77.68	G
ATOM	12488	O	LYS	G	199	105.393	149.508	122.495	1.00	78.75	G
ATOM	12489	N	MET	G	200	106.958	149.417	124.091	1.00	77.43	G
ATOM	12490	CA	MET	G	200	107.392	150.785	123.852	1.00	78.37	G
ATOM	12491	CB	MET	G	200	107.056	151.676	125.042	1.00	80.05	G
ATOM	12492	CG	MET	G	200	106.062	151.068	126.003	1.00	85.41	G
ATOM	12493	SD	MET	G	200	105.260	152.322	127.017	1.00	94.02	G
ATOM	12494	CE	MET	G	200	103.533	151.800	126.843	1.00	93.11	G
ATOM	12495	C	MET	G	200	108.891	150.774	123.624	1.00	78.41	G
ATOM	12496	O	MET	G	200	109.559	149.788	123.946	1.00	76.53	G
ATOM	12497	N	THR	G	201	109.417	151.868	123.074	1.00	79.35	G
ATOM	12498	CA	THR	G	201	110.844	151.961	122.787	1.00	80.61	G
ATOM	12499	CB	THR	G	201	111.100	152.666	121.436	1.00	79.49	G
ATOM	12500	OG1	THR	G	201	110.465	151.929	120.383	1.00	79.23	G
ATOM	12501	CG2	THR	G	201	112.595	152.739	121.154	1.00	76.14	G
ATOM	12502	C	THR	G	201	111.658	152.676	123.854	1.00	81.67	G
ATOM	12503	O	THR	G	201	111.285	153.750	124.329	1.00	81.82	G
ATOM	12504	N	GLY	G	202	112.784	152.066	124.212	1.00	83.19	G
ATOM	12505	CA	GLY	G	202	113.665	152.638	125.209	1.00	87.53	G
ATOM	12506	C	GLY	G	202	114.068	154.048	124.838	1.00	89.82	G
ATOM	12507	O	GLY	G	202	114.422	154.314	123.688	1.00	90.02	G
ATOM	12508	N	VAL	G	203	114.020	154.947	125.816	1.00	91.58	G
ATOM	12509	CA	VAL	G	203	114.362	156.348	125.598	1.00	92.84	G
ATOM	12510	CB	VAL	G	203	113.095	157.216	125.677	1.00	90.92	G
ATOM	12511	CG1	VAL	G	203	113.419	158.655	125.327	1.00	89.22	G
ATOM	12512	CG2	VAL	G	203	112.033	156.653	124.752	1.00	89.34	G
ATOM	12513	C	VAL	G	203	115.371	156.844	126.632	1.00	95.18	G
ATOM	12514	O	VAL	G	203	115.012	157.587	127.550	1.00	96.74	G
ATOM	12515	N	MET	G	204	116.630	156.438	126.474	1.00	96.83	G
ATOM	12516	CA	MET	G	204	117.703	156.818	127.399	1.00	99.14	G
ATOM	12517	CB	MET	G	204	119.072	156.523	126.777	1.00	101.21	G
ATOM	12518	CG	MET	G	204	119.341	155.046	126.485	1.00	107.38	G
ATOM	12519	SD	MET	G	204	118.205	154.297	125.272	1.00	115.02	G
ATOM	12520	CE	MET	G	204	119.034	154.681	123.720	1.00	112.14	G
ATOM	12521	C	MET	G	204	117.641	158.287	127.811	1.00	98.94	G
ATOM	12522	O	MET	G	204	117.485	159.167	126.974	1.00	97.98	G
ATOM	12523	N	GLU	G	205	117.759	158.547	129.108	1.00	100.95	G
ATOM	12524	CA	GLU	G	205	117.720	159.915	129.608	1.00	103.42	G
ATOM	12525	CB	GLU	G	205	117.186	159.971	131.043	1.00	107.10	G
ATOM	12526	CG	GLU	G	205	118.159	159.450	132.101	1.00	114.78	G
ATOM	12527	CD	GLU	G	205	118.402	160.450	133.230	1.00	118.46	G
ATOM	12528	OE1	GLU	G	205	119.169	160.123	134.168	1.00	119.74	G
ATOM	12529	OE2	GLU	G	205	117.828	161.561	133.176	1.00	119.69	G
ATOM	12530	C	GLU	G	205	119.129	160.476	129.577	1.00	103.97	G
ATOM	12531	O	GLU	G	205	119.276	161.657	129.205	1.00	103.40	G
ATOM	12532	OXT	GLU	G	205	120.061	159.723	129.942	1.00	105.03	G
ATOM	12533	CB	PHE	H	1	55.714	149.969	114.447	1.00	37.42	H
ATOM	12534	CG	PHE	H	1	56.684	149.317	115.380	1.00	34.44	H
ATOM	12535	CD1	PHE	H	1	58.014	149.130	115.007	1.00	41.17	H
ATOM	12536	CD2	PHE	H	1	56.294	148.944	116.654	1.00	36.06	H
ATOM	12537	CE1	PHE	H	1	58.940	148.586	115.892	1.00	37.87	H

ATOM	12538	CE2	PHE	H	1	57.214	148.394	117.553	1.00	36.58	H
ATOM	12539	CZ	PHE	H	1	58.540	148.218	117.171	1.00	39.52	H
ATOM	12540	C	PHE	H	1	57.104	152.072	114.175	1.00	34.32	H
ATOM	12541	O	PHE	H	1	57.589	151.932	113.052	1.00	29.62	H
ATOM	12542	N	PHE	H	1	54.761	152.069	113.524	1.00	41.73	H
ATOM	12543	CA	PHE	H	1	55.725	151.513	114.510	1.00	38.10	H
ATOM	12544	N	ALA	H	2	57.715	152.729	115.152	1.00	33.26	H
ATOM	12545	CA	ALA	H	2	59.039	153.313	114.974	1.00	32.20	H
ATOM	12546	CB	ALA	H	2	58.911	154.742	114.529	1.00	24.41	H
ATOM	12547	C	ALA	H	2	59.815	153.238	116.288	1.00	33.91	H
ATOM	12548	O	ALA	H	2	59.220	153.117	117.368	1.00	37.28	H
ATOM	12549	N	CYS	H	3	61.139	153.309	116.207	1.00	28.15	H
ATOM	12550	CA	CYS	H	3	61.947	153.235	117.414	1.00	27.06	H
ATOM	12551	C	CYS	H	3	62.990	154.346	117.427	1.00	27.28	H
ATOM	12552	O	CYS	H	3	63.302	154.919	116.392	1.00	28.38	H
ATOM	12553	CB	CYS	H	3	62.641	151.879	117.503	1.00	28.57	H
ATOM	12554	SG	CYS	H	3	61.602	150.379	117.386	1.00	38.08	H
ATOM	12555	N	LYS	H	4	63.510	154.671	118.605	1.00	29.86	H
ATOM	12556	CA	LYS	H	4	64.529	155.705	118.717	1.00	34.90	H
ATOM	12557	CB	LYS	H	4	63.937	157.059	119.111	1.00	33.47	H
ATOM	12558	CG	LYS	H	4	63.341	157.093	120.509	1.00	45.67	H
ATOM	12559	CD	LYS	H	4	62.616	158.417	120.828	1.00	50.32	H
ATOM	12560	CE	LYS	H	4	63.576	159.596	120.989	1.00	58.40	H
ATOM	12561	NZ	LYS	H	4	64.281	159.941	119.716	1.00	67.11	H
ATOM	12562	C	LYS	H	4	65.560	155.299	119.751	1.00	38.58	H
ATOM	12563	O	LYS	H	4	65.326	154.453	120.615	1.00	38.59	H
ATOM	12564	N	THR	H	5	66.708	155.941	119.652	1.00	38.14	H
ATOM	12565	CA	THR	H	5	67.816	155.668	120.517	1.00	33.08	H
ATOM	12566	CB	THR	H	5	69.085	155.535	119.648	1.00	30.87	H
ATOM	12567	OG1	THR	H	5	69.793	154.353	120.016	1.00	35.08	H
ATOM	12568	CG2	THR	H	5	69.954	156.721	119.771	1.00	22.60	H
ATOM	12569	C	THR	H	5	67.896	156.786	121.533	1.00	32.38	H
ATOM	12570	O	THR	H	5	67.718	157.952	121.205	1.00	34.67	H
ATOM	12571	N	ALA	H	6	68.128	156.411	122.782	1.00	34.51	H
ATOM	12572	CA	ALA	H	6	68.215	157.368	123.876	1.00	33.54	H
ATOM	12573	CB	ALA	H	6	68.585	156.655	125.160	1.00	34.51	H
ATOM	12574	C	ALA	H	6	69.226	158.439	123.574	1.00	37.24	H
ATOM	12575	O	ALA	H	6	69.147	159.544	124.092	1.00	39.58	H
ATOM	12576	N	ASN	H	7	70.184	158.108	122.722	1.00	45.38	H
ATOM	12577	CA	ASN	H	7	71.229	159.047	122.348	1.00	48.47	H
ATOM	12578	CB	ASN	H	7	72.362	158.311	121.652	1.00	52.67	H
ATOM	12579	CG	ASN	H	7	73.715	158.846	122.037	1.00	60.69	H
ATOM	12580	OD1	ASN	H	7	73.820	159.847	122.759	1.00	62.49	H
ATOM	12581	ND2	ASN	H	7	74.767	158.184	121.564	1.00	53.10	H
ATOM	12582	C	ASN	H	7	70.680	160.105	121.423	1.00	48.03	H
ATOM	12583	O	ASN	H	7	71.078	161.271	121.490	1.00	51.68	H
ATOM	12584	N	GLY	H	8	69.769	159.676	120.559	1.00	46.33	H
ATOM	12585	CA	GLY	H	8	69.146	160.573	119.614	1.00	50.64	H
ATOM	12586	C	GLY	H	8	68.557	159.894	118.379	1.00	56.92	H
ATOM	12587	O	GLY	H	8	67.390	160.141	118.036	1.00	60.37	H
ATOM	12588	N	THR	H	9	69.339	159.029	117.727	1.00	52.09	H
ATOM	12589	CA	THR	H	9	68.933	158.358	116.492	1.00	48.31	H
ATOM	12590	CB	THR	H	9	70.075	157.501	115.986	1.00	52.37	H
ATOM	12591	OG1	THR	H	9	71.238	158.326	115.855	1.00	59.18	H
ATOM	12592	CG2	THR	H	9	69.738	156.898	114.628	1.00	55.42	H
ATOM	12593	C	THR	H	9	67.646	157.536	116.436	1.00	45.75	H
ATOM	12594	O	THR	H	9	67.268	156.874	117.395	1.00	45.91	H
ATOM	12595	N	ALA	H	10	66.989	157.580	115.275	1.00	42.46	H

ATOM	12596	CA	ALA	H	10	65.730	156.873	115.040	1.00	38.18	H
ATOM	12597	CB	ALA	H	10	64.587	157.877	114.907	1.00	27.01	H
ATOM	12598	C	ALA	H	10	65.739	155.995	113.806	1.00	37.64	H
ATOM	12599	O	ALA	H	10	66.542	156.178	112.895	1.00	40.23	H
ATOM	12600	N	ILE	H	11	64.841	155.022	113.800	1.00	35.22	H
ATOM	12601	CA	ILE	H	11	64.663	154.153	112.656	1.00	35.57	H
ATOM	12602	CB	ILE	H	11	64.968	152.711	112.968	1.00	39.93	H
ATOM	12603	CG2	ILE	H	11	64.764	151.881	111.709	1.00	39.07	H
ATOM	12604	CG1	ILE	H	11	66.399	152.589	113.492	1.00	37.62	H
ATOM	12605	CD1	ILE	H	11	66.801	151.176	113.845	1.00	37.32	H
ATOM	12606	C	ILE	H	11	63.180	154.306	112.426	1.00	35.22	H
ATOM	12607	O	ILE	H	11	62.375	153.942	113.270	1.00	41.46	H
ATOM	12608	N	PRO	H	12	62.796	154.850	111.283	1.00	31.22	H
ATOM	12609	CD	PRO	H	12	63.663	155.276	110.171	1.00	35.37	H
ATOM	12610	CA	PRO	H	12	61.389	155.070	110.961	1.00	31.60	H
ATOM	12611	CB	PRO	H	12	61.476	156.096	109.842	1.00	34.87	H
ATOM	12612	CG	PRO	H	12	62.657	155.572	109.053	1.00	38.42	H
ATOM	12613	C	PRO	H	12	60.553	153.867	110.556	1.00	32.43	H
ATOM	12614	O	PRO	H	12	61.056	152.746	110.458	1.00	31.69	H
ATOM	12615	N	ILE	H	13	59.266	154.147	110.320	1.00	31.76	H
ATOM	12616	CA	ILE	H	13	58.262	153.179	109.870	1.00	30.65	H
ATOM	12617	CB	ILE	H	13	56.961	153.911	109.434	1.00	32.19	H
ATOM	12618	CG2	ILE	H	13	56.035	152.967	108.663	1.00	30.01	H
ATOM	12619	CG1	ILE	H	13	56.272	154.501	110.665	1.00	31.46	H
ATOM	12620	CD1	ILE	H	13	55.044	155.258	110.350	1.00	31.14	H
ATOM	12621	C	ILE	H	13	58.832	152.463	108.665	1.00	29.31	H
ATOM	12622	O	ILE	H	13	59.333	153.119	107.762	1.00	34.74	H
ATOM	12623	N	GLY	H	14	58.768	151.136	108.648	1.00	25.49	H
ATOM	12624	CA	GLY	H	14	59.303	150.395	107.518	1.00	25.58	H
ATOM	12625	C	GLY	H	14	60.655	149.769	107.817	1.00	29.47	H
ATOM	12626	O	GLY	H	14	61.180	148.981	107.032	1.00	30.42	H
ATOM	12627	N	GLY	H	15	61.235	150.137	108.953	1.00	30.68	H
ATOM	12628	CA	GLY	H	15	62.516	149.572	109.342	1.00	29.42	H
ATOM	12629	C	GLY	H	15	63.745	150.324	108.878	1.00	30.79	H
ATOM	12630	O	GLY	H	15	63.655	151.347	108.201	1.00	31.95	H
ATOM	12631	N	GLY	H	16	64.907	149.789	109.242	1.00	28.96	H
ATOM	12632	CA	GLY	H	16	66.168	150.406	108.895	1.00	21.46	H
ATOM	12633	C	GLY	H	16	67.170	150.025	109.956	1.00	21.18	H
ATOM	12634	O	GLY	H	16	67.016	149.014	110.622	1.00	25.47	H
ATOM	12635	N	SER	H	17	68.187	150.838	110.167	1.00	21.61	H
ATOM	12636	CA	SER	H	17	69.177	150.460	111.147	1.00	18.36	H
ATOM	12637	CB	SER	H	17	70.281	149.657	110.456	1.00	25.05	H
ATOM	12638	OG	SER	H	17	71.109	150.497	109.661	1.00	32.41	H
ATOM	12639	C	SER	H	17	69.778	151.635	111.865	1.00	15.34	H
ATOM	12640	O	SER	H	17	69.757	152.754	111.360	1.00	17.79	H
ATOM	12641	N	ALA	H	18	70.322	151.385	113.053	1.00	11.50	H
ATOM	12642	CA	ALA	H	18	70.949	152.451	113.820	1.00	13.33	H
ATOM	12643	CB	ALA	H	18	69.914	153.191	114.616	1.00	9.19	H
ATOM	12644	C	ALA	H	18	72.022	151.942	114.745	1.00	20.46	H
ATOM	12645	O	ALA	H	18	72.037	150.776	115.136	1.00	28.64	H
ATOM	12646	N	ASN	H	19	72.925	152.840	115.100	1.00	20.44	H
ATOM	12647	CA	ASN	H	19	74.013	152.524	116.004	1.00	18.51	H
ATOM	12648	CB	ASN	H	19	75.218	153.427	115.735	1.00	15.67	H
ATOM	12649	CG	ASN	H	19	76.009	153.009	114.519	1.00	19.55	H
ATOM	12650	OD1	ASN	H	19	75.675	152.032	113.843	1.00	17.22	H
ATOM	12651	ND2	ASN	H	19	77.072	153.753	114.229	1.00	12.94	H
ATOM	12652	C	ASN	H	19	73.566	152.788	117.429	1.00	24.30	H
ATOM	12653	O	ASN	H	19	72.847	153.743	117.702	1.00	25.28	H

ATOM	12654	N	VAL	H	20	73.998	151.947	118.348	1.00	26.27	H
ATOM	12655	CA	VAL	H	20	73.678	152.175	119.738	1.00	29.33	H
ATOM	12656	CB	VAL	H	20	72.744	151.105	120.248	1.00	31.78	H
ATOM	12657	CG1	VAL	H	20	72.321	151.445	121.666	1.00	32.27	H
ATOM	12658	CG2	VAL	H	20	71.542	151.017	119.331	1.00	19.05	H
ATOM	12659	C	VAL	H	20	75.001	152.149	120.503	1.00	29.38	H
ATOM	12660	O	VAL	H	20	75.631	151.107	120.605	1.00	32.35	H
ATOM	12661	N	TYR	H	21	75.419	153.301	121.018	1.00	26.67	H
ATOM	12662	CA	TYR	H	21	76.688	153.430	121.750	1.00	27.91	H
ATOM	12663	CB	TYR	H	21	77.302	154.800	121.461	1.00	18.11	H
ATOM	12664	CG	TYR	H	21	77.338	155.106	119.985	1.00	26.76	H
ATOM	12665	CD1	TYR	H	21	76.385	155.935	119.396	1.00	26.88	H
ATOM	12666	CE1	TYR	H	21	76.406	156.189	118.025	1.00	31.03	H
ATOM	12667	CD2	TYR	H	21	78.313	154.537	119.161	1.00	25.32	H
ATOM	12668	CE2	TYR	H	21	78.344	154.783	117.800	1.00	26.25	H
ATOM	12669	CZ	TYR	H	21	77.392	155.611	117.236	1.00	32.57	H
ATOM	12670	OH	TYR	H	21	77.452	155.895	115.892	1.00	33.76	H
ATOM	12671	C	TYR	H	21	76.569	153.228	123.266	1.00	30.86	H
ATOM	12672	O	TYR	H	21	75.886	153.999	123.963	1.00	32.36	H
ATOM	12673	N	VAL	H	22	77.267	152.213	123.779	1.00	32.66	H
ATOM	12674	CA	VAL	H	22	77.205	151.873	125.211	1.00	31.54	H
ATOM	12675	CB	VAL	H	22	76.697	150.451	125.431	1.00	28.89	H
ATOM	12676	CG1	VAL	H	22	75.319	150.283	124.815	1.00	28.90	H
ATOM	12677	CG2	VAL	H	22	77.685	149.478	124.837	1.00	24.46	H
ATOM	12678	C	VAL	H	22	78.486	151.941	126.012	1.00	31.80	H
ATOM	12679	O	VAL	H	22	79.526	151.445	125.573	1.00	32.31	H
ATOM	12680	N	ASN	H	23	78.390	152.529	127.206	1.00	32.77	H
ATOM	12681	CA	ASN	H	23	79.520	152.600	128.124	1.00	32.22	H
ATOM	12682	CB	ASN	H	23	79.399	153.816	128.997	1.00	32.89	H
ATOM	12683	CG	ASN	H	23	79.003	155.025	128.228	1.00	35.98	H
ATOM	12684	OD1	ASN	H	23	79.842	155.766	127.711	1.00	36.97	H
ATOM	12685	ND2	ASN	H	23	77.705	155.234	128.126	1.00	45.44	H
ATOM	12686	C	ASN	H	23	79.384	151.350	128.995	1.00	33.25	H
ATOM	12687	O	ASN	H	23	78.350	151.144	129.619	1.00	31.65	H
ATOM	12688	N	LEU	H	24	80.413	150.510	129.022	1.00	34.74	H
ATOM	12689	CA	LEU	H	24	80.375	149.275	129.809	1.00	34.93	H
ATOM	12690	CB	LEU	H	24	80.826	148.114	128.928	1.00	31.32	H
ATOM	12691	CG	LEU	H	24	80.141	147.962	127.569	1.00	26.62	H
ATOM	12692	CD1	LEU	H	24	81.096	147.242	126.625	1.00	26.26	H
ATOM	12693	CD2	LEU	H	24	78.839	147.187	127.695	1.00	27.48	H
ATOM	12694	C	LEU	H	24	81.268	149.315	131.062	1.00	34.35	H
ATOM	12695	O	LEU	H	24	82.199	150.119	131.143	1.00	37.76	H
ATOM	12696	N	ALA	H	25	80.981	148.450	132.034	1.00	30.06	H
ATOM	12697	CA	ALA	H	25	81.799	148.353	133.255	1.00	26.95	H
ATOM	12698	CB	ALA	H	25	81.402	147.134	134.024	1.00	23.45	H
ATOM	12699	C	ALA	H	25	83.250	148.213	132.792	1.00	29.95	H
ATOM	12700	O	ALA	H	25	83.578	147.319	132.031	1.00	36.65	H
ATOM	12701	N	PRO	H	26	84.141	149.073	133.259	1.00	28.65	H
ATOM	12702	CD	PRO	H	26	83.938	150.092	134.290	1.00	31.08	H
ATOM	12703	CA	PRO	H	26	85.551	149.018	132.846	1.00	32.29	H
ATOM	12704	CB	PRO	H	26	86.176	150.238	133.552	1.00	34.80	H
ATOM	12705	CG	PRO	H	26	85.013	151.101	133.919	1.00	38.87	H
ATOM	12706	C	PRO	H	26	86.335	147.733	133.158	1.00	34.22	H
ATOM	12707	O	PRO	H	26	87.314	147.415	132.481	1.00	31.56	H
ATOM	12708	N	VAL	H	27	85.907	147.020	134.193	1.00	36.73	H
ATOM	12709	CA	VAL	H	27	86.560	145.799	134.649	1.00	33.85	H
ATOM	12710	CB	VAL	H	27	87.354	146.066	135.930	1.00	36.71	H
ATOM	12711	CG1	VAL	H	27	87.883	144.772	136.498	1.00	34.79	H

ATOM	12712	CG2	VAL	H	27	88.468	147.055	135.648	1.00	34.61	H
ATOM	12713	C	VAL	H	27	85.553	144.722	134.983	1.00	34.39	H
ATOM	12714	O	VAL	H	27	84.554	144.966	135.648	1.00	38.08	H
ATOM	12715	N	VAL	H	28	85.834	143.513	134.544	1.00	35.25	H
ATOM	12716	CA	VAL	H	28	84.956	142.392	134.814	1.00	36.74	H
ATOM	12717	CB	VAL	H	28	84.025	142.136	133.615	1.00	33.49	H
ATOM	12718	CG1	VAL	H	28	83.026	141.032	133.932	1.00	38.00	H
ATOM	12719	CG2	VAL	H	28	83.309	143.404	133.261	1.00	37.70	H
ATOM	12720	C	VAL	H	28	85.886	141.200	135.035	1.00	42.52	H
ATOM	12721	O	VAL	H	28	86.873	141.019	134.310	1.00	45.38	H
ATOM	12722	N	ASN	H	29	85.584	140.389	136.041	1.00	43.02	H
ATOM	12723	CA	ASN	H	29	86.430	139.242	136.343	1.00	41.83	H
ATOM	12724	CB	ASN	H	29	86.526	139.010	137.850	1.00	32.97	H
ATOM	12725	CG	ASN	H	29	87.034	140.214	138.582	1.00	36.76	H
ATOM	12726	OD1	ASN	H	29	88.101	140.727	138.272	1.00	43.38	H
ATOM	12727	ND2	ASN	H	29	86.268	140.685	139.561	1.00	44.49	H
ATOM	12728	C	ASN	H	29	85.893	137.993	135.717	1.00	42.02	H
ATOM	12729	O	ASN	H	29	84.698	137.902	135.407	1.00	39.49	H
ATOM	12730	N	VAL	H	30	86.787	137.027	135.534	1.00	38.56	H
ATOM	12731	CA	VAL	H	30	86.377	135.751	134.991	1.00	39.25	H
ATOM	12732	CB	VAL	H	30	87.539	134.741	135.008	1.00	36.39	H
ATOM	12733	CG1	VAL	H	30	87.060	133.378	134.531	1.00	29.70	H
ATOM	12734	CG2	VAL	H	30	88.668	135.237	134.111	1.00	32.82	H
ATOM	12735	C	VAL	H	30	85.294	135.307	135.961	1.00	43.02	H
ATOM	12736	O	VAL	H	30	85.382	135.594	137.158	1.00	41.95	H
ATOM	12737	N	GLY	H	31	84.256	134.653	135.452	1.00	47.08	H
ATOM	12738	CA	GLY	H	31	83.196	134.196	136.330	1.00	51.53	H
ATOM	12739	C	GLY	H	31	82.056	135.178	136.533	1.00	54.95	H
ATOM	12740	O	GLY	H	31	80.921	134.753	136.744	1.00	59.80	H
ATOM	12741	N	GLN	H	32	82.341	136.477	136.476	1.00	53.43	H
ATOM	12742	CA	GLN	H	32	81.308	137.495	136.654	1.00	53.94	H
ATOM	12743	CB	GLN	H	32	81.942	138.792	137.147	1.00	55.58	H
ATOM	12744	CG	GLN	H	32	82.050	138.885	138.650	1.00	66.71	H
ATOM	12745	CD	GLN	H	32	83.014	139.972	139.096	1.00	74.54	H
ATOM	12746	OE1	GLN	H	32	83.051	141.069	138.520	1.00	73.83	H
ATOM	12747	NE2	GLN	H	32	83.795	139.677	140.144	1.00	75.98	H
ATOM	12748	C	GLN	H	32	80.482	137.779	135.392	1.00	54.55	H
ATOM	12749	O	GLN	H	32	80.710	137.200	134.327	1.00	55.30	H
ATOM	12750	N	ASN	H	33	79.510	138.671	135.534	1.00	51.86	H
ATOM	12751	CA	ASN	H	33	78.641	139.061	134.433	1.00	48.34	H
ATOM	12752	CB	ASN	H	33	77.173	138.903	134.821	1.00	44.56	H
ATOM	12753	CG	ASN	H	33	76.584	137.593	134.365	1.00	48.00	H
ATOM	12754	OD1	ASN	H	33	75.479	137.220	134.771	1.00	43.98	H
ATOM	12755	ND2	ASN	H	33	77.307	136.886	133.504	1.00	45.40	H
ATOM	12756	C	ASN	H	33	78.844	140.500	133.992	1.00	49.22	H
ATOM	12757	O	ASN	H	33	78.925	141.423	134.804	1.00	49.62	H
ATOM	12758	N	LEU	H	34	78.953	140.682	132.688	1.00	50.45	H
ATOM	12759	CA	LEU	H	34	79.060	142.012	132.126	1.00	48.18	H
ATOM	12760	CB	LEU	H	34	80.034	142.042	130.958	1.00	46.94	H
ATOM	12761	CG	LEU	H	34	79.968	143.319	130.128	1.00	43.54	H
ATOM	12762	CD1	LEU	H	34	80.653	144.463	130.855	1.00	35.10	H
ATOM	12763	CD2	LEU	H	34	80.619	143.049	128.783	1.00	44.88	H
ATOM	12764	C	LEU	H	34	77.629	142.169	131.621	1.00	47.46	H
ATOM	12765	O	LEU	H	34	77.097	141.288	130.923	1.00	43.03	H
ATOM	12766	N	VAL	H	35	76.989	143.261	131.998	1.00	45.47	H
ATOM	12767	CA	VAL	H	35	75.622	143.448	131.571	1.00	47.14	H
ATOM	12768	CB	VAL	H	35	74.692	143.587	132.789	1.00	50.14	H
ATOM	12769	CG1	VAL	H	35	73.245	143.695	132.334	1.00	50.25	H

ATOM	12770	CG2	VAL	H	35	74.869	142.380	133.697	1.00	47.46	H
ATOM	12771	C	VAL	H	35	75.431	144.636	130.656	1.00	42.01	H
ATOM	12772	O	VAL	H	35	75.795	145.757	130.997	1.00	38.95	H
ATOM	12773	N	VAL	H	36	74.871	144.371	129.480	1.00	39.01	H
ATOM	12774	CA	VAL	H	36	74.592	145.435	128.526	1.00	38.25	H
ATOM	12775	CB	VAL	H	36	75.125	145.129	127.130	1.00	36.54	H
ATOM	12776	CG1	VAL	H	36	75.368	146.429	126.409	1.00	41.12	H
ATOM	12777	CG2	VAL	H	36	76.387	144.317	127.216	1.00	33.82	H
ATOM	12778	C	VAL	H	36	73.086	145.497	128.456	1.00	37.76	H
ATOM	12779	O	VAL	H	36	72.436	144.631	127.854	1.00	37.78	H
ATOM	12780	N	ASP	H	37	72.519	146.507	129.098	1.00	37.77	H
ATOM	12781	CA	ASP	H	37	71.069	146.642	129.106	1.00	41.72	H
ATOM	12782	CB	ASP	H	37	70.609	147.069	130.495	1.00	44.61	H
ATOM	12783	CG	ASP	H	37	69.113	147.004	130.649	1.00	54.99	H
ATOM	12784	OD1	ASP	H	37	68.510	145.977	130.232	1.00	54.34	H
ATOM	12785	OD2	ASP	H	37	68.546	147.980	131.193	1.00	61.56	H
ATOM	12786	C	ASP	H	37	70.583	147.638	128.059	1.00	36.76	H
ATOM	12787	O	ASP	H	37	70.710	148.847	128.234	1.00	35.79	H
ATOM	12788	N	LEU	H	38	70.017	147.129	126.976	1.00	34.72	H
ATOM	12789	CA	LEU	H	38	69.555	148.011	125.913	1.00	40.30	H
ATOM	12790	CB	LEU	H	38	69.608	147.266	124.582	1.00	37.79	H
ATOM	12791	CG	LEU	H	38	71.080	146.961	124.322	1.00	32.44	H
ATOM	12792	CD1	LEU	H	38	71.191	145.999	123.206	1.00	45.75	H
ATOM	12793	CD2	LEU	H	38	71.835	148.234	124.003	1.00	32.64	H
ATOM	12794	C	LEU	H	38	68.187	148.641	126.144	1.00	40.42	H
ATOM	12795	O	LEU	H	38	67.861	149.678	125.538	1.00	33.54	H
ATOM	12796	N	SER	H	39	67.415	148.017	127.039	1.00	41.79	H
ATOM	12797	CA	SER	H	39	66.080	148.484	127.420	1.00	39.31	H
ATOM	12798	CB	SER	H	39	65.500	147.628	128.539	1.00	45.32	H
ATOM	12799	OG	SER	H	39	65.974	148.088	129.799	1.00	44.69	H
ATOM	12800	C	SER	H	39	66.242	149.884	127.958	1.00	35.64	H
ATOM	12801	O	SER	H	39	65.278	150.602	128.178	1.00	40.44	H
ATOM	12802	N	THR	H	40	67.479	150.265	128.197	1.00	32.48	H
ATOM	12803	CA	THR	H	40	67.739	151.587	128.696	1.00	32.64	H
ATOM	12804	CB	THR	H	40	68.889	151.545	129.713	1.00	34.13	H
ATOM	12805	OG1	THR	H	40	68.390	151.961	130.982	1.00	39.58	H
ATOM	12806	CG2	THR	H	40	70.038	152.452	129.305	1.00	26.11	H
ATOM	12807	C	THR	H	40	68.092	152.502	127.544	1.00	31.87	H
ATOM	12808	O	THR	H	40	68.115	153.723	127.695	1.00	29.68	H
ATOM	12809	N	GLN	H	41	68.349	151.918	126.378	1.00	34.12	H
ATOM	12810	CA	GLN	H	41	68.750	152.732	125.238	1.00	37.50	H
ATOM	12811	CB	GLN	H	41	70.212	152.453	124.917	1.00	40.53	H
ATOM	12812	CG	GLN	H	41	71.139	152.881	126.017	1.00	43.86	H
ATOM	12813	CD	GLN	H	41	72.355	153.531	125.464	1.00	49.74	H
ATOM	12814	OE1	GLN	H	41	73.278	152.861	124.985	1.00	56.08	H
ATOM	12815	NE2	GLN	H	41	72.368	154.857	125.489	1.00	59.08	H
ATOM	12816	C	GLN	H	41	67.938	152.627	123.958	1.00	36.18	H
ATOM	12817	O	GLN	H	41	68.154	153.415	123.034	1.00	30.21	H
ATOM	12818	N	ILE	H	42	67.015	151.668	123.901	1.00	33.75	H
ATOM	12819	CA	ILE	H	42	66.205	151.492	122.710	1.00	33.87	H
ATOM	12820	CB	ILE	H	42	66.588	150.199	121.994	1.00	29.62	H
ATOM	12821	CG2	ILE	H	42	65.794	150.056	120.715	1.00	34.04	H
ATOM	12822	CG1	ILE	H	42	68.070	150.221	121.658	1.00	31.81	H
ATOM	12823	CD1	ILE	H	42	68.557	148.918	121.088	1.00	39.41	H
ATOM	12824	C	ILE	H	42	64.705	151.481	123.030	1.00	38.17	H
ATOM	12825	O	ILE	H	42	64.207	150.623	123.779	1.00	35.57	H
ATOM	12826	N	PHE	H	43	63.994	152.441	122.436	1.00	40.00	H
ATOM	12827	CA	PHE	H	43	62.556	152.600	122.628	1.00	39.90	H

ATOM	12828	CB	PHE	H	43	62.278	153.916	123.332	1.00	36.12	H
ATOM	12829	CG	PHE	H	43	62.969	154.042	124.636	1.00	40.39	H
ATOM	12830	CD1	PHE	H	43	64.287	154.488	124.696	1.00	39.75	H
ATOM	12831	CD2	PHE	H	43	62.324	153.656	125.815	1.00	41.66	H
ATOM	12832	CE1	PHE	H	43	64.965	154.551	125.918	1.00	41.53	H
ATOM	12833	CE2	PHE	H	43	62.985	153.711	127.041	1.00	41.73	H
ATOM	12834	CZ	PHE	H	43	64.314	154.160	127.097	1.00	38.93	H
ATOM	12835	C	PHE	H	43	61.724	152.552	121.360	1.00	40.47	H
ATOM	12836	O	PHE	H	43	62.121	153.047	120.316	1.00	42.41	H
ATOM	12837	N	CYS	H	44	60.549	151.959	121.468	1.00	41.72	H
ATOM	12838	CA	CYS	H	44	59.647	151.883	120.335	1.00	43.26	H
ATOM	12839	C	CYS	H	44	58.222	152.270	120.773	1.00	43.43	H
ATOM	12840	O	CYS	H	44	57.927	152.406	121.963	1.00	44.44	H
ATOM	12841	CB	CYS	H	44	59.651	150.473	119.764	1.00	44.86	H
ATOM	12842	SG	CYS	H	44	61.289	149.821	119.319	1.00	44.72	H
ATOM	12843	N	HIS	H	45	57.343	152.465	119.803	1.00	41.24	H
ATOM	12844	CA	HIS	H	45	55.971	152.828	120.101	1.00	39.47	H
ATOM	12845	CB	HIS	H	45	55.835	154.336	120.298	1.00	36.31	H
ATOM	12846	CG	HIS	H	45	56.019	155.123	119.039	1.00	44.46	H
ATOM	12847	CD2	HIS	H	45	55.269	155.197	117.914	1.00	45.30	H
ATOM	12848	ND1	HIS	H	45	57.120	155.919	118.814	1.00	48.89	H
ATOM	12849	CE1	HIS	H	45	57.042	156.446	117.604	1.00	48.92	H
ATOM	12850	NE2	HIS	H	45	55.928	156.023	117.036	1.00	43.16	H
ATOM	12851	C	HIS	H	45	55.117	152.400	118.933	1.00	38.96	H
ATOM	12852	O	HIS	H	45	55.616	152.213	117.830	1.00	40.65	H
ATOM	12853	N	ASN	H	46	53.827	152.236	119.199	1.00	42.92	H
ATOM	12854	CA	ASN	H	46	52.831	151.850	118.207	1.00	43.79	H
ATOM	12855	CB	ASN	H	46	51.687	151.137	118.927	1.00	45.22	H
ATOM	12856	CG	ASN	H	46	50.773	150.395	117.986	1.00	46.38	H
ATOM	12857	OD1	ASN	H	46	50.414	150.900	116.922	1.00	46.42	H
ATOM	12858	ND2	ASN	H	46	50.376	149.191	118.380	1.00	36.81	H
ATOM	12859	C	ASN	H	46	52.342	153.184	117.635	1.00	44.30	H
ATOM	12860	O	ASN	H	46	52.174	154.141	118.382	1.00	44.25	H
ATOM	12861	N	ASP	H	47	52.124	153.278	116.330	1.00	45.99	H
ATOM	12862	CA	ASP	H	47	51.667	154.555	115.776	1.00	48.97	H
ATOM	12863	CB	ASP	H	47	52.278	154.787	114.384	1.00	46.99	H
ATOM	12864	CG	ASP	H	47	53.730	155.266	114.449	1.00	48.77	H
ATOM	12865	OD1	ASP	H	47	53.994	156.303	115.101	1.00	48.67	H
ATOM	12866	OD2	ASP	H	47	54.614	154.612	113.846	1.00	46.29	H
ATOM	12867	C	ASP	H	47	50.134	154.664	115.717	1.00	50.47	H
ATOM	12868	O	ASP	H	47	49.572	155.764	115.731	1.00	49.45	H
ATOM	12869	N	TYR	H	48	49.461	153.520	115.661	1.00	50.13	H
ATOM	12870	CA	TYR	H	48	48.011	153.503	115.620	1.00	51.22	H
ATOM	12871	CB	TYR	H	48	47.525	153.253	114.194	1.00	56.13	H
ATOM	12872	CG	TYR	H	48	48.111	154.223	113.184	1.00	63.59	H
ATOM	12873	CD1	TYR	H	48	49.267	153.896	112.465	1.00	66.42	H
ATOM	12874	CE1	TYR	H	48	49.839	154.792	111.566	1.00	68.04	H
ATOM	12875	CD2	TYR	H	48	47.538	155.479	112.972	1.00	63.98	H
ATOM	12876	CE2	TYR	H	48	48.105	156.389	112.073	1.00	67.88	H
ATOM	12877	CZ	TYR	H	48	49.259	156.036	111.378	1.00	68.27	H
ATOM	12878	OH	TYR	H	48	49.861	156.929	110.526	1.00	66.75	H
ATOM	12879	C	TYR	H	48	47.509	152.421	116.562	1.00	50.66	H
ATOM	12880	O	TYR	H	48	46.923	151.420	116.135	1.00	50.73	H
ATOM	12881	N	PRO	H	49	47.737	152.619	117.870	1.00	49.84	H
ATOM	12882	CD	PRO	H	49	48.340	153.829	118.454	1.00	50.91	H
ATOM	12883	CA	PRO	H	49	47.333	151.690	118.925	1.00	52.23	H
ATOM	12884	CB	PRO	H	49	47.687	152.447	120.208	1.00	51.62	H
ATOM	12885	CG	PRO	H	49	47.696	153.876	119.799	1.00	49.68	H

ATOM	12886	C	PRO	H	49	45.878	151.238	118.891	1.00	56.00	H
ATOM	12887	O	PRO	H	49	45.613	150.042	118.798	1.00	57.06	H
ATOM	12888	N	GLU	H	50	44.946	152.194	118.950	1.00	57.30	H
ATOM	12889	CA	GLU	H	50	43.501	151.912	118.947	1.00	56.19	H
ATOM	12890	CB	GLU	H	50	42.695	153.204	118.806	1.00	49.62	H
ATOM	12891	CG	GLU	H	50	43.067	154.302	119.768	1.00	56.53	H
ATOM	12892	CD	GLU	H	50	44.373	154.985	119.400	1.00	64.24	H
ATOM	12893	OE1	GLU	H	50	44.849	154.803	118.252	1.00	66.09	H
ATOM	12894	OE2	GLU	H	50	44.916	155.718	120.255	1.00	64.38	H
ATOM	12895	C	GLU	H	50	42.965	150.927	117.900	1.00	55.99	H
ATOM	12896	O	GLU	H	50	41.895	150.353	118.096	1.00	59.67	H
ATOM	12897	N	THR	H	51	43.675	150.721	116.798	1.00	51.44	H
ATOM	12898	CA	THR	H	51	43.163	149.810	115.781	1.00	53.62	H
ATOM	12899	CB	THR	H	51	42.653	150.606	114.551	1.00	53.14	H
ATOM	12900	OG1	THR	H	51	43.732	150.886	113.644	1.00	47.57	H
ATOM	12901	CG2	THR	H	51	42.082	151.924	115.018	1.00	55.05	H
ATOM	12902	C	THR	H	51	44.206	148.791	115.334	1.00	57.55	H
ATOM	12903	O	THR	H	51	43.891	147.816	114.639	1.00	59.63	H
ATOM	12904	N	ILE	H	52	45.455	149.014	115.729	1.00	54.88	H
ATOM	12905	CA	ILE	H	52	46.499	148.095	115.341	1.00	49.60	H
ATOM	12906	CB	ILE	H	52	47.406	148.725	114.290	1.00	51.31	H
ATOM	12907	CG2	ILE	H	52	48.533	147.759	113.920	1.00	51.34	H
ATOM	12908	CG1	ILE	H	52	46.575	149.089	113.056	1.00	49.59	H
ATOM	12909	CD1	ILE	H	52	47.363	149.747	111.950	1.00	51.46	H
ATOM	12910	C	ILE	H	52	47.335	147.676	116.525	1.00	47.79	H
ATOM	12911	O	ILE	H	52	47.680	148.494	117.371	1.00	45.81	H
ATOM	12912	N	THR	H	53	47.628	146.383	116.594	1.00	48.78	H
ATOM	12913	CA	THR	H	53	48.466	145.848	117.655	1.00	51.17	H
ATOM	12914	CB	THR	H	53	47.793	144.666	118.373	1.00	54.00	H
ATOM	12915	OG1	THR	H	53	46.872	145.170	119.352	1.00	54.76	H
ATOM	12916	CG2	THR	H	53	48.835	143.797	119.067	1.00	52.35	H
ATOM	12917	C	THR	H	53	49.788	145.394	117.044	1.00	50.18	H
ATOM	12918	O	THR	H	53	49.812	144.596	116.096	1.00	49.37	H
ATOM	12919	N	ASP	H	54	50.882	145.921	117.588	1.00	49.78	H
ATOM	12920	CA	ASP	H	54	52.216	145.597	117.094	1.00	48.84	H
ATOM	12921	CB	ASP	H	54	53.099	146.862	117.094	1.00	47.98	H
ATOM	12922	CG	ASP	H	54	52.724	147.847	115.985	1.00	44.11	H
ATOM	12923	OD1	ASP	H	54	52.463	147.387	114.855	1.00	45.95	H
ATOM	12924	OD2	ASP	H	54	52.708	149.076	116.231	1.00	41.17	H
ATOM	12925	C	ASP	H	54	52.902	144.482	117.886	1.00	46.52	H
ATOM	12926	O	ASP	H	54	52.783	144.410	119.114	1.00	42.78	H
ATOM	12927	N	TYR	H	55	53.617	143.621	117.157	1.00	48.99	H
ATOM	12928	CA	TYR	H	55	54.370	142.485	117.723	1.00	48.91	H
ATOM	12929	CB	TYR	H	55	53.930	141.173	117.076	1.00	50.27	H
ATOM	12930	CG	TYR	H	55	52.451	140.896	117.171	1.00	54.29	H
ATOM	12931	CD1	TYR	H	55	51.741	140.472	116.044	1.00	53.18	H
ATOM	12932	CE1	TYR	H	55	50.378	140.233	116.095	1.00	50.37	H
ATOM	12933	CD2	TYR	H	55	51.756	141.071	118.372	1.00	51.28	H
ATOM	12934	CE2	TYR	H	55	50.382	140.834	118.439	1.00	56.09	H
ATOM	12935	CZ	TYR	H	55	49.698	140.415	117.288	1.00	53.60	H
ATOM	12936	OH	TYR	H	55	48.335	140.197	117.312	1.00	46.42	H
ATOM	12937	C	TYR	H	55	55.871	142.638	117.492	1.00	44.98	H
ATOM	12938	O	TYR	H	55	56.337	142.577	116.353	1.00	43.63	H
ATOM	12939	N	VAL	H	56	56.616	142.821	118.578	1.00	45.31	H
ATOM	12940	CA	VAL	H	56	58.063	142.983	118.503	1.00	44.81	H
ATOM	12941	CB	VAL	H	56	58.515	144.152	119.355	1.00	47.63	H
ATOM	12942	CG1	VAL	H	56	60.036	144.263	119.319	1.00	52.24	H
ATOM	12943	CG2	VAL	H	56	57.880	145.419	118.827	1.00	48.75	H

ATOM	12944	C	VAL	H	56	58.780	141.726	118.951	1.00	42.23	H
ATOM	12945	O	VAL	H	56	58.488	141.163	119.988	1.00	43.97	H
ATOM	12946	N	THR	H	57	59.762	141.314	118.173	1.00	42.83	H
ATOM	12947	CA	THR	H	57	60.480	140.080	118.447	1.00	39.36	H
ATOM	12948	CB	THR	H	57	59.987	139.049	117.426	1.00	31.35	H
ATOM	12949	OG1	THR	H	57	59.956	137.750	117.998	1.00	35.68	H
ATOM	12950	CG2	THR	H	57	60.883	139.046	116.228	1.00	24.43	H
ATOM	12951	C	THR	H	57	62.008	140.257	118.307	1.00	39.93	H
ATOM	12952	O	THR	H	57	62.454	141.142	117.577	1.00	41.39	H
ATOM	12953	N	LEU	H	58	62.805	139.443	119.006	1.00	39.02	H
ATOM	12954	CA	LEU	H	58	64.261	139.521	118.848	1.00	41.61	H
ATOM	12955	CB	LEU	H	58	65.010	139.215	120.152	1.00	41.04	H
ATOM	12956	CG	LEU	H	58	66.541	139.103	119.967	1.00	41.52	H
ATOM	12957	CD1	LEU	H	58	67.112	140.459	119.582	1.00	35.31	H
ATOM	12958	CD2	LEU	H	58	67.214	138.601	121.229	1.00	36.30	H
ATOM	12959	C	LEU	H	58	64.656	138.484	117.786	1.00	42.58	H
ATOM	12960	O	LEU	H	58	65.086	137.376	118.110	1.00	45.64	H
ATOM	12961	N	GLN	H	59	64.495	138.870	116.522	1.00	41.54	H
ATOM	12962	CA	GLN	H	59	64.780	138.044	115.347	1.00	41.43	H
ATOM	12963	CB	GLN	H	59	64.748	138.935	114.102	1.00	43.96	H
ATOM	12964	CG	GLN	H	59	63.934	138.420	112.927	1.00	56.01	H
ATOM	12965	CD	GLN	H	59	64.299	137.010	112.512	1.00	64.61	H
ATOM	12966	OE1	GLN	H	59	63.859	136.035	113.124	1.00	71.02	H
ATOM	12967	NE2	GLN	H	59	65.114	136.893	111.469	1.00	68.92	H
ATOM	12968	C	GLN	H	59	66.124	137.306	115.388	1.00	39.98	H
ATOM	12969	O	GLN	H	59	66.199	136.106	115.113	1.00	37.40	H
ATOM	12970	N	ARG	H	60	67.183	138.042	115.710	1.00	39.04	H
ATOM	12971	CA	ARG	H	60	68.528	137.483	115.771	1.00	39.09	H
ATOM	12972	CB	ARG	H	60	69.102	137.400	114.353	1.00	40.81	H
ATOM	12973	CG	ARG	H	60	70.393	136.609	114.213	1.00	51.11	H
ATOM	12974	CD	ARG	H	60	70.954	136.706	112.790	1.00	58.28	H
ATOM	12975	NE	ARG	H	60	69.930	137.073	111.805	1.00	74.32	H
ATOM	12976	CZ	ARG	H	60	68.884	136.315	111.460	1.00	78.20	H
ATOM	12977	NH1	ARG	H	60	68.699	135.118	112.016	1.00	78.94	H
ATOM	12978	NH2	ARG	H	60	68.008	136.762	110.561	1.00	77.30	H
ATOM	12979	C	ARG	H	60	69.429	138.348	116.667	1.00	37.95	H
ATOM	12980	O	ARG	H	60	69.189	139.540	116.852	1.00	40.09	H
ATOM	12981	N	GLY	H	61	70.454	137.729	117.236	1.00	36.13	H
ATOM	12982	CA	GLY	H	61	71.382	138.425	118.106	1.00	32.39	H
ATOM	12983	C	GLY	H	61	72.740	137.878	117.746	1.00	35.07	H
ATOM	12984	O	GLY	H	61	72.936	136.669	117.763	1.00	39.32	H
ATOM	12985	N	SER	H	62	73.682	138.754	117.419	1.00	35.35	H
ATOM	12986	CA	SER	H	62	74.997	138.306	117.011	1.00	33.76	H
ATOM	12987	CB	SER	H	62	75.137	138.481	115.506	1.00	33.29	H
ATOM	12988	OG	SER	H	62	74.155	137.715	114.840	1.00	34.20	H
ATOM	12989	C	SER	H	62	76.118	139.025	117.709	1.00	36.15	H
ATOM	12990	O	SER	H	62	76.026	140.226	117.960	1.00	43.16	H
ATOM	12991	N	ALA	H	63	77.190	138.286	117.990	1.00	34.59	H
ATOM	12992	CA	ALA	H	63	78.364	138.825	118.676	1.00	30.88	H
ATOM	12993	CB	ALA	H	63	78.842	137.845	119.718	1.00	28.52	H
ATOM	12994	C	ALA	H	63	79.501	139.150	117.723	1.00	27.87	H
ATOM	12995	O	ALA	H	63	79.628	138.543	116.679	1.00	30.16	H
ATOM	12996	N	TYR	H	64	80.328	140.113	118.104	1.00	27.42	H
ATOM	12997	CA	TYR	H	64	81.458	140.550	117.302	1.00	27.45	H
ATOM	12998	CB	TYR	H	64	81.081	141.789	116.469	1.00	30.12	H
ATOM	12999	CG	TYR	H	64	80.051	141.498	115.402	1.00	36.26	H
ATOM	13000	CD1	TYR	H	64	78.683	141.526	115.692	1.00	40.02	H
ATOM	13001	CE1	TYR	H	64	77.740	141.131	114.750	1.00	43.96	H

ATOM	13002	CD2	TYR	H	64	80.442	141.083	114.137	1.00	34.12	H
ATOM	13003	CE2	TYR	H	64	79.510	140.693	113.193	1.00	39.19	H
ATOM	13004	CZ	TYR	H	64	78.167	140.711	113.501	1.00	46.56	H
ATOM	13005	OH	TYR	H	64	77.265	140.276	112.557	1.00	53.55	H
ATOM	13006	C	TYR	H	64	82.673	140.874	118.161	1.00	28.61	H
ATOM	13007	O	TYR	H	64	82.558	141.134	119.364	1.00	31.72	H
ATOM	13008	N	GLY	H	65	83.839	140.859	117.524	1.00	25.86	H
ATOM	13009	CA	GLY	H	65	85.081	141.150	118.211	1.00	25.51	H
ATOM	13010	C	GLY	H	65	85.223	140.402	119.518	1.00	27.96	H
ATOM	13011	O	GLY	H	65	84.900	139.201	119.614	1.00	26.67	H
ATOM	13012	N	GLY	H	66	85.689	141.122	120.534	1.00	28.62	H
ATOM	13013	CA	GLY	H	66	85.896	140.525	121.839	1.00	30.12	H
ATOM	13014	C	GLY	H	66	84.715	139.747	122.359	1.00	29.00	H
ATOM	13015	O	GLY	H	66	84.866	138.634	122.817	1.00	34.81	H
ATOM	13016	N	VAL	H	67	83.532	140.324	122.284	1.00	29.76	H
ATOM	13017	CA	VAL	H	67	82.360	139.633	122.773	1.00	31.55	H
ATOM	13018	CB	VAL	H	67	81.085	140.356	122.350	1.00	30.24	H
ATOM	13019	CG1	VAL	H	67	79.877	139.430	122.540	1.00	26.49	H
ATOM	13020	CG2	VAL	H	67	80.923	141.635	123.171	1.00	20.16	H
ATOM	13021	C	VAL	H	67	82.295	138.212	122.259	1.00	35.09	H
ATOM	13022	O	VAL	H	67	81.930	137.289	122.985	1.00	37.06	H
ATOM	13023	N	LEU	H	68	82.669	138.053	121.001	1.00	37.84	H
ATOM	13024	CA	LEU	H	68	82.637	136.771	120.315	1.00	40.20	H
ATOM	13025	CB	LEU	H	68	82.757	137.038	118.822	1.00	41.41	H
ATOM	13026	CG	LEU	H	68	82.497	135.945	117.796	1.00	36.75	H
ATOM	13027	CD1	LEU	H	68	81.105	135.369	117.971	1.00	27.91	H
ATOM	13028	CD2	LEU	H	68	82.664	136.562	116.408	1.00	32.67	H
ATOM	13029	C	LEU	H	68	83.722	135.788	120.734	1.00	42.38	H
ATOM	13030	O	LEU	H	68	83.501	134.580	120.782	1.00	43.67	H
ATOM	13031	N	SER	H	69	84.897	136.305	121.042	1.00	41.42	H
ATOM	13032	CA	SER	H	69	85.997	135.431	121.396	1.00	41.68	H
ATOM	13033	CB	SER	H	69	87.276	135.918	120.716	1.00	41.91	H
ATOM	13034	OG	SER	H	69	87.575	137.251	121.093	1.00	37.32	H
ATOM	13035	C	SER	H	69	86.274	135.267	122.871	1.00	42.29	H
ATOM	13036	O	SER	H	69	86.843	134.256	123.265	1.00	44.16	H
ATOM	13037	N	ASN	H	70	85.870	136.243	123.682	1.00	41.37	H
ATOM	13038	CA	ASN	H	70	86.133	136.207	125.116	1.00	40.97	H
ATOM	13039	CB	ASN	H	70	86.830	137.499	125.526	1.00	40.95	H
ATOM	13040	CG	ASN	H	70	88.046	137.783	124.677	1.00	46.42	H
ATOM	13041	OD1	ASN	H	70	88.715	136.859	124.230	1.00	51.66	H
ATOM	13042	ND2	ASN	H	70	88.347	139.061	124.454	1.00	49.50	H
ATOM	13043	C	ASN	H	70	84.955	135.977	126.053	1.00	43.86	H
ATOM	13044	O	ASN	H	70	85.127	135.939	127.275	1.00	48.34	H
ATOM	13045	N	PHE	H	71	83.759	135.813	125.514	1.00	40.84	H
ATOM	13046	CA	PHE	H	71	82.631	135.642	126.403	1.00	37.17	H
ATOM	13047	CB	PHE	H	71	81.815	136.936	126.464	1.00	27.87	H
ATOM	13048	CG	PHE	H	71	82.549	138.105	127.041	1.00	20.77	H
ATOM	13049	CD1	PHE	H	71	83.486	138.798	126.289	1.00	26.02	H
ATOM	13050	CD2	PHE	H	71	82.296	138.523	128.354	1.00	17.04	H
ATOM	13051	CE1	PHE	H	71	84.174	139.914	126.847	1.00	33.80	H
ATOM	13052	CE2	PHE	H	71	82.967	139.620	128.917	1.00	16.23	H
ATOM	13053	CZ	PHE	H	71	83.907	140.320	128.167	1.00	21.24	H
ATOM	13054	C	PHE	H	71	81.694	134.515	126.016	1.00	41.37	H
ATOM	13055	O	PHE	H	71	81.722	133.999	124.885	1.00	41.18	H
ATOM	13056	N	SER	H	72	80.876	134.127	126.987	1.00	37.95	H
ATOM	13057	CA	SER	H	72	79.850	133.121	126.786	1.00	44.48	H
ATOM	13058	CB	SER	H	72	80.143	131.837	127.565	1.00	46.06	H
ATOM	13059	OG	SER	H	72	80.038	132.042	128.959	1.00	54.21	H

ATOM	13060	C	SER	H	72	78.668	133.862	127.390	1.00	45.51	H
ATOM	13061	O	SER	H	72	78.809	134.522	128.422	1.00	45.45	H
ATOM	13062	N	GLY	H	73	77.505	133.798	126.763	1.00	45.38	H
ATOM	13063	CA	GLY	H	73	76.434	134.553	127.359	1.00	45.36	H
ATOM	13064	C	GLY	H	73	75.027	134.271	126.942	1.00	42.65	H
ATOM	13065	O	GLY	H	73	74.754	133.451	126.059	1.00	37.46	H
ATOM	13066	N	THR	H	74	74.126	134.974	127.613	1.00	42.99	H
ATOM	13067	CA	THR	H	74	72.719	134.823	127.333	1.00	48.28	H
ATOM	13068	CB	THR	H	74	71.941	134.218	128.544	1.00	49.51	H
ATOM	13069	OG1	THR	H	74	71.930	135.157	129.627	1.00	51.88	H
ATOM	13070	CG2	THR	H	74	72.585	132.913	129.004	1.00	40.79	H
ATOM	13071	C	THR	H	74	72.121	136.171	127.010	1.00	46.62	H
ATOM	13072	O	THR	H	74	72.728	137.222	127.256	1.00	41.57	H
ATOM	13073	N	VAL	H	75	70.928	136.118	126.431	1.00	48.71	H
ATOM	13074	CA	VAL	H	75	70.187	137.324	126.105	1.00	48.74	H
ATOM	13075	CB	VAL	H	75	69.933	137.475	124.570	1.00	50.10	H
ATOM	13076	CG1	VAL	H	75	69.196	136.244	124.009	1.00	45.39	H
ATOM	13077	CG2	VAL	H	75	69.150	138.750	124.315	1.00	39.89	H
ATOM	13078	C	VAL	H	75	68.859	137.219	126.836	1.00	46.24	H
ATOM	13079	O	VAL	H	75	68.129	136.235	126.678	1.00	40.73	H
ATOM	13080	N	LYS	H	76	68.574	138.210	127.669	1.00	45.88	H
ATOM	13081	CA	LYS	H	76	67.319	138.220	128.390	1.00	49.05	H
ATOM	13082	CB	LYS	H	76	67.516	138.742	129.812	1.00	54.08	H
ATOM	13083	CG	LYS	H	76	66.350	138.405	130.737	1.00	56.83	H
ATOM	13084	CD	LYS	H	76	66.587	138.868	132.167	1.00	60.98	H
ATOM	13085	CE	LYS	H	76	65.441	138.426	133.086	1.00	59.88	H
ATOM	13086	NZ	LYS	H	76	65.639	138.839	134.511	1.00	59.17	H
ATOM	13087	C	LYS	H	76	66.331	139.119	127.646	1.00	51.71	H
ATOM	13088	O	LYS	H	76	66.464	140.349	127.658	1.00	53.30	H
ATOM	13089	N	TYR	H	77	65.348	138.501	126.993	1.00	50.52	H
ATOM	13090	CA	TYR	H	77	64.335	139.246	126.258	1.00	49.13	H
ATOM	13091	CB	TYR	H	77	64.177	138.717	124.842	1.00	40.24	H
ATOM	13092	CG	TYR	H	77	63.206	139.547	124.041	1.00	44.97	H
ATOM	13093	CD1	TYR	H	77	63.392	140.919	123.907	1.00	42.46	H
ATOM	13094	CE1	TYR	H	77	62.546	141.683	123.116	1.00	48.36	H
ATOM	13095	CD2	TYR	H	77	62.132	138.958	123.369	1.00	47.10	H
ATOM	13096	CE2	TYR	H	77	61.272	139.712	122.569	1.00	39.83	H
ATOM	13097	CZ	TYR	H	77	61.487	141.076	122.439	1.00	49.38	H
ATOM	13098	OH	TYR	H	77	60.695	141.833	121.587	1.00	49.64	H
ATOM	13099	C	TYR	H	77	62.964	139.197	126.899	1.00	51.98	H
ATOM	13100	O	TYR	H	77	62.264	138.191	126.775	1.00	54.14	H
ATOM	13101	N	SER	H	78	62.570	140.276	127.565	1.00	51.82	H
ATOM	13102	CA	SER	H	78	61.246	140.327	128.160	1.00	55.21	H
ATOM	13103	CB	SER	H	78	60.183	140.175	127.047	1.00	54.95	H
ATOM	13104	OG	SER	H	78	58.849	140.361	127.512	1.00	53.68	H
ATOM	13105	C	SER	H	78	61.047	139.253	129.224	1.00	58.36	H
ATOM	13106	O	SER	H	78	60.105	138.462	129.149	1.00	62.09	H
ATOM	13107	N	GLY	H	79	61.936	139.205	130.207	1.00	59.27	H
ATOM	13108	CA	GLY	H	79	61.775	138.218	131.262	1.00	61.35	H
ATOM	13109	C	GLY	H	79	62.408	136.850	131.068	1.00	62.48	H
ATOM	13110	O	GLY	H	79	62.753	136.206	132.054	1.00	65.66	H
ATOM	13111	N	SER	H	80	62.551	136.394	129.825	1.00	61.03	H
ATOM	13112	CA	SER	H	80	63.159	135.090	129.549	1.00	60.21	H
ATOM	13113	CB	SER	H	80	62.308	134.309	128.558	1.00	58.76	H
ATOM	13114	OG	SER	H	80	61.066	133.998	129.142	1.00	66.38	H
ATOM	13115	C	SER	H	80	64.581	135.198	129.004	1.00	60.51	H
ATOM	13116	O	SER	H	80	64.981	136.250	128.502	1.00	61.17	H
ATOM	13117	N	SER	H	81	65.340	134.105	129.100	1.00	58.72	H

ATOM	13118	CA	SER	H	81	66.721	134.095	128.616	1.00	54.86	H
ATOM	13119	CB	SER	H	81	67.709	133.845	129.762	1.00	57.85	H
ATOM	13120	OG	SER	H	81	68.253	135.062	130.259	1.00	56.81	H
ATOM	13121	C	SER	H	81	66.970	133.093	127.507	1.00	51.55	H
ATOM	13122	O	SER	H	81	66.325	132.055	127.412	1.00	47.45	H
ATOM	13123	N	TYR	H	82	67.913	133.429	126.645	1.00	52.32	H
ATOM	13124	CA	TYR	H	82	68.228	132.563	125.525	1.00	51.51	H
ATOM	13125	CB	TYR	H	82	67.446	132.987	124.262	1.00	50.36	H
ATOM	13126	CG	TYR	H	82	65.971	133.249	124.488	1.00	53.10	H
ATOM	13127	CD1	TYR	H	82	65.536	134.381	125.191	1.00	52.88	H
ATOM	13128	CE1	TYR	H	82	64.183	134.597	125.458	1.00	55.13	H
ATOM	13129	CD2	TYR	H	82	65.008	132.343	124.047	1.00	58.51	H
ATOM	13130	CE2	TYR	H	82	63.637	132.553	124.306	1.00	55.70	H
ATOM	13131	CZ	TYR	H	82	63.237	133.679	125.014	1.00	58.91	H
ATOM	13132	OH	TYR	H	82	61.897	133.888	125.289	1.00	64.64	H
ATOM	13133	C	TYR	H	82	69.722	132.659	125.260	1.00	48.44	H
ATOM	13134	O	TYR	H	82	70.401	133.608	125.687	1.00	47.16	H
ATOM	13135	N	PRO	H	83	70.253	131.666	124.551	1.00	43.43	H
ATOM	13136	CD	PRO	H	83	69.531	130.461	124.125	1.00	37.32	H
ATOM	13137	CA	PRO	H	83	71.668	131.584	124.195	1.00	43.86	H
ATOM	13138	CB	PRO	H	83	71.758	130.244	123.483	1.00	40.23	H
ATOM	13139	CG	PRO	H	83	70.626	129.465	124.074	1.00	42.78	H
ATOM	13140	C	PRO	H	83	72.082	132.731	123.276	1.00	46.13	H
ATOM	13141	O	PRO	H	83	71.418	133.003	122.284	1.00	50.65	H
ATOM	13142	N	PHE	H	84	73.177	133.399	123.604	1.00	45.75	H
ATOM	13143	CA	PHE	H	84	73.676	134.485	122.770	1.00	43.98	H
ATOM	13144	CB	PHE	H	84	73.535	135.825	123.488	1.00	41.07	H
ATOM	13145	CG	PHE	H	84	74.104	136.976	122.724	1.00	36.57	H
ATOM	13146	CD1	PHE	H	84	73.387	137.555	121.686	1.00	33.54	H
ATOM	13147	CD2	PHE	H	84	75.374	137.478	123.028	1.00	37.39	H
ATOM	13148	CE1	PHE	H	84	73.924	138.623	120.956	1.00	38.20	H
ATOM	13149	CE2	PHE	H	84	75.919	138.548	122.302	1.00	35.93	H
ATOM	13150	CZ	PHE	H	84	75.190	139.120	121.266	1.00	33.85	H
ATOM	13151	C	PHE	H	84	75.155	134.227	122.457	1.00	46.36	H
ATOM	13152	O	PHE	H	84	75.970	134.028	123.371	1.00	50.94	H
ATOM	13153	N	PRO	H	85	75.533	134.247	121.163	1.00	44.10	H
ATOM	13154	CD	PRO	H	85	76.949	134.038	120.811	1.00	37.15	H
ATOM	13155	CA	PRO	H	85	74.732	134.483	119.953	1.00	41.53	H
ATOM	13156	CB	PRO	H	85	75.664	134.024	118.843	1.00	36.51	H
ATOM	13157	CG	PRO	H	85	76.997	134.487	119.368	1.00	35.59	H
ATOM	13158	C	PRO	H	85	73.423	133.718	119.973	1.00	40.05	H
ATOM	13159	O	PRO	H	85	73.359	132.629	120.518	1.00	43.36	H
ATOM	13160	N	THR	H	86	72.381	134.290	119.387	1.00	37.54	H
ATOM	13161	CA	THR	H	86	71.081	133.643	119.387	1.00	38.77	H
ATOM	13162	CB	THR	H	86	69.977	134.635	119.064	1.00	33.11	H
ATOM	13163	OG1	THR	H	86	70.094	135.045	117.699	1.00	27.81	H
ATOM	13164	CG2	THR	H	86	70.067	135.843	119.972	1.00	32.79	H
ATOM	13165	C	THR	H	86	71.021	132.513	118.386	1.00	45.32	H
ATOM	13166	O	THR	H	86	71.807	132.469	117.445	1.00	46.95	H
ATOM	13167	N	THR	H	87	70.071	131.607	118.585	1.00	52.43	H
ATOM	13168	CA	THR	H	87	69.913	130.447	117.702	1.00	56.26	H
ATOM	13169	CB	THR	H	87	70.254	129.157	118.454	1.00	53.52	H
ATOM	13170	OG1	THR	H	87	69.707	129.228	119.780	1.00	61.07	H
ATOM	13171	CG2	THR	H	87	71.746	128.964	118.527	1.00	50.32	H
ATOM	13172	C	THR	H	87	68.503	130.292	117.116	1.00	58.25	H
ATOM	13173	O	THR	H	87	68.280	129.461	116.235	1.00	53.48	H
ATOM	13174	N	SER	H	88	67.560	131.090	117.613	1.00	61.42	H
ATOM	13175	CA	SER	H	88	66.181	131.034	117.144	1.00	62.00	H

ATOM	13176	CB	SER	H	88	65.393	129.995	117.947	1.00	63.27	H
ATOM	13177	OG	SER	H	88	65.141	130.451	119.268	1.00	60.73	H
ATOM	13178	C	SER	H	88	65.506	132.387	117.318	1.00	62.68	H
ATOM	13179	O	SER	H	88	65.929	133.195	118.147	1.00	61.42	H
ATOM	13180	N	GLU	H	89	64.458	132.638	116.536	1.00	62.05	H
ATOM	13181	CA	GLU	H	89	63.728	133.888	116.683	1.00	58.84	H
ATOM	13182	CB	GLU	H	89	62.782	134.142	115.506	1.00	60.76	H
ATOM	13183	CG	GLU	H	89	61.686	135.155	115.831	1.00	57.84	H
ATOM	13184	CD	GLU	H	89	61.055	135.767	114.601	1.00	57.21	H
ATOM	13185	OE1	GLU	H	89	60.795	135.042	113.619	1.00	58.47	H
ATOM	13186	OE2	GLU	H	89	60.803	136.982	114.619	1.00	56.37	H
ATOM	13187	C	GLU	H	89	62.932	133.757	117.970	1.00	54.85	H
ATOM	13188	O	GLU	H	89	62.211	132.789	118.187	1.00	53.90	H
ATOM	13189	N	THR	H	90	63.086	134.757	118.816	1.00	53.12	H
ATOM	13190	CA	THR	H	90	62.451	134.812	120.114	1.00	50.23	H
ATOM	13191	CB	THR	H	90	63.037	135.984	120.887	1.00	48.38	H
ATOM	13192	OG1	THR	H	90	63.294	135.580	122.231	1.00	52.50	H
ATOM	13193	CG2	THR	H	90	62.092	137.170	120.857	1.00	43.64	H
ATOM	13194	C	THR	H	90	60.936	134.950	120.054	1.00	51.06	H
ATOM	13195	O	THR	H	90	60.373	135.169	118.988	1.00	51.20	H
ATOM	13196	N	PRO	H	91	60.253	134.783	121.204	1.00	54.73	H
ATOM	13197	CD	PRO	H	91	60.765	134.148	122.433	1.00	55.60	H
ATOM	13198	CA	PRO	H	91	58.789	134.906	121.265	1.00	54.93	H
ATOM	13199	CB	PRO	H	91	58.460	134.411	122.676	1.00	54.58	H
ATOM	13200	CG	PRO	H	91	59.546	133.419	122.949	1.00	53.99	H
ATOM	13201	C	PRO	H	91	58.438	136.380	121.071	1.00	53.04	H
ATOM	13202	O	PRO	H	91	59.295	137.238	121.264	1.00	53.75	H
ATOM	13203	N	ARG	H	92	57.190	136.677	120.719	1.00	54.47	H
ATOM	13204	CA	ARG	H	92	56.786	138.066	120.478	1.00	55.52	H
ATOM	13205	CB	ARG	H	92	55.849	138.137	119.258	1.00	57.69	H
ATOM	13206	CG	ARG	H	92	54.559	137.336	119.364	1.00	69.34	H
ATOM	13207	CD	ARG	H	92	53.638	137.605	118.161	1.00	70.51	H
ATOM	13208	NE	ARG	H	92	52.267	137.097	118.325	1.00	74.58	H
ATOM	13209	CZ	ARG	H	92	51.536	137.211	119.438	1.00	76.26	H
ATOM	13210	NH1	ARG	H	92	52.032	137.807	120.519	1.00	76.71	H
ATOM	13211	NH2	ARG	H	92	50.286	136.763	119.459	1.00	73.93	H
ATOM	13212	C	ARG	H	92	56.167	138.862	121.632	1.00	51.41	H
ATOM	13213	O	ARG	H	92	55.292	138.376	122.336	1.00	57.04	H
ATOM	13214	N	VAL	H	93	56.656	140.087	121.815	1.00	43.97	H
ATOM	13215	CA	VAL	H	93	56.167	141.017	122.829	1.00	40.40	H
ATOM	13216	CB	VAL	H	93	57.299	141.831	123.448	1.00	35.20	H
ATOM	13217	CG1	VAL	H	93	56.736	142.842	124.420	1.00	38.58	H
ATOM	13218	CG2	VAL	H	93	58.258	140.929	124.144	1.00	41.73	H
ATOM	13219	C	VAL	H	93	55.247	142.001	122.098	1.00	43.58	H
ATOM	13220	O	VAL	H	93	55.452	142.263	120.910	1.00	46.51	H
ATOM	13221	N	VAL	H	94	54.242	142.554	122.780	1.00	44.19	H
ATOM	13222	CA	VAL	H	94	53.353	143.483	122.091	1.00	43.37	H
ATOM	13223	CB	VAL	H	94	51.841	143.105	122.203	1.00	41.16	H
ATOM	13224	CG1	VAL	H	94	51.659	141.592	122.090	1.00	37.85	H
ATOM	13225	CG2	VAL	H	94	51.240	143.676	123.473	1.00	32.68	H
ATOM	13226	C	VAL	H	94	53.489	144.925	122.532	1.00	46.63	H
ATOM	13227	O	VAL	H	94	53.700	145.233	123.713	1.00	45.43	H
ATOM	13228	N	TYR	H	95	53.377	145.799	121.538	1.00	47.41	H
ATOM	13229	CA	TYR	H	95	53.442	147.227	121.738	1.00	44.73	H
ATOM	13230	CB	TYR	H	95	54.556	147.831	120.881	1.00	42.81	H
ATOM	13231	CG	TYR	H	95	55.917	147.615	121.472	1.00	36.95	H
ATOM	13232	CD1	TYR	H	95	56.478	146.353	121.511	1.00	36.75	H
ATOM	13233	CE1	TYR	H	95	57.679	146.130	122.142	1.00	38.37	H

ATOM	13234	CD2	TYR	H	95	56.603	148.661	122.079	1.00	41.54	H
ATOM	13235	CE2	TYR	H	95	57.803	148.448	122.720	1.00	42.46	H
ATOM	13236	CZ	TYR	H	95	58.333	147.175	122.750	1.00	43.78	H
ATOM	13237	OH	TYR	H	95	59.514	146.930	123.416	1.00	51.70	H
ATOM	13238	C	TYR	H	95	52.088	147.786	121.329	1.00	44.07	H
ATOM	13239	O	TYR	H	95	51.628	147.568	120.197	1.00	44.40	H
ATOM	13240	N	ASN	H	96	51.460	148.494	122.262	1.00	39.68	H
ATOM	13241	CA	ASN	H	96	50.156	149.099	122.043	1.00	38.56	H
ATOM	13242	CB	ASN	H	96	49.072	148.214	122.616	1.00	41.68	H
ATOM	13243	CG	ASN	H	96	49.507	147.542	123.877	1.00	45.05	H
ATOM	13244	OD1	ASN	H	96	49.817	146.350	123.871	1.00	54.73	H
ATOM	13245	ND2	ASN	H	96	49.562	148.298	124.973	1.00	43.85	H
ATOM	13246	C	ASN	H	96	50.041	150.454	122.692	1.00	39.39	H
ATOM	13247	O	ASN	H	96	49.222	150.661	123.578	1.00	42.87	H
ATOM	13248	N	SER	H	97	50.864	151.386	122.258	1.00	37.57	H
ATOM	13249	CA	SER	H	97	50.800	152.717	122.807	1.00	36.82	H
ATOM	13250	CB	SER	H	97	51.188	152.704	124.282	1.00	21.10	H
ATOM	13251	OG	SER	H	97	51.598	154.005	124.682	1.00	27.03	H
ATOM	13252	C	SER	H	97	51.716	153.634	122.016	1.00	40.00	H
ATOM	13253	O	SER	H	97	52.794	153.228	121.586	1.00	41.43	H
ATOM	13254	N	ARG	H	98	51.272	154.866	121.808	1.00	41.45	H
ATOM	13255	CA	ARG	H	98	52.071	155.816	121.073	1.00	42.62	H
ATOM	13256	CB	ARG	H	98	51.243	157.043	120.675	1.00	48.20	H
ATOM	13257	CG	ARG	H	98	50.170	156.779	119.620	1.00	54.52	H
ATOM	13258	CD	ARG	H	98	49.573	158.087	119.084	1.00	64.44	H
ATOM	13259	NE	ARG	H	98	48.617	157.860	117.997	1.00	71.30	H
ATOM	13260	CZ	ARG	H	98	47.402	157.334	118.156	1.00	75.70	H
ATOM	13261	NH1	ARG	H	98	46.973	156.974	119.363	1.00	74.63	H
ATOM	13262	NH2	ARG	H	98	46.614	157.160	117.102	1.00	77.11	H
ATOM	13263	C	ARG	H	98	53.194	156.218	121.996	1.00	43.74	H
ATOM	13264	O	ARG	H	98	54.162	156.849	121.575	1.00	46.81	H
ATOM	13265	N	THR	H	99	53.072	155.839	123.263	1.00	44.26	H
ATOM	13266	CA	THR	H	99	54.102	156.170	124.239	1.00	48.75	H
ATOM	13267	CB	THR	H	99	53.579	156.029	125.668	1.00	48.43	H
ATOM	13268	OG1	THR	H	99	52.331	156.716	125.791	1.00	48.88	H
ATOM	13269	CG2	THR	H	99	54.571	156.630	126.642	1.00	47.76	H
ATOM	13270	C	THR	H	99	55.316	155.252	124.090	1.00	50.72	H
ATOM	13271	O	THR	H	99	55.172	154.020	124.035	1.00	50.67	H
ATOM	13272	N	ASP	H	100	56.505	155.852	124.031	1.00	49.87	H
ATOM	13273	CA	ASP	H	100	57.736	155.077	123.893	1.00	51.13	H
ATOM	13274	CB	ASP	H	100	58.964	155.985	123.798	1.00	54.27	H
ATOM	13275	CG	ASP	H	100	59.162	156.567	122.418	1.00	57.89	H
ATOM	13276	OD1	ASP	H	100	58.832	155.886	121.414	1.00	56.33	H
ATOM	13277	OD2	ASP	H	100	59.675	157.703	122.352	1.00	54.17	H
ATOM	13278	C	ASP	H	100	57.961	154.120	125.052	1.00	50.30	H
ATOM	13279	O	ASP	H	100	58.208	154.538	126.179	1.00	48.72	H
ATOM	13280	N	LYS	H	101	57.875	152.833	124.753	1.00	51.59	H
ATOM	13281	CA	LYS	H	101	58.097	151.775	125.721	1.00	49.67	H
ATOM	13282	CB	LYS	H	101	57.045	150.681	125.543	1.00	54.61	H
ATOM	13283	CG	LYS	H	101	57.394	149.339	126.183	1.00	60.86	H
ATOM	13284	CD	LYS	H	101	56.290	148.322	125.951	1.00	60.64	H
ATOM	13285	CE	LYS	H	101	56.607	147.001	126.613	1.00	61.75	H
ATOM	13286	NZ	LYS	H	101	55.440	146.097	126.458	1.00	65.12	H
ATOM	13287	C	LYS	H	101	59.488	151.227	125.395	1.00	48.12	H
ATOM	13288	O	LYS	H	101	59.959	151.361	124.264	1.00	44.62	H
ATOM	13289	N	PRO	H	102	60.175	150.621	126.384	1.00	48.87	H
ATOM	13290	CD	PRO	H	102	59.937	150.679	127.834	1.00	47.17	H
ATOM	13291	CA	PRO	H	102	61.513	150.077	126.129	1.00	45.82	H

ATOM	13292	CB	PRO	H	102	62.094	149.892	127.537	1.00	42.91	H
ATOM	13293	CG	PRO	H	102	61.340	150.877	128.353	1.00	46.32	H
ATOM	13294	C	PRO	H	102	61.453	148.760	125.382	1.00	40.12	H
ATOM	13295	O	PRO	H	102	60.407	148.122	125.296	1.00	40.97	H
ATOM	13296	N	TRP	H	103	62.579	148.379	124.813	1.00	36.94	H
ATOM	13297	CA	TRP	H	103	62.682	147.109	124.115	1.00	38.88	H
ATOM	13298	CB	TRP	H	103	63.390	147.329	122.777	1.00	34.06	H
ATOM	13299	CG	TRP	H	103	63.488	146.114	121.940	1.00	31.24	H
ATOM	13300	CD2	TRP	H	103	64.644	145.663	121.230	1.00	27.81	H
ATOM	13301	CE2	TRP	H	103	64.285	144.476	120.560	1.00	22.07	H
ATOM	13302	CE3	TRP	H	103	65.951	146.147	121.096	1.00	25.48	H
ATOM	13303	CD1	TRP	H	103	62.499	145.210	121.680	1.00	30.26	H
ATOM	13304	NE1	TRP	H	103	62.969	144.221	120.850	1.00	26.22	H
ATOM	13305	CZ2	TRP	H	103	65.186	143.765	119.766	1.00	22.41	H
ATOM	13306	CZ3	TRP	H	103	66.842	145.438	120.305	1.00	27.45	H
ATOM	13307	CH2	TRP	H	103	66.454	144.259	119.651	1.00	21.86	H
ATOM	13308	C	TRP	H	103	63.537	146.334	125.138	1.00	37.65	H
ATOM	13309	O	TRP	H	103	64.762	146.503	125.215	1.00	38.14	H
ATOM	13310	N	PRO	H	104	62.877	145.504	125.962	1.00	36.07	H
ATOM	13311	CD	PRO	H	104	61.508	145.039	125.653	1.00	37.55	H
ATOM	13312	CA	PRO	H	104	63.458	144.684	127.027	1.00	33.38	H
ATOM	13313	CB	PRO	H	104	62.224	144.069	127.670	1.00	27.63	H
ATOM	13314	CG	PRO	H	104	61.375	143.770	126.484	1.00	28.65	H
ATOM	13315	C	PRO	H	104	64.463	143.639	126.547	1.00	32.74	H
ATOM	13316	O	PRO	H	104	64.139	142.451	126.421	1.00	34.02	H
ATOM	13317	N	VAL	H	105	65.678	144.100	126.283	1.00	28.55	H
ATOM	13318	CA	VAL	H	105	66.742	143.243	125.820	1.00	26.24	H
ATOM	13319	CB	VAL	H	105	67.075	143.469	124.329	1.00	25.00	H
ATOM	13320	CG1	VAL	H	105	68.099	142.444	123.872	1.00	23.37	H
ATOM	13321	CG2	VAL	H	105	65.850	143.351	123.490	1.00	21.59	H
ATOM	13322	C	VAL	H	105	67.972	143.589	126.621	1.00	29.49	H
ATOM	13323	O	VAL	H	105	68.297	144.775	126.811	1.00	25.11	H
ATOM	13324	N	ALA	H	106	68.645	142.551	127.108	1.00	32.56	H
ATOM	13325	CA	ALA	H	106	69.871	142.750	127.867	1.00	34.91	H
ATOM	13326	CB	ALA	H	106	69.584	142.863	129.336	1.00	36.83	H
ATOM	13327	C	ALA	H	106	70.801	141.589	127.605	1.00	35.98	H
ATOM	13328	O	ALA	H	106	70.375	140.438	127.500	1.00	36.84	H
ATOM	13329	N	LEU	H	107	72.075	141.924	127.468	1.00	36.72	H
ATOM	13330	CA	LEU	H	107	73.124	140.957	127.230	1.00	38.33	H
ATOM	13331	CB	LEU	H	107	74.150	141.535	126.254	1.00	39.10	H
ATOM	13332	CG	LEU	H	107	74.084	141.110	124.784	1.00	38.16	H
ATOM	13333	CD1	LEU	H	107	72.657	140.887	124.337	1.00	38.77	H
ATOM	13334	CD2	LEU	H	107	74.766	142.159	123.946	1.00	33.38	H
ATOM	13335	C	LEU	H	107	73.800	140.672	128.552	1.00	39.25	H
ATOM	13336	O	LEU	H	107	74.171	141.598	129.278	1.00	36.64	H
ATOM	13337	N	TYR	H	108	73.918	139.390	128.874	1.00	42.50	H
ATOM	13338	CA	TYR	H	108	74.594	138.952	130.091	1.00	44.17	H
ATOM	13339	CB	TYR	H	108	73.681	138.056	130.923	1.00	44.43	H
ATOM	13340	CG	TYR	H	108	72.702	138.855	131.730	1.00	50.33	H
ATOM	13341	CD1	TYR	H	108	71.424	139.119	131.248	1.00	58.63	H
ATOM	13342	CE1	TYR	H	108	70.537	139.929	131.959	1.00	63.58	H
ATOM	13343	CD2	TYR	H	108	73.077	139.417	132.947	1.00	53.88	H
ATOM	13344	CE2	TYR	H	108	72.205	140.230	133.670	1.00	60.17	H
ATOM	13345	CZ	TYR	H	108	70.933	140.485	133.171	1.00	63.89	H
ATOM	13346	OH	TYR	H	108	70.059	141.291	133.873	1.00	63.66	H
ATOM	13347	C	TYR	H	108	75.837	138.204	129.626	1.00	42.54	H
ATOM	13348	O	TYR	H	108	75.753	137.072	129.154	1.00	41.02	H
ATOM	13349	N	LEU	H	109	76.983	138.867	129.749	1.00	42.50	H

ATOM	13350	CA	LEU	H	109	78.241	138.307	129.281	1.00	47.10	H
ATOM	13351	CB	LEU	H	109	78.860	139.263	128.262	1.00	43.58	H
ATOM	13352	CG	LEU	H	109	77.895	139.771	127.185	1.00	43.14	H
ATOM	13353	CD1	LEU	H	109	78.618	140.743	126.258	1.00	41.56	H
ATOM	13354	CD2	LEU	H	109	77.334	138.609	126.407	1.00	27.60	H
ATOM	13355	C	LEU	H	109	79.266	138.009	130.364	1.00	47.18	H
ATOM	13356	O	LEU	H	109	79.597	138.888	131.158	1.00	44.92	H
ATOM	13357	N	THR	H	110	79.771	136.769	130.372	1.00	45.99	H
ATOM	13358	CA	THR	H	110	80.780	136.332	131.338	1.00	43.47	H
ATOM	13359	CB	THR	H	110	80.321	135.097	132.121	1.00	45.70	H
ATOM	13360	OG1	THR	H	110	79.057	135.367	132.732	1.00	54.14	H
ATOM	13361	CG2	THR	H	110	81.332	134.755	133.214	1.00	46.07	H
ATOM	13362	C	THR	H	110	82.086	135.982	130.643	1.00	39.24	H
ATOM	13363	O	THR	H	110	82.132	135.115	129.763	1.00	36.19	H
ATOM	13364	N	PRO	H	111	83.177	136.645	131.042	1.00	38.91	H
ATOM	13365	CD	PRO	H	111	83.271	137.691	132.068	1.00	40.28	H
ATOM	13366	CA	PRO	H	111	84.490	136.392	130.443	1.00	41.95	H
ATOM	13367	CB	PRO	H	111	85.409	137.377	131.168	1.00	40.45	H
ATOM	13368	CG	PRO	H	111	84.489	138.464	131.601	1.00	43.58	H
ATOM	13369	C	PRO	H	111	84.930	134.959	130.656	1.00	39.43	H
ATOM	13370	O	PRO	H	111	84.574	134.336	131.654	1.00	38.69	H
ATOM	13371	N	VAL	H	112	85.694	134.442	129.705	1.00	41.43	H
ATOM	13372	CA	VAL	H	112	86.210	133.083	129.799	1.00	46.02	H
ATOM	13373	CB	VAL	H	112	86.411	132.442	128.406	1.00	46.78	H
ATOM	13374	CG1	VAL	H	112	85.059	132.223	127.745	1.00	42.03	H
ATOM	13375	CG2	VAL	H	112	87.313	133.330	127.543	1.00	36.18	H
ATOM	13376	C	VAL	H	112	87.550	133.148	130.507	1.00	49.75	H
ATOM	13377	O	VAL	H	112	88.216	134.181	130.494	1.00	51.62	H
ATOM	13378	N	SER	H	113	87.937	132.047	131.137	1.00	53.85	H
ATOM	13379	CA	SER	H	113	89.204	131.998	131.861	1.00	55.53	H
ATOM	13380	CB	SER	H	113	89.479	130.572	132.345	1.00	55.06	H
ATOM	13381	OG	SER	H	113	89.645	129.699	131.243	1.00	53.80	H
ATOM	13382	C	SER	H	113	90.373	132.467	131.003	1.00	53.39	H
ATOM	13383	O	SER	H	113	91.352	133.013	131.511	1.00	53.69	H
ATOM	13384	N	SER	H	114	90.266	132.255	129.698	1.00	50.78	H
ATOM	13385	CA	SER	H	114	91.333	132.637	128.792	1.00	50.13	H
ATOM	13386	CB	SER	H	114	91.302	131.736	127.555	1.00	51.79	H
ATOM	13387	OG	SER	H	114	90.131	131.935	126.792	1.00	49.38	H
ATOM	13388	C	SER	H	114	91.299	134.103	128.374	1.00	49.30	H
ATOM	13389	O	SER	H	114	92.178	134.575	127.669	1.00	49.25	H
ATOM	13390	N	ALA	H	115	90.292	134.830	128.823	1.00	52.68	H
ATOM	13391	CA	ALA	H	115	90.175	136.238	128.476	1.00	56.53	H
ATOM	13392	CB	ALA	H	115	88.939	136.825	129.143	1.00	57.03	H
ATOM	13393	C	ALA	H	115	91.422	137.052	128.864	1.00	58.78	H
ATOM	13394	O	ALA	H	115	91.824	137.078	130.039	1.00	55.05	H
ATOM	13395	N	GLY	H	116	92.010	137.730	127.871	1.00	60.50	H
ATOM	13396	CA	GLY	H	116	93.203	138.537	128.096	1.00	60.34	H
ATOM	13397	C	GLY	H	116	93.100	139.616	129.167	1.00	58.08	H
ATOM	13398	O	GLY	H	116	92.817	139.350	130.341	1.00	57.70	H
ATOM	13399	N	GLY	H	117	93.381	140.843	128.757	1.00	54.48	H
ATOM	13400	CA	GLY	H	117	93.298	141.975	129.658	1.00	52.24	H
ATOM	13401	C	GLY	H	117	92.139	142.778	129.103	1.00	48.68	H
ATOM	13402	O	GLY	H	117	91.098	142.914	129.752	1.00	47.04	H
ATOM	13403	N	VAL	H	118	92.329	143.294	127.890	1.00	44.18	H
ATOM	13404	CA	VAL	H	118	91.299	144.042	127.185	1.00	40.22	H
ATOM	13405	CB	VAL	H	118	91.916	145.024	126.204	1.00	38.27	H
ATOM	13406	CG1	VAL	H	118	90.859	145.518	125.225	1.00	31.82	H
ATOM	13407	CG2	VAL	H	118	92.530	146.181	126.971	1.00	37.03	H

ATOM	13408	C	VAL	H	118	90.456	143.052	126.386	1.00	36.82	H
ATOM	13409	O	VAL	H	118	90.838	142.682	125.295	1.00	39.43	H
ATOM	13410	N	ALA	H	119	89.320	142.621	126.923	1.00	31.19	H
ATOM	13411	CA	ALA	H	119	88.475	141.670	126.213	1.00	29.16	H
ATOM	13412	CB	ALA	H	119	87.699	140.843	127.208	1.00	26.41	H
ATOM	13413	C	ALA	H	119	87.509	142.318	125.209	1.00	32.65	H
ATOM	13414	O	ALA	H	119	86.860	141.617	124.435	1.00	32.60	H
ATOM	13415	N	ILE	H	120	87.399	143.646	125.251	1.00	31.38	H
ATOM	13416	CA	ILE	H	120	86.543	144.401	124.346	1.00	32.21	H
ATOM	13417	CB	ILE	H	120	85.141	144.624	124.938	1.00	36.95	H
ATOM	13418	CG2	ILE	H	120	84.338	145.564	124.041	1.00	27.70	H
ATOM	13419	CG1	ILE	H	120	84.413	143.294	125.083	1.00	33.65	H
ATOM	13420	CD1	ILE	H	120	83.064	143.430	125.755	1.00	36.52	H
ATOM	13421	C	ILE	H	120	87.156	145.779	124.071	1.00	35.55	H
ATOM	13422	O	ILE	H	120	87.326	146.583	124.992	1.00	39.48	H
ATOM	13423	N	LYS	H	121	87.475	146.064	122.813	1.00	30.26	H
ATOM	13424	CA	LYS	H	121	88.068	147.352	122.485	1.00	32.70	H
ATOM	13425	CB	LYS	H	121	88.801	147.298	121.134	1.00	42.16	H
ATOM	13426	CG	LYS	H	121	90.244	146.799	121.149	1.00	47.03	H
ATOM	13427	CD	LYS	H	121	90.335	145.322	121.516	1.00	58.67	H
ATOM	13428	CE	LYS	H	121	91.691	144.759	121.142	1.00	62.52	H
ATOM	13429	NZ	LYS	H	121	91.956	144.949	119.676	1.00	67.59	H
ATOM	13430	C	LYS	H	121	87.100	148.532	122.447	1.00	33.27	H
ATOM	13431	O	LYS	H	121	85.947	148.439	122.010	1.00	33.30	H
ATOM	13432	N	ALA	H	122	87.603	149.659	122.916	1.00	33.30	H
ATOM	13433	CA	ALA	H	122	86.841	150.880	122.902	1.00	34.76	H
ATOM	13434	CB	ALA	H	122	87.666	152.013	123.523	1.00	22.80	H
ATOM	13435	C	ALA	H	122	86.553	151.167	121.419	1.00	36.10	H
ATOM	13436	O	ALA	H	122	87.460	151.124	120.584	1.00	36.57	H
ATOM	13437	N	GLY	H	123	85.290	151.435	121.105	1.00	35.64	H
ATOM	13438	CA	GLY	H	123	84.901	151.748	119.745	1.00	36.52	H
ATOM	13439	C	GLY	H	123	84.558	150.564	118.860	1.00	38.07	H
ATOM	13440	O	GLY	H	123	84.210	150.743	117.691	1.00	41.45	H
ATOM	13441	N	SER	H	124	84.622	149.356	119.402	1.00	35.63	H
ATOM	13442	CA	SER	H	124	84.349	148.180	118.593	1.00	33.70	H
ATOM	13443	CB	SER	H	124	85.204	147.006	119.089	1.00	33.02	H
ATOM	13444	OG	SER	H	124	85.019	146.731	120.464	1.00	25.27	H
ATOM	13445	C	SER	H	124	82.896	147.732	118.473	1.00	34.74	H
ATOM	13446	O	SER	H	124	82.057	148.002	119.335	1.00	35.32	H
ATOM	13447	N	LEU	H	125	82.604	147.038	117.382	1.00	34.82	H
ATOM	13448	CA	LEU	H	125	81.264	146.528	117.172	1.00	32.05	H
ATOM	13449	CB	LEU	H	125	81.055	146.010	115.741	1.00	28.53	H
ATOM	13450	CG	LEU	H	125	79.728	145.255	115.564	1.00	27.42	H
ATOM	13451	CD1	LEU	H	125	78.571	146.201	115.816	1.00	19.97	H
ATOM	13452	CD2	LEU	H	125	79.633	144.663	114.182	1.00	23.31	H
ATOM	13453	C	LEU	H	125	81.218	145.382	118.124	1.00	29.65	H
ATOM	13454	O	LEU	H	125	81.957	144.415	117.990	1.00	36.77	H
ATOM	13455	N	ILE	H	126	80.343	145.492	119.091	1.00	30.22	H
ATOM	13456	CA	ILE	H	126	80.206	144.464	120.099	1.00	32.54	H
ATOM	13457	CB	ILE	H	126	80.029	145.148	121.467	1.00	35.47	H
ATOM	13458	CG2	ILE	H	126	78.714	144.774	122.130	1.00	22.20	H
ATOM	13459	CG1	ILE	H	126	81.256	144.872	122.297	1.00	30.08	H
ATOM	13460	CD1	ILE	H	126	81.228	145.620	123.577	1.00	52.55	H
ATOM	13461	C	ILE	H	126	79.073	143.504	119.793	1.00	33.33	H
ATOM	13462	O	ILE	H	126	79.170	142.330	120.108	1.00	32.63	H
ATOM	13463	N	ALA	H	127	78.007	144.002	119.165	1.00	34.64	H
ATOM	13464	CA	ALA	H	127	76.862	143.153	118.827	1.00	32.76	H
ATOM	13465	CB	ALA	H	127	76.092	142.810	120.089	1.00	29.12	H

ATOM	13466	C	ALA	H	127	75.903	143.775	117.818	1.00	30.33	H
ATOM	13467	O	ALA	H	127	75.854	144.999	117.661	1.00	33.50	H
ATOM	13468	N	VAL	H	128	75.160	142.922	117.121	1.00	20.63	H
ATOM	13469	CA	VAL	H	128	74.159	143.388	116.187	1.00	23.09	H
ATOM	13470	CB	VAL	H	128	74.495	143.020	114.729	1.00	20.39	H
ATOM	13471	CG1	VAL	H	128	73.288	143.333	113.827	1.00	19.05	H
ATOM	13472	CG2	VAL	H	128	75.684	143.826	114.247	1.00	20.75	H
ATOM	13473	C	VAL	H	128	72.839	142.724	116.597	1.00	26.42	H
ATOM	13474	O	VAL	H	128	72.751	141.500	116.635	1.00	29.85	H
ATOM	13475	N	LEU	H	129	71.825	143.525	116.916	1.00	26.23	H
ATOM	13476	CA	LEU	H	129	70.534	142.980	117.329	1.00	30.88	H
ATOM	13477	CB	LEU	H	129	70.152	143.499	118.710	1.00	31.64	H
ATOM	13478	CG	LEU	H	129	71.128	143.174	119.835	1.00	35.93	H
ATOM	13479	CD1	LEU	H	129	70.600	143.761	121.111	1.00	32.08	H
ATOM	13480	CD2	LEU	H	129	71.298	141.667	119.976	1.00	35.88	H
ATOM	13481	C	LEU	H	129	69.421	143.323	116.347	1.00	33.29	H
ATOM	13482	O	LEU	H	129	69.189	144.494	116.024	1.00	34.47	H
ATOM	13483	N	ILE	H	130	68.724	142.292	115.880	1.00	29.73	H
ATOM	13484	CA	ILE	H	130	67.650	142.493	114.932	1.00	28.85	H
ATOM	13485	CB	ILE	H	130	67.739	141.508	113.744	1.00	28.28	H
ATOM	13486	CG2	ILE	H	130	66.554	141.709	112.815	1.00	20.92	H
ATOM	13487	CG1	ILE	H	130	69.029	141.767	112.960	1.00	25.55	H
ATOM	13488	CD1	ILE	H	130	69.248	140.785	111.831	1.00	32.63	H
ATOM	13489	C	ILE	H	130	66.276	142.388	115.558	1.00	30.99	H
ATOM	13490	O	ILE	H	130	65.858	141.333	116.051	1.00	30.68	H
ATOM	13491	N	LEU	H	131	65.587	143.519	115.523	1.00	34.86	H
ATOM	13492	CA	LEU	H	131	64.243	143.655	116.043	1.00	33.15	H
ATOM	13493	CB	LEU	H	131	64.075	145.049	116.628	1.00	31.71	H
ATOM	13494	CG	LEU	H	131	62.719	145.344	117.255	1.00	37.19	H
ATOM	13495	CD1	LEU	H	131	62.856	146.557	118.162	1.00	36.68	H
ATOM	13496	CD2	LEU	H	131	61.671	145.569	116.169	1.00	33.22	H
ATOM	13497	C	LEU	H	131	63.293	143.452	114.874	1.00	32.26	H
ATOM	13498	O	LEU	H	131	63.383	144.152	113.877	1.00	32.49	H
ATOM	13499	N	ARG	H	132	62.391	142.486	115.003	1.00	34.97	H
ATOM	13500	CA	ARG	H	132	61.414	142.180	113.959	1.00	34.78	H
ATOM	13501	CB	ARG	H	132	61.477	140.703	113.607	1.00	33.64	H
ATOM	13502	CG	ARG	H	132	60.501	140.276	112.565	1.00	29.83	H
ATOM	13503	CD	ARG	H	132	60.829	138.877	112.166	1.00	34.42	H
ATOM	13504	NE	ARG	H	132	60.287	138.530	110.860	1.00	50.15	H
ATOM	13505	CZ	ARG	H	132	60.577	137.405	110.215	1.00	56.57	H
ATOM	13506	NH1	ARG	H	132	61.408	136.521	110.764	1.00	59.95	H
ATOM	13507	NH2	ARG	H	132	60.040	137.159	109.023	1.00	56.38	H
ATOM	13508	C	ARG	H	132	60.008	142.533	114.424	1.00	35.29	H
ATOM	13509	O	ARG	H	132	59.518	141.994	115.418	1.00	35.22	H
ATOM	13510	N	GLN	H	133	59.363	143.429	113.683	1.00	35.90	H
ATOM	13511	CA	GLN	H	133	58.028	143.906	114.018	1.00	33.13	H
ATOM	13512	CB	GLN	H	133	58.082	145.406	114.280	1.00	30.72	H
ATOM	13513	CG	GLN	H	133	56.732	146.071	114.482	1.00	39.19	H
ATOM	13514	CD	GLN	H	133	56.156	146.680	113.214	1.00	35.92	H
ATOM	13515	OE1	GLN	H	133	56.793	147.493	112.549	1.00	38.89	H
ATOM	13516	NE2	GLN	H	133	54.938	146.296	112.887	1.00	35.86	H
ATOM	13517	C	GLN	H	133	56.981	143.622	112.960	1.00	34.71	H
ATOM	13518	O	GLN	H	133	57.155	143.943	111.781	1.00	34.71	H
ATOM	13519	N	THR	H	134	55.892	143.008	113.406	1.00	34.63	H
ATOM	13520	CA	THR	H	134	54.744	142.680	112.563	1.00	33.17	H
ATOM	13521	CB	THR	H	134	54.567	141.180	112.441	1.00	27.79	H
ATOM	13522	OG1	THR	H	134	54.734	140.606	113.739	1.00	40.55	H
ATOM	13523	CG2	THR	H	134	55.571	140.590	111.483	1.00	18.12	H

ATOM	13524	C	THR	H	134	53.501	143.248	113.270	1.00	36.98	H
ATOM	13525	O	THR	H	134	53.613	144.068	114.195	1.00	34.91	H
ATOM	13526	N	ASN	H	135	52.315	142.819	112.851	1.00	38.64	H
ATOM	13527	CA	ASN	H	135	51.107	143.328	113.484	1.00	42.60	H
ATOM	13528	CB	ASN	H	135	50.835	144.759	113.031	1.00	40.32	H
ATOM	13529	CG	ASN	H	135	50.746	144.872	111.533	1.00	41.98	H
ATOM	13530	OD1	ASN	H	135	50.193	143.996	110.869	1.00	39.98	H
ATOM	13531	ND2	ASN	H	135	51.285	145.955	110.986	1.00	40.53	H
ATOM	13532	C	ASN	H	135	49.903	142.479	113.168	1.00	44.42	H
ATOM	13533	O	ASN	H	135	49.968	141.570	112.332	1.00	47.44	H
ATOM	13534	N	ASN	H	136	48.801	142.781	113.844	1.00	43.82	H
ATOM	13535	CA	ASN	H	136	47.555	142.058	113.619	1.00	48.31	H
ATOM	13536	CB	ASN	H	136	46.791	141.906	114.921	1.00	51.08	H
ATOM	13537	CG	ASN	H	136	46.479	143.240	115.565	1.00	55.77	H
ATOM	13538	OD1	ASN	H	136	45.931	143.297	116.667	1.00	60.17	H
ATOM	13539	ND2	ASN	H	136	46.830	144.322	114.885	1.00	56.07	H
ATOM	13540	C	ASN	H	136	46.703	142.847	112.650	1.00	50.28	H
ATOM	13541	O	ASN	H	136	45.484	142.870	112.776	1.00	49.92	H
ATOM	13542	N	TYR	H	137	47.351	143.511	111.696	1.00	54.16	H
ATOM	13543	CA	TYR	H	137	46.628	144.316	110.725	1.00	54.77	H
ATOM	13544	CB	TYR	H	137	46.910	145.803	110.930	1.00	61.23	H
ATOM	13545	CG	TYR	H	137	46.111	146.672	109.986	1.00	72.96	H
ATOM	13546	CD1	TYR	H	137	44.719	146.579	109.930	1.00	72.47	H
ATOM	13547	CE1	TYR	H	137	43.980	147.362	109.045	1.00	78.01	H
ATOM	13548	CD2	TYR	H	137	46.746	147.576	109.130	1.00	77.91	H
ATOM	13549	CE2	TYR	H	137	46.013	148.365	108.241	1.00	78.80	H
ATOM	13550	CZ	TYR	H	137	44.635	148.251	108.207	1.00	78.73	H
ATOM	13551	OH	TYR	H	137	43.915	149.023	107.333	1.00	81.52	H
ATOM	13552	C	TYR	H	137	46.900	143.954	109.281	1.00	52.48	H
ATOM	13553	O	TYR	H	137	45.980	143.935	108.476	1.00	55.50	H
ATOM	13554	N	ASN	H	138	48.149	143.668	108.942	1.00	50.32	H
ATOM	13555	CA	ASN	H	138	48.473	143.306	107.565	1.00	51.13	H
ATOM	13556	CB	ASN	H	138	48.584	144.557	106.707	1.00	52.49	H
ATOM	13557	CG	ASN	H	138	49.617	145.519	107.219	1.00	50.69	H
ATOM	13558	OD1	ASN	H	138	49.764	146.602	106.681	1.00	52.52	H
ATOM	13559	ND2	ASN	H	138	50.346	145.130	108.257	1.00	52.67	H
ATOM	13560	C	ASN	H	138	49.751	142.499	107.441	1.00	51.74	H
ATOM	13561	O	ASN	H	138	50.235	141.953	108.427	1.00	54.40	H
ATOM	13562	N	SER	H	139	50.306	142.431	106.235	1.00	51.38	H
ATOM	13563	CA	SER	H	139	51.531	141.659	106.022	1.00	51.23	H
ATOM	13564	CB	SER	H	139	51.573	141.120	104.582	1.00	51.48	H
ATOM	13565	OG	SER	H	139	51.617	142.171	103.631	1.00	58.93	H
ATOM	13566	C	SER	H	139	52.842	142.397	106.333	1.00	46.15	H
ATOM	13567	O	SER	H	139	53.905	142.004	105.849	1.00	44.97	H
ATOM	13568	N	ASP	H	140	52.766	143.455	107.138	1.00	44.69	H
ATOM	13569	CA	ASP	H	140	53.958	144.219	107.513	1.00	45.99	H
ATOM	13570	CB	ASP	H	140	53.571	145.490	108.301	1.00	42.90	H
ATOM	13571	CG	ASP	H	140	53.131	146.635	107.390	1.00	43.37	H
ATOM	13572	OD1	ASP	H	140	52.711	147.698	107.902	1.00	36.82	H
ATOM	13573	OD2	ASP	H	140	53.207	146.474	106.151	1.00	42.48	H
ATOM	13574	C	ASP	H	140	54.950	143.377	108.334	1.00	47.36	H
ATOM	13575	O	ASP	H	140	54.628	142.873	109.413	1.00	46.43	H
ATOM	13576	N	ASP	H	141	56.159	143.230	107.804	1.00	48.06	H
ATOM	13577	CA	ASP	H	141	57.218	142.474	108.464	1.00	45.50	H
ATOM	13578	CB	ASP	H	141	57.359	141.106	107.807	1.00	48.54	H
ATOM	13579	CG	ASP	H	141	58.174	140.134	108.641	1.00	56.22	H
ATOM	13580	OD1	ASP	H	141	58.973	140.574	109.494	1.00	55.84	H
ATOM	13581	OD2	ASP	H	141	58.024	138.915	108.426	1.00	62.76	H

ATOM	13582	C	ASP	H	141	58.506	143.285	108.261	1.00	42.62	H
ATOM	13583	O	ASP	H	141	59.230	143.076	107.287	1.00	40.24	H
ATOM	13584	N	PHE	H	142	58.785	144.204	109.181	1.00	36.42	H
ATOM	13585	CA	PHE	H	142	59.952	145.073	109.075	1.00	35.40	H
ATOM	13586	CB	PHE	H	142	59.538	146.537	109.291	1.00	35.85	H
ATOM	13587	CG	PHE	H	142	58.481	147.019	108.342	1.00	37.39	H
ATOM	13588	CD1	PHE	H	142	57.337	147.658	108.821	1.00	42.94	H
ATOM	13589	CD2	PHE	H	142	58.641	146.875	106.965	1.00	32.67	H
ATOM	13590	CE1	PHE	H	142	56.366	148.156	107.937	1.00	35.89	H
ATOM	13591	CE2	PHE	H	142	57.693	147.361	106.082	1.00	29.59	H
ATOM	13592	CZ	PHE	H	142	56.547	148.007	106.571	1.00	35.57	H
ATOM	13593	C	PHE	H	142	61.039	144.723	110.074	1.00	37.06	H
ATOM	13594	O	PHE	H	142	60.770	144.187	111.156	1.00	37.21	H
ATOM	13595	N	GLN	H	143	62.276	145.046	109.713	1.00	34.38	H
ATOM	13596	CA	GLN	H	143	63.405	144.761	110.581	1.00	29.19	H
ATOM	13597	CB	GLN	H	143	64.400	143.854	109.882	1.00	25.60	H
ATOM	13598	CG	GLN	H	143	63.929	142.459	109.609	1.00	33.75	H
ATOM	13599	CD	GLN	H	143	65.092	141.563	109.288	1.00	44.15	H
ATOM	13600	OE1	GLN	H	143	66.002	141.963	108.560	1.00	41.92	H
ATOM	13601	NE2	GLN	H	143	65.081	140.343	109.831	1.00	48.55	H
ATOM	13602	C	GLN	H	143	64.123	146.019	111.010	1.00	31.32	H
ATOM	13603	O	GLN	H	143	64.448	146.878	110.187	1.00	32.37	H
ATOM	13604	N	PHE	H	144	64.362	146.121	112.312	1.00	32.50	H
ATOM	13605	CA	PHE	H	144	65.051	147.261	112.886	1.00	30.29	H
ATOM	13606	CB	PHE	H	144	64.231	147.868	114.025	1.00	27.92	H
ATOM	13607	CG	PHE	H	144	62.976	148.548	113.561	1.00	30.30	H
ATOM	13608	CD1	PHE	H	144	61.926	147.818	113.010	1.00	30.11	H
ATOM	13609	CD2	PHE	H	144	62.840	149.935	113.671	1.00	32.76	H
ATOM	13610	CE1	PHE	H	144	60.752	148.463	112.579	1.00	25.41	H
ATOM	13611	CE2	PHE	H	144	61.677	150.582	113.245	1.00	25.94	H
ATOM	13612	CZ	PHE	H	144	60.632	149.838	112.700	1.00	19.10	H
ATOM	13613	C	PHE	H	144	66.365	146.712	113.384	1.00	30.86	H
ATOM	13614	O	PHE	H	144	66.407	145.951	114.359	1.00	31.93	H
ATOM	13615	N	VAL	H	145	67.440	147.100	112.707	1.00	26.81	H
ATOM	13616	CA	VAL	H	145	68.758	146.610	113.051	1.00	25.94	H
ATOM	13617	CB	VAL	H	145	69.574	146.346	111.778	1.00	24.28	H
ATOM	13618	CG1	VAL	H	145	70.926	145.823	112.143	1.00	19.33	H
ATOM	13619	CG2	VAL	H	145	68.842	145.341	110.890	1.00	26.72	H
ATOM	13620	C	VAL	H	145	69.539	147.531	113.957	1.00	28.07	H
ATOM	13621	O	VAL	H	145	69.779	148.687	113.625	1.00	33.38	H
ATOM	13622	N	TRP	H	146	69.950	147.011	115.108	1.00	29.54	H
ATOM	13623	CA	TRP	H	146	70.719	147.808	116.058	1.00	27.24	H
ATOM	13624	CB	TRP	H	146	70.082	147.717	117.446	1.00	22.01	H
ATOM	13625	CG	TRP	H	146	68.598	147.964	117.406	1.00	27.12	H
ATOM	13626	CD2	TRP	H	146	67.936	149.235	117.378	1.00	19.92	H
ATOM	13627	CE2	TRP	H	146	66.552	148.982	117.247	1.00	20.12	H
ATOM	13628	CE3	TRP	H	146	68.377	150.565	117.443	1.00	20.29	H
ATOM	13629	CD1	TRP	H	146	67.613	147.020	117.297	1.00	25.51	H
ATOM	13630	NE1	TRP	H	146	66.383	147.623	117.197	1.00	24.65	H
ATOM	13631	CZ2	TRP	H	146	65.605	150.007	117.189	1.00	20.14	H
ATOM	13632	CZ3	TRP	H	146	67.424	151.596	117.380	1.00	20.20	H
ATOM	13633	CH2	TRP	H	146	66.059	151.305	117.256	1.00	15.60	H
ATOM	13634	C	TRP	H	146	72.175	147.341	116.100	1.00	28.14	H
ATOM	13635	O	TRP	H	146	72.459	146.172	116.347	1.00	29.96	H
ATOM	13636	N	ASN	H	147	73.094	148.258	115.817	1.00	26.28	H
ATOM	13637	CA	ASN	H	147	74.519	147.950	115.840	1.00	25.79	H
ATOM	13638	CB	ASN	H	147	75.237	148.574	114.623	1.00	24.60	H
ATOM	13639	CG	ASN	H	147	74.643	148.116	113.292	1.00	27.21	H

ATOM	13640	OD1	ASN	H	147	74.439	146.922	113.055	1.00	22.98	H
ATOM	13641	ND2	ASN	H	147	74.363	149.066	112.422	1.00	34.77	H
ATOM	13642	C	ASN	H	147	75.076	148.496	117.148	1.00	25.75	H
ATOM	13643	O	ASN	H	147	75.203	149.703	117.329	1.00	27.79	H
ATOM	13644	N	ILE	H	148	75.391	147.590	118.066	1.00	24.46	H
ATOM	13645	CA	ILE	H	148	75.902	147.968	119.383	1.00	22.53	H
ATOM	13646	CB	ILE	H	148	75.531	146.900	120.426	1.00	24.23	H
ATOM	13647	CG2	ILE	H	148	75.551	147.513	121.815	1.00	23.41	H
ATOM	13648	CG1	ILE	H	148	74.176	146.254	120.077	1.00	25.25	H
ATOM	13649	CD1	ILE	H	148	72.967	147.164	120.095	1.00	12.19	H
ATOM	13650	C	ILE	H	148	77.414	148.155	119.461	1.00	19.97	H
ATOM	13651	O	ILE	H	148	78.160	147.203	119.352	1.00	25.83	H
ATOM	13652	N	TYR	H	149	77.866	149.378	119.658	1.00	19.64	H
ATOM	13653	CA	TYR	H	149	79.291	149.644	119.779	1.00	25.61	H
ATOM	13654	CB	TYR	H	149	79.695	150.854	118.927	1.00	20.25	H
ATOM	13655	CG	TYR	H	149	79.736	150.584	117.445	1.00	27.61	H
ATOM	13656	CD1	TYR	H	149	78.555	150.529	116.686	1.00	29.34	H
ATOM	13657	CE1	TYR	H	149	78.588	150.260	115.321	1.00	27.14	H
ATOM	13658	CD2	TYR	H	149	80.955	150.364	116.790	1.00	26.99	H
ATOM	13659	CE2	TYR	H	149	80.998	150.094	115.423	1.00	25.15	H
ATOM	13660	CZ	TYR	H	149	79.813	150.043	114.696	1.00	29.84	H
ATOM	13661	OH	TYR	H	149	79.860	149.774	113.349	1.00	33.63	H
ATOM	13662	C	TYR	H	149	79.655	149.931	121.242	1.00	30.55	H
ATOM	13663	O	TYR	H	149	78.855	150.512	121.974	1.00	34.88	H
ATOM	13664	N	ALA	H	150	80.849	149.521	121.671	1.00	31.33	H
ATOM	13665	CA	ALA	H	150	81.292	149.796	123.038	1.00	31.42	H
ATOM	13666	CB	ALA	H	150	82.079	148.662	123.565	1.00	27.13	H
ATOM	13667	C	ALA	H	150	82.150	151.054	123.011	1.00	33.48	H
ATOM	13668	O	ALA	H	150	83.051	151.170	122.193	1.00	36.59	H
ATOM	13669	N	ASN	H	151	81.871	151.993	123.907	1.00	32.54	H
ATOM	13670	CA	ASN	H	151	82.607	153.247	123.931	1.00	32.80	H
ATOM	13671	CB	ASN	H	151	81.807	154.326	124.654	1.00	38.01	H
ATOM	13672	CG	ASN	H	151	80.669	154.865	123.831	1.00	39.01	H
ATOM	13673	OD1	ASN	H	151	80.870	155.344	122.716	1.00	41.93	H
ATOM	13674	ND2	ASN	H	151	79.462	154.800	124.380	1.00	38.77	H
ATOM	13675	C	ASN	H	151	83.942	153.146	124.606	1.00	33.50	H
ATOM	13676	O	ASN	H	151	84.810	153.990	124.403	1.00	39.18	H
ATOM	13677	N	ASN	H	152	84.114	152.107	125.408	1.00	32.59	H
ATOM	13678	CA	ASN	H	152	85.341	151.945	126.170	1.00	31.27	H
ATOM	13679	CB	ASN	H	152	85.100	152.437	127.582	1.00	30.23	H
ATOM	13680	CG	ASN	H	152	84.082	151.587	128.315	1.00	33.53	H
ATOM	13681	OD1	ASN	H	152	82.877	151.678	128.072	1.00	43.50	H
ATOM	13682	ND2	ASN	H	152	84.564	150.739	129.206	1.00	35.09	H
ATOM	13683	C	ASN	H	152	85.826	150.508	126.255	1.00	31.81	H
ATOM	13684	O	ASN	H	152	85.085	149.575	125.932	1.00	24.58	H
ATOM	13685	N	ASP	H	153	87.070	150.343	126.721	1.00	33.64	H
ATOM	13686	CA	ASP	H	153	87.642	149.010	126.881	1.00	33.97	H
ATOM	13687	CB	ASP	H	153	89.156	149.036	127.148	1.00	33.11	H
ATOM	13688	CG	ASP	H	153	89.977	149.630	126.012	1.00	40.10	H
ATOM	13689	OD1	ASP	H	153	89.555	149.623	124.828	1.00	40.07	H
ATOM	13690	OD2	ASP	H	153	91.094	150.084	126.331	1.00	30.75	H
ATOM	13691	C	ASP	H	153	87.031	148.343	128.098	1.00	33.79	H
ATOM	13692	O	ASP	H	153	86.785	148.993	129.106	1.00	36.10	H
ATOM	13693	N	VAL	H	154	86.774	147.050	127.988	1.00	33.64	H
ATOM	13694	CA	VAL	H	154	86.299	146.265	129.111	1.00	32.37	H
ATOM	13695	CB	VAL	H	154	85.068	145.456	128.766	1.00	33.23	H
ATOM	13696	CG1	VAL	H	154	84.729	144.519	129.924	1.00	28.09	H
ATOM	13697	CG2	VAL	H	154	83.924	146.375	128.479	1.00	41.22	H

ATOM	13698	C	VAL	H	154	87.448	145.282	129.430	1.00	35.45	H
ATOM	13699	O	VAL	H	154	87.673	144.290	128.717	1.00	33.09	H
ATOM	13700	N	VAL	H	155	88.187	145.581	130.490	1.00	36.65	H
ATOM	13701	CA	VAL	H	155	89.307	144.748	130.925	1.00	38.03	H
ATOM	13702	CB	VAL	H	155	90.398	145.585	131.675	1.00	38.48	H
ATOM	13703	CG1	VAL	H	155	91.318	144.667	132.442	1.00	37.00	H
ATOM	13704	CG2	VAL	H	155	91.215	146.401	130.685	1.00	41.21	H
ATOM	13705	C	VAL	H	155	88.880	143.627	131.859	1.00	35.78	H
ATOM	13706	O	VAL	H	155	88.057	143.825	132.757	1.00	36.24	H
ATOM	13707	N	VAL	H	156	89.449	142.450	131.633	1.00	35.38	H
ATOM	13708	CA	VAL	H	156	89.199	141.288	132.480	1.00	39.05	H
ATOM	13709	CB	VAL	H	156	88.797	140.065	131.662	1.00	41.07	H
ATOM	13710	CG1	VAL	H	156	88.916	138.817	132.528	1.00	35.41	H
ATOM	13711	CG2	VAL	H	156	87.377	140.245	131.120	1.00	40.74	H
ATOM	13712	C	VAL	H	156	90.539	140.993	133.138	1.00	39.57	H
ATOM	13713	O	VAL	H	156	91.443	140.474	132.488	1.00	41.67	H
ATOM	13714	N	PRO	H	157	90.686	141.313	134.435	1.00	39.66	H
ATOM	13715	CD	PRO	H	157	89.627	141.771	135.346	1.00	38.88	H
ATOM	13716	CA	PRO	H	157	91.937	141.088	135.175	1.00	37.15	H
ATOM	13717	CB	PRO	H	157	91.563	141.448	136.605	1.00	35.98	H
ATOM	13718	CG	PRO	H	157	90.432	142.427	136.423	1.00	40.01	H
ATOM	13719	C	PRO	H	157	92.477	139.669	135.067	1.00	35.30	H
ATOM	13720	O	PRO	H	157	91.713	138.689	135.030	1.00	33.46	H
ATOM	13721	N	THR	H	158	93.798	139.562	134.983	1.00	33.64	H
ATOM	13722	CA	THR	H	158	94.419	138.253	134.913	1.00	38.24	H
ATOM	13723	CB	THR	H	158	95.867	138.345	134.476	1.00	42.56	H
ATOM	13724	OG1	THR	H	158	96.482	137.064	134.651	1.00	48.17	H
ATOM	13725	CG2	THR	H	158	96.605	139.358	135.303	1.00	44.68	H
ATOM	13726	C	THR	H	158	94.369	137.585	136.296	1.00	38.98	H
ATOM	13727	O	THR	H	158	94.648	138.230	137.316	1.00	37.54	H
ATOM	13728	N	GLY	H	159	94.002	136.300	136.323	1.00	37.45	H
ATOM	13729	CA	GLY	H	159	93.908	135.574	137.579	1.00	37.49	H
ATOM	13730	C	GLY	H	159	95.193	134.898	138.043	1.00	40.20	H
ATOM	13731	O	GLY	H	159	96.248	135.011	137.398	1.00	38.49	H
ATOM	13732	N	GLY	H	160	95.123	134.212	139.181	1.00	36.31	H
ATOM	13733	CA	GLY	H	160	96.309	133.545	139.674	1.00	37.14	H
ATOM	13734	C	GLY	H	160	96.359	132.184	139.027	1.00	37.56	H
ATOM	13735	O	GLY	H	160	95.356	131.750	138.466	1.00	35.72	H
ATOM	13736	N	CYS	H	161	97.500	131.503	139.101	1.00	38.26	H
ATOM	13737	CA	CYS	H	161	97.618	130.178	138.500	1.00	41.11	H
ATOM	13738	C	CYS	H	161	97.157	129.046	139.426	1.00	42.43	H
ATOM	13739	O	CYS	H	161	96.857	129.278	140.600	1.00	43.46	H
ATOM	13740	CB	CYS	H	161	99.047	129.955	138.080	1.00	41.06	H
ATOM	13741	SG	CYS	H	161	99.695	131.342	137.118	1.00	46.08	H
ATOM	13742	N	ASP	H	162	97.064	127.826	138.898	1.00	42.28	H
ATOM	13743	CA	ASP	H	162	96.637	126.712	139.732	1.00	47.22	H
ATOM	13744	CB	ASP	H	162	95.470	125.949	139.110	1.00	52.77	H
ATOM	13745	CG	ASP	H	162	94.826	124.973	140.095	1.00	66.67	H
ATOM	13746	OD1	ASP	H	162	94.521	125.385	141.239	1.00	69.11	H
ATOM	13747	OD2	ASP	H	162	94.618	123.794	139.732	1.00	73.16	H
ATOM	13748	C	ASP	H	162	97.802	125.777	139.959	1.00	50.00	H
ATOM	13749	O	ASP	H	162	98.494	125.378	139.023	1.00	51.75	H
ATOM	13750	N	VAL	H	163	98.027	125.446	141.221	1.00	51.30	H
ATOM	13751	CA	VAL	H	163	99.125	124.584	141.585	1.00	56.20	H
ATOM	13752	CB	VAL	H	163	99.840	125.130	142.824	1.00	55.31	H
ATOM	13753	CG1	VAL	H	163	100.954	124.201	143.242	1.00	54.76	H
ATOM	13754	CG2	VAL	H	163	100.396	126.523	142.514	1.00	53.86	H
ATOM	13755	C	VAL	H	163	98.614	123.184	141.824	1.00	63.02	H

ATOM	13756	O	VAL	H	163	98.330	122.785	142.943	1.00	64.49	H
ATOM	13757	N	SER	H	164	98.499	122.450	140.729	1.00	73.74	H
ATOM	13758	CA	SER	H	164	98.024	121.078	140.732	1.00	81.82	H
ATOM	13759	CB	SER	H	164	97.946	120.565	139.287	1.00	83.24	H
ATOM	13760	OG	SER	H	164	97.482	121.577	138.404	1.00	80.42	H
ATOM	13761	C	SER	H	164	98.969	120.195	141.543	1.00	87.67	H
ATOM	13762	O	SER	H	164	100.108	119.940	141.126	1.00	89.89	H
ATOM	13763	N	ALA	H	165	98.491	119.737	142.700	1.00	90.75	H
ATOM	13764	CA	ALA	H	165	99.271	118.867	143.580	1.00	94.76	H
ATOM	13765	CB	ALA	H	165	99.749	119.648	144.799	1.00	93.45	H
ATOM	13766	C	ALA	H	165	98.415	117.676	144.018	1.00	97.91	H
ATOM	13767	O	ALA	H	165	97.260	117.852	144.420	1.00	101.56	H
ATOM	13768	N	ARG	H	166	98.974	116.471	143.941	1.00	97.80	H
ATOM	13769	CA	ARG	H	166	98.235	115.275	144.326	1.00	98.71	H
ATOM	13770	CB	ARG	H	166	99.085	114.040	144.049	1.00	96.30	H
ATOM	13771	CG	ARG	H	166	99.474	113.948	142.579	1.00	92.16	H
ATOM	13772	CD	ARG	H	166	100.223	112.671	142.237	1.00	92.41	H
ATOM	13773	NE	ARG	H	166	100.618	112.653	140.827	1.00	93.15	H
ATOM	13774	CZ	ARG	H	166	101.427	111.750	140.277	1.00	92.21	H
ATOM	13775	NH1	ARG	H	166	101.940	110.772	141.016	1.00	88.06	H
ATOM	13776	NH2	ARG	H	166	101.733	111.833	138.986	1.00	90.68	H
ATOM	13777	C	ARG	H	166	97.765	115.332	145.787	1.00	101.79	H
ATOM	13778	O	ARG	H	166	96.555	115.390	146.028	1.00	104.81	H
ATOM	13779	N	ASP	H	167	98.698	115.322	146.747	1.00	101.27	H
ATOM	13780	CA	ASP	H	167	98.360	115.418	148.183	1.00	100.78	H
ATOM	13781	CB	ASP	H	167	97.254	114.428	148.574	1.00	104.39	H
ATOM	13782	CG	ASP	H	167	96.763	114.631	150.014	1.00	108.31	H
ATOM	13783	OD1	ASP	H	167	96.051	113.742	150.533	1.00	111.44	H
ATOM	13784	OD2	ASP	H	167	97.088	115.677	150.626	1.00	107.31	H
ATOM	13785	C	ASP	H	167	99.548	115.202	149.122	1.00	99.30	H
ATOM	13786	O	ASP	H	167	100.697	115.435	148.749	1.00	101.60	H
ATOM	13787	N	VAL	H	168	99.242	114.765	150.344	1.00	94.10	H
ATOM	13788	CA	VAL	H	168	100.222	114.491	151.392	1.00	89.10	H
ATOM	13789	CB	VAL	H	168	99.504	114.193	152.729	1.00	89.08	H
ATOM	13790	CG1	VAL	H	168	98.401	113.176	152.504	1.00	90.85	H
ATOM	13791	CG2	VAL	H	168	100.495	113.674	153.761	1.00	88.97	H
ATOM	13792	C	VAL	H	168	101.127	113.312	151.017	1.00	84.02	H
ATOM	13793	O	VAL	H	168	100.841	112.156	151.335	1.00	83.28	H
ATOM	13794	N	THR	H	169	102.227	113.628	150.345	1.00	79.04	H
ATOM	13795	CA	THR	H	169	103.188	112.634	149.893	1.00	77.69	H
ATOM	13796	CB	THR	H	169	104.346	113.297	149.132	1.00	78.03	H
ATOM	13797	OG1	THR	H	169	103.866	113.798	147.881	1.00	80.41	H
ATOM	13798	CG2	THR	H	169	105.464	112.304	148.879	1.00	75.96	H
ATOM	13799	C	THR	H	169	103.788	111.796	150.997	1.00	77.55	H
ATOM	13800	O	THR	H	169	104.320	112.322	151.976	1.00	76.94	H
ATOM	13801	N	VAL	H	170	103.709	110.483	150.819	1.00	78.67	H
ATOM	13802	CA	VAL	H	170	104.268	109.545	151.779	1.00	79.36	H
ATOM	13803	CB	VAL	H	170	103.589	108.155	151.687	1.00	81.16	H
ATOM	13804	CG1	VAL	H	170	104.108	107.257	152.788	1.00	81.88	H
ATOM	13805	CG2	VAL	H	170	102.075	108.293	151.802	1.00	84.58	H
ATOM	13806	C	VAL	H	170	105.756	109.397	151.463	1.00	77.93	H
ATOM	13807	O	VAL	H	170	106.147	108.644	150.569	1.00	69.96	H
ATOM	13808	N	THR	H	171	106.572	110.159	152.185	1.00	81.34	H
ATOM	13809	CA	THR	H	171	108.018	110.132	152.023	1.00	82.80	H
ATOM	13810	CB	THR	H	171	108.683	111.372	152.714	1.00	80.07	H
ATOM	13811	OG1	THR	H	171	110.105	111.219	152.733	1.00	83.51	H
ATOM	13812	CG2	THR	H	171	108.210	111.523	154.137	1.00	76.30	H
ATOM	13813	C	THR	H	171	108.479	108.846	152.690	1.00	86.56	H

ATOM	13814	O	THR	H	171	109.494	108.817	153.386	1.00	90.47	H
ATOM	13815	N	LEU	H	172	107.723	107.776	152.460	1.00	87.50	H
ATOM	13816	CA	LEU	H	172	108.020	106.490	153.067	1.00	90.23	H
ATOM	13817	CB	LEU	H	172	106.838	105.523	152.865	1.00	94.92	H
ATOM	13818	CG	LEU	H	172	106.644	104.334	153.830	1.00	98.91	H
ATOM	13819	CD1	LEU	H	172	105.235	103.763	153.660	1.00	99.64	H
ATOM	13820	CD2	LEU	H	172	107.691	103.251	153.578	1.00	100.55	H
ATOM	13821	C	LEU	H	172	109.324	105.822	152.631	1.00	89.94	H
ATOM	13822	O	LEU	H	172	109.905	105.080	153.417	1.00	91.59	H
ATOM	13823	N	PRO	H	173	109.809	106.074	151.396	1.00	88.15	H
ATOM	13824	CD	PRO	H	173	109.552	107.199	150.483	1.00	87.40	H
ATOM	13825	CA	PRO	H	173	111.064	105.405	151.026	1.00	88.58	H
ATOM	13826	CB	PRO	H	173	111.567	106.236	149.839	1.00	86.91	H
ATOM	13827	CG	PRO	H	173	110.950	107.574	150.065	1.00	86.77	H
ATOM	13828	C	PRO	H	173	112.025	105.409	152.210	1.00	89.40	H
ATOM	13829	O	PRO	H	173	112.821	106.334	152.371	1.00	92.45	H
ATOM	13830	N	ASP	H	174	111.923	104.364	153.030	1.00	86.24	H
ATOM	13831	CA	ASP	H	174	112.710	104.215	154.247	1.00	84.42	H
ATOM	13832	CB	ASP	H	174	112.938	102.732	154.525	1.00	90.57	H
ATOM	13833	CG	ASP	H	174	111.635	101.993	154.764	1.00	95.64	H
ATOM	13834	OD1	ASP	H	174	110.869	101.808	153.790	1.00	96.76	H
ATOM	13835	OD2	ASP	H	174	111.367	101.618	155.930	1.00	101.89	H
ATOM	13836	C	ASP	H	174	114.008	105.004	154.286	1.00	80.19	H
ATOM	13837	O	ASP	H	174	114.733	105.091	153.297	1.00	77.24	H
ATOM	13838	N	TYR	H	175	114.274	105.572	155.456	1.00	76.13	H
ATOM	13839	CA	TYR	H	175	115.417	106.434	155.691	1.00	75.36	H
ATOM	13840	CB	TYR	H	175	116.308	105.921	156.812	1.00	73.13	H
ATOM	13841	CG	TYR	H	175	117.598	106.709	156.834	1.00	70.80	H
ATOM	13842	CD1	TYR	H	175	117.586	108.086	157.039	1.00	68.07	H
ATOM	13843	CE1	TYR	H	175	118.749	108.837	156.936	1.00	70.18	H
ATOM	13844	CD2	TYR	H	175	118.813	106.103	156.536	1.00	71.52	H
ATOM	13845	CE2	TYR	H	175	119.985	106.849	156.435	1.00	72.39	H
ATOM	13846	CZ	TYR	H	175	119.943	108.213	156.635	1.00	68.12	H
ATOM	13847	OH	TYR	H	175	121.093	108.950	156.537	1.00	68.47	H
ATOM	13848	C	TYR	H	175	116.327	106.824	154.537	1.00	76.93	H
ATOM	13849	O	TYR	H	175	116.571	108.008	154.322	1.00	84.72	H
ATOM	13850	N	PRO	H	176	116.886	105.858	153.802	1.00	70.57	H
ATOM	13851	CD	PRO	H	176	117.119	104.417	153.999	1.00	63.36	H
ATOM	13852	CA	PRO	H	176	117.739	106.398	152.738	1.00	64.98	H
ATOM	13853	CB	PRO	H	176	118.703	105.254	152.476	1.00	63.83	H
ATOM	13854	CG	PRO	H	176	117.816	104.048	152.719	1.00	67.97	H
ATOM	13855	C	PRO	H	176	117.007	106.847	151.471	1.00	59.75	H
ATOM	13856	O	PRO	H	176	117.495	107.706	150.738	1.00	54.87	H
ATOM	13857	N	GLY	H	177	115.831	106.266	151.241	1.00	59.39	H
ATOM	13858	CA	GLY	H	177	115.038	106.549	150.050	1.00	58.62	H
ATOM	13859	C	GLY	H	177	114.619	107.970	149.723	1.00	57.48	H
ATOM	13860	O	GLY	H	177	114.567	108.832	150.595	1.00	61.98	H
ATOM	13861	N	SER	H	178	114.306	108.202	148.451	1.00	52.19	H
ATOM	13862	CA	SER	H	178	113.882	109.514	147.982	1.00	49.26	H
ATOM	13863	CB	SER	H	178	115.073	110.283	147.413	1.00	44.32	H
ATOM	13864	OG	SER	H	178	115.345	109.894	146.071	1.00	35.70	H
ATOM	13865	C	SER	H	178	112.825	109.361	146.893	1.00	51.04	H
ATOM	13866	O	SER	H	178	112.978	108.547	145.987	1.00	51.96	H
ATOM	13867	N	VAL	H	179	111.753	110.144	146.973	1.00	53.07	H
ATOM	13868	CA	VAL	H	179	110.705	110.059	145.960	1.00	53.68	H
ATOM	13869	CB	VAL	H	179	109.293	109.823	146.557	1.00	51.24	H
ATOM	13870	CG1	VAL	H	179	109.338	108.804	147.648	1.00	52.65	H
ATOM	13871	CG2	VAL	H	179	108.730	111.123	147.072	1.00	56.55	H

ATOM	13872	C	VAL	H	179	110.605	111.357	145.190	1.00	54.38	H
ATOM	13873	O	VAL	H	179	111.152	112.390	145.605	1.00	52.80	H
ATOM	13874	N	PRO	H	180	109.921	111.313	144.035	1.00	54.36	H
ATOM	13875	CD	PRO	H	180	109.548	110.099	143.290	1.00	49.92	H
ATOM	13876	CA	PRO	H	180	109.730	112.502	143.204	1.00	50.77	H
ATOM	13877	CB	PRO	H	180	109.533	111.922	141.809	1.00	46.10	H
ATOM	13878	CG	PRO	H	180	108.806	110.677	142.092	1.00	52.66	H
ATOM	13879	C	PRO	H	180	108.466	113.121	143.778	1.00	46.16	H
ATOM	13880	O	PRO	H	180	107.635	112.409	144.355	1.00	40.82	H
ATOM	13881	N	ILE	H	181	108.345	114.438	143.662	1.00	46.70	H
ATOM	13882	CA	ILE	H	181	107.188	115.146	144.191	1.00	45.70	H
ATOM	13883	CB	ILE	H	181	107.594	116.277	145.124	1.00	46.33	H
ATOM	13884	CG2	ILE	H	181	106.349	116.911	145.701	1.00	52.87	H
ATOM	13885	CG1	ILE	H	181	108.470	115.740	146.253	1.00	47.66	H
ATOM	13886	CD1	ILE	H	181	108.968	116.802	147.207	1.00	42.45	H
ATOM	13887	C	ILE	H	181	106.357	115.745	143.080	1.00	45.64	H
ATOM	13888	O	ILE	H	181	106.735	116.739	142.445	1.00	40.37	H
ATOM	13889	N	PRO	H	182	105.195	115.148	142.835	1.00	48.61	H
ATOM	13890	CD	PRO	H	182	104.614	114.009	143.559	1.00	47.34	H
ATOM	13891	CA	PRO	H	182	104.291	115.625	141.787	1.00	47.55	H
ATOM	13892	CB	PRO	H	182	103.173	114.590	141.792	1.00	52.79	H
ATOM	13893	CG	PRO	H	182	103.795	113.378	142.486	1.00	52.98	H
ATOM	13894	C	PRO	H	182	103.776	116.999	142.167	1.00	46.28	H
ATOM	13895	O	PRO	H	182	103.097	117.157	143.185	1.00	43.29	H
ATOM	13896	N	LEU	H	183	104.122	117.993	141.362	1.00	46.71	H
ATOM	13897	CA	LEU	H	183	103.677	119.354	141.600	1.00	46.86	H
ATOM	13898	CB	LEU	H	183	104.452	119.996	142.758	1.00	47.73	H
ATOM	13899	CG	LEU	H	183	103.751	121.107	143.560	1.00	43.52	H
ATOM	13900	CD1	LEU	H	183	104.615	121.547	144.727	1.00	41.91	H
ATOM	13901	CD2	LEU	H	183	103.470	122.279	142.663	1.00	52.69	H
ATOM	13902	C	LEU	H	183	103.909	120.137	140.323	1.00	49.19	H
ATOM	13903	O	LEU	H	183	105.050	120.360	139.898	1.00	48.07	H
ATOM	13904	N	THR	H	184	102.806	120.541	139.709	1.00	51.40	H
ATOM	13905	CA	THR	H	184	102.846	121.305	138.476	1.00	49.53	H
ATOM	13906	CB	THR	H	184	102.289	120.480	137.313	1.00	50.92	H
ATOM	13907	OG1	THR	H	184	101.065	119.853	137.725	1.00	56.27	H
ATOM	13908	CG2	THR	H	184	103.286	119.415	136.883	1.00	50.62	H
ATOM	13909	C	THR	H	184	101.985	122.541	138.656	1.00	47.98	H
ATOM	13910	O	THR	H	184	101.216	122.640	139.614	1.00	44.93	H
ATOM	13911	N	VAL	H	185	102.134	123.489	137.742	1.00	45.78	H
ATOM	13912	CA	VAL	H	185	101.351	124.705	137.780	1.00	49.63	H
ATOM	13913	CB	VAL	H	185	102.120	125.896	138.409	1.00	48.99	H
ATOM	13914	CG1	VAL	H	185	102.407	125.616	139.841	1.00	59.04	H
ATOM	13915	CG2	VAL	H	185	103.415	126.164	137.653	1.00	46.59	H
ATOM	13916	C	VAL	H	185	100.989	125.111	136.370	1.00	52.40	H
ATOM	13917	O	VAL	H	185	101.810	124.999	135.449	1.00	49.63	H
ATOM	13918	N	TYR	H	186	99.755	125.567	136.194	1.00	53.34	H
ATOM	13919	CA	TYR	H	186	99.336	126.048	134.892	1.00	54.29	H
ATOM	13920	CB	TYR	H	186	98.430	125.043	134.181	1.00	51.10	H
ATOM	13921	CG	TYR	H	186	97.158	124.754	134.901	1.00	56.06	H
ATOM	13922	CD1	TYR	H	186	96.005	125.505	134.656	1.00	61.45	H
ATOM	13923	CE1	TYR	H	186	94.823	125.256	135.353	1.00	63.47	H
ATOM	13924	CD2	TYR	H	186	97.101	123.743	135.857	1.00	64.98	H
ATOM	13925	CE2	TYR	H	186	95.922	123.481	136.563	1.00	67.53	H
ATOM	13926	CZ	TYR	H	186	94.791	124.244	136.309	1.00	66.36	H
ATOM	13927	OH	TYR	H	186	93.643	124.019	137.035	1.00	71.92	H
ATOM	13928	C	TYR	H	186	98.623	127.347	135.155	1.00	54.15	H
ATOM	13929	O	TYR	H	186	98.120	127.572	136.255	1.00	51.89	H

ATOM	13930	N	CYS	H	187	98.627	128.213	134.151	1.00	55.70	H
ATOM	13931	CA	CYS	H	187	97.986	129.516	134.227	1.00	54.01	H
ATOM	13932	C	CYS	H	187	97.074	129.736	133.019	1.00	53.33	H
ATOM	13933	O	CYS	H	187	97.499	129.561	131.877	1.00	49.57	H
ATOM	13934	CB	CYS	H	187	99.033	130.625	134.217	1.00	53.50	H
ATOM	13935	SG	CYS	H	187	100.391	130.480	135.407	1.00	56.71	H
ATOM	13936	N	ALA	H	188	95.834	130.150	133.270	1.00	54.86	H
ATOM	13937	CA	ALA	H	188	94.892	130.424	132.185	1.00	51.00	H
ATOM	13938	CB	ALA	H	188	93.584	130.935	132.751	1.00	45.46	H
ATOM	13939	C	ALA	H	188	95.513	131.451	131.234	1.00	47.62	H
ATOM	13940	O	ALA	H	188	95.262	131.432	130.035	1.00	50.39	H
ATOM	13941	N	LYS	H	189	96.337	132.333	131.782	1.00	44.81	H
ATOM	13942	CA	LYS	H	189	97.028	133.344	130.997	1.00	47.36	H
ATOM	13943	CB	LYS	H	189	96.577	134.751	131.396	1.00	49.67	H
ATOM	13944	CG	LYS	H	189	95.076	134.984	131.379	1.00	56.60	H
ATOM	13945	CD	LYS	H	189	94.523	134.895	129.971	1.00	62.09	H
ATOM	13946	CE	LYS	H	189	95.177	135.914	129.037	1.00	59.06	H
ATOM	13947	NZ	LYS	H	189	94.772	135.664	127.616	1.00	61.09	H
ATOM	13948	C	LYS	H	189	98.510	133.197	131.319	1.00	50.93	H
ATOM	13949	O	LYS	H	189	98.899	133.248	132.491	1.00	55.21	H
ATOM	13950	N	SER	H	190	99.339	133.004	130.299	1.00	49.61	H
ATOM	13951	CA	SER	H	190	100.770	132.866	130.533	1.00	50.83	H
ATOM	13952	CB	SER	H	190	101.531	132.773	129.217	1.00	50.12	H
ATOM	13953	OG	SER	H	190	102.769	133.465	129.327	1.00	52.47	H
ATOM	13954	C	SER	H	190	101.328	134.040	131.335	1.00	49.93	H
ATOM	13955	O	SER	H	190	100.910	135.185	131.153	1.00	49.20	H
ATOM	13956	N	GLN	H	191	102.276	133.740	132.218	1.00	50.01	H
ATOM	13957	CA	GLN	H	191	102.915	134.753	133.056	1.00	45.56	H
ATOM	13958	CB	GLN	H	191	101.919	135.288	134.075	1.00	44.40	H
ATOM	13959	CG	GLN	H	191	101.264	134.210	134.894	1.00	51.33	H
ATOM	13960	CD	GLN	H	191	100.249	134.771	135.852	1.00	51.33	H
ATOM	13961	OE1	GLN	H	191	100.588	135.541	136.747	1.00	56.10	H
ATOM	13962	NE2	GLN	H	191	98.990	134.392	135.670	1.00	56.09	H
ATOM	13963	C	GLN	H	191	104.127	134.178	133.779	1.00	41.64	H
ATOM	13964	O	GLN	H	191	104.243	132.972	133.968	1.00	39.29	H
ATOM	13965	N	ASN	H	192	105.040	135.050	134.175	1.00	44.57	H
ATOM	13966	CA	ASN	H	192	106.230	134.608	134.881	1.00	46.39	H
ATOM	13967	CB	ASN	H	192	107.315	135.651	134.747	1.00	49.07	H
ATOM	13968	CG	ASN	H	192	107.547	136.032	133.322	1.00	58.06	H
ATOM	13969	OD1	ASN	H	192	107.581	135.168	132.436	1.00	59.30	H
ATOM	13970	ND2	ASN	H	192	107.709	137.330	133.074	1.00	66.46	H
ATOM	13971	C	ASN	H	192	105.992	134.316	136.353	1.00	45.06	H
ATOM	13972	O	ASN	H	192	105.457	135.140	137.099	1.00	51.08	H
ATOM	13973	N	LEU	H	193	106.391	133.124	136.762	1.00	41.81	H
ATOM	13974	CA	LEU	H	193	106.249	132.708	138.136	1.00	36.67	H
ATOM	13975	CB	LEU	H	193	105.381	131.457	138.241	1.00	32.09	H
ATOM	13976	CG	LEU	H	193	103.874	131.591	138.063	1.00	36.58	H
ATOM	13977	CD1	LEU	H	193	103.207	130.239	138.333	1.00	25.96	H
ATOM	13978	CD2	LEU	H	193	103.345	132.664	139.021	1.00	37.49	H
ATOM	13979	C	LEU	H	193	107.611	132.393	138.716	1.00	38.64	H
ATOM	13980	O	LEU	H	193	108.576	132.145	138.003	1.00	37.46	H
ATOM	13981	N	GLY	H	194	107.668	132.410	140.035	1.00	40.79	H
ATOM	13982	CA	GLY	H	194	108.883	132.093	140.742	1.00	37.66	H
ATOM	13983	C	GLY	H	194	108.380	131.498	142.032	1.00	36.00	H
ATOM	13984	O	GLY	H	194	107.228	131.733	142.396	1.00	34.68	H
ATOM	13985	N	TYR	H	195	109.196	130.696	142.704	1.00	34.44	H
ATOM	13986	CA	TYR	H	195	108.766	130.151	143.978	1.00	32.25	H
ATOM	13987	CB	TYR	H	195	108.085	128.805	143.800	1.00	31.62	H

ATOM	13988	CG	TYR	H	195	109.037	127.683	143.515	1.00	43.43	H
ATOM	13989	CD1	TYR	H	195	109.558	127.494	142.235	1.00	43.17	H
ATOM	13990	CE1	TYR	H	195	110.448	126.461	141.974	1.00	43.52	H
ATOM	13991	CD2	TYR	H	195	109.433	126.806	144.532	1.00	39.54	H
ATOM	13992	CE2	TYR	H	195	110.324	125.769	144.279	1.00	43.30	H
ATOM	13993	CZ	TYR	H	195	110.831	125.602	142.996	1.00	45.04	H
ATOM	13994	OH	TYR	H	195	111.725	124.583	142.731	1.00	45.61	H
ATOM	13995	C	TYR	H	195	109.924	130.008	144.942	1.00	30.34	H
ATOM	13996	O	TYR	H	195	111.094	130.078	144.554	1.00	30.88	H
ATOM	13997	N	TYR	H	196	109.583	129.860	146.215	1.00	28.11	H
ATOM	13998	CA	TYR	H	196	110.571	129.666	147.262	1.00	27.63	H
ATOM	13999	CB	TYR	H	196	111.133	130.994	147.790	1.00	27.80	H
ATOM	14000	CG	TYR	H	196	110.170	131.864	148.563	1.00	31.18	H
ATOM	14001	CD1	TYR	H	196	109.679	131.476	149.813	1.00	31.07	H
ATOM	14002	CE1	TYR	H	196	108.805	132.282	150.516	1.00	23.79	H
ATOM	14003	CD2	TYR	H	196	109.754	133.082	148.046	1.00	29.14	H
ATOM	14004	CE2	TYR	H	196	108.883	133.887	148.737	1.00	33.63	H
ATOM	14005	CZ	TYR	H	196	108.412	133.489	149.969	1.00	31.09	H
ATOM	14006	OH	TYR	H	196	107.566	134.337	150.634	1.00	31.91	H
ATOM	14007	C	TYR	H	196	109.937	128.871	148.383	1.00	26.61	H
ATOM	14008	O	TYR	H	196	108.710	128.906	148.579	1.00	23.91	H
ATOM	14009	N	LEU	H	197	110.786	128.121	149.083	1.00	25.44	H
ATOM	14010	CA	LEU	H	197	110.365	127.286	150.195	1.00	22.78	H
ATOM	14011	CB	LEU	H	197	111.215	126.031	150.234	1.00	19.75	H
ATOM	14012	CG	LEU	H	197	111.106	125.212	148.958	1.00	23.46	H
ATOM	14013	CD1	LEU	H	197	111.966	123.970	149.090	1.00	28.74	H
ATOM	14014	CD2	LEU	H	197	109.662	124.825	148.717	1.00	24.37	H
ATOM	14015	C	LEU	H	197	110.493	128.051	151.506	1.00	20.49	H
ATOM	14016	O	LEU	H	197	111.249	129.025	151.611	1.00	21.61	H
ATOM	14017	N	SER	H	198	109.750	127.604	152.504	1.00	17.93	H
ATOM	14018	CA	SER	H	198	109.750	128.252	153.804	1.00	20.55	H
ATOM	14019	CB	SER	H	198	108.710	129.359	153.806	1.00	23.39	H
ATOM	14020	OG	SER	H	198	107.415	128.781	153.653	1.00	31.23	H
ATOM	14021	C	SER	H	198	109.391	127.236	154.890	1.00	24.11	H
ATOM	14022	O	SER	H	198	108.511	126.385	154.713	1.00	19.72	H
ATOM	14023	N	GLY	H	199	110.061	127.352	156.027	1.00	25.96	H
ATOM	14024	CA	GLY	H	199	109.812	126.439	157.118	1.00	22.20	H
ATOM	14025	C	GLY	H	199	111.009	126.367	158.032	1.00	24.16	H
ATOM	14026	O	GLY	H	199	112.063	126.920	157.732	1.00	26.40	H
ATOM	14027	N	THR	H	200	110.841	125.679	159.154	1.00	27.87	H
ATOM	14028	CA	THR	H	200	111.898	125.516	160.147	1.00	28.68	H
ATOM	14029	CB	THR	H	200	111.358	124.847	161.411	1.00	28.34	H
ATOM	14030	OG1	THR	H	200	110.245	125.594	161.894	1.00	29.76	H
ATOM	14031	CG2	THR	H	200	112.416	124.807	162.478	1.00	28.23	H
ATOM	14032	C	THR	H	200	113.024	124.663	159.599	1.00	25.78	H
ATOM	14033	O	THR	H	200	112.799	123.567	159.116	1.00	23.94	H
ATOM	14034	N	THR	H	201	114.237	125.178	159.697	1.00	27.23	H
ATOM	14035	CA	THR	H	201	115.403	124.496	159.170	1.00	29.83	H
ATOM	14036	CB	THR	H	201	116.142	125.458	158.249	1.00	28.38	H
ATOM	14037	OG1	THR	H	201	115.741	125.195	156.903	1.00	32.94	H
ATOM	14038	CG2	THR	H	201	117.639	125.335	158.406	1.00	36.68	H
ATOM	14039	C	THR	H	201	116.336	123.949	160.245	1.00	31.75	H
ATOM	14040	O	THR	H	201	116.365	124.452	161.372	1.00	34.91	H
ATOM	14041	N	ALA	H	202	117.122	122.932	159.904	1.00	27.64	H
ATOM	14042	CA	ALA	H	202	117.996	122.351	160.911	1.00	26.45	H
ATOM	14043	CB	ALA	H	202	117.631	120.869	161.121	1.00	21.14	H
ATOM	14044	C	ALA	H	202	119.470	122.471	160.621	1.00	22.82	H
ATOM	14045	O	ALA	H	202	120.287	121.885	161.338	1.00	21.67	H

ATOM	14046	N	ASP	H	203	119.822	123.240	159.597	1.00	20.54	H
ATOM	14047	CA	ASP	H	203	121.226	123.355	159.209	1.00	18.33	H
ATOM	14048	CB	ASP	H	203	121.500	122.451	158.016	1.00	24.60	H
ATOM	14049	CG	ASP	H	203	120.582	122.732	156.846	1.00	28.66	H
ATOM	14050	OD1	ASP	H	203	121.086	122.902	155.720	1.00	36.00	H
ATOM	14051	OD2	ASP	H	203	119.356	122.787	157.045	1.00	31.53	H
ATOM	14052	C	ASP	H	203	121.653	124.744	158.855	1.00	20.37	H
ATOM	14053	O	ASP	H	203	120.820	125.584	158.542	1.00	23.97	H
ATOM	14054	N	ALA	H	204	122.957	124.984	158.900	1.00	20.49	H
ATOM	14055	CA	ALA	H	204	123.512	126.289	158.576	1.00	21.89	H
ATOM	14056	CB	ALA	H	204	124.982	126.287	158.834	1.00	10.94	H
ATOM	14057	C	ALA	H	204	123.240	126.656	157.114	1.00	29.50	H
ATOM	14058	O	ALA	H	204	123.128	127.836	156.775	1.00	37.30	H
ATOM	14059	N	GLY	H	205	123.149	125.650	156.248	1.00	28.21	H
ATOM	14060	CA	GLY	H	205	122.867	125.918	154.851	1.00	29.37	H
ATOM	14061	C	GLY	H	205	121.383	126.188	154.662	1.00	30.07	H
ATOM	14062	O	GLY	H	205	120.898	126.438	153.561	1.00	30.01	H
ATOM	14063	N	ASN	H	206	120.658	126.114	155.766	1.00	31.73	H
ATOM	14064	CA	ASN	H	206	119.233	126.378	155.783	1.00	32.88	H
ATOM	14065	CB	ASN	H	206	119.012	127.893	155.681	1.00	31.50	H
ATOM	14066	CG	ASN	H	206	117.559	128.289	155.875	1.00	41.02	H
ATOM	14067	OD1	ASN	H	206	116.993	129.022	155.060	1.00	46.28	H
ATOM	14068	ND2	ASN	H	206	116.948	127.815	156.959	1.00	37.88	H
ATOM	14069	C	ASN	H	206	118.430	125.633	154.708	1.00	31.61	H
ATOM	14070	O	ASN	H	206	117.475	126.169	154.156	1.00	30.34	H
ATOM	14071	N	SER	H	207	118.785	124.385	154.434	1.00	32.52	H
ATOM	14072	CA	SER	H	207	118.055	123.638	153.417	1.00	32.07	H
ATOM	14073	CB	SER	H	207	118.882	123.523	152.147	1.00	31.58	H
ATOM	14074	OG	SER	H	207	119.845	122.516	152.309	1.00	40.47	H
ATOM	14075	C	SER	H	207	117.596	122.248	153.810	1.00	28.09	H
ATOM	14076	O	SER	H	207	117.205	121.477	152.949	1.00	28.99	H
ATOM	14077	N	ILE	H	208	117.659	121.919	155.096	1.00	28.26	H
ATOM	14078	CA	ILE	H	208	117.209	120.608	155.591	1.00	28.26	H
ATOM	14079	CB	ILE	H	208	118.344	119.847	156.305	1.00	18.95	H
ATOM	14080	CG2	ILE	H	208	117.855	118.505	156.743	1.00	16.45	H
ATOM	14081	CG1	ILE	H	208	119.524	119.673	155.353	1.00	22.54	H
ATOM	14082	CD1	ILE	H	208	120.790	119.282	156.005	1.00	26.01	H
ATOM	14083	C	ILE	H	208	116.071	120.879	156.567	1.00	33.69	H
ATOM	14084	O	ILE	H	208	116.283	121.364	157.688	1.00	36.66	H
ATOM	14085	N	PHE	H	209	114.853	120.586	156.133	1.00	35.75	H
ATOM	14086	CA	PHE	H	209	113.705	120.866	156.967	1.00	38.07	H
ATOM	14087	CB	PHE	H	209	112.445	120.938	156.110	1.00	38.88	H
ATOM	14088	CG	PHE	H	209	112.432	122.118	155.179	1.00	36.23	H
ATOM	14089	CD1	PHE	H	209	113.050	122.045	153.935	1.00	37.11	H
ATOM	14090	CD2	PHE	H	209	111.893	123.339	155.590	1.00	37.25	H
ATOM	14091	CE1	PHE	H	209	113.140	123.174	153.113	1.00	36.74	H
ATOM	14092	CE2	PHE	H	209	111.977	124.471	154.781	1.00	36.92	H
ATOM	14093	CZ	PHE	H	209	112.604	124.389	153.539	1.00	36.72	H
ATOM	14094	C	PHE	H	209	113.515	119.950	158.147	1.00	41.83	H
ATOM	14095	O	PHE	H	209	113.390	118.734	158.009	1.00	47.27	H
ATOM	14096	N	THR	H	210	113.518	120.576	159.316	1.00	45.10	H
ATOM	14097	CA	THR	H	210	113.363	119.929	160.612	1.00	48.31	H
ATOM	14098	CB	THR	H	210	113.017	120.986	161.662	1.00	49.42	H
ATOM	14099	OG1	THR	H	210	114.191	121.754	161.952	1.00	52.37	H
ATOM	14100	CG2	THR	H	210	112.473	120.347	162.928	1.00	55.01	H
ATOM	14101	C	THR	H	210	112.314	118.831	160.670	1.00	50.87	H
ATOM	14102	O	THR	H	210	111.227	118.971	160.107	1.00	48.74	H
ATOM	14103	N	ASN	H	211	112.641	117.742	161.369	1.00	54.82	H

ATOM	14104	CA	ASN	H	211	111.703	116.638	161.508	1.00	56.25	H
ATOM	14105	CB	ASN	H	211	112.392	115.373	161.999	1.00	56.72	H
ATOM	14106	CG	ASN	H	211	111.415	114.212	162.169	1.00	58.89	H
ATOM	14107	OD1	ASN	H	211	111.804	113.110	162.561	1.00	61.29	H
ATOM	14108	ND2	ASN	H	211	110.142	114.455	161.871	1.00	51.71	H
ATOM	14109	C	ASN	H	211	110.619	117.002	162.492	1.00	56.46	H
ATOM	14110	O	ASN	H	211	110.879	117.225	163.668	1.00	56.79	H
ATOM	14111	N	THR	H	212	109.397	117.049	161.996	1.00	59.49	H
ATOM	14112	CA	THR	H	212	108.250	117.387	162.814	1.00	65.57	H
ATOM	14113	CB	THR	H	212	107.507	118.575	162.199	1.00	64.39	H
ATOM	14114	OG1	THR	H	212	108.231	119.777	162.478	1.00	58.48	H
ATOM	14115	CG2	THR	H	212	106.093	118.671	162.743	1.00	67.49	H
ATOM	14116	C	THR	H	212	107.311	116.190	162.904	1.00	71.24	H
ATOM	14117	O	THR	H	212	106.616	115.865	161.942	1.00	73.17	H
ATOM	14118	N	ALA	H	213	107.294	115.537	164.060	1.00	74.36	H
ATOM	14119	CA	ALA	H	213	106.446	114.372	164.264	1.00	77.12	H
ATOM	14120	CB	ALA	H	213	106.868	113.249	163.330	1.00	71.87	H
ATOM	14121	C	ALA	H	213	106.570	113.921	165.704	1.00	80.84	H
ATOM	14122	O	ALA	H	213	107.583	114.184	166.360	1.00	77.68	H
ATOM	14123	N	SER	H	214	105.540	113.238	166.195	1.00	87.98	H
ATOM	14124	CA	SER	H	214	105.559	112.753	167.567	1.00	94.77	H
ATOM	14125	CB	SER	H	214	104.186	112.939	168.213	1.00	94.65	H
ATOM	14126	OG	SER	H	214	104.275	112.789	169.622	1.00	99.69	H
ATOM	14127	C	SER	H	214	106.003	111.284	167.676	1.00	97.83	H
ATOM	14128	O	SER	H	214	107.039	110.998	168.286	1.00	96.55	H
ATOM	14129	N	PHE	H	215	105.239	110.363	167.081	1.00	100.81	H
ATOM	14130	CA	PHE	H	215	105.571	108.932	167.137	1.00	105.18	H
ATOM	14131	CB	PHE	H	215	104.851	108.149	166.030	1.00	111.67	H
ATOM	14132	CG	PHE	H	215	105.139	106.660	166.050	1.00	119.34	H
ATOM	14133	CD1	PHE	H	215	105.105	105.911	164.873	1.00	122.02	H
ATOM	14134	CD2	PHE	H	215	105.452	106.008	167.247	1.00	120.28	H
ATOM	14135	CE1	PHE	H	215	105.380	104.537	164.884	1.00	123.18	H
ATOM	14136	CE2	PHE	H	215	105.726	104.638	167.270	1.00	122.40	H
ATOM	14137	CZ	PHE	H	215	105.691	103.902	166.085	1.00	123.80	H
ATOM	14138	C	PHE	H	215	107.071	108.640	167.042	1.00	104.89	H
ATOM	14139	O	PHE	H	215	107.629	108.531	165.944	1.00	101.67	H
ATOM	14140	N	SER	H	216	107.702	108.482	168.204	1.00	106.43	H
ATOM	14141	CA	SER	H	216	109.132	108.208	168.291	1.00	107.06	H
ATOM	14142	CB	SER	H	216	109.395	106.701	168.260	1.00	109.87	H
ATOM	14143	OG	SER	H	216	110.765	106.435	168.515	1.00	113.29	H
ATOM	14144	C	SER	H	216	109.844	108.890	167.131	1.00	104.81	H
ATOM	14145	O	SER	H	216	110.051	108.300	166.068	1.00	104.93	H
ATOM	14146	N	PRO	H	217	110.230	110.153	167.329	1.00	102.07	H
ATOM	14147	CD	PRO	H	217	110.213	110.862	168.621	1.00	102.68	H
ATOM	14148	CA	PRO	H	217	110.918	110.948	166.314	1.00	98.56	H
ATOM	14149	CB	PRO	H	217	111.111	112.289	167.009	1.00	100.53	H
ATOM	14150	CG	PRO	H	217	111.315	111.883	168.436	1.00	101.75	H
ATOM	14151	C	PRO	H	217	112.236	110.362	165.841	1.00	93.06	H
ATOM	14152	O	PRO	H	217	113.255	110.506	166.511	1.00	91.90	H
ATOM	14153	N	ALA	H	218	112.211	109.697	164.691	1.00	86.42	H
ATOM	14154	CA	ALA	H	218	113.432	109.146	164.142	1.00	82.78	H
ATOM	14155	CB	ALA	H	218	113.193	108.647	162.733	1.00	80.33	H
ATOM	14156	C	ALA	H	218	114.403	110.322	164.130	1.00	79.90	H
ATOM	14157	O	ALA	H	218	114.479	111.065	163.155	1.00	84.85	H
ATOM	14158	N	GLN	H	219	115.137	110.494	165.221	1.00	74.32	H
ATOM	14159	CA	GLN	H	219	116.073	111.601	165.344	1.00	72.90	H
ATOM	14160	CB	GLN	H	219	116.591	111.684	166.773	1.00	74.31	H
ATOM	14161	CG	GLN	H	219	117.585	112.808	166.975	1.00	82.30	H

ATOM	14162	CD	GLN	H	219	118.255	112.746	168.324	1.00	87.75	H
ATOM	14163	OE1	GLN	H	219	119.094	113.588	168.656	1.00	90.57	H
ATOM	14164	NE2	GLN	H	219	117.889	111.742	169.116	1.00	90.90	H
ATOM	14165	C	GLN	H	219	117.273	111.558	164.408	1.00	71.22	H
ATOM	14166	O	GLN	H	219	117.685	110.487	163.961	1.00	70.45	H
ATOM	14167	N	GLY	H	220	117.825	112.739	164.118	1.00	69.51	H
ATOM	14168	CA	GLY	H	220	119.012	112.843	163.278	1.00	65.41	H
ATOM	14169	C	GLY	H	220	118.876	113.016	161.778	1.00	61.51	H
ATOM	14170	O	GLY	H	220	119.874	113.259	161.096	1.00	59.70	H
ATOM	14171	N	VAL	H	221	117.660	112.902	161.254	1.00	59.07	H
ATOM	14172	CA	VAL	H	221	117.465	113.041	159.823	1.00	57.35	H
ATOM	14173	CB	VAL	H	221	116.577	111.910	159.266	1.00	57.11	H
ATOM	14174	CG1	VAL	H	221	116.776	111.793	157.764	1.00	57.94	H
ATOM	14175	CG2	VAL	H	221	116.921	110.611	159.925	1.00	53.63	H
ATOM	14176	C	VAL	H	221	116.883	114.396	159.410	1.00	57.07	H
ATOM	14177	O	VAL	H	221	117.443	115.434	159.741	1.00	59.33	H
ATOM	14178	N	GLY	H	222	115.764	114.382	158.689	1.00	53.16	H
ATOM	14179	CA	GLY	H	222	115.164	115.615	158.215	1.00	48.07	H
ATOM	14180	C	GLY	H	222	114.984	115.556	156.706	1.00	42.88	H
ATOM	14181	O	GLY	H	222	115.757	114.903	156.020	1.00	43.25	H
ATOM	14182	N	VAL	H	223	113.968	116.246	156.197	1.00	38.68	H
ATOM	14183	CA	VAL	H	223	113.639	116.277	154.768	1.00	34.75	H
ATOM	14184	CB	VAL	H	223	112.114	116.370	154.586	1.00	38.82	H
ATOM	14185	CG1	VAL	H	223	111.762	116.539	153.119	1.00	36.71	H
ATOM	14186	CG2	VAL	H	223	111.456	115.129	155.171	1.00	38.10	H
ATOM	14187	C	VAL	H	223	114.271	117.428	153.979	1.00	34.00	H
ATOM	14188	O	VAL	H	223	114.246	118.584	154.412	1.00	36.39	H
ATOM	14189	N	GLN	H	224	114.823	117.116	152.810	1.00	32.08	H
ATOM	14190	CA	GLN	H	224	115.450	118.137	151.960	1.00	32.65	H
ATOM	14191	CB	GLN	H	224	116.962	117.946	151.901	1.00	25.01	H
ATOM	14192	CG	GLN	H	224	117.696	119.059	151.202	1.00	31.48	H
ATOM	14193	CD	GLN	H	224	119.187	118.764	151.036	1.00	37.29	H
ATOM	14194	OE1	GLN	H	224	120.031	119.649	151.158	1.00	36.62	H
ATOM	14195	NE2	GLN	H	224	119.509	117.517	150.741	1.00	40.21	H
ATOM	14196	C	GLN	H	224	114.864	117.993	150.559	1.00	35.23	H
ATOM	14197	O	GLN	H	224	114.726	116.881	150.051	1.00	35.88	H
ATOM	14198	N	LEU	H	225	114.505	119.112	149.940	1.00	34.47	H
ATOM	14199	CA	LEU	H	225	113.918	119.064	148.616	1.00	29.04	H
ATOM	14200	CB	LEU	H	225	112.711	119.988	148.532	1.00	29.27	H
ATOM	14201	CG	LEU	H	225	111.601	119.701	149.544	1.00	35.55	H
ATOM	14202	CD1	LEU	H	225	110.323	120.430	149.147	1.00	32.28	H
ATOM	14203	CD2	LEU	H	225	111.342	118.217	149.606	1.00	37.60	H
ATOM	14204	C	LEU	H	225	114.921	119.412	147.544	1.00	30.35	H
ATOM	14205	O	LEU	H	225	115.781	120.291	147.704	1.00	31.42	H
ATOM	14206	N	THR	H	226	114.788	118.720	146.427	1.00	27.07	H
ATOM	14207	CA	THR	H	226	115.704	118.919	145.339	1.00	24.75	H
ATOM	14208	CB	THR	H	226	116.662	117.707	145.340	1.00	24.75	H
ATOM	14209	OG1	THR	H	226	117.937	118.089	144.817	1.00	30.79	H
ATOM	14210	CG2	THR	H	226	116.059	116.554	144.555	1.00	24.51	H
ATOM	14211	C	THR	H	226	114.914	119.070	144.025	1.00	22.12	H
ATOM	14212	O	THR	H	226	113.800	118.538	143.893	1.00	16.73	H
ATOM	14213	N	ARG	H	227	115.466	119.834	143.082	1.00	22.02	H
ATOM	14214	CA	ARG	H	227	114.823	120.045	141.767	1.00	29.48	H
ATOM	14215	CB	ARG	H	227	114.402	121.532	141.577	1.00	23.81	H
ATOM	14216	CG	ARG	H	227	115.549	122.548	141.646	1.00	21.69	H
ATOM	14217	CD	ARG	H	227	115.055	124.002	141.531	1.00	31.36	H
ATOM	14218	NE	ARG	H	227	116.058	124.873	140.909	1.00	28.03	H
ATOM	14219	CZ	ARG	H	227	116.876	125.680	141.571	1.00	34.10	H

ATOM	14220	NH1	ARG	H	227	116.815	125.749	142.897	1.00	39.69	H
ATOM	14221	NH2	ARG	H	227	117.768	126.405	140.906	1.00	32.51	H
ATOM	14222	C	ARG	H	227	115.826	119.587	140.692	1.00	31.56	H
ATOM	14223	O	ARG	H	227	116.781	120.295	140.348	1.00	25.76	H
ATOM	14224	N	ASN	H	228	115.597	118.378	140.181	1.00	39.43	H
ATOM	14225	CA	ASN	H	228	116.501	117.760	139.212	1.00	42.88	H
ATOM	14226	CB	ASN	H	228	116.404	118.464	137.862	1.00	47.91	H
ATOM	14227	CG	ASN	H	228	115.134	118.113	137.130	1.00	53.64	H
ATOM	14228	OD1	ASN	H	228	115.037	118.301	135.925	1.00	65.36	H
ATOM	14229	ND2	ASN	H	228	114.147	117.594	137.857	1.00	54.42	H
ATOM	14230	C	ASN	H	228	117.942	117.787	139.730	1.00	41.55	H
ATOM	14231	O	ASN	H	228	118.864	118.240	139.047	1.00	40.53	H
ATOM	14232	N	GLY	H	229	118.129	117.322	140.960	1.00	40.99	H
ATOM	14233	CA	GLY	H	229	119.465	117.304	141.525	1.00	39.98	H
ATOM	14234	C	GLY	H	229	119.918	118.535	142.288	1.00	42.34	H
ATOM	14235	O	GLY	H	229	120.809	118.430	143.138	1.00	42.39	H
ATOM	14236	N	THR	H	230	119.338	119.696	141.990	1.00	41.21	H
ATOM	14237	CA	THR	H	230	119.723	120.925	142.676	1.00	39.54	H
ATOM	14238	CB	THR	H	230	119.437	122.152	141.830	1.00	38.24	H
ATOM	14239	OG1	THR	H	230	120.329	122.167	140.721	1.00	43.39	H
ATOM	14240	CG2	THR	H	230	119.634	123.422	142.643	1.00	39.08	H
ATOM	14241	C	THR	H	230	118.966	121.075	143.981	1.00	40.50	H
ATOM	14242	O	THR	H	230	117.747	120.872	144.034	1.00	45.07	H
ATOM	14243	N	ILE	H	231	119.694	121.428	145.033	1.00	34.41	H
ATOM	14244	CA	ILE	H	231	119.099	121.597	146.341	1.00	32.04	H
ATOM	14245	CB	ILE	H	231	120.180	121.554	147.453	1.00	35.88	H
ATOM	14246	CG2	ILE	H	231	119.603	122.041	148.784	1.00	31.13	H
ATOM	14247	CG1	ILE	H	231	120.726	120.134	147.606	1.00	29.21	H
ATOM	14248	CD1	ILE	H	231	121.819	120.043	148.655	1.00	34.77	H
ATOM	14249	C	ILE	H	231	118.374	122.924	146.412	1.00	30.25	H
ATOM	14250	O	ILE	H	231	118.830	123.932	145.876	1.00	31.04	H
ATOM	14251	N	ILE	H	232	117.238	122.919	147.083	1.00	28.75	H
ATOM	14252	CA	ILE	H	232	116.462	124.132	147.233	1.00	26.59	H
ATOM	14253	CB	ILE	H	232	115.017	123.896	146.761	1.00	24.40	H
ATOM	14254	CG2	ILE	H	232	114.218	125.195	146.818	1.00	24.73	H
ATOM	14255	CG1	ILE	H	232	115.028	123.373	145.321	1.00	25.06	H
ATOM	14256	CD1	ILE	H	232	113.691	122.837	144.852	1.00	11.31	H
ATOM	14257	C	ILE	H	232	116.451	124.611	148.694	1.00	27.13	H
ATOM	14258	O	ILE	H	232	115.702	124.104	149.524	1.00	31.62	H
ATOM	14259	N	PRO	H	233	117.326	125.556	149.040	1.00	23.15	H
ATOM	14260	CD	PRO	H	233	118.570	125.958	148.364	1.00	17.70	H
ATOM	14261	CA	PRO	H	233	117.298	126.021	150.432	1.00	25.73	H
ATOM	14262	CB	PRO	H	233	118.641	126.748	150.590	1.00	26.75	H
ATOM	14263	CG	PRO	H	233	119.012	127.128	149.185	1.00	22.96	H
ATOM	14264	C	PRO	H	233	116.100	126.949	150.635	1.00	26.91	H
ATOM	14265	O	PRO	H	233	115.636	127.577	149.683	1.00	29.49	H
ATOM	14266	N	ALA	H	234	115.596	127.021	151.862	1.00	24.04	H
ATOM	14267	CA	ALA	H	234	114.453	127.876	152.178	1.00	23.39	H
ATOM	14268	CB	ALA	H	234	114.140	127.787	153.628	1.00	25.04	H
ATOM	14269	C	ALA	H	234	114.718	129.323	151.821	1.00	24.76	H
ATOM	14270	O	ALA	H	234	115.824	129.819	152.032	1.00	24.11	H
ATOM	14271	N	ASN	H	235	113.703	129.994	151.272	1.00	25.15	H
ATOM	14272	CA	ASN	H	235	113.814	131.408	150.893	1.00	27.41	H
ATOM	14273	CB	ASN	H	235	114.078	132.251	152.142	1.00	23.61	H
ATOM	14274	CG	ASN	H	235	113.062	131.982	153.214	1.00	31.16	H
ATOM	14275	OD1	ASN	H	235	113.386	131.458	154.282	1.00	36.51	H
ATOM	14276	ND2	ASN	H	235	111.810	132.304	152.927	1.00	25.17	H
ATOM	14277	C	ASN	H	235	114.842	131.734	149.816	1.00	27.96	H

ATOM	14278	O	ASN	H	235	115.534	132.737	149.890	1.00	28.55	H
ATOM	14279	N	ASN	H	236	114.924	130.864	148.820	1.00	30.71	H
ATOM	14280	CA	ASN	H	236	115.815	131.015	147.683	1.00	31.60	H
ATOM	14281	CB	ASN	H	236	116.804	129.840	147.627	1.00	42.82	H
ATOM	14282	CG	ASN	H	236	117.579	129.775	146.311	1.00	43.13	H
ATOM	14283	OD1	ASN	H	236	118.295	130.708	145.955	1.00	43.69	H
ATOM	14284	ND2	ASN	H	236	117.437	128.664	145.588	1.00	43.75	H
ATOM	14285	C	ASN	H	236	114.848	130.952	146.511	1.00	33.29	H
ATOM	14286	O	ASN	H	236	114.389	129.872	146.152	1.00	35.98	H
ATOM	14287	N	THR	H	237	114.527	132.092	145.918	1.00	29.60	H
ATOM	14288	CA	THR	H	237	113.563	132.086	144.833	1.00	34.76	H
ATOM	14289	CB	THR	H	237	113.113	133.533	144.474	1.00	39.32	H
ATOM	14290	OG1	THR	H	237	112.798	134.259	145.675	1.00	45.86	H
ATOM	14291	CG2	THR	H	237	111.864	133.484	143.620	1.00	39.98	H
ATOM	14292	C	THR	H	237	114.008	131.358	143.566	1.00	33.90	H
ATOM	14293	O	THR	H	237	115.046	131.661	142.981	1.00	32.31	H
ATOM	14294	N	VAL	H	238	113.212	130.374	143.165	1.00	34.04	H
ATOM	14295	CA	VAL	H	238	113.497	129.615	141.963	1.00	39.07	H
ATOM	14296	CB	VAL	H	238	113.200	128.116	142.137	1.00	41.73	H
ATOM	14297	CG1	VAL	H	238	113.230	127.417	140.777	1.00	40.69	H
ATOM	14298	CG2	VAL	H	238	114.225	127.492	143.049	1.00	47.55	H
ATOM	14299	C	VAL	H	238	112.596	130.151	140.871	1.00	40.76	H
ATOM	14300	O	VAL	H	238	111.370	130.126	140.990	1.00	39.50	H
ATOM	14301	N	SER	H	239	113.209	130.631	139.802	1.00	43.12	H
ATOM	14302	CA	SER	H	239	112.449	131.183	138.699	1.00	42.55	H
ATOM	14303	CB	SER	H	239	113.280	132.193	137.940	1.00	41.50	H
ATOM	14304	OG	SER	H	239	112.526	132.640	136.836	1.00	52.45	H
ATOM	14305	C	SER	H	239	111.965	130.142	137.721	1.00	40.68	H
ATOM	14306	O	SER	H	239	112.759	129.460	137.086	1.00	43.81	H
ATOM	14307	N	LEU	H	240	110.653	130.045	137.591	1.00	39.84	H
ATOM	14308	CA	LEU	H	240	110.019	129.099	136.679	1.00	38.79	H
ATOM	14309	CB	LEU	H	240	108.626	128.763	137.188	1.00	31.99	H
ATOM	14310	CG	LEU	H	240	108.560	127.745	138.319	1.00	32.02	H
ATOM	14311	CD1	LEU	H	240	107.132	127.656	138.831	1.00	33.09	H
ATOM	14312	CD2	LEU	H	240	109.033	126.392	137.820	1.00	20.05	H
ATOM	14313	C	LEU	H	240	109.901	129.594	135.233	1.00	40.23	H
ATOM	14314	O	LEU	H	240	109.581	128.818	134.340	1.00	39.03	H
ATOM	14315	N	GLY	H	241	110.166	130.879	135.006	1.00	43.57	H
ATOM	14316	CA	GLY	H	241	110.043	131.436	133.672	1.00	44.62	H
ATOM	14317	C	GLY	H	241	108.575	131.683	133.347	1.00	45.50	H
ATOM	14318	O	GLY	H	241	107.796	132.034	134.227	1.00	45.67	H
ATOM	14319	N	ALA	H	242	108.187	131.506	132.090	1.00	45.53	H
ATOM	14320	CA	ALA	H	242	106.797	131.709	131.711	1.00	45.23	H
ATOM	14321	CB	ALA	H	242	106.702	132.212	130.297	1.00	45.46	H
ATOM	14322	C	ALA	H	242	106.030	130.412	131.840	1.00	44.52	H
ATOM	14323	O	ALA	H	242	106.450	129.374	131.332	1.00	45.48	H
ATOM	14324	N	VAL	H	243	104.909	130.476	132.541	1.00	43.53	H
ATOM	14325	CA	VAL	H	243	104.068	129.313	132.728	1.00	45.65	H
ATOM	14326	CB	VAL	H	243	103.857	129.028	134.198	1.00	42.10	H
ATOM	14327	CG1	VAL	H	243	102.982	127.788	134.365	1.00	46.00	H
ATOM	14328	CG2	VAL	H	243	105.188	128.833	134.859	1.00	45.73	H
ATOM	14329	C	VAL	H	243	102.723	129.618	132.085	1.00	50.94	H
ATOM	14330	O	VAL	H	243	102.117	130.659	132.367	1.00	56.16	H
ATOM	14331	N	GLY	H	244	102.265	128.715	131.223	1.00	47.40	H
ATOM	14332	CA	GLY	H	244	101.015	128.928	130.540	1.00	46.28	H
ATOM	14333	C	GLY	H	244	99.969	127.853	130.737	1.00	50.75	H
ATOM	14334	O	GLY	H	244	99.806	127.304	131.833	1.00	50.72	H
ATOM	14335	N	THR	H	245	99.259	127.549	129.652	1.00	54.31	H

ATOM	14336	CA	THR	H	245	98.175	126.576	129.684	1.00	56.74	H
ATOM	14337	CB	THR	H	245	97.297	126.693	128.409	1.00	58.77	H
ATOM	14338	OG1	THR	H	245	98.118	126.649	127.235	1.00	61.20	H
ATOM	14339	CG2	THR	H	245	96.532	128.014	128.431	1.00	55.41	H
ATOM	14340	C	THR	H	245	98.632	125.148	129.896	1.00	55.52	H
ATOM	14341	O	THR	H	245	97.883	124.322	130.419	1.00	58.70	H
ATOM	14342	N	SER	H	246	99.865	124.856	129.499	1.00	55.57	H
ATOM	14343	CA	SER	H	246	100.414	123.519	129.694	1.00	54.52	H
ATOM	14344	CB	SER	H	246	101.438	123.185	128.613	1.00	54.23	H
ATOM	14345	OG	SER	H	246	100.948	123.509	127.329	1.00	63.62	H
ATOM	14346	C	SER	H	246	101.110	123.536	131.049	1.00	51.06	H
ATOM	14347	O	SER	H	246	101.975	124.387	131.294	1.00	49.39	H
ATOM	14348	N	ALA	H	247	100.723	122.612	131.922	1.00	46.23	H
ATOM	14349	CA	ALA	H	247	101.315	122.505	133.245	1.00	46.30	H
ATOM	14350	CB	ALA	H	247	100.736	121.315	133.964	1.00	46.24	H
ATOM	14351	C	ALA	H	247	102.843	122.385	133.196	1.00	47.71	H
ATOM	14352	O	ALA	H	247	103.419	121.833	132.258	1.00	50.74	H
ATOM	14353	N	VAL	H	248	103.493	122.923	134.215	1.00	44.90	H
ATOM	14354	CA	VAL	H	248	104.934	122.873	134.311	1.00	42.82	H
ATOM	14355	CB	VAL	H	248	105.552	124.279	134.328	1.00	45.22	H
ATOM	14356	CG1	VAL	H	248	107.025	124.197	134.686	1.00	37.95	H
ATOM	14357	CG2	VAL	H	248	105.371	124.938	132.983	1.00	39.82	H
ATOM	14358	C	VAL	H	248	105.260	122.191	135.617	1.00	44.31	H
ATOM	14359	O	VAL	H	248	104.799	122.611	136.679	1.00	45.10	H
ATOM	14360	N	SER	H	249	106.050	121.129	135.528	1.00	45.72	H
ATOM	14361	CA	SER	H	249	106.464	120.361	136.695	1.00	41.90	H
ATOM	14362	CB	SER	H	249	106.882	118.959	136.257	1.00	37.04	H
ATOM	14363	OG	SER	H	249	107.155	118.133	137.366	1.00	44.04	H
ATOM	14364	C	SER	H	249	107.644	121.071	137.332	1.00	40.43	H
ATOM	14365	O	SER	H	249	108.573	121.464	136.631	1.00	36.04	H
ATOM	14366	N	LEU	H	250	107.611	121.259	138.650	1.00	43.05	H
ATOM	14367	CA	LEU	H	250	108.744	121.911	139.322	1.00	44.63	H
ATOM	14368	CB	LEU	H	250	108.372	122.362	140.740	1.00	46.41	H
ATOM	14369	CG	LEU	H	250	107.156	123.272	140.937	1.00	49.17	H
ATOM	14370	CD1	LEU	H	250	107.192	123.821	142.366	1.00	45.92	H
ATOM	14371	CD2	LEU	H	250	107.166	124.404	139.921	1.00	41.47	H
ATOM	14372	C	LEU	H	250	109.907	120.917	139.398	1.00	42.54	H
ATOM	14373	O	LEU	H	250	111.039	121.297	139.686	1.00	38.72	H
ATOM	14374	N	GLY	H	251	109.605	119.646	139.124	1.00	37.11	H
ATOM	14375	CA	GLY	H	251	110.614	118.612	139.166	1.00	39.12	H
ATOM	14376	C	GLY	H	251	111.211	118.463	140.551	1.00	41.46	H
ATOM	14377	O	GLY	H	251	112.438	118.459	140.720	1.00	44.29	H
ATOM	14378	N	LEU	H	252	110.336	118.331	141.539	1.00	36.58	H
ATOM	14379	CA	LEU	H	252	110.750	118.209	142.918	1.00	36.90	H
ATOM	14380	CB	LEU	H	252	109.731	118.892	143.835	1.00	34.52	H
ATOM	14381	CG	LEU	H	252	109.535	120.399	143.714	1.00	34.44	H
ATOM	14382	CD1	LEU	H	252	108.371	120.810	144.592	1.00	29.08	H
ATOM	14383	CD2	LEU	H	252	110.805	121.117	144.108	1.00	29.30	H
ATOM	14384	C	LEU	H	252	110.904	116.776	143.385	1.00	37.86	H
ATOM	14385	O	LEU	H	252	110.192	115.886	142.943	1.00	42.71	H
ATOM	14386	N	THR	H	253	111.843	116.566	144.293	1.00	35.69	H
ATOM	14387	CA	THR	H	253	112.060	115.260	144.892	1.00	34.52	H
ATOM	14388	CB	THR	H	253	113.269	114.542	144.298	1.00	34.33	H
ATOM	14389	OG1	THR	H	253	112.880	113.877	143.095	1.00	41.34	H
ATOM	14390	CG2	THR	H	253	113.823	113.536	145.280	1.00	21.10	H
ATOM	14391	C	THR	H	253	112.341	115.489	146.360	1.00	36.25	H
ATOM	14392	O	THR	H	253	113.094	116.409	146.720	1.00	35.28	H
ATOM	14393	N	ALA	H	254	111.720	114.669	147.202	1.00	33.70	H

ATOM	14394	CA	ALA	H	254	111.952	114.760	148.636	1.00	34.92	H
ATOM	14395	CB	ALA	H	254	110.709	114.301	149.414	1.00	28.52	H
ATOM	14396	C	ALA	H	254	113.151	113.845	148.934	1.00	38.24	H
ATOM	14397	O	ALA	H	254	113.234	112.713	148.443	1.00	39.37	H
ATOM	14398	N	ASN	H	255	114.082	114.347	149.730	1.00	38.96	H
ATOM	14399	CA	ASN	H	255	115.276	113.594	150.087	1.00	37.07	H
ATOM	14400	CB	ASN	H	255	116.506	114.228	149.448	1.00	33.01	H
ATOM	14401	CG	ASN	H	255	116.399	114.331	147.965	1.00	31.08	H
ATOM	14402	OD1	ASN	H	255	116.899	113.484	147.246	1.00	39.97	H
ATOM	14403	ND2	ASN	H	255	115.749	115.376	147.490	1.00	41.71	H
ATOM	14404	C	ASN	H	255	115.490	113.655	151.577	1.00	36.60	H
ATOM	14405	O	ASN	H	255	115.138	114.647	152.209	1.00	40.78	H
ATOM	14406	N	TYR	H	256	116.069	112.605	152.145	1.00	36.59	H
ATOM	14407	CA	TYR	H	256	116.407	112.646	153.565	1.00	34.57	H
ATOM	14408	CB	TYR	H	256	116.415	111.258	154.203	1.00	31.19	H
ATOM	14409	CG	TYR	H	256	115.081	110.564	154.319	1.00	29.49	H
ATOM	14410	CD1	TYR	H	256	114.730	109.534	153.439	1.00	28.40	H
ATOM	14411	CE1	TYR	H	256	113.543	108.819	153.591	1.00	33.13	H
ATOM	14412	CD2	TYR	H	256	114.204	110.874	155.351	1.00	29.30	H
ATOM	14413	CE2	TYR	H	256	113.008	110.172	155.516	1.00	34.35	H
ATOM	14414	CZ	TYR	H	256	112.682	109.142	154.638	1.00	38.46	H
ATOM	14415	OH	TYR	H	256	111.510	108.432	154.809	1.00	32.82	H
ATOM	14416	C	TYR	H	256	117.836	113.202	153.613	1.00	34.08	H
ATOM	14417	O	TYR	H	256	118.670	112.871	152.766	1.00	35.37	H
ATOM	14418	N	ALA	H	257	118.104	114.075	154.572	1.00	34.43	H
ATOM	14419	CA	ALA	H	257	119.437	114.632	154.743	1.00	34.90	H
ATOM	14420	CB	ALA	H	257	119.457	116.087	154.367	1.00	37.39	H
ATOM	14421	C	ALA	H	257	119.730	114.469	156.222	1.00	40.66	H
ATOM	14422	O	ALA	H	257	118.811	114.354	157.035	1.00	41.23	H
ATOM	14423	N	ARG	H	258	120.999	114.444	156.585	1.00	46.20	H
ATOM	14424	CA	ARG	H	258	121.336	114.284	157.992	1.00	50.56	H
ATOM	14425	CB	ARG	H	258	122.561	113.381	158.152	1.00	55.62	H
ATOM	14426	CG	ARG	H	258	122.356	111.936	157.751	1.00	52.75	H
ATOM	14427	CD	ARG	H	258	123.668	111.203	157.857	1.00	65.39	H
ATOM	14428	NE	ARG	H	258	124.193	111.255	159.220	1.00	77.10	H
ATOM	14429	CZ	ARG	H	258	125.465	111.032	159.540	1.00	81.34	H
ATOM	14430	NH1	ARG	H	258	126.345	110.747	158.589	1.00	87.13	H
ATOM	14431	NH2	ARG	H	258	125.856	111.081	160.807	1.00	81.95	H
ATOM	14432	C	ARG	H	258	121.611	115.633	158.631	1.00	50.72	H
ATOM	14433	O	ARG	H	258	122.351	116.462	158.080	1.00	50.72	H
ATOM	14434	N	THR	H	259	121.018	115.832	159.801	1.00	50.97	H
ATOM	14435	CA	THR	H	259	121.164	117.067	160.555	1.00	53.32	H
ATOM	14436	CB	THR	H	259	119.919	117.341	161.376	1.00	54.13	H
ATOM	14437	OG1	THR	H	259	119.561	116.158	162.098	1.00	57.38	H
ATOM	14438	CG2	THR	H	259	118.773	117.747	160.478	1.00	59.61	H
ATOM	14439	C	THR	H	259	122.326	116.978	161.513	1.00	56.37	H
ATOM	14440	O	THR	H	259	123.434	117.416	161.205	1.00	54.45	H
ATOM	14441	N	GLY	H	260	122.049	116.396	162.679	1.00	61.84	H
ATOM	14442	CA	GLY	H	260	123.051	116.232	163.716	1.00	64.80	H
ATOM	14443	C	GLY	H	260	124.095	115.185	163.395	1.00	65.54	H
ATOM	14444	O	GLY	H	260	124.878	115.354	162.461	1.00	62.19	H
ATOM	14445	N	GLY	H	261	124.114	114.103	164.169	1.00	71.40	H
ATOM	14446	CA	GLY	H	261	125.094	113.049	163.937	1.00	75.43	H
ATOM	14447	C	GLY	H	261	124.503	111.646	163.894	1.00	78.17	H
ATOM	14448	O	GLY	H	261	124.266	111.092	162.820	1.00	80.30	H
ATOM	14449	N	GLN	H	262	124.258	111.068	165.062	1.00	78.47	H
ATOM	14450	CA	GLN	H	262	123.698	109.727	165.144	1.00	78.51	H
ATOM	14451	CB	GLN	H	262	123.731	109.247	166.596	1.00	86.27	H

ATOM	14452	CG	GLN	H	262	123.662	107.739	166.800	1.00	93.17	H
ATOM	14453	CD	GLN	H	262	124.978	107.058	166.479	1.00	98.18	H
ATOM	14454	OE1	GLN	H	262	125.325	106.036	167.080	1.00	101.87	H
ATOM	14455	NE2	GLN	H	262	125.718	107.616	165.518	1.00	100.89	H
ATOM	14456	C	GLN	H	262	122.256	109.702	164.647	1.00	73.55	H
ATOM	14457	O	GLN	H	262	121.387	110.372	165.208	1.00	73.90	H
ATOM	14458	N	VAL	H	263	122.006	108.933	163.595	1.00	67.84	H
ATOM	14459	CA	VAL	H	263	120.656	108.815	163.069	1.00	64.60	H
ATOM	14460	CB	VAL	H	263	120.674	108.339	161.613	1.00	61.64	H
ATOM	14461	CG1	VAL	H	263	119.259	108.130	161.121	1.00	61.83	H
ATOM	14462	CG2	VAL	H	263	121.400	109.351	160.741	1.00	55.79	H
ATOM	14463	C	VAL	H	263	119.941	107.793	163.944	1.00	64.07	H
ATOM	14464	O	VAL	H	263	120.564	106.880	164.456	1.00	67.31	H
ATOM	14465	N	THR	H	264	118.638	107.929	164.111	1.00	62.80	H
ATOM	14466	CA	THR	H	264	117.919	107.011	164.977	1.00	63.54	H
ATOM	14467	CB	THR	H	264	117.750	107.672	166.326	1.00	61.10	H
ATOM	14468	OG1	THR	H	264	119.043	108.057	166.805	1.00	60.00	H
ATOM	14469	CG2	THR	H	264	117.072	106.754	167.307	1.00	54.31	H
ATOM	14470	C	THR	H	264	116.559	106.596	164.434	1.00	69.00	H
ATOM	14471	O	THR	H	264	115.868	107.387	163.800	1.00	72.97	H
ATOM	14472	N	ALA	H	265	116.174	105.352	164.691	1.00	71.82	H
ATOM	14473	CA	ALA	H	265	114.899	104.830	164.208	1.00	73.97	H
ATOM	14474	CB	ALA	H	265	114.730	103.382	164.638	1.00	76.91	H
ATOM	14475	C	ALA	H	265	113.705	105.644	164.679	1.00	73.64	H
ATOM	14476	O	ALA	H	265	113.769	106.331	165.699	1.00	73.35	H
ATOM	14477	N	GLY	H	266	112.615	105.550	163.922	1.00	74.63	H
ATOM	14478	CA	GLY	H	266	111.397	106.270	164.253	1.00	73.88	H
ATOM	14479	C	GLY	H	266	110.782	106.951	163.047	1.00	72.19	H
ATOM	14480	O	GLY	H	266	111.239	106.771	161.918	1.00	71.81	H
ATOM	14481	N	ASN	H	267	109.741	107.741	163.281	1.00	72.01	H
ATOM	14482	CA	ASN	H	267	109.080	108.453	162.193	1.00	71.42	H
ATOM	14483	CB	ASN	H	267	107.606	108.686	162.519	1.00	75.45	H
ATOM	14484	CG	ASN	H	267	106.773	107.440	162.341	1.00	83.23	H
ATOM	14485	OD1	ASN	H	267	105.552	107.462	162.513	1.00	86.63	H
ATOM	14486	ND2	ASN	H	267	107.428	106.338	161.986	1.00	84.24	H
ATOM	14487	C	ASN	H	267	109.733	109.792	161.853	1.00	67.60	H
ATOM	14488	O	ASN	H	267	110.372	110.431	162.695	1.00	63.03	H
ATOM	14489	N	VAL	H	268	109.576	110.191	160.597	1.00	63.29	H
ATOM	14490	CA	VAL	H	268	110.113	111.442	160.103	1.00	61.13	H
ATOM	14491	CB	VAL	H	268	111.311	111.215	159.164	1.00	61.84	H
ATOM	14492	CG1	VAL	H	268	111.812	112.545	158.628	1.00	61.50	H
ATOM	14493	CG2	VAL	H	268	112.422	110.508	159.910	1.00	63.86	H
ATOM	14494	C	VAL	H	268	108.997	112.118	159.329	1.00	61.27	H
ATOM	14495	O	VAL	H	268	108.594	111.655	158.261	1.00	61.18	H
ATOM	14496	N	GLN	H	269	108.477	113.199	159.890	1.00	60.74	H
ATOM	14497	CA	GLN	H	269	107.407	113.941	159.245	1.00	64.88	H
ATOM	14498	CB	GLN	H	269	106.117	113.812	160.058	1.00	65.81	H
ATOM	14499	CG	GLN	H	269	105.365	112.501	159.848	1.00	68.51	H
ATOM	14500	CD	GLN	H	269	104.237	112.308	160.850	1.00	73.00	H
ATOM	14501	OE1	GLN	H	269	103.440	113.217	161.087	1.00	77.55	H
ATOM	14502	NE2	GLN	H	269	104.162	111.118	161.439	1.00	74.38	H
ATOM	14503	C	GLN	H	269	107.799	115.409	159.090	1.00	67.26	H
ATOM	14504	O	GLN	H	269	108.611	115.933	159.860	1.00	69.58	H
ATOM	14505	N	SER	H	270	107.243	116.073	158.082	1.00	66.78	H
ATOM	14506	CA	SER	H	270	107.569	117.476	157.869	1.00	63.91	H
ATOM	14507	CB	SER	H	270	108.964	117.607	157.270	1.00	66.21	H
ATOM	14508	OG	SER	H	270	109.295	118.977	157.119	1.00	74.26	H
ATOM	14509	C	SER	H	270	106.584	118.258	157.012	1.00	60.61	H

ATOM	14510	O	SER	H	270	105.944	117.720	156.099	1.00	62.39	H
ATOM	14511	N	ILE	H	271	106.476	119.545	157.327	1.00	57.13	H
ATOM	14512	CA	ILE	H	271	105.584	120.470	156.630	1.00	52.37	H
ATOM	14513	CB	ILE	H	271	104.542	121.015	157.594	1.00	55.44	H
ATOM	14514	CG2	ILE	H	271	103.355	120.047	157.662	1.00	58.07	H
ATOM	14515	CG1	ILE	H	271	105.199	121.243	158.961	1.00	54.95	H
ATOM	14516	CD1	ILE	H	271	104.220	121.426	160.117	1.00	63.85	H
ATOM	14517	C	ILE	H	271	106.399	121.613	156.038	1.00	46.22	H
ATOM	14518	O	ILE	H	271	107.129	122.305	156.741	1.00	46.60	H
ATOM	14519	N	ILE	H	272	106.281	121.783	154.728	1.00	40.38	H
ATOM	14520	CA	ILE	H	272	107.020	122.802	154.007	1.00	36.09	H
ATOM	14521	CB	ILE	H	272	107.971	122.156	152.975	1.00	36.23	H
ATOM	14522	CG2	ILE	H	272	108.774	123.219	152.253	1.00	36.01	H
ATOM	14523	CG1	ILE	H	272	108.930	121.198	153.685	1.00	47.24	H
ATOM	14524	CD1	ILE	H	272	109.835	120.419	152.740	1.00	48.56	H
ATOM	14525	C	ILE	H	272	106.087	123.737	153.259	1.00	34.87	H
ATOM	14526	O	ILE	H	272	105.078	123.325	152.697	1.00	33.59	H
ATOM	14527	N	GLY	H	273	106.428	125.010	153.244	1.00	31.87	H
ATOM	14528	CA	GLY	H	273	105.599	125.933	152.519	1.00	33.66	H
ATOM	14529	C	GLY	H	273	106.232	126.207	151.179	1.00	36.65	H
ATOM	14530	O	GLY	H	273	107.453	126.388	151.085	1.00	34.58	H
ATOM	14531	N	VAL	H	274	105.406	126.195	150.136	1.00	36.88	H
ATOM	14532	CA	VAL	H	274	105.880	126.505	148.798	1.00	33.67	H
ATOM	14533	CB	VAL	H	274	105.550	125.392	147.781	1.00	35.52	H
ATOM	14534	CG1	VAL	H	274	106.387	125.596	146.516	1.00	34.19	H
ATOM	14535	CG2	VAL	H	274	105.841	124.024	148.374	1.00	32.27	H
ATOM	14536	C	VAL	H	274	105.131	127.778	148.425	1.00	33.26	H
ATOM	14537	O	VAL	H	274	103.907	127.783	148.333	1.00	30.29	H
ATOM	14538	N	THR	H	275	105.876	128.863	148.244	1.00	34.65	H
ATOM	14539	CA	THR	H	275	105.290	130.153	147.917	1.00	36.05	H
ATOM	14540	CB	THR	H	275	105.817	131.248	148.874	1.00	38.07	H
ATOM	14541	OG1	THR	H	275	105.319	130.999	150.189	1.00	45.22	H
ATOM	14542	CG2	THR	H	275	105.379	132.644	148.419	1.00	41.50	H
ATOM	14543	C	THR	H	275	105.561	130.601	146.491	1.00	35.15	H
ATOM	14544	O	THR	H	275	106.695	130.917	146.139	1.00	35.65	H
ATOM	14545	N	PHE	H	276	104.506	130.642	145.684	1.00	33.20	H
ATOM	14546	CA	PHE	H	276	104.609	131.089	144.306	1.00	31.57	H
ATOM	14547	CB	PHE	H	276	103.497	130.461	143.455	1.00	27.75	H
ATOM	14548	CG	PHE	H	276	103.695	129.006	143.195	1.00	30.27	H
ATOM	14549	CD1	PHE	H	276	103.302	128.058	144.127	1.00	29.25	H
ATOM	14550	CD2	PHE	H	276	104.346	128.580	142.034	1.00	34.91	H
ATOM	14551	CE1	PHE	H	276	103.557	126.696	143.908	1.00	34.89	H
ATOM	14552	CE2	PHE	H	276	104.607	127.215	141.804	1.00	29.12	H
ATOM	14553	CZ	PHE	H	276	104.212	126.277	142.743	1.00	30.64	H
ATOM	14554	C	PHE	H	276	104.515	132.618	144.257	1.00	30.07	H
ATOM	14555	O	PHE	H	276	103.539	133.205	144.713	1.00	28.25	H
ATOM	14556	N	VAL	H	277	105.537	133.258	143.703	1.00	29.66	H
ATOM	14557	CA	VAL	H	277	105.550	134.704	143.619	1.00	31.37	H
ATOM	14558	CB	VAL	H	277	106.932	135.263	143.914	1.00	33.50	H
ATOM	14559	CG1	VAL	H	277	106.849	136.759	144.015	1.00	32.18	H
ATOM	14560	CG2	VAL	H	277	107.473	134.656	145.197	1.00	31.37	H
ATOM	14561	C	VAL	H	277	105.135	135.179	142.247	1.00	32.09	H
ATOM	14562	O	VAL	H	277	105.702	134.758	141.247	1.00	33.35	H
ATOM	14563	N	TYR	H	278	104.145	136.067	142.219	1.00	29.80	H
ATOM	14564	CA	TYR	H	278	103.609	136.607	140.983	1.00	25.44	H
ATOM	14565	CB	TYR	H	278	102.107	136.783	141.093	1.00	23.27	H
ATOM	14566	CG	TYR	H	278	101.379	135.478	141.159	1.00	22.36	H
ATOM	14567	CD1	TYR	H	278	101.397	134.718	142.320	1.00	18.46	H

ATOM	14568	CE1	TYR	H	278	100.730	133.475	142.386	1.00	20.90	H
ATOM	14569	CD2	TYR	H	278	100.681	134.984	140.048	1.00	19.15	H
ATOM	14570	CE2	TYR	H	278	100.015	133.756	140.100	1.00	25.32	H
ATOM	14571	CZ	TYR	H	278	100.043	133.002	141.282	1.00	25.43	H
ATOM	14572	OH	TYR	H	278	99.369	131.797	141.373	1.00	27.70	H
ATOM	14573	C	TYR	H	278	104.202	137.920	140.572	1.00	27.84	H
ATOM	14574	O	TYR	H	278	104.335	138.835	141.384	1.00	26.67	H
ATOM	14575	N	GLN	H	279	104.547	138.017	139.292	1.00	29.94	H
ATOM	14576	CA	GLN	H	279	105.126	139.249	138.767	1.00	30.51	H
ATOM	14577	CB	GLN	H	279	105.877	138.967	137.472	1.00	23.99	H
ATOM	14578	CG	GLN	H	279	106.568	140.198	136.921	1.00	29.37	H
ATOM	14579	CD	GLN	H	279	107.128	140.015	135.513	1.00	38.73	H
ATOM	14580	OE1	GLN	H	279	107.988	140.797	135.090	1.00	43.25	H
ATOM	14581	NE2	GLN	H	279	106.631	139.004	134.770	1.00	30.63	H
ATOM	14582	C	GLN	H	279	104.078	140.364	138.541	1.00	31.35	H
ATOM	14583	O	GLN	H	279	104.388	141.527	138.865	1.00	33.30	H
ATOM	14584	OXT	GLN	H	279	102.963	140.083	138.043	1.00	29.80	H
ATOM	14585	C	GLY	I	1	1.928	128.848	197.315	1.00	143.79	I
ATOM	14586	O	GLY	I	1	2.468	129.451	196.391	1.00	143.91	I
ATOM	14587	N	GLY	I	1	-0.177	128.122	198.459	1.00	142.49	I
ATOM	14588	CA	GLY	I	1	0.530	128.283	197.155	1.00	143.30	I
ATOM	14589	N	VAL	I	2	2.516	128.653	198.492	1.00	144.53	I
ATOM	14590	CA	VAL	I	2	3.860	129.147	198.780	1.00	145.01	I
ATOM	14591	CB	VAL	I	2	4.248	128.846	200.254	1.00	144.92	I
ATOM	14592	CG1	VAL	I	2	5.552	129.544	200.606	1.00	145.32	I
ATOM	14593	CG2	VAL	I	2	3.131	129.292	201.189	1.00	143.17	I
ATOM	14594	C	VAL	I	2	4.896	128.513	197.840	1.00	145.86	I
ATOM	14595	O	VAL	I	2	4.691	127.408	197.331	1.00	146.45	I
ATOM	14596	N	ALA	I	3	5.997	129.224	197.604	1.00	146.12	I
ATOM	14597	CA	ALA	I	3	7.068	128.739	196.731	1.00	146.79	I
ATOM	14598	CB	ALA	I	3	6.667	128.890	195.275	1.00	146.08	I
ATOM	14599	C	ALA	I	3	8.372	129.493	196.993	1.00	147.15	I
ATOM	14600	O	ALA	I	3	8.395	130.724	197.030	1.00	146.81	I
ATOM	14601	N	LEU	I	4	9.460	128.748	197.168	1.00	147.90	I
ATOM	14602	CA	LEU	I	4	10.761	129.347	197.443	1.00	148.30	I
ATOM	14603	CB	LEU	I	4	11.726	128.299	198.004	1.00	148.78	I
ATOM	14604	CG	LEU	I	4	11.397	127.744	199.396	1.00	150.03	I
ATOM	14605	CD1	LEU	I	4	12.464	126.741	199.806	1.00	151.55	I
ATOM	14606	CD2	LEU	I	4	11.325	128.877	200.412	1.00	148.53	I
ATOM	14607	C	LEU	I	4	11.381	130.003	196.225	1.00	148.23	I
ATOM	14608	O	LEU	I	4	11.218	129.538	195.101	1.00	147.06	I
ATOM	14609	N	GLY	I	5	12.098	131.094	196.466	1.00	148.93	I
ATOM	14610	CA	GLY	I	5	12.739	131.812	195.385	1.00	149.81	I
ATOM	14611	C	GLY	I	5	13.879	131.032	194.766	1.00	150.53	I
ATOM	14612	O	GLY	I	5	14.328	131.363	193.669	1.00	150.86	I
ATOM	14613	N	ALA	I	6	14.349	129.995	195.455	1.00	150.77	I
ATOM	14614	CA	ALA	I	6	15.453	129.195	194.934	1.00	150.75	I
ATOM	14615	CB	ALA	I	6	16.762	129.639	195.570	1.00	150.69	I
ATOM	14616	C	ALA	I	6	15.286	127.691	195.105	1.00	150.31	I
ATOM	14617	O	ALA	I	6	14.586	127.219	196.002	1.00	149.62	I
ATOM	14618	N	THR	I	7	15.959	126.952	194.230	1.00	149.83	I
ATOM	14619	CA	THR	I	7	15.930	125.499	194.237	1.00	149.06	I
ATOM	14620	CB	THR	I	7	15.978	124.954	192.797	1.00	148.42	I
ATOM	14621	OG1	THR	I	7	17.136	125.470	192.123	1.00	146.61	I
ATOM	14622	CG2	THR	I	7	14.734	125.376	192.036	1.00	148.31	I
ATOM	14623	C	THR	I	7	17.122	124.947	195.019	1.00	149.16	I
ATOM	14624	O	THR	I	7	17.203	123.745	195.286	1.00	149.64	I
ATOM	14625	N	ARG	I	8	18.048	125.833	195.375	1.00	148.18	I

ATOM	14626	CA	ARG	I	8	19.237	125.449	196.128	1.00146.58	I
ATOM	14627	CB	ARG	I	8	20.239	124.731	195.229	1.00144.31	I
ATOM	14628	CG	ARG	I	8	20.870	125.625	194.179	1.00141.65	I
ATOM	14629	CD	ARG	I	8	20.320	125.364	192.781	1.00141.30	I
ATOM	14630	NE	ARG	I	8	20.799	124.103	192.213	1.00139.37	I
ATOM	14631	CZ	ARG	I	8	20.297	122.905	192.501	1.00140.46	I
ATOM	14632	NH1	ARG	I	8	20.809	121.823	191.931	1.00141.21	I
ATOM	14633	NH2	ARG	I	8	19.274	122.785	193.342	1.00139.65	I
ATOM	14634	C	ARG	I	8	19.902	126.692	196.702	1.00146.98	I
ATOM	14635	O	ARG	I	8	19.676	127.802	196.222	1.00147.00	I
ATOM	14636	N	VAL	I	9	20.732	126.498	197.724	1.00147.88	I
ATOM	14637	CA	VAL	I	9	21.438	127.602	198.369	1.00147.93	I
ATOM	14638	CB	VAL	I	9	20.810	127.946	199.746	1.00146.59	I
ATOM	14639	CG1	VAL	I	9	21.480	129.180	200.331	1.00144.24	I
ATOM	14640	CG2	VAL	I	9	19.313	128.165	199.597	1.00146.02	I
ATOM	14641	C	VAL	I	9	22.917	127.262	198.582	1.00149.44	I
ATOM	14642	O	VAL	I	9	23.259	126.149	198.992	1.00149.26	I
ATOM	14643	N	ILE	I	10	23.787	128.226	198.296	1.00151.20	I
ATOM	14644	CA	ILE	I	10	25.228	128.053	198.471	1.00152.52	I
ATOM	14645	CB	ILE	I	10	26.006	128.463	197.200	1.00149.76	I
ATOM	14646	CG2	ILE	I	10	27.500	128.295	197.427	1.00148.55	I
ATOM	14647	CG1	ILE	I	10	25.556	127.610	196.012	1.00147.85	I
ATOM	14648	CD1	ILE	I	10	25.834	126.126	196.174	1.00146.42	I
ATOM	14649	C	ILE	I	10	25.664	128.946	199.627	1.00154.90	I
ATOM	14650	O	ILE	I	10	25.577	130.172	199.537	1.00155.03	I
ATOM	14651	N	TYR	I	11	26.123	128.332	200.714	1.00157.16	I
ATOM	14652	CA	TYR	I	11	26.552	129.094	201.881	1.00159.68	I
ATOM	14653	CB	TYR	I	11	26.122	128.394	203.173	1.00160.31	I
ATOM	14654	CG	TYR	I	11	26.027	129.344	204.341	1.00160.80	I
ATOM	14655	CD1	TYR	I	11	24.851	130.052	204.586	1.00161.17	I
ATOM	14656	CE1	TYR	I	11	24.770	130.985	205.610	1.00161.31	I
ATOM	14657	CD2	TYR	I	11	27.129	129.590	205.158	1.00160.42	I
ATOM	14658	CE2	TYR	I	11	27.061	130.525	206.187	1.00161.17	I
ATOM	14659	CZ	TYR	I	11	25.875	131.220	206.406	1.00161.31	I
ATOM	14660	OH	TYR	I	11	25.790	132.157	207.410	1.00161.84	I
ATOM	14661	C	TYR	I	11	28.064	129.296	201.909	1.00160.89	I
ATOM	14662	O	TYR	I	11	28.803	128.444	202.404	1.00160.37	I
ATOM	14663	N	PRO	I	12	28.543	130.436	201.385	1.00162.22	I
ATOM	14664	CD	PRO	I	12	27.801	131.557	200.782	1.00162.76	I
ATOM	14665	CA	PRO	I	12	29.984	130.702	201.376	1.00162.92	I
ATOM	14666	CB	PRO	I	12	30.074	132.109	200.785	1.00162.76	I
ATOM	14667	CG	PRO	I	12	28.852	132.197	199.919	1.00162.66	I
ATOM	14668	C	PRO	I	12	30.544	130.634	202.792	1.00163.78	I
ATOM	14669	O	PRO	I	12	30.013	131.264	203.705	1.00164.25	I
ATOM	14670	N	ALA	I	13	31.607	129.857	202.974	1.00164.50	I
ATOM	14671	CA	ALA	I	13	32.228	129.726	204.284	1.00164.96	I
ATOM	14672	CB	ALA	I	13	33.361	128.714	204.229	1.00164.37	I
ATOM	14673	C	ALA	I	13	32.755	131.091	204.704	1.00165.73	I
ATOM	14674	O	ALA	I	13	33.606	131.672	204.030	1.00165.60	I
ATOM	14675	N	GLY	I	14	32.238	131.601	205.817	1.00166.91	I
ATOM	14676	CA	GLY	I	14	32.658	132.903	206.299	1.00168.42	I
ATOM	14677	C	GLY	I	14	31.496	133.878	206.326	1.00169.54	I
ATOM	14678	O	GLY	I	14	31.455	134.784	207.158	1.00169.68	I
ATOM	14679	N	GLN	I	15	30.549	133.694	205.410	1.00170.52	I
ATOM	14680	CA	GLN	I	15	29.374	134.557	205.325	1.00171.66	I
ATOM	14681	CB	GLN	I	15	28.444	134.078	204.208	1.00172.46	I
ATOM	14682	CG	GLN	I	15	29.006	134.256	202.810	1.00173.65	I
ATOM	14683	CD	GLN	I	15	29.002	135.700	202.354	1.00174.44	I

ATOM	14684	OE1	GLN	I	15	29.519	136.583	203.039	1.00174.03	I
ATOM	14685	NE2	GLN	I	15	28.419	135.949	201.186	1.00175.28	I
ATOM	14686	C	GLN	I	15	28.613	134.557	206.644	1.00172.30	I
ATOM	14687	O	GLN	I	15	28.340	133.501	207.214	1.00173.11	I
ATOM	14688	N	LYS	I	16	28.274	135.746	207.126	1.00172.01	I
ATOM	14689	CA	LYS	I	16	27.541	135.874	208.375	1.00171.18	I
ATOM	14690	CB	LYS	I	16	27.450	137.344	208.785	1.00171.04	I
ATOM	14691	CG	LYS	I	16	26.899	137.572	210.182	1.00170.08	I
ATOM	14692	CD	LYS	I	16	26.669	139.056	210.447	1.00169.85	I
ATOM	14693	CE	LYS	I	16	27.917	139.886	210.145	1.00169.45	I
ATOM	14694	NZ	LYS	I	16	29.111	139.426	210.919	1.00168.34	I
ATOM	14695	C	LYS	I	16	26.139	135.306	208.192	1.00170.56	I
ATOM	14696	O	LYS	I	16	25.582	134.693	209.105	1.00170.61	I
ATOM	14697	N	GLN	I	17	25.580	135.505	207.001	1.00169.45	I
ATOM	14698	CA	GLN	I	17	24.239	135.025	206.700	1.00168.73	I
ATOM	14699	CB	GLN	I	17	23.210	135.840	207.487	1.00167.77	I
ATOM	14700	CG	GLN	I	17	23.306	137.340	207.246	1.00165.44	I
ATOM	14701	CD	GLN	I	17	22.034	138.081	207.620	1.00164.84	I
ATOM	14702	OE1	GLN	I	17	21.553	137.991	208.751	1.00164.66	I
ATOM	14703	NE2	GLN	I	17	21.484	138.822	206.666	1.00163.88	I
ATOM	14704	C	GLN	I	17	23.881	135.088	205.216	1.00168.75	I
ATOM	14705	O	GLN	I	17	24.271	136.018	204.510	1.00169.17	I
ATOM	14706	N	VAL	I	18	23.131	134.087	204.758	1.00168.24	I
ATOM	14707	CA	VAL	I	18	22.662	134.009	203.375	1.00167.19	I
ATOM	14708	CB	VAL	I	18	23.084	132.683	202.705	1.00166.22	I
ATOM	14709	CG1	VAL	I	18	22.434	132.556	201.338	1.00165.14	I
ATOM	14710	CG2	VAL	I	18	24.595	132.633	202.571	1.00165.75	I
ATOM	14711	C	VAL	I	18	21.138	134.071	203.453	1.00167.29	I
ATOM	14712	O	VAL	I	18	20.541	133.436	204.321	1.00167.50	I
ATOM	14713	N	GLN	I	19	20.504	134.830	202.563	1.00167.20	I
ATOM	14714	CA	GLN	I	19	19.049	134.949	202.604	1.00167.38	I
ATOM	14715	CB	GLN	I	19	18.649	136.393	202.931	1.00167.76	I
ATOM	14716	CG	GLN	I	19	19.103	137.431	201.922	1.00169.06	I
ATOM	14717	CD	GLN	I	19	18.813	138.852	202.381	1.00169.44	I
ATOM	14718	OE1	GLN	I	19	19.330	139.302	203.405	1.00169.92	I
ATOM	14719	NE2	GLN	I	19	17.983	139.565	201.624	1.00167.84	I
ATOM	14720	C	GLN	I	19	18.307	134.481	201.357	1.00167.41	I
ATOM	14721	O	GLN	I	19	18.702	134.771	200.227	1.00167.11	I
ATOM	14722	N	LEU	I	20	17.218	133.752	201.589	1.00167.71	I
ATOM	14723	CA	LEU	I	20	16.376	133.214	200.527	1.00167.86	I
ATOM	14724	CB	LEU	I	20	16.089	131.732	200.799	1.00168.54	I
ATOM	14725	CG	LEU	I	20	15.339	130.900	199.751	1.00168.60	I
ATOM	14726	CD1	LEU	I	20	16.108	130.908	198.446	1.00168.74	I
ATOM	14727	CD2	LEU	I	20	15.168	129.472	200.254	1.00168.92	I
ATOM	14728	C	LEU	I	20	15.066	134.008	200.477	1.00167.81	I
ATOM	14729	O	LEU	I	20	14.772	134.785	201.386	1.00167.16	I
ATOM	14730	N	ALA	I	21	14.282	133.806	199.420	1.00167.92	I
ATOM	14731	CA	ALA	I	21	13.019	134.523	199.256	1.00167.48	I
ATOM	14732	CB	ALA	I	21	13.033	135.288	197.936	1.00167.71	I
ATOM	14733	C	ALA	I	21	11.790	133.619	199.318	1.00166.90	I
ATOM	14734	O	ALA	I	21	11.742	132.574	198.668	1.00167.00	I
ATOM	14735	N	VAL	I	22	10.794	134.038	200.097	1.00166.12	I
ATOM	14736	CA	VAL	I	22	9.553	133.280	200.253	1.00165.31	I
ATOM	14737	CB	VAL	I	22	9.245	133.000	201.736	1.00164.82	I
ATOM	14738	CG1	VAL	I	22	8.352	131.778	201.853	1.00164.15	I
ATOM	14739	CG2	VAL	I	22	10.531	132.814	202.509	1.00164.03	I
ATOM	14740	C	VAL	I	22	8.382	134.076	199.681	1.00165.27	I
ATOM	14741	O	VAL	I	22	8.175	135.232	200.049	1.00165.48	I

ATOM	14742	N	THR	I	23	7.608	133.455	198.798	1.00164.72	I
ATOM	14743	CA	THR	I	23	6.473	134.132	198.182	1.00163.61	I
ATOM	14744	CB	THR	I	23	6.776	134.461	196.700	1.00162.07	I
ATOM	14745	OG1	THR	I	23	5.581	134.915	196.057	1.00161.97	I
ATOM	14746	CG2	THR	I	23	7.305	133.237	195.971	1.00160.17	I
ATOM	14747	C	THR	I	23	5.169	133.337	198.261	1.00163.88	I
ATOM	14748	O	THR	I	23	5.059	132.251	197.698	1.00164.43	I
ATOM	14749	N	ASN	I	24	4.182	133.888	198.962	1.00164.11	I
ATOM	14750	CA	ASN	I	24	2.883	133.236	199.107	1.00164.77	I
ATOM	14751	CB	ASN	I	24	2.262	133.588	200.464	1.00164.85	I
ATOM	14752	CG	ASN	I	24	0.851	133.045	200.622	1.00164.71	I
ATOM	14753	OD1	ASN	I	24	0.508	132.005	200.061	1.00165.17	I
ATOM	14754	ND2	ASN	I	24	0.033	133.739	201.403	1.00164.68	I
ATOM	14755	C	ASN	I	24	1.942	133.645	197.979	1.00165.31	I
ATOM	14756	O	ASN	I	24	1.499	134.791	197.913	1.00165.50	I
ATOM	14757	N	ASN	I	25	1.641	132.697	197.096	1.00166.28	I
ATOM	14758	CA	ASN	I	25	0.760	132.947	195.960	1.00167.85	I
ATOM	14759	CB	ASN	I	25	0.900	131.830	194.924	1.00165.46	I
ATOM	14760	CG	ASN	I	25	2.077	132.046	193.993	1.00163.39	I
ATOM	14761	OD1	ASN	I	25	3.217	132.202	194.434	1.00162.00	I
ATOM	14762	ND2	ASN	I	25	1.805	132.054	192.694	1.00161.80	I
ATOM	14763	C	ASN	I	25	-0.707	133.110	196.323	1.00170.15	I
ATOM	14764	O	ASN	I	25	-1.305	134.145	196.039	1.00171.05	I
ATOM	14765	N	ASP	I	26	-1.289	132.086	196.935	1.00172.88	I
ATOM	14766	CA	ASP	I	26	-2.693	132.130	197.320	1.00176.02	I
ATOM	14767	CB	ASP	I	26	-2.977	131.068	198.380	1.00178.13	I
ATOM	14768	CG	ASP	I	26	-2.792	129.656	197.849	1.00180.43	I
ATOM	14769	OD1	ASP	I	26	-3.003	128.692	198.620	1.00180.94	I
ATOM	14770	OD2	ASP	I	26	-2.436	129.516	196.656	1.00181.75	I
ATOM	14771	C	ASP	I	26	-3.091	133.507	197.833	1.00177.55	I
ATOM	14772	O	ASP	I	26	-2.838	133.857	198.985	1.00177.51	I
ATOM	14773	N	GLU	I	27	-3.720	134.279	196.954	1.00179.11	I
ATOM	14774	CA	GLU	I	27	-4.165	135.633	197.258	1.00180.66	I
ATOM	14775	CB	GLU	I	27	-5.053	136.144	196.124	1.00181.25	I
ATOM	14776	CG	GLU	I	27	-4.315	136.288	194.805	1.00183.87	I
ATOM	14777	CD	GLU	I	27	-5.240	136.443	193.612	1.00185.34	I
ATOM	14778	OE1	GLU	I	27	-6.147	137.305	193.660	1.00186.11	I
ATOM	14779	OE2	GLU	I	27	-5.050	135.701	192.621	1.00185.69	I
ATOM	14780	C	GLU	I	27	-4.911	135.756	198.576	1.00181.71	I
ATOM	14781	O	GLU	I	27	-5.037	136.854	199.118	1.00182.63	I
ATOM	14782	N	ASN	I	28	-5.404	134.641	199.098	1.00182.24	I
ATOM	14783	CA	ASN	I	28	-6.139	134.685	200.350	1.00182.58	I
ATOM	14784	CB	ASN	I	28	-7.610	135.020	200.058	1.00183.69	I
ATOM	14785	CG	ASN	I	28	-8.164	134.270	198.837	1.00183.92	I
ATOM	14786	OD1	ASN	I	28	-9.255	134.579	198.338	1.00183.62	I
ATOM	14787	ND2	ASN	I	28	-7.417	133.277	198.364	1.00183.37	I
ATOM	14788	C	ASN	I	28	-6.024	133.407	201.178	1.00182.42	I
ATOM	14789	O	ASN	I	28	-6.650	132.393	200.868	1.00181.85	I
ATOM	14790	N	SER	I	29	-5.222	133.485	202.238	1.00182.66	I
ATOM	14791	CA	SER	I	29	-4.985	132.378	203.159	1.00182.96	I
ATOM	14792	CB	SER	I	29	-4.928	131.043	202.410	1.00183.73	I
ATOM	14793	OG	SER	I	29	-3.918	131.051	201.413	1.00184.87	I
ATOM	14794	C	SER	I	29	-3.657	132.624	203.860	1.00182.48	I
ATOM	14795	O	SER	I	29	-2.617	132.725	203.211	1.00182.59	I
ATOM	14796	N	THR	I	30	-3.694	132.732	205.182	1.00182.14	I
ATOM	14797	CA	THR	I	30	-2.482	132.971	205.956	1.00182.16	I
ATOM	14798	CB	THR	I	30	-2.817	133.611	207.314	1.00180.88	I
ATOM	14799	OG1	THR	I	30	-3.653	134.755	207.104	1.00180.20	I

ATOM	14800	CG2	THR	I	30	-1.550	134.058	208.024	1.00179.77	I
ATOM	14801	C	THR	I	30	-1.735	131.659	206.189	1.00183.40	I
ATOM	14802	O	THR	I	30	-2.352	130.599	206.294	1.00184.51	I
ATOM	14803	N	TYR	I	31	-0.408	131.738	206.270	1.00183.63	I
ATOM	14804	CA	TYR	I	31	0.431	130.558	206.483	1.00183.42	I
ATOM	14805	CB	TYR	I	31	1.077	130.125	205.164	1.00182.90	I
ATOM	14806	CG	TYR	I	31	0.126	129.475	204.193	1.00183.26	I
ATOM	14807	CD1	TYR	I	31	-0.038	129.978	202.901	1.00183.38	I
ATOM	14808	CE1	TYR	I	31	-0.908	129.370	202.000	1.00184.04	I
ATOM	14809	CD2	TYR	I	31	-0.606	128.345	204.563	1.00183.69	I
ATOM	14810	CE2	TYR	I	31	-1.477	127.729	203.672	1.00184.57	I
ATOM	14811	CZ	TYR	I	31	-1.625	128.244	202.392	1.00184.63	I
ATOM	14812	OH	TYR	I	31	-2.481	127.624	201.507	1.00184.18	I
ATOM	14813	C	TYR	I	31	1.536	130.791	207.513	1.00183.52	I
ATOM	14814	O	TYR	I	31	2.122	131.874	207.579	1.00183.70	I
ATOM	14815	N	LEU	I	32	1.814	129.766	208.314	1.00183.51	I
ATOM	14816	CA	LEU	I	32	2.865	129.838	209.323	1.00183.90	I
ATOM	14817	CB	LEU	I	32	2.459	129.083	210.592	1.00182.54	I
ATOM	14818	CG	LEU	I	32	1.619	129.830	211.627	1.00181.64	I
ATOM	14819	CD1	LEU	I	32	1.261	128.887	212.760	1.00181.00	I
ATOM	14820	CD2	LEU	I	32	2.398	131.024	212.155	1.00181.56	I
ATOM	14821	C	LEU	I	32	4.142	129.227	208.765	1.00184.84	I
ATOM	14822	O	LEU	I	32	4.314	128.006	208.776	1.00185.24	I
ATOM	14823	N	ILE	I	33	5.033	130.082	208.272	1.00185.54	I
ATOM	14824	CA	ILE	I	33	6.294	129.623	207.706	1.00185.67	I
ATOM	14825	CB	ILE	I	33	6.990	130.743	206.900	1.00184.96	I
ATOM	14826	CG2	ILE	I	33	8.246	130.201	206.230	1.00184.14	I
ATOM	14827	CG1	ILE	I	33	6.029	131.306	205.847	1.00185.11	I
ATOM	14828	CD1	ILE	I	33	5.557	130.288	204.828	1.00184.76	I
ATOM	14829	C	ILE	I	33	7.230	129.160	208.812	1.00186.11	I
ATOM	14830	O	ILE	I	33	7.615	129.939	209.684	1.00186.02	I
ATOM	14831	N	GLN	I	34	7.584	127.881	208.778	1.00186.72	I
ATOM	14832	CA	GLN	I	34	8.477	127.314	209.775	1.00187.37	I
ATOM	14833	CB	GLN	I	34	7.726	126.283	210.621	1.00188.04	I
ATOM	14834	CG	GLN	I	34	8.457	125.855	211.878	1.00189.02	I
ATOM	14835	CD	GLN	I	34	7.614	124.958	212.763	1.00189.53	I
ATOM	14836	OE1	GLN	I	34	7.210	123.866	212.358	1.00189.81	I
ATOM	14837	NE2	GLN	I	34	7.342	125.416	213.980	1.00189.50	I
ATOM	14838	C	GLN	I	34	9.640	126.661	209.041	1.00187.54	I
ATOM	14839	O	GLN	I	34	9.465	125.654	208.355	1.00187.93	I
ATOM	14840	N	SER	I	35	10.825	127.247	209.179	1.00187.57	I
ATOM	14841	CA	SER	I	35	12.017	126.735	208.511	1.00187.29	I
ATOM	14842	CB	SER	I	35	12.698	127.862	207.724	1.00187.07	I
ATOM	14843	OG	SER	I	35	11.819	128.421	206.762	1.00185.94	I
ATOM	14844	C	SER	I	35	13.020	126.106	209.476	1.00186.86	I
ATOM	14845	O	SER	I	35	12.914	126.263	210.694	1.00186.86	I
ATOM	14846	N	TRP	I	36	13.990	125.388	208.915	1.00185.86	I
ATOM	14847	CA	TRP	I	36	15.027	124.732	209.702	1.00184.33	I
ATOM	14848	CB	TRP	I	36	14.400	123.728	210.680	1.00185.97	I
ATOM	14849	CG	TRP	I	36	13.894	122.471	210.040	1.00187.41	I
ATOM	14850	CD2	TRP	I	36	12.541	122.180	209.667	1.00188.11	I
ATOM	14851	CE2	TRP	I	36	12.539	120.897	209.073	1.00188.50	I
ATOM	14852	CE3	TRP	I	36	11.329	122.878	209.776	1.00187.95	I
ATOM	14853	CD1	TRP	I	36	14.635	121.383	209.670	1.00187.74	I
ATOM	14854	NE1	TRP	I	36	13.828	120.434	209.089	1.00188.30	I
ATOM	14855	CZ2	TRP	I	36	11.372	120.297	208.587	1.00188.80	I
ATOM	14856	CZ3	TRP	I	36	10.166	122.278	209.290	1.00188.52	I
ATOM	14857	CH2	TRP	I	36	10.199	121.001	208.704	1.00188.58	I

ATOM	14858	C	TRP	I	36	16.001	124.023	208.762	1.00182.46	I
ATOM	14859	O	TRP	I	36	15.645	123.682	207.631	1.00181.52	I
ATOM	14860	N	VAL	I	37	17.226	123.805	209.234	1.00181.13	I
ATOM	14861	CA	VAL	I	37	18.250	123.149	208.426	1.00179.83	I
ATOM	14862	CB	VAL	I	37	19.438	124.095	208.149	1.00179.26	I
ATOM	14863	CG1	VAL	I	37	20.510	123.367	207.350	1.00178.38	I
ATOM	14864	CG2	VAL	I	37	18.956	125.314	207.389	1.00179.25	I
ATOM	14865	C	VAL	I	37	18.801	121.865	209.037	1.00179.17	I
ATOM	14866	O	VAL	I	37	19.453	121.878	210.082	1.00178.77	I
ATOM	14867	N	GLU	I	38	18.533	120.756	208.358	1.00178.69	I
ATOM	14868	CA	GLU	I	38	18.999	119.443	208.780	1.00177.52	I
ATOM	14869	CB	GLU	I	38	17.980	118.376	208.372	1.00177.84	I
ATOM	14870	CG	GLU	I	38	16.614	118.524	209.034	1.00176.51	I
ATOM	14871	CD	GLU	I	38	15.537	117.717	208.332	1.00175.90	I
ATOM	14872	OE1	GLU	I	38	15.785	116.532	208.031	1.00176.43	I
ATOM	14873	OE2	GLU	I	38	14.441	118.262	208.083	1.00174.70	I
ATOM	14874	C	GLU	I	38	20.326	119.195	208.067	1.00176.37	I
ATOM	14875	O	GLU	I	38	20.640	119.866	207.080	1.00175.79	I
ATOM	14876	N	ASN	I	39	21.109	118.242	208.561	1.00174.91	I
ATOM	14877	CA	ASN	I	39	22.387	117.940	207.932	1.00172.70	I
ATOM	14878	CB	ASN	I	39	23.425	117.509	208.976	1.00172.40	I
ATOM	14879	CG	ASN	I	39	23.029	116.243	209.711	1.00172.04	I
ATOM	14880	OD1	ASN	I	39	22.669	115.240	209.094	1.00171.71	I
ATOM	14881	ND2	ASN	I	39	23.112	116.279	211.037	1.00172.26	I
ATOM	14882	C	ASN	I	39	22.239	116.851	206.877	1.00171.09	I
ATOM	14883	O	ASN	I	39	21.127	116.466	206.508	1.00170.68	I
ATOM	14884	N	ALA	I	40	23.375	116.361	206.393	1.00169.33	I
ATOM	14885	CA	ALA	I	40	23.399	115.324	205.373	1.00167.80	I
ATOM	14886	CB	ALA	I	40	24.837	114.900	205.106	1.00167.21	I
ATOM	14887	C	ALA	I	40	22.556	114.117	205.779	1.00167.13	I
ATOM	14888	O	ALA	I	40	21.796	113.584	204.970	1.00166.54	I
ATOM	14889	N	ASP	I	41	22.692	113.692	207.032	1.00167.14	I
ATOM	14890	CA	ASP	I	41	21.944	112.547	207.547	1.00167.03	I
ATOM	14891	CB	ASP	I	41	22.659	111.939	208.761	1.00167.34	I
ATOM	14892	CG	ASP	I	41	24.033	111.385	208.419	1.00167.25	I
ATOM	14893	OD1	ASP	I	41	24.122	110.502	207.538	1.00165.93	I
ATOM	14894	OD2	ASP	I	41	25.024	111.829	209.038	1.00167.92	I
ATOM	14895	C	ASP	I	41	20.527	112.946	207.945	1.00166.54	I
ATOM	14896	O	ASP	I	41	19.901	112.295	208.783	1.00165.90	I
ATOM	14897	N	GLY	I	42	20.029	114.023	207.349	1.00166.56	I
ATOM	14898	CA	GLY	I	42	18.685	114.480	207.653	1.00166.78	I
ATOM	14899	C	GLY	I	42	18.451	114.845	209.107	1.00167.04	I
ATOM	14900	O	GLY	I	42	17.398	115.371	209.455	1.00166.89	I
ATOM	14901	N	VAL	I	43	19.427	114.570	209.964	1.00167.58	I
ATOM	14902	CA	VAL	I	43	19.299	114.885	211.383	1.00168.44	I
ATOM	14903	CB	VAL	I	43	20.364	114.115	212.223	1.00168.09	I
ATOM	14904	CG1	VAL	I	43	21.599	113.845	211.381	1.00167.28	I
ATOM	14905	CG2	VAL	I	43	20.750	114.918	213.467	1.00168.11	I
ATOM	14906	C	VAL	I	43	19.431	116.385	211.647	1.00169.11	I
ATOM	14907	O	VAL	I	43	20.423	117.003	211.267	1.00168.60	I
ATOM	14908	N	LYS	I	44	18.424	116.965	212.295	1.00170.30	I
ATOM	14909	CA	LYS	I	44	18.458	118.387	212.613	1.00171.44	I
ATOM	14910	CB	LYS	I	44	17.139	118.865	213.222	1.00170.55	I
ATOM	14911	CG	LYS	I	44	15.894	118.658	212.381	1.00169.94	I
ATOM	14912	CD	LYS	I	44	15.260	117.308	212.656	1.00168.75	I
ATOM	14913	CE	LYS	I	44	13.841	117.254	212.138	1.00168.50	I
ATOM	14914	NZ	LYS	I	44	12.981	118.268	212.793	1.00168.66	I
ATOM	14915	C	LYS	I	44	19.564	118.660	213.618	1.00172.54	I

ATOM	14916	O	LYS	I	44	19.709	117.947	214.615	1.00171.71	I
ATOM	14917	N	ASP	I	45	20.326	119.715	213.358	1.00174.37	I
ATOM	14918	CA	ASP	I	45	21.425	120.107	214.226	1.00176.02	I
ATOM	14919	CB	ASP	I	45	22.750	119.513	213.740	1.00175.76	I
ATOM	14920	CG	ASP	I	45	22.958	119.666	212.241	1.00175.48	I
ATOM	14921	OD1	ASP	I	45	22.436	120.626	211.644	1.00175.23	I
ATOM	14922	OD2	ASP	I	45	23.681	118.837	211.652	1.00175.36	I
ATOM	14923	C	ASP	I	45	21.529	121.619	214.265	1.00177.38	I
ATOM	14924	O	ASP	I	45	20.904	122.312	213.465	1.00178.11	I
ATOM	14925	N	GLY	I	46	22.308	122.132	215.208	1.00178.28	I
ATOM	14926	CA	GLY	I	46	22.457	123.569	215.319	1.00178.91	I
ATOM	14927	C	GLY	I	46	23.263	124.157	214.176	1.00179.50	I
ATOM	14928	O	GLY	I	46	23.280	125.374	213.998	1.00179.53	I
ATOM	14929	N	ARG	I	47	23.926	123.294	213.405	1.00180.30	I
ATOM	14930	CA	ARG	I	47	24.754	123.709	212.268	1.00180.72	I
ATOM	14931	CB	ARG	I	47	24.906	122.551	211.277	1.00181.53	I
ATOM	14932	CG	ARG	I	47	26.212	121.790	211.431	1.00182.80	I
ATOM	14933	CD	ARG	I	47	26.289	121.056	212.763	1.00183.62	I
ATOM	14934	NE	ARG	I	47	27.659	120.667	213.089	1.00184.63	I
ATOM	14935	CZ	ARG	I	47	28.603	121.516	213.488	1.00184.77	I
ATOM	14936	NH1	ARG	I	47	28.327	122.806	213.618	1.00184.10	I
ATOM	14937	NH2	ARG	I	47	29.828	121.077	213.746	1.00184.53	I
ATOM	14938	C	ARG	I	47	24.291	124.960	211.517	1.00180.39	I
ATOM	14939	O	ARG	I	47	25.067	125.902	211.350	1.00180.43	I
ATOM	14940	N	PHE	I	48	23.047	124.966	211.045	1.00179.66	I
ATOM	14941	CA	PHE	I	48	22.520	126.128	210.330	1.00178.63	I
ATOM	14942	CB	PHE	I	48	22.370	125.832	208.832	1.00178.21	I
ATOM	14943	CG	PHE	I	48	23.673	125.815	208.077	1.00177.72	I
ATOM	14944	CD1	PHE	I	48	24.472	124.677	208.059	1.00177.20	I
ATOM	14945	CD2	PHE	I	48	24.104	126.947	207.387	1.00176.96	I
ATOM	14946	CE1	PHE	I	48	25.680	124.665	207.363	1.00175.98	I
ATOM	14947	CE2	PHE	I	48	25.308	126.946	206.690	1.00175.36	I
ATOM	14948	CZ	PHE	I	48	26.097	125.804	206.677	1.00174.99	I
ATOM	14949	C	PHE	I	48	21.178	126.579	210.898	1.00177.67	I
ATOM	14950	O	PHE	I	48	20.266	125.769	211.072	1.00177.53	I
ATOM	14951	N	ILE	I	49	21.065	127.875	211.182	1.00176.22	I
ATOM	14952	CA	ILE	I	49	19.842	128.437	211.746	1.00174.76	I
ATOM	14953	CB	ILE	I	49	20.117	129.074	213.125	1.00173.18	I
ATOM	14954	CG2	ILE	I	49	18.820	129.617	213.715	1.00172.96	I
ATOM	14955	CG1	ILE	I	49	20.735	128.030	214.061	1.00171.05	I
ATOM	14956	CD1	ILE	I	49	21.114	128.564	215.420	1.00168.65	I
ATOM	14957	C	ILE	I	49	19.207	129.492	210.842	1.00174.49	I
ATOM	14958	O	ILE	I	49	19.805	130.533	210.578	1.00174.33	I
ATOM	14959	N	VAL	I	50	17.993	129.212	210.375	1.00174.46	I
ATOM	14960	CA	VAL	I	50	17.264	130.131	209.505	1.00174.66	I
ATOM	14961	CB	VAL	I	50	16.299	129.368	208.567	1.00174.14	I
ATOM	14962	CG1	VAL	I	50	15.543	130.345	207.679	1.00173.06	I
ATOM	14963	CG2	VAL	I	50	17.080	128.379	207.721	1.00174.21	I
ATOM	14964	C	VAL	I	50	16.458	131.113	210.349	1.00175.20	I
ATOM	14965	O	VAL	I	50	16.106	130.813	211.492	1.00175.70	I
ATOM	14966	N	THR	I	51	16.172	132.284	209.782	1.00175.13	I
ATOM	14967	CA	THR	I	51	15.414	133.319	210.485	1.00175.02	I
ATOM	14968	CB	THR	I	51	16.360	134.247	211.278	1.00174.21	I
ATOM	14969	OG1	THR	I	51	17.371	134.762	210.403	1.00174.43	I
ATOM	14970	CG2	THR	I	51	17.025	133.487	212.416	1.00173.59	I
ATOM	14971	C	THR	I	51	14.576	134.182	209.535	1.00175.02	I
ATOM	14972	O	THR	I	51	15.025	134.531	208.444	1.00174.81	I
ATOM	14973	N	PRO	I	52	13.342	134.533	209.939	1.00175.15	I

ATOM	14974	CD	PRO	I	52	12.529	135.511	209.196	1.00174.39	I
ATOM	14975	CA	PRO	I	52	12.694	134.178	211.209	1.00175.76	I
ATOM	14976	CB	PRO	I	52	11.526	135.160	211.286	1.00175.32	I
ATOM	14977	CG	PRO	I	52	11.186	135.382	209.858	1.00174.54	I
ATOM	14978	C	PRO	I	52	12.245	132.713	211.264	1.00176.38	I
ATOM	14979	O	PRO	I	52	11.794	132.152	210.262	1.00176.44	I
ATOM	14980	N	PRO	I	53	12.369	132.078	212.443	1.00176.59	I
ATOM	14981	CD	PRO	I	53	12.869	132.695	213.686	1.00176.43	I
ATOM	14982	CA	PRO	I	53	11.997	130.678	212.679	1.00176.63	I
ATOM	14983	CB	PRO	I	53	12.599	130.398	214.048	1.00176.76	I
ATOM	14984	CG	PRO	I	53	12.420	131.710	214.744	1.00176.81	I
ATOM	14985	C	PRO	I	53	10.495	130.402	212.643	1.00176.65	I
ATOM	14986	O	PRO	I	53	10.068	129.247	212.569	1.00176.56	I
ATOM	14987	N	LEU	I	54	9.702	131.466	212.707	1.00176.27	I
ATOM	14988	CA	LEU	I	54	8.250	131.345	212.674	1.00175.19	I
ATOM	14989	CB	LEU	I	54	7.735	130.752	213.987	1.00173.39	I
ATOM	14990	CG	LEU	I	54	6.229	130.500	214.074	1.00171.96	I
ATOM	14991	CD1	LEU	I	54	5.775	129.603	212.928	1.00171.10	I
ATOM	14992	CD2	LEU	I	54	5.915	129.854	215.412	1.00171.23	I
ATOM	14993	C	LEU	I	54	7.609	132.706	212.434	1.00174.86	I
ATOM	14994	O	LEU	I	54	7.887	133.669	213.149	1.00174.96	I
ATOM	14995	N	PHE	I	55	6.755	132.778	211.420	1.00174.38	I
ATOM	14996	CA	PHE	I	55	6.071	134.017	211.076	1.00173.84	I
ATOM	14997	CB	PHE	I	55	7.061	135.000	210.447	1.00174.85	I
ATOM	14998	CG	PHE	I	55	7.632	134.539	209.135	1.00176.47	I
ATOM	14999	CD1	PHE	I	55	7.082	134.971	207.933	1.00176.92	I
ATOM	15000	CD2	PHE	I	55	8.730	133.686	209.100	1.00176.92	I
ATOM	15001	CE1	PHE	I	55	7.620	134.565	206.714	1.00177.16	I
ATOM	15002	CE2	PHE	I	55	9.277	133.273	207.886	1.00177.15	I
ATOM	15003	CZ	PHE	I	55	8.720	133.715	206.690	1.00176.97	I
ATOM	15004	C	PHE	I	55	4.932	133.707	210.113	1.00172.99	I
ATOM	15005	O	PHE	I	55	4.804	132.574	209.647	1.00173.65	I
ATOM	15006	N	ALA	I	56	4.107	134.705	209.812	1.00171.08	I
ATOM	15007	CA	ALA	I	56	2.976	134.489	208.917	1.00168.48	I
ATOM	15008	CB	ALA	I	56	1.674	134.670	209.689	1.00168.49	I
ATOM	15009	C	ALA	I	56	2.967	135.374	207.674	1.00166.34	I
ATOM	15010	O	ALA	I	56	3.297	136.557	207.737	1.00165.84	I
ATOM	15011	N	MET	I	57	2.587	134.780	206.546	1.00164.76	I
ATOM	15012	CA	MET	I	57	2.495	135.494	205.276	1.00163.59	I
ATOM	15013	CB	MET	I	57	3.307	134.796	204.187	1.00162.56	I
ATOM	15014	CG	MET	I	57	4.802	134.810	204.408	1.00161.94	I
ATOM	15015	SD	MET	I	57	5.684	134.806	202.830	1.00159.75	I
ATOM	15016	CE	MET	I	57	5.296	133.184	202.234	1.00159.54	I
ATOM	15017	C	MET	I	57	1.038	135.544	204.843	1.00163.33	I
ATOM	15018	O	MET	I	57	0.530	134.602	204.230	1.00163.67	I
ATOM	15019	N	LYS	I	58	0.371	136.648	205.160	1.00162.49	I
ATOM	15020	CA	LYS	I	58	-1.034	136.812	204.817	1.00161.79	I
ATOM	15021	CB	LYS	I	58	-1.665	137.879	205.715	1.00162.89	I
ATOM	15022	CG	LYS	I	58	-3.178	137.799	205.805	1.00164.80	I
ATOM	15023	CD	LYS	I	58	-3.729	138.915	206.673	1.00165.32	I
ATOM	15024	CE	LYS	I	58	-5.158	138.625	207.099	1.00165.89	I
ATOM	15025	NZ	LYS	I	58	-5.220	137.440	208.007	1.00167.38	I
ATOM	15026	C	LYS	I	58	-1.209	137.198	203.349	1.00160.41	I
ATOM	15027	O	LYS	I	58	-0.482	138.050	202.834	1.00160.22	I
ATOM	15028	N	GLY	I	59	-2.171	136.562	202.683	1.00158.90	I
ATOM	15029	CA	GLY	I	59	-2.435	136.849	201.282	1.00157.30	I
ATOM	15030	C	GLY	I	59	-1.178	136.905	200.437	1.00156.45	I
ATOM	15031	O	GLY	I	59	-0.141	136.367	200.827	1.00156.79	I

ATOM	15032	N	LYS	I	60	-1.262	137.556	199.280	1.00155.48	I
ATOM	15033	CA	LYS	I	60	-0.104	137.666	198.399	1.00154.79	I
ATOM	15034	CB	LYS	I	60	-0.507	138.195	197.020	1.00152.36	I
ATOM	15035	CG	LYS	I	60	-1.508	137.335	196.288	1.00148.67	I
ATOM	15036	CD	LYS	I	60	-1.473	137.599	194.791	1.00146.26	I
ATOM	15037	CE	LYS	I	60	-0.225	137.011	194.150	1.00144.27	I
ATOM	15038	NZ	LYS	I	60	-0.285	137.057	192.660	1.00143.25	I
ATOM	15039	C	LYS	I	60	0.947	138.593	198.992	1.00155.61	I
ATOM	15040	O	LYS	I	60	0.835	139.815	198.888	1.00155.57	I
ATOM	15041	N	LYS	I	61	1.965	138.008	199.614	1.00156.51	I
ATOM	15042	CA	LYS	I	61	3.038	138.789	200.212	1.00157.29	I
ATOM	15043	CB	LYS	I	61	3.071	138.595	201.728	1.00157.35	I
ATOM	15044	CG	LYS	I	61	3.086	139.903	202.502	1.00157.26	I
ATOM	15045	CD	LYS	I	61	3.920	139.792	203.764	1.00157.36	I
ATOM	15046	CE	LYS	I	61	3.450	138.657	204.653	1.00157.46	I
ATOM	15047	NZ	LYS	I	61	4.340	138.508	205.835	1.00158.38	I
ATOM	15048	C	LYS	I	61	4.368	138.355	199.614	1.00158.09	I
ATOM	15049	O	LYS	I	61	4.415	137.876	198.481	1.00158.23	I
ATOM	15050	N	GLU	I	62	5.444	138.523	200.378	1.00159.35	I
ATOM	15051	CA	GLU	I	62	6.778	138.148	199.918	1.00160.63	I
ATOM	15052	CB	GLU	I	62	7.056	138.811	198.563	1.00159.93	I
ATOM	15053	CG	GLU	I	62	7.880	137.978	197.595	1.00159.89	I
ATOM	15054	CD	GLU	I	62	9.370	138.202	197.734	1.00160.35	I
ATOM	15055	OE1	GLU	I	62	9.898	138.006	198.850	1.00160.47	I
ATOM	15056	OE2	GLU	I	62	10.011	138.570	196.723	1.00159.93	I
ATOM	15057	C	GLU	I	62	7.819	138.580	200.955	1.00161.41	I
ATOM	15058	O	GLU	I	62	8.186	139.754	201.027	1.00161.62	I
ATOM	15059	N	ASN	I	63	8.283	137.626	201.761	1.00161.91	I
ATOM	15060	CA	ASN	I	63	9.272	137.909	202.797	1.00162.14	I
ATOM	15061	CB	ASN	I	63	8.771	137.411	204.155	1.00160.16	I
ATOM	15062	CG	ASN	I	63	7.401	137.954	204.505	1.00157.80	I
ATOM	15063	OD1	ASN	I	63	6.445	137.797	203.745	1.00154.76	I
ATOM	15064	ND2	ASN	I	63	7.296	138.593	205.664	1.00156.86	I
ATOM	15065	C	ASN	I	63	10.619	137.264	202.487	1.00163.29	I
ATOM	15066	O	ASN	I	63	10.746	136.496	201.535	1.00163.26	I
ATOM	15067	N	THR	I	64	11.618	137.577	203.305	1.00165.04	I
ATOM	15068	CA	THR	I	64	12.962	137.039	203.121	1.00167.43	I
ATOM	15069	CB	THR	I	64	13.978	138.176	202.861	1.00167.52	I
ATOM	15070	OG1	THR	I	64	13.585	138.910	201.695	1.00168.83	I
ATOM	15071	CG2	THR	I	64	15.374	137.614	202.647	1.00166.89	I
ATOM	15072	C	THR	I	64	13.434	136.235	204.333	1.00169.27	I
ATOM	15073	O	THR	I	64	13.306	136.681	205.474	1.00170.09	I
ATOM	15074	N	LEU	I	65	13.976	135.047	204.076	1.00170.61	I
ATOM	15075	CA	LEU	I	65	14.491	134.182	205.137	1.00172.05	I
ATOM	15076	CB	LEU	I	65	14.205	132.713	204.811	1.00172.22	I
ATOM	15077	CG	LEU	I	65	12.737	132.285	204.753	1.00171.38	I
ATOM	15078	CD1	LEU	I	65	12.642	130.842	204.282	1.00170.72	I
ATOM	15079	CD2	LEU	I	65	12.096	132.449	206.123	1.00171.36	I
ATOM	15080	C	LEU	I	65	15.998	134.408	205.243	1.00172.82	I
ATOM	15081	O	LEU	I	65	16.651	134.682	204.240	1.00173.71	I
ATOM	15082	N	ARG	I	66	16.548	134.294	206.450	1.00173.03	I
ATOM	15083	CA	ARG	I	66	17.979	134.511	206.649	1.00173.27	I
ATOM	15084	CB	ARG	I	66	18.203	135.768	207.500	1.00172.88	I
ATOM	15085	CG	ARG	I	66	17.455	136.999	206.995	1.00172.17	I
ATOM	15086	CD	ARG	I	66	17.772	138.243	207.817	1.00170.77	I
ATOM	15087	NE	ARG	I	66	16.918	139.376	207.465	1.00170.27	I
ATOM	15088	CZ	ARG	I	66	16.824	139.899	206.245	1.00170.35	I
ATOM	15089	NH1	ARG	I	66	17.533	139.396	205.241	1.00170.08	I

ATOM	15090	NH2	ARG	I	66	16.019	140.931	206.027	1.00169.47	I
ATOM	15091	C	ARG	I	66	18.685	133.320	207.295	1.00173.77	I
ATOM	15092	O	ARG	I	66	18.466	133.013	208.470	1.00173.35	I
ATOM	15093	N	ILE	I	67	19.537	132.660	206.512	1.00174.71	I
ATOM	15094	CA	ILE	I	67	20.303	131.500	206.966	1.00175.47	I
ATOM	15095	CB	ILE	I	67	20.772	130.622	205.770	1.00175.08	I
ATOM	15096	CG2	ILE	I	67	21.701	129.524	206.260	1.00175.38	I
ATOM	15097	CG1	ILE	I	67	19.572	129.993	205.058	1.00174.98	I
ATOM	15098	CD1	ILE	I	67	18.741	130.969	204.256	1.00175.46	I
ATOM	15099	C	ILE	I	67	21.543	131.946	207.740	1.00175.85	I
ATOM	15100	O	ILE	I	67	22.466	132.522	207.168	1.00175.55	I
ATOM	15101	N	LEU	I	68	21.566	131.663	209.038	1.00176.39	I
ATOM	15102	CA	LEU	I	68	22.691	132.050	209.881	1.00176.21	I
ATOM	15103	CB	LEU	I	68	22.180	132.570	211.222	1.00176.46	I
ATOM	15104	CG	LEU	I	68	20.995	133.531	211.154	1.00176.67	I
ATOM	15105	CD1	LEU	I	68	20.583	133.911	212.560	1.00176.52	I
ATOM	15106	CD2	LEU	I	68	21.361	134.765	210.349	1.00176.78	I
ATOM	15107	C	LEU	I	68	23.642	130.885	210.119	1.00176.02	I
ATOM	15108	O	LEU	I	68	23.211	129.765	210.391	1.00175.41	I
ATOM	15109	N	ASP	I	69	24.938	131.164	210.026	1.00176.43	I
ATOM	15110	CA	ASP	I	69	25.963	130.146	210.221	1.00176.82	I
ATOM	15111	CB	ASP	I	69	27.239	130.547	209.466	1.00176.44	I
ATOM	15112	CG	ASP	I	69	28.257	129.421	209.389	1.00176.43	I
ATOM	15113	OD1	ASP	I	69	29.217	129.528	208.593	1.00176.56	I
ATOM	15114	OD2	ASP	I	69	28.099	128.431	210.129	1.00176.03	I
ATOM	15115	C	ASP	I	69	26.266	129.947	211.706	1.00177.10	I
ATOM	15116	O	ASP	I	69	26.967	130.752	212.319	1.00176.98	I
ATOM	15117	N	ALA	I	70	25.726	128.872	212.276	1.00177.17	I
ATOM	15118	CA	ALA	I	70	25.934	128.550	213.686	1.00176.63	I
ATOM	15119	CB	ALA	I	70	24.699	127.858	214.257	1.00176.85	I
ATOM	15120	C	ALA	I	70	27.160	127.655	213.844	1.00176.42	I
ATOM	15121	O	ALA	I	70	27.874	127.741	214.844	1.00176.42	I
ATOM	15122	N	THR	I	71	27.396	126.791	212.859	1.00176.07	I
ATOM	15123	CA	THR	I	71	28.555	125.904	212.895	1.00175.62	I
ATOM	15124	CB	THR	I	71	28.574	124.930	211.683	1.00176.74	I
ATOM	15125	OG1	THR	I	71	29.826	124.234	211.647	1.00177.34	I
ATOM	15126	CG2	THR	I	71	28.375	125.680	210.375	1.00177.25	I
ATOM	15127	C	THR	I	71	29.808	126.774	212.870	1.00174.26	I
ATOM	15128	O	THR	I	71	30.125	127.393	211.853	1.00174.50	I
ATOM	15129	N	ASN	I	72	30.510	126.825	213.999	1.00172.05	I
ATOM	15130	CA	ASN	I	72	31.722	127.629	214.124	1.00169.70	I
ATOM	15131	CB	ASN	I	72	32.144	127.708	215.595	1.00169.13	I
ATOM	15132	CG	ASN	I	72	31.303	128.692	216.394	1.00168.42	I
ATOM	15133	OD1	ASN	I	72	31.424	128.779	217.616	1.00167.36	I
ATOM	15134	ND2	ASN	I	72	30.452	129.446	215.703	1.00167.48	I
ATOM	15135	C	ASN	I	72	32.892	127.128	213.279	1.00168.14	I
ATOM	15136	O	ASN	I	72	33.982	126.878	213.799	1.00167.89	I
ATOM	15137	N	ASN	I	73	32.666	126.993	211.974	1.00166.37	I
ATOM	15138	CA	ASN	I	73	33.704	126.528	211.057	1.00163.93	I
ATOM	15139	CB	ASN	I	73	34.893	127.495	211.092	1.00162.35	I
ATOM	15140	CG	ASN	I	73	34.476	128.942	210.881	1.00160.38	I
ATOM	15141	OD1	ASN	I	73	33.727	129.510	211.677	1.00158.68	I
ATOM	15142	ND2	ASN	I	73	34.961	129.545	209.803	1.00158.67	I
ATOM	15143	C	ASN	I	73	34.158	125.128	211.463	1.00162.87	I
ATOM	15144	O	ASN	I	73	35.326	124.770	211.324	1.00162.84	I
ATOM	15145	N	GLN	I	74	33.216	124.339	211.966	1.00161.73	I
ATOM	15146	CA	GLN	I	74	33.499	122.985	212.424	1.00159.99	I
ATOM	15147	CB	GLN	I	74	32.577	122.653	213.606	1.00161.67	I

ATOM	15148	CG	GLN	I	74	32.771	123.599	214.802	1.00163.37	I
ATOM	15149	CD	GLN	I	74	31.598	123.617	215.780	1.00163.38	I
ATOM	15150	OE1	GLN	I	74	31.636	124.315	216.796	1.00162.32	I
ATOM	15151	NE2	GLN	I	74	30.553	122.856	215.473	1.00163.49	I
ATOM	15152	C	GLN	I	74	33.332	121.963	211.305	1.00157.21	I
ATOM	15153	O	GLN	I	74	33.429	120.755	211.530	1.00156.61	I
ATOM	15154	N	LEU	I	75	33.100	122.460	210.094	1.00154.37	I
ATOM	15155	CA	LEU	I	75	32.909	121.601	208.933	1.00152.43	I
ATOM	15156	CB	LEU	I	75	31.729	122.111	208.105	1.00151.82	I
ATOM	15157	CG	LEU	I	75	30.358	122.031	208.775	1.00150.94	I
ATOM	15158	CD1	LEU	I	75	29.357	122.830	207.969	1.00150.95	I
ATOM	15159	CD2	LEU	I	75	29.926	120.580	208.896	1.00149.47	I
ATOM	15160	C	LEU	I	75	34.155	121.527	208.057	1.00150.99	I
ATOM	15161	O	LEU	I	75	35.024	122.396	208.124	1.00150.12	I
ATOM	15162	N	PRO	I	76	34.259	120.475	207.225	1.00150.00	I
ATOM	15163	CD	PRO	I	76	33.297	119.366	207.091	1.00149.14	I
ATOM	15164	CA	PRO	I	76	35.402	120.282	206.328	1.00148.93	I
ATOM	15165	CB	PRO	I	76	34.973	119.091	205.479	1.00148.52	I
ATOM	15166	CG	PRO	I	76	34.134	118.301	206.428	1.00148.86	I
ATOM	15167	C	PRO	I	76	35.641	121.529	205.487	1.00148.65	I
ATOM	15168	O	PRO	I	76	34.697	122.117	204.958	1.00148.94	I
ATOM	15169	N	GLN	I	77	36.902	121.927	205.362	1.00148.31	I
ATOM	15170	CA	GLN	I	77	37.249	123.114	204.592	1.00147.92	I
ATOM	15171	CB	GLN	I	77	38.094	124.057	205.454	1.00146.02	I
ATOM	15172	CG	GLN	I	77	37.458	124.385	206.803	1.00143.19	I
ATOM	15173	CD	GLN	I	77	36.103	125.060	206.674	1.00141.30	I
ATOM	15174	OE1	GLN	I	77	35.362	125.184	207.651	1.00139.56	I
ATOM	15175	NE2	GLN	I	77	35.776	125.508	205.468	1.00140.68	I
ATOM	15176	C	GLN	I	77	37.989	122.768	203.299	1.00148.94	I
ATOM	15177	O	GLN	I	77	38.736	123.588	202.758	1.00148.44	I
ATOM	15178	N	ASP	I	78	37.764	121.552	202.805	1.00150.47	I
ATOM	15179	CA	ASP	I	78	38.392	121.081	201.573	1.00151.27	I
ATOM	15180	CB	ASP	I	78	39.332	119.904	201.867	1.00151.29	I
ATOM	15181	CG	ASP	I	78	38.591	118.657	202.334	1.00151.79	I
ATOM	15182	OD1	ASP	I	78	39.245	117.599	202.465	1.00151.05	I
ATOM	15183	OD2	ASP	I	78	37.364	118.727	202.571	1.00151.38	I
ATOM	15184	C	ASP	I	78	37.353	120.647	200.535	1.00151.73	I
ATOM	15185	O	ASP	I	78	37.705	120.222	199.435	1.00151.07	I
ATOM	15186	N	ARG	I	79	36.076	120.757	200.894	1.00152.40	I
ATOM	15187	CA	ARG	I	79	34.976	120.373	200.010	1.00151.94	I
ATOM	15188	CB	ARG	I	79	34.844	118.852	199.968	1.00152.68	I
ATOM	15189	CG	ARG	I	79	34.331	118.250	201.271	1.00153.55	I
ATOM	15190	CD	ARG	I	79	34.546	116.751	201.319	1.00153.28	I
ATOM	15191	NE	ARG	I	79	35.967	116.432	201.396	1.00155.00	I
ATOM	15192	CZ	ARG	I	79	36.453	115.196	201.422	1.00156.48	I
ATOM	15193	NH1	ARG	I	79	35.630	114.154	201.376	1.00156.69	I
ATOM	15194	NH2	ARG	I	79	37.763	114.997	201.493	1.00157.92	I
ATOM	15195	C	ARG	I	79	33.677	120.961	200.548	1.00151.10	I
ATOM	15196	O	ARG	I	79	33.681	121.657	201.564	1.00151.23	I
ATOM	15197	N	GLU	I	80	32.564	120.671	199.881	1.00149.78	I
ATOM	15198	CA	GLU	I	80	31.277	121.180	200.339	1.00148.60	I
ATOM	15199	CB	GLU	I	80	30.329	121.438	199.172	1.00145.81	I
ATOM	15200	CG	GLU	I	80	30.956	121.943	197.907	1.00141.88	I
ATOM	15201	CD	GLU	I	80	29.903	122.350	196.907	1.00139.88	I
ATOM	15202	OE1	GLU	I	80	29.402	123.485	197.010	1.00140.22	I
ATOM	15203	OE2	GLU	I	80	29.554	121.533	196.032	1.00137.48	I
ATOM	15204	C	GLU	I	80	30.608	120.166	201.256	1.00148.92	I
ATOM	15205	O	GLU	I	80	30.675	118.960	201.014	1.00147.71	I

ATOM	15206	N	SER	I	81	29.965	120.663	202.309	1.00149.98	I
ATOM	15207	CA	SER	I	81	29.244	119.810	203.246	1.00150.50	I
ATOM	15208	CB	SER	I	81	29.500	120.243	204.694	1.00150.74	I
ATOM	15209	OG	SER	I	81	30.831	119.963	205.097	1.00152.16	I
ATOM	15210	C	SER	I	81	27.769	119.975	202.905	1.00150.65	I
ATOM	15211	O	SER	I	81	27.215	121.066	203.027	1.00150.24	I
ATOM	15212	N	LEU	I	82	27.140	118.891	202.466	1.00151.50	I
ATOM	15213	CA	LEU	I	82	25.736	118.929	202.087	1.00152.17	I
ATOM	15214	CB	LEU	I	82	25.405	117.738	201.179	1.00151.22	I
ATOM	15215	CG	LEU	I	82	23.974	117.559	200.655	1.00150.45	I
ATOM	15216	CD1	LEU	I	82	23.488	118.825	199.969	1.00150.08	I
ATOM	15217	CD2	LEU	I	82	23.943	116.388	199.685	1.00149.55	I
ATOM	15218	C	LEU	I	82	24.790	118.947	203.278	1.00153.67	I
ATOM	15219	O	LEU	I	82	24.914	118.142	204.205	1.00154.10	I
ATOM	15220	N	PHE	I	83	23.858	119.895	203.236	1.00154.74	I
ATOM	15221	CA	PHE	I	83	22.823	120.068	204.252	1.00155.54	I
ATOM	15222	CB	PHE	I	83	23.042	121.348	205.069	1.00154.78	I
ATOM	15223	CG	PHE	I	83	24.193	121.271	206.024	1.00155.28	I
ATOM	15224	CD1	PHE	I	83	25.501	121.235	205.555	1.00155.09	I
ATOM	15225	CD2	PHE	I	83	23.970	121.217	207.396	1.00156.30	I
ATOM	15226	CE1	PHE	I	83	26.573	121.144	206.437	1.00155.16	I
ATOM	15227	CE2	PHE	I	83	25.034	121.125	208.288	1.00156.40	I
ATOM	15228	CZ	PHE	I	83	26.340	121.089	207.807	1.00155.64	I
ATOM	15229	C	PHE	I	83	21.514	120.190	203.482	1.00156.48	I
ATOM	15230	O	PHE	I	83	21.497	120.058	202.256	1.00156.86	I
ATOM	15231	N	TRP	I	84	20.419	120.438	204.190	1.00156.80	I
ATOM	15232	CA	TRP	I	84	19.134	120.584	203.529	1.00156.34	I
ATOM	15233	CB	TRP	I	84	18.376	119.255	203.512	1.00154.12	I
ATOM	15234	CG	TRP	I	84	19.007	118.219	202.640	1.00150.91	I
ATOM	15235	CD2	TRP	I	84	18.724	117.974	201.256	1.00149.87	I
ATOM	15236	CE2	TRP	I	84	19.567	116.920	200.837	1.00149.46	I
ATOM	15237	CE3	TRP	I	84	17.840	118.542	200.329	1.00149.15	I
ATOM	15238	CD1	TRP	I	84	19.982	117.333	202.993	1.00150.56	I
ATOM	15239	NE1	TRP	I	84	20.325	116.546	201.915	1.00149.95	I
ATOM	15240	CZ2	TRP	I	84	19.552	116.424	199.528	1.00147.90	I
ATOM	15241	CZ3	TRP	I	84	17.825	118.046	199.025	1.00147.45	I
ATOM	15242	CH2	TRP	I	84	18.675	116.998	198.641	1.00146.81	I
ATOM	15243	C	TRP	I	84	18.267	121.663	204.156	1.00157.06	I
ATOM	15244	O	TRP	I	84	18.085	121.712	205.372	1.00155.84	I
ATOM	15245	N	MET	I	85	17.738	122.529	203.301	1.00159.12	I
ATOM	15246	CA	MET	I	85	16.883	123.620	203.736	1.00161.03	I
ATOM	15247	CB	MET	I	85	17.193	124.873	202.917	1.00161.76	I
ATOM	15248	CG	MET	I	85	16.199	125.998	203.125	1.00162.71	I
ATOM	15249	SD	MET	I	85	16.158	126.590	204.833	1.00163.31	I
ATOM	15250	CE	MET	I	85	16.055	128.361	204.564	1.00161.71	I
ATOM	15251	C	MET	I	85	15.410	123.253	203.582	1.00161.67	I
ATOM	15252	O	MET	I	85	14.964	122.889	202.492	1.00161.62	I
ATOM	15253	N	ASN	I	86	14.658	123.352	204.675	1.00162.35	I
ATOM	15254	CA	ASN	I	86	13.235	123.035	204.648	1.00163.57	I
ATOM	15255	CB	ASN	I	86	12.940	121.811	205.517	1.00163.61	I
ATOM	15256	CG	ASN	I	86	13.641	120.564	205.019	1.00163.44	I
ATOM	15257	OD1	ASN	I	86	14.860	120.437	205.133	1.00163.07	I
ATOM	15258	ND2	ASN	I	86	12.873	119.637	204.455	1.00161.86	I
ATOM	15259	C	ASN	I	86	12.375	124.201	205.110	1.00164.52	I
ATOM	15260	O	ASN	I	86	12.649	124.820	206.138	1.00164.30	I
ATOM	15261	N	VAL	I	87	11.333	124.488	204.337	1.00166.10	I
ATOM	15262	CA	VAL	I	87	10.400	125.569	204.640	1.00167.39	I
ATOM	15263	CB	VAL	I	87	10.457	126.676	203.562	1.00168.85	I

ATOM	15264	CG1	VAL	I	87	9.448	127.772	203.881	1.00169.58	I
ATOM	15265	CG2	VAL	I	87	11.864	127.256	203.487	1.00169.20	I
ATOM	15266	C	VAL	I	87	8.992	124.984	204.687	1.00166.84	I
ATOM	15267	O	VAL	I	87	8.449	124.566	203.664	1.00165.54	I
ATOM	15268	N	LYS	I	88	8.412	124.959	205.882	1.00167.40	I
ATOM	15269	CA	LYS	I	88	7.078	124.405	206.084	1.00168.39	I
ATOM	15270	CB	LYS	I	88	7.023	123.668	207.424	1.00168.74	I
ATOM	15271	CG	LYS	I	88	5.659	123.095	207.767	1.00169.18	I
ATOM	15272	CD	LYS	I	88	5.665	122.470	209.150	1.00168.97	I
ATOM	15273	CE	LYS	I	88	4.292	121.931	209.517	1.00168.70	I
ATOM	15274	NZ	LYS	I	88	4.245	121.499	210.939	1.00167.66	I
ATOM	15275	C	LYS	I	88	5.966	125.444	206.039	1.00168.82	I
ATOM	15276	O	LYS	I	88	6.013	126.447	206.748	1.00168.43	I
ATOM	15277	N	ALA	I	89	4.961	125.184	205.209	1.00170.31	I
ATOM	15278	CA	ALA	I	89	3.816	126.077	205.068	1.00172.08	I
ATOM	15279	CB	ALA	I	89	3.428	126.200	203.598	1.00172.01	I
ATOM	15280	C	ALA	I	89	2.638	125.545	205.881	1.00173.11	I
ATOM	15281	O	ALA	I	89	1.976	124.587	205.481	1.00172.79	I
ATOM	15282	N	ILE	I	90	2.382	126.173	207.024	1.00175.09	I
ATOM	15283	CA	ILE	I	90	1.291	125.761	207.903	1.00177.26	I
ATOM	15284	CB	ILE	I	90	1.698	125.884	209.391	1.00177.21	I
ATOM	15285	CG2	ILE	I	90	0.600	125.313	210.275	1.00176.17	I
ATOM	15286	CG1	ILE	I	90	3.024	125.156	209.638	1.00177.49	I
ATOM	15287	CD1	ILE	I	90	3.570	125.309	211.053	1.00176.78	I
ATOM	15288	C	ILE	I	90	0.034	126.603	207.688	1.00178.98	I
ATOM	15289	O	ILE	I	90	0.051	127.821	207.871	1.00179.17	I
ATOM	15290	N	PRO	I	91	-1.076	125.961	207.294	1.00180.46	I
ATOM	15291	CD	PRO	I	91	-1.221	124.543	206.921	1.00180.66	I
ATOM	15292	CA	PRO	I	91	-2.327	126.688	207.068	1.00181.81	I
ATOM	15293	CB	PRO	I	91	-3.160	125.688	206.277	1.00181.19	I
ATOM	15294	CG	PRO	I	91	-2.721	124.386	206.845	1.00180.89	I
ATOM	15295	C	PRO	I	91	-2.988	127.090	208.385	1.00183.52	I
ATOM	15296	O	PRO	I	91	-2.305	127.349	209.376	1.00183.74	I
ATOM	15297	N	SER	I	92	-4.317	127.135	208.392	1.00185.20	I
ATOM	15298	CA	SER	I	92	-5.066	127.513	209.588	1.00186.28	I
ATOM	15299	CB	SER	I	92	-5.738	128.870	209.372	1.00185.68	I
ATOM	15300	OG	SER	I	92	-5.024	129.641	208.416	1.00184.76	I
ATOM	15301	C	SER	I	92	-6.135	126.469	209.901	1.00187.34	I
ATOM	15302	O	SER	I	92	-6.654	125.815	209.000	1.00187.02	I
ATOM	15303	N	MET	I	93	-6.466	126.320	211.178	1.00188.86	I
ATOM	15304	CA	MET	I	93	-7.480	125.357	211.590	1.00190.80	I
ATOM	15305	CB	MET	I	93	-7.377	125.108	213.101	1.00191.34	I
ATOM	15306	CG	MET	I	93	-7.882	123.743	213.573	1.00192.51	I
ATOM	15307	SD	MET	I	93	-9.678	123.508	213.466	1.00194.34	I
ATOM	15308	CE	MET	I	93	-10.151	123.688	215.198	1.00194.16	I
ATOM	15309	C	MET	I	93	-8.848	125.938	211.237	1.00192.15	I
ATOM	15310	O	MET	I	93	-9.166	127.065	211.620	1.00192.07	I
ATOM	15311	N	ASP	I	94	-9.647	125.171	210.496	1.00193.61	I
ATOM	15312	CA	ASP	I	94	-10.980	125.616	210.086	1.00194.42	I
ATOM	15313	CB	ASP	I	94	-11.486	124.816	208.876	1.00194.41	I
ATOM	15314	CG	ASP	I	94	-10.633	125.011	207.637	1.00194.48	I
ATOM	15315	OD1	ASP	I	94	-11.108	124.660	206.530	1.00193.89	I
ATOM	15316	OD2	ASP	I	94	-9.489	125.504	207.768	1.00194.88	I
ATOM	15317	C	ASP	I	94	-11.999	125.474	211.209	1.00194.88	I
ATOM	15318	O	ASP	I	94	-12.362	124.359	211.591	1.00195.07	I
ATOM	15319	N	LYS	I	95	-12.463	126.605	211.734	1.00195.02	I
ATOM	15320	CA	LYS	I	95	-13.459	126.587	212.797	1.00194.92	I
ATOM	15321	CB	LYS	I	95	-13.513	127.942	213.514	1.00194.62	I

ATOM	15322	CG	LYS	I	95	-12.248	128.297	214.293	1.00193.17	I
ATOM	15323	CD	LYS	I	95	-11.109	128.726	213.382	1.00191.41	I
ATOM	15324	CE	LYS	I	95	-11.417	130.044	212.691	1.00190.10	I
ATOM	15325	NZ	LYS	I	95	-10.279	130.493	211.846	1.00189.00	I
ATOM	15326	C	LYS	I	95	-14.816	126.279	212.163	1.00194.76	I
ATOM	15327	O	LYS	I	95	-15.840	126.214	212.853	1.00195.07	I
ATOM	15328	N	SER	I	96	-14.803	126.082	210.843	1.00193.74	I
ATOM	15329	CA	SER	I	96	-16.010	125.780	210.071	1.00192.21	I
ATOM	15330	CB	SER	I	96	-16.000	126.558	208.753	1.00191.05	I
ATOM	15331	OG	SER	I	96	-14.944	126.122	207.902	1.00188.68	I
ATOM	15332	C	SER	I	96	-16.129	124.284	209.769	1.00191.60	I
ATOM	15333	O	SER	I	96	-17.188	123.805	209.362	1.00191.55	I
ATOM	15334	N	LYS	I	97	-15.038	123.553	209.975	1.00190.66	I
ATOM	15335	CA	LYS	I	97	-15.016	122.119	209.734	1.00189.45	I
ATOM	15336	CB	LYS	I	97	-13.988	121.789	208.647	1.00188.04	I
ATOM	15337	CG	LYS	I	97	-13.989	122.744	207.458	1.00185.78	I
ATOM	15338	CD	LYS	I	97	-15.348	122.807	206.788	1.00184.04	I
ATOM	15339	CE	LYS	I	97	-15.352	123.847	205.685	1.00182.51	I
ATOM	15340	NZ	LYS	I	97	-16.690	123.984	205.051	1.00181.44	I
ATOM	15341	C	LYS	I	97	-14.663	121.403	211.036	1.00189.54	I
ATOM	15342	O	LYS	I	97	-14.406	120.199	211.050	1.00189.20	I
ATOM	15343	N	LEU	I	98	-14.656	122.165	212.127	1.00189.97	I
ATOM	15344	CA	LEU	I	98	-14.341	121.644	213.454	1.00190.55	I
ATOM	15345	CB	LEU	I	98	-14.548	122.758	214.500	1.00189.91	I
ATOM	15346	CG	LEU	I	98	-14.411	122.489	216.008	1.00189.14	I
ATOM	15347	CD1	LEU	I	98	-15.628	121.733	216.507	1.00188.41	I
ATOM	15348	CD2	LEU	I	98	-13.128	121.728	216.300	1.00189.16	I
ATOM	15349	C	LEU	I	98	-15.151	120.405	213.821	1.00190.99	I
ATOM	15350	O	LEU	I	98	-14.640	119.486	214.457	1.00190.80	I
ATOM	15351	N	THR	I	99	-16.417	120.385	213.423	1.00191.65	I
ATOM	15352	CA	THR	I	99	-17.290	119.253	213.733	1.00192.32	I
ATOM	15353	CB	THR	I	99	-18.746	119.706	213.995	1.00192.66	I
ATOM	15354	OG1	THR	I	99	-19.385	119.995	212.744	1.00193.14	I
ATOM	15355	CG2	THR	I	99	-18.766	120.966	214.834	1.00192.44	I
ATOM	15356	C	THR	I	99	-17.327	118.257	212.575	1.00192.44	I
ATOM	15357	O	THR	I	99	-18.365	117.665	212.291	1.00191.97	I
ATOM	15358	N	GLU	I	100	-16.190	118.061	211.916	1.00192.99	I
ATOM	15359	CA	GLU	I	100	-16.131	117.139	210.789	1.00193.55	I
ATOM	15360	CB	GLU	I	100	-16.423	117.909	209.498	1.00193.44	I
ATOM	15361	CG	GLU	I	100	-17.738	118.665	209.501	1.00192.28	I
ATOM	15362	CD	GLU	I	100	-17.776	119.733	208.432	1.00191.81	I
ATOM	15363	OE1	GLU	I	100	-17.589	119.389	207.247	1.00191.80	I
ATOM	15364	OE2	GLU	I	100	-17.993	120.913	208.777	1.00191.36	I
ATOM	15365	C	GLU	I	100	-14.816	116.366	210.643	1.00193.94	I
ATOM	15366	O	GLU	I	100	-13.865	116.569	211.399	1.00193.82	I
ATOM	15367	N	ASN	I	101	-14.795	115.489	209.640	1.00194.11	I
ATOM	15368	CA	ASN	I	101	-13.649	114.649	209.314	1.00193.78	I
ATOM	15369	CB	ASN	I	101	-14.125	113.251	208.908	1.00195.95	I
ATOM	15370	CG	ASN	I	101	-14.807	112.514	210.049	1.00198.43	I
ATOM	15371	OD1	ASN	I	101	-15.525	113.118	210.849	1.00200.00	I
ATOM	15372	ND2	ASN	I	101	-14.602	111.200	210.120	1.00199.50	I
ATOM	15373	C	ASN	I	101	-12.859	115.268	208.166	1.00192.31	I
ATOM	15374	O	ASN	I	101	-13.139	115.002	206.992	1.00191.24	I
ATOM	15375	N	THR	I	102	-11.869	116.088	208.504	1.00191.23	I
ATOM	15376	CA	THR	I	102	-11.069	116.749	207.483	1.00189.70	I
ATOM	15377	CB	THR	I	102	-11.097	118.280	207.677	1.00189.27	I
ATOM	15378	OG1	THR	I	102	-10.401	118.627	208.881	1.00188.21	I
ATOM	15379	CG2	THR	I	102	-12.529	118.769	207.779	1.00189.87	I

ATOM	15380	C	THR	I	102	-9.615	116.291	207.427	1.00188.56	I
ATOM	15381	O	THR	I	102	-9.121	115.606	208.324	1.00189.10	I
ATOM	15382	N	LEU	I	103	-8.947	116.686	206.347	1.00186.46	I
ATOM	15383	CA	LEU	I	103	-7.546	116.358	206.107	1.00184.21	I
ATOM	15384	CB	LEU	I	103	-7.428	115.283	205.025	1.00183.28	I
ATOM	15385	CG	LEU	I	103	-6.003	115.018	204.532	1.00181.83	I
ATOM	15386	CD1	LEU	I	103	-5.171	114.388	205.638	1.00181.20	I
ATOM	15387	CD2	LEU	I	103	-6.053	114.109	203.322	1.00180.93	I
ATOM	15388	C	LEU	I	103	-6.779	117.594	205.651	1.00182.98	I
ATOM	15389	O	LEU	I	103	-7.016	118.104	204.554	1.00183.08	I
ATOM	15390	N	GLN	I	104	-5.859	118.069	206.488	1.00181.03	I
ATOM	15391	CA	GLN	I	104	-5.055	119.240	206.148	1.00178.35	I
ATOM	15392	CB	GLN	I	104	-5.105	120.284	207.271	1.00178.41	I
ATOM	15393	CG	GLN	I	104	-6.238	121.299	207.136	1.00177.73	I
ATOM	15394	CD	GLN	I	104	-6.058	122.501	208.048	1.00177.59	I
ATOM	15395	OE1	GLN	I	104	-6.835	123.455	207.998	1.00176.99	I
ATOM	15396	NE2	GLN	I	104	-5.029	122.459	208.887	1.00177.37	I
ATOM	15397	C	GLN	I	104	-3.601	118.891	205.836	1.00175.67	I
ATOM	15398	O	GLN	I	104	-2.969	118.098	206.534	1.00175.00	I
ATOM	15399	N	LEU	I	105	-3.077	119.500	204.779	1.00172.63	I
ATOM	15400	CA	LEU	I	105	-1.709	119.256	204.354	1.00169.96	I
ATOM	15401	CB	LEU	I	105	-1.692	118.876	202.874	1.00169.71	I
ATOM	15402	CG	LEU	I	105	-2.723	117.831	202.444	1.00169.74	I
ATOM	15403	CD1	LEU	I	105	-2.570	117.557	200.958	1.00170.20	I
ATOM	15404	CD2	LEU	I	105	-2.539	116.550	203.247	1.00170.75	I
ATOM	15405	C	LEU	I	105	-0.825	120.476	204.573	1.00168.21	I
ATOM	15406	O	LEU	I	105	-1.261	121.613	204.395	1.00168.07	I
ATOM	15407	N	ALA	I	106	0.419	120.229	204.966	1.00166.00	I
ATOM	15408	CA	ALA	I	106	1.382	121.298	205.195	1.00163.53	I
ATOM	15409	CB	ALA	I	106	1.908	121.243	206.628	1.00162.48	I
ATOM	15410	C	ALA	I	106	2.525	121.105	204.206	1.00161.95	I
ATOM	15411	O	ALA	I	106	3.543	120.495	204.534	1.00163.04	I
ATOM	15412	N	ILE	I	107	2.344	121.617	202.991	1.00159.34	I
ATOM	15413	CA	ILE	I	107	3.355	121.491	201.946	1.00156.74	I
ATOM	15414	CB	ILE	I	107	2.925	122.214	200.651	1.00155.70	I
ATOM	15415	CG2	ILE	I	107	3.943	121.956	199.551	1.00154.09	I
ATOM	15416	CG1	ILE	I	107	1.547	121.720	200.208	1.00154.82	I
ATOM	15417	CD1	ILE	I	107	1.482	120.238	199.920	1.00153.41	I
ATOM	15418	C	ILE	I	107	4.690	122.066	202.398	1.00155.64	I
ATOM	15419	O	ILE	I	107	4.756	123.187	202.907	1.00155.87	I
ATOM	15420	N	ILE	I	108	5.753	121.293	202.204	1.00153.94	I
ATOM	15421	CA	ILE	I	108	7.088	121.718	202.598	1.00152.42	I
ATOM	15422	CB	ILE	I	108	7.641	120.821	203.724	1.00153.45	I
ATOM	15423	CG2	ILE	I	108	8.976	121.371	204.219	1.00154.63	I
ATOM	15424	CG1	ILE	I	108	6.630	120.749	204.873	1.00154.54	I
ATOM	15425	CD1	ILE	I	108	7.007	119.779	205.984	1.00156.08	I
ATOM	15426	C	ILE	I	108	8.039	121.650	201.412	1.00150.74	I
ATOM	15427	O	ILE	I	108	7.894	120.799	200.534	1.00150.06	I
ATOM	15428	N	SER	I	109	9.009	122.555	201.386	1.00149.51	I
ATOM	15429	CA	SER	I	109	9.988	122.579	200.309	1.00148.26	I
ATOM	15430	CB	SER	I	109	9.964	123.928	199.584	1.00150.09	I
ATOM	15431	OG	SER	I	109	8.808	124.052	198.773	1.00151.00	I
ATOM	15432	C	SER	I	109	11.387	122.304	200.843	1.00145.58	I
ATOM	15433	O	SER	I	109	11.833	122.920	201.814	1.00144.38	I
ATOM	15434	N	ARG	I	110	12.068	121.361	200.204	1.00142.66	I
ATOM	15435	CA	ARG	I	110	13.416	120.988	200.595	1.00139.58	I
ATOM	15436	CB	ARG	I	110	13.441	119.536	201.089	1.00139.43	I
ATOM	15437	CG	ARG	I	110	14.792	118.869	200.933	1.00138.06	I

ATOM	15438	CD	ARG	I	110	14.872	117.515	201.614	1.00137.49	I
ATOM	15439	NE	ARG	I	110	14.977	117.644	203.063	1.00136.61	I
ATOM	15440	CZ	ARG	I	110	15.441	116.687	203.860	1.00136.48	I
ATOM	15441	NH1	ARG	I	110	15.844	115.529	203.346	1.00134.51	I
ATOM	15442	NH2	ARG	I	110	15.505	116.886	205.170	1.00136.43	I
ATOM	15443	C	ARG	I	110	14.385	121.164	199.429	1.00137.17	I
ATOM	15444	O	ARG	I	110	14.202	120.585	198.354	1.00136.33	I
ATOM	15445	N	ILE	I	111	15.412	121.980	199.648	1.00134.83	I
ATOM	15446	CA	ILE	I	111	16.416	122.238	198.626	1.00132.63	I
ATOM	15447	CB	ILE	I	111	16.228	123.634	197.980	1.00132.84	I
ATOM	15448	CG2	ILE	I	111	14.824	123.746	197.409	1.00133.70	I
ATOM	15449	CG1	ILE	I	111	16.467	124.744	199.007	1.00132.32	I
ATOM	15450	CD1	ILE	I	111	16.423	126.143	198.415	1.00126.90	I
ATOM	15451	C	ILE	I	111	17.819	122.141	199.207	1.00130.30	I
ATOM	15452	O	ILE	I	111	18.043	122.435	200.382	1.00128.83	I
ATOM	15453	N	LYS	I	112	18.760	121.729	198.366	1.00129.06	I
ATOM	15454	CA	LYS	I	112	20.148	121.565	198.773	1.00128.71	I
ATOM	15455	CB	LYS	I	112	20.943	120.931	197.633	1.00126.73	I
ATOM	15456	CG	LYS	I	112	20.327	119.648	197.113	1.00125.02	I
ATOM	15457	CD	LYS	I	112	21.062	119.141	195.891	1.00123.06	I
ATOM	15458	CE	LYS	I	112	20.361	117.932	195.301	1.00122.18	I
ATOM	15459	NZ	LYS	I	112	20.982	117.505	194.016	1.00121.28	I
ATOM	15460	C	LYS	I	112	20.820	122.866	199.191	1.00129.63	I
ATOM	15461	O	LYS	I	112	20.616	123.910	198.579	1.00129.90	I
ATOM	15462	N	LEU	I	113	21.628	122.782	200.243	1.00130.43	I
ATOM	15463	CA	LEU	I	113	22.369	123.920	200.772	1.00131.13	I
ATOM	15464	CB	LEU	I	113	21.788	124.345	202.122	1.00129.21	I
ATOM	15465	CG	LEU	I	113	22.644	125.215	203.047	1.00127.17	I
ATOM	15466	CD1	LEU	I	113	23.169	126.441	202.319	1.00127.26	I
ATOM	15467	CD2	LEU	I	113	21.793	125.627	204.232	1.00127.34	I
ATOM	15468	C	LEU	I	113	23.817	123.485	200.939	1.00132.88	I
ATOM	15469	O	LEU	I	113	24.135	122.690	201.820	1.00133.75	I
ATOM	15470	N	TYR	I	114	24.693	124.012	200.092	1.00135.70	I
ATOM	15471	CA	TYR	I	114	26.101	123.642	200.135	1.00139.22	I
ATOM	15472	CB	TYR	I	114	26.640	123.487	198.716	1.00142.26	I
ATOM	15473	CG	TYR	I	114	25.994	122.366	197.952	1.00145.81	I
ATOM	15474	CD1	TYR	I	114	25.285	122.616	196.779	1.00146.52	I
ATOM	15475	CE1	TYR	I	114	24.676	121.586	196.076	1.00148.69	I
ATOM	15476	CD2	TYR	I	114	26.081	121.052	198.408	1.00148.02	I
ATOM	15477	CE2	TYR	I	114	25.477	120.013	197.712	1.00149.89	I
ATOM	15478	CZ	TYR	I	114	24.775	120.286	196.546	1.00149.61	I
ATOM	15479	OH	TYR	I	114	24.177	119.260	195.847	1.00149.78	I
ATOM	15480	C	TYR	I	114	27.029	124.568	200.900	1.00139.76	I
ATOM	15481	O	TYR	I	114	27.119	125.761	200.609	1.00139.24	I
ATOM	15482	N	TYR	I	115	27.725	124.004	201.880	1.00141.44	I
ATOM	15483	CA	TYR	I	115	28.688	124.765	202.658	1.00144.20	I
ATOM	15484	CB	TYR	I	115	28.908	124.137	204.034	1.00143.49	I
ATOM	15485	CG	TYR	I	115	29.919	124.882	204.881	1.00143.18	I
ATOM	15486	CD1	TYR	I	115	29.672	126.194	205.304	1.00144.14	I
ATOM	15487	CE1	TYR	I	115	30.598	126.890	206.082	1.00144.04	I
ATOM	15488	CD2	TYR	I	115	31.125	124.280	205.258	1.00142.02	I
ATOM	15489	CE2	TYR	I	115	32.059	124.964	206.036	1.00141.77	I
ATOM	15490	CZ	TYR	I	115	31.789	126.268	206.444	1.00143.00	I
ATOM	15491	OH	TYR	I	115	32.703	126.947	207.217	1.00141.56	I
ATOM	15492	C	TYR	I	115	29.978	124.697	201.855	1.00146.64	I
ATOM	15493	O	TYR	I	115	30.823	123.837	202.097	1.00146.11	I
ATOM	15494	N	ARG	I	116	30.109	125.601	200.889	1.00150.43	I
ATOM	15495	CA	ARG	I	116	31.283	125.653	200.024	1.00153.90	I

ATOM	15496	CB	ARG	I	116	30.882	126.178	198.647	1.00154.48	I
ATOM	15497	CG	ARG	I	116	32.025	126.294	197.655	1.00155.80	I
ATOM	15498	CD	ARG	I	116	31.533	126.905	196.351	1.00158.01	I
ATOM	15499	NE	ARG	I	116	30.472	126.103	195.747	1.00158.62	I
ATOM	15500	CZ	ARG	I	116	29.757	126.481	194.691	1.00157.95	I
ATOM	15501	NH1	ARG	I	116	29.988	127.657	194.117	1.00156.30	I
ATOM	15502	NH2	ARG	I	116	28.812	125.683	194.207	1.00157.86	I
ATOM	15503	C	ARG	I	116	32.386	126.537	200.604	1.00156.36	I
ATOM	15504	O	ARG	I	116	32.298	127.766	200.558	1.00156.60	I
ATOM	15505	N	PRO	I	117	33.444	125.918	201.152	1.00158.42	I
ATOM	15506	CD	PRO	I	117	33.634	124.463	201.288	1.00158.91	I
ATOM	15507	CA	PRO	I	117	34.573	126.640	201.745	1.00159.43	I
ATOM	15508	CB	PRO	I	117	35.571	125.526	202.043	1.00159.58	I
ATOM	15509	CG	PRO	I	117	34.678	124.378	202.376	1.00158.80	I
ATOM	15510	C	PRO	I	117	35.145	127.689	200.800	1.00160.07	I
ATOM	15511	O	PRO	I	117	35.770	127.351	199.797	1.00159.83	I
ATOM	15512	N	ALA	I	118	34.922	128.959	201.122	1.00160.68	I
ATOM	15513	CA	ALA	I	118	35.427	130.050	200.301	1.00161.20	I
ATOM	15514	CB	ALA	I	118	34.860	131.377	200.795	1.00159.57	I
ATOM	15515	C	ALA	I	118	36.951	130.057	200.378	1.00162.51	I
ATOM	15516	O	ALA	I	118	37.540	130.887	201.067	1.00162.62	I
ATOM	15517	N	LYS	I	119	37.577	129.117	199.672	1.00164.60	I
ATOM	15518	CA	LYS	I	119	39.034	128.978	199.645	1.00166.59	I
ATOM	15519	CB	LYS	I	119	39.564	128.699	201.058	1.00167.30	I
ATOM	15520	CG	LYS	I	119	41.036	129.027	201.269	1.00167.78	I
ATOM	15521	CD	LYS	I	119	41.253	130.530	201.265	1.00168.91	I
ATOM	15522	CE	LYS	I	119	42.674	130.896	201.661	1.00169.89	I
ATOM	15523	NZ	LYS	I	119	42.846	132.373	201.787	1.00171.06	I
ATOM	15524	C	LYS	I	119	39.397	127.806	198.729	1.00167.65	I
ATOM	15525	O	LYS	I	119	40.505	127.274	198.798	1.00168.02	I
ATOM	15526	N	LEU	I	120	38.453	127.413	197.876	1.00168.37	I
ATOM	15527	CA	LEU	I	120	38.645	126.293	196.957	1.00169.23	I
ATOM	15528	CB	LEU	I	120	37.296	125.622	196.672	1.00168.79	I
ATOM	15529	CG	LEU	I	120	36.495	125.168	197.899	1.00168.66	I
ATOM	15530	CD1	LEU	I	120	35.181	124.548	197.452	1.00167.84	I
ATOM	15531	CD2	LEU	I	120	37.305	124.167	198.714	1.00168.42	I
ATOM	15532	C	LEU	I	120	39.311	126.700	195.644	1.00169.87	I
ATOM	15533	O	LEU	I	120	39.014	127.758	195.083	1.00170.06	I
ATOM	15534	N	ALA	I	121	40.213	125.847	195.162	1.00170.36	I
ATOM	15535	CA	ALA	I	121	40.941	126.094	193.922	1.00170.62	I
ATOM	15536	CB	ALA	I	121	42.107	125.115	193.799	1.00170.63	I
ATOM	15537	C	ALA	I	121	40.028	125.969	192.708	1.00170.80	I
ATOM	15538	O	ALA	I	121	39.486	126.965	192.221	1.00170.57	I
ATOM	15539	N	LEU	I	122	39.871	124.742	192.219	1.00170.73	I
ATOM	15540	CA	LEU	I	122	39.024	124.473	191.064	1.00171.37	I
ATOM	15541	CB	LEU	I	122	38.777	122.967	190.943	1.00170.72	I
ATOM	15542	CG	LEU	I	122	37.663	122.535	189.989	1.00170.66	I
ATOM	15543	CD1	LEU	I	122	37.952	123.058	188.598	1.00170.06	I
ATOM	15544	CD2	LEU	I	122	37.553	121.024	189.979	1.00170.86	I
ATOM	15545	C	LEU	I	122	37.684	125.203	191.159	1.00172.36	I
ATOM	15546	O	LEU	I	122	36.831	124.838	191.968	1.00173.21	I
ATOM	15547	N	PRO	I	123	37.482	126.246	190.332	1.00172.48	I
ATOM	15548	CD	PRO	I	123	38.341	126.721	189.235	1.00172.06	I
ATOM	15549	CA	PRO	I	123	36.218	126.992	190.365	1.00172.39	I
ATOM	15550	CB	PRO	I	123	36.426	128.063	189.297	1.00171.76	I
ATOM	15551	CG	PRO	I	123	37.342	127.391	188.323	1.00171.38	I
ATOM	15552	C	PRO	I	123	35.023	126.073	190.072	1.00172.42	I
ATOM	15553	O	PRO	I	123	35.129	125.138	189.274	1.00172.39	I

ATOM	15554	N	PRO	I	124	33.868	126.338	190.709	1.00171.90	I
ATOM	15555	CD	PRO	I	124	33.568	127.563	191.470	1.00171.12	I
ATOM	15556	CA	PRO	I	124	32.651	125.535	190.528	1.00171.22	I
ATOM	15557	CB	PRO	I	124	31.574	126.374	191.224	1.00170.24	I
ATOM	15558	CG	PRO	I	124	32.115	127.769	191.161	1.00170.17	I
ATOM	15559	C	PRO	I	124	32.274	125.168	189.089	1.00171.00	I
ATOM	15560	O	PRO	I	124	31.885	124.032	188.812	1.00170.49	I
ATOM	15561	N	ASP	I	125	32.394	126.129	188.181	1.00171.24	I
ATOM	15562	CA	ASP	I	125	32.054	125.915	186.776	1.00171.17	I
ATOM	15563	CB	ASP	I	125	32.175	127.235	186.010	1.00173.36	I
ATOM	15564	CG	ASP	I	125	33.540	127.882	186.173	1.00175.58	I
ATOM	15565	OD1	ASP	I	125	34.552	127.243	185.812	1.00177.27	I
ATOM	15566	OD2	ASP	I	125	33.600	129.033	186.660	1.00176.54	I
ATOM	15567	C	ASP	I	125	32.908	124.852	186.082	1.00169.98	I
ATOM	15568	O	ASP	I	125	32.435	124.155	185.183	1.00169.37	I
ATOM	15569	N	GLN	I	126	34.162	124.733	186.504	1.00169.02	I
ATOM	15570	CA	GLN	I	126	35.094	123.776	185.917	1.00167.87	I
ATOM	15571	CB	GLN	I	126	36.502	124.377	185.950	1.00167.31	I
ATOM	15572	CG	GLN	I	126	37.560	123.614	185.172	1.00166.30	I
ATOM	15573	CD	GLN	I	126	38.905	124.325	185.182	1.00165.54	I
ATOM	15574	OE1	GLN	I	126	39.897	123.812	184.663	1.00164.84	I
ATOM	15575	NE2	GLN	I	126	38.941	125.515	185.775	1.00164.99	I
ATOM	15576	C	GLN	I	126	35.067	122.434	186.649	1.00167.22	I
ATOM	15577	O	GLN	I	126	36.070	121.721	186.708	1.00166.05	I
ATOM	15578	N	ALA	I	127	33.904	122.085	187.189	1.00167.57	I
ATOM	15579	CA	ALA	I	127	33.749	120.842	187.935	1.00167.95	I
ATOM	15580	CB	ALA	I	127	32.959	121.109	189.212	1.00167.75	I
ATOM	15581	C	ALA	I	127	33.095	119.700	187.152	1.00168.20	I
ATOM	15582	O	ALA	I	127	33.538	118.555	187.239	1.00168.80	I
ATOM	15583	N	ALA	I	128	32.045	120.008	186.394	1.00168.08	I
ATOM	15584	CA	ALA	I	128	31.325	118.993	185.622	1.00167.45	I
ATOM	15585	CB	ALA	I	128	30.139	119.635	184.902	1.00167.41	I
ATOM	15586	C	ALA	I	128	32.175	118.205	184.621	1.00167.46	I
ATOM	15587	O	ALA	I	128	31.837	117.069	184.286	1.00167.33	I
ATOM	15588	N	GLU	I	129	33.267	118.798	184.139	1.00167.58	I
ATOM	15589	CA	GLU	I	129	34.131	118.116	183.175	1.00167.16	I
ATOM	15590	CB	GLU	I	129	35.097	119.099	182.505	1.00165.87	I
ATOM	15591	CG	GLU	I	129	34.574	120.512	182.332	1.00163.71	I
ATOM	15592	CD	GLU	I	129	35.167	121.475	183.346	1.00163.24	I
ATOM	15593	OE1	GLU	I	129	34.838	122.677	183.282	1.00163.52	I
ATOM	15594	OE2	GLU	I	129	35.964	121.032	184.202	1.00161.42	I
ATOM	15595	C	GLU	I	129	34.952	117.045	183.886	1.00167.93	I
ATOM	15596	O	GLU	I	129	35.173	115.952	183.355	1.00167.81	I
ATOM	15597	N	LYS	I	130	35.399	117.380	185.093	1.00168.69	I
ATOM	15598	CA	LYS	I	130	36.210	116.493	185.920	1.00168.95	I
ATOM	15599	CB	LYS	I	130	36.604	117.217	187.212	1.00167.62	I
ATOM	15600	CG	LYS	I	130	37.029	118.664	187.011	1.00165.41	I
ATOM	15601	CD	LYS	I	130	38.213	118.766	186.069	1.00163.58	I
ATOM	15602	CE	LYS	I	130	38.578	120.210	185.802	1.00162.49	I
ATOM	15603	NZ	LYS	I	130	39.719	120.301	184.857	1.00161.70	I
ATOM	15604	C	LYS	I	130	35.495	115.192	186.273	1.00169.75	I
ATOM	15605	O	LYS	I	130	36.042	114.351	186.984	1.00169.67	I
ATOM	15606	N	LEU	I	131	34.273	115.027	185.780	1.00171.02	I
ATOM	15607	CA	LEU	I	131	33.500	113.828	186.065	1.00171.81	I
ATOM	15608	CB	LEU	I	131	32.003	114.127	185.942	1.00171.23	I
ATOM	15609	CG	LEU	I	131	31.012	113.037	186.365	1.00170.25	I
ATOM	15610	CD1	LEU	I	131	31.220	112.682	187.830	1.00169.85	I
ATOM	15611	CD2	LEU	I	131	29.592	113.532	186.142	1.00169.79	I

ATOM	15612	C	LEU	I	131	33.879	112.682	185.132	1.00172.78	I
ATOM	15613	O	LEU	I	131	33.580	112.711	183.936	1.00173.26	I
ATOM	15614	N	ARG	I	132	34.553	111.683	185.692	1.00173.27	I
ATOM	15615	CA	ARG	I	132	34.968	110.505	184.939	1.00173.49	I
ATOM	15616	CB	ARG	I	132	36.387	110.092	185.338	1.00172.74	I
ATOM	15617	CG	ARG	I	132	37.413	111.221	185.288	1.00170.52	I
ATOM	15618	CD	ARG	I	132	38.655	110.848	186.098	1.00169.27	I
ATOM	15619	NE	ARG	I	132	39.501	112.001	186.397	1.00167.10	I
ATOM	15620	CZ	ARG	I	132	40.479	111.995	187.299	1.00165.41	I
ATOM	15621	NH1	ARG	I	132	40.741	110.895	187.997	1.00164.42	I
ATOM	15622	NH2	ARG	I	132	41.195	113.093	187.509	1.00164.78	I
ATOM	15623	C	ARG	I	132	33.972	109.409	185.309	1.00174.23	I
ATOM	15624	O	ARG	I	132	33.017	109.670	186.038	1.00174.05	I
ATOM	15625	N	PHE	I	133	34.182	108.190	184.820	1.00175.71	I
ATOM	15626	CA	PHE	I	133	33.256	107.098	185.122	1.00176.89	I
ATOM	15627	CB	PHE	I	133	32.240	106.931	183.984	1.00178.61	I
ATOM	15628	CG	PHE	I	133	31.380	108.140	183.747	1.00179.73	I
ATOM	15629	CD1	PHE	I	133	31.906	109.283	183.152	1.00179.97	I
ATOM	15630	CD2	PHE	I	133	30.042	108.139	184.125	1.00180.15	I
ATOM	15631	CE1	PHE	I	133	31.114	110.404	182.937	1.00180.32	I
ATOM	15632	CE2	PHE	I	133	29.241	109.256	183.913	1.00180.50	I
ATOM	15633	CZ	PHE	I	133	29.779	110.391	183.318	1.00180.71	I
ATOM	15634	C	PHE	I	133	33.905	105.741	185.389	1.00176.58	I
ATOM	15635	O	PHE	I	133	35.075	105.644	185.755	1.00176.82	I
ATOM	15636	N	ARG	I	134	33.104	104.697	185.199	1.00175.74	I
ATOM	15637	CA	ARG	I	134	33.507	103.308	185.388	1.00175.46	I
ATOM	15638	CB	ARG	I	134	33.785	103.013	186.857	1.00173.48	I
ATOM	15639	CG	ARG	I	134	34.117	101.556	187.135	1.00169.85	I
ATOM	15640	CD	ARG	I	134	34.135	101.296	188.623	1.00166.98	I
ATOM	15641	NE	ARG	I	134	34.963	102.277	189.311	1.00164.72	I
ATOM	15642	CZ	ARG	I	134	35.023	102.408	190.631	1.00163.50	I
ATOM	15643	NH1	ARG	I	134	34.300	101.615	191.413	1.00161.69	I
ATOM	15644	NH2	ARG	I	134	35.803	103.335	191.170	1.00162.48	I
ATOM	15645	C	ARG	I	134	32.302	102.506	184.941	1.00176.68	I
ATOM	15646	O	ARG	I	134	31.527	102.017	185.766	1.00176.73	I
ATOM	15647	N	ARG	I	135	32.148	102.372	183.630	1.00178.87	I
ATOM	15648	CA	ARG	I	135	31.002	101.672	183.075	1.00181.24	I
ATOM	15649	CB	ARG	I	135	30.630	102.308	181.729	1.00182.12	I
ATOM	15650	CG	ARG	I	135	31.470	101.886	180.531	1.00182.71	I
ATOM	15651	CD	ARG	I	135	30.648	100.928	179.697	1.00182.64	I
ATOM	15652	NE	ARG	I	135	29.300	101.466	179.570	1.00182.07	I
ATOM	15653	CZ	ARG	I	135	28.206	100.736	179.397	1.00181.50	I
ATOM	15654	NH1	ARG	I	135	27.030	101.342	179.303	1.00181.70	I
ATOM	15655	NH2	ARG	I	135	28.282	99.411	179.322	1.00180.62	I
ATOM	15656	C	ARG	I	135	31.159	100.159	182.931	1.00182.28	I
ATOM	15657	O	ARG	I	135	32.005	99.674	182.179	1.00182.88	I
ATOM	15658	N	SER	I	136	30.331	99.423	183.672	1.00182.78	I
ATOM	15659	CA	SER	I	136	30.331	97.961	183.644	1.00183.13	I
ATOM	15660	CB	SER	I	136	30.117	97.394	185.057	1.00182.28	I
ATOM	15661	OG	SER	I	136	31.157	97.774	185.942	1.00181.25	I
ATOM	15662	C	SER	I	136	29.198	97.487	182.731	1.00183.43	I
ATOM	15663	O	SER	I	136	29.015	98.005	181.626	1.00183.63	I
ATOM	15664	N	ALA	I	137	28.443	96.499	183.197	1.00183.33	I
ATOM	15665	CA	ALA	I	137	27.317	95.966	182.442	1.00182.95	I
ATOM	15666	CB	ALA	I	137	27.563	94.507	182.083	1.00182.62	I
ATOM	15667	C	ALA	I	137	26.092	96.091	183.338	1.00182.73	I
ATOM	15668	O	ALA	I	137	24.968	95.786	182.933	1.00183.15	I
ATOM	15669	N	ASN	I	138	26.335	96.543	184.567	1.00182.01	I

ATOM	15670	CA	ASN	I	138	25.287	96.737	185.561	1.00180.83	I
ATOM	15671	CB	ASN	I	138	24.772	95.381	186.069	1.00182.06	I
ATOM	15672	CG	ASN	I	138	25.869	94.520	186.692	1.00183.99	I
ATOM	15673	OD1	ASN	I	138	26.582	94.950	187.604	1.00185.89	I
ATOM	15674	ND2	ASN	I	138	25.998	93.291	186.206	1.00184.49	I
ATOM	15675	C	ASN	I	138	25.768	97.582	186.746	1.00179.26	I
ATOM	15676	O	ASN	I	138	24.990	97.892	187.650	1.00179.19	I
ATOM	15677	N	SER	I	139	27.043	97.962	186.740	1.00176.92	I
ATOM	15678	CA	SER	I	139	27.595	98.754	187.836	1.00174.59	I
ATOM	15679	CB	SER	I	139	28.501	97.875	188.706	1.00173.36	I
ATOM	15680	OG	SER	I	139	27.769	96.815	189.294	1.00170.77	I
ATOM	15681	C	SER	I	139	28.368	99.993	187.386	1.00173.66	I
ATOM	15682	O	SER	I	139	29.555	100.132	187.683	1.00173.77	I
ATOM	15683	N	LEU	I	140	27.694	100.893	186.673	1.00172.06	I
ATOM	15684	CA	LEU	I	140	28.333	102.123	186.208	1.00170.44	I
ATOM	15685	CB	LEU	I	140	27.386	102.898	185.284	1.00169.13	I
ATOM	15686	CG	LEU	I	140	27.942	104.098	184.508	1.00168.02	I
ATOM	15687	CD1	LEU	I	140	26.907	104.563	183.497	1.00167.48	I
ATOM	15688	CD2	LEU	I	140	28.307	105.227	185.463	1.00167.67	I
ATOM	15689	C	LEU	I	140	28.666	102.951	187.447	1.00169.77	I
ATOM	15690	O	LEU	I	140	27.819	103.137	188.317	1.00169.91	I
ATOM	15691	N	THR	I	141	29.895	103.449	187.526	1.00169.23	I
ATOM	15692	CA	THR	I	141	30.319	104.224	188.685	1.00168.37	I
ATOM	15693	CB	THR	I	141	31.570	103.596	189.337	1.00168.29	I
ATOM	15694	OG1	THR	I	141	31.318	102.213	189.618	1.00168.75	I
ATOM	15695	CG2	THR	I	141	31.921	104.320	190.630	1.00167.19	I
ATOM	15696	C	THR	I	141	30.625	105.692	188.402	1.00167.95	I
ATOM	15697	O	THR	I	141	31.647	106.023	187.795	1.00167.75	I
ATOM	15698	N	LEU	I	142	29.732	106.567	188.855	1.00167.45	I
ATOM	15699	CA	LEU	I	142	29.910	108.005	188.688	1.00166.68	I
ATOM	15700	CB	LEU	I	142	28.603	108.750	188.992	1.00167.92	I
ATOM	15701	CG	LEU	I	142	27.385	108.583	188.071	1.00168.46	I
ATOM	15702	CD1	LEU	I	142	27.666	109.238	186.735	1.00168.73	I
ATOM	15703	CD2	LEU	I	142	27.049	107.110	187.894	1.00168.68	I
ATOM	15704	C	LEU	I	142	30.987	108.423	189.688	1.00165.10	I
ATOM	15705	O	LEU	I	142	30.856	108.181	190.885	1.00163.49	I
ATOM	15706	N	ILE	I	143	32.052	109.045	189.195	1.00164.07	I
ATOM	15707	CA	ILE	I	143	33.146	109.470	190.061	1.00162.64	I
ATOM	15708	CB	ILE	I	143	34.411	108.596	189.805	1.00162.83	I
ATOM	15709	CG2	ILE	I	143	34.592	108.361	188.314	1.00162.68	I
ATOM	15710	CG1	ILE	I	143	35.650	109.251	190.422	1.00162.70	I
ATOM	15711	CD1	ILE	I	143	35.645	109.299	191.938	1.00162.14	I
ATOM	15712	C	ILE	I	143	33.497	110.953	189.917	1.00161.26	I
ATOM	15713	O	ILE	I	143	33.784	111.440	188.822	1.00160.66	I
ATOM	15714	N	ASN	I	144	33.472	111.661	191.042	1.00159.95	I
ATOM	15715	CA	ASN	I	144	33.785	113.083	191.073	1.00159.07	I
ATOM	15716	CB	ASN	I	144	32.555	113.884	191.504	1.00159.83	I
ATOM	15717	CG	ASN	I	144	32.909	115.271	192.001	1.00159.99	I
ATOM	15718	OD1	ASN	I	144	33.622	116.017	191.333	1.00159.62	I
ATOM	15719	ND2	ASN	I	144	32.407	115.624	193.178	1.00159.02	I
ATOM	15720	C	ASN	I	144	34.949	113.390	192.011	1.00158.42	I
ATOM	15721	O	ASN	I	144	34.852	113.195	193.222	1.00157.47	I
ATOM	15722	N	PRO	I	145	36.071	113.871	191.452	1.00158.55	I
ATOM	15723	CD	PRO	I	145	36.363	113.836	190.007	1.00158.55	I
ATOM	15724	CA	PRO	I	145	37.278	114.221	192.205	1.00158.81	I
ATOM	15725	CB	PRO	I	145	38.387	113.899	191.217	1.00158.63	I
ATOM	15726	CG	PRO	I	145	37.788	114.375	189.940	1.00158.20	I
ATOM	15727	C	PRO	I	145	37.314	115.688	192.644	1.00158.73	I

ATOM	15728	O	PRO	I	145	38.276	116.130	193.271	1.00158.38	I
ATOM	15729	N	THR	I	146	36.277	116.444	192.304	1.00158.58	I
ATOM	15730	CA	THR	I	146	36.219	117.850	192.682	1.00158.81	I
ATOM	15731	CB	THR	I	146	35.343	118.659	191.708	1.00159.36	I
ATOM	15732	OG1	THR	I	146	33.961	118.344	191.924	1.00160.23	I
ATOM	15733	CG2	THR	I	146	35.705	118.328	190.270	1.00159.70	I
ATOM	15734	C	THR	I	146	35.614	117.958	194.078	1.00158.96	I
ATOM	15735	O	THR	I	146	35.014	117.006	194.577	1.00159.48	I
ATOM	15736	N	PRO	I	147	35.769	119.120	194.730	1.00158.60	I
ATOM	15737	CD	PRO	I	147	36.663	120.233	194.360	1.00157.88	I
ATOM	15738	CA	PRO	I	147	35.220	119.321	196.076	1.00158.33	I
ATOM	15739	CB	PRO	I	147	36.121	120.409	196.642	1.00158.75	I
ATOM	15740	CG	PRO	I	147	36.372	121.259	195.439	1.00158.20	I
ATOM	15741	C	PRO	I	147	33.744	119.731	196.099	1.00158.30	I
ATOM	15742	O	PRO	I	147	33.248	120.211	197.121	1.00157.69	I
ATOM	15743	N	TYR	I	148	33.047	119.540	194.979	1.00158.91	I
ATOM	15744	CA	TYR	I	148	31.631	119.909	194.880	1.00158.68	I
ATOM	15745	CB	TYR	I	148	31.405	120.925	193.746	1.00160.55	I
ATOM	15746	CG	TYR	I	148	32.282	122.159	193.768	1.00162.35	I
ATOM	15747	CD1	TYR	I	148	33.590	122.121	193.278	1.00162.81	I
ATOM	15748	CE1	TYR	I	148	34.392	123.263	193.276	1.00163.09	I
ATOM	15749	CD2	TYR	I	148	31.797	123.373	194.259	1.00162.76	I
ATOM	15750	CE2	TYR	I	148	32.591	124.519	194.262	1.00162.57	I
ATOM	15751	CZ	TYR	I	148	33.884	124.458	193.770	1.00162.94	I
ATOM	15752	OH	TYR	I	148	34.665	125.593	193.778	1.00163.60	I
ATOM	15753	C	TYR	I	148	30.698	118.723	194.623	1.00156.80	I
ATOM	15754	O	TYR	I	148	31.082	117.750	193.969	1.00155.87	I
ATOM	15755	N	TYR	I	149	29.469	118.816	195.132	1.00154.55	I
ATOM	15756	CA	TYR	I	149	28.474	117.769	194.913	1.00152.43	I
ATOM	15757	CB	TYR	I	149	27.318	117.860	195.917	1.00148.04	I
ATOM	15758	CG	TYR	I	149	27.566	117.260	197.284	1.00143.23	I
ATOM	15759	CD1	TYR	I	149	28.159	118.005	198.300	1.00142.55	I
ATOM	15760	CE1	TYR	I	149	28.352	117.466	199.572	1.00139.56	I
ATOM	15761	CD2	TYR	I	149	27.173	115.954	197.571	1.00140.87	I
ATOM	15762	CE2	TYR	I	149	27.363	115.405	198.837	1.00138.83	I
ATOM	15763	CZ	TYR	I	149	27.953	116.167	199.833	1.00138.65	I
ATOM	15764	OH	TYR	I	149	28.143	115.642	201.091	1.00137.38	I
ATOM	15765	C	TYR	I	149	27.907	117.990	193.518	1.00153.50	I
ATOM	15766	O	TYR	I	149	27.123	118.915	193.307	1.00153.77	I
ATOM	15767	N	LEU	I	150	28.305	117.150	192.568	1.00154.95	I
ATOM	15768	CA	LEU	I	150	27.823	117.277	191.196	1.00156.03	I
ATOM	15769	CB	LEU	I	150	28.784	116.583	190.226	1.00155.97	I
ATOM	15770	CG	LEU	I	150	30.259	116.989	190.258	1.00155.41	I
ATOM	15771	CD1	LEU	I	150	31.019	116.179	189.220	1.00154.79	I
ATOM	15772	CD2	LEU	I	150	30.399	118.479	189.987	1.00155.27	I
ATOM	15773	C	LEU	I	150	26.435	116.661	191.053	1.00156.88	I
ATOM	15774	O	LEU	I	150	26.272	115.449	191.190	1.00157.11	I
ATOM	15775	N	THR	I	151	25.438	117.494	190.775	1.00157.66	I
ATOM	15776	CA	THR	I	151	24.076	117.007	190.615	1.00158.12	I
ATOM	15777	CB	THR	I	151	23.055	118.123	190.917	1.00157.60	I
ATOM	15778	OG1	THR	I	151	23.351	118.712	192.190	1.00156.16	I
ATOM	15779	CG2	THR	I	151	21.646	117.557	190.954	1.00157.39	I
ATOM	15780	C	THR	I	151	23.881	116.507	189.183	1.00158.98	I
ATOM	15781	O	THR	I	151	23.342	117.221	188.337	1.00159.25	I
ATOM	15782	N	VAL	I	152	24.331	115.280	188.924	1.00159.31	I
ATOM	15783	CA	VAL	I	152	24.230	114.659	187.603	1.00159.16	I
ATOM	15784	CB	VAL	I	152	25.098	113.379	187.527	1.00157.83	I
ATOM	15785	CG1	VAL	I	152	24.883	112.677	186.196	1.00157.10	I

ATOM	15786	CG2	VAL	I	152	26.566	113.735	187.704	1.00156.39	I
ATOM	15787	C	VAL	I	152	22.798	114.301	187.211	1.00160.13	I
ATOM	15788	O	VAL	I	152	22.102	113.592	187.937	1.00159.64	I
ATOM	15789	N	THR	I	153	22.371	114.795	186.054	1.00161.43	I
ATOM	15790	CA	THR	I	153	21.029	114.533	185.555	1.00162.96	I
ATOM	15791	CB	THR	I	153	20.108	115.752	185.766	1.00162.96	I
ATOM	15792	OG1	THR	I	153	18.821	115.485	185.195	1.00163.76	I
ATOM	15793	CG2	THR	I	153	20.701	116.982	185.108	1.00162.82	I
ATOM	15794	C	THR	I	153	21.050	114.184	184.070	1.00164.16	I
ATOM	15795	O	THR	I	153	22.065	114.360	183.391	1.00163.88	I
ATOM	15796	N	GLU	I	154	19.915	113.690	183.579	1.00165.76	I
ATOM	15797	CA	GLU	I	154	19.763	113.297	182.183	1.00167.25	I
ATOM	15798	CB	GLU	I	154	19.707	114.537	181.290	1.00167.27	I
ATOM	15799	CG	GLU	I	154	18.687	115.578	181.741	1.00166.63	I
ATOM	15800	CD	GLU	I	154	18.509	116.701	180.735	1.00166.50	I
ATOM	15801	OE1	GLU	I	154	17.877	117.724	181.081	1.00165.37	I
ATOM	15802	OE2	GLU	I	154	18.994	116.554	179.594	1.00166.65	I
ATOM	15803	C	GLU	I	154	20.910	112.387	181.749	1.00168.67	I
ATOM	15804	O	GLU	I	154	21.430	112.510	180.638	1.00169.23	I
ATOM	15805	N	LEU	I	155	21.302	111.478	182.639	1.00169.56	I
ATOM	15806	CA	LEU	I	155	22.383	110.534	182.366	1.00170.47	I
ATOM	15807	CB	LEU	I	155	22.801	109.828	183.661	1.00171.22	I
ATOM	15808	CG	LEU	I	155	24.024	108.906	183.623	1.00171.80	I
ATOM	15809	CD1	LEU	I	155	25.253	109.686	183.175	1.00173.00	I
ATOM	15810	CD2	LEU	I	155	24.253	108.313	185.005	1.00172.11	I
ATOM	15811	C	LEU	I	155	21.907	109.511	181.341	1.00170.76	I
ATOM	15812	O	LEU	I	155	20.779	109.027	181.421	1.00170.49	I
ATOM	15813	N	ASN	I	156	22.765	109.184	180.380	1.00171.50	I
ATOM	15814	CA	ASN	I	156	22.401	108.228	179.340	1.00172.35	I
ATOM	15815	CB	ASN	I	156	21.910	108.976	178.097	1.00170.46	I
ATOM	15816	CG	ASN	I	156	20.889	110.046	178.426	1.00168.46	I
ATOM	15817	OD1	ASN	I	156	19.821	109.760	178.966	1.00167.03	I
ATOM	15818	ND2	ASN	I	156	21.217	111.290	178.104	1.00167.11	I
ATOM	15819	C	ASN	I	156	23.560	107.316	178.946	1.00173.89	I
ATOM	15820	O	ASN	I	156	24.681	107.781	178.732	1.00173.48	I
ATOM	15821	N	ALA	I	157	23.280	106.018	178.849	1.00175.69	I
ATOM	15822	CA	ALA	I	157	24.286	105.034	178.457	1.00177.15	I
ATOM	15823	CB	ALA	I	157	23.799	103.627	178.784	1.00176.58	I
ATOM	15824	C	ALA	I	157	24.496	105.184	176.954	1.00178.18	I
ATOM	15825	O	ALA	I	157	24.801	104.219	176.248	1.00178.16	I
ATOM	15826	N	GLY	I	158	24.332	106.417	176.484	1.00179.18	I
ATOM	15827	CA	GLY	I	158	24.472	106.720	175.075	1.00180.16	I
ATOM	15828	C	GLY	I	158	23.091	106.911	174.484	1.00180.63	I
ATOM	15829	O	GLY	I	158	22.736	108.000	174.030	1.00180.21	I
ATOM	15830	N	THR	I	159	22.307	105.837	174.507	1.00181.44	I
ATOM	15831	CA	THR	I	159	20.946	105.841	173.984	1.00182.17	I
ATOM	15832	CB	THR	I	159	20.781	104.806	172.851	1.00181.74	I
ATOM	15833	OG1	THR	I	159	21.110	103.500	173.344	1.00181.11	I
ATOM	15834	CG2	THR	I	159	21.693	105.142	171.683	1.00181.01	I
ATOM	15835	C	THR	I	159	19.974	105.486	175.104	1.00182.65	I
ATOM	15836	O	THR	I	159	18.853	105.994	175.160	1.00182.71	I
ATOM	15837	N	ARG	I	160	20.421	104.609	175.995	1.00182.73	I
ATOM	15838	CA	ARG	I	160	19.616	104.162	177.123	1.00182.90	I
ATOM	15839	CB	ARG	I	160	20.123	102.798	177.595	1.00183.97	I
ATOM	15840	CG	ARG	I	160	19.535	102.307	178.906	1.00185.44	I
ATOM	15841	CD	ARG	I	160	18.012	102.331	178.918	1.00186.50	I
ATOM	15842	NE	ARG	I	160	17.493	101.527	180.017	1.00187.84	I
ATOM	15843	CZ	ARG	I	160	16.239	101.568	180.456	1.00188.40	I

ATOM	15844	NH1	ARG	I	160	15.351	102.383	179.895	1.00188.53	I
ATOM	15845	NH2	ARG	I	160	15.872	100.790	181.466	1.00189.24	I
ATOM	15846	C	ARG	I	160	19.652	105.169	178.270	1.00182.58	I
ATOM	15847	O	ARG	I	160	20.697	105.380	178.888	1.00182.96	I
ATOM	15848	N	VAL	I	161	18.502	105.783	178.548	1.00181.22	I
ATOM	15849	CA	VAL	I	161	18.383	106.776	179.614	1.00179.38	I
ATOM	15850	CB	VAL	I	161	17.066	107.589	179.490	1.00179.52	I
ATOM	15851	CG1	VAL	I	161	15.861	106.669	179.637	1.00179.28	I
ATOM	15852	CG2	VAL	I	161	17.030	108.687	180.545	1.00178.86	I
ATOM	15853	C	VAL	I	161	18.434	106.146	181.004	1.00177.53	I
ATOM	15854	O	VAL	I	161	17.774	105.140	181.273	1.00176.67	I
ATOM	15855	N	LEU	I	162	19.223	106.750	181.885	1.00175.78	I
ATOM	15856	CA	LEU	I	162	19.371	106.256	183.247	1.00173.69	I
ATOM	15857	CB	LEU	I	162	20.854	106.181	183.624	1.00174.66	I
ATOM	15858	CG	LEU	I	162	21.696	105.184	182.827	1.00175.26	I
ATOM	15859	CD1	LEU	I	162	23.126	105.157	183.357	1.00174.65	I
ATOM	15860	CD2	LEU	I	162	21.063	103.810	182.936	1.00175.02	I
ATOM	15861	C	LEU	I	162	18.636	107.126	184.255	1.00171.56	I
ATOM	15862	O	LEU	I	162	17.692	107.837	183.909	1.00170.94	I
ATOM	15863	N	GLU	I	163	19.081	107.063	185.505	1.00169.66	I
ATOM	15864	CA	GLU	I	163	18.470	107.837	186.573	1.00167.83	I
ATOM	15865	CB	GLU	I	163	17.936	106.897	187.651	1.00167.65	I
ATOM	15866	CG	GLU	I	163	17.032	107.568	188.656	1.00167.52	I
ATOM	15867	CD	GLU	I	163	16.184	106.571	189.412	1.00168.31	I
ATOM	15868	OE1	GLU	I	163	15.474	105.783	188.750	1.00168.39	I
ATOM	15869	OE2	GLU	I	163	16.224	106.578	190.659	1.00168.69	I
ATOM	15870	C	GLU	I	163	19.471	108.818	187.176	1.00166.69	I
ATOM	15871	O	GLU	I	163	20.664	108.528	187.267	1.00166.82	I
ATOM	15872	N	ASN	I	164	18.968	109.980	187.582	1.00165.21	I
ATOM	15873	CA	ASN	I	164	19.786	111.040	188.169	1.00163.46	I
ATOM	15874	CB	ASN	I	164	18.883	112.161	188.692	1.00161.33	I
ATOM	15875	CG	ASN	I	164	17.936	112.691	187.633	1.00158.94	I
ATOM	15876	OD1	ASN	I	164	18.363	113.267	186.634	1.00157.38	I
ATOM	15877	ND2	ASN	I	164	16.641	112.492	187.846	1.00157.16	I
ATOM	15878	C	ASN	I	164	20.681	110.535	189.299	1.00163.13	I
ATOM	15879	O	ASN	I	164	20.528	109.406	189.766	1.00163.68	I
ATOM	15880	N	ALA	I	165	21.609	111.382	189.737	1.00162.28	I
ATOM	15881	CA	ALA	I	165	22.529	111.021	190.810	1.00161.00	I
ATOM	15882	CB	ALA	I	165	23.623	110.117	190.266	1.00160.87	I
ATOM	15883	C	ALA	I	165	23.148	112.252	191.463	1.00160.19	I
ATOM	15884	O	ALA	I	165	23.174	113.331	190.872	1.00161.01	I
ATOM	15885	N	LEU	I	166	23.644	112.081	192.685	1.00158.96	I
ATOM	15886	CA	LEU	I	166	24.271	113.172	193.426	1.00158.46	I
ATOM	15887	CB	LEU	I	166	23.394	113.572	194.619	1.00154.07	I
ATOM	15888	CG	LEU	I	166	23.957	114.656	195.546	1.00150.23	I
ATOM	15889	CD1	LEU	I	166	24.131	115.950	194.778	1.00149.03	I
ATOM	15890	CD2	LEU	I	166	23.030	114.861	196.725	1.00148.03	I
ATOM	15891	C	LEU	I	166	25.663	112.762	193.915	1.00159.98	I
ATOM	15892	O	LEU	I	166	25.837	112.375	195.071	1.00160.03	I
ATOM	15893	N	VAL	I	167	26.648	112.852	193.025	1.00161.63	I
ATOM	15894	CA	VAL	I	167	28.024	112.486	193.346	1.00162.65	I
ATOM	15895	CB	VAL	I	167	28.897	112.451	192.072	1.00161.92	I
ATOM	15896	CG1	VAL	I	167	30.225	111.781	192.371	1.00162.44	I
ATOM	15897	CG2	VAL	I	167	28.166	111.715	190.958	1.00160.52	I
ATOM	15898	C	VAL	I	167	28.644	113.465	194.344	1.00164.09	I
ATOM	15899	O	VAL	I	167	28.828	114.644	194.042	1.00164.19	I
ATOM	15900	N	PRO	I	168	28.974	112.983	195.553	1.00165.47	I
ATOM	15901	CD	PRO	I	168	28.790	111.592	196.005	1.00165.32	I

ATOM	15902	CA	PRO	I	168	29.576	113.798	196.614	1.00167.05	I
ATOM	15903	CB	PRO	I	168	29.540	112.860	197.817	1.00166.46	I
ATOM	15904	CG	PRO	I	168	29.721	111.517	197.186	1.00164.95	I
ATOM	15905	C	PRO	I	168	30.997	114.279	196.289	1.00168.92	I
ATOM	15906	O	PRO	I	168	31.656	113.739	195.399	1.00169.34	I
ATOM	15907	N	PRO	I	169	31.479	115.309	197.010	1.00170.20	I
ATOM	15908	CD	PRO	I	169	30.729	116.066	198.024	1.00170.23	I
ATOM	15909	CA	PRO	I	169	32.815	115.890	196.831	1.00171.64	I
ATOM	15910	CB	PRO	I	169	32.854	117.000	197.879	1.00170.96	I
ATOM	15911	CG	PRO	I	169	31.431	117.400	198.002	1.00170.32	I
ATOM	15912	C	PRO	I	169	33.898	114.850	197.074	1.00173.44	I
ATOM	15913	O	PRO	I	169	33.933	114.222	198.134	1.00173.26	I
ATOM	15914	N	MET	I	170	34.784	114.675	196.098	1.00175.48	I
ATOM	15915	CA	MET	I	170	35.861	113.701	196.222	1.00177.37	I
ATOM	15916	CB	MET	I	170	36.812	114.117	197.345	1.00177.69	I
ATOM	15917	CG	MET	I	170	37.656	115.329	197.007	1.00177.67	I
ATOM	15918	SD	MET	I	170	38.311	116.146	198.467	1.00177.97	I
ATOM	15919	CE	MET	I	170	37.325	117.618	198.463	1.00176.96	I
ATOM	15920	C	MET	I	170	35.278	112.324	196.509	1.00178.28	I
ATOM	15921	O	MET	I	170	35.863	111.526	197.242	1.00178.66	I
ATOM	15922	N	GLY	I	171	34.114	112.061	195.927	1.00178.76	I
ATOM	15923	CA	GLY	I	171	33.459	110.785	196.125	1.00179.58	I
ATOM	15924	C	GLY	I	171	32.974	110.208	194.813	1.00180.38	I
ATOM	15925	O	GLY	I	171	33.332	110.693	193.739	1.00180.44	I
ATOM	15926	N	GLU	I	172	32.153	109.168	194.904	1.00181.18	I
ATOM	15927	CA	GLU	I	172	31.609	108.513	193.725	1.00181.55	I
ATOM	15928	CB	GLU	I	172	32.592	107.445	193.227	1.00182.77	I
ATOM	15929	CG	GLU	I	172	33.218	106.598	194.337	1.00184.68	I
ATOM	15930	CD	GLU	I	172	34.389	105.756	193.850	1.00185.53	I
ATOM	15931	OE1	GLU	I	172	34.172	104.868	192.997	1.00186.45	I
ATOM	15932	OE2	GLU	I	172	35.527	105.986	194.320	1.00185.39	I
ATOM	15933	C	GLU	I	172	30.250	107.896	194.031	1.00181.32	I
ATOM	15934	O	GLU	I	172	29.880	107.727	195.194	1.00180.58	I
ATOM	15935	N	SER	I	173	29.508	107.570	192.979	1.00181.79	I
ATOM	15936	CA	SER	I	173	28.186	106.974	193.127	1.00182.44	I
ATOM	15937	CB	SER	I	173	27.140	108.075	193.303	1.00181.63	I
ATOM	15938	OG	SER	I	173	27.446	108.877	194.432	1.00180.28	I
ATOM	15939	C	SER	I	173	27.852	106.111	191.911	1.00183.18	I
ATOM	15940	O	SER	I	173	27.987	106.552	190.769	1.00182.86	I
ATOM	15941	N	ALA	I	174	27.414	104.881	192.161	1.00184.14	I
ATOM	15942	CA	ALA	I	174	27.083	103.957	191.083	1.00184.43	I
ATOM	15943	CB	ALA	I	174	27.598	102.561	191.430	1.00185.02	I
ATOM	15944	C	ALA	I	174	25.593	103.886	190.751	1.00184.20	I
ATOM	15945	O	ALA	I	174	24.755	103.641	191.621	1.00183.82	I
ATOM	15946	N	VAL	I	175	25.278	104.103	189.479	1.00184.19	I
ATOM	15947	CA	VAL	I	175	23.910	104.041	188.998	1.00184.52	I
ATOM	15948	CB	VAL	I	175	23.590	105.239	188.090	1.00184.22	I
ATOM	15949	CG1	VAL	I	175	22.147	105.166	187.611	1.00183.50	I
ATOM	15950	CG2	VAL	I	175	23.842	106.545	188.820	1.00184.07	I
ATOM	15951	C	VAL	I	175	23.747	102.753	188.207	1.00185.30	I
ATOM	15952	O	VAL	I	175	24.692	102.284	187.572	1.00185.22	I
ATOM	15953	N	LYS	I	176	22.545	102.187	188.261	1.00186.33	I
ATOM	15954	CA	LYS	I	176	22.246	100.926	187.584	1.00187.60	I
ATOM	15955	CB	LYS	I	176	20.780	100.527	187.807	1.00186.58	I
ATOM	15956	CG	LYS	I	176	20.465	100.173	189.252	1.00185.58	I
ATOM	15957	CD	LYS	I	176	20.597	101.390	190.148	1.00185.58	I
ATOM	15958	CE	LYS	I	176	20.889	100.976	191.582	1.00186.23	I
ATOM	15959	NZ	LYS	I	176	22.239	100.316	191.692	1.00186.18	I

ATOM	15960	C	LYS	I	176	22.530	100.941	186.078	1.00189.03	I
ATOM	15961	O	LYS	I	176	21.781	101.533	185.304	1.00189.53	I
ATOM	15962	N	LEU	I	177	23.607	100.282	185.658	1.00190.15	I
ATOM	15963	CA	LEU	I	177	23.954	100.201	184.241	1.00190.81	I
ATOM	15964	CB	LEU	I	177	25.439	99.874	184.083	1.00191.61	I
ATOM	15965	CG	LEU	I	177	26.001	99.879	182.653	1.00192.29	I
ATOM	15966	CD1	LEU	I	177	25.315	100.945	181.798	1.00192.22	I
ATOM	15967	CD2	LEU	I	177	27.503	100.156	182.705	1.00192.69	I
ATOM	15968	C	LEU	I	177	23.073	99.116	183.632	1.00191.00	I
ATOM	15969	O	LEU	I	177	23.269	97.925	183.868	1.00190.63	I
ATOM	15970	N	PRO	I	178	22.087	99.535	182.829	1.00191.49	I
ATOM	15971	CD	PRO	I	178	22.039	100.928	182.348	1.00191.82	I
ATOM	15972	CA	PRO	I	178	21.087	98.729	182.127	1.00191.84	I
ATOM	15973	CB	PRO	I	178	20.290	99.783	181.370	1.00191.57	I
ATOM	15974	CG	PRO	I	178	21.343	100.785	181.025	1.00191.86	I
ATOM	15975	C	PRO	I	178	21.572	97.617	181.200	1.00192.29	I
ATOM	15976	O	PRO	I	178	20.815	96.690	180.892	1.00192.22	I
ATOM	15977	N	SER	I	179	22.820	97.700	180.752	1.00192.70	I
ATOM	15978	CA	SER	I	179	23.377	96.709	179.824	1.00192.71	I
ATOM	15979	CB	SER	I	179	23.096	95.273	180.297	1.00192.30	I
ATOM	15980	OG	SER	I	179	23.759	94.312	179.484	1.00192.49	I
ATOM	15981	C	SER	I	179	22.830	96.928	178.417	1.00192.79	I
ATOM	15982	O	SER	I	179	23.067	96.129	177.500	1.00193.06	I
ATOM	15983	N	ASP	I	180	22.068	98.012	178.279	1.00192.07	I
ATOM	15984	CA	ASP	I	180	21.495	98.452	177.001	1.00190.78	I
ATOM	15985	CB	ASP	I	180	20.038	98.897	177.189	1.00190.43	I
ATOM	15986	CG	ASP	I	180	19.149	97.792	177.731	1.00189.52	I
ATOM	15987	OD1	ASP	I	180	17.942	98.062	177.964	1.00188.48	I
ATOM	15988	OD2	ASP	I	180	19.644	96.657	177.923	1.00189.13	I
ATOM	15989	C	ASP	I	180	22.401	99.647	176.750	1.00189.96	I
ATOM	15990	O	ASP	I	180	22.017	100.686	176.228	1.00189.52	I
ATOM	15991	N	ALA	I	181	23.637	99.412	177.166	1.00189.62	I
ATOM	15992	CA	ALA	I	181	24.769	100.327	177.165	1.00189.29	I
ATOM	15993	CB	ALA	I	181	25.920	99.633	177.801	1.00188.86	I
ATOM	15994	C	ALA	I	181	25.246	100.940	175.852	1.00188.86	I
ATOM	15995	O	ALA	I	181	24.462	101.406	175.027	1.00188.92	I
ATOM	15996	N	GLY	I	182	26.575	100.986	175.736	1.00188.03	I
ATOM	15997	CA	GLY	I	182	27.275	101.550	174.596	1.00186.96	I
ATOM	15998	C	GLY	I	182	28.643	101.942	175.120	1.00186.39	I
ATOM	15999	O	GLY	I	182	29.568	101.130	175.143	1.00185.76	I
ATOM	16000	N	SER	I	183	28.740	103.189	175.563	1.00186.79	I
ATOM	16001	CA	SER	I	183	29.952	103.769	176.117	1.00187.43	I
ATOM	16002	CB	SER	I	183	31.219	103.175	175.484	1.00187.34	I
ATOM	16003	OG	SER	I	183	32.142	102.759	176.483	1.00186.80	I
ATOM	16004	C	SER	I	183	29.889	105.267	175.843	1.00187.57	I
ATOM	16005	O	SER	I	183	30.698	106.053	176.347	1.00187.76	I
ATOM	16006	N	ASN	I	184	28.911	105.655	175.032	1.00187.10	I
ATOM	16007	CA	ASN	I	184	28.700	107.057	174.684	1.00186.12	I
ATOM	16008	CB	ASN	I	184	27.785	107.173	173.450	1.00186.64	I
ATOM	16009	CG	ASN	I	184	27.475	108.621	173.078	1.00186.98	I
ATOM	16010	OD1	ASN	I	184	28.382	109.408	172.801	1.00187.16	I
ATOM	16011	ND2	ASN	I	184	26.189	108.977	173.075	1.00186.61	I
ATOM	16012	C	ASN	I	184	28.062	107.777	175.862	1.00184.68	I
ATOM	16013	O	ASN	I	184	27.119	108.556	175.694	1.00185.04	I
ATOM	16014	N	ILE	I	185	28.569	107.503	177.059	1.00182.42	I
ATOM	16015	CA	ILE	I	185	28.032	108.132	178.257	1.00179.98	I
ATOM	16016	CB	ILE	I	185	28.939	107.893	179.485	1.00179.43	I
ATOM	16017	CG2	ILE	I	185	28.318	108.551	180.717	1.00177.84	I

ATOM	16018	CG1	ILE	I	185	29.109	106.392	179.734	1.00179.05	I
ATOM	16019	CD1	ILE	I	185	30.002	106.053	180.916	1.00177.88	I
ATOM	16020	C	ILE	I	185	27.876	109.638	178.054	1.00178.30	I
ATOM	16021	O	ILE	I	185	28.792	110.305	177.580	1.00178.03	I
ATOM	16022	N	THR	I	186	26.699	110.156	178.395	1.00176.23	I
ATOM	16023	CA	THR	I	186	26.396	111.579	178.264	1.00173.80	I
ATOM	16024	CB	THR	I	186	25.465	111.837	177.070	1.00174.21	I
ATOM	16025	OG1	THR	I	186	24.257	111.083	177.232	1.00174.54	I
ATOM	16026	CG2	THR	I	186	26.140	111.428	175.773	1.00173.90	I
ATOM	16027	C	THR	I	186	25.714	112.061	179.539	1.00171.58	I
ATOM	16028	O	THR	I	186	25.067	111.272	180.229	1.00171.29	I
ATOM	16029	N	TYR	I	187	25.844	113.348	179.852	1.00169.26	I
ATOM	16030	CA	TYR	I	187	25.241	113.862	181.076	1.00167.06	I
ATOM	16031	CB	TYR	I	187	26.025	113.340	182.281	1.00167.02	I
ATOM	16032	CG	TYR	I	187	27.462	113.821	182.334	1.00166.86	I
ATOM	16033	CD1	TYR	I	187	27.801	115.008	182.986	1.00166.34	I
ATOM	16034	CE1	TYR	I	187	29.120	115.459	183.023	1.00167.07	I
ATOM	16035	CD2	TYR	I	187	28.481	113.095	181.716	1.00166.87	I
ATOM	16036	CE2	TYR	I	187	29.804	113.537	181.743	1.00167.16	I
ATOM	16037	CZ	TYR	I	187	30.117	114.719	182.398	1.00167.81	I
ATOM	16038	OH	TYR	I	187	31.424	115.155	182.418	1.00168.58	I
ATOM	16039	C	TYR	I	187	25.144	115.377	181.179	1.00165.30	I
ATOM	16040	O	TYR	I	187	25.931	116.114	180.584	1.00165.46	I
ATOM	16041	N	ARG	I	188	24.162	115.827	181.952	1.00163.05	I
ATOM	16042	CA	ARG	I	188	23.946	117.246	182.196	1.00161.24	I
ATOM	16043	CB	ARG	I	188	22.637	117.717	181.554	1.00161.42	I
ATOM	16044	CG	ARG	I	188	22.614	117.625	180.033	1.00160.83	I
ATOM	16045	CD	ARG	I	188	21.329	118.215	179.464	1.00160.42	I
ATOM	16046	NE	ARG	I	188	21.269	119.671	179.569	1.00159.43	I
ATOM	16047	CZ	ARG	I	188	21.979	120.507	178.816	1.00159.50	I
ATOM	16048	NH1	ARG	I	188	22.810	120.038	177.896	1.00159.52	I
ATOM	16049	NH2	ARG	I	188	21.855	121.817	178.978	1.00159.37	I
ATOM	16050	C	ARG	I	188	23.875	117.412	183.711	1.00159.79	I
ATOM	16051	O	ARG	I	188	23.444	116.501	184.416	1.00159.36	I
ATOM	16052	N	THR	I	189	24.306	118.565	184.214	1.00158.41	I
ATOM	16053	CA	THR	I	189	24.288	118.810	185.653	1.00156.54	I
ATOM	16054	CB	THR	I	189	25.712	118.945	186.216	1.00158.18	I
ATOM	16055	OG1	THR	I	189	26.222	120.248	185.911	1.00159.65	I
ATOM	16056	CG2	THR	I	189	26.631	117.892	185.600	1.00160.02	I
ATOM	16057	C	THR	I	189	23.523	120.076	186.019	1.00153.86	I
ATOM	16058	O	THR	I	189	23.072	120.818	185.147	1.00153.75	I
ATOM	16059	N	ILE	I	190	23.387	120.316	187.319	1.00151.32	I
ATOM	16060	CA	ILE	I	190	22.684	121.491	187.823	1.00148.76	I
ATOM	16061	CB	ILE	I	190	21.503	121.094	188.733	1.00146.50	I
ATOM	16062	CG2	ILE	I	190	20.718	122.333	189.130	1.00145.59	I
ATOM	16063	CG1	ILE	I	190	20.580	120.123	188.002	1.00144.35	I
ATOM	16064	CD1	ILE	I	190	19.429	119.636	188.847	1.00142.27	I
ATOM	16065	C	ILE	I	190	23.640	122.364	188.629	1.00147.79	I
ATOM	16066	O	ILE	I	190	24.148	121.948	189.671	1.00147.59	I
ATOM	16067	N	ASN	I	191	23.876	123.578	188.145	1.00146.25	I
ATOM	16068	CA	ASN	I	191	24.777	124.502	188.816	1.00144.86	I
ATOM	16069	CB	ASN	I	191	25.279	125.551	187.831	1.00146.48	I
ATOM	16070	CG	ASN	I	191	24.153	126.244	187.108	1.00148.24	I
ATOM	16071	OD1	ASN	I	191	23.275	126.841	187.731	1.00149.06	I
ATOM	16072	ND2	ASN	I	191	24.166	126.166	185.782	1.00149.61	I
ATOM	16073	C	ASN	I	191	24.135	125.189	190.013	1.00143.25	I
ATOM	16074	O	ASN	I	191	23.061	124.795	190.465	1.00141.66	I
ATOM	16075	N	ASP	I	192	24.806	126.229	190.503	1.00143.13	I

ATOM	16076	CA	ASP	I	192	24.372	126.993	191.673	1.00143.03	I
ATOM	16077	CB	ASP	I	192	25.452	128.010	192.069	1.00145.28	I
ATOM	16078	CG	ASP	I	192	26.817	127.373	192.275	1.00147.43	I
ATOM	16079	OD1	ASP	I	192	27.720	128.072	192.785	1.00147.75	I
ATOM	16080	OD2	ASP	I	192	26.992	126.187	191.921	1.00149.99	I
ATOM	16081	C	ASP	I	192	23.043	127.733	191.564	1.00141.49	I
ATOM	16082	O	ASP	I	192	22.394	127.990	192.579	1.00140.34	I
ATOM	16083	N	TYR	I	193	22.638	128.088	190.351	1.00140.85	I
ATOM	16084	CA	TYR	I	193	21.390	128.824	190.169	1.00140.41	I
ATOM	16085	CB	TYR	I	193	21.571	129.898	189.094	1.00138.28	I
ATOM	16086	CG	TYR	I	193	22.915	130.587	189.163	1.00136.79	I
ATOM	16087	CD1	TYR	I	193	23.988	130.142	188.389	1.00135.94	I
ATOM	16088	CE1	TYR	I	193	25.236	130.747	188.474	1.00135.10	I
ATOM	16089	CD2	TYR	I	193	23.126	131.661	190.029	1.00135.57	I
ATOM	16090	CE2	TYR	I	193	24.370	132.273	190.123	1.00134.68	I
ATOM	16091	CZ	TYR	I	193	25.420	131.812	189.344	1.00135.04	I
ATOM	16092	OH	TYR	I	193	26.652	132.416	189.433	1.00134.33	I
ATOM	16093	C	TYR	I	193	20.240	127.901	189.795	1.00141.51	I
ATOM	16094	O	TYR	I	193	19.097	128.340	189.660	1.00140.69	I
ATOM	16095	N	GLY	I	194	20.549	126.616	189.648	1.00143.84	I
ATOM	16096	CA	GLY	I	194	19.535	125.644	189.286	1.00145.23	I
ATOM	16097	C	GLY	I	194	19.390	125.545	187.782	1.00145.85	I
ATOM	16098	O	GLY	I	194	18.287	125.359	187.267	1.00145.96	I
ATOM	16099	N	ALA	I	195	20.511	125.664	187.076	1.00146.17	I
ATOM	16100	CA	ALA	I	195	20.508	125.607	185.619	1.00147.15	I
ATOM	16101	CB	ALA	I	195	20.998	126.936	185.058	1.00146.11	I
ATOM	16102	C	ALA	I	195	21.349	124.456	185.057	1.00148.24	I
ATOM	16103	O	ALA	I	195	22.482	124.226	185.484	1.00149.08	I
ATOM	16104	N	LEU	I	196	20.777	123.737	184.094	1.00149.06	I
ATOM	16105	CA	LEU	I	196	21.444	122.607	183.451	1.00150.06	I
ATOM	16106	CB	LEU	I	196	20.503	121.937	182.444	1.00149.44	I
ATOM	16107	CG	LEU	I	196	19.421	120.976	182.936	1.00148.91	I
ATOM	16108	CD1	LEU	I	196	18.452	120.663	181.807	1.00147.28	I
ATOM	16109	CD2	LEU	I	196	20.076	119.707	183.440	1.00149.71	I
ATOM	16110	C	LEU	I	196	22.707	123.028	182.716	1.00151.11	I
ATOM	16111	O	LEU	I	196	22.648	123.834	181.790	1.00151.51	I
ATOM	16112	N	THR	I	197	23.847	122.481	183.122	1.00152.49	I
ATOM	16113	CA	THR	I	197	25.103	122.804	182.457	1.00154.72	I
ATOM	16114	CB	THR	I	197	26.309	122.262	183.247	1.00153.95	I
ATOM	16115	OG1	THR	I	197	26.267	120.830	183.272	1.00153.22	I
ATOM	16116	CG2	THR	I	197	26.280	122.790	184.672	1.00153.73	I
ATOM	16117	C	THR	I	197	25.053	122.155	181.070	1.00156.81	I
ATOM	16118	O	THR	I	197	24.195	121.306	180.813	1.00156.59	I
ATOM	16119	N	PRO	I	198	25.964	122.543	180.155	1.00158.49	I
ATOM	16120	CD	PRO	I	198	27.119	123.446	180.316	1.00158.27	I
ATOM	16121	CA	PRO	I	198	25.953	121.955	178.810	1.00159.20	I
ATOM	16122	CB	PRO	I	198	27.052	122.730	178.088	1.00157.81	I
ATOM	16123	CG	PRO	I	198	28.023	123.016	179.182	1.00157.04	I
ATOM	16124	C	PRO	I	198	26.182	120.448	178.773	1.00160.45	I
ATOM	16125	O	PRO	I	198	26.981	119.906	179.540	1.00160.87	I
ATOM	16126	N	LYS	I	199	25.469	119.781	177.871	1.00161.73	I
ATOM	16127	CA	LYS	I	199	25.573	118.336	177.707	1.00163.50	I
ATOM	16128	CB	LYS	I	199	24.559	117.862	176.662	1.00161.86	I
ATOM	16129	CG	LYS	I	199	24.809	116.471	176.122	1.00159.00	I
ATOM	16130	CD	LYS	I	199	23.812	116.142	175.031	1.00156.51	I
ATOM	16131	CE	LYS	I	199	24.285	114.967	174.202	1.00156.07	I
ATOM	16132	NZ	LYS	I	199	24.571	113.782	175.054	1.00155.80	I
ATOM	16133	C	LYS	I	199	26.985	117.933	177.290	1.00165.41	I

ATOM	16134	O	LYS	I	199	27.477	118.358	176.247	1.00165.49	I
ATOM	16135	N	MET	I	200	27.632	117.112	178.111	1.00167.64	I
ATOM	16136	CA	MET	I	200	28.989	116.655	177.831	1.00169.80	I
ATOM	16137	CB	MET	I	200	29.927	117.130	178.943	1.00169.53	I
ATOM	16138	CG	MET	I	200	29.206	117.472	180.240	1.00169.35	I
ATOM	16139	SD	MET	I	200	30.238	118.388	181.401	1.00169.81	I
ATOM	16140	CE	MET	I	200	29.870	120.091	180.932	1.00169.12	I
ATOM	16141	C	MET	I	200	29.047	115.135	177.683	1.00171.51	I
ATOM	16142	O	MET	I	200	28.022	114.459	177.789	1.00171.56	I
ATOM	16143	N	THR	I	201	30.241	114.599	177.435	1.00173.07	I
ATOM	16144	CA	THR	I	201	30.401	113.157	177.255	1.00174.26	I
ATOM	16145	CB	THR	I	201	31.238	112.836	175.985	1.00174.49	I
ATOM	16146	OG1	THR	I	201	30.664	113.494	174.849	1.00175.25	I
ATOM	16147	CG2	THR	I	201	31.255	111.333	175.718	1.00173.78	I
ATOM	16148	C	THR	I	201	31.049	112.463	178.454	1.00174.63	I
ATOM	16149	O	THR	I	201	31.847	113.058	179.182	1.00174.22	I
ATOM	16150	N	GLY	I	202	30.690	111.196	178.642	1.00175.03	I
ATOM	16151	CA	GLY	I	202	31.223	110.407	179.734	1.00175.11	I
ATOM	16152	C	GLY	I	202	32.659	110.006	179.481	1.00175.42	I
ATOM	16153	O	GLY	I	202	32.952	109.253	178.553	1.00174.82	I
ATOM	16154	N	VAL	I	203	33.553	110.515	180.321	1.00176.59	I
ATOM	16155	CA	VAL	I	203	34.980	110.244	180.211	1.00178.23	I
ATOM	16156	CB	VAL	I	203	35.797	111.519	180.527	1.00178.59	I
ATOM	16157	CG1	VAL	I	203	37.279	111.266	180.302	1.00179.17	I
ATOM	16158	CG2	VAL	I	203	35.306	112.676	179.667	1.00178.18	I
ATOM	16159	C	VAL	I	203	35.417	109.133	181.166	1.00179.08	I
ATOM	16160	O	VAL	I	203	36.061	109.402	182.184	1.00179.06	I
ATOM	16161	N	MET	I	204	35.068	107.890	180.838	1.00179.87	I
ATOM	16162	CA	MET	I	204	35.435	106.747	181.672	1.00180.48	I
ATOM	16163	CB	MET	I	204	35.143	105.425	180.949	1.00179.79	I
ATOM	16164	CG	MET	I	204	33.670	105.153	180.669	1.00179.53	I
ATOM	16165	SD	MET	I	204	32.963	106.250	179.420	1.00180.10	I
ATOM	16166	CE	MET	I	204	33.353	105.349	177.922	1.00179.47	I
ATOM	16167	C	MET	I	204	36.915	106.803	182.037	1.00181.49	I
ATOM	16168	O	MET	I	204	37.767	107.008	181.174	1.00181.06	I
ATOM	16169	N	GLU	I	205	37.215	106.628	183.320	1.00183.20	I
ATOM	16170	CA	GLU	I	205	38.595	106.653	183.792	1.00185.00	I
ATOM	16171	CB	GLU	I	205	38.673	107.218	185.213	1.00185.75	I
ATOM	16172	CG	GLU	I	205	37.929	106.391	186.251	1.00186.45	I
ATOM	16173	CD	GLU	I	205	38.711	106.227	187.542	1.00186.13	I
ATOM	16174	OE1	GLU	I	205	38.188	105.581	188.476	1.00186.36	I
ATOM	16175	OE2	GLU	I	205	39.849	106.739	187.619	1.00185.93	I
ATOM	16176	C	GLU	I	205	39.188	105.247	183.773	1.00185.73	I
ATOM	16177	O	GLU	I	205	40.379	105.117	183.416	1.00186.36	I
ATOM	16178	OXT	GLU	I	205	38.454	104.298	184.132	1.00185.96	I
ATOM	16179	CB	PHE	J	1	27.126	168.537	170.208	1.00 82.59	J
ATOM	16180	CG	PHE	J	1	26.469	167.467	171.041	1.00 81.35	J
ATOM	16181	CD1	PHE	J	1	26.401	166.158	170.587	1.00 80.53	J
ATOM	16182	CD2	PHE	J	1	25.946	167.765	172.294	1.00 80.13	J
ATOM	16183	CE1	PHE	J	1	25.827	165.162	171.364	1.00 79.01	J
ATOM	16184	CE2	PHE	J	1	25.373	166.776	173.076	1.00 78.53	J
ATOM	16185	CZ	PHE	J	1	25.313	165.471	172.610	1.00 78.41	J
ATOM	16186	C	PHE	J	1	29.260	167.246	169.978	1.00 84.98	J
ATOM	16187	O	PHE	J	1	29.320	166.883	168.797	1.00 86.21	J
ATOM	16188	N	PHE	J	1	29.206	169.674	169.502	1.00 84.01	J
ATOM	16189	CA	PHE	J	1	28.652	168.590	170.355	1.00 82.72	J
ATOM	16190	N	ALA	J	2	29.720	166.517	170.991	1.00 87.22	J
ATOM	16191	CA	ALA	J	2	30.318	165.198	170.803	1.00 88.72	J

ATOM	16192	CB	ALA	J	2	31.778	165.334	170.379	1.00	89.56	J
ATOM	16193	C	ALA	J	2	30.213	164.409	172.108	1.00	89.86	J
ATOM	16194	O	ALA	J	2	29.992	164.986	173.180	1.00	85.56	J
ATOM	16195	N	CYS	J	3	30.373	163.091	172.011	1.00	93.08	J
ATOM	16196	CA	CYS	J	3	30.278	162.221	173.180	1.00	95.01	J
ATOM	16197	C	CYS	J	3	31.376	161.166	173.170	1.00	97.67	J
ATOM	16198	O	CYS	J	3	32.079	160.999	172.170	1.00	98.51	J
ATOM	16199	CB	CYS	J	3	28.927	161.508	173.196	1.00	92.68	J
ATOM	16200	SG	CYS	J	3	27.482	162.545	172.816	1.00	85.96	J
ATOM	16201	N	LYS	J	4	31.506	160.448	174.284	1.00	99.67	J
ATOM	16202	CA	LYS	J	4	32.506	159.393	174.406	1.00	101.04	J
ATOM	16203	CB	LYS	J	4	33.898	160.003	174.610	1.00	103.07	J
ATOM	16204	CG	LYS	J	4	34.087	160.814	175.892	1.00	105.17	J
ATOM	16205	CD	LYS	J	4	35.420	161.571	175.869	1.00	106.51	J
ATOM	16206	CE	LYS	J	4	36.609	160.637	175.616	1.00	106.01	J
ATOM	16207	NZ	LYS	J	4	37.892	161.372	175.404	1.00	102.42	J
ATOM	16208	C	LYS	J	4	32.185	158.427	175.541	1.00	100.85	J
ATOM	16209	O	LYS	J	4	31.583	158.811	176.544	1.00	100.52	J
ATOM	16210	N	THR	J	5	32.591	157.172	175.369	1.00	101.54	J
ATOM	16211	CA	THR	J	5	32.351	156.134	176.367	1.00	103.14	J
ATOM	16212	CB	THR	J	5	32.109	154.757	175.699	1.00	103.81	J
ATOM	16213	OG1	THR	J	5	30.846	154.772	175.027	1.00	102.52	J
ATOM	16214	CG2	THR	J	5	32.100	153.641	176.737	1.00	106.10	J
ATOM	16215	C	THR	J	5	33.501	156.000	177.352	1.00	103.59	J
ATOM	16216	O	THR	J	5	34.669	155.978	176.967	1.00	104.73	J
ATOM	16217	N	ALA	J	6	33.152	155.900	178.629	1.00	103.89	J
ATOM	16218	CA	ALA	J	6	34.130	155.759	179.696	1.00	105.85	J
ATOM	16219	CB	ALA	J	6	33.417	155.456	181.004	1.00	104.50	J
ATOM	16220	C	ALA	J	6	35.158	154.667	179.401	1.00	107.91	J
ATOM	16221	O	ALA	J	6	36.229	154.637	180.009	1.00	108.96	J
ATOM	16222	N	ASN	J	7	34.832	153.772	178.473	1.00	109.15	J
ATOM	16223	CA	ASN	J	7	35.738	152.681	178.118	1.00	110.33	J
ATOM	16224	CB	ASN	J	7	34.937	151.446	177.676	1.00	113.17	J
ATOM	16225	CG	ASN	J	7	35.772	150.166	177.673	1.00	113.50	J
ATOM	16226	OD1	ASN	J	7	36.293	149.750	178.710	1.00	112.96	J
ATOM	16227	ND2	ASN	J	7	35.895	149.535	176.506	1.00	114.51	J
ATOM	16228	C	ASN	J	7	36.679	153.114	177.001	1.00	109.38	J
ATOM	16229	O	ASN	J	7	37.693	152.464	176.738	1.00	109.20	J
ATOM	16230	N	GLY	J	8	36.340	154.212	176.340	1.00	107.96	J
ATOM	16231	CA	GLY	J	8	37.189	154.686	175.269	1.00	107.31	J
ATOM	16232	C	GLY	J	8	36.449	155.324	174.116	1.00	106.41	J
ATOM	16233	O	GLY	J	8	36.087	156.496	174.192	1.00	106.86	J
ATOM	16234	N	THR	J	9	36.227	154.548	173.056	1.00	105.32	J
ATOM	16235	CA	THR	J	9	35.555	155.025	171.846	1.00	104.26	J
ATOM	16236	CB	THR	J	9	34.712	153.918	171.185	1.00	103.69	J
ATOM	16237	OG1	THR	J	9	35.534	152.771	170.936	1.00	102.42	J
ATOM	16238	CG2	THR	J	9	34.138	154.416	169.860	1.00	102.57	J
ATOM	16239	C	THR	J	9	34.657	156.229	172.073	1.00	104.10	J
ATOM	16240	O	THR	J	9	33.901	156.285	173.045	1.00	104.29	J
ATOM	16241	N	ALA	J	10	34.747	157.191	171.162	1.00	103.37	J
ATOM	16242	CA	ALA	J	10	33.958	158.410	171.253	1.00	103.87	J
ATOM	16243	CB	ALA	J	10	34.870	159.593	171.543	1.00	102.78	J
ATOM	16244	C	ALA	J	10	33.181	158.655	169.966	1.00	104.21	J
ATOM	16245	O	ALA	J	10	33.539	158.143	168.900	1.00	104.80	J
ATOM	16246	N	ILE	J	11	32.111	159.436	170.074	1.00	103.23	J
ATOM	16247	CA	ILE	J	11	31.288	159.757	168.920	1.00	103.62	J
ATOM	16248	CB	ILE	J	11	29.802	159.497	169.200	1.00	103.73	J
ATOM	16249	CG2	ILE	J	11	28.993	159.798	167.961	1.00	101.97	J

ATOM	16250	CG1	ILE	J	11	29.600	158.033	169.604	1.00102.43	J
ATOM	16251	CD1	ILE	J	11	28.169	157.663	169.910	1.00 98.90	J
ATOM	16252	C	ILE	J	11	31.502	161.225	168.585	1.00104.94	J
ATOM	16253	O	ILE	J	11	31.112	162.115	169.348	1.00104.54	J
ATOM	16254	N	PRO	J	12	32.124	161.492	167.424	1.00106.18	J
ATOM	16255	CD	PRO	J	12	32.482	160.442	166.450	1.00106.53	J
ATOM	16256	CA	PRO	J	12	32.454	162.817	166.887	1.00106.72	J
ATOM	16257	CB	PRO	J	12	33.265	162.482	165.641	1.00106.25	J
ATOM	16258	CG	PRO	J	12	32.615	161.224	165.164	1.00106.70	J
ATOM	16259	C	PRO	J	12	31.308	163.774	166.578	1.00107.47	J
ATOM	16260	O	PRO	J	12	30.133	163.425	166.672	1.00108.24	J
ATOM	16261	N	ILE	J	13	31.689	164.995	166.214	1.00108.55	J
ATOM	16262	CA	ILE	J	13	30.755	166.055	165.861	1.00109.20	J
ATOM	16263	CB	ILE	J	13	31.510	167.373	165.555	1.00107.70	J
ATOM	16264	CG2	ILE	J	13	30.567	168.389	164.929	1.00106.49	J
ATOM	16265	CG1	ILE	J	13	32.156	167.911	166.830	1.00105.30	J
ATOM	16266	CD1	ILE	J	13	32.913	169.196	166.632	1.00103.21	J
ATOM	16267	C	ILE	J	13	29.990	165.646	164.612	1.00111.23	J
ATOM	16268	O	ILE	J	13	30.583	165.173	163.641	1.00112.06	J
ATOM	16269	N	GLY	J	14	28.674	165.824	164.637	1.00112.47	J
ATOM	16270	CA	GLY	J	14	27.874	165.478	163.476	1.00113.07	J
ATOM	16271	C	GLY	J	14	27.359	164.053	163.427	1.00113.04	J
ATOM	16272	O	GLY	J	14	27.003	163.558	162.358	1.00112.81	J
ATOM	16273	N	GLY	J	15	27.321	163.388	164.575	1.00113.64	J
ATOM	16274	CA	GLY	J	15	26.823	162.026	164.611	1.00114.82	J
ATOM	16275	C	GLY	J	15	27.860	160.980	164.962	1.00115.25	J
ATOM	16276	O	GLY	J	15	28.956	161.307	165.415	1.00115.95	J
ATOM	16277	N	GLY	J	16	27.498	159.715	164.753	1.00115.13	J
ATOM	16278	CA	GLY	J	16	28.398	158.615	165.046	1.00114.00	J
ATOM	16279	C	GLY	J	16	27.689	157.353	165.502	1.00112.67	J
ATOM	16280	O	GLY	J	16	26.486	157.188	165.292	1.00112.73	J
ATOM	16281	N	SER	J	17	28.452	156.460	166.125	1.00111.68	J
ATOM	16282	CA	SER	J	17	27.934	155.194	166.631	1.00111.81	J
ATOM	16283	CB	SER	J	17	27.575	154.253	165.474	1.00112.60	J
ATOM	16284	OG	SER	J	17	26.510	154.770	164.695	1.00114.38	J
ATOM	16285	C	SER	J	17	29.006	154.552	167.501	1.00110.79	J
ATOM	16286	O	SER	J	17	30.187	154.568	167.154	1.00109.08	J
ATOM	16287	N	ALA	J	18	28.593	153.987	168.632	1.00110.58	J
ATOM	16288	CA	ALA	J	18	29.534	153.355	169.549	1.00110.04	J
ATOM	16289	CB	ALA	J	18	29.843	154.297	170.704	1.00110.12	J
ATOM	16290	C	ALA	J	18	29.016	152.029	170.087	1.00109.30	J
ATOM	16291	O	ALA	J	18	28.088	151.441	169.534	1.00110.69	J
ATOM	16292	N	ASN	J	19	29.629	151.566	171.172	1.00107.07	J
ATOM	16293	CA	ASN	J	19	29.256	150.309	171.806	1.00106.12	J
ATOM	16294	CB	ASN	J	19	29.975	149.140	171.131	1.00104.81	J
ATOM	16295	CG	ASN	J	19	29.491	148.891	169.723	1.00105.58	J
ATOM	16296	OD1	ASN	J	19	28.584	148.089	169.503	1.00108.30	J
ATOM	16297	ND2	ASN	J	19	30.082	149.588	168.758	1.00104.73	J
ATOM	16298	C	ASN	J	19	29.654	150.346	173.273	1.00105.89	J
ATOM	16299	O	ASN	J	19	30.827	150.523	173.593	1.00108.30	J
ATOM	16300	N	VAL	J	20	28.686	150.189	174.165	1.00104.39	J
ATOM	16301	CA	VAL	J	20	28.986	150.182	175.592	1.00106.12	J
ATOM	16302	CB	VAL	J	20	27.973	151.041	176.382	1.00106.02	J
ATOM	16303	CG1	VAL	J	20	28.520	151.354	177.766	1.00104.19	J
ATOM	16304	CG2	VAL	J	20	27.682	152.322	175.624	1.00106.66	J
ATOM	16305	C	VAL	J	20	28.918	148.724	176.061	1.00107.62	J
ATOM	16306	O	VAL	J	20	27.964	148.014	175.740	1.00108.71	J
ATOM	16307	N	TYR	J	21	29.926	148.276	176.809	1.00106.57	J

ATOM	16308	CA	TYR	J	21	29.964	146.891	177.277	1.00103.78	J
ATOM	16309	CB	TYR	J	21	31.353	146.296	177.023	1.00 94.73	J
ATOM	16310	CG	TYR	J	21	31.749	146.379	175.573	1.00 86.23	J
ATOM	16311	CD1	TYR	J	21	32.195	147.577	175.023	1.00 85.59	J
ATOM	16312	CE1	TYR	J	21	32.461	147.693	173.661	1.00 81.63	J
ATOM	16313	CD2	TYR	J	21	31.587	145.290	174.725	1.00 86.10	J
ATOM	16314	CE2	TYR	J	21	31.848	145.395	173.360	1.00 81.74	J
ATOM	16315	CZ	TYR	J	21	32.280	146.600	172.835	1.00 79.63	J
ATOM	16316	OH	TYR	J	21	32.484	146.727	171.479	1.00 77.07	J
ATOM	16317	C	TYR	J	21	29.583	146.740	178.740	1.00105.94	J
ATOM	16318	O	TYR	J	21	30.011	145.799	179.407	1.00107.51	J
ATOM	16319	N	VAL	J	22	28.757	147.665	179.218	1.00108.11	J
ATOM	16320	CA	VAL	J	22	28.288	147.688	180.601	1.00112.10	J
ATOM	16321	CB	VAL	J	22	26.904	148.359	180.698	1.00113.50	J
ATOM	16322	CG1	VAL	J	22	26.991	149.795	180.225	1.00113.66	J
ATOM	16323	CG2	VAL	J	22	25.888	147.582	179.868	1.00114.35	J
ATOM	16324	C	VAL	J	22	28.188	146.338	181.314	1.00114.40	J
ATOM	16325	O	VAL	J	22	27.844	145.316	180.712	1.00115.70	J
ATOM	16326	N	ASN	J	23	28.497	146.353	182.608	1.00115.77	J
ATOM	16327	CA	ASN	J	23	28.417	145.159	183.436	1.00117.29	J
ATOM	16328	CB	ASN	J	23	29.589	145.092	184.422	1.00118.31	J
ATOM	16329	CG	ASN	J	23	30.936	144.964	183.726	1.00120.13	J
ATOM	16330	OD1	ASN	J	23	31.109	144.138	182.826	1.00121.37	J
ATOM	16331	ND2	ASN	J	23	31.903	145.773	184.151	1.00119.45	J
ATOM	16332	C	ASN	J	23	27.102	145.267	184.195	1.00118.46	J
ATOM	16333	O	ASN	J	23	26.717	146.354	184.634	1.00118.54	J
ATOM	16334	N	LEU	J	24	26.416	144.140	184.340	1.00119.16	J
ATOM	16335	CA	LEU	J	24	25.127	144.108	185.022	1.00118.64	J
ATOM	16336	CB	LEU	J	24	24.049	143.683	184.024	1.00117.75	J
ATOM	16337	CG	LEU	J	24	24.277	144.198	182.599	1.00116.92	J
ATOM	16338	CD1	LEU	J	24	23.317	143.519	181.647	1.00115.58	J
ATOM	16339	CD2	LEU	J	24	24.119	145.712	182.563	1.00117.79	J
ATOM	16340	C	LEU	J	24	25.163	143.122	186.186	1.00118.49	J
ATOM	16341	O	LEU	J	24	25.820	142.086	186.092	1.00118.02	J
ATOM	16342	N	ALA	J	25	24.464	143.446	187.275	1.00117.94	J
ATOM	16343	CA	ALA	J	25	24.412	142.566	188.441	1.00118.35	J
ATOM	16344	CB	ALA	J	25	23.271	142.980	189.355	1.00115.77	J
ATOM	16345	C	ALA	J	25	24.189	141.148	187.924	1.00120.33	J
ATOM	16346	O	ALA	J	25	23.061	140.759	187.638	1.00121.94	J
ATOM	16347	N	PRO	J	26	25.272	140.360	187.799	1.00121.90	J
ATOM	16348	CD	PRO	J	26	26.607	140.702	188.323	1.00123.29	J
ATOM	16349	CA	PRO	J	26	25.262	138.976	187.310	1.00122.03	J
ATOM	16350	CB	PRO	J	26	26.591	138.428	187.818	1.00122.72	J
ATOM	16351	CG	PRO	J	26	27.477	139.617	187.722	1.00122.84	J
ATOM	16352	C	PRO	J	26	24.081	138.103	187.720	1.00121.39	J
ATOM	16353	O	PRO	J	26	23.754	137.145	187.023	1.00121.25	J
ATOM	16354	N	VAL	J	27	23.443	138.421	188.842	1.00120.74	J
ATOM	16355	CA	VAL	J	27	22.309	137.624	189.292	1.00120.26	J
ATOM	16356	CB	VAL	J	27	22.732	136.633	190.390	1.00120.56	J
ATOM	16357	CG1	VAL	J	27	21.518	135.878	190.911	1.00120.09	J
ATOM	16358	CG2	VAL	J	27	23.756	135.659	189.833	1.00121.30	J
ATOM	16359	C	VAL	J	27	21.127	138.440	189.800	1.00120.67	J
ATOM	16360	O	VAL	J	27	21.159	138.996	190.899	1.00119.81	J
ATOM	16361	N	VAL	J	28	20.081	138.491	188.980	1.00121.58	J
ATOM	16362	CA	VAL	J	28	18.855	139.212	189.301	1.00120.49	J
ATOM	16363	CB	VAL	J	28	18.554	140.307	188.261	1.00121.43	J
ATOM	16364	CG1	VAL	J	28	17.352	141.127	188.711	1.00123.03	J
ATOM	16365	CG2	VAL	J	28	19.772	141.191	188.060	1.00122.67	J

ATOM	16366	C	VAL	J	28	17.697	138.224	189.278	1.00119.19	J
ATOM	16367	O	VAL	J	28	17.547	137.462	188.327	1.00118.55	J
ATOM	16368	N	ASN	J	29	16.876	138.240	190.319	1.00118.78	J
ATOM	16369	CA	ASN	J	29	15.737	137.334	190.387	1.00119.25	J
ATOM	16370	CB	ASN	J	29	15.589	136.787	191.805	1.00117.52	J
ATOM	16371	CG	ASN	J	29	16.733	135.880	192.194	1.00114.22	J
ATOM	16372	OD1	ASN	J	29	16.996	134.882	191.527	1.00112.60	J
ATOM	16373	ND2	ASN	J	29	17.421	136.222	193.275	1.00113.70	J
ATOM	16374	C	ASN	J	29	14.443	138.015	189.952	1.00119.88	J
ATOM	16375	O	ASN	J	29	14.336	139.242	189.991	1.00120.97	J
ATOM	16376	N	VAL	J	30	13.467	137.213	189.532	1.00119.66	J
ATOM	16377	CA	VAL	J	30	12.177	137.739	189.084	1.00119.56	J
ATOM	16378	CB	VAL	J	30	11.175	136.598	188.766	1.00118.16	J
ATOM	16379	CG1	VAL	J	30	9.860	137.180	188.273	1.00117.69	J
ATOM	16380	CG2	VAL	J	30	11.754	135.666	187.716	1.00115.99	J
ATOM	16381	C	VAL	J	30	11.560	138.657	190.141	1.00119.76	J
ATOM	16382	O	VAL	J	30	11.833	138.521	191.336	1.00120.48	J
ATOM	16383	N	GLY	J	31	10.727	139.591	189.694	1.00118.82	J
ATOM	16384	CA	GLY	J	31	10.101	140.515	190.619	1.00117.21	J
ATOM	16385	C	GLY	J	31	11.007	141.706	190.851	1.00115.75	J
ATOM	16386	O	GLY	J	31	10.598	142.853	190.663	1.00116.56	J
ATOM	16387	N	GLN	J	32	12.247	141.430	191.251	1.00113.33	J
ATOM	16388	CA	GLN	J	32	13.227	142.480	191.506	1.00109.71	J
ATOM	16389	CB	GLN	J	32	14.540	141.875	192.005	1.00108.93	J
ATOM	16390	CG	GLN	J	32	14.493	141.527	193.484	1.00109.47	J
ATOM	16391	CD	GLN	J	32	15.728	140.799	193.962	1.00110.73	J
ATOM	16392	OE1	GLN	J	32	16.852	141.244	193.733	1.00110.39	J
ATOM	16393	NE2	GLN	J	32	15.525	139.673	194.642	1.00110.29	J
ATOM	16394	C	GLN	J	32	13.461	143.345	190.273	1.00107.20	J
ATOM	16395	O	GLN	J	32	12.785	143.179	189.255	1.00107.18	J
ATOM	16396	N	ASN	J	33	14.430	144.253	190.352	1.00102.90	J
ATOM	16397	CA	ASN	J	33	14.670	145.169	189.247	1.00 98.74	J
ATOM	16398	CB	ASN	J	33	14.104	146.536	189.643	1.00 97.83	J
ATOM	16399	CG	ASN	J	33	13.935	147.466	188.469	1.00 98.09	J
ATOM	16400	OD1	ASN	J	33	13.447	148.582	188.628	1.00 99.93	J
ATOM	16401	ND2	ASN	J	33	14.332	147.017	187.283	1.00 98.22	J
ATOM	16402	C	ASN	J	33	16.110	145.338	188.752	1.00 94.57	J
ATOM	16403	O	ASN	J	33	16.933	145.955	189.424	1.00 93.94	J
ATOM	16404	N	LEU	J	34	16.406	144.800	187.570	1.00 89.43	J
ATOM	16405	CA	LEU	J	34	17.737	144.949	186.992	1.00 85.51	J
ATOM	16406	CB	LEU	J	34	17.879	144.105	185.721	1.00 80.60	J
ATOM	16407	CG	LEU	J	34	19.117	144.337	184.845	1.00 77.68	J
ATOM	16408	CD1	LEU	J	34	20.369	144.355	185.697	1.00 80.79	J
ATOM	16409	CD2	LEU	J	34	19.216	143.244	183.795	1.00 74.29	J
ATOM	16410	C	LEU	J	34	17.858	146.426	186.653	1.00 86.57	J
ATOM	16411	O	LEU	J	34	16.855	147.133	186.637	1.00 87.36	J
ATOM	16412	N	VAL	J	35	19.074	146.899	186.401	1.00 88.05	J
ATOM	16413	CA	VAL	J	35	19.299	148.308	186.077	1.00 88.15	J
ATOM	16414	CB	VAL	J	35	19.510	149.160	187.358	1.00 86.31	J
ATOM	16415	CG1	VAL	J	35	19.891	150.580	186.979	1.00 87.34	J
ATOM	16416	CG2	VAL	J	35	18.245	149.173	188.200	1.00 85.16	J
ATOM	16417	C	VAL	J	35	20.514	148.505	185.177	1.00 89.07	J
ATOM	16418	O	VAL	J	35	21.573	147.917	185.411	1.00 90.09	J
ATOM	16419	N	VAL	J	36	20.362	149.334	184.148	1.00 88.85	J
ATOM	16420	CA	VAL	J	36	21.467	149.604	183.238	1.00 90.06	J
ATOM	16421	CB	VAL	J	36	21.278	148.895	181.878	1.00 89.64	J
ATOM	16422	CG1	VAL	J	36	22.488	149.144	180.980	1.00 86.74	J
ATOM	16423	CG2	VAL	J	36	21.082	147.403	182.095	1.00 92.02	J

ATOM	16424	C	VAL	J	36	21.606	151.099	182.999	1.00	91.43	J
ATOM	16425	O	VAL	J	36	21.245	151.604	181.936	1.00	93.08	J
ATOM	16426	N	ASP	J	37	22.128	151.803	184.001	1.00	91.53	J
ATOM	16427	CA	ASP	J	37	22.332	153.248	183.909	1.00	91.00	J
ATOM	16428	CB	ASP	J	37	22.459	153.858	185.306	1.00	90.15	J
ATOM	16429	CG	ASP	J	37	23.190	155.179	185.292	1.00	87.57	J
ATOM	16430	OD1	ASP	J	37	22.771	156.087	184.547	1.00	84.55	J
ATOM	16431	OD2	ASP	J	37	24.188	155.303	186.026	1.00	93.14	J
ATOM	16432	C	ASP	J	37	23.576	153.592	183.086	1.00	87.64	J
ATOM	16433	O	ASP	J	37	24.675	153.135	183.387	1.00	87.20	J
ATOM	16434	N	LEU	J	38	23.394	154.409	182.055	1.00	84.38	J
ATOM	16435	CA	LEU	J	38	24.500	154.787	181.194	1.00	84.77	J
ATOM	16436	CB	LEU	J	38	24.072	154.675	179.730	1.00	84.66	J
ATOM	16437	CG	LEU	J	38	23.581	153.289	179.302	1.00	82.49	J
ATOM	16438	CD1	LEU	J	38	23.317	153.314	177.816	1.00	82.74	J
ATOM	16439	CD2	LEU	J	38	24.611	152.219	179.633	1.00	77.84	J
ATOM	16440	C	LEU	J	38	25.065	156.179	181.482	1.00	84.16	J
ATOM	16441	O	LEU	J	38	26.031	156.609	180.846	1.00	82.77	J
ATOM	16442	N	SER	J	39	24.468	156.883	182.440	1.00	82.98	J
ATOM	16443	CA	SER	J	39	24.961	158.201	182.815	1.00	83.04	J
ATOM	16444	CB	SER	J	39	23.917	158.962	183.633	1.00	85.52	J
ATOM	16445	OG	SER	J	39	23.760	158.393	184.920	1.00	86.82	J
ATOM	16446	C	SER	J	39	26.190	157.911	183.671	1.00	82.81	J
ATOM	16447	O	SER	J	39	26.455	158.561	184.683	1.00	81.55	J
ATOM	16448	N	THR	J	40	26.933	156.904	183.238	1.00	83.39	J
ATOM	16449	CA	THR	J	40	28.129	156.463	183.921	1.00	84.73	J
ATOM	16450	CB	THR	J	40	27.768	155.684	185.216	1.00	84.11	J
ATOM	16451	OG1	THR	J	40	26.971	156.519	186.068	1.00	81.47	J
ATOM	16452	CG2	THR	J	40	29.026	155.265	185.966	1.00	83.77	J
ATOM	16453	C	THR	J	40	28.826	155.542	182.930	1.00	85.97	J
ATOM	16454	O	THR	J	40	29.507	154.588	183.310	1.00	87.07	J
ATOM	16455	N	GLN	J	41	28.633	155.836	181.648	1.00	86.73	J
ATOM	16456	CA	GLN	J	41	29.227	155.056	180.568	1.00	90.20	J
ATOM	16457	CB	GLN	J	41	28.401	153.800	180.292	1.00	93.65	J
ATOM	16458	CG	GLN	J	41	28.223	152.842	181.457	1.00	100.30	J
ATOM	16459	CD	GLN	J	41	29.462	152.025	181.748	1.00	102.03	J
ATOM	16460	OE1	GLN	J	41	30.120	151.527	180.833	1.00	106.34	J
ATOM	16461	NE2	GLN	J	41	29.778	151.865	183.029	1.00	105.70	J
ATOM	16462	C	GLN	J	41	29.239	155.896	179.295	1.00	91.90	J
ATOM	16463	O	GLN	J	41	29.884	155.533	178.310	1.00	91.90	J
ATOM	16464	N	ILE	J	42	28.512	157.012	179.318	1.00	92.82	J
ATOM	16465	CA	ILE	J	42	28.404	157.899	178.157	1.00	91.79	J
ATOM	16466	CB	ILE	J	42	27.235	157.473	177.255	1.00	90.69	J
ATOM	16467	CG2	ILE	J	42	26.978	158.533	176.194	1.00	85.32	J
ATOM	16468	CG1	ILE	J	42	27.533	156.108	176.636	1.00	88.52	J
ATOM	16469	CD1	ILE	J	42	26.316	155.414	176.091	1.00	90.41	J
ATOM	16470	C	ILE	J	42	28.178	159.356	178.552	1.00	93.07	J
ATOM	16471	O	ILE	J	42	27.219	159.682	179.260	1.00	91.93	J
ATOM	16472	N	PHE	J	43	29.055	160.233	178.070	1.00	93.68	J
ATOM	16473	CA	PHE	J	43	28.961	161.655	178.379	1.00	91.47	J
ATOM	16474	CB	PHE	J	43	29.985	162.040	179.452	1.00	87.73	J
ATOM	16475	CG	PHE	J	43	30.279	160.944	180.429	1.00	84.12	J
ATOM	16476	CD1	PHE	J	43	30.996	159.823	180.025	1.00	81.27	J
ATOM	16477	CD2	PHE	J	43	29.816	161.015	181.741	1.00	84.24	J
ATOM	16478	CE1	PHE	J	43	31.248	158.788	180.899	1.00	83.71	J
ATOM	16479	CE2	PHE	J	43	30.061	159.980	182.635	1.00	86.04	J
ATOM	16480	CZ	PHE	J	43	30.780	158.860	182.210	1.00	87.31	J
ATOM	16481	C	PHE	J	43	29.210	162.486	177.136	1.00	90.87	J

ATOM	16482	O	PHE	J	43	29.999	162.111	176.269	1.00	89.23	J
ATOM	16483	N	CYS	J	44	28.527	163.618	177.056	1.00	93.41	J
ATOM	16484	CA	CYS	J	44	28.682	164.521	175.930	1.00	95.72	J
ATOM	16485	C	CYS	J	44	28.984	165.900	176.491	1.00	97.50	J
ATOM	16486	O	CYS	J	44	28.879	166.127	177.695	1.00	95.99	J
ATOM	16487	CB	CYS	J	44	27.399	164.585	175.106	1.00	94.84	J
ATOM	16488	SG	CYS	J	44	26.681	162.981	174.631	1.00	91.90	J
ATOM	16489	N	HIS	J	45	29.347	166.823	175.611	1.00	101.20	J
ATOM	16490	CA	HIS	J	45	29.670	168.183	176.017	1.00	103.27	J
ATOM	16491	CB	HIS	J	45	31.150	168.279	176.400	1.00	103.07	J
ATOM	16492	CG	HIS	J	45	32.080	168.045	175.248	1.00	105.46	J
ATOM	16493	CD2	HIS	J	45	32.987	168.856	174.654	1.00	106.68	J
ATOM	16494	ND1	HIS	J	45	32.097	166.865	174.534	1.00	106.78	J
ATOM	16495	CE1	HIS	J	45	32.971	166.960	173.548	1.00	105.09	J
ATOM	16496	NE2	HIS	J	45	33.525	168.159	173.599	1.00	107.63	J
ATOM	16497	C	HIS	J	45	29.398	169.109	174.837	1.00	105.05	J
ATOM	16498	O	HIS	J	45	29.397	168.675	173.680	1.00	104.33	J
ATOM	16499	N	ASN	J	46	29.166	170.383	175.134	1.00	107.35	J
ATOM	16500	CA	ASN	J	46	28.917	171.381	174.101	1.00	107.33	J
ATOM	16501	CB	ASN	J	46	28.143	172.560	174.689	1.00	103.35	J
ATOM	16502	CG	ASN	J	46	27.529	173.432	173.625	1.00	101.88	J
ATOM	16503	OD1	ASN	J	46	28.085	173.584	172.544	1.00	100.62	J
ATOM	16504	ND2	ASN	J	46	26.380	174.024	173.929	1.00	101.53	J
ATOM	16505	C	ASN	J	46	30.288	171.857	173.608	1.00	109.20	J
ATOM	16506	O	ASN	J	46	31.200	172.076	174.413	1.00	110.45	J
ATOM	16507	N	ASP	J	47	30.446	171.998	172.296	1.00	108.94	J
ATOM	16508	CA	ASP	J	47	31.718	172.454	171.742	1.00	109.08	J
ATOM	16509	CB	ASP	J	47	31.978	171.808	170.384	1.00	109.09	J
ATOM	16510	CG	ASP	J	47	32.373	170.358	170.502	1.00	111.76	J
ATOM	16511	OD1	ASP	J	47	33.150	170.034	171.425	1.00	114.68	J
ATOM	16512	OD2	ASP	J	47	31.921	169.545	169.669	1.00	113.15	J
ATOM	16513	C	ASP	J	47	31.779	173.973	171.599	1.00	109.74	J
ATOM	16514	O	ASP	J	47	32.822	174.586	171.834	1.00	110.54	J
ATOM	16515	N	TYR	J	48	30.656	174.571	171.211	1.00	109.28	J
ATOM	16516	CA	TYR	J	48	30.546	176.018	171.030	1.00	107.98	J
ATOM	16517	CB	TYR	J	48	30.172	176.322	169.576	1.00	108.85	J
ATOM	16518	CG	TYR	J	48	31.070	175.660	168.545	1.00	112.89	J
ATOM	16519	CD1	TYR	J	48	30.587	175.351	167.273	1.00	114.56	J
ATOM	16520	CE1	TYR	J	48	31.405	174.748	166.316	1.00	115.85	J
ATOM	16521	CD2	TYR	J	48	32.401	175.350	168.833	1.00	112.75	J
ATOM	16522	CE2	TYR	J	48	33.226	174.748	167.879	1.00	113.77	J
ATOM	16523	CZ	TYR	J	48	32.719	174.452	166.626	1.00	115.24	J
ATOM	16524	OH	TYR	J	48	33.515	173.857	165.680	1.00	115.83	J
ATOM	16525	C	TYR	J	48	29.442	176.511	171.971	1.00	106.47	J
ATOM	16526	O	TYR	J	48	28.406	177.006	171.522	1.00	106.15	J
ATOM	16527	N	PRO	J	49	29.662	176.390	173.293	1.00	104.79	J
ATOM	16528	CD	PRO	J	49	30.907	175.886	173.904	1.00	102.80	J
ATOM	16529	CA	PRO	J	49	28.713	176.795	174.335	1.00	104.29	J
ATOM	16530	CB	PRO	J	49	29.333	176.210	175.600	1.00	103.55	J
ATOM	16531	CG	PRO	J	49	30.783	176.358	175.337	1.00	103.70	J
ATOM	16532	C	PRO	J	49	28.381	178.274	174.496	1.00	104.38	J
ATOM	16533	O	PRO	J	49	27.317	178.608	175.011	1.00	104.45	J
ATOM	16534	N	GLU	J	50	29.279	179.160	174.075	1.00	104.72	J
ATOM	16535	CA	GLU	J	50	29.034	180.594	174.217	1.00	104.30	J
ATOM	16536	CB	GLU	J	50	30.344	181.376	174.068	1.00	106.14	J
ATOM	16537	CG	GLU	J	50	31.133	181.539	175.364	1.00	108.16	J
ATOM	16538	CD	GLU	J	50	31.629	180.223	175.934	1.00	111.77	J
ATOM	16539	OE1	GLU	J	50	32.321	179.481	175.202	1.00	112.54	J

ATOM	16540	OE2	GLU	J	50	31.336	179.935	177.116	1.00114.16	J
ATOM	16541	C	GLU	J	50	27.989	181.154	173.255	1.00102.49	J
ATOM	16542	O	GLU	J	50	27.561	182.300	173.395	1.00102.20	J
ATOM	16543	N	THR	J	51	27.571	180.351	172.285	1.00101.54	J
ATOM	16544	CA	THR	J	51	26.573	180.806	171.325	1.00101.62	J
ATOM	16545	CB	THR	J	51	27.189	181.035	169.938	1.00103.70	J
ATOM	16546	OG1	THR	J	51	28.387	181.807	170.068	1.00106.36	J
ATOM	16547	CG2	THR	J	51	26.206	181.778	169.039	1.00101.66	J
ATOM	16548	C	THR	J	51	25.471	179.779	171.166	1.00 99.30	J
ATOM	16549	O	THR	J	51	24.292	180.075	171.343	1.00 97.15	J
ATOM	16550	N	ILE	J	52	25.876	178.563	170.832	1.00 99.21	J
ATOM	16551	CA	ILE	J	52	24.940	177.473	170.610	1.00101.48	J
ATOM	16552	CB	ILE	J	52	25.592	176.364	169.769	1.00101.55	J
ATOM	16553	CG2	ILE	J	52	24.518	175.496	169.137	1.00 98.74	J
ATOM	16554	CG1	ILE	J	52	26.476	176.989	168.687	1.00103.02	J
ATOM	16555	CD1	ILE	J	52	27.296	175.981	167.909	1.00103.71	J
ATOM	16556	C	ILE	J	52	24.409	176.832	171.886	1.00101.83	J
ATOM	16557	O	ILE	J	52	25.066	176.835	172.926	1.00103.62	J
ATOM	16558	N	THR	J	53	23.204	176.280	171.782	1.00101.44	J
ATOM	16559	CA	THR	J	53	22.551	175.588	172.888	1.00 99.62	J
ATOM	16560	CB	THR	J	53	21.286	176.346	173.373	1.00100.92	J
ATOM	16561	OG1	THR	J	53	21.645	177.663	173.811	1.00103.08	J
ATOM	16562	CG2	THR	J	53	20.639	175.611	174.529	1.00102.46	J
ATOM	16563	C	THR	J	53	22.139	174.221	172.331	1.00 97.22	J
ATOM	16564	O	THR	J	53	21.225	174.131	171.504	1.00 95.74	J
ATOM	16565	N	ASP	J	54	22.829	173.165	172.766	1.00 94.65	J
ATOM	16566	CA	ASP	J	54	22.539	171.811	172.290	1.00 90.77	J
ATOM	16567	CB	ASP	J	54	23.785	170.923	172.379	1.00 93.25	J
ATOM	16568	CG	ASP	J	54	24.801	171.222	171.284	1.00 93.31	J
ATOM	16569	OD1	ASP	J	54	24.455	171.105	170.085	1.00 91.24	J
ATOM	16570	OD2	ASP	J	54	25.951	171.568	171.628	1.00 94.78	J
ATOM	16571	C	ASP	J	54	21.376	171.125	172.996	1.00 85.24	J
ATOM	16572	O	ASP	J	54	21.236	171.183	174.220	1.00 81.27	J
ATOM	16573	N	TYR	J	55	20.555	170.465	172.187	1.00 82.65	J
ATOM	16574	CA	TYR	J	55	19.367	169.755	172.641	1.00 79.29	J
ATOM	16575	CB	TYR	J	55	18.152	170.286	171.884	1.00 76.71	J
ATOM	16576	CG	TYR	J	55	17.922	171.766	172.080	1.00 73.69	J
ATOM	16577	CD1	TYR	J	55	17.249	172.522	171.117	1.00 72.73	J
ATOM	16578	CE1	TYR	J	55	16.999	173.874	171.311	1.00 71.93	J
ATOM	16579	CD2	TYR	J	55	18.343	172.405	173.241	1.00 71.69	J
ATOM	16580	CE2	TYR	J	55	18.100	173.753	173.444	1.00 74.88	J
ATOM	16581	CZ	TYR	J	55	17.426	174.483	172.476	1.00 74.53	J
ATOM	16582	OH	TYR	J	55	17.175	175.822	172.683	1.00 77.60	J
ATOM	16583	C	TYR	J	55	19.507	168.260	172.399	1.00 77.06	J
ATOM	16584	O	TYR	J	55	19.411	167.793	171.263	1.00 76.49	J
ATOM	16585	N	VAL	J	56	19.737	167.517	173.474	1.00 75.54	J
ATOM	16586	CA	VAL	J	56	19.887	166.076	173.378	1.00 76.61	J
ATOM	16587	CB	VAL	J	56	21.024	165.571	174.280	1.00 78.15	J
ATOM	16588	CG1	VAL	J	56	21.118	164.047	174.216	1.00 77.20	J
ATOM	16589	CG2	VAL	J	56	22.323	166.196	173.841	1.00 76.40	J
ATOM	16590	C	VAL	J	56	18.595	165.376	173.762	1.00 77.01	J
ATOM	16591	O	VAL	J	56	17.931	165.740	174.733	1.00 75.67	J
ATOM	16592	N	THR	J	57	18.255	164.359	172.983	1.00 77.69	J
ATOM	16593	CA	THR	J	57	17.044	163.595	173.201	1.00 80.01	J
ATOM	16594	CB	THR	J	57	15.911	164.139	172.316	1.00 79.86	J
ATOM	16595	OG1	THR	J	57	14.863	163.169	172.216	1.00 81.01	J
ATOM	16596	CG2	THR	J	57	16.439	164.449	170.930	1.00 82.79	J
ATOM	16597	C	THR	J	57	17.269	162.133	172.856	1.00 81.20	J

ATOM	16598	O	THR	J	57	18.161	161.804	172.075	1.00	85.08	J
ATOM	16599	N	LEU	J	58	16.461	161.261	173.450	1.00	80.11	J
ATOM	16600	CA	LEU	J	58	16.528	159.825	173.188	1.00	79.14	J
ATOM	16601	CB	LEU	J	58	16.293	159.026	174.482	1.00	79.97	J
ATOM	16602	CG	LEU	J	58	16.183	157.494	174.382	1.00	79.02	J
ATOM	16603	CD1	LEU	J	58	17.475	156.895	173.846	1.00	74.54	J
ATOM	16604	CD2	LEU	J	58	15.859	156.924	175.753	1.00	75.89	J
ATOM	16605	C	LEU	J	58	15.440	159.498	172.161	1.00	76.94	J
ATOM	16606	O	LEU	J	58	14.260	159.392	172.502	1.00	76.65	J
ATOM	16607	N	GLN	J	59	15.850	159.361	170.904	1.00	75.17	J
ATOM	16608	CA	GLN	J	59	14.939	159.063	169.808	1.00	75.26	J
ATOM	16609	CB	GLN	J	59	15.690	159.150	168.481	1.00	78.85	J
ATOM	16610	CG	GLN	J	59	15.673	160.504	167.816	1.00	85.90	J
ATOM	16611	CD	GLN	J	59	14.646	160.592	166.700	1.00	88.16	J
ATOM	16612	OE1	GLN	J	59	13.441	160.607	166.947	1.00	91.14	J
ATOM	16613	NE2	GLN	J	59	15.123	160.641	165.460	1.00	89.54	J
ATOM	16614	C	GLN	J	59	14.297	157.689	169.908	1.00	73.69	J
ATOM	16615	O	GLN	J	59	13.094	157.556	170.105	1.00	71.18	J
ATOM	16616	N	ARG	J	60	15.126	156.668	169.755	1.00	75.20	J
ATOM	16617	CA	ARG	J	60	14.673	155.289	169.787	1.00	76.50	J
ATOM	16618	CB	ARG	J	60	15.001	154.617	168.444	1.00	79.06	J
ATOM	16619	CG	ARG	J	60	14.599	153.158	168.321	1.00	84.96	J
ATOM	16620	CD	ARG	J	60	13.091	152.996	168.290	1.00	92.58	J
ATOM	16621	NE	ARG	J	60	12.480	153.842	167.268	1.00	100.31	J
ATOM	16622	CZ	ARG	J	60	11.197	153.797	166.915	1.00	103.03	J
ATOM	16623	NH1	ARG	J	60	10.373	152.936	167.501	1.00	103.76	J
ATOM	16624	NH2	ARG	J	60	10.735	154.621	165.980	1.00	103.29	J
ATOM	16625	C	ARG	J	60	15.312	154.506	170.932	1.00	75.71	J
ATOM	16626	O	ARG	J	60	16.262	154.961	171.573	1.00	75.21	J
ATOM	16627	N	GLY	J	61	14.760	153.327	171.179	1.00	74.82	J
ATOM	16628	CA	GLY	J	61	15.258	152.455	172.218	1.00	75.64	J
ATOM	16629	C	GLY	J	61	14.811	151.068	171.819	1.00	76.73	J
ATOM	16630	O	GLY	J	61	13.626	150.753	171.904	1.00	79.02	J
ATOM	16631	N	SER	J	62	15.748	150.244	171.363	1.00	76.18	J
ATOM	16632	CA	SER	J	62	15.426	148.888	170.937	1.00	75.03	J
ATOM	16633	CB	SER	J	62	16.079	148.617	169.585	1.00	74.69	J
ATOM	16634	OG	SER	J	62	15.832	149.694	168.701	1.00	71.79	J
ATOM	16635	C	SER	J	62	15.877	147.844	171.963	1.00	74.73	J
ATOM	16636	O	SER	J	62	16.749	148.107	172.785	1.00	72.39	J
ATOM	16637	N	ALA	J	63	15.270	146.663	171.914	1.00	75.04	J
ATOM	16638	CA	ALA	J	63	15.607	145.584	172.839	1.00	73.71	J
ATOM	16639	CB	ALA	J	63	14.425	145.301	173.764	1.00	73.11	J
ATOM	16640	C	ALA	J	63	15.984	144.322	172.062	1.00	72.91	J
ATOM	16641	O	ALA	J	63	15.408	144.036	171.008	1.00	72.81	J
ATOM	16642	N	TYR	J	64	16.964	143.578	172.573	1.00	72.28	J
ATOM	16643	CA	TYR	J	64	17.410	142.352	171.921	1.00	68.90	J
ATOM	16644	CB	TYR	J	64	18.664	142.619	171.088	1.00	69.56	J
ATOM	16645	CG	TYR	J	64	18.513	143.782	170.133	1.00	72.17	J
ATOM	16646	CD1	TYR	J	64	18.457	145.093	170.605	1.00	77.22	J
ATOM	16647	CE1	TYR	J	64	18.245	146.174	169.736	1.00	75.07	J
ATOM	16648	CD2	TYR	J	64	18.366	143.574	168.765	1.00	73.14	J
ATOM	16649	CE2	TYR	J	64	18.159	144.648	167.885	1.00	72.71	J
ATOM	16650	CZ	TYR	J	64	18.096	145.943	168.381	1.00	72.67	J
ATOM	16651	OH	TYR	J	64	17.861	147.000	167.534	1.00	67.78	J
ATOM	16652	C	TYR	J	64	17.699	141.289	172.962	1.00	67.77	J
ATOM	16653	O	TYR	J	64	17.694	141.566	174.164	1.00	66.73	J
ATOM	16654	N	GLY	J	65	17.932	140.068	172.491	1.00	67.70	J
ATOM	16655	CA	GLY	J	65	18.229	138.964	173.387	1.00	69.32	J

ATOM	16656	C	GLY	J	65	17.326	138.817	174.601	1.00	70.66	J
ATOM	16657	O	GLY	J	65	16.126	139.073	174.551	1.00	70.85	J
ATOM	16658	N	GLY	J	66	17.922	138.400	175.708	1.00	73.74	J
ATOM	16659	CA	GLY	J	66	17.173	138.196	176.931	1.00	78.06	J
ATOM	16660	C	GLY	J	66	16.422	139.397	177.469	1.00	81.07	J
ATOM	16661	O	GLY	J	66	15.534	139.241	178.307	1.00	84.09	J
ATOM	16662	N	VAL	J	67	16.767	140.598	177.020	1.00	82.27	J
ATOM	16663	CA	VAL	J	67	16.057	141.779	177.503	1.00	83.27	J
ATOM	16664	CB	VAL	J	67	16.875	143.074	177.270	1.00	86.91	J
ATOM	16665	CG1	VAL	J	67	15.990	144.303	177.501	1.00	88.98	J
ATOM	16666	CG2	VAL	J	67	18.067	143.117	178.230	1.00	87.80	J
ATOM	16667	C	VAL	J	67	14.726	141.880	176.763	1.00	79.81	J
ATOM	16668	O	VAL	J	67	13.677	142.152	177.357	1.00	78.54	J
ATOM	16669	N	LEU	J	68	14.788	141.639	175.460	1.00	74.78	J
ATOM	16670	CA	LEU	J	68	13.614	141.682	174.608	1.00	71.80	J
ATOM	16671	CB	LEU	J	68	14.040	141.435	173.160	1.00	62.85	J
ATOM	16672	CG	LEU	J	68	12.942	141.441	172.101	1.00	58.07	J
ATOM	16673	CD1	LEU	J	68	12.113	142.719	172.195	1.00	54.39	J
ATOM	16674	CD2	LEU	J	68	13.585	141.325	170.742	1.00	52.99	J
ATOM	16675	C	LEU	J	68	12.557	140.649	175.019	1.00	73.69	J
ATOM	16676	O	LEU	J	68	11.355	140.923	174.980	1.00	77.44	J
ATOM	16677	N	SER	J	69	13.009	139.474	175.440	1.00	71.27	J
ATOM	16678	CA	SER	J	69	12.102	138.406	175.812	1.00	68.37	J
ATOM	16679	CB	SER	J	69	12.518	137.138	175.078	1.00	70.20	J
ATOM	16680	OG	SER	J	69	13.876	136.849	175.354	1.00	74.78	J
ATOM	16681	C	SER	J	69	11.963	138.084	177.295	1.00	66.87	J
ATOM	16682	O	SER	J	69	10.915	137.607	177.723	1.00	66.11	J
ATOM	16683	N	ASN	J	70	12.993	138.338	178.091	1.00	64.97	J
ATOM	16684	CA	ASN	J	70	12.908	137.991	179.502	1.00	64.67	J
ATOM	16685	CB	ASN	J	70	14.187	137.282	179.921	1.00	66.73	J
ATOM	16686	CG	ASN	J	70	14.322	135.913	179.279	1.00	72.66	J
ATOM	16687	OD1	ASN	J	70	13.681	134.946	179.714	1.00	75.54	J
ATOM	16688	ND2	ASN	J	70	15.141	135.823	178.226	1.00	70.22	J
ATOM	16689	C	ASN	J	70	12.583	139.086	180.499	1.00	66.85	J
ATOM	16690	O	ASN	J	70	12.475	138.813	181.699	1.00	68.91	J
ATOM	16691	N	PHE	J	71	12.415	140.318	180.026	1.00	66.85	J
ATOM	16692	CA	PHE	J	71	12.093	141.407	180.942	1.00	63.05	J
ATOM	16693	CB	PHE	J	71	13.320	142.260	181.253	1.00	63.23	J
ATOM	16694	CG	PHE	J	71	14.480	141.485	181.792	1.00	63.49	J
ATOM	16695	CD1	PHE	J	71	15.308	140.758	180.933	1.00	61.06	J
ATOM	16696	CD2	PHE	J	71	14.749	141.481	183.155	1.00	57.67	J
ATOM	16697	CE1	PHE	J	71	16.387	140.042	181.428	1.00	62.36	J
ATOM	16698	CE2	PHE	J	71	15.826	140.768	183.660	1.00	60.06	J
ATOM	16699	CZ	PHE	J	71	16.647	140.046	182.798	1.00	61.22	J
ATOM	16700	C	PHE	J	71	11.024	142.338	180.445	1.00	61.02	J
ATOM	16701	O	PHE	J	71	10.731	142.409	179.264	1.00	58.23	J
ATOM	16702	N	SER	J	72	10.454	143.059	181.395	1.00	64.24	J
ATOM	16703	CA	SER	J	72	9.437	144.063	181.145	1.00	66.86	J
ATOM	16704	CB	SER	J	72	8.201	143.807	182.005	1.00	63.75	J
ATOM	16705	OG	SER	J	72	8.545	143.785	183.382	1.00	60.72	J
ATOM	16706	C	SER	J	72	10.156	145.295	181.656	1.00	71.58	J
ATOM	16707	O	SER	J	72	11.045	145.179	182.502	1.00	72.02	J
ATOM	16708	N	GLY	J	73	9.804	146.471	181.159	1.00	76.08	J
ATOM	16709	CA	GLY	J	73	10.494	147.639	181.658	1.00	79.34	J
ATOM	16710	C	GLY	J	73	10.375	148.937	180.899	1.00	79.15	J
ATOM	16711	O	GLY	J	73	9.663	149.051	179.901	1.00	79.44	J
ATOM	16712	N	THR	J	74	11.117	149.917	181.399	1.00	79.31	J
ATOM	16713	CA	THR	J	74	11.131	151.256	180.847	1.00	80.13	J

ATOM	16714	CB	THR	J	74	10.175	152.151	181.623	1.00	79.10	J
ATOM	16715	OG1	THR	J	74	10.505	152.084	183.014	1.00	76.53	J
ATOM	16716	CG2	THR	J	74	8.739	151.704	181.414	1.00	81.44	J
ATOM	16717	C	THR	J	74	12.512	151.891	180.923	1.00	78.98	J
ATOM	16718	O	THR	J	74	13.426	151.364	181.557	1.00	77.63	J
ATOM	16719	N	VAL	J	75	12.640	153.040	180.271	1.00	79.10	J
ATOM	16720	CA	VAL	J	75	13.879	153.793	180.258	1.00	76.59	J
ATOM	16721	CB	VAL	J	75	14.361	154.053	178.821	1.00	73.32	J
ATOM	16722	CG1	VAL	J	75	13.300	154.809	178.044	1.00	75.08	J
ATOM	16723	CG2	VAL	J	75	15.657	154.826	178.846	1.00	73.50	J
ATOM	16724	C	VAL	J	75	13.626	155.126	180.951	1.00	77.95	J
ATOM	16725	O	VAL	J	75	12.750	155.894	180.547	1.00	78.13	J
ATOM	16726	N	LYS	J	76	14.377	155.374	182.020	1.00	78.85	J
ATOM	16727	CA	LYS	J	76	14.278	156.619	182.775	1.00	77.95	J
ATOM	16728	CB	LYS	J	76	14.812	156.398	184.196	1.00	78.12	J
ATOM	16729	CG	LYS	J	76	15.320	157.635	184.921	1.00	79.25	J
ATOM	16730	CD	LYS	J	76	16.195	157.213	186.112	1.00	81.67	J
ATOM	16731	CE	LYS	J	76	16.947	158.382	186.754	1.00	83.70	J
ATOM	16732	NZ	LYS	J	76	17.726	157.950	187.957	1.00	82.23	J
ATOM	16733	C	LYS	J	76	15.144	157.630	182.021	1.00	76.94	J
ATOM	16734	O	LYS	J	76	16.315	157.356	181.731	1.00	77.08	J
ATOM	16735	N	TYR	J	77	14.571	158.778	181.674	1.00	74.31	J
ATOM	16736	CA	TYR	J	77	15.332	159.791	180.956	1.00	74.18	J
ATOM	16737	CB	TYR	J	77	14.973	159.790	179.479	1.00	74.24	J
ATOM	16738	CG	TYR	J	77	15.811	160.748	178.661	1.00	75.74	J
ATOM	16739	CD1	TYR	J	77	17.101	160.406	178.257	1.00	77.22	J
ATOM	16740	CE1	TYR	J	77	17.877	161.279	177.499	1.00	76.95	J
ATOM	16741	CD2	TYR	J	77	15.314	161.996	178.289	1.00	75.53	J
ATOM	16742	CE2	TYR	J	77	16.081	162.881	177.529	1.00	77.94	J
ATOM	16743	CZ	TYR	J	77	17.363	162.513	177.134	1.00	79.48	J
ATOM	16744	OH	TYR	J	77	18.126	163.363	176.357	1.00	80.45	J
ATOM	16745	C	TYR	J	77	15.114	161.190	181.505	1.00	75.62	J
ATOM	16746	O	TYR	J	77	14.052	161.788	181.306	1.00	77.19	J
ATOM	16747	N	SER	J	78	16.129	161.713	182.185	1.00	75.45	J
ATOM	16748	CA	SER	J	78	16.051	163.049	182.759	1.00	78.53	J
ATOM	16749	CB	SER	J	78	16.041	164.106	181.644	1.00	80.24	J
ATOM	16750	OG	SER	J	78	16.135	165.425	182.165	1.00	78.62	J
ATOM	16751	C	SER	J	78	14.789	163.174	183.604	1.00	80.43	J
ATOM	16752	O	SER	J	78	13.924	164.012	183.339	1.00	83.54	J
ATOM	16753	N	GLY	J	79	14.683	162.332	184.623	1.00	80.41	J
ATOM	16754	CA	GLY	J	79	13.517	162.382	185.480	1.00	81.29	J
ATOM	16755	C	GLY	J	79	12.442	161.417	185.037	1.00	79.73	J
ATOM	16756	O	GLY	J	79	12.460	160.256	185.434	1.00	81.52	J
ATOM	16757	N	SER	J	80	11.512	161.893	184.211	1.00	77.71	J
ATOM	16758	CA	SER	J	80	10.420	161.049	183.726	1.00	76.08	J
ATOM	16759	CB	SER	J	80	9.574	161.786	182.672	1.00	76.75	J
ATOM	16760	OG	SER	J	80	8.752	162.786	183.257	1.00	70.14	J
ATOM	16761	C	SER	J	80	10.912	159.721	183.149	1.00	73.33	J
ATOM	16762	O	SER	J	80	12.064	159.604	182.717	1.00	71.70	J
ATOM	16763	N	SER	J	81	10.026	158.725	183.170	1.00	70.03	J
ATOM	16764	CA	SER	J	81	10.318	157.392	182.657	1.00	65.49	J
ATOM	16765	CB	SER	J	81	10.046	156.335	183.725	1.00	68.95	J
ATOM	16766	OG	SER	J	81	10.785	156.602	184.902	1.00	74.29	J
ATOM	16767	C	SER	J	81	9.408	157.154	181.470	1.00	61.68	J
ATOM	16768	O	SER	J	81	8.332	157.748	181.379	1.00	59.96	J
ATOM	16769	N	TYR	J	82	9.840	156.291	180.559	1.00	57.99	J
ATOM	16770	CA	TYR	J	82	9.055	155.998	179.374	1.00	56.74	J
ATOM	16771	CB	TYR	J	82	9.564	156.854	178.201	1.00	58.21	J

ATOM	16772	CG	TYR	J	82	9.734	158.330	178.538	1.00	61.55	J
ATOM	16773	CD1	TYR	J	82	10.857	158.788	179.242	1.00	63.71	J
ATOM	16774	CE1	TYR	J	82	10.983	160.136	179.619	1.00	56.97	J
ATOM	16775	CD2	TYR	J	82	8.748	159.258	178.210	1.00	59.43	J
ATOM	16776	CE2	TYR	J	82	8.868	160.602	178.578	1.00	58.88	J
ATOM	16777	CZ	TYR	J	82	9.982	161.033	179.284	1.00	59.14	J
ATOM	16778	OH	TYR	J	82	10.075	162.358	179.671	1.00	61.61	J
ATOM	16779	C	TYR	J	82	9.099	154.501	179.015	1.00	56.05	J
ATOM	16780	O	TYR	J	82	10.032	153.781	179.370	1.00	54.19	J
ATOM	16781	N	PRO	J	83	8.078	154.012	178.303	1.00	53.67	J
ATOM	16782	CD	PRO	J	83	6.878	154.677	177.768	1.00	48.69	J
ATOM	16783	CA	PRO	J	83	8.093	152.595	177.946	1.00	52.02	J
ATOM	16784	CB	PRO	J	83	6.851	152.450	177.068	1.00	44.88	J
ATOM	16785	CG	PRO	J	83	5.953	153.521	177.558	1.00	47.42	J
ATOM	16786	C	PRO	J	83	9.359	152.198	177.185	1.00	53.79	J
ATOM	16787	O	PRO	J	83	9.803	152.925	176.289	1.00	54.82	J
ATOM	16788	N	PHE	J	84	9.948	151.061	177.552	1.00	52.87	J
ATOM	16789	CA	PHE	J	84	11.112	150.553	176.839	1.00	52.18	J
ATOM	16790	CB	PHE	J	84	12.392	150.622	177.656	1.00	51.43	J
ATOM	16791	CG	PHE	J	84	13.582	150.068	176.918	1.00	50.37	J
ATOM	16792	CD1	PHE	J	84	14.024	150.670	175.745	1.00	52.24	J
ATOM	16793	CD2	PHE	J	84	14.217	148.913	177.349	1.00	49.80	J
ATOM	16794	CE1	PHE	J	84	15.081	150.122	175.009	1.00	48.56	J
ATOM	16795	CE2	PHE	J	84	15.271	148.363	176.618	1.00	48.25	J
ATOM	16796	CZ	PHE	J	84	15.700	148.969	175.450	1.00	45.59	J
ATOM	16797	C	PHE	J	84	10.863	149.102	176.479	1.00	54.76	J
ATOM	16798	O	PHE	J	84	10.528	148.292	177.347	1.00	58.81	J
ATOM	16799	N	PRO	J	85	11.034	148.744	175.194	1.00	55.42	J
ATOM	16800	CD	PRO	J	85	10.889	147.358	174.719	1.00	52.22	J
ATOM	16801	CA	PRO	J	85	11.434	149.617	174.085	1.00	56.37	J
ATOM	16802	CB	PRO	J	85	11.263	148.722	172.870	1.00	50.53	J
ATOM	16803	CG	PRO	J	85	11.631	147.397	173.405	1.00	54.40	J
ATOM	16804	C	PRO	J	85	10.610	150.887	173.981	1.00	58.87	J
ATOM	16805	O	PRO	J	85	9.421	150.890	174.285	1.00	62.29	J
ATOM	16806	N	THR	J	86	11.264	151.963	173.561	1.00	61.30	J
ATOM	16807	CA	THR	J	86	10.628	153.265	173.401	1.00	60.30	J
ATOM	16808	CB	THR	J	86	11.664	154.324	173.025	1.00	58.64	J
ATOM	16809	OG1	THR	J	86	12.136	154.078	171.692	1.00	54.65	J
ATOM	16810	CG2	THR	J	86	12.836	154.268	173.990	1.00	62.26	J
ATOM	16811	C	THR	J	86	9.576	153.228	172.299	1.00	61.09	J
ATOM	16812	O	THR	J	86	9.695	152.455	171.339	1.00	62.11	J
ATOM	16813	N	THR	J	87	8.561	154.077	172.441	1.00	58.35	J
ATOM	16814	CA	THR	J	87	7.476	154.159	171.474	1.00	57.69	J
ATOM	16815	CB	THR	J	87	6.108	153.961	172.148	1.00	57.98	J
ATOM	16816	OG1	THR	J	87	5.806	155.110	172.951	1.00	60.07	J
ATOM	16817	CG2	THR	J	87	6.115	152.714	173.027	1.00	54.68	J
ATOM	16818	C	THR	J	87	7.471	155.525	170.813	1.00	57.82	J
ATOM	16819	O	THR	J	87	6.654	155.795	169.942	1.00	60.72	J
ATOM	16820	N	SER	J	88	8.377	156.394	171.235	1.00	58.58	J
ATOM	16821	CA	SER	J	88	8.450	157.729	170.663	1.00	59.35	J
ATOM	16822	CB	SER	J	88	7.162	158.494	170.944	1.00	59.06	J
ATOM	16823	OG	SER	J	88	7.030	158.699	172.333	1.00	67.24	J
ATOM	16824	C	SER	J	88	9.628	158.503	171.232	1.00	59.33	J
ATOM	16825	O	SER	J	88	10.179	158.142	172.271	1.00	52.04	J
ATOM	16826	N	GLU	J	89	10.002	159.572	170.533	1.00	64.36	J
ATOM	16827	CA	GLU	J	89	11.120	160.413	170.938	1.00	66.81	J
ATOM	16828	CB	GLU	J	89	11.427	161.447	169.865	1.00	67.74	J
ATOM	16829	CG	GLU	J	89	12.377	162.523	170.333	1.00	68.93	J

ATOM	16830	CD	GLU	J	89	12.774	163.453	169.218	1.00	71.79	J
ATOM	16831	OE1	GLU	J	89	11.861	163.999	168.555	1.00	74.28	J
ATOM	16832	OE2	GLU	J	89	13.996	163.635	169.012	1.00	68.57	J
ATOM	16833	C	GLU	J	89	10.856	161.120	172.253	1.00	69.17	J
ATOM	16834	O	GLU	J	89	9.771	161.664	172.479	1.00	71.51	J
ATOM	16835	N	THR	J	90	11.877	161.127	173.102	1.00	68.06	J
ATOM	16836	CA	THR	J	90	11.797	161.720	174.423	1.00	68.47	J
ATOM	16837	CB	THR	J	90	12.904	161.111	175.306	1.00	67.33	J
ATOM	16838	OG1	THR	J	90	12.617	161.351	176.682	1.00	72.03	J
ATOM	16839	CG2	THR	J	90	14.239	161.726	174.974	1.00	69.51	J
ATOM	16840	C	THR	J	90	11.935	163.247	174.396	1.00	68.80	J
ATOM	16841	O	THR	J	90	12.341	163.824	173.387	1.00	67.61	J
ATOM	16842	N	PRO	J	91	11.551	163.923	175.496	1.00	70.15	J
ATOM	16843	CD	PRO	J	91	10.721	163.431	176.609	1.00	69.20	J
ATOM	16844	CA	PRO	J	91	11.669	165.384	175.550	1.00	71.50	J
ATOM	16845	CB	PRO	J	91	11.107	165.721	176.925	1.00	71.55	J
ATOM	16846	CG	PRO	J	91	10.043	164.697	177.099	1.00	72.43	J
ATOM	16847	C	PRO	J	91	13.150	165.712	175.441	1.00	73.01	J
ATOM	16848	O	PRO	J	91	13.984	164.829	175.644	1.00	74.88	J
ATOM	16849	N	ARG	J	92	13.489	166.964	175.143	1.00	75.48	J
ATOM	16850	CA	ARG	J	92	14.894	167.339	174.999	1.00	78.03	J
ATOM	16851	CB	ARG	J	92	15.067	168.313	173.828	1.00	81.04	J
ATOM	16852	CG	ARG	J	92	14.343	169.645	173.979	1.00	86.91	J
ATOM	16853	CD	ARG	J	92	14.594	170.532	172.760	1.00	91.29	J
ATOM	16854	NE	ARG	J	92	13.926	171.834	172.840	1.00	96.78	J
ATOM	16855	CZ	ARG	J	92	14.160	172.748	173.781	1.00	98.98	J
ATOM	16856	NH1	ARG	J	92	15.050	172.518	174.741	1.00	99.17	J
ATOM	16857	NH2	ARG	J	92	13.505	173.901	173.758	1.00	100.71	J
ATOM	16858	C	ARG	J	92	15.550	167.927	176.243	1.00	79.04	J
ATOM	16859	O	ARG	J	92	14.925	168.649	177.015	1.00	79.67	J
ATOM	16860	N	VAL	J	93	16.824	167.596	176.420	1.00	80.15	J
ATOM	16861	CA	VAL	J	93	17.624	168.079	177.538	1.00	83.32	J
ATOM	16862	CB	VAL	J	93	18.271	166.901	178.289	1.00	85.54	J
ATOM	16863	CG1	VAL	J	93	19.164	167.423	179.411	1.00	87.89	J
ATOM	16864	CG2	VAL	J	93	17.187	165.982	178.835	1.00	82.33	J
ATOM	16865	C	VAL	J	93	18.724	168.984	176.961	1.00	85.32	J
ATOM	16866	O	VAL	J	93	19.288	168.670	175.907	1.00	86.21	J
ATOM	16867	N	VAL	J	94	19.034	170.091	177.644	1.00	85.24	J
ATOM	16868	CA	VAL	J	94	20.047	171.034	177.152	1.00	82.15	J
ATOM	16869	CB	VAL	J	94	19.746	172.498	177.593	1.00	79.16	J
ATOM	16870	CG1	VAL	J	94	18.331	172.885	177.201	1.00	74.12	J
ATOM	16871	CG2	VAL	J	94	19.963	172.661	179.089	1.00	78.56	J
ATOM	16872	C	VAL	J	94	21.485	170.727	177.545	1.00	81.98	J
ATOM	16873	O	VAL	J	94	21.760	170.235	178.640	1.00	80.97	J
ATOM	16874	N	TYR	J	95	22.398	171.030	176.627	1.00	85.04	J
ATOM	16875	CA	TYR	J	95	23.827	170.828	176.841	1.00	86.35	J
ATOM	16876	CB	TYR	J	95	24.330	169.686	175.961	1.00	85.23	J
ATOM	16877	CG	TYR	J	95	24.077	168.354	176.605	1.00	88.51	J
ATOM	16878	CD1	TYR	J	95	22.781	167.914	176.843	1.00	89.51	J
ATOM	16879	CE1	TYR	J	95	22.540	166.729	177.523	1.00	90.65	J
ATOM	16880	CD2	TYR	J	95	25.134	167.566	177.058	1.00	92.08	J
ATOM	16881	CE2	TYR	J	95	24.906	166.378	177.738	1.00	91.16	J
ATOM	16882	CZ	TYR	J	95	23.607	165.970	177.969	1.00	90.99	J
ATOM	16883	OH	TYR	J	95	23.372	164.817	178.667	1.00	90.40	J
ATOM	16884	C	TYR	J	95	24.596	172.111	176.556	1.00	85.87	J
ATOM	16885	O	TYR	J	95	24.697	172.545	175.412	1.00	85.87	J
ATOM	16886	N	ASN	J	96	25.133	172.719	177.609	1.00	86.30	J
ATOM	16887	CA	ASN	J	96	25.866	173.969	177.469	1.00	87.94	J

ATOM	16888	CB	ASN	J	96	24.928	175.140	177.796	1.00	89.95	J
ATOM	16889	CG	ASN	J	96	24.094	174.894	179.048	1.00	95.82	J
ATOM	16890	OD1	ASN	J	96	23.132	175.618	179.317	1.00	98.30	J
ATOM	16891	ND2	ASN	J	96	24.461	173.874	179.822	1.00	96.49	J
ATOM	16892	C	ASN	J	96	27.142	174.046	178.316	1.00	88.09	J
ATOM	16893	O	ASN	J	96	27.149	174.637	179.400	1.00	86.66	J
ATOM	16894	N	SER	J	97	28.216	173.448	177.800	1.00	88.31	J
ATOM	16895	CA	SER	J	97	29.521	173.429	178.464	1.00	88.62	J
ATOM	16896	CB	SER	J	97	29.372	173.075	179.946	1.00	89.47	J
ATOM	16897	OG	SER	J	97	30.641	172.931	180.561	1.00	94.78	J
ATOM	16898	C	SER	J	97	30.437	172.410	177.801	1.00	87.85	J
ATOM	16899	O	SER	J	97	29.985	171.348	177.388	1.00	87.89	J
ATOM	16900	N	ARG	J	98	31.723	172.731	177.695	1.00	88.94	J
ATOM	16901	CA	ARG	J	98	32.675	171.812	177.080	1.00	87.94	J
ATOM	16902	CB	ARG	J	98	33.941	172.549	176.639	1.00	89.85	J
ATOM	16903	CG	ARG	J	98	33.679	173.588	175.561	1.00	93.72	J
ATOM	16904	CD	ARG	J	98	34.964	174.162	174.975	1.00	95.05	J
ATOM	16905	NE	ARG	J	98	34.692	175.301	174.100	1.00	95.19	J
ATOM	16906	CZ	ARG	J	98	34.186	176.460	174.517	1.00	96.78	J
ATOM	16907	NH1	ARG	J	98	33.899	176.641	175.798	1.00	96.57	J
ATOM	16908	NH2	ARG	J	98	33.956	177.439	173.652	1.00	99.08	J
ATOM	16909	C	ARG	J	98	33.020	170.734	178.081	1.00	86.41	J
ATOM	16910	O	ARG	J	98	33.806	169.832	177.802	1.00	84.93	J
ATOM	16911	N	THR	J	99	32.419	170.842	179.260	1.00	86.91	J
ATOM	16912	CA	THR	J	99	32.627	169.863	180.313	1.00	89.48	J
ATOM	16913	CB	THR	J	99	32.300	170.458	181.702	1.00	88.60	J
ATOM	16914	OG1	THR	J	99	33.189	171.547	181.978	1.00	85.06	J
ATOM	16915	CG2	THR	J	99	32.438	169.396	182.789	1.00	88.82	J
ATOM	16916	C	THR	J	99	31.709	168.667	180.038	1.00	91.64	J
ATOM	16917	O	THR	J	99	30.479	168.781	180.057	1.00	89.27	J
ATOM	16918	N	ASP	J	100	32.320	167.520	179.773	1.00	93.20	J
ATOM	16919	CA	ASP	J	100	31.570	166.308	179.486	1.00	96.76	J
ATOM	16920	CB	ASP	J	100	32.530	165.131	179.356	1.00	97.49	J
ATOM	16921	CG	ASP	J	100	33.433	165.259	178.162	1.00	99.01	J
ATOM	16922	OD1	ASP	J	100	32.956	165.035	177.027	1.00	95.36	J
ATOM	16923	OD2	ASP	J	100	34.620	165.595	178.362	1.00	103.90	J
ATOM	16924	C	ASP	J	100	30.493	165.963	180.510	1.00	98.36	J
ATOM	16925	O	ASP	J	100	30.789	165.452	181.590	1.00	98.21	J
ATOM	16926	N	LYS	J	101	29.243	166.255	180.161	1.00	99.91	J
ATOM	16927	CA	LYS	J	101	28.102	165.939	181.016	1.00	100.19	J
ATOM	16928	CB	LYS	J	101	27.069	167.070	180.988	1.00	99.18	J
ATOM	16929	CG	LYS	J	101	25.805	166.781	181.787	1.00	100.55	J
ATOM	16930	CD	LYS	J	101	24.796	167.923	181.689	1.00	101.00	J
ATOM	16931	CE	LYS	J	101	23.600	167.693	182.609	1.00	102.05	J
ATOM	16932	NZ	LYS	J	101	22.616	168.812	182.559	1.00	100.59	J
ATOM	16933	C	LYS	J	101	27.482	164.672	180.429	1.00	100.54	J
ATOM	16934	O	LYS	J	101	27.418	164.517	179.207	1.00	102.08	J
ATOM	16935	N	PRO	J	102	27.031	163.740	181.286	1.00	99.48	J
ATOM	16936	CD	PRO	J	102	27.115	163.712	182.761	1.00	98.89	J
ATOM	16937	CA	PRO	J	102	26.424	162.504	180.779	1.00	95.98	J
ATOM	16938	CB	PRO	J	102	26.615	161.540	181.940	1.00	96.15	J
ATOM	16939	CG	PRO	J	102	26.338	162.437	183.123	1.00	97.11	J
ATOM	16940	C	PRO	J	102	24.950	162.738	180.494	1.00	91.66	J
ATOM	16941	O	PRO	J	102	24.308	163.535	181.181	1.00	89.84	J
ATOM	16942	N	TRP	J	103	24.404	162.071	179.484	1.00	88.76	J
ATOM	16943	CA	TRP	J	103	22.982	162.245	179.229	1.00	85.54	J
ATOM	16944	CB	TRP	J	103	22.645	162.096	177.732	1.00	82.57	J
ATOM	16945	CG	TRP	J	103	22.741	160.734	177.190	1.00	82.93	J

ATOM	16946	CD2	TRP	J	103	21.953	160.176	176.133	1.00	82.57	J
ATOM	16947	CE2	TRP	J	103	22.412	158.855	175.923	1.00	84.04	J
ATOM	16948	CE3	TRP	J	103	20.906	160.661	175.342	1.00	81.22	J
ATOM	16949	CD1	TRP	J	103	23.619	159.764	177.568	1.00	86.03	J
ATOM	16950	NE1	TRP	J	103	23.428	158.632	176.814	1.00	88.74	J
ATOM	16951	CZ2	TRP	J	103	21.858	158.007	174.954	1.00	80.90	J
ATOM	16952	CZ3	TRP	J	103	20.354	159.816	174.376	1.00	81.79	J
ATOM	16953	CH2	TRP	J	103	20.836	158.503	174.193	1.00	78.95	J
ATOM	16954	C	TRP	J	103	22.278	161.209	180.099	1.00	81.82	J
ATOM	16955	O	TRP	J	103	22.705	160.058	180.186	1.00	77.40	J
ATOM	16956	N	PRO	J	104	21.212	161.629	180.794	1.00	82.32	J
ATOM	16957	CD	PRO	J	104	20.595	162.957	180.610	1.00	82.99	J
ATOM	16958	CA	PRO	J	104	20.398	160.804	181.693	1.00	83.26	J
ATOM	16959	CB	PRO	J	104	19.419	161.814	182.278	1.00	82.68	J
ATOM	16960	CG	PRO	J	104	19.184	162.734	181.114	1.00	84.01	J
ATOM	16961	C	PRO	J	104	19.680	159.640	181.005	1.00	82.41	J
ATOM	16962	O	PRO	J	104	18.537	159.769	180.581	1.00	83.31	J
ATOM	16963	N	VAL	J	105	20.348	158.503	180.898	1.00	80.64	J
ATOM	16964	CA	VAL	J	105	19.736	157.358	180.260	1.00	82.58	J
ATOM	16965	CB	VAL	J	105	20.335	157.109	178.865	1.00	82.13	J
ATOM	16966	CG1	VAL	J	105	19.828	155.784	178.307	1.00	81.30	J
ATOM	16967	CG2	VAL	J	105	19.946	158.246	177.943	1.00	81.54	J
ATOM	16968	C	VAL	J	105	19.910	156.117	181.112	1.00	84.51	J
ATOM	16969	O	VAL	J	105	20.959	155.467	181.084	1.00	86.98	J
ATOM	16970	N	ALA	J	106	18.871	155.795	181.874	1.00	82.00	J
ATOM	16971	CA	ALA	J	106	18.905	154.626	182.731	1.00	77.90	J
ATOM	16972	CB	ALA	J	106	18.746	155.044	184.182	1.00	77.14	J
ATOM	16973	C	ALA	J	106	17.813	153.635	182.332	1.00	76.09	J
ATOM	16974	O	ALA	J	106	16.636	153.992	182.212	1.00	71.89	J
ATOM	16975	N	LEU	J	107	18.234	152.390	182.117	1.00	74.43	J
ATOM	16976	CA	LEU	J	107	17.351	151.297	181.740	1.00	70.93	J
ATOM	16977	CB	LEU	J	107	18.080	150.334	180.818	1.00	67.09	J
ATOM	16978	CG	LEU	J	107	17.623	150.318	179.370	1.00	66.40	J
ATOM	16979	CD1	LEU	J	107	17.667	151.726	178.817	1.00	64.60	J
ATOM	16980	CD2	LEU	J	107	18.515	149.375	178.572	1.00	64.79	J
ATOM	16981	C	LEU	J	107	16.892	150.531	182.964	1.00	71.51	J
ATOM	16982	O	LEU	J	107	17.710	150.061	183.748	1.00	70.39	J
ATOM	16983	N	TYR	J	108	15.581	150.401	183.120	1.00	74.41	J
ATOM	16984	CA	TYR	J	108	15.022	149.671	184.246	1.00	78.67	J
ATOM	16985	CB	TYR	J	108	14.165	150.602	185.103	1.00	81.84	J
ATOM	16986	CG	TYR	J	108	14.978	151.663	185.812	1.00	90.52	J
ATOM	16987	CD1	TYR	J	108	15.603	152.683	185.096	1.00	93.09	J
ATOM	16988	CE1	TYR	J	108	16.372	153.651	185.743	1.00	95.68	J
ATOM	16989	CD2	TYR	J	108	15.143	151.637	187.201	1.00	92.14	J
ATOM	16990	CE2	TYR	J	108	15.913	152.602	187.858	1.00	92.40	J
ATOM	16991	CZ	TYR	J	108	16.524	153.606	187.122	1.00	94.68	J
ATOM	16992	OH	TYR	J	108	17.278	154.575	187.752	1.00	96.15	J
ATOM	16993	C	TYR	J	108	14.207	148.477	183.753	1.00	80.17	J
ATOM	16994	O	TYR	J	108	13.069	148.622	183.308	1.00	80.03	J
ATOM	16995	N	LEU	J	109	14.810	147.294	183.839	1.00	81.41	J
ATOM	16996	CA	LEU	J	109	14.177	146.060	183.385	1.00	83.65	J
ATOM	16997	CB	LEU	J	109	15.095	145.366	182.381	1.00	77.69	J
ATOM	16998	CG	LEU	J	109	15.732	146.339	181.398	1.00	75.89	J
ATOM	16999	CD1	LEU	J	109	16.695	145.589	180.498	1.00	74.74	J
ATOM	17000	CD2	LEU	J	109	14.650	147.044	180.593	1.00	73.55	J
ATOM	17001	C	LEU	J	109	13.848	145.092	184.523	1.00	85.78	J
ATOM	17002	O	LEU	J	109	14.668	144.853	185.407	1.00	86.44	J
ATOM	17003	N	THR	J	110	12.644	144.536	184.491	1.00	88.58	J

ATOM	17004	CA	THR	J	110	12.224	143.584	185.510	1.00	91.31	J
ATOM	17005	CB	THR	J	110	10.886	143.990	186.139	1.00	89.48	J
ATOM	17006	OG1	THR	J	110	10.972	145.343	186.599	1.00	90.20	J
ATOM	17007	CG2	THR	J	110	10.554	143.082	187.318	1.00	89.60	J
ATOM	17008	C	THR	J	110	12.059	142.223	184.854	1.00	93.83	J
ATOM	17009	O	THR	J	110	11.610	142.135	183.709	1.00	95.80	J
ATOM	17010	N	PRO	J	111	12.439	141.141	185.561	1.00	94.36	J
ATOM	17011	CD	PRO	J	111	13.280	141.085	186.768	1.00	93.48	J
ATOM	17012	CA	PRO	J	111	12.297	139.805	184.970	1.00	93.11	J
ATOM	17013	CB	PRO	J	111	13.266	138.950	185.792	1.00	92.04	J
ATOM	17014	CG	PRO	J	111	14.212	139.960	186.426	1.00	91.56	J
ATOM	17015	C	PRO	J	111	10.853	139.306	185.075	1.00	92.37	J
ATOM	17016	O	PRO	J	111	10.181	139.507	186.096	1.00	90.61	J
ATOM	17017	N	VAL	J	112	10.379	138.670	184.009	1.00	92.26	J
ATOM	17018	CA	VAL	J	112	9.024	138.130	183.980	1.00	89.99	J
ATOM	17019	CB	VAL	J	112	8.469	138.072	182.544	1.00	85.41	J
ATOM	17020	CG1	VAL	J	112	8.224	139.471	182.026	1.00	80.95	J
ATOM	17021	CG2	VAL	J	112	9.449	137.335	181.638	1.00	82.43	J
ATOM	17022	C	VAL	J	112	9.045	136.716	184.538	1.00	91.64	J
ATOM	17023	O	VAL	J	112	10.019	135.981	184.350	1.00	94.00	J
ATOM	17024	N	SER	J	113	7.976	136.339	185.231	1.00	91.82	J
ATOM	17025	CA	SER	J	113	7.866	135.000	185.806	1.00	92.63	J
ATOM	17026	CB	SER	J	113	6.398	134.709	186.138	1.00	92.71	J
ATOM	17027	OG	SER	J	113	6.234	133.406	186.659	1.00	95.58	J
ATOM	17028	C	SER	J	113	8.408	133.943	184.833	1.00	91.81	J
ATOM	17029	O	SER	J	113	8.990	132.945	185.247	1.00	89.56	J
ATOM	17030	N	SER	J	114	8.227	134.199	183.539	1.00	92.83	J
ATOM	17031	CA	SER	J	114	8.662	133.312	182.463	1.00	94.81	J
ATOM	17032	CB	SER	J	114	8.276	133.920	181.110	1.00	92.41	J
ATOM	17033	OG	SER	J	114	8.742	133.130	180.033	1.00	90.09	J
ATOM	17034	C	SER	J	114	10.150	132.980	182.450	1.00	98.54	J
ATOM	17035	O	SER	J	114	10.540	131.880	182.060	1.00	98.71	J
ATOM	17036	N	ALA	J	115	10.983	133.931	182.855	1.00	104.07	J
ATOM	17037	CA	ALA	J	115	12.425	133.706	182.878	1.00	110.50	J
ATOM	17038	CB	ALA	J	115	13.137	134.940	183.417	1.00	110.37	J
ATOM	17039	C	ALA	J	115	12.750	132.482	183.743	1.00	115.13	J
ATOM	17040	O	ALA	J	115	11.849	131.883	184.340	1.00	116.79	J
ATOM	17041	N	GLY	J	116	14.029	132.108	183.809	1.00	117.50	J
ATOM	17042	CA	GLY	J	116	14.420	130.951	184.605	1.00	117.66	J
ATOM	17043	C	GLY	J	116	15.856	130.941	185.109	1.00	117.84	J
ATOM	17044	O	GLY	J	116	16.097	130.859	186.315	1.00	116.67	J
ATOM	17045	N	GLY	J	117	16.811	131.008	184.185	1.00	118.50	J
ATOM	17046	CA	GLY	J	117	18.213	131.007	184.562	1.00	118.63	J
ATOM	17047	C	GLY	J	117	18.996	132.075	183.822	1.00	118.45	J
ATOM	17048	O	GLY	J	117	18.961	133.246	184.195	1.00	117.22	J
ATOM	17049	N	VAL	J	118	19.702	131.670	182.770	1.00	119.25	J
ATOM	17050	CA	VAL	J	118	20.495	132.600	181.974	1.00	119.88	J
ATOM	17051	CB	VAL	J	118	21.462	131.852	181.024	1.00	120.61	J
ATOM	17052	CG1	VAL	J	118	22.234	132.848	180.171	1.00	121.11	J
ATOM	17053	CG2	VAL	J	118	22.422	130.998	181.828	1.00	120.67	J
ATOM	17054	C	VAL	J	118	19.593	133.494	181.131	1.00	120.32	J
ATOM	17055	O	VAL	J	118	19.216	133.133	180.014	1.00	121.87	J
ATOM	17056	N	ALA	J	119	19.247	134.660	181.669	1.00	119.29	J
ATOM	17057	CA	ALA	J	119	18.399	135.610	180.957	1.00	117.13	J
ATOM	17058	CB	ALA	J	119	17.827	136.637	181.932	1.00	114.88	J
ATOM	17059	C	ALA	J	119	19.225	136.309	179.878	1.00	116.15	J
ATOM	17060	O	ALA	J	119	18.805	136.405	178.724	1.00	115.73	J
ATOM	17061	N	ILE	J	120	20.408	136.782	180.262	1.00	115.55	J

ATOM	17062	CA	ILE	J	120	21.307	137.474	179.342	1.00113.60	J
ATOM	17063	CB	ILE	J	120	21.540	138.941	179.784	1.00111.21	J
ATOM	17064	CG2	ILE	J	120	22.546	139.611	178.865	1.00110.31	J
ATOM	17065	CG1	ILE	J	120	20.218	139.707	179.769	1.00106.92	J
ATOM	17066	CD1	ILE	J	120	20.353	141.154	180.174	1.00108.28	J
ATOM	17067	C	ILE	J	120	22.659	136.775	179.276	1.00112.15	J
ATOM	17068	O	ILE	J	120	23.174	136.312	180.292	1.00111.47	J
ATOM	17069	N	LYS	J	121	23.229	136.704	178.078	1.00111.43	J
ATOM	17070	CA	LYS	J	121	24.530	136.073	177.890	1.00112.44	J
ATOM	17071	CB	LYS	J	121	24.745	135.742	176.407	1.00112.53	J
ATOM	17072	CG	LYS	J	121	24.319	134.322	176.021	1.00113.28	J
ATOM	17073	CD	LYS	J	121	22.894	133.994	176.474	1.00113.85	J
ATOM	17074	CE	LYS	J	121	22.594	132.489	176.416	1.00112.35	J
ATOM	17075	NZ	LYS	J	121	22.669	131.909	175.043	1.00110.61	J
ATOM	17076	C	LYS	J	121	25.650	136.971	178.410	1.00112.37	J
ATOM	17077	O	LYS	J	121	25.387	138.005	179.021	1.00112.55	J
ATOM	17078	N	ALA	J	122	26.896	136.577	178.171	1.00111.57	J
ATOM	17079	CA	ALA	J	122	28.034	137.355	178.645	1.00111.74	J
ATOM	17080	CB	ALA	J	122	29.020	136.442	179.365	1.00111.57	J
ATOM	17081	C	ALA	J	122	28.744	138.107	177.526	1.00112.31	J
ATOM	17082	O	ALA	J	122	29.895	138.519	177.679	1.00112.31	J
ATOM	17083	N	GLY	J	123	28.057	138.293	176.404	1.00112.56	J
ATOM	17084	CA	GLY	J	123	28.660	139.001	175.289	1.00113.12	J
ATOM	17085	C	GLY	J	123	27.697	139.208	174.137	1.00113.20	J
ATOM	17086	O	GLY	J	123	28.071	139.097	172.962	1.00113.47	J
ATOM	17087	N	SER	J	124	26.448	139.512	174.480	1.00112.27	J
ATOM	17088	CA	SER	J	124	25.406	139.740	173.487	1.00108.67	J
ATOM	17089	CB	SER	J	124	24.202	138.828	173.764	1.00108.89	J
ATOM	17090	OG	SER	J	124	23.714	138.997	175.086	1.00108.41	J
ATOM	17091	C	SER	J	124	24.961	141.194	173.504	1.00104.03	J
ATOM	17092	O	SER	J	124	25.467	141.999	174.289	1.00101.94	J
ATOM	17093	N	LEU	J	125	24.020	141.518	172.623	1.00100.95	J
ATOM	17094	CA	LEU	J	125	23.475	142.864	172.528	1.00 97.85	J
ATOM	17095	CB	LEU	J	125	23.088	143.178	171.081	1.00 95.72	J
ATOM	17096	CG	LEU	J	125	22.497	144.562	170.806	1.00 96.22	J
ATOM	17097	CD1	LEU	J	125	23.476	145.660	171.214	1.00 94.98	J
ATOM	17098	CD2	LEU	J	125	22.177	144.662	169.333	1.00 94.27	J
ATOM	17099	C	LEU	J	125	22.248	142.975	173.427	1.00 95.19	J
ATOM	17100	O	LEU	J	125	21.369	142.112	173.405	1.00 96.00	J
ATOM	17101	N	ILE	J	126	22.207	144.028	174.235	1.00 92.00	J
ATOM	17102	CA	ILE	J	126	21.083	144.260	175.130	1.00 90.52	J
ATOM	17103	CB	ILE	J	126	21.501	145.020	176.400	1.00 88.88	J
ATOM	17104	CG2	ILE	J	126	20.282	145.308	177.247	1.00 89.55	J
ATOM	17105	CG1	ILE	J	126	22.500	144.215	177.216	1.00 88.70	J
ATOM	17106	CD1	ILE	J	126	22.911	144.932	178.495	1.00 88.76	J
ATOM	17107	C	ILE	J	126	20.065	145.140	174.418	1.00 88.91	J
ATOM	17108	O	ILE	J	126	18.926	144.741	174.174	1.00 89.09	J
ATOM	17109	N	ALA	J	127	20.507	146.346	174.083	1.00 86.28	J
ATOM	17110	CA	ALA	J	127	19.657	147.323	173.436	1.00 83.98	J
ATOM	17111	CB	ALA	J	127	19.083	148.262	174.493	1.00 86.03	J
ATOM	17112	C	ALA	J	127	20.400	148.125	172.380	1.00 81.99	J
ATOM	17113	O	ALA	J	127	21.559	147.853	172.071	1.00 83.72	J
ATOM	17114	N	VAL	J	128	19.707	149.117	171.833	1.00 78.25	J
ATOM	17115	CA	VAL	J	128	20.258	150.002	170.823	1.00 73.91	J
ATOM	17116	CB	VAL	J	128	19.959	149.476	169.411	1.00 72.63	J
ATOM	17117	CG1	VAL	J	128	20.372	150.495	168.372	1.00 71.65	J
ATOM	17118	CG2	VAL	J	128	20.708	148.179	169.181	1.00 70.70	J
ATOM	17119	C	VAL	J	128	19.620	151.372	171.013	1.00 73.92	J

ATOM	17120	O	VAL	J	128	18.659	151.720	170.326	1.00	76.77	J
ATOM	17121	N	LEU	J	129	20.157	152.135	171.966	1.00	72.06	J
ATOM	17122	CA	LEU	J	129	19.666	153.478	172.293	1.00	70.96	J
ATOM	17123	CB	LEU	J	129	20.126	153.881	173.695	1.00	66.49	J
ATOM	17124	CG	LEU	J	129	19.889	152.878	174.817	1.00	65.89	J
ATOM	17125	CD1	LEU	J	129	20.446	153.425	176.115	1.00	58.53	J
ATOM	17126	CD2	LEU	J	129	18.400	152.590	174.931	1.00	62.76	J
ATOM	17127	C	LEU	J	129	20.170	154.524	171.306	1.00	71.57	J
ATOM	17128	O	LEU	J	129	21.376	154.661	171.112	1.00	72.19	J
ATOM	17129	N	ILE	J	130	19.259	155.276	170.697	1.00	71.17	J
ATOM	17130	CA	ILE	J	130	19.675	156.298	169.744	1.00	71.68	J
ATOM	17131	CB	ILE	J	130	18.840	156.261	168.450	1.00	69.18	J
ATOM	17132	CG2	ILE	J	130	19.221	157.437	167.569	1.00	71.03	J
ATOM	17133	CG1	ILE	J	130	19.080	154.953	167.694	1.00	67.80	J
ATOM	17134	CD1	ILE	J	130	18.396	154.902	166.333	1.00	63.38	J
ATOM	17135	C	ILE	J	130	19.602	157.712	170.305	1.00	74.03	J
ATOM	17136	O	ILE	J	130	18.535	158.182	170.716	1.00	73.84	J
ATOM	17137	N	LEU	J	131	20.746	158.389	170.310	1.00	75.66	J
ATOM	17138	CA	LEU	J	131	20.825	159.758	170.798	1.00	76.85	J
ATOM	17139	CB	LEU	J	131	22.199	160.020	171.423	1.00	77.54	J
ATOM	17140	CG	LEU	J	131	22.411	161.379	172.105	1.00	79.55	J
ATOM	17141	CD1	LEU	J	131	23.654	161.302	172.971	1.00	76.94	J
ATOM	17142	CD2	LEU	J	131	22.532	162.505	171.071	1.00	79.64	J
ATOM	17143	C	LEU	J	131	20.598	160.707	169.632	1.00	78.10	J
ATOM	17144	O	LEU	J	131	21.274	160.620	168.612	1.00	78.24	J
ATOM	17145	N	ARG	J	132	19.641	161.612	169.789	1.00	80.79	J
ATOM	17146	CA	ARG	J	132	19.318	162.590	168.755	1.00	81.61	J
ATOM	17147	CB	ARG	J	132	17.807	162.683	168.585	1.00	84.43	J
ATOM	17148	CG	ARG	J	132	17.340	163.808	167.684	1.00	85.06	J
ATOM	17149	CD	ARG	J	132	16.966	163.299	166.311	1.00	87.92	J
ATOM	17150	NE	ARG	J	132	15.895	164.103	165.731	1.00	89.28	J
ATOM	17151	CZ	ARG	J	132	15.405	163.936	164.507	1.00	94.06	J
ATOM	17152	NH1	ARG	J	132	15.887	162.987	163.706	1.00	93.78	J
ATOM	17153	NH2	ARG	J	132	14.422	164.722	164.088	1.00	96.11	J
ATOM	17154	C	ARG	J	132	19.855	163.939	169.192	1.00	81.44	J
ATOM	17155	O	ARG	J	132	19.556	164.398	170.297	1.00	81.07	J
ATOM	17156	N	GLN	J	133	20.631	164.581	168.324	1.00	80.86	J
ATOM	17157	CA	GLN	J	133	21.211	165.875	168.658	1.00	79.32	J
ATOM	17158	CB	GLN	J	133	22.732	165.741	168.798	1.00	80.51	J
ATOM	17159	CG	GLN	J	133	23.420	166.976	169.361	1.00	84.37	J
ATOM	17160	CD	GLN	J	133	24.277	167.698	168.338	1.00	87.52	J
ATOM	17161	OE1	GLN	J	133	25.187	167.112	167.748	1.00	92.05	J
ATOM	17162	NE2	GLN	J	133	23.995	168.981	168.129	1.00	85.55	J
ATOM	17163	C	GLN	J	133	20.882	166.988	167.666	1.00	77.78	J
ATOM	17164	O	GLN	J	133	20.995	166.816	166.444	1.00	77.65	J
ATOM	17165	N	THR	J	134	20.466	168.126	168.219	1.00	74.54	J
ATOM	17166	CA	THR	J	134	20.132	169.319	167.447	1.00	71.98	J
ATOM	17167	CB	THR	J	134	18.620	169.472	167.236	1.00	69.54	J
ATOM	17168	OG1	THR	J	134	17.971	169.629	168.505	1.00	69.77	J
ATOM	17169	CG2	THR	J	134	18.065	168.270	166.502	1.00	63.73	J
ATOM	17170	C	THR	J	134	20.612	170.506	168.264	1.00	73.21	J
ATOM	17171	O	THR	J	134	21.351	170.323	169.229	1.00	73.97	J
ATOM	17172	N	ASN	J	135	20.197	171.712	167.880	1.00	74.89	J
ATOM	17173	CA	ASN	J	135	20.588	172.930	168.589	1.00	78.18	J
ATOM	17174	CB	ASN	J	135	22.084	173.206	168.426	1.00	79.37	J
ATOM	17175	CG	ASN	J	135	22.493	173.371	166.976	1.00	79.96	J
ATOM	17176	OD1	ASN	J	135	21.875	174.133	166.227	1.00	82.01	J
ATOM	17177	ND2	ASN	J	135	23.546	172.665	166.573	1.00	75.63	J

ATOM	17178	C	ASN	J	135	19.808	174.125	168.076	1.00	81.61	J
ATOM	17179	O	ASN	J	135	19.132	174.038	167.048	1.00	82.50	J
ATOM	17180	N	ASN	J	136	19.916	175.245	168.787	1.00	84.02	J
ATOM	17181	CA	ASN	J	136	19.201	176.461	168.409	1.00	87.22	J
ATOM	17182	CB	ASN	J	136	18.750	177.225	169.667	1.00	82.62	J
ATOM	17183	CG	ASN	J	136	19.918	177.732	170.512	1.00	78.46	J
ATOM	17184	OD1	ASN	J	136	19.719	178.453	171.495	1.00	72.74	J
ATOM	17185	ND2	ASN	J	136	21.137	177.357	170.134	1.00	74.58	J
ATOM	17186	C	ASN	J	136	20.021	177.388	167.518	1.00	92.13	J
ATOM	17187	O	ASN	J	136	19.856	178.606	167.569	1.00	94.01	J
ATOM	17188	N	TYR	J	137	20.885	176.816	166.684	1.00	97.26	J
ATOM	17189	CA	TYR	J	137	21.740	177.625	165.820	1.00	100.55	J
ATOM	17190	CB	TYR	J	137	23.211	177.384	166.191	1.00	105.04	J
ATOM	17191	CG	TYR	J	137	24.188	178.358	165.575	1.00	108.05	J
ATOM	17192	CD1	TYR	J	137	24.031	179.735	165.742	1.00	109.97	J
ATOM	17193	CE1	TYR	J	137	24.938	180.638	165.190	1.00	111.21	J
ATOM	17194	CD2	TYR	J	137	25.280	177.904	164.837	1.00	109.89	J
ATOM	17195	CE2	TYR	J	137	26.194	178.797	164.280	1.00	113.13	J
ATOM	17196	CZ	TYR	J	137	26.017	180.163	164.460	1.00	113.19	J
ATOM	17197	OH	TYR	J	137	26.910	181.048	163.896	1.00	114.59	J
ATOM	17198	C	TYR	J	137	21.530	177.384	164.329	1.00	99.78	J
ATOM	17199	O	TYR	J	137	21.356	178.332	163.567	1.00	98.30	J
ATOM	17200	N	ASN	J	138	21.546	176.123	163.910	1.00	100.62	J
ATOM	17201	CA	ASN	J	138	21.364	175.808	162.498	1.00	103.32	J
ATOM	17202	CB	ASN	J	138	22.719	175.717	161.801	1.00	105.64	J
ATOM	17203	CG	ASN	J	138	23.656	174.755	162.489	1.00	109.37	J
ATOM	17204	OD1	ASN	J	138	24.210	175.059	163.547	1.00	111.90	J
ATOM	17205	ND2	ASN	J	138	23.831	173.576	161.901	1.00	110.56	J
ATOM	17206	C	ASN	J	138	20.591	174.518	162.262	1.00	104.29	J
ATOM	17207	O	ASN	J	138	19.972	173.976	163.176	1.00	105.48	J
ATOM	17208	N	SER	J	139	20.645	174.035	161.022	1.00	104.32	J
ATOM	17209	CA	SER	J	139	19.950	172.818	160.605	1.00	103.82	J
ATOM	17210	CB	SER	J	139	19.850	172.786	159.076	1.00	104.39	J
ATOM	17211	OG	SER	J	139	21.129	172.940	158.476	1.00	104.73	J
ATOM	17212	C	SER	J	139	20.586	171.518	161.097	1.00	102.64	J
ATOM	17213	O	SER	J	139	20.319	170.446	160.542	1.00	101.68	J
ATOM	17214	N	ASP	J	140	21.413	171.609	162.137	1.00	101.46	J
ATOM	17215	CA	ASP	J	140	22.083	170.431	162.687	1.00	101.50	J
ATOM	17216	CB	ASP	J	140	23.229	170.857	163.610	1.00	104.09	J
ATOM	17217	CG	ASP	J	140	24.585	170.789	162.923	1.00	107.00	J
ATOM	17218	OD1	ASP	J	140	25.602	171.145	163.554	1.00	106.55	J
ATOM	17219	OD2	ASP	J	140	24.634	170.372	161.745	1.00	109.97	J
ATOM	17220	C	ASP	J	140	21.162	169.446	163.415	1.00	99.24	J
ATOM	17221	O	ASP	J	140	20.513	169.784	164.407	1.00	97.62	J
ATOM	17222	N	ASP	J	141	21.135	168.217	162.907	1.00	96.88	J
ATOM	17223	CA	ASP	J	141	20.307	167.150	163.455	1.00	94.39	J
ATOM	17224	CB	ASP	J	141	18.963	167.134	162.721	1.00	92.48	J
ATOM	17225	CG	ASP	J	141	17.971	166.166	163.324	1.00	88.79	J
ATOM	17226	OD1	ASP	J	141	18.276	164.957	163.416	1.00	84.95	J
ATOM	17227	OD2	ASP	J	141	16.875	166.623	163.699	1.00	89.21	J
ATOM	17228	C	ASP	J	141	21.043	165.830	163.228	1.00	94.21	J
ATOM	17229	O	ASP	J	141	21.032	165.286	162.119	1.00	94.17	J
ATOM	17230	N	PHE	J	142	21.677	165.312	164.275	1.00	92.56	J
ATOM	17231	CA	PHE	J	142	22.423	164.069	164.144	1.00	93.01	J
ATOM	17232	CB	PHE	J	142	23.898	164.341	164.422	1.00	94.91	J
ATOM	17233	CG	PHE	J	142	24.475	165.436	163.576	1.00	96.45	J
ATOM	17234	CD1	PHE	J	142	24.822	166.657	164.140	1.00	95.85	J
ATOM	17235	CD2	PHE	J	142	24.666	165.249	162.207	1.00	96.33	J

ATOM	17236	CE1	PHE	J	142	25.356	167.678	163.352	1.00	97.65	J
ATOM	17237	CE2	PHE	J	142	25.197	166.258	161.412	1.00	95.73	J
ATOM	17238	CZ	PHE	J	142	25.544	167.476	161.984	1.00	96.96	J
ATOM	17239	C	PHE	J	142	21.921	162.947	165.044	1.00	93.49	J
ATOM	17240	O	PHE	J	142	21.162	163.186	165.982	1.00	94.40	J
ATOM	17241	N	GLN	J	143	22.354	161.720	164.753	1.00	93.68	J
ATOM	17242	CA	GLN	J	143	21.947	160.556	165.535	1.00	92.90	J
ATOM	17243	CB	GLN	J	143	21.125	159.593	164.676	1.00	94.02	J
ATOM	17244	CG	GLN	J	143	19.932	160.231	163.978	1.00	101.97	J
ATOM	17245	CD	GLN	J	143	18.906	159.206	163.499	1.00	104.54	J
ATOM	17246	OE1	GLN	J	143	19.261	158.165	162.936	1.00	104.41	J
ATOM	17247	NE2	GLN	J	143	17.623	159.505	163.715	1.00	103.23	J
ATOM	17248	C	GLN	J	143	23.107	159.783	166.158	1.00	91.86	J
ATOM	17249	O	GLN	J	143	23.532	158.760	165.622	1.00	90.78	J
ATOM	17250	N	PHE	J	144	23.614	160.275	167.287	1.00	91.53	J
ATOM	17251	CA	PHE	J	144	24.703	159.610	168.007	1.00	90.41	J
ATOM	17252	CB	PHE	J	144	25.108	160.419	169.247	1.00	88.24	J
ATOM	17253	CG	PHE	J	144	25.816	161.713	168.939	1.00	89.00	J
ATOM	17254	CD1	PHE	J	144	25.201	162.699	168.170	1.00	87.18	J
ATOM	17255	CD2	PHE	J	144	27.106	161.948	169.425	1.00	85.69	J
ATOM	17256	CE1	PHE	J	144	25.860	163.895	167.889	1.00	83.15	J
ATOM	17257	CE2	PHE	J	144	27.767	163.136	169.148	1.00	80.56	J
ATOM	17258	CZ	PHE	J	144	27.143	164.110	168.378	1.00	81.66	J
ATOM	17259	C	PHE	J	144	24.198	158.238	168.458	1.00	90.94	J
ATOM	17260	O	PHE	J	144	23.514	158.129	169.478	1.00	91.88	J
ATOM	17261	N	VAL	J	145	24.542	157.196	167.706	1.00	89.66	J
ATOM	17262	CA	VAL	J	145	24.105	155.836	168.018	1.00	87.86	J
ATOM	17263	CB	VAL	J	145	24.112	154.971	166.760	1.00	83.98	J
ATOM	17264	CG1	VAL	J	145	23.320	153.704	167.001	1.00	81.79	J
ATOM	17265	CG2	VAL	J	145	23.546	155.760	165.600	1.00	86.20	J
ATOM	17266	C	VAL	J	145	24.929	155.116	169.088	1.00	89.98	J
ATOM	17267	O	VAL	J	145	26.090	155.447	169.332	1.00	91.08	J
ATOM	17268	N	TRP	J	146	24.315	154.125	169.725	1.00	91.25	J
ATOM	17269	CA	TRP	J	146	24.984	153.350	170.761	1.00	92.90	J
ATOM	17270	CB	TRP	J	146	24.746	153.961	172.146	1.00	93.22	J
ATOM	17271	CG	TRP	J	146	24.996	155.440	172.240	1.00	94.20	J
ATOM	17272	CD2	TRP	J	146	26.215	156.083	172.630	1.00	94.26	J
ATOM	17273	CE2	TRP	J	146	25.992	157.475	172.565	1.00	95.55	J
ATOM	17274	CE3	TRP	J	146	27.476	155.618	173.028	1.00	92.26	J
ATOM	17275	CD1	TRP	J	146	24.108	156.442	171.963	1.00	95.19	J
ATOM	17276	NE1	TRP	J	146	24.698	157.666	172.158	1.00	95.52	J
ATOM	17277	CZ2	TRP	J	146	26.985	158.409	172.884	1.00	95.63	J
ATOM	17278	CZ3	TRP	J	146	28.462	156.548	173.346	1.00	92.83	J
ATOM	17279	CH2	TRP	J	146	28.209	157.927	173.270	1.00	93.35	J
ATOM	17280	C	TRP	J	146	24.474	151.914	170.770	1.00	94.85	J
ATOM	17281	O	TRP	J	146	23.308	151.655	170.467	1.00	96.12	J
ATOM	17282	N	ASN	J	147	25.355	150.983	171.120	1.00	95.70	J
ATOM	17283	CA	ASN	J	147	25.002	149.570	171.189	1.00	95.22	J
ATOM	17284	CB	ASN	J	147	25.663	148.793	170.051	1.00	95.06	J
ATOM	17285	CG	ASN	J	147	25.201	149.265	168.689	1.00	99.25	J
ATOM	17286	OD1	ASN	J	147	24.002	149.364	168.432	1.00	102.24	J
ATOM	17287	ND2	ASN	J	147	26.149	149.560	167.806	1.00	100.71	J
ATOM	17288	C	ASN	J	147	25.448	149.018	172.528	1.00	93.77	J
ATOM	17289	O	ASN	J	147	26.639	148.919	172.810	1.00	94.34	J
ATOM	17290	N	ILE	J	148	24.477	148.665	173.356	1.00	92.65	J
ATOM	17291	CA	ILE	J	148	24.762	148.136	174.675	1.00	93.72	J
ATOM	17292	CB	ILE	J	148	23.628	148.484	175.645	1.00	93.83	J
ATOM	17293	CG2	ILE	J	148	23.982	148.016	177.051	1.00	95.31	J

ATOM	17294	CG1	ILE	J	148	23.358	149.994	175.604	1.00	94.99	J
ATOM	17295	CD1	ILE	J	148	24.520	150.866	176.061	1.00	95.25	J
ATOM	17296	C	ILE	J	148	24.941	146.621	174.658	1.00	96.11	J
ATOM	17297	O	ILE	J	148	24.099	145.901	174.121	1.00	97.18	J
ATOM	17298	N	TYR	J	149	26.046	146.154	175.244	1.00	97.10	J
ATOM	17299	CA	TYR	J	149	26.369	144.725	175.339	1.00	95.84	J
ATOM	17300	CB	TYR	J	149	27.590	144.368	174.479	1.00	91.30	J
ATOM	17301	CG	TYR	J	149	27.377	144.435	172.982	1.00	87.77	J
ATOM	17302	CD1	TYR	J	149	27.268	145.657	172.323	1.00	87.38	J
ATOM	17303	CE1	TYR	J	149	27.113	145.717	170.936	1.00	88.28	J
ATOM	17304	CD2	TYR	J	149	27.319	143.273	172.220	1.00	88.37	J
ATOM	17305	CE2	TYR	J	149	27.163	143.322	170.833	1.00	87.79	J
ATOM	17306	CZ	TYR	J	149	27.063	144.545	170.197	1.00	86.69	J
ATOM	17307	OH	TYR	J	149	26.933	144.591	168.826	1.00	84.22	J
ATOM	17308	C	TYR	J	149	26.682	144.369	176.791	1.00	97.75	J
ATOM	17309	O	TYR	J	149	27.157	145.210	177.552	1.00	97.98	J
ATOM	17310	N	ALA	J	150	26.414	143.125	177.173	1.00	101.53	J
ATOM	17311	CA	ALA	J	150	26.690	142.673	178.535	1.00	106.16	J
ATOM	17312	CB	ALA	J	150	25.423	142.081	179.167	1.00	102.77	J
ATOM	17313	C	ALA	J	150	27.811	141.630	178.505	1.00	109.35	J
ATOM	17314	O	ALA	J	150	27.652	140.552	177.927	1.00	110.53	J
ATOM	17315	N	ASN	J	151	28.945	141.958	179.119	1.00	110.80	J
ATOM	17316	CA	ASN	J	151	30.083	141.044	179.145	1.00	112.18	J
ATOM	17317	CB	ASN	J	151	31.366	141.793	179.519	1.00	113.13	J
ATOM	17318	CG	ASN	J	151	31.759	142.838	178.495	1.00	114.18	J
ATOM	17319	OD1	ASN	J	151	31.946	142.535	177.315	1.00	114.82	J
ATOM	17320	ND2	ASN	J	151	31.897	144.079	178.945	1.00	112.53	J
ATOM	17321	C	ASN	J	151	29.884	139.887	180.122	1.00	112.93	J
ATOM	17322	O	ASN	J	151	30.733	139.000	180.220	1.00	113.10	J
ATOM	17323	N	ASN	J	152	28.763	139.893	180.838	1.00	112.93	J
ATOM	17324	CA	ASN	J	152	28.482	138.845	181.814	1.00	112.33	J
ATOM	17325	CB	ASN	J	152	28.637	139.405	183.226	1.00	110.35	J
ATOM	17326	CG	ASN	J	152	27.692	140.555	183.499	1.00	109.70	J
ATOM	17327	OD1	ASN	J	152	27.697	141.560	182.786	1.00	108.80	J
ATOM	17328	ND2	ASN	J	152	26.874	140.414	184.535	1.00	108.82	J
ATOM	17329	C	ASN	J	152	27.084	138.259	181.656	1.00	113.02	J
ATOM	17330	O	ASN	J	152	26.146	138.962	181.293	1.00	113.67	J
ATOM	17331	N	ASP	J	153	26.952	136.967	181.933	1.00	114.27	J
ATOM	17332	CA	ASP	J	153	25.665	136.289	181.833	1.00	115.64	J
ATOM	17333	CB	ASP	J	153	25.838	134.767	181.862	1.00	116.95	J
ATOM	17334	CG	ASP	J	153	26.793	134.255	180.803	1.00	119.02	J
ATOM	17335	OD1	ASP	J	153	26.572	134.528	179.604	1.00	119.70	J
ATOM	17336	OD2	ASP	J	153	27.765	133.564	181.178	1.00	120.45	J
ATOM	17337	C	ASP	J	153	24.796	136.670	183.022	1.00	116.73	J
ATOM	17338	O	ASP	J	153	25.190	136.454	184.167	1.00	116.51	J
ATOM	17339	N	VAL	J	154	23.624	137.241	182.772	1.00	118.16	J
ATOM	17340	CA	VAL	J	154	22.745	137.573	183.886	1.00	119.57	J
ATOM	17341	CB	VAL	J	154	21.747	138.702	183.552	1.00	119.00	J
ATOM	17342	CG1	VAL	J	154	20.920	139.049	184.793	1.00	114.43	J
ATOM	17343	CG2	VAL	J	154	22.494	139.927	183.060	1.00	120.98	J
ATOM	17344	C	VAL	J	154	21.968	136.295	184.164	1.00	120.43	J
ATOM	17345	O	VAL	J	154	21.879	135.414	183.304	1.00	119.14	J
ATOM	17346	N	VAL	J	155	21.420	136.185	185.366	1.00	121.91	J
ATOM	17347	CA	VAL	J	155	20.668	135.000	185.736	1.00	123.72	J
ATOM	17348	CB	VAL	J	155	21.546	134.008	186.535	1.00	124.64	J
ATOM	17349	CG1	VAL	J	155	20.738	132.776	186.906	1.00	125.86	J
ATOM	17350	CG2	VAL	J	155	22.760	133.608	185.715	1.00	124.35	J
ATOM	17351	C	VAL	J	155	19.465	135.379	186.579	1.00	124.95	J

ATOM	17352	O	VAL J 155	19.484	136.381	187.290	1.00124.22	J
ATOM	17353	N	VAL J 156	18.416	134.571	186.481	1.00127.12	J
ATOM	17354	CA	VAL J 156	17.192	134.789	187.237	1.00130.37	J
ATOM	17355	CB	VAL J 156	16.068	135.328	186.336	1.00130.42	J
ATOM	17356	CG1	VAL J 156	14.869	135.702	187.183	1.00128.28	J
ATOM	17357	CG2	VAL J 156	16.564	136.533	185.545	1.00131.49	J
ATOM	17358	C	VAL J 156	16.776	133.440	187.809	1.00132.83	J
ATOM	17359	O	VAL J 156	15.719	132.907	187.475	1.00133.60	J
ATOM	17360	N	PRO J 157	17.611	132.881	188.700	1.00134.48	J
ATOM	17361	CD	PRO J 157	18.659	133.658	189.390	1.00135.99	J
ATOM	17362	CA	PRO J 157	17.418	131.592	189.368	1.00134.75	J
ATOM	17363	CB	PRO J 157	17.996	131.846	190.753	1.00135.35	J
ATOM	17364	CG	PRO J 157	19.192	132.668	190.423	1.00136.61	J
ATOM	17365	C	PRO J 157	16.001	131.031	189.412	1.00133.91	J
ATOM	17366	O	PRO J 157	15.030	131.750	189.665	1.00133.22	J
ATOM	17367	N	THR J 158	15.909	129.730	189.150	1.00133.14	J
ATOM	17368	CA	THR J 158	14.650	129.004	189.160	1.00132.01	J
ATOM	17369	CB	THR J 158	14.811	127.641	188.457	1.00130.60	J
ATOM	17370	OG1	THR J 158	13.621	126.865	188.629	1.00130.04	J
ATOM	17371	CG2	THR J 158	16.001	126.886	189.029	1.00130.62	J
ATOM	17372	C	THR J 158	14.247	128.790	190.617	1.00132.45	J
ATOM	17373	O	THR J 158	15.110	128.622	191.481	1.00132.59	J
ATOM	17374	N	GLY J 159	12.945	128.799	190.890	1.00133.19	J
ATOM	17375	CA	GLY J 159	12.487	128.620	192.258	1.00134.83	J
ATOM	17376	C	GLY J 159	11.237	127.780	192.456	1.00135.77	J
ATOM	17377	O	GLY J 159	10.699	127.210	191.506	1.00135.28	J
ATOM	17378	N	GLY J 160	10.783	127.717	193.706	1.00137.30	J
ATOM	17379	CA	GLY J 160	9.603	126.950	194.071	1.00139.84	J
ATOM	17380	C	GLY J 160	8.528	126.858	193.009	1.00141.81	J
ATOM	17381	O	GLY J 160	8.058	127.878	192.507	1.00142.40	J
ATOM	17382	N	CYS J 161	8.133	125.633	192.672	1.00143.16	J
ATOM	17383	CA	CYS J 161	7.113	125.406	191.658	1.00144.75	J
ATOM	17384	C	CYS J 161	5.712	125.623	192.195	1.00146.84	J
ATOM	17385	O	CYS J 161	5.492	125.638	193.409	1.00145.79	J
ATOM	17386	CB	CYS J 161	7.234	123.994	191.098	1.00144.08	J
ATOM	17387	SG	CYS J 161	8.818	123.698	190.259	1.00145.14	J
ATOM	17388	N	ASP J 162	4.769	125.776	191.269	1.00150.26	J
ATOM	17389	CA	ASP J 162	3.370	126.020	191.593	1.00154.09	J
ATOM	17390	CB	ASP J 162	2.619	126.442	190.328	1.00155.47	J
ATOM	17391	CG	ASP J 162	1.167	126.780	190.597	1.00157.78	J
ATOM	17392	OD1	ASP J 162	0.907	127.709	191.393	1.00157.66	J
ATOM	17393	OD2	ASP J 162	0.286	126.116	190.010	1.00159.66	J
ATOM	17394	C	ASP J 162	2.665	124.828	192.230	1.00156.49	J
ATOM	17395	O	ASP J 162	2.335	123.858	191.549	1.00156.52	J
ATOM	17396	N	VAL J 163	2.425	124.918	193.537	1.00158.83	J
ATOM	17397	CA	VAL J 163	1.749	123.857	194.276	1.00160.01	J
ATOM	17398	CB	VAL J 163	2.189	123.833	195.750	1.00158.84	J
ATOM	17399	CG1	VAL J 163	1.563	122.645	196.457	1.00159.30	J
ATOM	17400	CG2	VAL J 163	3.701	123.771	195.840	1.00158.65	J
ATOM	17401	C	VAL J 163	0.239	124.066	194.229	1.00161.79	J
ATOM	17402	O	VAL J 163	-0.331	124.722	195.101	1.00161.05	J
ATOM	17403	N	SER J 164	-0.400	123.507	193.206	1.00164.38	J
ATOM	17404	CA	SER J 164	-1.844	123.633	193.041	1.00166.63	J
ATOM	17405	CB	SER J 164	-2.228	123.504	191.563	1.00166.14	J
ATOM	17406	OG	SER J 164	-1.587	124.489	190.773	1.00165.47	J
ATOM	17407	C	SER J 164	-2.586	122.575	193.849	1.00168.56	J
ATOM	17408	O	SER J 164	-2.319	121.381	193.722	1.00169.28	J
ATOM	17409	N	ALA J 165	-3.519	123.025	194.680	1.00170.39	J

ATOM	17410	CA	ALA	J	165	-4.311	122.132	195.513	1.00172.32	J
ATOM	17411	CB	ALA	J	165	-3.513	121.713	196.738	1.00171.81	J
ATOM	17412	C	ALA	J	165	-5.575	122.863	195.935	1.00174.45	J
ATOM	17413	O	ALA	J	165	-5.534	123.721	196.817	1.00174.10	J
ATOM	17414	N	ARG	J	166	-6.691	122.519	195.297	1.00177.64	J
ATOM	17415	CA	ARG	J	166	-7.980	123.144	195.582	1.00181.04	J
ATOM	17416	CB	ARG	J	166	-9.123	122.172	195.267	1.00181.22	J
ATOM	17417	CG	ARG	J	166	-9.259	121.856	193.789	1.00182.40	J
ATOM	17418	CD	ARG	J	166	-10.524	121.074	193.490	1.00182.69	J
ATOM	17419	NE	ARG	J	166	-10.714	120.896	192.053	1.00182.92	J
ATOM	17420	CZ	ARG	J	166	-11.761	120.290	191.503	1.00182.80	J
ATOM	17421	NH1	ARG	J	166	-12.725	119.797	192.268	1.00183.69	J
ATOM	17422	NH2	ARG	J	166	-11.843	120.177	190.185	1.00182.31	J
ATOM	17423	C	ARG	J	166	-8.113	123.637	197.016	1.00183.04	J
ATOM	17424	O	ARG	J	166	-8.052	124.841	197.275	1.00183.19	J
ATOM	17425	N	ASP	J	167	-8.287	122.703	197.944	1.00185.21	J
ATOM	17426	CA	ASP	J	167	-8.437	123.039	199.354	1.00187.38	J
ATOM	17427	CB	ASP	J	167	-9.570	124.051	199.530	1.00188.10	J
ATOM	17428	CG	ASP	J	167	-10.821	123.662	198.764	1.00188.48	J
ATOM	17429	OD1	ASP	J	167	-11.786	124.455	198.762	1.00188.94	J
ATOM	17430	OD2	ASP	J	167	-10.842	122.566	198.164	1.00188.37	J
ATOM	17431	C	ASP	J	167	-8.730	121.791	200.171	1.00188.63	J
ATOM	17432	O	ASP	J	167	-9.154	120.772	199.624	1.00188.43	J
ATOM	17433	N	VAL	J	168	-8.503	121.882	201.480	1.00190.38	J
ATOM	17434	CA	VAL	J	168	-8.730	120.764	202.392	1.00192.21	J
ATOM	17435	CB	VAL	J	168	-8.896	121.265	203.853	1.00191.84	J
ATOM	17436	CG1	VAL	J	168	-9.965	122.341	203.919	1.00192.16	J
ATOM	17437	CG2	VAL	J	168	-9.247	120.102	204.771	1.00191.22	J
ATOM	17438	C	VAL	J	168	-9.945	119.923	201.998	1.00193.51	J
ATOM	17439	O	VAL	J	168	-11.092	120.298	202.248	1.00193.75	J
ATOM	17440	N	THR	J	169	-9.676	118.783	201.368	1.00194.46	J
ATOM	17441	CA	THR	J	169	-10.730	117.879	200.930	1.00194.95	J
ATOM	17442	CB	THR	J	169	-10.196	116.847	199.910	1.00194.75	J
ATOM	17443	OG1	THR	J	169	-9.650	117.530	198.775	1.00194.48	J
ATOM	17444	CG2	THR	J	169	-11.315	115.924	199.446	1.00194.58	J
ATOM	17445	C	THR	J	169	-11.302	117.131	202.125	1.00195.47	J
ATOM	17446	O	THR	J	169	-10.600	116.866	203.102	1.00195.21	J
ATOM	17447	N	VAL	J	170	-12.585	116.802	202.042	1.00196.17	J
ATOM	17448	CA	VAL	J	170	-13.254	116.076	203.108	1.00196.87	J
ATOM	17449	CB	VAL	J	170	-14.640	116.682	203.406	1.00197.03	J
ATOM	17450	CG1	VAL	J	170	-15.264	115.989	204.607	1.00196.79	J
ATOM	17451	CG2	VAL	J	170	-14.508	118.178	203.657	1.00196.75	J
ATOM	17452	C	VAL	J	170	-13.421	114.630	202.658	1.00197.33	J
ATOM	17453	O	VAL	J	170	-13.495	114.353	201.459	1.00197.31	J
ATOM	17454	N	THR	J	171	-13.471	113.710	203.614	1.00197.52	J
ATOM	17455	CA	THR	J	171	-13.624	112.301	203.283	1.00197.68	J
ATOM	17456	CB	THR	J	171	-12.506	111.458	203.916	1.00197.25	J
ATOM	17457	OG1	THR	J	171	-11.233	112.019	203.575	1.00196.76	J
ATOM	17458	CG2	THR	J	171	-12.569	110.033	203.401	1.00196.66	J
ATOM	17459	C	THR	J	171	-14.967	111.755	203.746	1.00198.10	J
ATOM	17460	O	THR	J	171	-15.320	111.860	204.922	1.00197.70	J
ATOM	17461	N	LEU	J	172	-15.711	111.175	202.809	1.00198.99	J
ATOM	17462	CA	LEU	J	172	-17.017	110.599	203.106	1.00199.70	J
ATOM	17463	CB	LEU	J	172	-17.554	109.851	201.880	1.00199.91	J
ATOM	17464	CG	LEU	J	172	-17.663	110.635	200.568	1.00200.00	J
ATOM	17465	CD1	LEU	J	172	-18.099	109.698	199.456	1.00199.86	J
ATOM	17466	CD2	LEU	J	172	-18.651	111.783	200.721	1.00199.94	J
ATOM	17467	C	LEU	J	172	-16.868	109.630	204.275	1.00200.00	J

ATOM	17468	O	LEU	J	172	-16.009	108.748	204.249	1.00200.00	J
ATOM	17469	N	PRO	J	173	-17.701	109.785	205.320	1.00200.00	J
ATOM	17470	CD	PRO	J	173	-18.839	110.714	205.440	1.00199.52	J
ATOM	17471	CA	PRO	J	173	-17.627	108.898	206.486	1.00199.94	J
ATOM	17472	CB	PRO	J	173	-18.697	109.467	207.418	1.00199.28	J
ATOM	17473	CG	PRO	J	173	-19.709	110.023	206.462	1.00199.02	J
ATOM	17474	C	PRO	J	173	-17.882	107.439	206.107	1.00200.00	J
ATOM	17475	O	PRO	J	173	-17.704	107.053	204.951	1.00199.89	J
ATOM	17476	N	ASP	J	174	-18.295	106.631	207.080	1.00200.00	J
ATOM	17477	CA	ASP	J	174	-18.569	105.216	206.833	1.00199.96	J
ATOM	17478	CB	ASP	J	174	-19.615	105.056	205.720	1.00200.00	J
ATOM	17479	CG	ASP	J	174	-20.934	105.740	206.042	1.00200.00	J
ATOM	17480	OD1	ASP	J	174	-20.936	106.969	206.267	1.00200.00	J
ATOM	17481	OD2	ASP	J	174	-21.973	105.045	206.062	1.00200.00	J
ATOM	17482	C	ASP	J	174	-17.291	104.493	206.414	1.00199.60	J
ATOM	17483	O	ASP	J	174	-16.241	105.115	206.245	1.00199.64	J
ATOM	17484	N	TYR	J	175	-17.385	103.175	206.253	1.00199.09	J
ATOM	17485	CA	TYR	J	175	-16.242	102.374	205.826	1.00198.33	J
ATOM	17486	CB	TYR	J	175	-16.520	100.878	206.028	1.00199.11	J
ATOM	17487	CG	TYR	J	175	-16.423	100.407	207.465	1.00199.65	J
ATOM	17488	CD1	TYR	J	175	-17.227	100.962	208.461	1.00199.78	J
ATOM	17489	CE1	TYR	J	175	-17.147	100.521	209.781	1.00200.00	J
ATOM	17490	CD2	TYR	J	175	-15.532	99.395	207.828	1.00199.84	J
ATOM	17491	CE2	TYR	J	175	-15.443	98.947	209.145	1.00199.95	J
ATOM	17492	CZ	TYR	J	175	-16.254	99.514	210.115	1.00200.00	J
ATOM	17493	OH	TYR	J	175	-16.174	99.075	211.416	1.00200.00	J
ATOM	17494	C	TYR	J	175	-15.947	102.653	204.351	1.00197.23	J
ATOM	17495	O	TYR	J	175	-14.792	102.850	203.969	1.00196.76	J
ATOM	17496	N	PRO	J	176	-16.992	102.667	203.498	1.00196.22	J
ATOM	17497	CD	PRO	J	176	-18.422	102.425	203.770	1.00196.04	J
ATOM	17498	CA	PRO	J	176	-16.781	102.933	202.072	1.00195.06	J
ATOM	17499	CB	PRO	J	176	-18.137	102.599	201.458	1.00195.33	J
ATOM	17500	CG	PRO	J	176	-19.087	103.001	202.539	1.00195.55	J
ATOM	17501	C	PRO	J	176	-16.385	104.389	201.854	1.00193.85	J
ATOM	17502	O	PRO	J	176	-17.181	105.201	201.376	1.00193.47	J
ATOM	17503	N	GLY	J	177	-15.150	104.711	202.223	1.00192.50	J
ATOM	17504	CA	GLY	J	177	-14.662	106.066	202.070	1.00190.96	J
ATOM	17505	C	GLY	J	177	-13.407	106.133	201.225	1.00189.64	J
ATOM	17506	O	GLY	J	177	-12.477	105.343	201.399	1.00188.97	J
ATOM	17507	N	SER	J	178	-13.391	107.088	200.303	1.00188.51	J
ATOM	17508	CA	SER	J	178	-12.265	107.296	199.403	1.00186.83	J
ATOM	17509	CB	SER	J	178	-12.094	106.097	198.468	1.00187.31	J
ATOM	17510	OG	SER	J	178	-11.088	106.344	197.501	1.00187.28	J
ATOM	17511	C	SER	J	178	-12.544	108.545	198.586	1.00185.19	J
ATOM	17512	O	SER	J	178	-13.403	108.541	197.705	1.00184.63	J
ATOM	17513	N	VAL	J	179	-11.820	109.615	198.886	1.00183.82	J
ATOM	17514	CA	VAL	J	179	-12.007	110.873	198.180	1.00182.61	J
ATOM	17515	CB	VAL	J	179	-12.541	111.965	199.140	1.00182.48	J
ATOM	17516	CG1	VAL	J	179	-13.949	111.609	199.591	1.00182.76	J
ATOM	17517	CG2	VAL	J	179	-11.628	112.093	200.353	1.00182.18	J
ATOM	17518	C	VAL	J	179	-10.722	111.367	197.518	1.00181.53	J
ATOM	17519	O	VAL	J	179	-10.060	112.273	198.026	1.00181.96	J
ATOM	17520	N	PRO	J	180	-10.355	110.777	196.366	1.00179.88	J
ATOM	17521	CD	PRO	J	180	-11.133	109.859	195.518	1.00179.18	J
ATOM	17522	CA	PRO	J	180	-9.132	111.206	195.679	1.00178.56	J
ATOM	17523	CB	PRO	J	180	-9.237	110.516	194.314	1.00178.56	J
ATOM	17524	CG	PRO	J	180	-10.715	110.290	194.143	1.00178.58	J
ATOM	17525	C	PRO	J	180	-9.068	112.728	195.577	1.00177.07	J

ATOM	17526	O	PRO	J	180	-9.884	113.348	194.897	1.00176.76	J
ATOM	17527	N	ILE	J	181	-8.096	113.317	196.269	1.00175.66	J
ATOM	17528	CA	ILE	J	181	-7.917	114.767	196.292	1.00174.32	J
ATOM	17529	CB	ILE	J	181	-7.118	115.204	197.541	1.00174.72	J
ATOM	17530	CG2	ILE	J	181	-6.970	116.720	197.561	1.00174.14	J
ATOM	17531	CG1	ILE	J	181	-7.820	114.716	198.810	1.00174.96	J
ATOM	17532	CD1	ILE	J	181	-7.065	115.026	200.088	1.00175.00	J
ATOM	17533	C	ILE	J	181	-7.200	115.312	195.059	1.00172.48	J
ATOM	17534	O	ILE	J	181	-6.141	114.812	194.670	1.00172.93	J
ATOM	17535	N	PRO	J	182	-7.776	116.348	194.423	1.00169.71	J
ATOM	17536	CD	PRO	J	182	-9.140	116.866	194.631	1.00169.29	J
ATOM	17537	CA	PRO	J	182	-7.171	116.953	193.232	1.00166.36	J
ATOM	17538	CB	PRO	J	182	-8.251	117.922	192.748	1.00167.15	J
ATOM	17539	CG	PRO	J	182	-9.524	117.292	193.237	1.00168.36	J
ATOM	17540	C	PRO	J	182	-5.875	117.674	193.602	1.00162.32	J
ATOM	17541	O	PRO	J	182	-5.849	118.471	194.543	1.00161.59	J
ATOM	17542	N	LEU	J	183	-4.803	117.389	192.869	1.00157.75	J
ATOM	17543	CA	LEU	J	183	-3.521	118.026	193.139	1.00153.15	J
ATOM	17544	CB	LEU	J	183	-2.861	117.369	194.355	1.00152.02	J
ATOM	17545	CG	LEU	J	183	-2.670	118.298	195.558	1.00150.27	J
ATOM	17546	CD1	LEU	J	183	-2.638	117.503	196.851	1.00149.04	J
ATOM	17547	CD2	LEU	J	183	-1.389	119.093	195.373	1.00149.56	J
ATOM	17548	C	LEU	J	183	-2.581	117.994	191.938	1.00150.44	J
ATOM	17549	O	LEU	J	183	-2.218	116.929	191.444	1.00149.37	J
ATOM	17550	N	THR	J	184	-2.204	119.184	191.477	1.00148.42	J
ATOM	17551	CA	THR	J	184	-1.310	119.357	190.337	1.00146.39	J
ATOM	17552	CB	THR	J	184	-2.076	119.857	189.098	1.00146.17	J
ATOM	17553	OG1	THR	J	184	-1.145	120.347	188.127	1.00145.78	J
ATOM	17554	CG2	THR	J	184	-3.039	120.972	189.478	1.00145.00	J
ATOM	17555	C	THR	J	184	-0.236	120.381	190.674	1.00145.73	J
ATOM	17556	O	THR	J	184	-0.431	121.223	191.548	1.00146.41	J
ATOM	17557	N	VAL	J	185	0.896	120.312	189.981	1.00144.59	J
ATOM	17558	CA	VAL	J	185	1.996	121.245	190.219	1.00144.40	J
ATOM	17559	CB	VAL	J	185	2.874	120.794	191.421	1.00144.63	J
ATOM	17560	CG1	VAL	J	185	4.159	121.614	191.475	1.00143.49	J
ATOM	17561	CG2	VAL	J	185	2.103	120.949	192.726	1.00143.00	J
ATOM	17562	C	VAL	J	185	2.899	121.395	188.995	1.00144.13	J
ATOM	17563	O	VAL	J	185	3.379	120.407	188.442	1.00143.41	J
ATOM	17564	N	TYR	J	186	3.124	122.638	188.577	1.00144.14	J
ATOM	17565	CA	TYR	J	186	3.984	122.917	187.433	1.00143.40	J
ATOM	17566	CB	TYR	J	186	3.145	123.189	186.182	1.00144.04	J
ATOM	17567	CG	TYR	J	186	2.290	124.432	186.235	1.00145.88	J
ATOM	17568	CD1	TYR	J	186	2.607	125.550	185.463	1.00146.10	J
ATOM	17569	CE1	TYR	J	186	1.810	126.691	185.486	1.00147.92	J
ATOM	17570	CD2	TYR	J	186	1.152	124.486	187.038	1.00147.04	J
ATOM	17571	CE2	TYR	J	186	0.348	125.621	187.070	1.00148.65	J
ATOM	17572	CZ	TYR	J	186	0.682	126.720	186.292	1.00148.90	J
ATOM	17573	OH	TYR	J	186	-0.112	127.844	186.321	1.00150.20	J
ATOM	17574	C	TYR	J	186	4.880	124.108	187.757	1.00142.67	J
ATOM	17575	O	TYR	J	186	4.609	124.854	188.701	1.00141.41	J
ATOM	17576	N	CYS	J	187	5.947	124.279	186.981	1.00143.12	J
ATOM	17577	CA	CYS	J	187	6.900	125.363	187.217	1.00143.64	J
ATOM	17578	C	CYS	J	187	6.997	126.358	186.064	1.00142.78	J
ATOM	17579	O	CYS	J	187	6.541	126.089	184.951	1.00142.85	J
ATOM	17580	CB	CYS	J	187	8.292	124.782	187.467	1.00145.06	J
ATOM	17581	SG	CYS	J	187	8.309	123.195	188.359	1.00145.25	J
ATOM	17582	N	ALA	J	188	7.601	127.511	186.343	1.00141.24	J
ATOM	17583	CA	ALA	J	188	7.792	128.539	185.329	1.00139.84	J

ATOM	17584	CB	ALA	J	188	8.308	129.815	185.971	1.00139.88	J
ATOM	17585	C	ALA	J	188	8.820	127.985	184.351	1.00139.59	J
ATOM	17586	O	ALA	J	188	8.844	128.342	183.173	1.00138.75	J
ATOM	17587	N	LYS	J	189	9.670	127.103	184.871	1.00140.73	J
ATOM	17588	CA	LYS	J	189	10.713	126.440	184.095	1.00140.80	J
ATOM	17589	CB	LYS	J	189	12.082	127.061	184.387	1.00141.63	J
ATOM	17590	CG	LYS	J	189	12.323	128.384	183.679	1.00142.41	J
ATOM	17591	CD	LYS	J	189	12.300	128.215	182.164	1.00142.18	J
ATOM	17592	CE	LYS	J	189	13.368	127.236	181.700	1.00142.69	J
ATOM	17593	NZ	LYS	J	189	13.369	127.076	180.223	1.00144.25	J
ATOM	17594	C	LYS	J	189	10.740	124.949	184.426	1.00139.47	J
ATOM	17595	O	LYS	J	189	10.912	124.556	185.583	1.00137.75	J
ATOM	17596	N	SER	J	190	10.565	124.128	183.397	1.00139.10	J
ATOM	17597	CA	SER	J	190	10.553	122.679	183.548	1.00138.53	J
ATOM	17598	CB	SER	J	190	10.510	122.011	182.171	1.00139.38	J
ATOM	17599	OG	SER	J	190	10.469	120.600	182.290	1.00141.47	J
ATOM	17600	C	SER	J	190	11.758	122.169	184.331	1.00137.41	J
ATOM	17601	O	SER	J	190	12.838	121.969	183.775	1.00137.19	J
ATOM	17602	N	GLN	J	191	11.558	121.958	185.627	1.00135.66	J
ATOM	17603	CA	GLN	J	191	12.611	121.465	186.504	1.00132.93	J
ATOM	17604	CB	GLN	J	191	12.948	122.519	187.555	1.00133.93	J
ATOM	17605	CG	GLN	J	191	11.728	123.041	188.295	1.00136.90	J
ATOM	17606	CD	GLN	J	191	12.083	123.773	189.575	1.00137.87	J
ATOM	17607	OE1	GLN	J	191	12.549	123.166	190.544	1.00136.57	J
ATOM	17608	NE2	GLN	J	191	11.866	125.085	189.586	1.00139.58	J
ATOM	17609	C	GLN	J	191	12.147	120.188	187.196	1.00130.56	J
ATOM	17610	O	GLN	J	191	11.050	120.141	187.752	1.00130.99	J
ATOM	17611	N	ASN	J	192	12.986	119.156	187.164	1.00127.20	J
ATOM	17612	CA	ASN	J	192	12.649	117.880	187.785	1.00123.05	J
ATOM	17613	CB	ASN	J	192	13.786	116.880	187.579	1.00121.69	J
ATOM	17614	CG	ASN	J	192	13.757	116.255	186.203	1.00120.42	J
ATOM	17615	OD1	ASN	J	192	13.558	116.941	185.199	1.00120.31	J
ATOM	17616	ND2	ASN	J	192	13.960	114.946	186.146	1.00121.01	J
ATOM	17617	C	ASN	J	192	12.323	118.007	189.267	1.00119.50	J
ATOM	17618	O	ASN	J	192	13.119	118.528	190.050	1.00118.77	J
ATOM	17619	N	LEU	J	193	11.140	117.519	189.631	1.00115.16	J
ATOM	17620	CA	LEU	J	193	10.656	117.564	191.003	1.00111.28	J
ATOM	17621	CB	LEU	J	193	9.264	118.201	191.046	1.00109.45	J
ATOM	17622	CG	LEU	J	193	9.165	119.685	191.399	1.00105.54	J
ATOM	17623	CD1	LEU	J	193	7.729	120.156	191.254	1.00103.82	J
ATOM	17624	CD2	LEU	J	193	9.656	119.897	192.825	1.00105.36	J
ATOM	17625	C	LEU	J	193	10.588	116.194	191.660	1.00109.49	J
ATOM	17626	O	LEU	J	193	10.692	115.162	190.996	1.00109.62	J
ATOM	17627	N	GLY	J	194	10.403	116.208	192.976	1.00107.00	J
ATOM	17628	CA	GLY	J	194	10.295	114.986	193.747	1.00105.00	J
ATOM	17629	C	GLY	J	194	9.541	115.308	195.021	1.00104.66	J
ATOM	17630	O	GLY	J	194	9.408	116.482	195.371	1.00103.82	J
ATOM	17631	N	TYR	J	195	9.041	114.288	195.716	1.00104.55	J
ATOM	17632	CA	TYR	J	195	8.303	114.520	196.958	1.00103.00	J
ATOM	17633	CB	TYR	J	195	6.956	115.184	196.661	1.00105.57	J
ATOM	17634	CG	TYR	J	195	5.937	114.234	196.073	1.00105.87	J
ATOM	17635	CD1	TYR	J	195	6.015	113.831	194.738	1.00107.07	J
ATOM	17636	CE1	TYR	J	195	5.104	112.922	194.207	1.00107.25	J
ATOM	17637	CD2	TYR	J	195	4.918	113.704	196.864	1.00105.22	J
ATOM	17638	CE2	TYR	J	195	4.006	112.794	196.347	1.00107.09	J
ATOM	17639	CZ	TYR	J	195	4.104	112.407	195.017	1.00108.83	J
ATOM	17640	OH	TYR	J	195	3.200	111.508	194.497	1.00112.99	J
ATOM	17641	C	TYR	J	195	8.040	113.247	197.755	1.00100.85	J

ATOM	17642	O	TYR	J	195	7.944	112.158	197.194	1.00	99.47	J
ATOM	17643	N	TYR	J	196	7.908	113.402	199.068	1.00	100.97	J
ATOM	17644	CA	TYR	J	196	7.627	112.284	199.954	1.00	102.33	J
ATOM	17645	CB	TYR	J	196	8.903	111.808	200.667	1.00	102.96	J
ATOM	17646	CG	TYR	J	196	9.462	112.714	201.752	1.00	103.33	J
ATOM	17647	CD1	TYR	J	196	8.781	112.901	202.953	1.00	103.44	J
ATOM	17648	CE1	TYR	J	196	9.324	113.672	203.975	1.00	103.63	J
ATOM	17649	CD2	TYR	J	196	10.708	113.332	201.600	1.00	102.07	J
ATOM	17650	CE2	TYR	J	196	11.260	114.110	202.620	1.00	101.28	J
ATOM	17651	CZ	TYR	J	196	10.560	114.273	203.807	1.00	103.73	J
ATOM	17652	OH	TYR	J	196	11.089	115.028	204.835	1.00	104.54	J
ATOM	17653	C	TYR	J	196	6.582	112.741	200.952	1.00	105.04	J
ATOM	17654	O	TYR	J	196	6.560	113.902	201.345	1.00	104.14	J
ATOM	17655	N	LEU	J	197	5.713	111.828	201.360	1.00	110.28	J
ATOM	17656	CA	LEU	J	197	4.644	112.172	202.287	1.00	117.00	J
ATOM	17657	CB	LEU	J	197	3.442	111.260	202.039	1.00	118.03	J
ATOM	17658	CG	LEU	J	197	3.132	110.988	200.564	1.00	119.72	J
ATOM	17659	CD1	LEU	J	197	1.902	110.097	200.466	1.00	120.20	J
ATOM	17660	CD2	LEU	J	197	2.919	112.300	199.819	1.00	118.31	J
ATOM	17661	C	LEU	J	197	5.040	112.106	203.758	1.00	120.48	J
ATOM	17662	O	LEU	J	197	4.728	111.135	204.446	1.00	120.76	J
ATOM	17663	N	SER	J	198	5.714	113.146	204.241	1.00	124.13	J
ATOM	17664	CA	SER	J	198	6.129	113.195	205.638	1.00	128.74	J
ATOM	17665	CB	SER	J	198	7.091	114.363	205.872	1.00	129.73	J
ATOM	17666	OG	SER	J	198	6.618	115.552	205.268	1.00	132.37	J
ATOM	17667	C	SER	J	198	4.931	113.328	206.571	1.00	131.76	J
ATOM	17668	O	SER	J	198	4.158	114.283	206.476	1.00	132.47	J
ATOM	17669	N	GLY	J	199	4.786	112.364	207.475	1.00	134.65	J
ATOM	17670	CA	GLY	J	199	3.681	112.385	208.416	1.00	137.64	J
ATOM	17671	C	GLY	J	199	3.888	111.380	209.533	1.00	139.82	J
ATOM	17672	O	GLY	J	199	5.008	110.919	209.754	1.00	140.16	J
ATOM	17673	N	THR	J	200	2.812	111.038	210.236	1.00	141.49	J
ATOM	17674	CA	THR	J	200	2.884	110.081	211.339	1.00	142.52	J
ATOM	17675	CB	THR	J	200	2.659	110.779	212.698	1.00	142.68	J
ATOM	17676	OG1	THR	J	200	3.712	111.726	212.927	1.00	142.42	J
ATOM	17677	CG2	THR	J	200	2.642	109.757	213.830	1.00	141.26	J
ATOM	17678	C	THR	J	200	1.867	108.953	211.186	1.00	142.69	J
ATOM	17679	O	THR	J	200	0.679	109.196	210.976	1.00	142.06	J
ATOM	17680	N	THR	J	201	2.350	107.719	211.304	1.00	143.65	J
ATOM	17681	CA	THR	J	201	1.510	106.533	211.172	1.00	144.43	J
ATOM	17682	CB	THR	J	201	2.178	105.482	210.264	1.00	143.44	J
ATOM	17683	OG1	THR	J	201	1.242	104.440	209.963	1.00	141.44	J
ATOM	17684	CG2	THR	J	201	3.385	104.873	210.967	1.00	143.52	J
ATOM	17685	C	THR	J	201	1.237	105.883	212.527	1.00	145.66	J
ATOM	17686	O	THR	J	201	1.822	106.263	213.544	1.00	145.29	J
ATOM	17687	N	ALA	J	202	0.352	104.891	212.525	1.00	147.16	J
ATOM	17688	CA	ALA	J	202	-0.011	104.175	213.740	1.00	148.08	J
ATOM	17689	CB	ALA	J	202	-1.510	104.309	213.997	1.00	147.38	J
ATOM	17690	C	ALA	J	202	0.369	102.702	213.632	1.00	149.05	J
ATOM	17691	O	ALA	J	202	-0.459	101.825	213.877	1.00	149.66	J
ATOM	17692	N	ASP	J	203	1.618	102.434	213.262	1.00	149.60	J
ATOM	17693	CA	ASP	J	203	2.096	101.060	213.128	1.00	150.25	J
ATOM	17694	CB	ASP	J	203	1.269	100.306	212.075	1.00	150.64	J
ATOM	17695	CG	ASP	J	203	1.295	100.979	210.710	1.00	150.30	J
ATOM	17696	OD1	ASP	J	203	0.801	100.373	209.735	1.00	149.67	J
ATOM	17697	OD2	ASP	J	203	1.802	102.115	210.613	1.00	150.06	J
ATOM	17698	C	ASP	J	203	3.571	100.998	212.748	1.00	150.58	J
ATOM	17699	O	ASP	J	203	4.291	101.993	212.831	1.00	150.26	J

ATOM	17700	N	ALA	J	204	4.010	99.813	212.335	1.00151.41	J
ATOM	17701	CA	ALA	J	204	5.389	99.598	211.920	1.00151.60	J
ATOM	17702	CB	ALA	J	204	5.911	98.283	212.489	1.00151.51	J
ATOM	17703	C	ALA	J	204	5.448	99.577	210.394	1.00151.47	J
ATOM	17704	O	ALA	J	204	6.522	99.459	209.806	1.00152.20	J
ATOM	17705	N	GLY	J	205	4.282	99.684	209.761	1.00150.78	J
ATOM	17706	CA	GLY	J	205	4.220	99.694	208.311	1.00150.55	J
ATOM	17707	C	GLY	J	205	4.365	101.111	207.788	1.00150.93	J
ATOM	17708	O	GLY	J	205	4.317	101.347	206.580	1.00149.99	J
ATOM	17709	N	ASN	J	206	4.546	102.050	208.715	1.00151.81	J
ATOM	17710	CA	ASN	J	206	4.703	103.475	208.417	1.00152.09	J
ATOM	17711	CB	ASN	J	206	6.185	103.865	208.506	1.00149.63	J
ATOM	17712	CG	ASN	J	206	6.653	104.056	209.943	1.00146.90	J
ATOM	17713	OD1	ASN	J	206	6.233	104.989	210.623	1.00144.10	J
ATOM	17714	ND2	ASN	J	206	7.523	103.169	210.408	1.00146.63	J
ATOM	17715	C	ASN	J	206	4.104	103.948	207.091	1.00153.53	J
ATOM	17716	O	ASN	J	206	4.778	104.568	206.268	1.00152.45	J
ATOM	17717	N	SER	J	207	2.822	103.653	206.905	1.00156.29	J
ATOM	17718	CA	SER	J	207	2.091	104.049	205.707	1.00158.70	J
ATOM	17719	CB	SER	J	207	2.224	102.984	204.618	1.00157.70	J
ATOM	17720	OG	SER	J	207	1.583	101.783	205.003	1.00157.43	J
ATOM	17721	C	SER	J	207	0.621	104.228	206.076	1.00161.09	J
ATOM	17722	O	SER	J	207	-0.226	104.445	205.211	1.00161.83	J
ATOM	17723	N	ILE	J	208	0.330	104.131	207.371	1.00163.46	J
ATOM	17724	CA	ILE	J	208	-1.030	104.285	207.882	1.00165.43	J
ATOM	17725	CB	ILE	J	208	-1.500	103.001	208.607	1.00165.64	J
ATOM	17726	CG2	ILE	J	208	-2.913	103.190	209.146	1.00164.93	J
ATOM	17727	CG1	ILE	J	208	-1.450	101.814	207.641	1.00165.45	J
ATOM	17728	CD1	ILE	J	208	-1.833	100.488	208.269	1.00165.02	J
ATOM	17729	C	ILE	J	208	-1.078	105.457	208.863	1.00166.76	J
ATOM	17730	O	ILE	J	208	-1.122	105.261	210.079	1.00166.53	J
ATOM	17731	N	PHE	J	209	-1.068	106.673	208.321	1.00168.35	J
ATOM	17732	CA	PHE	J	209	-1.095	107.889	209.129	1.00169.27	J
ATOM	17733	CB	PHE	J	209	-1.325	109.115	208.231	1.00167.46	J
ATOM	17734	CG	PHE	J	209	-0.417	109.169	207.019	1.00165.17	J
ATOM	17735	CD1	PHE	J	209	-0.719	108.437	205.872	1.00163.87	J
ATOM	17736	CD2	PHE	J	209	0.744	109.940	207.030	1.00163.89	J
ATOM	17737	CE1	PHE	J	209	0.119	108.473	204.755	1.00162.62	J
ATOM	17738	CE2	PHE	J	209	1.590	109.982	205.916	1.00162.30	J
ATOM	17739	CZ	PHE	J	209	1.276	109.247	204.779	1.00162.15	J
ATOM	17740	C	PHE	J	209	-2.172	107.809	210.215	1.00171.03	J
ATOM	17741	O	PHE	J	209	-3.191	107.143	210.042	1.00170.99	J
ATOM	17742	N	THR	J	210	-1.938	108.489	211.335	1.00173.41	J
ATOM	17743	CA	THR	J	210	-2.874	108.471	212.459	1.00176.17	J
ATOM	17744	CB	THR	J	210	-2.138	108.715	213.792	1.00175.40	J
ATOM	17745	OG1	THR	J	210	-1.333	109.896	213.689	1.00174.41	J
ATOM	17746	CG2	THR	J	210	-1.256	107.534	214.139	1.00175.90	J
ATOM	17747	C	THR	J	210	-4.021	109.474	212.368	1.00178.74	J
ATOM	17748	O	THR	J	210	-4.294	110.037	211.309	1.00179.08	J
ATOM	17749	N	ASN	J	211	-4.688	109.678	213.502	1.00181.40	J
ATOM	17750	CA	ASN	J	211	-5.814	110.604	213.618	1.00183.80	J
ATOM	17751	CB	ASN	J	211	-7.094	109.830	213.960	1.00184.07	J
ATOM	17752	CG	ASN	J	211	-8.304	110.738	214.150	1.00184.57	J
ATOM	17753	OD1	ASN	J	211	-9.368	110.285	214.572	1.00184.72	J
ATOM	17754	ND2	ASN	J	211	-8.147	112.018	213.834	1.00184.83	J
ATOM	17755	C	ASN	J	211	-5.508	111.614	214.728	1.00185.35	J
ATOM	17756	O	ASN	J	211	-5.295	111.232	215.879	1.00185.12	J
ATOM	17757	N	THR	J	212	-5.490	112.898	214.377	1.00187.13	J

ATOM	17758	CA	THR	J	212	-5.200	113.959	215.340	1.00188.42	J
ATOM	17759	CB	THR	J	212	-4.423	115.116	214.675	1.00187.90	J
ATOM	17760	OG1	THR	J	212	-3.313	114.590	213.936	1.00186.74	J
ATOM	17761	CG2	THR	J	212	-3.901	116.080	215.731	1.00187.32	J
ATOM	17762	C	THR	J	212	-6.478	114.531	215.951	1.00189.93	J
ATOM	17763	O	THR	J	212	-6.945	115.597	215.544	1.00190.39	J
ATOM	17764	N	ALA	J	213	-7.038	113.826	216.930	1.00191.19	J
ATOM	17765	CA	ALA	J	213	-8.263	114.278	217.581	1.00192.47	J
ATOM	17766	CB	ALA	J	213	-9.458	114.038	216.659	1.00192.45	J
ATOM	17767	C	ALA	J	213	-8.499	113.596	218.926	1.00193.35	J
ATOM	17768	O	ALA	J	213	-7.963	112.521	219.196	1.00193.23	J
ATOM	17769	N	SER	J	214	-9.307	114.239	219.765	1.00194.52	J
ATOM	17770	CA	SER	J	214	-9.651	113.717	221.085	1.00195.20	J
ATOM	17771	CB	SER	J	214	-9.382	114.780	222.156	1.00194.53	J
ATOM	17772	OG	SER	J	214	-9.742	114.311	223.443	1.00193.80	J
ATOM	17773	C	SER	J	214	-11.131	113.329	221.088	1.00195.96	J
ATOM	17774	O	SER	J	214	-11.670	112.875	222.099	1.00195.82	J
ATOM	17775	N	PHE	J	215	-11.770	113.516	219.935	1.00196.73	J
ATOM	17776	CA	PHE	J	215	-13.183	113.204	219.732	1.00197.14	J
ATOM	17777	CB	PHE	J	215	-13.728	114.050	218.569	1.00197.56	J
ATOM	17778	CG	PHE	J	215	-15.119	113.670	218.105	1.00198.88	J
ATOM	17779	CD1	PHE	J	215	-15.619	114.195	216.919	1.00199.29	J
ATOM	17780	CD2	PHE	J	215	-15.918	112.783	218.827	1.00199.80	J
ATOM	17781	CE1	PHE	J	215	-16.886	113.850	216.455	1.00200.00	J
ATOM	17782	CE2	PHE	J	215	-17.190	112.430	218.369	1.00200.00	J
ATOM	17783	CZ	PHE	J	215	-17.671	112.964	217.179	1.00200.00	J
ATOM	17784	C	PHE	J	215	-13.355	111.720	219.424	1.00197.26	J
ATOM	17785	O	PHE	J	215	-12.944	111.249	218.363	1.00197.30	J
ATOM	17786	N	SER	J	216	-13.976	110.997	220.354	1.00197.27	J
ATOM	17787	CA	SER	J	216	-14.225	109.566	220.201	1.00197.05	J
ATOM	17788	CB	SER	J	216	-15.541	109.342	219.445	1.00196.96	J
ATOM	17789	OG	SER	J	216	-15.870	107.965	219.370	1.00196.07	J
ATOM	17790	C	SER	J	216	-13.075	108.884	219.462	1.00196.93	J
ATOM	17791	O	SER	J	216	-13.194	108.549	218.282	1.00196.90	J
ATOM	17792	N	PRO	J	217	-11.944	108.671	220.156	1.00196.57	J
ATOM	17793	CD	PRO	J	217	-11.783	108.883	221.605	1.00196.59	J
ATOM	17794	CA	PRO	J	217	-10.746	108.032	219.599	1.00195.97	J
ATOM	17795	CB	PRO	J	217	-9.784	108.028	220.783	1.00196.31	J
ATOM	17796	CG	PRO	J	217	-10.713	107.876	221.947	1.00196.65	J
ATOM	17797	C	PRO	J	217	-11.004	106.625	219.065	1.00195.25	J
ATOM	17798	O	PRO	J	217	-10.702	105.633	219.730	1.00195.19	J
ATOM	17799	N	ALA	J	218	-11.558	106.548	217.860	1.00194.28	J
ATOM	17800	CA	ALA	J	218	-11.853	105.264	217.239	1.00193.14	J
ATOM	17801	CB	ALA	J	218	-12.559	105.479	215.906	1.00193.30	J
ATOM	17802	C	ALA	J	218	-10.573	104.460	217.035	1.00192.03	J
ATOM	17803	O	ALA	J	218	-9.505	105.021	216.785	1.00192.00	J
ATOM	17804	N	GLN	J	219	-10.691	103.142	217.149	1.00190.47	J
ATOM	17805	CA	GLN	J	219	-9.555	102.242	216.983	1.00188.53	J
ATOM	17806	CB	GLN	J	219	-9.815	100.945	217.752	1.00187.77	J
ATOM	17807	CG	GLN	J	219	-9.985	101.134	219.249	1.00185.72	J
ATOM	17808	CD	GLN	J	219	-10.670	99.956	219.909	1.00184.57	J
ATOM	17809	OE1	GLN	J	219	-11.885	99.791	219.805	1.00182.68	J
ATOM	17810	NE2	GLN	J	219	-9.891	99.123	220.585	1.00183.90	J
ATOM	17811	C	GLN	J	219	-9.320	101.926	215.507	1.00187.39	J
ATOM	17812	O	GLN	J	219	-10.248	101.553	214.792	1.00187.67	J
ATOM	17813	N	GLY	J	220	-8.080	102.083	215.056	1.00185.66	J
ATOM	17814	CA	GLY	J	220	-7.753	101.795	213.671	1.00183.53	J
ATOM	17815	C	GLY	J	220	-8.392	102.702	212.635	1.00182.12	J

ATOM	17816	O	GLY	J	220	-9.105	102.231	211.748	1.00182.08	J
ATOM	17817	N	VAL	J	221	-8.135	104.002	212.741	1.00180.62	J
ATOM	17818	CA	VAL	J	221	-8.682	104.972	211.798	1.00178.75	J
ATOM	17819	CB	VAL	J	221	-9.801	105.819	212.438	1.00177.93	J
ATOM	17820	CG1	VAL	J	221	-10.340	106.818	211.426	1.00176.85	J
ATOM	17821	CG2	VAL	J	221	-10.914	104.917	212.936	1.00177.48	J
ATOM	17822	C	VAL	J	221	-7.585	105.909	211.313	1.00178.03	J
ATOM	17823	O	VAL	J	221	-7.264	106.898	211.972	1.00177.93	J
ATOM	17824	N	GLY	J	222	-7.013	105.590	210.157	1.00177.25	J
ATOM	17825	CA	GLY	J	222	-5.956	106.415	209.602	1.00176.22	J
ATOM	17826	C	GLY	J	222	-6.162	106.740	208.133	1.00175.16	J
ATOM	17827	O	GLY	J	222	-7.290	106.722	207.636	1.00175.89	J
ATOM	17828	N	VAL	J	223	-5.069	107.042	207.437	1.00172.80	J
ATOM	17829	CA	VAL	J	223	-5.124	107.373	206.017	1.00169.79	J
ATOM	17830	CB	VAL	J	223	-5.098	108.906	209.795	1.00170.18	J
ATOM	17831	CG1	VAL	J	223	-5.192	109.225	204.310	1.00169.97	J
ATOM	17832	CG2	VAL	J	223	-6.246	109.562	206.547	1.00169.86	J
ATOM	17833	C	VAL	J	223	-3.934	106.754	205.290	1.00167.43	J
ATOM	17834	O	VAL	J	223	-2.951	106.354	205.913	1.00167.20	J
ATOM	17835	N	GLN	J	224	-4.033	106.672	203.968	1.00164.67	J
ATOM	17836	CA	GLN	J	224	-2.966	106.109	203.157	1.00161.98	J
ATOM	17837	CB	GLN	J	224	-2.901	104.594	203.349	1.00161.97	J
ATOM	17838	CG	GLN	J	224	-1.629	103.963	202.822	1.00160.79	J
ATOM	17839	CD	GLN	J	224	-1.541	102.486	203.137	1.00159.39	J
ATOM	17840	OE1	GLN	J	224	-1.728	102.071	204.280	1.00158.80	J
ATOM	17841	NE2	GLN	J	224	-1.249	101.682	202.124	1.00158.31	J
ATOM	17842	C	GLN	J	224	-3.227	106.443	201.696	1.00159.97	J
ATOM	17843	O	GLN	J	224	-3.917	105.707	200.987	1.00159.89	J
ATOM	17844	N	LEU	J	225	-2.669	107.567	201.259	1.00157.25	J
ATOM	17845	CA	LEU	J	225	-2.828	108.049	199.891	1.00154.20	J
ATOM	17846	CB	LEU	J	225	-1.971	109.302	199.686	1.00155.55	J
ATOM	17847	CG	LEU	J	225	-1.911	110.282	200.866	1.00156.43	J
ATOM	17848	CD1	LEU	J	225	-1.116	111.511	200.457	1.00155.76	J
ATOM	17849	CD2	LEU	J	225	-3.318	110.677	201.304	1.00156.47	J
ATOM	17850	C	LEU	J	225	-2.450	106.988	198.860	1.00150.94	J
ATOM	17851	O	LEU	J	225	-1.892	105.946	199.205	1.00151.32	J
ATOM	17852	N	THR	J	226	-2.751	107.258	197.594	1.00146.88	J
ATOM	17853	CA	THR	J	226	-2.440	106.316	196.526	1.00143.31	J
ATOM	17854	CB	THR	J	226	-3.324	105.058	196.622	1.00142.79	J
ATOM	17855	OG1	THR	J	226	-3.166	104.274	195.434	1.00140.96	J
ATOM	17856	CG2	THR	J	226	-4.786	105.441	196.785	1.00141.68	J
ATOM	17857	C	THR	J	226	-2.602	106.898	195.128	1.00141.53	J
ATOM	17858	O	THR	J	226	-3.703	107.266	194.717	1.00141.76	J
ATOM	17859	N	ARG	J	227	-1.495	106.970	194.397	1.00139.37	J
ATOM	17860	CA	ARG	J	227	-1.510	107.491	193.038	1.00138.22	J
ATOM	17861	CB	ARG	J	227	-0.127	108.016	192.655	1.00138.09	J
ATOM	17862	CG	ARG	J	227	1.023	107.100	193.035	1.00137.44	J
ATOM	17863	CD	ARG	J	227	2.360	107.723	192.651	1.00137.98	J
ATOM	17864	NE	ARG	J	227	3.448	107.273	193.516	1.00137.19	J
ATOM	17865	CZ	ARG	J	227	3.906	106.028	193.568	1.00136.88	J
ATOM	17866	NH1	ARG	J	227	4.896	105.723	194.394	1.00137.75	J
ATOM	17867	NH2	ARG	J	227	3.382	105.091	192.792	1.00136.46	J
ATOM	17868	C	ARG	J	227	-1.937	106.404	192.064	1.00138.08	J
ATOM	17869	O	ARG	J	227	-1.107	105.649	191.556	1.00137.26	J
ATOM	17870	N	ASN	J	228	-3.240	106.335	191.810	1.00138.95	J
ATOM	17871	CA	ASN	J	228	-3.806	105.339	190.905	1.00139.16	J
ATOM	17872	CB	ASN	J	228	-3.378	105.618	189.462	1.00138.67	J
ATOM	17873	CG	ASN	J	228	-4.191	106.722	188.818	1.00138.41	J

ATOM	17874	OD1	ASN	J	228	-4.032	107.012	187.631	1.00138.54	J
ATOM	17875	ND2	ASN	J	228	-5.073	107.342	189.597	1.00137.77	J
ATOM	17876	C	ASN	J	228	-3.430	103.910	191.283	1.00138.67	J
ATOM	17877	O	ASN	J	228	-2.625	103.268	190.604	1.00138.37	J
ATOM	17878	N	GLY	J	229	-4.022	103.421	192.368	1.00137.93	J
ATOM	17879	CA	GLY	J	229	-3.748	102.070	192.819	1.00137.30	J
ATOM	17880	C	GLY	J	229	-2.481	101.936	193.642	1.00136.83	J
ATOM	17881	O	GLY	J	229	-2.503	101.379	194.739	1.00137.48	J
ATOM	17882	N	THR	J	230	-1.371	102.442	193.114	1.00135.92	J
ATOM	17883	CA	THR	J	230	-0.096	102.362	193.815	1.00134.68	J
ATOM	17884	CB	THR	J	230	1.081	102.752	192.889	1.00134.14	J
ATOM	17885	OG1	THR	J	230	0.995	102.019	191.660	1.00131.11	J
ATOM	17886	CG2	THR	J	230	2.409	102.431	193.562	1.00134.76	J
ATOM	17887	C	THR	J	230	-0.094	103.295	195.022	1.00134.00	J
ATOM	17888	O	THR	J	230	0.050	104.506	194.876	1.00135.03	J
ATOM	17889	N	ILE	J	231	-0.265	102.731	196.214	1.00133.55	J
ATOM	17890	CA	ILE	J	231	-0.267	103.535	197.430	1.00133.99	J
ATOM	17891	CB	ILE	J	231	-0.763	102.715	198.657	1.00134.11	J
ATOM	17892	CG2	ILE	J	231	-0.388	103.422	199.951	1.00134.27	J
ATOM	17893	CG1	ILE	J	231	-2.282	102.522	198.573	1.00133.37	J
ATOM	17894	CD1	ILE	J	231	-2.896	101.810	199.766	1.00129.92	J
ATOM	17895	C	ILE	J	231	1.139	104.071	197.697	1.00134.41	J
ATOM	17896	O	ILE	J	231	2.135	103.487	197.259	1.00133.98	J
ATOM	17897	N	ILE	J	232	1.212	105.190	198.410	1.00134.42	J
ATOM	17898	CA	ILE	J	232	2.490	105.815	198.723	1.00133.26	J
ATOM	17899	CB	ILE	J	232	2.589	107.221	198.091	1.00134.43	J
ATOM	17900	CG2	ILE	J	232	3.981	107.798	198.319	1.00135.95	J
ATOM	17901	CG1	ILE	J	232	2.291	107.142	196.592	1.00135.08	J
ATOM	17902	CD1	ILE	J	232	2.203	108.493	195.923	1.00135.99	J
ATOM	17903	C	ILE	J	232	2.701	105.958	200.227	1.00130.74	J
ATOM	17904	O	ILE	J	232	2.014	106.739	200.888	1.00131.13	J
ATOM	17905	N	PRO	J	233	3.646	105.189	200.788	1.00127.88	J
ATOM	17906	CD	PRO	J	233	4.339	104.054	200.151	1.00126.72	J
ATOM	17907	CA	PRO	J	233	3.941	105.248	202.223	1.00124.92	J
ATOM	17908	CB	PRO	J	233	4.660	103.927	202.477	1.00126.29	J
ATOM	17909	CG	PRO	J	233	5.382	103.694	201.181	1.00127.39	J
ATOM	17910	C	PRO	J	233	4.812	106.466	202.539	1.00121.37	J
ATOM	17911	O	PRO	J	233	5.454	107.020	201.649	1.00120.00	J
ATOM	17912	N	ALA	J	234	4.828	106.883	203.801	1.00118.78	J
ATOM	17913	CA	ALA	J	234	5.616	108.044	204.218	1.00116.12	J
ATOM	17914	CB	ALA	J	234	5.472	108.252	205.720	1.00115.75	J
ATOM	17915	C	ALA	J	234	7.094	107.918	203.851	1.00114.28	J
ATOM	17916	O	ALA	J	234	7.557	106.841	203.484	1.00116.77	J
ATOM	17917	N	ASN	J	235	7.824	109.028	203.948	1.00110.04	J
ATOM	17918	CA	ASN	J	235	9.257	109.068	203.644	1.00105.36	J
ATOM	17919	CB	ASN	J	235	10.053	108.555	204.846	1.00 99.61	J
ATOM	17920	CG	ASN	J	235	9.979	109.492	206.033	1.00 95.62	J
ATOM	17921	OD1	ASN	J	235	10.740	110.453	206.129	1.00 96.08	J
ATOM	17922	ND2	ASN	J	235	9.048	109.225	206.936	1.00 93.79	J
ATOM	17923	C	ASN	J	235	9.652	108.287	202.393	1.00105.37	J
ATOM	17924	O	ASN	J	235	10.802	107.887	202.235	1.00105.72	J
ATOM	17925	N	ASN	J	236	8.693	108.078	201.502	1.00106.74	J
ATOM	17926	CA	ASN	J	236	8.945	107.351	200.268	1.00108.72	J
ATOM	17927	CB	ASN	J	236	7.888	106.259	200.075	1.00112.48	J
ATOM	17928	CG	ASN	J	236	8.116	105.435	198.817	1.00114.89	J
ATOM	17929	OD1	ASN	J	236	9.047	104.629	198.749	1.00113.53	J
ATOM	17930	ND2	ASN	J	236	7.266	105.639	197.811	1.00114.27	J
ATOM	17931	C	ASN	J	236	8.893	108.330	199.102	1.00109.01	J

ATOM	17932	O	ASN	J	236	7.930	108.345	198.334	1.00109.30	J
ATOM	17933	N	THR	J	237	9.926	109.155	198.985	1.00108.58	J
ATOM	17934	CA	THR	J	237	9.999	110.134	197.911	1.00110.27	J
ATOM	17935	CB	THR	J	237	11.428	110.696	197.777	1.00109.42	J
ATOM	17936	OG1	THR	J	237	11.769	111.406	198.971	1.00111.06	J
ATOM	17937	CG2	THR	J	237	11.528	111.643	196.592	1.00109.70	J
ATOM	17938	C	THR	J	237	9.579	109.508	196.585	1.00112.07	J
ATOM	17939	O	THR	J	237	9.910	108.357	196.300	1.00112.17	J
ATOM	17940	N	VAL	J	238	8.838	110.265	195.782	1.00113.59	J
ATOM	17941	CA	VAL	J	238	8.385	109.771	194.492	1.00115.47	J
ATOM	17942	CB	VAL	J	238	6.852	109.639	194.448	1.00114.57	J
ATOM	17943	CG1	VAL	J	238	6.431	108.928	193.169	1.00114.80	J
ATOM	17944	CG2	VAL	J	238	6.361	108.879	195.668	1.00114.07	J
ATOM	17945	C	VAL	J	238	8.836	110.708	193.381	1.00117.68	J
ATOM	17946	O	VAL	J	238	8.951	111.919	193.585	1.00116.48	J
ATOM	17947	N	SER	J	239	9.091	110.135	192.207	1.00120.32	J
ATOM	17948	CA	SER	J	239	9.546	110.900	191.051	1.00122.64	J
ATOM	17949	CB	SER	J	239	10.204	109.969	190.028	1.00122.05	J
ATOM	17950	OG	SER	J	239	10.644	110.691	188.889	1.00121.15	J
ATOM	17951	C	SER	J	239	8.432	111.688	190.369	1.00124.32	J
ATOM	17952	O	SER	J	239	7.247	111.391	190.522	1.00125.40	J
ATOM	17953	N	LEU	J	240	8.835	112.700	189.611	1.00125.05	J
ATOM	17954	CA	LEU	J	240	7.908	113.551	188.883	1.00124.72	J
ATOM	17955	CB	LEU	J	240	7.607	114.811	189.699	1.00123.81	J
ATOM	17956	CG	LEU	J	240	6.983	114.545	191.074	1.00122.85	J
ATOM	17957	CD1	LEU	J	240	6.997	115.810	191.911	1.00120.85	J
ATOM	17958	CD2	LEU	J	240	5.567	114.024	190.897	1.00122.14	J
ATOM	17959	C	LEU	J	240	8.594	113.911	187.574	1.00125.23	J
ATOM	17960	O	LEU	J	240	7.969	113.935	186.517	1.00126.05	J
ATOM	17961	N	GLY	J	241	9.894	114.179	187.659	1.00125.20	J
ATOM	17962	CA	GLY	J	241	10.672	114.519	186.482	1.00124.89	J
ATOM	17963	C	GLY	J	241	10.178	115.715	185.694	1.00125.02	J
ATOM	17964	O	GLY	J	241	10.124	116.833	186.206	1.00124.61	J
ATOM	17965	N	ALA	J	242	9.821	115.473	184.437	1.00125.67	J
ATOM	17966	CA	ALA	J	242	9.335	116.523	183.550	1.00126.35	J
ATOM	17967	CB	ALA	J	242	8.955	115.926	182.199	1.00125.72	J
ATOM	17968	C	ALA	J	242	8.149	117.282	184.136	1.00126.97	J
ATOM	17969	O	ALA	J	242	7.002	116.843	184.022	1.00127.75	J
ATOM	17970	N	VAL	J	243	8.435	118.423	184.759	1.00126.86	J
ATOM	17971	CA	VAL	J	243	7.399	119.262	185.356	1.00126.78	J
ATOM	17972	CB	VAL	J	243	7.427	119.180	186.893	1.00123.95	J
ATOM	17973	CG1	VAL	J	243	6.267	119.972	187.472	1.00120.65	J
ATOM	17974	CG2	VAL	J	243	7.357	117.729	187.334	1.00122.11	J
ATOM	17975	C	VAL	J	243	7.586	120.722	184.936	1.00128.62	J
ATOM	17976	O	VAL	J	243	8.206	121.513	185.650	1.00128.71	J
ATOM	17977	N	GLY	J	244	7.042	121.067	183.770	1.00129.92	J
ATOM	17978	CA	GLY	J	244	7.160	122.421	183.260	1.00130.42	J
ATOM	17979	C	GLY	J	244	5.917	123.272	183.436	1.00130.72	J
ATOM	17980	O	GLY	J	244	5.474	123.508	184.561	1.00129.61	J
ATOM	17981	N	THR	J	245	5.353	123.731	182.320	1.00132.02	J
ATOM	17982	CA	THR	J	245	4.159	124.577	182.337	1.00133.15	J
ATOM	17983	CB	THR	J	245	4.121	125.515	181.108	1.00133.43	J
ATOM	17984	OG1	THR	J	245	4.109	124.735	179.906	1.00132.63	J
ATOM	17985	CG2	THR	J	245	5.334	126.435	181.103	1.00131.66	J
ATOM	17986	C	THR	J	245	2.851	123.784	182.373	1.00133.57	J
ATOM	17987	O	THR	J	245	1.814	124.307	182.786	1.00133.61	J
ATOM	17988	N	SER	J	246	2.903	122.530	181.934	1.00133.50	J
ATOM	17989	CA	SER	J	246	1.726	121.665	181.927	1.00132.45	J

ATOM	17990	CB	SER J 246	1.956	120.478	180.991	1.00131.31	J
ATOM	17991	OG	SER J 246	2.343	120.921	179.703	1.00131.40	J
ATOM	17992	C	SER J 246	1.453	121.157	183.340	1.00132.45	J
ATOM	17993	O	SER J 246	2.013	120.143	183.759	1.00132.32	J
ATOM	17994	N	ALA J 247	0.594	121.868	184.067	1.00132.37	J
ATOM	17995	CA	ALA J 247	0.245	121.512	185.441	1.00133.21	J
ATOM	17996	CB	ALA J 247	-0.985	122.295	185.880	1.00131.53	J
ATOM	17997	C	ALA J 247	-0.002	120.016	185.615	1.00134.60	J
ATOM	17998	O	ALA J 247	-1.118	119.538	185.410	1.00134.67	J
ATOM	17999	N	VAL J 248	1.042	119.286	186.003	1.00136.02	J
ATOM	18000	CA	VAL J 248	0.949	117.840	186.208	1.00136.57	J
ATOM	18001	CB	VAL J 248	2.356	117.175	186.195	1.00135.85	J
ATOM	18002	CG1	VAL J 248	2.217	115.662	186.289	1.00135.24	J
ATOM	18003	CG2	VAL J 248	3.113	117.562	184.928	1.00133.13	J
ATOM	18004	C	VAL J 248	0.266	117.528	187.542	1.00137.20	J
ATOM	18005	O	VAL J 248	0.571	118.149	188.562	1.00135.83	J
ATOM	18006	N	SER J 249	-0.659	116.570	187.526	1.00138.88	J
ATOM	18007	CA	SER J 249	-1.387	116.181	188.732	1.00140.42	J
ATOM	18008	CB	SER J 249	-2.853	115.874	188.397	1.00139.06	J
ATOM	18009	OG	SER J 249	-3.625	115.690	189.573	1.00134.37	J
ATOM	18010	C	SER J 249	-0.735	114.960	189.379	1.00142.60	J
ATOM	18011	O	SER J 249	0.008	114.222	188.725	1.00143.06	J
ATOM	18012	N	LEU J 250	-1.019	114.753	190.663	1.00143.89	J
ATOM	18013	CA	LEU J 250	-0.451	113.637	191.419	1.00144.19	J
ATOM	18014	CB	LEU J 250	-0.269	114.044	192.884	1.00143.11	J
ATOM	18015	CG	LEU J 250	0.728	115.170	193.166	1.00142.70	J
ATOM	18016	CD1	LEU J 250	0.632	115.596	194.619	1.00141.95	J
ATOM	18017	CD2	LEU J 250	2.134	114.700	192.835	1.00142.32	J
ATOM	18018	C	LEU J 250	-1.275	112.355	191.354	1.00144.89	J
ATOM	18019	O	LEU J 250	-0.727	111.256	191.420	1.00144.51	J
ATOM	18020	N	GLY J 251	-2.590	112.498	191.227	1.00145.91	J
ATOM	18021	CA	GLY J 251	-3.448	111.329	191.168	1.00146.65	J
ATOM	18022	C	GLY J 251	-3.602	110.727	192.551	1.00146.95	J
ATOM	18023	O	GLY J 251	-3.814	109.522	192.705	1.00147.02	J
ATOM	18024	N	LEU J 252	-3.492	111.581	193.562	1.00147.05	J
ATOM	18025	CA	LEU J 252	-3.610	111.156	194.947	1.00147.40	J
ATOM	18026	CB	LEU J 252	-3.182	112.293	195.872	1.00146.73	J
ATOM	18027	CG	LEU J 252	-1.846	112.955	195.532	1.00145.87	J
ATOM	18028	CD1	LEU J 252	-1.553	114.031	196.557	1.00146.09	J
ATOM	18029	CD2	LEU J 252	-0.732	111.918	195.507	1.00146.05	J
ATOM	18030	C	LEU J 252	-5.038	110.741	195.269	1.00148.27	J
ATOM	18031	O	LEU J 252	-5.987	111.475	194.989	1.00148.40	J
ATOM	18032	N	THR J 253	-5.185	109.559	195.858	1.00149.40	J
ATOM	18033	CA	THR J 253	-6.499	109.044	196.223	1.00150.34	J
ATOM	18034	CB	THR J 253	-6.833	107.767	195.434	1.00148.46	J
ATOM	18035	OG1	THR J 253	-6.483	107.949	194.056	1.00146.94	J
ATOM	18036	CG2	THR J 253	-8.316	107.463	195.534	1.00147.25	J
ATOM	18037	C	THR J 253	-6.535	108.721	197.714	1.00152.10	J
ATOM	18038	O	THR J 253	-6.422	107.560	198.105	1.00152.21	J
ATOM	18039	N	ALA J 254	-6.686	109.755	198.540	1.00153.91	J
ATOM	18040	CA	ALA J 254	-6.734	109.586	199.990	1.00155.97	J
ATOM	18041	CB	ALA J 254	-7.035	110.922	200.661	1.00154.46	J
ATOM	18042	C	ALA J 254	-7.794	108.558	200.370	1.00158.34	J
ATOM	18043	O	ALA J 254	-8.990	108.842	200.317	1.00158.95	J
ATOM	18044	N	ASN J 255	-7.347	107.365	200.754	1.00160.63	J
ATOM	18045	CA	ASN J 255	-8.257	106.286	201.135	1.00162.48	J
ATOM	18046	CB	ASN J 255	-7.948	105.020	200.323	1.00160.56	J
ATOM	18047	CG	ASN J 255	-8.217	105.192	198.836	1.00158.05	J

ATOM	18048	OD1	ASN	J	255	-8.012	104.271	198.046	1.00154.85	J
ATOM	18049	ND2	ASN	J	255	-8.682	106.374	198.450	1.00158.21	J
ATOM	18050	C	ASN	J	255	-8.188	105.964	202.627	1.00164.77	J
ATOM	18051	O	ASN	J	255	-7.316	106.461	203.343	1.00164.13	J
ATOM	18052	N	TYR	J	256	-9.119	105.127	203.082	1.00167.92	J
ATOM	18053	CA	TYR	J	256	-9.192	104.719	204.483	1.00170.45	J
ATOM	18054	CB	TYR	J	256	-10.567	104.108	204.786	1.00172.17	J
ATOM	18055	CG	TYR	J	256	-11.631	105.123	205.153	1.00173.81	J
ATOM	18056	CD1	TYR	J	256	-11.971	106.158	204.283	1.00174.16	J
ATOM	18057	CE1	TYR	J	256	-12.935	107.106	204.631	1.00174.63	J
ATOM	18058	CD2	TYR	J	256	-12.287	105.057	206.384	1.00174.21	J
ATOM	18059	CE2	TYR	J	256	-13.253	106.000	206.741	1.00174.77	J
ATOM	18060	CZ	TYR	J	256	-13.571	107.022	205.860	1.00174.80	J
ATOM	18061	OH	TYR	J	256	-14.514	107.963	206.211	1.00174.73	J
ATOM	18062	C	TYR	J	256	-8.096	103.727	204.864	1.00171.34	J
ATOM	18063	O	TYR	J	256	-7.812	102.783	204.124	1.00171.17	J
ATOM	18064	N	ALA	J	257	-7.493	103.946	206.030	1.00172.65	J
ATOM	18065	CA	ALA	J	257	-6.420	103.087	206.521	1.00173.95	J
ATOM	18066	CB	ALA	J	257	-5.154	103.910	206.734	1.00173.89	J
ATOM	18067	C	ALA	J	257	-6.794	102.366	207.814	1.00174.86	J
ATOM	18068	O	ALA	J	257	-6.663	102.918	208.907	1.00174.73	J
ATOM	18069	N	ARG	J	258	-7.257	101.127	207.675	1.00176.13	J
ATOM	18070	CA	ARG	J	258	-7.643	100.306	208.818	1.00177.35	J
ATOM	18071	CB	ARG	J	258	-8.624	99.222	208.360	1.00177.99	J
ATOM	18072	CG	ARG	J	258	-9.214	98.366	209.469	1.00178.56	J
ATOM	18073	CD	ARG	J	258	-10.296	97.448	208.914	1.00179.39	J
ATOM	18074	NE	ARG	J	258	-10.814	96.520	209.917	1.00180.82	J
ATOM	18075	CZ	ARG	J	258	-11.795	95.649	209.695	1.00181.14	J
ATOM	18076	NH1	ARG	J	258	-12.201	94.841	210.666	1.00180.59	J
ATOM	18077	NH2	ARG	J	258	-12.375	95.588	208.504	1.00181.16	J
ATOM	18078	C	ARG	J	258	-6.372	99.676	209.390	1.00178.02	J
ATOM	18079	O	ARG	J	258	-5.535	99.173	208.640	1.00178.11	J
ATOM	18080	N	THR	J	259	-6.228	99.706	210.713	1.00178.78	J
ATOM	18081	CA	THR	J	259	-5.037	99.159	211.361	1.00179.70	J
ATOM	18082	CB	THR	J	259	-4.533	100.106	212.471	1.00179.57	J
ATOM	18083	OG1	THR	J	259	-5.526	100.211	213.499	1.00178.56	J
ATOM	18084	CG2	THR	J	259	-4.252	101.489	211.903	1.00179.06	J
ATOM	18085	C	THR	J	259	-5.217	97.763	211.962	1.00180.58	J
ATOM	18086	O	THR	J	259	-5.330	96.775	211.235	1.00180.38	J
ATOM	18087	N	GLY	J	260	-5.227	97.691	213.291	1.00181.70	J
ATOM	18088	CA	GLY	J	260	-5.380	96.420	213.978	1.00182.73	J
ATOM	18089	C	GLY	J	260	-6.588	95.617	213.537	1.00183.54	J
ATOM	18090	O	GLY	J	260	-6.446	94.571	212.903	1.00184.11	J
ATOM	18091	N	GLY	J	261	-7.780	96.101	213.876	1.00183.84	J
ATOM	18092	CA	GLY	J	261	-8.996	95.403	213.498	1.00183.98	J
ATOM	18093	C	GLY	J	261	-10.240	96.253	213.670	1.00184.04	J
ATOM	18094	O	GLY	J	261	-11.008	96.447	212.728	1.00184.18	J
ATOM	18095	N	GLN	J	262	-10.438	96.760	214.882	1.00183.98	J
ATOM	18096	CA	GLN	J	262	-11.589	97.599	215.196	1.00184.29	J
ATOM	18097	CB	GLN	J	262	-11.523	98.030	216.665	1.00183.44	J
ATOM	18098	CG	GLN	J	262	-12.628	98.979	217.112	1.00182.63	J
ATOM	18099	CD	GLN	J	262	-13.997	98.325	217.154	1.00181.85	J
ATOM	18100	OE1	GLN	J	262	-14.989	98.965	217.501	1.00181.16	J
ATOM	18101	NE2	GLN	J	262	-14.057	97.047	216.803	1.00181.68	J
ATOM	18102	C	GLN	J	262	-11.642	98.835	214.297	1.00185.18	J
ATOM	18103	O	GLN	J	262	-10.612	99.305	213.814	1.00185.49	J
ATOM	18104	N	VAL	J	263	-12.850	99.345	214.068	1.00185.98	J
ATOM	18105	CA	VAL	J	263	-13.061	100.538	213.245	1.00186.22	J

ATOM	18106	CB	VAL	J	263	-13.439	100.166	211.786	1.00186.10	J
ATOM	18107	CG1	VAL	J	263	-13.480	101.418	210.921	1.00185.69	J
ATOM	18108	CG2	VAL	J	263	-12.443	99.167	211.223	1.00185.51	J
ATOM	18109	C	VAL	J	263	-14.203	101.347	213.871	1.00186.23	J
ATOM	18110	O	VAL	J	263	-15.211	101.636	213.223	1.00186.26	J
ATOM	18111	N	THR	J	264	-14.024	101.703	215.141	1.00185.95	J
ATOM	18112	CA	THR	J	264	-15.014	102.458	215.908	1.00185.29	J
ATOM	18113	CB	THR	J	264	-14.470	102.785	217.321	1.00184.82	J
ATOM	18114	OG1	THR	J	264	-13.821	101.628	217.862	1.00183.61	J
ATOM	18115	CG2	THR	J	264	-15.605	103.182	218.256	1.00184.35	J
ATOM	18116	C	THR	J	264	-15.436	103.761	215.224	1.00185.24	J
ATOM	18117	O	THR	J	264	-15.028	104.049	214.098	1.00185.00	J
ATOM	18118	N	ALA	J	265	-16.262	104.540	215.917	1.00185.32	J
ATOM	18119	CA	ALA	J	265	-16.756	105.810	215.400	1.00185.41	J
ATOM	18120	CB	ALA	J	265	-18.228	105.977	215.764	1.00185.27	J
ATOM	18121	C	ALA	J	265	-15.949	106.986	215.943	1.00185.42	J
ATOM	18122	O	ALA	J	265	-15.478	106.955	217.082	1.00185.34	J
ATOM	18123	N	GLY	J	266	-15.794	108.021	215.121	1.00185.11	J
ATOM	18124	CA	GLY	J	266	-15.047	109.195	215.535	1.00184.25	J
ATOM	18125	C	GLY	J	266	-14.764	110.148	214.388	1.00183.46	J
ATOM	18126	O	GLY	J	266	-15.661	110.481	213.612	1.00183.43	J
ATOM	18127	N	ASN	J	267	-13.513	110.587	214.278	1.00182.66	J
ATOM	18128	CA	ASN	J	267	-13.106	111.509	213.222	1.00181.41	J
ATOM	18129	CB	ASN	J	267	-12.609	112.826	213.828	1.00181.64	J
ATOM	18130	CG	ASN	J	267	-13.727	113.656	214.417	1.00181.65	J
ATOM	18131	OD1	ASN	J	267	-13.487	114.677	215.062	1.00181.90	J
ATOM	18132	ND2	ASN	J	267	-14.961	113.228	214.191	1.00181.64	J
ATOM	18133	C	ASN	J	267	-12.008	110.942	212.329	1.00180.27	J
ATOM	18134	O	ASN	J	267	-11.126	110.222	212.791	1.00180.50	J
ATOM	18135	N	VAL	J	268	-12.075	111.273	211.043	1.00178.87	J
ATOM	18136	CA	VAL	J	268	-11.075	110.838	210.068	1.00176.97	J
ATOM	18137	CB	VAL	J	268	-11.744	110.274	208.782	1.00176.62	J
ATOM	18138	CG1	VAL	J	268	-10.687	109.800	207.802	1.00175.61	J
ATOM	18139	CG2	VAL	J	268	-12.679	109.130	209.139	1.00175.62	J
ATOM	18140	C	VAL	J	268	-10.256	112.085	209.712	1.00175.74	J
ATOM	18141	O	VAL	J	268	-10.271	112.549	208.569	1.00175.49	J
ATOM	18142	N	GLN	J	269	-9.545	112.623	210.700	1.00174.40	J
ATOM	18143	CA	GLN	J	269	-8.748	113.830	210.511	1.00172.97	J
ATOM	18144	CB	GLN	J	269	-9.202	114.883	211.523	1.00171.15	J
ATOM	18145	CG	GLN	J	269	-10.720	115.076	211.574	1.00167.84	J
ATOM	18146	CD	GLN	J	269	-11.133	116.202	212.506	1.00166.01	J
ATOM	18147	OE1	GLN	J	269	-10.779	117.359	212.289	1.00165.52	J
ATOM	18148	NE2	GLN	J	269	-11.878	115.866	213.552	1.00164.67	J
ATOM	18149	C	GLN	J	269	-7.243	113.585	210.647	1.00172.85	J
ATOM	18150	O	GLN	J	269	-6.765	113.134	211.687	1.00173.07	J
ATOM	18151	N	SER	J	270	-6.505	113.891	209.584	1.00172.68	J
ATOM	18152	CA	SER	J	270	-5.057	113.719	209.564	1.00172.05	J
ATOM	18153	CB	SER	J	270	-4.686	112.428	208.823	1.00171.75	J
ATOM	18154	OG	SER	J	270	-3.280	112.279	208.713	1.00170.69	J
ATOM	18155	C	SER	J	270	-4.364	114.908	208.902	1.00171.45	J
ATOM	18156	O	SER	J	270	-5.002	115.709	208.214	1.00171.24	J
ATOM	18157	N	ILE	J	271	-3.055	115.014	209.116	1.00170.53	J
ATOM	18158	CA	ILE	J	271	-2.261	116.098	208.544	1.00168.55	J
ATOM	18159	CB	ILE	J	271	-1.871	117.158	209.614	1.00168.39	J
ATOM	18160	CG2	ILE	J	271	-1.086	118.285	208.961	1.00168.02	J
ATOM	18161	CG1	ILE	J	271	-3.123	117.731	210.288	1.00167.65	J
ATOM	18162	CD1	ILE	J	271	-3.748	116.832	211.341	1.00165.19	J
ATOM	18163	C	ILE	J	271	-0.978	115.542	207.914	1.00166.46	J

ATOM	18164	O	ILE	J	271	0.086	115.533	208.541	1.00166.52	J
ATOM	18165	N	ILE	J	272	-1.090	115.083	206.669	1.00163.43	J
ATOM	18166	CA	ILE	J	272	0.041	114.516	205.937	1.00159.99	J
ATOM	18167	CB	ILE	J	272	-0.443	113.473	204.901	1.00158.97	J
ATOM	18168	CG2	ILE	J	272	0.756	112.783	204.252	1.00158.51	J
ATOM	18169	CG1	ILE	J	272	-1.349	112.443	205.582	1.00157.87	J
ATOM	18170	CD1	ILE	J	272	-1.993	111.464	204.622	1.00156.90	J
ATOM	18171	C	ILE	J	272	0.837	115.598	205.204	1.00157.87	J
ATOM	18172	O	ILE	J	272	0.493	115.981	204.085	1.00158.37	J
ATOM	18173	N	GLY	J	273	1.905	116.077	205.836	1.00154.48	J
ATOM	18174	CA	GLY	J	273	2.725	117.110	205.226	1.00150.08	J
ATOM	18175	C	GLY	J	273	3.429	116.651	203.963	1.00146.13	J
ATOM	18176	O	GLY	J	273	4.590	116.251	204.003	1.00147.06	J
ATOM	18177	N	VAL	J	274	2.728	116.712	202.835	1.00141.24	J
ATOM	18178	CA	VAL	J	274	3.303	116.293	201.565	1.00136.80	J
ATOM	18179	CB	VAL	J	274	2.250	116.325	200.446	1.00136.56	J
ATOM	18180	CG1	VAL	J	274	2.863	115.843	199.144	1.00136.75	J
ATOM	18181	CG2	VAL	J	274	1.066	115.458	200.829	1.00136.24	J
ATOM	18182	C	VAL	J	274	4.472	117.191	201.174	1.00133.54	J
ATOM	18183	O	VAL	J	274	4.296	118.193	200.482	1.00133.65	J
ATOM	18184	N	THR	J	275	5.667	116.819	201.620	1.00129.83	J
ATOM	18185	CA	THR	J	275	6.873	117.584	201.335	1.00125.12	J
ATOM	18186	CB	THR	J	275	7.989	117.256	202.352	1.00122.17	J
ATOM	18187	OG1	THR	J	275	7.546	117.577	203.675	1.00118.13	J
ATOM	18188	CG2	THR	J	275	9.242	118.054	202.045	1.00121.39	J
ATOM	18189	C	THR	J	275	7.409	117.328	199.929	1.00124.02	J
ATOM	18190	O	THR	J	275	7.327	116.215	199.411	1.00122.55	J
ATOM	18191	N	PHE	J	276	7.953	118.379	199.322	1.00124.14	J
ATOM	18192	CA	PHE	J	276	8.530	118.308	197.983	1.00123.67	J
ATOM	18193	CB	PHE	J	276	7.953	119.409	197.094	1.00119.85	J
ATOM	18194	CG	PHE	J	276	6.565	119.132	196.597	1.00117.96	J
ATOM	18195	CD1	PHE	J	276	5.545	118.793	197.479	1.00117.17	J
ATOM	18196	CD2	PHE	J	276	6.275	119.228	195.239	1.00117.21	J
ATOM	18197	CE1	PHE	J	276	4.253	118.556	197.015	1.00116.52	J
ATOM	18198	CE2	PHE	J	276	4.989	118.994	194.763	1.00116.13	J
ATOM	18199	CZ	PHE	J	276	3.975	118.656	195.653	1.00116.81	J
ATOM	18200	C	PHE	J	276	10.045	118.488	198.074	1.00125.47	J
ATOM	18201	O	PHE	J	276	10.535	119.287	198.878	1.00127.22	J
ATOM	18202	N	VAL	J	277	10.781	117.746	197.251	1.00124.83	J
ATOM	18203	CA	VAL	J	277	12.238	117.835	197.236	1.00123.65	J
ATOM	18204	CB	VAL	J	277	12.893	116.451	197.481	1.00124.37	J
ATOM	18205	CG1	VAL	J	277	14.405	116.549	197.317	1.00124.34	J
ATOM	18206	CG2	VAL	J	277	12.556	115.956	198.880	1.00123.45	J
ATOM	18207	C	VAL	J	277	12.700	118.375	195.889	1.00122.51	J
ATOM	18208	O	VAL	J	277	12.269	117.900	194.836	1.00121.42	J
ATOM	18209	N	TYR	J	278	13.577	119.371	195.927	1.00121.98	J
ATOM	18210	CA	TYR	J	278	14.078	119.966	194.701	1.00122.27	J
ATOM	18211	CB	TYR	J	278	14.052	121.488	194.802	1.00122.26	J
ATOM	18212	CG	TYR	J	278	12.656	122.059	194.741	1.00120.99	J
ATOM	18213	CD1	TYR	J	278	11.818	122.037	195.858	1.00120.38	J
ATOM	18214	CE1	TYR	J	278	10.515	122.532	195.790	1.00120.11	J
ATOM	18215	CD2	TYR	J	278	12.158	122.590	193.554	1.00118.92	J
ATOM	18216	CE2	TYR	J	278	10.862	123.085	193.474	1.00119.39	J
ATOM	18217	CZ	TYR	J	278	10.043	123.054	194.592	1.00119.90	J
ATOM	18218	OH	TYR	J	278	8.753	123.540	194.502	1.00118.40	J
ATOM	18219	C	TYR	J	278	15.471	119.498	194.332	1.00122.15	J
ATOM	18220	O	TYR	J	278	16.346	119.372	195.187	1.00122.66	J
ATOM	18221	N	GLN	J	279	15.659	119.246	193.041	1.00122.49	J

ATOM	18222	CA	GLN	J	279	16.933	118.781	192.508	1.00123.50	J
ATOM	18223	CB	GLN	J	279	16.686	117.882	191.296	1.00124.34	J
ATOM	18224	CG	GLN	J	279	17.929	117.219	190.732	1.00124.61	J
ATOM	18225	CD	GLN	J	279	17.665	116.549	189.397	1.00125.43	J
ATOM	18226	OE1	GLN	J	279	18.529	115.860	188.853	1.00125.75	J
ATOM	18227	NE2	GLN	J	279	16.467	116.756	188.858	1.00125.28	J
ATOM	18228	C	GLN	J	279	17.819	119.954	192.101	1.00123.92	J
ATOM	18229	O	GLN	J	279	18.911	120.096	192.688	1.00124.59	J
ATOM	18230	OXT	GLN	J	279	17.412	120.716	191.199	1.00124.65	J
ATOM	18231	C	GLY	K	1	59.668	136.242	143.468	1.00142.61	K
ATOM	18232	O	GLY	K	1	60.271	135.701	142.542	1.00143.27	K
ATOM	18233	N	GLY	K	1	58.938	138.342	144.613	1.00141.39	K
ATOM	18234	CA	GLY	K	1	59.104	137.641	143.308	1.00142.21	K
ATOM	18235	N	VAL	K	2	59.473	135.654	144.645	1.00142.73	K
ATOM	18236	CA	VAL	K	2	59.964	134.308	144.934	1.00142.68	K
ATOM	18237	CB	VAL	K	2	59.664	133.920	146.407	1.00141.83	K
ATOM	18238	CG1	VAL	K	2	60.361	132.615	146.760	1.00141.69	K
ATOM	18239	CG2	VAL	K	2	60.110	135.038	147.341	1.00139.82	K
ATOM	18240	C	VAL	K	2	59.331	133.271	143.993	1.00143.70	K
ATOM	18241	O	VAL	K	2	58.225	133.473	143.484	1.00144.36	K
ATOM	18242	N	ALA	K	3	60.044	132.171	143.756	1.00143.96	K
ATOM	18243	CA	ALA	K	3	59.561	131.101	142.883	1.00144.60	K
ATOM	18244	CB	ALA	K	3	59.714	131.504	141.426	1.00143.73	K
ATOM	18245	C	ALA	K	3	60.313	129.796	143.147	1.00145.04	K
ATOM	18246	O	ALA	K	3	61.544	129.773	143.185	1.00144.60	K
ATOM	18247	N	LEU	K	4	59.567	128.708	143.320	1.00145.55	K
ATOM	18248	CA	LEU	K	4	60.166	127.408	143.595	1.00145.23	K
ATOM	18249	CB	LEU	K	4	59.119	126.444	144.156	1.00145.22	K
ATOM	18250	CG	LEU	K	4	58.564	126.774	145.548	1.00146.44	K
ATOM	18251	CD1	LEU	K	4	57.558	125.709	145.958	1.00148.37	K
ATOM	18252	CD2	LEU	K	4	59.698	126.845	146.561	1.00144.80	K
ATOM	18253	C	LEU	K	4	60.823	126.788	142.378	1.00145.05	K
ATOM	18254	O	LEU	K	4	60.358	126.950	141.255	1.00143.62	K
ATOM	18255	N	GLY	K	5	61.915	126.072	142.619	1.00146.16	K
ATOM	18256	CA	GLY	K	5	62.632	125.431	141.537	1.00147.85	K
ATOM	18257	C	GLY	K	5	61.852	124.290	140.917	1.00149.45	K
ATOM	18258	O	GLY	K	5	62.184	123.840	139.820	1.00149.61	K
ATOM	18259	N	ALA	K	6	60.814	123.819	141.606	1.00150.32	K
ATOM	18260	CA	ALA	K	6	60.016	122.715	141.086	1.00150.66	K
ATOM	18261	CB	ALA	K	6	60.463	121.407	141.723	1.00150.83	K
ATOM	18262	C	ALA	K	6	58.513	122.881	141.259	1.00150.58	K
ATOM	18263	O	ALA	K	6	58.041	123.580	142.156	1.00149.89	K
ATOM	18264	N	THR	K	7	57.772	122.210	140.385	1.00150.88	K
ATOM	18265	CA	THR	K	7	56.318	122.239	140.393	1.00150.83	K
ATOM	18266	CB	THR	K	7	55.772	122.192	138.951	1.00150.30	K
ATOM	18267	OG1	THR	K	7	56.286	121.034	138.278	1.00149.10	K
ATOM	18268	CG2	THR	K	7	56.196	123.435	138.189	1.00150.35	K
ATOM	18269	C	THR	K	7	55.767	121.048	141.174	1.00151.34	K
ATOM	18270	O	THR	K	7	54.566	120.966	141.443	1.00151.85	K
ATOM	18271	N	ARG	K	8	56.654	120.123	141.529	1.00151.29	K
ATOM	18272	CA	ARG	K	8	56.272	118.933	142.281	1.00151.12	K
ATOM	18273	CB	ARG	K	8	55.551	117.932	141.382	1.00149.87	K
ATOM	18274	CG	ARG	K	8	56.444	117.296	140.332	1.00148.00	K
ATOM	18275	CD	ARG	K	8	56.183	117.846	138.934	1.00148.09	K
ATOM	18276	NE	ARG	K	8	54.920	117.368	138.368	1.00146.29	K
ATOM	18277	CZ	ARG	K	8	53.723	117.870	138.654	1.00146.82	K
ATOM	18278	NH1	ARG	K	8	52.643	117.356	138.086	1.00147.14	K
ATOM	18279	NH2	ARG	K	8	53.602	118.894	139.492	1.00146.24	K

ATOM	18280	C	ARG	K	8	57.515	118.266	142.854	1.00152.20	K
ATOM	18281	O	ARG	K	8	58.627	118.492	142.373	1.00151.60	K
ATOM	18282	N	VAL	K	9	57.321	117.438	143.878	1.00154.22	K
ATOM	18283	CA	VAL	K	9	58.425	116.731	144.525	1.00154.80	K
ATOM	18284	CB	VAL	K	9	58.768	117.360	145.902	1.00153.38	K
ATOM	18285	CG1	VAL	K	9	60.000	116.691	146.491	1.00150.60	K
ATOM	18286	CG2	VAL	K	9	58.993	118.854	145.751	1.00152.19	K
ATOM	18287	C	VAL	K	9	58.083	115.251	144.740	1.00156.51	K
ATOM	18288	O	VAL	K	9	56.971	114.909	145.150	1.00156.61	K
ATOM	18289	N	ILE	K	10	59.046	114.380	144.453	1.00158.35	K
ATOM	18290	CA	ILE	K	10	58.870	112.939	144.627	1.00159.71	K
ATOM	18291	CB	ILE	K	10	59.281	112.161	143.356	1.00157.41	K
ATOM	18292	CG2	ILE	K	10	59.112	110.666	143.583	1.00156.43	K
ATOM	18293	CG1	ILE	K	10	58.428	112.611	142.168	1.00156.45	K
ATOM	18294	CD1	ILE	K	10	56.943	112.333	142.329	1.00155.52	K
ATOM	18295	C	ILE	K	10	59.765	112.503	145.782	1.00161.91	K
ATOM	18296	O	ILE	K	10	60.989	112.587	145.688	1.00162.26	K
ATOM	18297	N	TYR	K	11	59.153	112.045	146.871	1.00164.02	K
ATOM	18298	CA	TYR	K	11	59.915	111.617	148.038	1.00166.06	K
ATOM	18299	CB	TYR	K	11	59.215	112.049	149.328	1.00166.64	K
ATOM	18300	CG	TYR	K	11	60.163	112.144	150.495	1.00167.04	K
ATOM	18301	CD1	TYR	K	11	60.872	113.319	150.739	1.00167.39	K
ATOM	18302	CE1	TYR	K	11	61.806	113.400	151.763	1.00167.63	K
ATOM	18303	CD2	TYR	K	11	60.408	111.043	151.313	1.00167.03	K
ATOM	18304	CE2	TYR	K	11	61.344	111.110	152.343	1.00167.52	K
ATOM	18305	CZ	TYR	K	11	62.040	112.294	152.561	1.00167.39	K
ATOM	18306	OH	TYR	K	11	62.978	112.378	153.565	1.00167.15	K
ATOM	18307	C	TYR	K	11	60.116	110.106	148.066	1.00167.12	K
ATOM	18308	O	TYR	K	11	59.262	109.367	148.560	1.00166.73	K
ATOM	18309	N	PRO	K	12	61.255	109.626	147.542	1.00168.30	K
ATOM	18310	CD	PRO	K	12	62.376	110.368	146.938	1.00169.06	K
ATOM	18311	CA	PRO	K	12	61.521	108.185	147.534	1.00168.74	K
ATOM	18312	CB	PRO	K	12	62.928	108.095	146.941	1.00168.97	K
ATOM	18313	CG	PRO	K	12	63.016	109.316	146.075	1.00168.88	K
ATOM	18314	C	PRO	K	12	61.454	107.625	148.951	1.00168.93	K
ATOM	18315	O	PRO	K	12	62.082	108.159	149.865	1.00169.18	K
ATOM	18316	N	ALA	K	13	60.677	106.562	149.132	1.00168.82	K
ATOM	18317	CA	ALA	K	13	60.545	105.940	150.442	1.00168.51	K
ATOM	18318	CB	ALA	K	13	59.531	104.807	150.386	1.00167.98	K
ATOM	18319	C	ALA	K	13	61.911	105.411	150.859	1.00168.63	K
ATOM	18320	O	ALA	K	13	62.490	104.559	150.184	1.00167.85	K
ATOM	18321	N	GLY	K	14	62.422	105.929	151.971	1.00169.32	K
ATOM	18322	CA	GLY	K	14	63.724	105.509	152.453	1.00170.34	K
ATOM	18323	C	GLY	K	14	64.698	106.671	152.480	1.00171.43	K
ATOM	18324	O	GLY	K	14	65.605	106.711	153.311	1.00172.09	K
ATOM	18325	N	GLN	K	15	64.510	107.620	151.566	1.00171.87	K
ATOM	18326	CA	GLN	K	15	65.373	108.796	151.480	1.00172.37	K
ATOM	18327	CB	GLN	K	15	64.895	109.726	150.363	1.00172.28	K
ATOM	18328	CG	GLN	K	15	65.074	109.164	148.967	1.00172.30	K
ATOM	18329	CD	GLN	K	15	66.518	109.165	148.513	1.00172.69	K
ATOM	18330	OE1	GLN	K	15	67.400	108.647	149.198	1.00171.64	K
ATOM	18331	NE2	GLN	K	15	66.768	109.750	147.346	1.00173.38	K
ATOM	18332	C	GLN	K	15	65.373	109.558	152.798	1.00172.82	K
ATOM	18333	O	GLN	K	15	64.317	109.833	153.369	1.00173.14	K
ATOM	18334	N	LYS	K	16	66.563	109.895	153.281	1.00172.73	K
ATOM	18335	CA	LYS	K	16	66.692	110.630	154.530	1.00172.10	K
ATOM	18336	CB	LYS	K	16	68.162	110.723	154.938	1.00172.21	K
ATOM	18337	CG	LYS	K	16	68.391	111.274	156.337	1.00172.00	K

ATOM	18338	CD	LYS	K	16	69.875	111.504	156.604	1.00172.32	K
ATOM	18339	CE	LYS	K	16	70.707	110.257	156.301	1.00172.61	K
ATOM	18340	NZ	LYS	K	16	70.249	109.063	157.078	1.00172.57	K
ATOM	18341	C	LYS	K	16	66.123	112.031	154.346	1.00171.51	K
ATOM	18342	O	LYS	K	16	65.509	112.587	155.259	1.00171.75	K
ATOM	18343	N	GLN	K	17	66.322	112.590	153.155	1.00170.13	K
ATOM	18344	CA	GLN	K	17	65.842	113.932	152.855	1.00169.17	K
ATOM	18345	CB	GLN	K	17	66.657	114.961	153.642	1.00168.92	K
ATOM	18346	CG	GLN	K	17	68.159	114.865	153.404	1.00167.59	K
ATOM	18347	CD	GLN	K	17	68.899	116.136	153.777	1.00167.27	K
ATOM	18348	OE1	GLN	K	17	68.811	116.615	154.909	1.00167.28	K
ATOM	18349	NE2	GLN	K	17	69.638	116.690	152.821	1.00166.45	K
ATOM	18350	C	GLN	K	17	65.907	114.290	151.372	1.00168.61	K
ATOM	18351	O	GLN	K	17	66.837	113.898	150.667	1.00168.96	K
ATOM	18352	N	VAL	K	18	64.906	115.039	150.914	1.00167.45	K
ATOM	18353	CA	VAL	K	18	64.828	115.507	149.530	1.00165.77	K
ATOM	18354	CB	VAL	K	18	63.500	115.085	148.861	1.00164.57	K
ATOM	18355	CG1	VAL	K	18	63.372	115.734	147.493	1.00163.46	K
ATOM	18356	CG2	VAL	K	18	63.450	113.574	148.727	1.00163.92	K
ATOM	18357	C	VAL	K	18	64.889	117.032	149.608	1.00165.65	K
ATOM	18358	O	VAL	K	18	64.256	117.630	150.477	1.00165.71	K
ATOM	18359	N	GLN	K	19	65.648	117.665	148.718	1.00165.31	K
ATOM	18360	CA	GLN	K	19	65.769	119.120	148.759	1.00164.89	K
ATOM	18361	CB	GLN	K	19	67.214	119.518	149.086	1.00164.95	K
ATOM	18362	CG	GLN	K	19	68.254	119.062	148.079	1.00164.89	K
ATOM	18363	CD	GLN	K	19	69.674	119.354	148.540	1.00164.47	K
ATOM	18364	OE1	GLN	K	19	70.122	118.837	149.565	1.00163.70	K
ATOM	18365	NE2	GLN	K	19	70.387	120.185	147.784	1.00162.72	K
ATOM	18366	C	GLN	K	19	65.302	119.864	147.511	1.00164.51	K
ATOM	18367	O	GLN	K	19	65.597	119.472	146.381	1.00164.38	K
ATOM	18368	N	LEU	K	20	64.571	120.952	147.745	1.00164.06	K
ATOM	18369	CA	LEU	K	20	64.035	121.795	146.683	1.00163.85	K
ATOM	18370	CB	LEU	K	20	62.551	122.080	146.953	1.00164.90	K
ATOM	18371	CG	LEU	K	20	61.719	122.830	145.903	1.00165.17	K
ATOM	18372	CD1	LEU	K	20	61.726	122.061	144.597	1.00165.03	K
ATOM	18373	CD2	LEU	K	20	60.291	123.001	146.406	1.00165.66	K
ATOM	18374	C	LEU	K	20	64.828	123.104	146.634	1.00163.47	K
ATOM	18375	O	LEU	K	20	65.603	123.398	147.545	1.00162.48	K
ATOM	18376	N	ALA	K	21	64.628	123.887	145.576	1.00163.49	K
ATOM	18377	CA	ALA	K	21	65.344	125.150	145.410	1.00163.08	K
ATOM	18378	CB	ALA	K	21	66.108	125.138	144.089	1.00163.42	K
ATOM	18379	C	ALA	K	21	64.441	126.379	145.472	1.00162.52	K
ATOM	18380	O	ALA	K	21	63.397	126.429	144.821	1.00162.67	K
ATOM	18381	N	VAL	K	22	64.861	127.374	146.251	1.00161.83	K
ATOM	18382	CA	VAL	K	22	64.103	128.615	146.408	1.00161.53	K
ATOM	18383	CB	VAL	K	22	63.823	128.923	147.891	1.00160.95	K
ATOM	18384	CG1	VAL	K	22	62.597	129.815	148.010	1.00160.17	K
ATOM	18385	CG2	VAL	K	22	63.639	127.637	148.665	1.00159.81	K
ATOM	18386	C	VAL	K	22	64.896	129.784	145.834	1.00161.80	K
ATOM	18387	O	VAL	K	22	66.052	129.991	146.200	1.00162.12	K
ATOM	18388	N	THR	K	23	64.273	130.560	144.953	1.00161.62	K
ATOM	18389	CA	THR	K	23	64.951	131.695	144.336	1.00160.92	K
ATOM	18390	CB	THR	K	23	65.279	131.393	142.855	1.00160.04	K
ATOM	18391	OG1	THR	K	23	65.737	132.587	142.212	1.00160.96	K
ATOM	18392	CG2	THR	K	23	64.053	130.864	142.125	1.00158.48	K
ATOM	18393	C	THR	K	23	64.157	133.000	144.413	1.00161.11	K
ATOM	18394	O	THR	K	23	63.072	133.110	143.849	1.00161.78	K
ATOM	18395	N	ASN	K	24	64.708	133.987	145.114	1.00161.47	K

ATOM	18396	CA	ASN	K	24	64.056	135.285	145.258	1.00162.34	K
ATOM	18397	CB	ASN	K	24	64.409	135.907	146.615	1.00163.83	K
ATOM	18398	CG	ASN	K	24	63.866	137.320	146.773	1.00165.10	K
ATOM	18399	OD1	ASN	K	24	62.825	137.663	146.213	1.00166.79	K
ATOM	18400	ND2	ASN	K	24	64.561	138.138	147.557	1.00165.25	K
ATOM	18401	C	ASN	K	24	64.466	136.227	144.131	1.00162.31	K
ATOM	18402	O	ASN	K	24	65.612	136.669	144.065	1.00162.42	K
ATOM	18403	N	ASN	K	25	63.518	136.529	143.249	1.00162.66	K
ATOM	18404	CA	ASN	K	25	63.769	137.410	142.112	1.00163.52	K
ATOM	18405	CB	ASN	K	25	62.652	137.269	141.074	1.00161.18	K
ATOM	18406	CG	ASN	K	25	62.869	136.091	140.141	1.00158.53	K
ATOM	18407	OD1	ASN	K	25	63.025	134.950	140.581	1.00156.89	K
ATOM	18408	ND2	ASN	K	25	62.877	136.363	138.842	1.00156.24	K
ATOM	18409	C	ASN	K	25	63.932	138.877	142.473	1.00165.09	K
ATOM	18410	O	ASN	K	25	64.965	139.474	142.189	1.00165.34	K
ATOM	18411	N	ASP	K	26	62.908	139.459	143.085	1.00167.86	K
ATOM	18412	CA	ASP	K	26	62.951	140.862	143.469	1.00171.44	K
ATOM	18413	CB	ASP	K	26	61.888	141.146	144.528	1.00173.62	K
ATOM	18414	CG	ASP	K	26	60.477	140.963	143.995	1.00176.05	K
ATOM	18415	OD1	ASP	K	26	59.512	141.175	144.765	1.00177.40	K
ATOM	18416	OD2	ASP	K	26	60.338	140.607	142.802	1.00176.71	K
ATOM	18417	C	ASP	K	26	64.326	141.261	143.984	1.00173.21	K
ATOM	18418	O	ASP	K	26	64.675	141.011	145.137	1.00173.06	K
ATOM	18419	N	GLU	K	27	65.100	141.886	143.103	1.00175.15	K
ATOM	18420	CA	GLU	K	27	66.453	142.334	143.407	1.00176.82	K
ATOM	18421	CB	GLU	K	27	66.964	143.221	142.274	1.00176.59	K
ATOM	18422	CG	GLU	K	27	67.108	142.484	140.954	1.00178.39	K
ATOM	18423	CD	GLU	K	27	67.263	143.409	139.763	1.00179.58	K
ATOM	18424	OE1	GLU	K	27	68.127	144.314	139.811	1.00180.01	K
ATOM	18425	OE2	GLU	K	27	66.519	143.218	138.775	1.00180.21	K
ATOM	18426	C	GLU	K	27	66.576	143.080	144.727	1.00178.36	K
ATOM	18427	O	GLU	K	27	67.673	143.207	145.269	1.00179.10	K
ATOM	18428	N	ASN	K	28	65.460	143.574	145.248	1.00179.72	K
ATOM	18429	CA	ASN	K	28	65.505	144.308	146.500	1.00181.02	K
ATOM	18430	CB	ASN	K	28	65.842	145.779	146.210	1.00182.33	K
ATOM	18431	CG	ASN	K	28	65.090	146.335	144.991	1.00182.82	K
ATOM	18432	OD1	ASN	K	28	65.397	147.427	144.495	1.00182.91	K
ATOM	18433	ND2	ASN	K	28	64.096	145.587	144.517	1.00182.42	K
ATOM	18434	C	ASN	K	28	64.228	144.193	147.327	1.00181.52	K
ATOM	18435	O	ASN	K	28	63.214	144.817	147.016	1.00181.16	K
ATOM	18436	N	SER	K	29	64.305	143.391	148.387	1.00182.56	K
ATOM	18437	CA	SER	K	29	63.197	143.153	149.309	1.00183.61	K
ATOM	18438	CB	SER	K	29	61.860	143.095	148.561	1.00184.62	K
ATOM	18439	OG	SER	K	29	61.869	142.084	147.565	1.00186.24	K
ATOM	18440	C	SER	K	29	63.443	141.826	150.011	1.00183.52	K
ATOM	18441	O	SER	K	29	63.545	140.786	149.363	1.00184.01	K
ATOM	18442	N	THR	K	30	63.551	141.865	151.334	1.00182.93	K
ATOM	18443	CA	THR	K	30	63.790	140.653	152.107	1.00182.73	K
ATOM	18444	CB	THR	K	30	64.429	140.989	153.463	1.00181.30	K
ATOM	18445	OG1	THR	K	30	65.572	141.826	153.252	1.00180.34	K
ATOM	18446	CG2	THR	K	30	64.879	139.722	154.172	1.00180.42	K
ATOM	18447	C	THR	K	30	62.479	139.907	152.341	1.00184.01	K
ATOM	18448	O	THR	K	30	61.419	140.524	152.449	1.00184.73	K
ATOM	18449	N	TYR	K	31	62.557	138.580	152.418	1.00184.73	K
ATOM	18450	CA	TYR	K	31	61.378	137.739	152.632	1.00184.94	K
ATOM	18451	CB	TYR	K	31	60.945	137.093	151.312	1.00184.41	K
ATOM	18452	CG	TYR	K	31	60.294	138.044	150.342	1.00184.70	K
ATOM	18453	CD1	TYR	K	31	60.799	138.208	149.052	1.00184.71	K

ATOM	18454	CE1	TYR	K	31	60.192	139.079	148.151	1.00185.88	K
ATOM	18455	CD2	TYR	K	31	59.163	138.774	150.711	1.00185.48	K
ATOM	18456	CE2	TYR	K	31	58.547	139.644	149.821	1.00186.54	K
ATOM	18457	CZ	TYR	K	31	59.063	139.794	148.542	1.00186.72	K
ATOM	18458	OH	TYR	K	31	58.444	140.651	147.658	1.00186.92	K
ATOM	18459	C	TYR	K	31	61.610	136.633	153.663	1.00185.36	K
ATOM	18460	O	TYR	K	31	62.694	136.048	153.731	1.00185.72	K
ATOM	18461	N	LEU	K	32	60.584	136.354	154.463	1.00185.43	K
ATOM	18462	CA	LEU	K	32	60.656	135.304	155.473	1.00185.71	K
ATOM	18463	CB	LEU	K	32	59.901	135.712	156.742	1.00184.65	K
ATOM	18464	CG	LEU	K	32	60.647	136.552	157.778	1.00183.88	K
ATOM	18465	CD1	LEU	K	32	59.703	136.909	158.912	1.00182.77	K
ATOM	18466	CD2	LEU	K	32	61.842	135.772	158.306	1.00183.93	K
ATOM	18467	C	LEU	K	32	60.046	134.027	154.914	1.00186.41	K
ATOM	18468	O	LEU	K	32	58.826	133.854	154.925	1.00186.64	K
ATOM	18469	N	ILE	K	33	60.900	133.137	154.421	1.00187.07	K
ATOM	18470	CA	ILE	K	33	60.440	131.877	153.855	1.00187.31	K
ATOM	18471	CB	ILE	K	33	61.561	131.182	153.051	1.00186.73	K
ATOM	18472	CG2	ILE	K	33	61.020	129.926	152.381	1.00186.54	K
ATOM	18473	CG1	ILE	K	33	62.124	132.142	151.998	1.00186.55	K
ATOM	18474	CD1	ILE	K	33	61.106	132.610	150.979	1.00186.27	K
ATOM	18475	C	ILE	K	33	59.976	130.941	154.962	1.00187.73	K
ATOM	18476	O	ILE	K	33	60.755	130.555	155.832	1.00187.90	K
ATOM	18477	N	GLN	K	34	58.698	130.588	154.927	1.00188.38	K
ATOM	18478	CA	GLN	K	34	58.131	129.694	155.925	1.00189.21	K
ATOM	18479	CB	GLN	K	34	57.101	130.445	156.771	1.00190.52	K
ATOM	18480	CG	GLN	K	34	56.673	129.714	158.030	1.00191.57	K
ATOM	18481	CD	GLN	K	34	55.775	130.557	158.914	1.00191.89	K
ATOM	18482	OE1	GLN	K	34	54.683	130.959	158.510	1.00191.75	K
ATOM	18483	NE2	GLN	K	34	56.234	130.832	160.130	1.00191.79	K
ATOM	18484	C	GLN	K	34	57.479	128.530	155.191	1.00189.11	K
ATOM	18485	O	GLN	K	34	56.471	128.704	154.506	1.00189.35	K
ATOM	18486	N	SER	K	35	58.065	127.345	155.329	1.00188.83	K
ATOM	18487	CA	SER	K	35	57.552	126.154	154.661	1.00188.27	K
ATOM	18488	CB	SER	K	35	58.678	125.472	153.875	1.00188.11	K
ATOM	18489	OG	SER	K	35	59.236	126.350	152.911	1.00186.67	K
ATOM	18490	C	SER	K	35	56.922	125.152	155.627	1.00187.70	K
ATOM	18491	O	SER	K	35	57.079	125.257	156.845	1.00187.76	K
ATOM	18492	N	TRP	K	36	56.204	124.182	155.066	1.00186.38	K
ATOM	18493	CA	TRP	K	36	55.549	123.145	155.855	1.00184.57	K
ATOM	18494	CB	TRP	K	36	54.546	123.771	156.834	1.00186.20	K
ATOM	18495	CG	TRP	K	36	53.288	124.278	156.194	1.00187.83	K
ATOM	18496	CD2	TRP	K	36	52.998	125.629	155.819	1.00188.69	K
ATOM	18497	CE2	TRP	K	36	51.716	125.631	155.224	1.00189.30	K
ATOM	18498	CE3	TRP	K	36	53.697	126.840	155.928	1.00188.72	K
ATOM	18499	CD1	TRP	K	36	52.201	123.537	155.823	1.00188.22	K
ATOM	18500	NE1	TRP	K	36	51.253	124.342	155.239	1.00189.03	K
ATOM	18501	CZ2	TRP	K	36	51.118	126.797	154.736	1.00189.90	K
ATOM	18502	CZ3	TRP	K	36	53.099	128.004	155.440	1.00189.81	K
ATOM	18503	CH2	TRP	K	36	51.822	127.970	154.853	1.00190.00	K
ATOM	18504	C	TRP	K	36	54.841	122.171	154.915	1.00182.37	K
ATOM	18505	O	TRP	K	36	54.501	122.527	153.783	1.00181.50	K
ATOM	18506	N	VAL	K	37	54.624	120.946	155.386	1.00180.48	K
ATOM	18507	CA	VAL	K	37	53.968	119.921	154.580	1.00178.58	K
ATOM	18508	CB	VAL	K	37	54.914	118.733	154.304	1.00177.62	K
ATOM	18509	CG1	VAL	K	37	54.186	117.660	153.505	1.00176.58	K
ATOM	18510	CG2	VAL	K	37	56.133	119.216	153.544	1.00177.05	K
ATOM	18511	C	VAL	K	37	52.682	119.372	155.190	1.00177.87	K

ATOM	18512	O	VAL	K	37	52.694	118.721	156.237	1.00177.61	K
ATOM	18513	N	GLU	K	38	51.574	119.638	154.509	1.00177.26	K
ATOM	18514	CA	GLU	K	38	50.262	119.172	154.933	1.00175.95	K
ATOM	18515	CB	GLU	K	38	49.194	120.191	154.526	1.00176.77	K
ATOM	18516	CG	GLU	K	38	49.342	121.557	155.188	1.00176.11	K
ATOM	18517	CD	GLU	K	38	48.534	122.634	154.486	1.00176.03	K
ATOM	18518	OE1	GLU	K	38	47.349	122.387	154.184	1.00176.49	K
ATOM	18519	OE2	GLU	K	38	49.079	123.730	154.239	1.00175.31	K
ATOM	18520	C	GLU	K	38	50.013	117.845	154.219	1.00174.41	K
ATOM	18521	O	GLU	K	38	50.682	117.531	153.231	1.00173.74	K
ATOM	18522	N	ASN	K	39	49.060	117.063	154.714	1.00172.56	K
ATOM	18523	CA	ASN	K	39	48.758	115.785	154.085	1.00170.14	K
ATOM	18524	CB	ASN	K	39	48.327	114.747	155.128	1.00169.24	K
ATOM	18525	CG	ASN	K	39	47.061	115.141	155.862	1.00168.01	K
ATOM	18526	OD1	ASN	K	39	46.059	115.499	155.246	1.00167.37	K
ATOM	18527	ND2	ASN	K	39	47.097	115.058	157.187	1.00167.71	K
ATOM	18528	C	ASN	K	39	47.669	115.933	153.029	1.00168.81	K
ATOM	18529	O	ASN	K	39	47.285	117.045	152.660	1.00168.19	K
ATOM	18530	N	ALA	K	40	47.179	114.796	152.547	1.00167.77	K
ATOM	18531	CA	ALA	K	40	46.142	114.772	151.526	1.00166.98	K
ATOM	18532	CB	ALA	K	40	45.718	113.333	151.258	1.00166.34	K
ATOM	18533	C	ALA	K	40	44.934	115.613	151.930	1.00166.81	K
ATOM	18534	O	ALA	K	40	44.399	116.369	151.119	1.00166.16	K
ATOM	18535	N	ASP	K	41	44.511	115.479	153.184	1.00167.48	K
ATOM	18536	CA	ASP	K	41	43.366	116.226	153.699	1.00167.89	K
ATOM	18537	CB	ASP	K	41	42.760	115.512	154.915	1.00169.36	K
ATOM	18538	CG	ASP	K	41	42.207	114.137	154.576	1.00170.59	K
ATOM	18539	OD1	ASP	K	41	41.327	114.047	153.690	1.00170.30	K
ATOM	18540	OD2	ASP	K	41	42.648	113.147	155.200	1.00171.33	K
ATOM	18541	C	ASP	K	41	43.765	117.643	154.097	1.00167.37	K
ATOM	18542	O	ASP	K	41	43.114	118.270	154.935	1.00166.70	K
ATOM	18543	N	GLY	K	42	44.844	118.141	153.502	1.00167.24	K
ATOM	18544	CA	GLY	K	42	45.301	119.486	153.806	1.00167.11	K
ATOM	18545	C	GLY	K	42	45.667	119.720	155.259	1.00167.27	K
ATOM	18546	O	GLY	K	42	46.191	120.773	155.607	1.00167.37	K
ATOM	18547	N	VAL	K	43	45.389	118.745	156.115	1.00167.65	K
ATOM	18548	CA	VAL	K	43	45.704	118.872	157.534	1.00168.13	K
ATOM	18549	CB	VAL	K	43	44.933	117.808	158.375	1.00168.01	K
ATOM	18550	CG1	VAL	K	43	44.663	116.572	157.533	1.00167.79	K
ATOM	18551	CG2	VAL	K	43	45.735	117.423	159.619	1.00167.91	K
ATOM	18552	C	VAL	K	43	47.204	118.740	157.797	1.00168.46	K
ATOM	18553	O	VAL	K	43	47.823	117.748	157.417	1.00167.60	K
ATOM	18554	N	LYS	K	44	47.784	119.747	158.444	1.00169.58	K
ATOM	18555	CA	LYS	K	44	49.205	119.713	158.761	1.00170.74	K
ATOM	18556	CB	LYS	K	44	49.681	121.033	159.371	1.00170.30	K
ATOM	18557	CG	LYS	K	44	49.475	122.276	158.529	1.00170.18	K
ATOM	18558	CD	LYS	K	44	48.125	122.910	158.806	1.00168.93	K
ATOM	18559	CE	LYS	K	44	48.071	124.329	158.288	1.00169.06	K
ATOM	18560	NZ	LYS	K	44	49.085	125.191	158.944	1.00169.57	K
ATOM	18561	C	LYS	K	44	49.479	118.608	159.767	1.00171.55	K
ATOM	18562	O	LYS	K	44	48.765	118.462	160.763	1.00170.76	K
ATOM	18563	N	ASP	K	45	50.533	117.846	159.507	1.00173.15	K
ATOM	18564	CA	ASP	K	45	50.926	116.749	160.377	1.00174.78	K
ATOM	18565	CB	ASP	K	45	50.334	115.425	159.892	1.00174.93	K
ATOM	18566	CG	ASP	K	45	50.487	115.217	158.392	1.00175.09	K
ATOM	18567	OD1	ASP	K	45	51.448	115.738	157.796	1.00174.16	K
ATOM	18568	OD2	ASP	K	45	49.658	114.496	157.802	1.00175.95	K
ATOM	18569	C	ASP	K	45	52.436	116.644	160.416	1.00175.95	K

ATOM	18570	O	ASP	K	45	53.129	117.268	159.616	1.00176.41	K
ATOM	18571	N	GLY	K	46	52.949	115.865	161.359	1.00176.85	K
ATOM	18572	CA	GLY	K	46	54.386	115.716	161.471	1.00177.67	K
ATOM	18573	C	GLY	K	46	54.974	114.907	160.329	1.00178.30	K
ATOM	18574	O	GLY	K	46	56.193	114.884	160.154	1.00178.20	K
ATOM	18575	N	ARG	K	47	54.111	114.246	159.556	1.00178.97	K
ATOM	18576	CA	ARG	K	47	54.527	113.418	158.421	1.00179.13	K
ATOM	18577	CB	ARG	K	47	53.370	113.266	157.429	1.00179.33	K
ATOM	18578	CG	ARG	K	47	52.611	111.959	157.584	1.00179.54	K
ATOM	18579	CD	ARG	K	47	51.877	111.881	158.917	1.00179.57	K
ATOM	18580	NE	ARG	K	47	51.485	110.512	159.242	1.00179.93	K
ATOM	18581	CZ	ARG	K	47	52.333	109.567	159.641	1.00179.97	K
ATOM	18582	NH1	ARG	K	47	53.625	109.843	159.771	1.00179.21	K
ATOM	18583	NH2	ARG	K	47	51.894	108.342	159.900	1.00179.38	K
ATOM	18584	C	ARG	K	47	55.779	113.879	157.671	1.00178.74	K
ATOM	18585	O	ARG	K	47	56.721	113.104	157.504	1.00178.82	K
ATOM	18586	N	PHE	K	48	55.786	115.123	157.197	1.00177.94	K
ATOM	18587	CA	PHE	K	48	56.949	115.650	156.483	1.00176.72	K
ATOM	18588	CB	PHE	K	48	56.653	115.802	154.986	1.00176.28	K
ATOM	18589	CG	PHE	K	48	56.635	114.499	154.231	1.00175.80	K
ATOM	18590	CD1	PHE	K	48	55.496	113.701	154.213	1.00175.50	K
ATOM	18591	CD2	PHE	K	48	57.767	114.068	153.540	1.00175.07	K
ATOM	18592	CE1	PHE	K	48	55.485	112.491	153.517	1.00174.71	K
ATOM	18593	CE2	PHE	K	48	57.766	112.863	152.844	1.00173.66	K
ATOM	18594	CZ	PHE	K	48	56.623	112.073	152.830	1.00173.51	K
ATOM	18595	C	PHE	K	48	57.400	116.992	157.053	1.00175.77	K
ATOM	18596	O	PHE	K	48	56.591	117.905	157.227	1.00176.15	K
ATOM	18597	N	ILE	K	49	58.696	117.105	157.337	1.00173.92	K
ATOM	18598	CA	ILE	K	49	59.257	118.328	157.900	1.00172.36	K
ATOM	18599	CB	ILE	K	49	59.893	118.055	159.278	1.00170.77	K
ATOM	18600	CG2	ILE	K	49	60.437	119.351	159.867	1.00170.40	K
ATOM	18601	CG1	ILE	K	49	58.847	117.441	160.214	1.00168.96	K
ATOM	18602	CD1	ILE	K	49	59.379	117.060	161.574	1.00166.40	K
ATOM	18603	C	ILE	K	49	60.310	118.962	156.996	1.00172.18	K
ATOM	18604	O	ILE	K	49	61.350	118.365	156.733	1.00172.06	K
ATOM	18605	N	VAL	K	50	60.031	120.176	156.528	1.00172.39	K
ATOM	18606	CA	VAL	K	50	60.951	120.905	155.657	1.00172.57	K
ATOM	18607	CB	VAL	K	50	60.189	121.869	154.718	1.00171.92	K
ATOM	18608	CG1	VAL	K	50	61.165	122.625	153.831	1.00170.26	K
ATOM	18609	CG2	VAL	K	50	59.201	121.088	153.872	1.00171.76	K
ATOM	18610	C	VAL	K	50	61.932	121.710	156.500	1.00173.46	K
ATOM	18611	O	VAL	K	50	61.631	122.064	157.643	1.00174.36	K
ATOM	18612	N	THR	K	51	63.102	121.998	155.934	1.00173.63	K
ATOM	18613	CA	THR	K	51	64.136	122.755	156.638	1.00174.08	K
ATOM	18614	CB	THR	K	51	65.063	121.809	157.432	1.00173.44	K
ATOM	18615	OG1	THR	K	51	65.577	120.797	156.558	1.00173.86	K
ATOM	18616	CG2	THR	K	51	64.304	121.145	158.572	1.00172.84	K
ATOM	18617	C	THR	K	51	64.999	123.593	155.687	1.00174.31	K
ATOM	18618	O	THR	K	51	65.349	123.144	154.597	1.00174.19	K
ATOM	18619	N	PRO	K	52	65.351	124.828	156.091	1.00174.75	K
ATOM	18620	CD	PRO	K	52	66.329	125.642	155.347	1.00174.35	K
ATOM	18621	CA	PRO	K	52	64.994	125.477	157.360	1.00175.20	K
ATOM	18622	CB	PRO	K	52	65.977	126.645	157.439	1.00175.33	K
ATOM	18623	CG	PRO	K	52	66.201	126.986	156.010	1.00174.83	K
ATOM	18624	C	PRO	K	52	63.527	125.925	157.416	1.00175.03	K
ATOM	18625	O	PRO	K	52	62.965	126.375	156.415	1.00175.21	K
ATOM	18626	N	PRO	K	53	62.893	125.802	158.596	1.00174.21	K
ATOM	18627	CD	PRO	K	53	63.511	125.303	159.839	1.00173.83	K

ATOM	18628	CA	PRO	K	53	61.494	126.175	158.831	1.00173.60	K
ATOM	18629	CB	PRO	K	53	61.215	125.574	160.201	1.00173.76	K
ATOM	18630	CG	PRO	K	53	62.526	125.754	160.895	1.00174.11	K
ATOM	18631	C	PRO	K	53	61.219	127.675	158.795	1.00173.27	K
ATOM	18632	O	PRO	K	53	60.066	128.103	158.720	1.00173.13	K
ATOM	18633	N	LEU	K	54	62.283	128.468	158.861	1.00172.78	K
ATOM	18634	CA	LEU	K	54	62.164	129.921	158.828	1.00171.77	K
ATOM	18635	CB	LEU	K	54	61.569	130.437	160.141	1.00170.19	K
ATOM	18636	CG	LEU	K	54	61.318	131.944	160.228	1.00168.57	K
ATOM	18637	CD1	LEU	K	54	60.418	132.398	159.085	1.00168.09	K
ATOM	18638	CD2	LEU	K	54	60.674	132.258	161.566	1.00167.77	K
ATOM	18639	C	LEU	K	54	63.525	130.562	158.589	1.00171.40	K
ATOM	18640	O	LEU	K	54	64.488	130.286	159.303	1.00171.41	K
ATOM	18641	N	PHE	K	55	63.596	131.417	157.574	1.00170.90	K
ATOM	18642	CA	PHE	K	55	64.833	132.101	157.229	1.00170.37	K
ATOM	18643	CB	PHE	K	55	65.817	131.112	156.599	1.00170.31	K
ATOM	18644	CG	PHE	K	55	65.356	130.540	155.288	1.00170.27	K
ATOM	18645	CD1	PHE	K	55	65.790	131.090	154.085	1.00170.29	K
ATOM	18646	CD2	PHE	K	55	64.503	129.443	155.253	1.00170.31	K
ATOM	18647	CE1	PHE	K	55	65.384	130.554	152.866	1.00170.17	K
ATOM	18648	CE2	PHE	K	55	64.091	128.898	154.039	1.00170.57	K
ATOM	18649	CZ	PHE	K	55	64.533	129.453	152.844	1.00170.30	K
ATOM	18650	C	PHE	K	55	64.523	133.240	156.266	1.00170.21	K
ATOM	18651	O	PHE	K	55	63.391	133.368	155.800	1.00170.74	K
ATOM	18652	N	ALA	K	56	65.521	134.064	155.963	1.00169.35	K
ATOM	18653	CA	ALA	K	56	65.305	135.195	155.068	1.00167.66	K
ATOM	18654	CB	ALA	K	56	65.484	136.495	155.838	1.00167.28	K
ATOM	18655	C	ALA	K	56	66.191	135.206	153.827	1.00166.49	K
ATOM	18656	O	ALA	K	56	67.375	134.879	153.892	1.00166.32	K
ATOM	18657	N	MET	K	57	65.598	135.586	152.698	1.00165.77	K
ATOM	18658	CA	MET	K	57	66.312	135.678	151.430	1.00165.33	K
ATOM	18659	CB	MET	K	57	65.615	134.865	150.340	1.00164.68	K
ATOM	18660	CG	MET	K	57	65.632	133.370	150.560	1.00165.05	K
ATOM	18661	SD	MET	K	57	65.626	132.489	148.982	1.00164.26	K
ATOM	18662	CE	MET	K	57	64.002	132.873	148.388	1.00164.47	K
ATOM	18663	C	MET	K	57	66.361	137.133	150.997	1.00165.45	K
ATOM	18664	O	MET	K	57	65.417	137.641	150.388	1.00165.34	K
ATOM	18665	N	LYS	K	58	67.465	137.800	151.314	1.00165.51	K
ATOM	18666	CA	LYS	K	58	67.631	139.204	150.967	1.00165.45	K
ATOM	18667	CB	LYS	K	58	68.698	139.836	151.866	1.00167.55	K
ATOM	18668	CG	LYS	K	58	68.618	141.349	151.957	1.00170.18	K
ATOM	18669	CD	LYS	K	58	69.734	141.901	152.825	1.00171.02	K
ATOM	18670	CE	LYS	K	58	69.443	143.330	153.252	1.00172.23	K
ATOM	18671	NZ	LYS	K	58	68.258	143.391	154.160	1.00173.04	K
ATOM	18672	C	LYS	K	58	68.018	139.379	149.499	1.00163.69	K
ATOM	18673	O	LYS	K	58	68.873	138.654	148.985	1.00163.55	K
ATOM	18674	N	GLY	K	59	67.381	140.340	148.832	1.00161.41	K
ATOM	18675	CA	GLY	K	59	67.671	140.604	147.433	1.00158.88	K
ATOM	18676	C	GLY	K	59	67.725	139.346	146.589	1.00157.21	K
ATOM	18677	O	GLY	K	59	67.185	138.310	146.978	1.00157.31	K
ATOM	18678	N	LYS	K	60	68.376	139.429	145.431	1.00155.48	K
ATOM	18679	CA	LYS	K	60	68.487	138.272	144.549	1.00153.97	K
ATOM	18680	CB	LYS	K	60	69.017	138.675	143.170	1.00150.31	K
ATOM	18681	CG	LYS	K	60	68.154	139.671	142.436	1.00146.23	K
ATOM	18682	CD	LYS	K	60	68.419	139.638	140.940	1.00144.12	K
ATOM	18683	CE	LYS	K	60	67.828	138.395	140.297	1.00142.55	K
ATOM	18684	NZ	LYS	K	60	67.875	138.458	138.807	1.00141.12	K
ATOM	18685	C	LYS	K	60	69.413	137.222	145.143	1.00154.91	K

ATOM	18686	O	LYS	K	60	70.636	137.333	145.040	1.00155.29	K
ATOM	18687	N	LYS	K	61	68.828	136.204	145.766	1.00155.49	K
ATOM	18688	CA	LYS	K	61	69.609	135.131	146.365	1.00155.71	K
ATOM	18689	CB	LYS	K	61	69.413	135.101	147.881	1.00155.79	K
ATOM	18690	CG	LYS	K	61	70.721	135.083	148.655	1.00155.96	K
ATOM	18691	CD	LYS	K	61	70.609	134.250	149.916	1.00156.55	K
ATOM	18692	CE	LYS	K	61	69.474	134.721	150.805	1.00156.56	K
ATOM	18693	NZ	LYS	K	61	69.325	133.828	151.984	1.00158.37	K
ATOM	18694	C	LYS	K	61	69.175	133.801	145.767	1.00156.26	K
ATOM	18695	O	LYS	K	61	68.700	133.755	144.632	1.00155.74	K
ATOM	18696	N	GLU	K	62	69.342	132.724	146.531	1.00157.62	K
ATOM	18697	CA	GLU	K	62	68.968	131.389	146.071	1.00159.11	K
ATOM	18698	CB	GLU	K	62	69.632	131.110	144.716	1.00158.09	K
ATOM	18699	CG	GLU	K	62	68.797	130.288	143.748	1.00156.58	K
ATOM	18700	CD	GLU	K	62	69.022	128.799	143.890	1.00156.22	K
ATOM	18701	OE1	GLU	K	62	68.828	128.272	145.006	1.00155.91	K
ATOM	18702	OE2	GLU	K	62	69.388	128.156	142.881	1.00155.41	K
ATOM	18703	C	GLU	K	62	69.399	130.349	147.109	1.00160.20	K
ATOM	18704	O	GLU	K	62	70.573	129.983	147.183	1.00160.12	K
ATOM	18705	N	ASN	K	63	68.446	129.886	147.913	1.00161.83	K
ATOM	18706	CA	ASN	K	63	68.729	128.898	148.950	1.00163.44	K
ATOM	18707	CB	ASN	K	63	68.233	129.400	150.308	1.00162.30	K
ATOM	18708	CG	ASN	K	63	68.777	130.769	150.658	1.00160.45	K
ATOM	18709	OD1	ASN	K	63	68.621	131.725	149.898	1.00158.20	K
ATOM	18710	ND2	ASN	K	63	69.415	130.874	151.817	1.00159.48	K
ATOM	18711	C	ASN	K	63	68.081	127.553	148.640	1.00165.18	K
ATOM	18712	O	ASN	K	63	67.311	127.428	147.688	1.00164.99	K
ATOM	18713	N	THR	K	64	68.395	126.553	149.458	1.00167.64	K
ATOM	18714	CA	THR	K	64	67.857	125.209	149.275	1.00170.39	K
ATOM	18715	CB	THR	K	64	68.996	124.191	149.015	1.00170.56	K
ATOM	18716	OG1	THR	K	64	69.734	124.584	147.852	1.00171.70	K
ATOM	18717	CG2	THR	K	64	68.434	122.796	148.798	1.00169.83	K
ATOM	18718	C	THR	K	64	67.053	124.737	150.488	1.00172.33	K
ATOM	18719	O	THR	K	64	67.499	124.864	151.630	1.00172.89	K
ATOM	18720	N	LEU	K	65	65.864	124.195	150.230	1.00173.91	K
ATOM	18721	CA	LEU	K	65	64.999	123.680	151.290	1.00175.48	K
ATOM	18722	CB	LEU	K	65	63.530	123.964	150.963	1.00175.77	K
ATOM	18723	CG	LEU	K	65	63.103	125.432	150.906	1.00175.43	K
ATOM	18724	CD1	LEU	K	65	61.659	125.528	150.436	1.00174.88	K
ATOM	18725	CD2	LEU	K	65	63.266	126.070	152.277	1.00175.63	K
ATOM	18726	C	LEU	K	65	65.226	122.173	151.397	1.00176.23	K
ATOM	18727	O	LEU	K	65	65.501	121.520	150.394	1.00177.08	K
ATOM	18728	N	ARG	K	66	65.110	121.622	152.603	1.00176.48	K
ATOM	18729	CA	ARG	K	66	65.328	120.192	152.804	1.00176.75	K
ATOM	18730	CB	ARG	K	66	66.585	119.968	153.654	1.00176.12	K
ATOM	18731	CG	ARG	K	66	67.815	120.717	153.151	1.00175.24	K
ATOM	18732	CD	ARG	K	66	69.062	120.398	153.970	1.00173.73	K
ATOM	18733	NE	ARG	K	66	70.195	121.253	153.616	1.00172.62	K
ATOM	18734	CZ	ARG	K	66	70.719	121.344	152.396	1.00172.21	K
ATOM	18735	NH1	ARG	K	66	70.217	120.633	151.393	1.00171.75	K
ATOM	18736	NH2	ARG	K	66	71.750	122.149	152.176	1.00171.13	K
ATOM	18737	C	ARG	K	66	64.137	119.486	153.450	1.00177.44	K
ATOM	18738	O	ARG	K	66	63.827	119.706	154.624	1.00176.98	K
ATOM	18739	N	ILE	K	67	63.479	118.634	152.667	1.00178.50	K
ATOM	18740	CA	ILE	K	67	62.319	117.868	153.121	1.00179.50	K
ATOM	18741	CB	ILE	K	67	61.441	117.399	151.927	1.00179.63	K
ATOM	18742	CG2	ILE	K	67	60.342	116.472	152.418	1.00179.87	K
ATOM	18743	CG1	ILE	K	67	60.813	118.599	151.213	1.00180.13	K

ATOM	18744	CD1	ILE	K	67	61.791	119.429	150.409	1.00180.92	K
ATOM	18745	C	ILE	K	67	62.765	116.629	153.896	1.00179.78	K
ATOM	18746	O	ILE	K	67	63.342	115.706	153.323	1.00179.49	K
ATOM	18747	N	LEU	K	68	62.480	116.605	155.193	1.00180.37	K
ATOM	18748	CA	LEU	K	68	62.868	115.480	156.036	1.00180.39	K
ATOM	18749	CB	LEU	K	68	63.387	115.992	157.378	1.00180.54	K
ATOM	18750	CG	LEU	K	68	64.351	117.178	157.311	1.00180.47	K
ATOM	18751	CD1	LEU	K	68	64.730	117.592	158.718	1.00179.45	K
ATOM	18752	CD2	LEU	K	68	65.585	116.812	156.505	1.00180.39	K
ATOM	18753	C	LEU	K	68	61.703	114.530	156.274	1.00180.45	K
ATOM	18754	O	LEU	K	68	60.582	114.961	156.544	1.00180.03	K
ATOM	18755	N	ASP	K	69	61.981	113.234	156.183	1.00180.95	K
ATOM	18756	CA	ASP	K	69	60.962	112.208	156.378	1.00181.32	K
ATOM	18757	CB	ASP	K	69	61.364	110.932	155.623	1.00181.05	K
ATOM	18758	CG	ASP	K	69	60.240	109.913	155.546	1.00180.71	K
ATOM	18759	OD1	ASP	K	69	60.349	108.955	154.748	1.00180.16	K
ATOM	18760	OD2	ASP	K	69	59.251	110.070	156.287	1.00180.39	K
ATOM	18761	C	ASP	K	69	60.763	111.905	157.863	1.00181.42	K
ATOM	18762	O	ASP	K	69	61.568	111.204	158.477	1.00181.28	K
ATOM	18763	N	ALA	K	70	59.688	112.444	158.433	1.00181.49	K
ATOM	18764	CA	ALA	K	70	59.366	112.237	159.843	1.00181.19	K
ATOM	18765	CB	ALA	K	70	58.674	113.473	160.414	1.00181.18	K
ATOM	18766	C	ALA	K	70	58.471	111.012	160.002	1.00181.28	K
ATOM	18767	O	ALA	K	70	58.556	110.297	161.002	1.00181.11	K
ATOM	18768	N	THR	K	71	57.606	110.776	159.017	1.00181.50	K
ATOM	18769	CA	THR	K	71	56.720	109.617	159.053	1.00181.53	K
ATOM	18770	CB	THR	K	71	55.747	109.599	157.841	1.00182.54	K
ATOM	18771	OG1	THR	K	71	55.049	108.347	157.806	1.00183.73	K
ATOM	18772	CG2	THR	K	71	56.497	109.796	156.533	1.00182.95	K
ATOM	18773	C	THR	K	71	57.589	108.364	159.028	1.00180.62	K
ATOM	18774	O	THR	K	71	58.208	108.048	158.011	1.00180.97	K
ATOM	18775	N	ASN	K	72	57.640	107.663	160.157	1.00179.08	K
ATOM	18776	CA	ASN	K	72	58.445	106.450	160.281	1.00177.61	K
ATOM	18777	CB	ASN	K	72	58.527	106.026	161.750	1.00177.58	K
ATOM	18778	CG	ASN	K	72	59.509	106.869	162.548	1.00177.47	K
ATOM	18779	OD1	ASN	K	72	59.597	106.747	163.769	1.00177.71	K
ATOM	18780	ND2	ASN	K	72	60.260	107.722	161.857	1.00176.47	K
ATOM	18781	C	ASN	K	72	57.942	105.279	159.436	1.00176.35	K
ATOM	18782	O	ASN	K	72	57.690	104.190	159.957	1.00176.21	K
ATOM	18783	N	ASN	K	73	57.810	105.504	158.131	1.00174.80	K
ATOM	18784	CA	ASN	K	73	57.346	104.467	157.212	1.00172.39	K
ATOM	18785	CB	ASN	K	73	58.312	103.278	157.245	1.00170.98	K
ATOM	18786	CG	ASN	K	73	59.758	103.693	157.034	1.00169.21	K
ATOM	18787	OD1	ASN	K	73	60.328	104.441	157.832	1.00168.13	K
ATOM	18788	ND2	ASN	K	73	60.359	103.208	155.956	1.00167.18	K
ATOM	18789	C	ASN	K	73	55.946	104.013	157.619	1.00171.31	K
ATOM	18790	O	ASN	K	73	55.589	102.845	157.480	1.00171.46	K
ATOM	18791	N	GLN	K	74	55.158	104.955	158.122	1.00169.86	K
ATOM	18792	CA	GLN	K	74	53.804	104.672	158.580	1.00167.84	K
ATOM	18793	CB	GLN	K	74	53.472	105.595	159.762	1.00169.01	K
ATOM	18794	CG	GLN	K	74	54.417	105.400	160.957	1.00169.91	K
ATOM	18795	CD	GLN	K	74	54.434	106.573	161.934	1.00169.88	K
ATOM	18796	OE1	GLN	K	74	55.130	106.534	162.953	1.00169.03	K
ATOM	18797	NE2	GLN	K	74	53.677	107.620	161.625	1.00169.76	K
ATOM	18798	C	GLN	K	74	52.781	104.840	157.460	1.00165.39	K
ATOM	18799	O	GLN	K	74	51.574	104.742	157.686	1.00164.90	K
ATOM	18800	N	LEU	K	75	53.278	105.073	156.249	1.00162.68	K
ATOM	18801	CA	LEU	K	75	52.420	105.264	155.086	1.00160.47	K

ATOM	18802	CB	LEU	K	75	52.933	106.443	154.260	1.00159.86	K
ATOM	18803	CG	LEU	K	75	52.851	107.812	154.931	1.00159.48	K
ATOM	18804	CD1	LEU	K	75	53.650	108.814	154.125	1.00159.86	K
ATOM	18805	CD2	LEU	K	75	51.398	108.243	155.053	1.00158.14	K
ATOM	18806	C	LEU	K	75	52.347	104.018	154.211	1.00158.93	K
ATOM	18807	O	LEU	K	75	53.218	103.151	154.277	1.00158.28	K
ATOM	18808	N	PRO	K	76	51.295	103.912	153.379	1.00157.73	K
ATOM	18809	CD	PRO	K	76	50.184	104.872	153.244	1.00157.41	K
ATOM	18810	CA	PRO	K	76	51.102	102.768	152.481	1.00156.20	K
ATOM	18811	CB	PRO	K	76	49.909	103.196	151.633	1.00155.93	K
ATOM	18812	CG	PRO	K	76	49.119	104.032	152.582	1.00156.60	K
ATOM	18813	C	PRO	K	76	52.350	102.530	151.642	1.00155.16	K
ATOM	18814	O	PRO	K	76	52.940	103.476	151.116	1.00155.29	K
ATOM	18815	N	GLN	K	77	52.746	101.269	151.517	1.00153.89	K
ATOM	18816	CA	GLN	K	77	53.934	100.922	150.748	1.00152.83	K
ATOM	18817	CB	GLN	K	77	54.876	100.076	151.608	1.00150.81	K
ATOM	18818	CG	GLN	K	77	55.205	100.712	152.958	1.00147.18	K
ATOM	18819	CD	GLN	K	77	55.883	102.068	152.828	1.00145.02	K
ATOM	18820	OE1	GLN	K	77	56.009	102.808	153.805	1.00142.97	K
ATOM	18821	NE2	GLN	K	77	56.331	102.394	151.622	1.00143.00	K
ATOM	18822	C	GLN	K	77	53.587	100.183	149.455	1.00153.37	K
ATOM	18823	O	GLN	K	77	54.406	99.437	148.914	1.00152.85	K
ATOM	18824	N	ASP	K	78	52.370	100.407	148.962	1.00154.73	K
ATOM	18825	CA	ASP	K	78	51.899	99.779	147.730	1.00154.94	K
ATOM	18826	CB	ASP	K	78	50.722	98.839	148.024	1.00154.58	K
ATOM	18827	CG	ASP	K	78	49.474	99.580	148.490	1.00154.36	K
ATOM	18828	OD1	ASP	K	78	48.417	98.927	148.623	1.00153.08	K
ATOM	18829	OD2	ASP	K	78	49.544	100.807	148.724	1.00153.87	K
ATOM	18830	C	ASP	K	78	51.465	100.818	146.691	1.00154.93	K
ATOM	18831	O	ASP	K	78	51.038	100.465	145.592	1.00154.44	K
ATOM	18832	N	ARG	K	79	51.577	102.096	147.048	1.00155.04	K
ATOM	18833	CA	ARG	K	79	51.192	103.195	146.163	1.00153.59	K
ATOM	18834	CB	ARG	K	79	49.671	103.326	146.123	1.00154.47	K
ATOM	18835	CG	ARG	K	79	49.070	103.839	147.427	1.00156.17	K
ATOM	18836	CD	ARG	K	79	47.569	103.624	147.478	1.00156.64	K
ATOM	18837	NE	ARG	K	79	47.248	102.204	147.556	1.00158.66	K
ATOM	18838	CZ	ARG	K	79	46.011	101.717	147.580	1.00159.21	K
ATOM	18839	NH1	ARG	K	79	44.969	102.540	147.532	1.00158.60	K
ATOM	18840	NH2	ARG	K	79	45.812	100.407	147.651	1.00159.76	K
ATOM	18841	C	ARG	K	79	51.782	104.492	146.704	1.00152.03	K
ATOM	18842	O	ARG	K	79	52.477	104.488	147.721	1.00151.61	K
ATOM	18843	N	GLU	K	80	51.493	105.605	146.038	1.00150.35	K
ATOM	18844	CA	GLU	K	80	52.000	106.892	146.496	1.00148.51	K
ATOM	18845	CB	GLU	K	80	52.259	107.840	145.327	1.00145.58	K
ATOM	18846	CG	GLU	K	80	52.762	107.209	144.062	1.00141.48	K
ATOM	18847	CD	GLU	K	80	53.170	108.260	143.062	1.00139.87	K
ATOM	18848	OE1	GLU	K	80	54.306	108.759	143.163	1.00141.02	K
ATOM	18849	OE2	GLU	K	80	52.351	108.608	142.190	1.00138.19	K
ATOM	18850	C	GLU	K	80	50.985	107.561	147.413	1.00148.43	K
ATOM	18851	O	GLU	K	80	49.779	107.495	147.171	1.00147.03	K
ATOM	18852	N	SER	K	81	51.481	108.203	148.466	1.00149.62	K
ATOM	18853	CA	SER	K	81	50.627	108.923	149.402	1.00150.63	K
ATOM	18854	CB	SER	K	81	51.058	108.667	150.850	1.00150.72	K
ATOM	18855	OG	SER	K	81	50.780	107.335	151.249	1.00151.24	K
ATOM	18856	C	SER	K	81	50.792	110.399	149.063	1.00151.36	K
ATOM	18857	O	SER	K	81	51.884	110.952	149.187	1.00151.16	K
ATOM	18858	N	LEU	K	82	49.709	111.029	148.622	1.00152.50	K
ATOM	18859	CA	LEU	K	82	49.748	112.434	148.242	1.00153.34	K

ATOM	18860	CB	LEU	K	82	48.558	112.767	147.332	1.00151.51	K
ATOM	18861	CG	LEU	K	82	48.379	114.198	146.807	1.00149.37	K
ATOM	18862	CD1	LEU	K	82	49.642	114.681	146.121	1.00148.78	K
ATOM	18863	CD2	LEU	K	82	47.209	114.228	145.835	1.00147.54	K
ATOM	18864	C	LEU	K	82	49.766	113.381	149.432	1.00155.30	K
ATOM	18865	O	LEU	K	82	48.962	113.259	150.360	1.00155.71	K
ATOM	18866	N	PHE	K	83	50.715	114.313	149.389	1.00156.92	K
ATOM	18867	CA	PHE	K	83	50.888	115.348	150.405	1.00158.03	K
ATOM	18868	CB	PHE	K	83	52.167	115.129	151.222	1.00157.47	K
ATOM	18869	CG	PHE	K	83	52.090	113.978	152.177	1.00158.53	K
ATOM	18870	CD1	PHE	K	83	52.053	112.669	151.709	1.00158.39	K
ATOM	18871	CD2	PHE	K	83	52.036	114.201	153.550	1.00159.55	K
ATOM	18872	CE1	PHE	K	83	51.962	111.598	152.592	1.00158.41	K
ATOM	18873	CE2	PHE	K	83	51.945	113.137	154.443	1.00159.45	K
ATOM	18874	CZ	PHE	K	83	51.907	111.832	153.962	1.00158.51	K
ATOM	18875	C	PHE	K	83	51.009	116.655	149.636	1.00158.92	K
ATOM	18876	O	PHE	K	83	50.875	116.671	148.411	1.00159.20	K
ATOM	18877	N	TRP	K	84	51.258	117.750	150.344	1.00159.28	K
ATOM	18878	CA	TRP	K	84	51.404	119.036	149.683	1.00159.06	K
ATOM	18879	CB	TRP	K	84	50.074	119.795	149.665	1.00155.82	K
ATOM	18880	CG	TRP	K	84	49.036	119.162	148.792	1.00151.16	K
ATOM	18881	CD2	TRP	K	84	48.791	119.445	147.409	1.00149.39	K
ATOM	18882	CE2	TRP	K	84	47.738	118.602	146.988	1.00148.67	K
ATOM	18883	CE3	TRP	K	84	49.359	120.330	146.483	1.00148.29	K
ATOM	18884	CD1	TRP	K	84	48.150	118.186	149.145	1.00150.10	K
ATOM	18885	NE1	TRP	K	84	47.364	117.842	148.066	1.00148.83	K
ATOM	18886	CZ2	TRP	K	84	47.242	118.618	145.679	1.00147.00	K
ATOM	18887	CZ3	TRP	K	84	48.863	120.346	145.178	1.00146.45	K
ATOM	18888	CH2	TRP	K	84	47.816	119.495	144.793	1.00145.79	K
ATOM	18889	C	TRP	K	84	52.481	119.903	150.310	1.00160.51	K
ATOM	18890	O	TRP	K	84	52.527	120.086	151.527	1.00159.70	K
ATOM	18891	N	MET	K	85	53.348	120.433	149.457	1.00163.07	K
ATOM	18892	CA	MET	K	85	54.438	121.289	149.891	1.00165.13	K
ATOM	18893	CB	MET	K	85	55.692	120.979	149.072	1.00166.08	K
ATOM	18894	CG	MET	K	85	56.816	121.975	149.281	1.00167.90	K
ATOM	18895	SD	MET	K	85	57.404	122.023	150.993	1.00169.51	K
ATOM	18896	CE	MET	K	85	59.180	122.120	150.723	1.00168.57	K
ATOM	18897	C	MET	K	85	54.070	122.762	149.736	1.00165.63	K
ATOM	18898	O	MET	K	85	53.704	123.209	148.646	1.00165.43	K
ATOM	18899	N	ASN	K	86	54.170	123.513	150.829	1.00166.17	K
ATOM	18900	CA	ASN	K	86	53.854	124.935	150.801	1.00167.32	K
ATOM	18901	CB	ASN	K	86	52.631	125.231	151.670	1.00166.85	K
ATOM	18902	CG	ASN	K	86	51.384	124.530	151.173	1.00166.61	K
ATOM	18903	OD1	ASN	K	86	51.258	123.311	151.285	1.00166.05	K
ATOM	18904	ND2	ASN	K	86	50.458	125.298	150.612	1.00165.94	K
ATOM	18905	C	ASN	K	86	55.022	125.793	151.264	1.00168.50	K
ATOM	18906	O	ASN	K	86	55.643	125.518	152.290	1.00167.70	K
ATOM	18907	N	VAL	K	87	55.309	126.835	150.491	1.00170.57	K
ATOM	18908	CA	VAL	K	87	56.389	127.769	150.791	1.00172.29	K
ATOM	18909	CB	VAL	K	87	57.497	127.709	149.712	1.00173.30	K
ATOM	18910	CG1	VAL	K	87	58.592	128.720	150.029	1.00173.62	K
ATOM	18911	CG2	VAL	K	87	58.077	126.302	149.641	1.00173.14	K
ATOM	18912	C	VAL	K	87	55.804	129.178	150.836	1.00172.59	K
ATOM	18913	O	VAL	K	87	55.384	129.722	149.813	1.00171.49	K
ATOM	18914	N	LYS	K	88	55.777	129.758	152.033	1.00173.72	K
ATOM	18915	CA	LYS	K	88	55.223	131.091	152.236	1.00175.10	K
ATOM	18916	CB	LYS	K	88	54.487	131.147	153.577	1.00175.10	K
ATOM	18917	CG	LYS	K	88	53.915	132.512	153.916	1.00175.43	K

ATOM	18918	CD	LYS	K	88	53.291	132.505	155.297	1.00175.41	K
ATOM	18919	CE	LYS	K	88	52.750	133.874	155.662	1.00175.81	K
ATOM	18920	NZ	LYS	K	88	52.313	133.922	157.083	1.00176.09	K
ATOM	18921	C	LYS	K	88	56.262	132.204	152.190	1.00175.92	K
ATOM	18922	O	LYS	K	88	57.267	132.158	152.897	1.00175.50	K
ATOM	18923	N	ALA	K	89	56.000	133.210	151.359	1.00177.56	K
ATOM	18924	CA	ALA	K	89	56.894	134.354	151.217	1.00179.35	K
ATOM	18925	CB	ALA	K	89	57.015	134.742	149.748	1.00179.18	K
ATOM	18926	C	ALA	K	89	56.361	135.533	152.030	1.00180.46	K
ATOM	18927	O	ALA	K	89	55.403	136.196	151.628	1.00179.91	K
ATOM	18928	N	ILE	K	90	56.989	135.788	153.174	1.00182.39	K
ATOM	18929	CA	ILE	K	90	56.579	136.879	154.054	1.00184.31	K
ATOM	18930	CB	ILE	K	90	56.704	136.471	155.542	1.00184.26	K
ATOM	18931	CG2	ILE	K	90	56.138	137.570	156.428	1.00183.10	K
ATOM	18932	CG1	ILE	K	90	55.974	135.147	155.790	1.00184.60	K
ATOM	18933	CD1	ILE	K	90	56.128	134.603	157.203	1.00183.91	K
ATOM	18934	C	ILE	K	90	57.421	138.136	153.839	1.00185.81	K
ATOM	18935	O	ILE	K	90	58.639	138.119	154.023	1.00186.12	K
ATOM	18936	N	PRO	K	91	56.780	139.247	153.445	1.00186.96	K
ATOM	18937	CD	PRO	K	91	55.363	139.391	153.070	1.00187.27	K
ATOM	18938	CA	PRO	K	91	57.506	140.498	153.219	1.00187.84	K
ATOM	18939	CB	PRO	K	91	56.507	141.331	152.428	1.00187.32	K
ATOM	18940	CG	PRO	K	91	55.205	140.892	152.995	1.00187.30	K
ATOM	18941	C	PRO	K	91	57.909	141.160	154.535	1.00188.95	K
ATOM	18942	O	PRO	K	91	58.166	140.478	155.527	1.00189.27	K
ATOM	18943	N	SER	K	92	57.954	142.489	154.540	1.00190.01	K
ATOM	18944	CA	SER	K	92	58.333	143.238	155.736	1.00190.76	K
ATOM	18945	CB	SER	K	92	59.689	143.909	155.519	1.00189.92	K
ATOM	18946	OG	SER	K	92	60.459	143.197	154.560	1.00188.56	K
ATOM	18947	C	SER	K	92	57.289	144.307	156.049	1.00191.74	K
ATOM	18948	O	SER	K	92	56.637	144.828	155.147	1.00191.70	K
ATOM	18949	N	MET	K	93	57.137	144.636	157.327	1.00192.85	K
ATOM	18950	CA	MET	K	93	56.174	145.651	157.739	1.00194.26	K
ATOM	18951	CB	MET	K	93	55.925	145.552	159.249	1.00195.13	K
ATOM	18952	CG	MET	K	93	54.559	146.058	159.720	1.00196.63	K
ATOM	18953	SD	MET	K	93	54.328	147.856	159.614	1.00198.54	K
ATOM	18954	CE	MET	K	93	54.503	148.327	161.344	1.00198.26	K
ATOM	18955	C	MET	K	93	56.755	147.019	157.385	1.00195.13	K
ATOM	18956	O	MET	K	93	57.882	147.337	157.767	1.00194.72	K
ATOM	18957	N	ASP	K	94	55.989	147.818	156.645	1.00196.33	K
ATOM	18958	CA	ASP	K	94	56.434	149.151	156.236	1.00197.05	K
ATOM	18959	CB	ASP	K	94	55.635	149.656	155.024	1.00196.62	K
ATOM	18960	CG	ASP	K	94	55.833	148.802	153.785	1.00196.17	K
ATOM	18961	OD1	ASP	K	94	55.482	149.277	152.678	1.00195.42	K
ATOM	18962	OD2	ASP	K	94	56.328	147.659	153.916	1.00195.82	K
ATOM	18963	C	ASP	K	94	56.292	150.170	157.360	1.00197.54	K
ATOM	18964	O	ASP	K	94	55.177	150.534	157.743	1.00197.71	K
ATOM	18965	N	LYS	K	95	57.422	150.634	157.884	1.00197.83	K
ATOM	18966	CA	LYS	K	95	57.404	151.630	158.946	1.00197.99	K
ATOM	18967	CB	LYS	K	95	58.758	151.684	159.661	1.00197.69	K
ATOM	18968	CG	LYS	K	95	59.112	150.418	160.440	1.00196.45	K
ATOM	18969	CD	LYS	K	95	59.542	149.279	159.530	1.00194.99	K
ATOM	18970	CE	LYS	K	95	60.862	149.587	158.841	1.00193.79	K
ATOM	18971	NZ	LYS	K	95	61.312	148.450	157.996	1.00192.55	K
ATOM	18972	C	LYS	K	95	57.095	152.985	158.312	1.00198.22	K
ATOM	18973	O	LYS	K	95	57.029	154.008	159.003	1.00198.38	K
ATOM	18974	N	SER	K	96	56.899	152.973	156.993	1.00197.98	K
ATOM	18975	CA	SER	K	96	56.597	154.181	156.221	1.00197.13	K

ATOM	18976	CB	SER	K	96	57.376	154.173	154.902	1.00196.51	K
ATOM	18977	OG	SER	K	96	56.940	153.120	154.048	1.00195.11	K
ATOM	18978	C	SER	K	96	55.101	154.300	155.917	1.00196.49	K
ATOM	18979	O	SER	K	96	54.623	155.358	155.508	1.00196.58	K
ATOM	18980	N	LYS	K	97	54.371	153.208	156.123	1.00195.30	K
ATOM	18981	CA	LYS	K	97	52.937	153.187	155.880	1.00193.92	K
ATOM	18982	CB	LYS	K	97	52.607	152.158	154.793	1.00192.20	K
ATOM	18983	CG	LYS	K	97	53.562	152.158	153.604	1.00189.58	K
ATOM	18984	CD	LYS	K	97	53.623	153.517	152.932	1.00187.60	K
ATOM	18985	CE	LYS	K	97	54.663	153.521	151.829	1.00185.80	K
ATOM	18986	NZ	LYS	K	97	54.802	154.859	151.195	1.00184.26	K
ATOM	18987	C	LYS	K	97	52.221	152.835	157.182	1.00194.10	K
ATOM	18988	O	LYS	K	97	51.016	152.579	157.195	1.00193.87	K
ATOM	18989	N	LEU	K	98	52.984	152.826	158.272	1.00194.52	K
ATOM	18990	CA	LEU	K	98	52.464	152.513	159.601	1.00195.12	K
ATOM	18991	CB	LEU	K	98	53.579	152.720	160.646	1.00194.74	K
ATOM	18992	CG	LEU	K	98	53.307	152.583	162.152	1.00194.51	K
ATOM	18993	CD1	LEU	K	98	52.552	153.799	162.651	1.00193.92	K
ATOM	18994	CD2	LEU	K	98	52.542	151.300	162.442	1.00194.81	K
ATOM	18995	C	LEU	K	98	51.225	153.323	159.968	1.00195.42	K
ATOM	18996	O	LEU	K	98	50.304	152.811	160.602	1.00195.32	K
ATOM	18997	N	THR	K	99	51.204	154.589	159.570	1.00195.81	K
ATOM	18998	CA	THR	K	99	50.071	155.463	159.877	1.00196.24	K
ATOM	18999	CB	THR	K	99	50.524	156.919	160.139	1.00196.47	K
ATOM	19000	OG1	THR	K	99	50.809	157.560	158.889	1.00196.76	K
ATOM	19001	CG2	THR	K	99	51.786	156.936	160.973	1.00196.53	K
ATOM	19002	C	THR	K	99	49.076	155.500	158.718	1.00196.20	K
ATOM	19003	O	THR	K	99	48.484	156.539	158.431	1.00195.63	K
ATOM	19004	N	GLU	K	100	48.879	154.364	158.060	1.00196.56	K
ATOM	19005	CA	GLU	K	100	47.957	154.303	156.932	1.00196.78	K
ATOM	19006	CB	GLU	K	100	48.728	154.595	155.643	1.00196.45	K
ATOM	19007	CG	GLU	K	100	49.482	155.909	155.645	1.00195.57	K
ATOM	19008	CD	GLU	K	100	50.550	155.947	154.576	1.00195.37	K
ATOM	19009	OE1	GLU	K	100	50.206	155.761	153.390	1.00195.59	K
ATOM	19010	OE2	GLU	K	100	51.730	156.162	154.919	1.00194.99	K
ATOM	19011	C	GLU	K	100	47.185	152.988	156.787	1.00197.09	K
ATOM	19012	O	GLU	K	100	47.389	152.037	157.543	1.00197.14	K
ATOM	19013	N	ASN	K	101	46.307	152.966	155.785	1.00197.15	K
ATOM	19014	CA	ASN	K	101	45.467	151.819	155.460	1.00196.81	K
ATOM	19015	CB	ASN	K	101	44.069	152.295	155.054	1.00198.21	K
ATOM	19016	CG	ASN	K	101	43.332	152.979	156.195	1.00199.98	K
ATOM	19017	OD1	ASN	K	101	43.936	153.697	156.995	1.00200.00	K
ATOM	19018	ND2	ASN	K	101	42.019	152.775	156.264	1.00200.00	K
ATOM	19019	C	ASN	K	101	46.086	151.029	154.314	1.00195.82	K
ATOM	19020	O	ASN	K	101	45.821	151.310	153.140	1.00195.15	K
ATOM	19021	N	THR	K	102	46.906	150.039	154.652	1.00194.93	K
ATOM	19022	CA	THR	K	102	47.569	149.240	153.631	1.00193.54	K
ATOM	19023	CB	THR	K	102	49.099	149.267	153.826	1.00193.08	K
ATOM	19024	OG1	THR	K	102	49.444	148.573	155.032	1.00192.00	K
ATOM	19025	CG2	THR	K	102	49.589	150.700	153.927	1.00193.20	K
ATOM	19026	C	THR	K	102	47.110	147.787	153.573	1.00192.49	K
ATOM	19027	O	THR	K	102	46.424	147.292	154.469	1.00193.17	K
ATOM	19028	N	LEU	K	103	47.504	147.118	152.493	1.00190.43	K
ATOM	19029	CA	LEU	K	103	47.175	145.717	152.251	1.00188.33	K
ATOM	19030	CB	LEU	K	103	46.102	145.600	151.168	1.00187.31	K
ATOM	19031	CG	LEU	K	103	45.838	144.175	150.676	1.00185.90	K
ATOM	19032	CD1	LEU	K	103	45.208	143.342	151.784	1.00184.95	K
ATOM	19033	CD2	LEU	K	103	44.928	144.226	149.468	1.00184.90	K

ATOM	19034	C	LEU	K	103	48.410	144.948	151.795	1.00187.20	K
ATOM	19035	O	LEU	K	103	48.916	145.183	150.696	1.00187.31	K
ATOM	19036	N	GLN	K	104	48.888	144.032	152.634	1.00185.59	K
ATOM	19037	CA	GLN	K	104	50.058	143.226	152.295	1.00183.28	K
ATOM	19038	CB	GLN	K	104	51.101	143.277	153.420	1.00183.18	K
ATOM	19039	CG	GLN	K	104	52.116	144.410	153.285	1.00182.21	K
ATOM	19040	CD	GLN	K	104	53.316	144.230	154.196	1.00181.84	K
ATOM	19041	OE1	GLN	K	104	54.270	145.007	154.147	1.00181.43	K
ATOM	19042	NE2	GLN	K	104	53.273	143.200	155.035	1.00181.75	K
ATOM	19043	C	GLN	K	104	49.708	141.772	151.983	1.00180.92	K
ATOM	19044	O	GLN	K	104	48.918	141.140	152.682	1.00180.29	K
ATOM	19045	N	LEU	K	105	50.316	141.248	150.926	1.00178.33	K
ATOM	19046	CA	LEU	K	105	50.073	139.879	150.502	1.00175.99	K
ATOM	19047	CB	LEU	K	105	49.693	139.862	149.022	1.00175.15	K
ATOM	19048	CG	LEU	K	105	48.649	140.894	148.592	1.00174.67	K
ATOM	19049	CD1	LEU	K	105	48.378	140.739	147.105	1.00174.86	K
ATOM	19050	CD2	LEU	K	105	47.367	140.710	149.392	1.00175.46	K
ATOM	19051	C	LEU	K	105	51.294	138.996	150.722	1.00174.67	K
ATOM	19052	O	LEU	K	105	52.430	139.433	150.543	1.00174.67	K
ATOM	19053	N	ALA	K	106	51.049	137.750	151.116	1.00172.80	K
ATOM	19054	CA	ALA	K	106	52.118	136.787	151.345	1.00170.72	K
ATOM	19055	CB	ALA	K	106	52.063	136.263	152.777	1.00169.58	K
ATOM	19056	C	ALA	K	106	51.926	135.644	150.357	1.00169.56	K
ATOM	19057	O	ALA	K	106	51.314	134.626	150.686	1.00170.52	K
ATOM	19058	N	ILE	K	107	52.437	135.826	149.141	1.00167.42	K
ATOM	19059	CA	ILE	K	107	52.312	134.814	148.096	1.00165.44	K
ATOM	19060	CB	ILE	K	107	53.034	135.244	146.800	1.00163.89	K
ATOM	19061	CG2	ILE	K	107	52.775	134.227	145.699	1.00162.11	K
ATOM	19062	CG1	ILE	K	107	52.538	136.620	146.356	1.00163.32	K
ATOM	19063	CD1	ILE	K	107	51.054	136.681	146.074	1.00161.64	K
ATOM	19064	C	ILE	K	107	52.890	133.480	148.550	1.00165.02	K
ATOM	19065	O	ILE	K	107	54.012	133.413	149.055	1.00165.31	K
ATOM	19066	N	ILE	K	108	52.116	132.417	148.358	1.00163.70	K
ATOM	19067	CA	ILE	K	108	52.538	131.081	148.751	1.00162.06	K
ATOM	19068	CB	ILE	K	108	51.639	130.527	149.876	1.00163.00	K
ATOM	19069	CG2	ILE	K	108	52.188	129.193	150.371	1.00163.81	K
ATOM	19070	CG1	ILE	K	108	51.567	131.538	151.026	1.00163.75	K
ATOM	19071	CD1	ILE	K	108	50.599	131.160	152.133	1.00164.30	K
ATOM	19072	C	ILE	K	108	52.470	130.131	147.564	1.00160.26	K
ATOM	19073	O	ILE	K	108	51.619	130.279	146.686	1.00159.67	K
ATOM	19074	N	SER	K	109	53.376	129.160	147.536	1.00158.77	K
ATOM	19075	CA	SER	K	109	53.400	128.180	146.459	1.00157.13	K
ATOM	19076	CB	SER	K	109	54.749	128.203	145.733	1.00158.49	K
ATOM	19077	OG	SER	K	109	54.874	129.361	144.925	1.00159.55	K
ATOM	19078	C	SER	K	109	53.125	126.782	146.992	1.00154.43	K
ATOM	19079	O	SER	K	109	53.742	126.336	147.962	1.00153.67	K
ATOM	19080	N	ARG	K	110	52.181	126.102	146.353	1.00151.40	K
ATOM	19081	CA	ARG	K	110	51.808	124.754	146.746	1.00148.57	K
ATOM	19082	CB	ARG	K	110	50.356	124.731	147.238	1.00148.34	K
ATOM	19083	CG	ARG	K	110	49.689	123.379	147.084	1.00147.44	K
ATOM	19084	CD	ARG	K	110	48.333	123.296	147.763	1.00147.11	K
ATOM	19085	NE	ARG	K	110	48.462	123.194	149.211	1.00146.96	K
ATOM	19086	CZ	ARG	K	110	47.504	122.732	150.009	1.00146.97	K
ATOM	19087	NH1	ARG	K	110	46.345	122.329	149.496	1.00144.98	K
ATOM	19088	NH2	ARG	K	110	47.703	122.671	151.320	1.00146.30	K
ATOM	19089	C	ARG	K	110	51.984	123.786	145.580	1.00146.21	K
ATOM	19090	O	ARG	K	110	51.404	123.969	144.507	1.00145.35	K
ATOM	19091	N	ILE	K	111	52.799	122.758	145.799	1.00143.89	K

ATOM	19092	CA	ILE	K	111	53.058	121.753	144.777	1.00141.46	K
ATOM	19093	CB	ILE	K	111	54.453	121.942	144.131	1.00141.83	K
ATOM	19094	CG2	ILE	K	111	54.565	123.345	143.559	1.00142.22	K
ATOM	19095	CG1	ILE	K	111	55.562	121.704	145.158	1.00141.97	K
ATOM	19096	CD1	ILE	K	111	56.960	121.749	144.567	1.00138.58	K
ATOM	19097	C	ILE	K	111	52.962	120.350	145.358	1.00138.85	K
ATOM	19098	O	ILE	K	111	53.257	120.125	146.531	1.00137.96	K
ATOM	19099	N	LYS	K	112	52.551	119.409	144.517	1.00136.60	K
ATOM	19100	CA	LYS	K	112	52.386	118.021	144.925	1.00135.08	K
ATOM	19101	CB	LYS	K	112	51.753	117.225	143.786	1.00133.04	K
ATOM	19102	CG	LYS	K	112	50.466	117.838	143.267	1.00131.40	K
ATOM	19103	CD	LYS	K	112	49.959	117.107	142.044	1.00128.94	K
ATOM	19104	CE	LYS	K	112	48.750	117.808	141.456	1.00127.46	K
ATOM	19105	NZ	LYS	K	112	48.324	117.188	140.172	1.00126.83	K
ATOM	19106	C	LYS	K	112	53.687	117.351	145.346	1.00135.01	K
ATOM	19107	O	LYS	K	112	54.730	117.557	144.736	1.00134.87	K
ATOM	19108	N	LEU	K	113	53.604	116.543	146.397	1.00135.52	K
ATOM	19109	CA	LEU	K	113	54.743	115.802	146.927	1.00135.99	K
ATOM	19110	CB	LEU	K	113	55.168	116.384	148.276	1.00133.32	K
ATOM	19111	CG	LEU	K	113	56.035	115.525	149.200	1.00130.23	K
ATOM	19112	CD1	LEU	K	113	57.262	115.001	148.475	1.00129.87	K
ATOM	19113	CD2	LEU	K	113	56.446	116.370	150.387	1.00129.86	K
ATOM	19114	C	LEU	K	113	54.307	114.353	147.093	1.00138.04	K
ATOM	19115	O	LEU	K	113	53.511	114.036	147.974	1.00139.12	K
ATOM	19116	N	TYR	K	114	54.833	113.476	146.245	1.00140.66	K
ATOM	19117	CA	TYR	K	114	54.462	112.068	146.287	1.00143.66	K
ATOM	19118	CB	TYR	K	114	54.308	111.530	144.867	1.00144.48	K
ATOM	19119	CG	TYR	K	114	53.186	112.175	144.105	1.00146.02	K
ATOM	19120	CD1	TYR	K	114	53.436	112.881	142.932	1.00146.13	K
ATOM	19121	CE1	TYR	K	114	52.406	113.489	142.230	1.00148.18	K
ATOM	19122	CD2	TYR	K	114	51.872	112.088	144.561	1.00147.41	K
ATOM	19123	CE2	TYR	K	114	50.833	112.689	143.865	1.00149.04	K
ATOM	19124	CZ	TYR	K	114	51.106	113.389	142.699	1.00149.08	K
ATOM	19125	OH	TYR	K	114	50.078	113.984	141.999	1.00150.07	K
ATOM	19126	C	TYR	K	114	55.388	111.138	147.051	1.00145.10	K
ATOM	19127	O	TYR	K	114	56.580	111.044	146.755	1.00144.60	K
ATOM	19128	N	TYR	K	115	54.825	110.445	148.035	1.00147.51	K
ATOM	19129	CA	TYR	K	115	55.586	109.481	148.814	1.00150.36	K
ATOM	19130	CB	TYR	K	115	54.955	109.261	150.190	1.00149.87	K
ATOM	19131	CG	TYR	K	115	55.700	108.250	151.037	1.00150.26	K
ATOM	19132	CD1	TYR	K	115	57.012	108.498	151.461	1.00151.46	K
ATOM	19133	CE1	TYR	K	115	57.708	107.571	152.239	1.00151.78	K
ATOM	19134	CD2	TYR	K	115	55.097	107.044	151.413	1.00149.07	K
ATOM	19135	CE2	TYR	K	115	55.780	106.110	152.192	1.00149.69	K
ATOM	19136	CZ	TYR	K	115	57.085	106.381	152.602	1.00151.11	K
ATOM	19137	OH	TYR	K	115	57.765	105.467	153.374	1.00150.29	K
ATOM	19138	C	TYR	K	115	55.519	108.191	148.011	1.00152.45	K
ATOM	19139	O	TYR	K	115	54.659	107.344	148.253	1.00152.06	K
ATOM	19140	N	ARG	K	116	56.421	108.061	147.043	1.00155.59	K
ATOM	19141	CA	ARG	K	116	56.472	106.887	146.180	1.00158.77	K
ATOM	19142	CB	ARG	K	116	56.997	107.288	144.802	1.00159.56	K
ATOM	19143	CG	ARG	K	116	57.110	106.145	143.809	1.00161.45	K
ATOM	19144	CD	ARG	K	116	57.721	106.637	142.506	1.00163.87	K
ATOM	19145	NE	ARG	K	116	56.920	107.697	141.902	1.00165.02	K
ATOM	19146	CZ	ARG	K	116	57.298	108.413	140.846	1.00164.64	K
ATOM	19147	NH1	ARG	K	116	58.474	108.184	140.271	1.00163.57	K
ATOM	19148	NH2	ARG	K	116	56.500	109.358	140.363	1.00164.12	K
ATOM	19149	C	ARG	K	116	57.356	105.783	146.760	1.00160.75	K

ATOM	19150	O	ARG	K	116	58.585	105.872	146.715	1.00161.19	K
ATOM	19151	N	PRO	K	117	56.737	104.724	147.310	1.00162.00	K
ATOM	19152	CD	PRO	K	117	55.282	104.535	147.446	1.00162.37	K
ATOM	19153	CA	PRO	K	117	57.459	103.595	147.904	1.00162.09	K
ATOM	19154	CB	PRO	K	117	56.344	102.597	148.202	1.00162.30	K
ATOM	19155	CG	PRO	K	117	55.196	103.491	148.534	1.00162.01	K
ATOM	19156	C	PRO	K	117	58.507	103.021	146.960	1.00162.05	K
ATOM	19157	O	PRO	K	117	58.169	102.395	145.958	1.00161.90	K
ATOM	19158	N	ALA	K	118	59.778	103.246	147.281	1.00161.91	K
ATOM	19159	CA	ALA	K	118	60.870	102.742	146.461	1.00161.79	K
ATOM	19160	CB	ALA	K	118	62.196	103.308	146.957	1.00160.31	K
ATOM	19161	C	ALA	K	118	60.878	101.217	146.539	1.00162.65	K
ATOM	19162	O	ALA	K	118	61.709	100.629	147.227	1.00162.43	K
ATOM	19163	N	LYS	K	119	59.938	100.592	145.833	1.00164.41	K
ATOM	19164	CA	LYS	K	119	59.798	99.135	145.804	1.00165.74	K
ATOM	19165	CB	LYS	K	119	59.519	98.604	147.216	1.00165.72	K
ATOM	19166	CG	LYS	K	119	59.847	97.133	147.428	1.00165.26	K
ATOM	19167	CD	LYS	K	119	61.349	96.917	147.426	1.00165.98	K
ATOM	19168	CE	LYS	K	119	61.715	95.498	147.823	1.00166.73	K
ATOM	19169	NZ	LYS	K	119	63.192	95.325	147.949	1.00167.84	K
ATOM	19170	C	LYS	K	119	58.626	98.771	144.887	1.00166.61	K
ATOM	19171	O	LYS	K	119	58.092	97.663	144.958	1.00167.04	K
ATOM	19172	N	LEU	K	120	58.233	99.714	144.033	1.00167.03	K
ATOM	19173	CA	LEU	K	120	57.113	99.522	143.114	1.00167.61	K
ATOM	19174	CB	LEU	K	120	56.442	100.871	142.828	1.00166.61	K
ATOM	19175	CG	LEU	K	120	55.989	101.672	144.056	1.00165.96	K
ATOM	19176	CD1	LEU	K	120	55.369	102.985	143.609	1.00165.26	K
ATOM	19177	CD2	LEU	K	120	54.989	100.862	144.871	1.00165.42	K
ATOM	19178	C	LEU	K	120	57.521	98.855	141.801	1.00168.35	K
ATOM	19179	O	LEU	K	120	58.580	99.150	141.241	1.00168.20	K
ATOM	19180	N	ALA	K	121	56.667	97.955	141.319	1.00169.18	K
ATOM	19181	CA	ALA	K	121	56.914	97.225	140.079	1.00169.84	K
ATOM	19182	CB	ALA	K	121	55.935	96.062	139.956	1.00169.70	K
ATOM	19183	C	ALA	K	121	56.789	98.139	138.866	1.00170.45	K
ATOM	19184	O	ALA	K	121	57.785	98.681	138.382	1.00170.60	K
ATOM	19185	N	LEU	K	122	55.562	98.296	138.376	1.00170.68	K
ATOM	19186	CA	LEU	K	122	55.293	99.143	137.221	1.00171.57	K
ATOM	19187	CB	LEU	K	122	53.787	99.391	137.102	1.00171.05	K
ATOM	19188	CG	LEU	K	122	53.355	100.505	136.148	1.00171.23	K
ATOM	19189	CD1	LEU	K	122	53.879	100.217	134.757	1.00170.95	K
ATOM	19190	CD2	LEU	K	122	51.844	100.614	136.137	1.00171.51	K
ATOM	19191	C	LEU	K	122	56.023	100.483	137.316	1.00172.76	K
ATOM	19192	O	LEU	K	122	55.657	101.337	138.123	1.00173.60	K
ATOM	19193	N	PRO	K	123	57.066	100.686	136.490	1.00173.20	K
ATOM	19194	CD	PRO	K	123	57.540	99.827	135.391	1.00173.21	K
ATOM	19195	CA	PRO	K	123	57.812	101.949	136.523	1.00173.43	K
ATOM	19196	CB	PRO	K	123	58.883	101.741	135.454	1.00173.03	K
ATOM	19197	CG	PRO	K	123	58.211	100.828	134.480	1.00172.64	K
ATOM	19198	C	PRO	K	123	56.895	103.143	136.229	1.00173.87	K
ATOM	19199	O	PRO	K	123	55.958	103.035	135.433	1.00173.75	K
ATOM	19200	N	PRO	K	124	57.162	104.299	136.863	1.00173.89	K
ATOM	19201	CD	PRO	K	124	58.387	104.598	137.625	1.00173.05	K
ATOM	19202	CA	PRO	K	124	56.358	105.515	136.682	1.00173.70	K
ATOM	19203	CB	PRO	K	124	57.197	106.592	137.377	1.00172.83	K
ATOM	19204	CG	PRO	K	124	58.593	106.050	137.316	1.00172.27	K
ATOM	19205	C	PRO	K	124	55.990	105.892	135.244	1.00173.72	K
ATOM	19206	O	PRO	K	124	54.854	106.281	134.966	1.00173.04	K
ATOM	19207	N	ASP	K	125	56.951	105.772	134.335	1.00174.38	K

ATOM	19208	CA	ASP	K	125	56.736	106.112	132.931	1.00174.95	K
ATOM	19209	CB	ASP	K	125	58.055	105.992	132.165	1.00176.41	K
ATOM	19210	CG	ASP	K	125	58.702	104.626	132.328	1.00177.95	K
ATOM	19211	OD1	ASP	K	125	58.061	103.614	131.969	1.00179.21	K
ATOM	19212	OD2	ASP	K	125	59.854	104.566	132.812	1.00178.61	K
ATOM	19213	C	ASP	K	125	55.673	105.260	132.237	1.00174.70	K
ATOM	19214	O	ASP	K	125	54.976	105.733	131.338	1.00174.10	K
ATOM	19215	N	GLN	K	126	55.555	104.006	132.658	1.00175.01	K
ATOM	19216	CA	GLN	K	126	54.598	103.074	132.071	1.00174.93	K
ATOM	19217	CB	GLN	K	126	55.199	101.666	132.104	1.00175.50	K
ATOM	19218	CG	GLN	K	126	54.435	100.607	131.328	1.00176.22	K
ATOM	19219	CD	GLN	K	126	55.145	99.262	131.338	1.00176.50	K
ATOM	19220	OE1	GLN	K	126	54.631	98.270	130.819	1.00176.66	K
ATOM	19221	NE2	GLN	K	126	56.335	99.226	131.930	1.00176.43	K
ATOM	19222	C	GLN	K	126	53.255	103.101	132.803	1.00174.43	K
ATOM	19223	O	GLN	K	126	52.543	102.098	132.863	1.00173.73	K
ATOM	19224	N	ALA	K	127	52.907	104.265	133.343	1.00174.26	K
ATOM	19225	CA	ALA	K	127	51.663	104.420	134.090	1.00174.03	K
ATOM	19226	CB	ALA	K	127	51.930	105.210	135.368	1.00173.56	K
ATOM	19227	C	ALA	K	127	50.522	105.072	133.307	1.00173.88	K
ATOM	19228	O	ALA	K	127	49.378	104.627	133.393	1.00174.54	K
ATOM	19229	N	ALA	K	128	50.830	106.122	132.550	1.00173.49	K
ATOM	19230	CA	ALA	K	128	49.816	106.842	131.777	1.00172.73	K
ATOM	19231	CB	ALA	K	128	50.459	108.028	131.056	1.00172.43	K
ATOM	19232	C	ALA	K	128	49.028	105.991	130.776	1.00172.47	K
ATOM	19233	O	ALA	K	128	47.890	106.328	130.442	1.00172.25	K
ATOM	19234	N	GLU	K	129	49.621	104.900	130.294	1.00172.38	K
ATOM	19235	CA	GLU	K	129	48.938	104.034	129.330	1.00171.69	K
ATOM	19236	CB	GLU	K	129	49.921	103.069	128.659	1.00170.41	K
ATOM	19237	CG	GLU	K	129	51.334	103.592	128.487	1.00168.06	K
ATOM	19238	CD	GLU	K	129	52.298	102.999	129.501	1.00167.46	K
ATOM	19239	OE1	GLU	K	129	53.500	103.327	129.437	1.00167.61	K
ATOM	19240	OE2	GLU	K	129	51.855	102.203	130.358	1.00165.97	K
ATOM	19241	C	GLU	K	129	47.867	103.213	130.041	1.00172.12	K
ATOM	19242	O	GLU	K	129	46.775	102.989	129.509	1.00171.73	K
ATOM	19243	N	LYS	K	130	48.202	102.768	131.250	1.00172.64	K
ATOM	19244	CA	LYS	K	130	47.315	101.957	132.078	1.00172.62	K
ATOM	19245	CB	LYS	K	130	48.038	101.562	133.370	1.00171.26	K
ATOM	19246	CG	LYS	K	130	49.486	101.137	133.169	1.00168.80	K
ATOM	19247	CD	LYS	K	130	49.590	99.953	132.226	1.00167.33	K
ATOM	19248	CE	LYS	K	130	51.035	99.588	131.959	1.00166.26	K
ATOM	19249	NZ	LYS	K	130	51.128	98.448	131.011	1.00165.94	K
ATOM	19250	C	LYS	K	130	46.014	102.673	132.431	1.00173.10	K
ATOM	19251	O	LYS	K	130	45.174	102.129	133.147	1.00173.04	K
ATOM	19252	N	LEU	K	131	45.849	103.893	131.934	1.00173.90	K
ATOM	19253	CA	LEU	K	131	44.649	104.668	132.219	1.00174.35	K
ATOM	19254	CB	LEU	K	131	44.947	106.165	132.094	1.00173.34	K
ATOM	19255	CG	LEU	K	131	43.857	107.155	132.515	1.00172.03	K
ATOM	19256	CD1	LEU	K	131	43.501	106.948	133.980	1.00171.87	K
ATOM	19257	CD2	LEU	K	131	44.353	108.575	132.290	1.00171.54	K
ATOM	19258	C	LEU	K	131	43.504	104.289	131.288	1.00175.18	K
ATOM	19259	O	LEU	K	131	43.530	104.588	130.092	1.00175.64	K
ATOM	19260	N	ARG	K	132	42.505	103.614	131.848	1.00175.62	K
ATOM	19261	CA	ARG	K	132	41.328	103.200	131.095	1.00176.06	K
ATOM	19262	CB	ARG	K	132	40.915	101.782	131.495	1.00175.20	K
ATOM	19263	CG	ARG	K	132	42.043	100.754	131.443	1.00173.20	K
ATOM	19264	CD	ARG	K	132	41.669	99.511	132.254	1.00171.47	K
ATOM	19265	NE	ARG	K	132	42.824	98.666	132.552	1.00168.72	K

ATOM	19266	CZ	ARG K 132	42.819	97.688	133.455	1.00166.66	K
ATOM	19267	NH1	ARG K 132	41.718	97.428	134.154	1.00165.18	K
ATOM	19268	NH2	ARG K 132	43.917	96.972	133.666	1.00165.63	K
ATOM	19269	C	ARG K 132	40.233	104.195	131.465	1.00177.04	K
ATOM	19270	O	ARG K 132	40.495	105.151	132.193	1.00176.88	K
ATOM	19271	N	PHE K 133	39.013	103.984	130.975	1.00178.89	K
ATOM	19272	CA	PHE K 133	37.920	104.909	131.276	1.00180.29	K
ATOM	19273	CB	PHE K 133	37.754	105.926	130.136	1.00182.80	K
ATOM	19274	CG	PHE K 133	38.964	106.787	129.900	1.00184.51	K
ATOM	19275	CD1	PHE K 133	40.108	106.261	129.305	1.00184.64	K
ATOM	19276	CD2	PHE K 133	38.962	108.125	130.279	1.00184.80	K
ATOM	19277	CE1	PHE K 133	41.230	107.053	129.091	1.00184.41	K
ATOM	19278	CE2	PHE K 133	40.081	108.925	130.068	1.00184.87	K
ATOM	19279	CZ	PHE K 133	41.217	108.386	129.473	1.00184.60	K
ATOM	19280	C	PHE K 133	36.561	104.260	131.544	1.00179.63	K
ATOM	19281	O	PHE K 133	36.464	103.091	131.912	1.00179.82	K
ATOM	19282	N	ARG K 134	35.518	105.061	131.355	1.00178.47	K
ATOM	19283	CA	ARG K 134	34.128	104.660	131.543	1.00177.86	K
ATOM	19284	CB	ARG K 134	33.834	104.381	133.011	1.00176.04	K
ATOM	19285	CG	ARG K 134	32.377	104.050	133.288	1.00173.12	K
ATOM	19286	CD	ARG K 134	32.117	104.036	134.775	1.00170.69	K
ATOM	19287	NE	ARG K 134	33.099	103.207	135.463	1.00169.13	K
ATOM	19288	CZ	ARG K 134	33.230	103.147	136.783	1.00168.17	K
ATOM	19289	NH1	ARG K 134	32.436	103.870	137.563	1.00166.60	K
ATOM	19290	NH2	ARG K 134	34.157	102.366	137.324	1.00167.60	K
ATOM	19291	C	ARG K 134	33.325	105.866	131.097	1.00178.71	K
ATOM	19292	O	ARG K 134	32.835	106.640	131.921	1.00178.25	K
ATOM	19293	N	ARG K 135	33.193	106.020	129.785	1.00180.60	K
ATOM	19294	CA	ARG K 135	32.493	107.165	129.228	1.00182.29	K
ATOM	19295	CB	ARG K 135	33.131	107.535	127.882	1.00183.57	K
ATOM	19296	CG	ARG K 135	32.709	106.694	126.684	1.00185.05	K
ATOM	19297	CD	ARG K 135	31.753	107.516	125.849	1.00186.32	K
ATOM	19298	NE	ARG K 135	32.289	108.865	125.723	1.00186.70	K
ATOM	19299	CZ	ARG K 135	31.558	109.959	125.547	1.00186.49	K
ATOM	19300	NH1	ARG K 135	32.164	111.135	125.454	1.00186.78	K
ATOM	19301	NH2	ARG K 135	30.233	109.884	125.469	1.00185.60	K
ATOM	19302	C	ARG K 135	30.981	107.009	129.085	1.00182.91	K
ATOM	19303	O	ARG K 135	30.497	106.163	128.333	1.00183.16	K
ATOM	19304	N	SER K 136	30.245	107.836	129.827	1.00183.34	K
ATOM	19305	CA	SER K 136	28.783	107.835	129.798	1.00183.90	K
ATOM	19306	CB	SER K 136	28.218	108.050	131.209	1.00183.15	K
ATOM	19307	OG	SER K 136	28.598	107.010	132.093	1.00182.71	K
ATOM	19308	C	SER K 136	28.310	108.967	128.885	1.00184.32	K
ATOM	19309	O	SER K 136	28.830	109.152	127.782	1.00184.71	K
ATOM	19310	N	ALA K 137	27.321	109.721	129.351	1.00184.32	K
ATOM	19311	CA	ALA K 137	26.786	110.848	128.595	1.00184.40	K
ATOM	19312	CB	ALA K 137	25.326	110.600	128.237	1.00183.84	K
ATOM	19313	C	ALA K 137	26.912	112.075	129.488	1.00184.43	K
ATOM	19314	O	ALA K 137	26.609	113.199	129.079	1.00184.68	K
ATOM	19315	N	ASN K 138	27.365	111.832	130.717	1.00184.02	K
ATOM	19316	CA	ASN K 138	27.559	112.879	131.713	1.00182.75	K
ATOM	19317	CB	ASN K 138	26.201	113.393	132.221	1.00183.19	K
ATOM	19318	CG	ASN K 138	25.340	112.295	132.844	1.00183.97	K
ATOM	19319	OD1	ASN K 138	25.771	111.583	133.755	1.00184.78	K
ATOM	19320	ND2	ASN K 138	24.109	112.168	132.360	1.00183.79	K
ATOM	19321	C	ASN K 138	28.404	112.398	132.898	1.00181.38	K
ATOM	19322	O	ASN K 138	28.714	113.175	133.801	1.00181.14	K
ATOM	19323	N	SER K 139	28.783	111.123	132.891	1.00179.68	K

ATOM	19324	CA	SER	K	139	29.574	110.569	133.986	1.00177.87	K
ATOM	19325	CB	SER	K	139	28.694	109.663	134.854	1.00176.18	K
ATOM	19326	OG	SER	K	139	27.633	110.394	135.440	1.00173.30	K
ATOM	19327	C	SER	K	139	30.813	109.796	133.536	1.00177.55	K
ATOM	19328	O	SER	K	139	30.952	108.609	133.834	1.00177.94	K
ATOM	19329	N	LEU	K	140	31.713	110.469	132.822	1.00176.53	K
ATOM	19330	CA	LEU	K	140	32.944	109.831	132.358	1.00175.35	K
ATOM	19331	CB	LEU	K	140	33.718	110.779	131.434	1.00175.25	K
ATOM	19332	CG	LEU	K	140	34.921	110.224	130.661	1.00175.20	K
ATOM	19333	CD1	LEU	K	140	35.383	111.260	129.647	1.00174.74	K
ATOM	19334	CD2	LEU	K	140	36.050	109.862	131.616	1.00175.10	K
ATOM	19335	C	LEU	K	140	33.773	109.499	133.596	1.00174.43	K
ATOM	19336	O	LEU	K	140	33.962	110.348	134.464	1.00174.58	K
ATOM	19337	N	THR	K	141	34.268	108.269	133.676	1.00173.40	K
ATOM	19338	CA	THR	K	141	35.044	107.847	134.836	1.00172.11	K
ATOM	19339	CB	THR	K	141	34.415	106.598	135.489	1.00171.55	K
ATOM	19340	OG1	THR	K	141	33.033	106.850	135.768	1.00170.77	K
ATOM	19341	CG2	THR	K	141	35.138	106.248	136.783	1.00170.73	K
ATOM	19342	C	THR	K	141	36.513	107.541	134.554	1.00171.58	K
ATOM	19343	O	THR	K	141	36.844	106.518	133.948	1.00171.22	K
ATOM	19344	N	LEU	K	142	37.388	108.436	135.005	1.00170.84	K
ATOM	19345	CA	LEU	K	142	38.827	108.259	134.841	1.00169.78	K
ATOM	19346	CB	LEU	K	142	39.574	109.565	135.149	1.00171.04	K
ATOM	19347	CG	LEU	K	142	39.409	110.784	134.229	1.00172.13	K
ATOM	19348	CD1	LEU	K	142	40.065	110.505	132.890	1.00172.43	K
ATOM	19349	CD2	LEU	K	142	37.934	111.122	134.051	1.00172.45	K
ATOM	19350	C	LEU	K	142	39.244	107.182	135.839	1.00167.96	K
ATOM	19351	O	LEU	K	142	39.000	107.313	137.037	1.00166.31	K
ATOM	19352	N	ILE	K	143	39.867	106.117	135.347	1.00166.75	K
ATOM	19353	CA	ILE	K	143	40.291	105.023	136.213	1.00164.87	K
ATOM	19354	CB	ILE	K	143	39.416	103.759	135.958	1.00165.57	K
ATOM	19355	CG2	ILE	K	143	39.179	103.577	134.468	1.00165.51	K
ATOM	19356	CG1	ILE	K	143	40.071	102.518	136.574	1.00166.17	K
ATOM	19357	CD1	ILE	K	143	40.119	102.521	138.092	1.00166.61	K
ATOM	19358	C	ILE	K	143	41.775	104.670	136.069	1.00162.69	K
ATOM	19359	O	ILE	K	143	42.262	104.383	134.974	1.00161.88	K
ATOM	19360	N	ASN	K	144	42.484	104.698	137.193	1.00160.65	K
ATOM	19361	CA	ASN	K	144	43.906	104.383	137.227	1.00158.94	K
ATOM	19362	CB	ASN	K	144	44.706	105.613	137.658	1.00158.64	K
ATOM	19363	CG	ASN	K	144	46.091	105.259	138.155	1.00157.89	K
ATOM	19364	OD1	ASN	K	144	46.837	104.543	137.489	1.00157.24	K
ATOM	19365	ND2	ASN	K	144	46.443	105.761	139.332	1.00156.74	K
ATOM	19366	C	ASN	K	144	44.214	103.221	138.166	1.00158.17	K
ATOM	19367	O	ASN	K	144	44.023	103.319	139.378	1.00157.07	K
ATOM	19368	N	PRO	K	145	44.691	102.098	137.608	1.00158.28	K
ATOM	19369	CD	PRO	K	145	44.658	101.808	136.162	1.00158.45	K
ATOM	19370	CA	PRO	K	145	45.040	100.891	138.361	1.00158.18	K
ATOM	19371	CB	PRO	K	145	44.717	99.782	137.373	1.00158.01	K
ATOM	19372	CG	PRO	K	145	45.195	100.382	136.096	1.00158.32	K
ATOM	19373	C	PRO	K	145	46.507	100.856	138.800	1.00157.79	K
ATOM	19374	O	PRO	K	145	46.950	99.895	139.427	1.00157.54	K
ATOM	19375	N	THR	K	146	47.264	101.893	138.458	1.00157.14	K
ATOM	19376	CA	THR	K	146	48.671	101.949	138.838	1.00156.95	K
ATOM	19377	CB	THR	K	146	49.480	102.825	137.863	1.00157.09	K
ATOM	19378	OG1	THR	K	146	49.166	104.207	138.077	1.00157.64	K
ATOM	19379	CG2	THR	K	146	49.147	102.462	136.427	1.00157.42	K
ATOM	19380	C	THR	K	146	48.779	102.555	140.233	1.00157.06	K
ATOM	19381	O	THR	K	146	47.826	103.153	140.731	1.00157.96	K

ATOM	19382	N	PRO	K	147	49.940	102.400	140.888	1.00156.47	K
ATOM	19383	CD	PRO	K	147	51.053	101.506	140.518	1.00155.77	K
ATOM	19384	CA	PRO	K	147	50.141	102.948	142.234	1.00155.95	K
ATOM	19385	CB	PRO	K	147	51.229	102.049	142.800	1.00156.40	K
ATOM	19386	CG	PRO	K	147	52.078	101.797	141.597	1.00155.82	K
ATOM	19387	C	PRO	K	147	50.551	104.425	142.257	1.00155.83	K
ATOM	19388	O	PRO	K	147	51.030	104.921	143.279	1.00154.84	K
ATOM	19389	N	TYR	K	148	50.361	105.122	141.136	1.00156.61	K
ATOM	19390	CA	TYR	K	148	50.729	106.539	141.036	1.00156.42	K
ATOM	19391	CB	TYR	K	148	51.745	106.764	139.902	1.00157.10	K
ATOM	19392	CG	TYR	K	148	52.979	105.886	139.923	1.00157.90	K
ATOM	19393	CD1	TYR	K	148	52.940	104.579	139.434	1.00157.99	K
ATOM	19394	CE1	TYR	K	148	54.081	103.777	139.432	1.00158.20	K
ATOM	19395	CD2	TYR	K	148	54.193	106.370	140.416	1.00157.98	K
ATOM	19396	CE2	TYR	K	148	55.338	105.577	140.420	1.00157.45	K
ATOM	19397	CZ	TYR	K	148	55.277	104.284	139.928	1.00157.99	K
ATOM	19398	OH	TYR	K	148	56.412	103.505	139.936	1.00159.22	K
ATOM	19399	C	TYR	K	148	49.541	107.470	140.778	1.00155.12	K
ATOM	19400	O	TYR	K	148	48.568	107.086	140.126	1.00154.24	K
ATOM	19401	N	TYR	K	149	49.634	108.699	141.287	1.00153.78	K
ATOM	19402	CA	TYR	K	149	48.587	109.695	141.067	1.00152.45	K
ATOM	19403	CB	TYR	K	149	48.678	110.851	142.071	1.00148.64	K
ATOM	19404	CG	TYR	K	149	48.079	110.604	143.438	1.00144.41	K
ATOM	19405	CD1	TYR	K	149	48.824	110.012	144.453	1.00143.83	K
ATOM	19406	CE1	TYR	K	149	48.285	109.817	145.726	1.00141.57	K
ATOM	19407	CD2	TYR	K	149	46.772	110.995	143.726	1.00142.43	K
ATOM	19408	CE2	TYR	K	149	46.221	110.805	144.992	1.00140.03	K
ATOM	19409	CZ	TYR	K	149	46.984	110.215	145.988	1.00140.32	K
ATOM	19410	OH	TYR	K	149	46.460	110.025	147.248	1.00138.13	K
ATOM	19411	C	TYR	K	149	48.808	110.263	139.672	1.00153.92	K
ATOM	19412	O	TYR	K	149	49.730	111.051	139.461	1.00154.09	K
ATOM	19413	N	LEU	K	150	47.970	109.864	138.722	1.00155.84	K
ATOM	19414	CA	LEU	K	150	48.098	110.345	137.351	1.00157.47	K
ATOM	19415	CB	LEU	K	150	47.407	109.383	136.380	1.00157.94	K
ATOM	19416	CG	LEU	K	150	47.813	107.908	136.410	1.00158.00	K
ATOM	19417	CD1	LEU	K	150	47.001	107.148	135.372	1.00157.31	K
ATOM	19418	CD2	LEU	K	150	49.302	107.765	136.138	1.00158.17	K
ATOM	19419	C	LEU	K	150	47.482	111.732	137.209	1.00158.59	K
ATOM	19420	O	LEU	K	150	46.271	111.896	137.349	1.00158.86	K
ATOM	19421	N	THR	K	151	48.315	112.728	136.929	1.00159.77	K
ATOM	19422	CA	THR	K	151	47.829	114.091	136.768	1.00160.45	K
ATOM	19423	CB	THR	K	151	48.946	115.111	137.070	1.00159.95	K
ATOM	19424	OG1	THR	K	151	49.536	114.814	138.343	1.00158.11	K
ATOM	19425	CG2	THR	K	151	48.380	116.521	137.104	1.00159.94	K
ATOM	19426	C	THR	K	151	47.328	114.289	135.336	1.00161.60	K
ATOM	19427	O	THR	K	151	48.040	114.830	134.489	1.00161.89	K
ATOM	19428	N	VAL	K	152	46.101	113.838	135.078	1.00162.37	K
ATOM	19429	CA	VAL	K	152	45.482	113.939	133.756	1.00162.71	K
ATOM	19430	CB	VAL	K	152	44.201	113.070	133.677	1.00161.90	K
ATOM	19431	CG1	VAL	K	152	43.500	113.283	132.344	1.00161.67	K
ATOM	19432	CG2	VAL	K	152	44.556	111.601	133.856	1.00161.64	K
ATOM	19433	C	VAL	K	152	45.123	115.370	133.365	1.00163.62	K
ATOM	19434	O	VAL	K	152	44.416	116.068	134.092	1.00163.05	K
ATOM	19435	N	THR	K	153	45.615	115.796	132.206	1.00164.91	K
ATOM	19436	CA	THR	K	153	45.354	117.137	131.707	1.00166.23	K
ATOM	19437	CB	THR	K	153	46.573	118.057	131.917	1.00167.11	K
ATOM	19438	OG1	THR	K	153	46.306	119.342	131.343	1.00168.79	K
ATOM	19439	CG2	THR	K	153	47.805	117.462	131.261	1.00167.24	K

ATOM	19440	C	THR	K	153	45.004	117.117	130.222	1.00166.56	K
ATOM	19441	O	THR	K	153	45.177	116.100	129.544	1.00166.05	K
ATOM	19442	N	GLU	K	154	44.512	118.251	129.730	1.00167.39	K
ATOM	19443	CA	GLU	K	154	44.119	118.404	128.335	1.00168.47	K
ATOM	19444	CB	GLU	K	154	45.358	118.459	127.441	1.00168.46	K
ATOM	19445	CG	GLU	K	154	46.399	119.478	127.893	1.00168.46	K
ATOM	19446	CD	GLU	K	154	47.522	119.658	126.887	1.00168.69	K
ATOM	19447	OE1	GLU	K	154	48.547	120.287	127.234	1.00167.13	K
ATOM	19448	OE2	GLU	K	154	47.373	119.177	125.745	1.00169.69	K
ATOM	19449	C	GLU	K	154	43.209	117.258	127.898	1.00169.74	K
ATOM	19450	O	GLU	K	154	43.331	116.741	126.786	1.00169.77	K
ATOM	19451	N	LEU	K	155	42.302	116.864	128.789	1.00171.04	K
ATOM	19452	CA	LEU	K	155	41.356	115.785	128.516	1.00172.09	K
ATOM	19453	CB	LEU	K	155	40.650	115.364	129.812	1.00172.71	K
ATOM	19454	CG	LEU	K	155	39.729	114.141	129.775	1.00173.08	K
ATOM	19455	CD1	LEU	K	155	40.510	112.912	129.328	1.00173.71	K
ATOM	19456	CD2	LEU	K	155	39.134	113.912	131.158	1.00173.26	K
ATOM	19457	C	LEU	K	155	40.332	116.260	127.492	1.00172.40	K
ATOM	19458	O	LEU	K	155	39.845	117.387	127.573	1.00171.99	K
ATOM	19459	N	ASN	K	156	40.006	115.402	126.530	1.00173.41	K
ATOM	19460	CA	ASN	K	156	39.050	115.765	125.491	1.00174.65	K
ATOM	19461	CB	ASN	K	156	39.798	116.256	124.249	1.00173.60	K
ATOM	19462	CG	ASN	K	156	40.868	117.277	124.578	1.00172.34	K
ATOM	19463	OD1	ASN	K	156	40.582	118.344	125.120	1.00171.40	K
ATOM	19464	ND2	ASN	K	156	42.114	116.949	124.256	1.00171.15	K
ATOM	19465	C	ASN	K	156	38.138	114.606	125.097	1.00176.19	K
ATOM	19466	O	ASN	K	156	38.603	113.485	124.882	1.00175.79	K
ATOM	19467	N	ALA	K	157	36.840	114.885	125.001	1.00178.07	K
ATOM	19468	CA	ALA	K	157	35.858	113.878	124.610	1.00179.51	K
ATOM	19469	CB	ALA	K	157	34.449	114.365	124.937	1.00178.79	K
ATOM	19470	C	ALA	K	157	36.009	113.667	123.106	1.00180.68	K
ATOM	19471	O	ALA	K	157	35.044	113.363	122.400	1.00180.87	K
ATOM	19472	N	GLY	K	158	37.242	113.830	122.636	1.00181.70	K
ATOM	19473	CA	GLY	K	158	37.544	113.691	121.225	1.00182.68	K
ATOM	19474	C	GLY	K	158	37.735	115.074	120.634	1.00183.14	K
ATOM	19475	O	GLY	K	158	38.826	115.428	120.182	1.00182.90	K
ATOM	19476	N	THR	K	159	36.661	115.857	120.654	1.00183.51	K
ATOM	19477	CA	THR	K	159	36.666	117.219	120.131	1.00183.48	K
ATOM	19478	CB	THR	K	159	35.631	117.385	118.999	1.00182.61	K
ATOM	19479	OG1	THR	K	159	34.325	117.056	119.491	1.00182.48	K
ATOM	19480	CG2	THR	K	159	35.967	116.472	117.833	1.00181.72	K
ATOM	19481	C	THR	K	159	36.312	118.191	121.253	1.00183.72	K
ATOM	19482	O	THR	K	159	36.822	119.312	121.308	1.00183.66	K
ATOM	19483	N	ARG	K	160	35.434	117.744	122.146	1.00183.66	K
ATOM	19484	CA	ARG	K	160	34.986	118.548	123.274	1.00183.48	K
ATOM	19485	CB	ARG	K	160	33.621	118.041	123.746	1.00184.34	K
ATOM	19486	CG	ARG	K	160	33.129	118.631	125.055	1.00185.70	K
ATOM	19487	CD	ARG	K	160	33.152	120.153	125.067	1.00186.44	K
ATOM	19488	NE	ARG	K	160	32.349	120.672	126.167	1.00187.40	K
ATOM	19489	CZ	ARG	K	160	32.388	121.926	126.608	1.00187.65	K
ATOM	19490	NH1	ARG	K	160	33.201	122.815	126.045	1.00187.67	K
ATOM	19491	NH2	ARG	K	160	31.611	122.291	127.619	1.00187.57	K
ATOM	19492	C	ARG	K	160	35.993	118.512	124.423	1.00182.85	K
ATOM	19493	O	ARG	K	160	36.203	117.467	125.042	1.00182.86	K
ATOM	19494	N	VAL	K	161	36.609	119.661	124.699	1.00181.59	K
ATOM	19495	CA	VAL	K	161	37.602	119.779	125.764	1.00179.79	K
ATOM	19496	CB	VAL	K	161	38.412	121.096	125.637	1.00179.54	K
ATOM	19497	CG1	VAL	K	161	37.491	122.300	125.783	1.00179.31	K

ATOM	19498	CG2	VAL	K	161	39.510	121.134	126.691	1.00178.52	K
ATOM	19499	C	VAL	K	161	36.970	119.729	127.151	1.00178.65	K
ATOM	19500	O	VAL	K	161	35.964	120.388	127.418	1.00178.07	K
ATOM	19501	N	LEU	K	162	37.574	118.941	128.033	1.00177.80	K
ATOM	19502	CA	LEU	K	162	37.079	118.794	129.395	1.00176.36	K
ATOM	19503	CB	LEU	K	162	37.002	117.310	129.771	1.00177.11	K
ATOM	19504	CG	LEU	K	162	36.005	116.467	128.976	1.00177.30	K
ATOM	19505	CD1	LEU	K	162	35.977	115.039	129.510	1.00176.41	K
ATOM	19506	CD2	LEU	K	162	34.632	117.101	129.085	1.00176.97	K
ATOM	19507	C	LEU	K	162	37.948	119.530	130.406	1.00174.54	K
ATOM	19508	O	LEU	K	162	38.660	120.475	130.062	1.00174.24	K
ATOM	19509	N	GLU	K	163	37.884	119.085	131.656	1.00172.59	K
ATOM	19510	CA	GLU	K	163	38.659	119.696	132.723	1.00170.69	K
ATOM	19511	CB	GLU	K	163	37.718	120.232	133.801	1.00170.66	K
ATOM	19512	CG	GLU	K	163	38.390	121.136	134.807	1.00170.53	K
ATOM	19513	CD	GLU	K	163	37.394	121.985	135.561	1.00170.75	K
ATOM	19514	OE1	GLU	K	163	36.605	122.695	134.900	1.00170.73	K
ATOM	19515	OE2	GLU	K	163	37.401	121.945	136.809	1.00170.80	K
ATOM	19516	C	GLU	K	163	39.640	118.695	133.327	1.00169.37	K
ATOM	19517	O	GLU	K	163	39.349	117.501	133.419	1.00169.34	K
ATOM	19518	N	ASN	K	164	40.802	119.199	133.734	1.00167.70	K
ATOM	19519	CA	ASN	K	164	41.861	118.380	134.320	1.00165.92	K
ATOM	19520	CB	ASN	K	164	42.982	119.284	134.844	1.00164.03	K
ATOM	19521	CG	ASN	K	164	43.510	120.230	133.784	1.00161.70	K
ATOM	19522	OD1	ASN	K	164	44.085	119.802	132.785	1.00160.22	K
ATOM	19523	ND2	ASN	K	164	43.311	121.526	133.995	1.00159.72	K
ATOM	19524	C	ASN	K	164	41.358	117.485	135.449	1.00165.25	K
ATOM	19525	O	ASN	K	164	40.229	117.634	135.915	1.00165.87	K
ATOM	19526	N	ALA	K	165	42.206	116.559	135.890	1.00163.90	K
ATOM	19527	CA	ALA	K	165	41.843	115.640	136.962	1.00162.38	K
ATOM	19528	CB	ALA	K	165	40.939	114.546	136.416	1.00162.57	K
ATOM	19529	C	ALA	K	165	43.075	115.021	137.614	1.00161.40	K
ATOM	19530	O	ALA	K	165	44.153	114.995	137.024	1.00162.08	K
ATOM	19531	N	LEU	K	166	42.905	114.524	138.836	1.00160.05	K
ATOM	19532	CA	LEU	K	166	43.995	113.897	139.576	1.00159.50	K
ATOM	19533	CB	LEU	K	166	44.392	114.774	140.770	1.00156.32	K
ATOM	19534	CG	LEU	K	166	45.474	114.211	141.698	1.00154.20	K
ATOM	19535	CD1	LEU	K	166	46.771	114.035	140.931	1.00153.58	K
ATOM	19536	CD2	LEU	K	166	45.680	115.140	142.877	1.00152.29	K
ATOM	19537	C	LEU	K	166	43.586	112.506	140.064	1.00160.92	K
ATOM	19538	O	LEU	K	166	43.200	112.332	141.220	1.00160.99	K
ATOM	19539	N	VAL	K	167	43.675	111.521	139.174	1.00162.67	K
ATOM	19540	CA	VAL	K	167	43.308	110.145	139.499	1.00164.18	K
ATOM	19541	CB	VAL	K	167	43.273	109.270	138.225	1.00163.71	K
ATOM	19542	CG1	VAL	K	167	42.604	107.942	138.526	1.00164.25	K
ATOM	19543	CG2	VAL	K	167	42.536	110.000	137.112	1.00162.60	K
ATOM	19544	C	VAL	K	167	44.288	109.525	140.497	1.00165.81	K
ATOM	19545	O	VAL	K	167	45.467	109.341	140.195	1.00165.48	K
ATOM	19546	N	PRO	K	168	43.805	109.196	141.706	1.00167.79	K
ATOM	19547	CD	PRO	K	168	42.414	109.378	142.158	1.00167.79	K
ATOM	19548	CA	PRO	K	168	44.620	108.594	142.767	1.00169.84	K
ATOM	19549	CB	PRO	K	168	43.684	108.631	143.971	1.00169.21	K
ATOM	19550	CG	PRO	K	168	42.339	108.449	143.342	1.00167.86	K
ATOM	19551	C	PRO	K	168	45.101	107.175	142.443	1.00172.20	K
ATOM	19552	O	PRO	K	168	44.562	106.517	141.551	1.00173.01	K
ATOM	19553	N	PRO	K	169	46.129	106.690	143.167	1.00173.67	K
ATOM	19554	CD	PRO	K	169	46.886	107.440	144.180	1.00173.72	K
ATOM	19555	CA	PRO	K	169	46.709	105.354	142.988	1.00175.12	K

ATOM	19556	CB	PRO	K	169	47.819	105.316	144.036	1.00174.48	K
ATOM	19557	CG	PRO	K	169	48.219	106.739	144.156	1.00174.05	K
ATOM	19558	C	PRO	K	169	45.669	104.269	143.232	1.00176.71	K
ATOM	19559	O	PRO	K	169	45.043	104.234	144.294	1.00176.61	K
ATOM	19560	N	MET	K	170	45.491	103.385	142.255	1.00178.22	K
ATOM	19561	CA	MET	K	170	44.518	102.307	142.377	1.00179.09	K
ATOM	19562	CB	MET	K	170	44.935	101.356	143.500	1.00179.93	K
ATOM	19563	CG	MET	K	170	46.148	100.512	143.161	1.00180.25	K
ATOM	19564	SD	MET	K	170	46.967	99.853	144.619	1.00180.92	K
ATOM	19565	CE	MET	K	170	48.438	100.846	144.619	1.00179.85	K
ATOM	19566	C	MET	K	170	43.142	102.888	142.665	1.00179.16	K
ATOM	19567	O	MET	K	170	42.345	102.303	143.400	1.00179.26	K
ATOM	19568	N	GLY	K	171	42.876	104.051	142.082	1.00179.04	K
ATOM	19569	CA	GLY	K	171	41.601	104.707	142.280	1.00179.22	K
ATOM	19570	C	GLY	K	171	41.026	105.193	140.969	1.00179.69	K
ATOM	19571	O	GLY	K	171	41.511	104.835	139.895	1.00179.52	K
ATOM	19572	N	GLU	K	172	39.987	106.014	141.058	1.00180.51	K
ATOM	19573	CA	GLU	K	172	39.333	106.558	139.879	1.00181.09	K
ATOM	19574	CB	GLU	K	172	38.266	105.575	139.379	1.00182.08	K
ATOM	19575	CG	GLU	K	172	37.419	104.948	140.488	1.00183.55	K
ATOM	19576	CD	GLU	K	172	36.576	103.776	140.000	1.00183.60	K
ATOM	19577	OE1	GLU	K	172	35.688	103.992	139.146	1.00183.83	K
ATOM	19578	OE2	GLU	K	172	36.804	102.638	140.471	1.00182.74	K
ATOM	19579	C	GLU	K	172	38.713	107.915	140.184	1.00181.24	K
ATOM	19580	O	GLU	K	172	38.542	108.282	141.347	1.00180.45	K
ATOM	19581	N	SER	K	173	38.389	108.659	139.131	1.00182.23	K
ATOM	19582	CA	SER	K	173	37.792	109.982	139.279	1.00183.15	K
ATOM	19583	CB	SER	K	173	38.892	111.030	139.455	1.00183.06	K
ATOM	19584	OG	SER	K	173	39.696	110.724	140.582	1.00182.60	K
ATOM	19585	C	SER	K	173	36.931	110.317	138.063	1.00183.66	K
ATOM	19586	O	SER	K	173	37.372	110.183	136.921	1.00183.16	K
ATOM	19587	N	ALA	K	174	35.703	110.756	138.314	1.00184.64	K
ATOM	19588	CA	ALA	K	174	34.781	111.086	137.236	1.00185.31	K
ATOM	19589	CB	ALA	K	174	33.384	110.568	137.580	1.00186.19	K
ATOM	19590	C	ALA	K	174	34.711	112.576	136.904	1.00185.21	K
ATOM	19591	O	ALA	K	174	34.468	113.413	137.775	1.00184.78	K
ATOM	19592	N	VAL	K	175	34.927	112.891	135.632	1.00185.33	K
ATOM	19593	CA	VAL	K	175	34.865	114.258	135.150	1.00185.78	K
ATOM	19594	CB	VAL	K	175	36.064	114.577	134.243	1.00185.48	K
ATOM	19595	CG1	VAL	K	175	35.991	116.019	133.765	1.00185.03	K
ATOM	19596	CG2	VAL	K	175	37.369	114.326	134.973	1.00184.98	K
ATOM	19597	C	VAL	K	175	33.575	114.420	134.358	1.00186.77	K
ATOM	19598	O	VAL	K	175	33.108	113.476	133.722	1.00186.83	K
ATOM	19599	N	LYS	K	176	33.007	115.622	134.411	1.00187.95	K
ATOM	19600	CA	LYS	K	176	31.746	115.920	133.734	1.00189.05	K
ATOM	19601	CB	LYS	K	176	31.346	117.387	133.957	1.00187.97	K
ATOM	19602	CG	LYS	K	176	30.993	117.705	135.402	1.00186.84	K
ATOM	19603	CD	LYS	K	176	32.210	117.572	136.297	1.00186.80	K
ATOM	19604	CE	LYS	K	176	31.797	117.279	137.730	1.00187.37	K
ATOM	19605	NZ	LYS	K	176	31.137	115.928	137.838	1.00187.15	K
ATOM	19606	C	LYS	K	176	31.761	115.636	132.228	1.00190.39	K
ATOM	19607	O	LYS	K	176	32.353	116.385	131.453	1.00190.99	K
ATOM	19608	N	LEU	K	177	31.102	114.559	131.809	1.00191.30	K
ATOM	19609	CA	LEU	K	177	31.022	114.212	130.392	1.00192.17	K
ATOM	19610	CB	LEU	K	177	30.695	112.727	130.235	1.00192.76	K
ATOM	19611	CG	LEU	K	177	30.699	112.165	128.806	1.00193.36	K
ATOM	19612	CD1	LEU	K	177	31.767	112.849	127.950	1.00193.27	K
ATOM	19613	CD2	LEU	K	177	30.974	110.663	128.858	1.00193.72	K

ATOM	19614	C	LEU	K	177	29.938	115.093	129.783	1.00192.65	K
ATOM	19615	O	LEU	K	177	28.747	114.896	130.017	1.00192.51	K
ATOM	19616	N	PRO	K	178	30.357	116.077	128.979	1.00193.27	K
ATOM	19617	CD	PRO	K	178	31.751	116.126	128.499	1.00193.45	K
ATOM	19618	CA	PRO	K	178	29.551	117.077	128.276	1.00193.72	K
ATOM	19619	CB	PRO	K	178	30.606	117.874	127.520	1.00193.58	K
ATOM	19620	CG	PRO	K	178	31.608	116.821	127.175	1.00193.58	K
ATOM	19621	C	PRO	K	178	28.437	116.591	127.349	1.00194.14	K
ATOM	19622	O	PRO	K	178	27.510	117.347	127.042	1.00193.95	K
ATOM	19623	N	SER	K	179	28.520	115.343	126.901	1.00194.57	K
ATOM	19624	CA	SER	K	179	27.529	114.785	125.974	1.00194.79	K
ATOM	19625	CB	SER	K	179	26.095	115.070	126.446	1.00193.91	K
ATOM	19626	OG	SER	K	179	25.133	114.410	125.632	1.00193.66	K
ATOM	19627	C	SER	K	179	27.750	115.333	124.567	1.00195.40	K
ATOM	19628	O	SER	K	179	26.950	115.098	123.649	1.00195.30	K
ATOM	19629	N	ASP	K	180	28.835	116.095	124.431	1.00195.78	K
ATOM	19630	CA	ASP	K	180	29.275	116.670	123.153	1.00195.62	K
ATOM	19631	CB	ASP	K	180	29.721	118.127	123.342	1.00195.35	K
ATOM	19632	CG	ASP	K	180	28.613	119.019	123.878	1.00194.36	K
ATOM	19633	OD1	ASP	K	180	28.885	120.226	124.111	1.00193.02	K
ATOM	19634	OD2	ASP	K	180	27.476	118.527	124.065	1.00193.96	K
ATOM	19635	C	ASP	K	180	30.472	115.763	122.902	1.00195.31	K
ATOM	19636	O	ASP	K	180	31.512	116.146	122.379	1.00194.94	K
ATOM	19637	N	ALA	K	181	30.235	114.527	123.317	1.00195.41	K
ATOM	19638	CA	ALA	K	181	31.150	113.395	123.317	1.00195.57	K
ATOM	19639	CB	ALA	K	181	30.456	112.245	123.951	1.00195.01	K
ATOM	19640	C	ALA	K	181	31.762	112.919	122.004	1.00195.68	K
ATOM	19641	O	ALA	K	181	32.229	113.704	121.180	1.00196.02	K
ATOM	19642	N	GLY	K	182	31.807	111.590	121.886	1.00195.45	K
ATOM	19643	CA	GLY	K	182	32.371	110.891	120.746	1.00195.41	K
ATOM	19644	C	GLY	K	182	32.765	109.523	121.271	1.00195.66	K
ATOM	19645	O	GLY	K	182	31.953	108.596	121.292	1.00195.46	K
ATOM	19646	N	SER	K	183	34.013	109.426	121.714	1.00196.30	K
ATOM	19647	CA	SER	K	183	34.595	108.213	122.269	1.00196.93	K
ATOM	19648	CB	SER	K	183	34.000	106.945	121.638	1.00197.30	K
ATOM	19649	OG	SER	K	183	33.581	106.025	122.639	1.00197.43	K
ATOM	19650	C	SER	K	183	36.093	108.275	121.996	1.00196.78	K
ATOM	19651	O	SER	K	183	36.878	107.465	122.500	1.00196.82	K
ATOM	19652	N	ASN	K	184	36.481	109.253	121.185	1.00196.05	K
ATOM	19653	CA	ASN	K	184	37.882	109.464	120.836	1.00194.83	K
ATOM	19654	CB	ASN	K	184	37.999	110.381	119.604	1.00195.76	K
ATOM	19655	CG	ASN	K	184	39.447	110.690	119.231	1.00196.29	K
ATOM	19656	OD1	ASN	K	184	40.232	109.783	118.953	1.00196.58	K
ATOM	19657	ND2	ASN	K	184	39.803	111.976	119.228	1.00195.90	K
ATOM	19658	C	ASN	K	184	38.602	110.103	122.014	1.00193.15	K
ATOM	19659	O	ASN	K	184	39.380	111.046	121.846	1.00193.39	K
ATOM	19660	N	ILE	K	185	38.326	109.595	123.210	1.00190.79	K
ATOM	19661	CA	ILE	K	185	38.955	110.132	124.408	1.00188.44	K
ATOM	19662	CB	ILE	K	185	38.715	109.226	125.636	1.00188.17	K
ATOM	19663	CG2	ILE	K	185	39.373	109.849	126.869	1.00186.99	K
ATOM	19664	CG1	ILE	K	185	37.214	109.054	125.885	1.00187.61	K
ATOM	19665	CD1	ILE	K	185	36.876	108.163	127.067	1.00186.12	K
ATOM	19666	C	ILE	K	185	40.461	110.289	124.204	1.00186.47	K
ATOM	19667	O	ILE	K	185	41.128	109.373	123.730	1.00185.93	K
ATOM	19668	N	THR	K	186	40.979	111.466	124.546	1.00184.40	K
ATOM	19669	CA	THR	K	186	42.401	111.770	124.414	1.00182.16	K
ATOM	19670	CB	THR	K	186	42.659	112.701	123.219	1.00182.50	K
ATOM	19671	OG1	THR	K	186	41.905	113.908	123.379	1.00182.73	K

ATOM	19672	CG2	THR	K	186	42.248	112.025	121.922	1.00181.63	K
ATOM	19673	C	THR	K	186	42.884	112.452	125.690	1.00180.17	K
ATOM	19674	O	THR	K	186	42.096	113.099	126.381	1.00180.33	K
ATOM	19675	N	TYR	K	187	44.172	112.321	126.005	1.00177.57	K
ATOM	19676	CA	TYR	K	187	44.685	112.925	127.229	1.00174.97	K
ATOM	19677	CB	TYR	K	187	44.162	112.141	128.435	1.00175.70	K
ATOM	19678	CG	TYR	K	187	44.641	110.703	128.490	1.00176.24	K
ATOM	19679	CD1	TYR	K	187	45.829	110.365	129.141	1.00175.95	K
ATOM	19680	CE1	TYR	K	187	46.282	109.044	129.177	1.00176.61	K
ATOM	19681	CD2	TYR	K	187	43.915	109.684	127.873	1.00176.41	K
ATOM	19682	CE2	TYR	K	187	44.358	108.361	127.900	1.00176.78	K
ATOM	19683	CZ	TYR	K	187	45.540	108.048	128.553	1.00177.13	K
ATOM	19684	OH	TYR	K	187	45.978	106.741	128.571	1.00177.17	K
ATOM	19685	C	TYR	K	187	46.201	113.023	127.332	1.00172.60	K
ATOM	19686	O	TYR	K	187	46.938	112.238	126.735	1.00172.81	K
ATOM	19687	N	ARG	K	188	46.651	114.005	128.105	1.00169.19	K
ATOM	19688	CA	ARG	K	188	48.071	114.222	128.351	1.00166.10	K
ATOM	19689	CB	ARG	K	188	48.542	115.530	127.709	1.00165.39	K
ATOM	19690	CG	ARG	K	188	48.450	115.550	126.188	1.00164.35	K
ATOM	19691	CD	ARG	K	188	49.038	116.834	125.614	1.00163.33	K
ATOM	19692	NE	ARG	K	188	50.493	116.895	125.720	1.00161.33	K
ATOM	19693	CZ	ARG	K	188	51.328	116.186	124.967	1.00160.70	K
ATOM	19694	NH1	ARG	K	188	50.857	115.357	124.047	1.00160.85	K
ATOM	19695	NH2	ARG	K	188	52.638	116.312	125.127	1.00160.75	K
ATOM	19696	C	ARG	K	188	48.237	114.293	129.866	1.00164.28	K
ATOM	19697	O	ARG	K	188	47.326	114.724	130.571	1.00163.72	K
ATOM	19698	N	THR	K	189	49.389	113.864	130.368	1.00162.86	K
ATOM	19699	CA	THR	K	189	49.632	113.881	131.807	1.00161.16	K
ATOM	19700	CB	THR	K	189	49.768	112.455	132.370	1.00162.76	K
ATOM	19701	OG1	THR	K	189	51.070	111.943	132.064	1.00164.16	K
ATOM	19702	CG2	THR	K	189	48.716	111.537	131.755	1.00164.77	K
ATOM	19703	C	THR	K	189	50.897	114.646	132.170	1.00158.83	K
ATOM	19704	O	THR	K	189	51.637	115.098	131.297	1.00158.60	K
ATOM	19705	N	ILE	K	190	51.139	114.778	133.470	1.00156.69	K
ATOM	19706	CA	ILE	K	190	52.313	115.483	133.974	1.00154.34	K
ATOM	19707	CB	ILE	K	190	51.914	116.665	134.883	1.00152.69	K
ATOM	19708	CG2	ILE	K	190	53.153	117.449	135.285	1.00151.85	K
ATOM	19709	CG1	ILE	K	190	50.943	117.588	134.152	1.00150.61	K
ATOM	19710	CD1	ILE	K	190	50.455	118.738	134.998	1.00149.19	K
ATOM	19711	C	ILE	K	190	53.187	114.528	134.782	1.00153.14	K
ATOM	19712	O	ILE	K	190	52.770	114.023	135.825	1.00153.19	K
ATOM	19713	N	ASN	K	191	54.401	114.291	134.297	1.00151.30	K
ATOM	19714	CA	ASN	K	191	55.326	113.391	134.969	1.00149.67	K
ATOM	19715	CB	ASN	K	191	56.376	112.888	133.984	1.00149.14	K
ATOM	19716	CG	ASN	K	191	57.067	114.013	133.261	1.00148.90	K
ATOM	19717	OD1	ASN	K	191	57.662	114.892	133.883	1.00148.55	K
ATOM	19718	ND2	ASN	K	191	56.990	113.998	131.935	1.00149.62	K
ATOM	19719	C	ASN	K	191	56.012	114.032	136.168	1.00148.74	K
ATOM	19720	O	ASN	K	191	55.617	115.106	136.622	1.00147.38	K
ATOM	19721	N	ASP	K	192	57.051	113.361	136.660	1.00149.11	K
ATOM	19722	CA	ASP	K	192	57.814	113.795	137.831	1.00148.80	K
ATOM	19723	CB	ASP	K	192	58.829	112.716	138.227	1.00151.23	K
ATOM	19724	CG	ASP	K	192	58.193	111.350	138.433	1.00153.88	K
ATOM	19725	OD1	ASP	K	192	58.891	110.448	138.944	1.00154.50	K
ATOM	19726	OD2	ASP	K	192	57.006	111.176	138.078	1.00155.78	K
ATOM	19727	C	ASP	K	192	58.556	115.125	137.722	1.00146.83	K
ATOM	19728	O	ASP	K	192	58.813	115.774	138.737	1.00145.34	K
ATOM	19729	N	TYR	K	193	58.911	115.529	136.508	1.00145.88	K

ATOM	19730	CA	TYR	K	193	59.646	116.777	136.324	1.00145.31	K
ATOM	19731	CB	TYR	K	193	60.719	116.595	135.248	1.00143.16	K
ATOM	19732	CG	TYR	K	193	61.408	115.252	135.318	1.00141.38	K
ATOM	19733	CD1	TYR	K	193	60.965	114.180	134.541	1.00140.14	K
ATOM	19734	CE1	TYR	K	193	61.570	112.931	134.626	1.00138.54	K
ATOM	19735	CD2	TYR	K	193	62.480	115.040	136.185	1.00140.23	K
ATOM	19736	CE2	TYR	K	193	63.093	113.795	136.280	1.00138.55	K
ATOM	19737	CZ	TYR	K	193	62.633	112.747	135.498	1.00138.64	K
ATOM	19738	OH	TYR	K	193	63.237	111.514	135.587	1.00137.86	K
ATOM	19739	C	TYR	K	193	58.723	117.926	135.949	1.00146.39	K
ATOM	19740	O	TYR	K	193	59.162	119.068	135.812	1.00145.70	K
ATOM	19741	N	GLY	K	194	57.438	117.616	135.800	1.00148.31	K
ATOM	19742	CA	GLY	K	194	56.464	118.629	135.439	1.00148.86	K
ATOM	19743	C	GLY	K	194	56.366	118.775	133.935	1.00148.92	K
ATOM	19744	O	GLY	K	194	56.182	119.878	133.419	1.00148.83	K
ATOM	19745	N	ALA	K	195	56.486	117.654	133.229	1.00148.93	K
ATOM	19746	CA	ALA	K	195	56.429	117.656	131.771	1.00149.37	K
ATOM	19747	CB	ALA	K	195	57.757	117.165	131.209	1.00148.72	K
ATOM	19748	C	ALA	K	195	55.278	116.816	131.210	1.00149.80	K
ATOM	19749	O	ALA	K	195	55.049	115.683	131.636	1.00150.02	K
ATOM	19750	N	LEU	K	196	54.557	117.388	130.249	1.00150.33	K
ATOM	19751	CA	LEU	K	196	53.427	116.721	129.608	1.00151.16	K
ATOM	19752	CB	LEU	K	196	52.759	117.663	128.601	1.00150.96	K
ATOM	19753	CG	LEU	K	196	51.798	118.744	129.094	1.00150.72	K
ATOM	19754	CD1	LEU	K	196	51.486	119.713	127.964	1.00149.85	K
ATOM	19755	CD2	LEU	K	196	50.528	118.087	129.596	1.00152.02	K
ATOM	19756	C	LEU	K	196	53.849	115.458	128.874	1.00152.20	K
ATOM	19757	O	LEU	K	196	54.656	115.517	127.950	1.00152.79	K
ATOM	19758	N	THR	K	197	53.301	114.318	129.277	1.00153.55	K
ATOM	19759	CA	THR	K	197	53.624	113.061	128.612	1.00155.53	K
ATOM	19760	CB	THR	K	197	53.083	111.854	129.402	1.00154.37	K
ATOM	19761	OG1	THR	K	197	51.652	111.893	129.426	1.00153.20	K
ATOM	19762	CG2	THR	K	197	53.611	111.883	130.826	1.00153.92	K
ATOM	19763	C	THR	K	197	52.976	113.111	127.225	1.00157.69	K
ATOM	19764	O	THR	K	197	52.125	113.967	126.968	1.00157.79	K
ATOM	19765	N	PRO	K	198	53.365	112.201	126.311	1.00159.10	K
ATOM	19766	CD	PRO	K	198	54.268	111.046	126.472	1.00158.79	K
ATOM	19767	CA	PRO	K	198	52.778	112.213	124.966	1.00159.80	K
ATOM	19768	CB	PRO	K	198	53.553	111.114	124.245	1.00158.37	K
ATOM	19769	CG	PRO	K	198	53.837	110.142	125.338	1.00157.44	K
ATOM	19770	C	PRO	K	198	51.270	111.985	124.929	1.00161.25	K
ATOM	19771	O	PRO	K	198	50.728	111.186	125.696	1.00161.96	K
ATOM	19772	N	LYS	K	199	50.603	112.696	124.026	1.00162.62	K
ATOM	19773	CA	LYS	K	199	49.158	112.591	123.862	1.00164.54	K
ATOM	19774	CB	LYS	K	199	48.683	113.605	122.818	1.00163.13	K
ATOM	19775	CG	LYS	K	199	47.293	113.355	122.275	1.00160.83	K
ATOM	19776	CD	LYS	K	199	46.965	114.353	121.185	1.00159.57	K
ATOM	19777	CE	LYS	K	199	45.790	113.876	120.354	1.00159.30	K
ATOM	19778	NZ	LYS	K	199	44.604	113.589	121.203	1.00159.40	K
ATOM	19779	C	LYS	K	199	48.756	111.179	123.444	1.00166.61	K
ATOM	19780	O	LYS	K	199	49.182	110.687	122.401	1.00166.61	K
ATOM	19781	N	MET	K	200	47.935	110.532	124.264	1.00169.01	K
ATOM	19782	CA	MET	K	200	47.479	109.174	123.984	1.00171.22	K
ATOM	19783	CB	MET	K	200	47.954	108.238	125.097	1.00170.97	K
ATOM	19784	CG	MET	K	200	48.295	108.957	126.395	1.00171.07	K
ATOM	19785	SD	MET	K	200	49.211	107.921	127.554	1.00171.54	K
ATOM	19786	CE	MET	K	200	50.915	108.293	127.087	1.00171.17	K
ATOM	19787	C	MET	K	200	45.960	109.118	123.837	1.00173.00	K

ATOM	19788	O	MET	K	200	45.285	110.143	123.943	1.00173.37	K
ATOM	19789	N	THR	K	201	45.423	107.924	123.587	1.00174.59	K
ATOM	19790	CA	THR	K	201	43.980	107.763	123.406	1.00175.76	K
ATOM	19791	CB	THR	K	201	43.661	106.925	122.135	1.00175.55	K
ATOM	19792	OG1	THR	K	201	44.320	107.499	120.999	1.00174.76	K
ATOM	19793	CG2	THR	K	201	42.157	106.907	121.867	1.00174.80	K
ATOM	19794	C	THR	K	201	43.287	107.114	124.605	1.00176.35	K
ATOM	19795	O	THR	K	201	43.883	106.316	125.334	1.00175.98	K
ATOM	19796	N	GLY	K	202	42.020	107.474	124.793	1.00176.72	K
ATOM	19797	CA	GLY	K	202	41.232	106.940	125.885	1.00176.60	K
ATOM	19798	C	GLY	K	202	40.830	105.504	125.634	1.00176.66	K
ATOM	19799	O	GLY	K	202	40.076	105.211	124.704	1.00176.19	K
ATOM	19800	N	VAL	K	203	41.338	104.611	126.475	1.00177.37	K
ATOM	19801	CA	VAL	K	203	41.067	103.183	126.367	1.00178.34	K
ATOM	19802	CB	VAL	K	203	42.341	102.365	126.686	1.00178.58	K
ATOM	19803	CG1	VAL	K	203	42.086	100.883	126.460	1.00178.61	K
ATOM	19804	CG2	VAL	K	203	43.500	102.855	125.827	1.00178.56	K
ATOM	19805	C	VAL	K	203	39.955	102.745	127.322	1.00178.43	K
ATOM	19806	O	VAL	K	203	40.223	102.098	128.337	1.00178.13	K
ATOM	19807	N	MET	K	204	38.713	103.094	126.992	1.00178.51	K
ATOM	19808	CA	MET	K	204	37.569	102.729	127.826	1.00178.48	K
ATOM	19809	CB	MET	K	204	36.248	103.022	127.102	1.00177.77	K
ATOM	19810	CG	MET	K	204	35.974	104.495	126.822	1.00177.77	K
ATOM	19811	SD	MET	K	204	37.073	105.207	125.573	1.00177.83	K
ATOM	19812	CE	MET	K	204	36.175	104.813	124.076	1.00177.47	K
ATOM	19813	C	MET	K	204	37.626	101.250	128.190	1.00179.08	K
ATOM	19814	O	MET	K	204	37.835	100.399	127.328	1.00178.53	K
ATOM	19815	N	GLU	K	205	37.449	100.951	129.473	1.00180.54	K
ATOM	19816	CA	GLU	K	205	37.476	99.571	129.945	1.00182.08	K
ATOM	19817	CB	GLU	K	205	38.040	99.495	131.367	1.00182.91	K
ATOM	19818	CG	GLU	K	205	37.213	100.240	132.405	1.00183.85	K
ATOM	19819	CD	GLU	K	205	37.046	99.459	133.695	1.00183.98	K
ATOM	19820	OE1	GLU	K	205	36.399	99.983	134.627	1.00183.91	K
ATOM	19821	OE2	GLU	K	205	37.558	98.320	133.771	1.00184.55	K
ATOM	19822	C	GLU	K	205	36.070	98.978	129.926	1.00182.54	K
ATOM	19823	O	GLU	K	205	35.940	97.787	129.569	1.00182.97	K
ATOM	19824	OXT	GLU	K	205	35.122	99.713	130.283	1.00182.89	K
ATOM	19825	CB	PHE	L	1	99.361	111.036	116.371	1.00 85.78	L
ATOM	19826	CG	PHE	L	1	98.291	111.691	117.205	1.00 82.51	L
ATOM	19827	CD1	PHE	L	1	96.982	111.757	116.753	1.00 81.03	L
ATOM	19828	CD2	PHE	L	1	98.590	112.220	118.454	1.00 81.61	L
ATOM	19829	CE1	PHE	L	1	95.984	112.331	117.526	1.00 78.09	L
ATOM	19830	CE2	PHE	L	1	97.602	112.794	119.235	1.00 79.33	L
ATOM	19831	CZ	PHE	L	1	96.295	112.852	118.769	1.00 78.15	L
ATOM	19832	C	PHE	L	1	98.066	108.902	116.137	1.00 89.25	L
ATOM	19833	O	PHE	L	1	97.704	108.840	114.956	1.00 90.31	L
ATOM	19834	N	PHE	L	1	100.500	108.960	115.664	1.00 87.32	L
ATOM	19835	CA	PHE	L	1	99.412	109.510	116.514	1.00 86.76	L
ATOM	19836	N	ALA	L	2	97.336	108.445	117.151	1.00 91.43	L
ATOM	19837	CA	ALA	L	2	96.017	107.847	116.962	1.00 93.08	L
ATOM	19838	CB	ALA	L	2	96.151	106.389	116.533	1.00 93.43	L
ATOM	19839	C	ALA	L	2	95.233	107.950	118.267	1.00 94.08	L
ATOM	19840	O	ALA	L	2	95.813	108.175	119.337	1.00 92.16	L
ATOM	19841	N	CYS	L	3	93.916	107.787	118.173	1.00 95.99	L
ATOM	19842	CA	CYS	L	3	93.047	107.883	119.343	1.00 97.62	L
ATOM	19843	C	CYS	L	3	91.990	106.785	119.336	1.00100.60	L
ATOM	19844	O	CYS	L	3	91.822	106.078	118.341	1.00102.18	L
ATOM	19845	CB	CYS	L	3	92.335	109.236	119.359	1.00 94.71	L

ATOM	19846	SG	CYS	L	3	93.371	110.679	118.972	1.00	87.08	L
ATOM	19847	N	LYS	L	4	91.271	106.658	120.448	1.00	102.63	L
ATOM	19848	CA	LYS	L	4	90.216	105.659	120.567	1.00	104.34	L
ATOM	19849	CB	LYS	L	4	90.824	104.265	120.771	1.00	106.85	L
ATOM	19850	CG	LYS	L	4	91.633	104.076	122.053	1.00	109.97	L
ATOM	19851	CD	LYS	L	4	92.390	102.743	122.034	1.00	112.40	L
ATOM	19852	CE	LYS	L	4	91.454	101.551	121.791	1.00	111.27	L
ATOM	19853	NZ	LYS	L	4	92.190	100.265	121.585	1.00	108.32	L
ATOM	19854	C	LYS	L	4	89.248	105.982	121.702	1.00	104.09	L
ATOM	19855	O	LYS	L	4	89.629	106.589	122.703	1.00	103.80	L
ATOM	19856	N	THR	L	5	87.993	105.573	121.531	1.00	103.75	L
ATOM	19857	CA	THR	L	5	86.955	105.814	122.527	1.00	104.51	L
ATOM	19858	CB	THR	L	5	85.578	106.054	121.856	1.00	104.42	L
ATOM	19859	OG1	THR	L	5	85.593	107.315	121.179	1.00	102.22	L
ATOM	19860	CG2	THR	L	5	84.459	106.062	122.892	1.00	106.36	L
ATOM	19861	C	THR	L	5	86.821	104.661	123.513	1.00	105.23	L
ATOM	19862	O	THR	L	5	86.799	103.492	123.126	1.00	107.20	L
ATOM	19863	N	ALA	L	6	86.725	105.009	124.790	1.00	104.98	L
ATOM	19864	CA	ALA	L	6	86.582	104.032	125.859	1.00	105.84	L
ATOM	19865	CB	ALA	L	6	86.279	104.749	127.167	1.00	105.25	L
ATOM	19866	C	ALA	L	6	85.488	103.005	125.562	1.00	106.96	L
ATOM	19867	O	ALA	L	6	85.456	101.934	126.169	1.00	107.63	L
ATOM	19868	N	ASN	L	7	84.592	103.329	124.634	1.00	108.01	L
ATOM	19869	CA	ASN	L	7	83.504	102.423	124.281	1.00	108.90	L
ATOM	19870	CB	ASN	L	7	82.269	103.223	123.839	1.00	112.03	L
ATOM	19871	CG	ASN	L	7	80.990	102.385	123.833	1.00	112.79	L
ATOM	19872	OD1	ASN	L	7	80.572	101.862	124.870	1.00	110.95	L
ATOM	19873	ND2	ASN	L	7	80.362	102.263	122.664	1.00	113.14	L
ATOM	19874	C	ASN	L	7	83.937	101.484	123.162	1.00	108.10	L
ATOM	19875	O	ASN	L	7	83.285	100.472	122.895	1.00	107.71	L
ATOM	19876	N	GLY	L	8	85.038	101.822	122.502	1.00	106.78	L
ATOM	19877	CA	GLY	L	8	85.512	100.973	121.433	1.00	106.50	L
ATOM	19878	C	GLY	L	8	86.151	101.712	120.281	1.00	106.39	L
ATOM	19879	O	GLY	L	8	87.324	102.075	120.357	1.00	106.74	L
ATOM	19880	N	THR	L	9	85.374	101.937	119.223	1.00	105.72	L
ATOM	19881	CA	THR	L	9	85.851	102.609	118.013	1.00	104.59	L
ATOM	19882	CB	THR	L	9	84.744	103.454	117.351	1.00	104.94	L
ATOM	19883	OG1	THR	L	9	83.597	102.633	117.103	1.00	106.69	L
ATOM	19884	CG2	THR	L	9	85.242	104.025	116.023	1.00	103.99	L
ATOM	19885	C	THR	L	9	87.056	103.505	118.241	1.00	103.46	L
ATOM	19886	O	THR	L	9	87.113	104.258	119.213	1.00	103.11	L
ATOM	19887	N	ALA	L	10	88.017	103.416	117.329	1.00	102.01	L
ATOM	19888	CA	ALA	L	10	89.235	104.205	117.419	1.00	101.41	L
ATOM	19889	CB	ALA	L	10	90.413	103.294	117.709	1.00	100.96	L
ATOM	19890	C	ALA	L	10	89.481	104.982	116.131	1.00	101.17	L
ATOM	19891	O	ALA	L	10	88.967	104.623	115.065	1.00	101.79	L
ATOM	19892	N	ILE	L	11	90.262	106.052	116.238	1.00	99.40	L
ATOM	19893	CA	ILE	L	11	90.585	106.876	115.085	1.00	99.13	L
ATOM	19894	CB	ILE	L	11	90.323	108.363	115.364	1.00	97.84	L
ATOM	19895	CG2	ILE	L	11	90.621	109.172	114.124	1.00	95.10	L
ATOM	19896	CG1	ILE	L	11	88.860	108.563	115.771	1.00	95.84	L
ATOM	19897	CD1	ILE	L	11	88.485	109.996	116.073	1.00	93.86	L
ATOM	19898	C	ILE	L	11	92.052	106.662	114.746	1.00	100.38	L
ATOM	19899	O	ILE	L	11	92.945	107.049	115.506	1.00	99.74	L
ATOM	19900	N	PRO	L	12	92.314	106.041	113.584	1.00	102.35	L
ATOM	19901	CD	PRO	L	12	91.263	105.685	112.610	1.00	101.67	L
ATOM	19902	CA	PRO	L	12	93.639	105.713	113.048	1.00	103.80	L
ATOM	19903	CB	PRO	L	12	93.305	104.901	111.801	1.00	102.83	L

ATOM	19904	CG	PRO	L	12	92.045	105.552	111.326	1.00101.79	L
ATOM	19905	C	PRO	L	12	94.598	106.858	112.742	1.00105.11	L
ATOM	19906	O	PRO	L	12	94.250	108.034	112.837	1.00105.52	L
ATOM	19907	N	ILE	L	13	95.818	106.476	112.379	1.00106.74	L
ATOM	19908	CA	ILE	L	13	96.879	107.409	112.028	1.00107.56	L
ATOM	19909	CB	ILE	L	13	98.197	106.653	111.723	1.00105.33	L
ATOM	19910	CG2	ILE	L	13	99.211	107.595	111.096	1.00104.18	L
ATOM	19911	CG1	ILE	L	13	98.738	106.011	112.999	1.00102.77	L
ATOM	19912	CD1	ILE	L	13	100.021	105.251	112.801	1.00100.31	L
ATOM	19913	C	ILE	L	13	96.469	108.174	110.777	1.00110.10	L
ATOM	19914	O	ILE	L	13	95.992	107.580	109.806	1.00110.38	L
ATOM	19915	N	GLY	L	14	96.650	109.490	110.801	1.00111.68	L
ATOM	19916	CA	GLY	L	14	96.304	110.292	109.642	1.00112.11	L
ATOM	19917	C	GLY	L	14	94.878	110.805	109.592	1.00111.79	L
ATOM	19918	O	GLY	L	14	94.383	111.159	108.522	1.00111.74	L
ATOM	19919	N	GLY	L	15	94.212	110.845	110.740	1.00111.65	L
ATOM	19920	CA	GLY	L	15	92.850	111.341	110.772	1.00112.07	L
ATOM	19921	C	GLY	L	15	91.805	110.304	111.121	1.00112.04	L
ATOM	19922	O	GLY	L	15	92.133	109.207	111.572	1.00112.91	L
ATOM	19923	N	GLY	L	16	90.540	110.663	110.913	1.00111.81	L
ATOM	19924	CA	GLY	L	16	89.440	109.763	111.207	1.00110.51	L
ATOM	19925	C	GLY	L	16	88.178	110.473	111.665	1.00109.43	L
ATOM	19926	O	GLY	L	16	88.013	111.677	111.454	1.00109.35	L
ATOM	19927	N	SER	L	17	87.284	109.712	112.289	1.00108.67	L
ATOM	19928	CA	SER	L	17	86.020	110.233	112.793	1.00109.27	L
ATOM	19929	CB	SER	L	17	85.079	110.588	111.635	1.00110.49	L
ATOM	19930	OG	SER	L	17	85.593	111.655	110.855	1.00111.42	L
ATOM	19931	C	SER	L	17	85.379	109.161	113.662	1.00108.97	L
ATOM	19932	O	SER	L	17	85.398	107.982	113.312	1.00108.36	L
ATOM	19933	N	ALA	L	18	84.814	109.573	114.792	1.00109.25	L
ATOM	19934	CA	ALA	L	18	84.180	108.633	115.708	1.00109.82	L
ATOM	19935	CB	ALA	L	18	85.122	108.325	116.861	1.00110.15	L
ATOM	19936	C	ALA	L	18	82.852	109.149	116.246	1.00110.17	L
ATOM	19937	O	ALA	L	18	82.264	110.074	115.690	1.00111.66	L
ATOM	19938	N	ASN	L	19	82.390	108.537	117.331	1.00109.31	L
ATOM	19939	CA	ASN	L	19	81.132	108.908	117.966	1.00109.45	L
ATOM	19940	CB	ASN	L	19	79.961	108.188	117.290	1.00110.27	L
ATOM	19941	CG	ASN	L	19	79.713	108.671	115.878	1.00112.82	L
ATOM	19942	OD1	ASN	L	19	78.906	109.573	115.652	1.00115.55	L
ATOM	19943	ND2	ASN	L	19	80.414	108.077	114.917	1.00111.78	L
ATOM	19944	C	ASN	L	19	81.166	108.509	119.433	1.00109.15	L
ATOM	19945	O	ASN	L	19	81.337	107.335	119.753	1.00111.50	L
ATOM	19946	N	VAL	L	20	81.010	109.478	120.325	1.00107.49	L
ATOM	19947	CA	VAL	L	20	81.004	109.177	121.751	1.00107.92	L
ATOM	19948	CB	VAL	L	20	81.863	110.190	122.543	1.00106.86	L
ATOM	19949	CG1	VAL	L	20	82.175	109.641	123.926	1.00103.99	L
ATOM	19950	CG2	VAL	L	20	83.145	110.482	121.787	1.00107.58	L
ATOM	19951	C	VAL	L	20	79.544	109.248	122.215	1.00109.05	L
ATOM	19952	O	VAL	L	20	78.832	110.200	121.887	1.00109.69	L
ATOM	19953	N	TYR	L	21	79.095	108.242	122.966	1.00107.23	L
ATOM	19954	CA	TYR	L	21	77.710	108.206	123.431	1.00103.77	L
ATOM	19955	CB	TYR	L	21	77.112	106.819	123.176	1.00 93.96	L
ATOM	19956	CG	TYR	L	21	77.198	106.422	121.726	1.00 83.33	L
ATOM	19957	CD1	TYR	L	21	78.396	105.973	121.178	1.00 81.35	L
ATOM	19958	CE1	TYR	L	21	78.513	105.705	119.819	1.00 76.80	L
ATOM	19959	CD2	TYR	L	21	76.111	106.583	120.877	1.00 81.95	L
ATOM	19960	CE2	TYR	L	21	76.217	106.318	119.513	1.00 76.56	L
ATOM	19961	CZ	TYR	L	21	77.421	105.886	118.991	1.00 75.41	L

ATOM	19962	OH	TYR	L	21	77.545	105.683	117.636	1.00	71.73	L
ATOM	19963	C	TYR	L	21	77.559	108.583	124.897	1.00	106.37	L
ATOM	19964	O	TYR	L	21	76.618	108.154	125.563	1.00	108.47	L
ATOM	19965	N	VAL	L	22	78.484	109.408	125.376	1.00	108.30	L
ATOM	19966	CA	VAL	L	22	78.508	109.877	126.760	1.00	111.82	L
ATOM	19967	CB	VAL	L	22	79.184	111.262	126.857	1.00	113.47	L
ATOM	19968	CG1	VAL	L	22	80.619	111.171	126.384	1.00	113.20	L
ATOM	19969	CG2	VAL	L	22	78.408	112.280	126.026	1.00	113.65	L
ATOM	19970	C	VAL	L	22	77.157	109.979	127.474	1.00	113.31	L
ATOM	19971	O	VAL	L	22	76.135	110.327	126.873	1.00	114.35	L
ATOM	19972	N	ASN	L	23	77.170	109.668	128.767	1.00	113.74	L
ATOM	19973	CA	ASN	L	23	75.975	109.749	129.593	1.00	114.21	L
ATOM	19974	CB	ASN	L	23	75.905	108.577	130.579	1.00	114.03	L
ATOM	19975	CG	ASN	L	23	75.780	107.232	129.884	1.00	114.92	L
ATOM	19976	OD1	ASN	L	23	74.955	107.059	128.984	1.00	115.50	L
ATOM	19977	ND2	ASN	L	23	76.592	106.267	130.307	1.00	113.35	L
ATOM	19978	C	ASN	L	23	76.085	111.064	130.351	1.00	115.02	L
ATOM	19979	O	ASN	L	23	77.172	111.448	130.790	1.00	115.27	L
ATOM	19980	N	LEU	L	24	74.958	111.751	130.497	1.00	115.14	L
ATOM	19981	CA	LEU	L	24	74.928	113.039	131.178	1.00	114.14	L
ATOM	19982	CB	LEU	L	24	74.507	114.119	130.179	1.00	113.27	L
ATOM	19983	CG	LEU	L	24	75.024	113.891	128.756	1.00	111.91	L
ATOM	19984	CD1	LEU	L	24	74.341	114.851	127.806	1.00	110.47	L
ATOM	19985	CD2	LEU	L	24	76.538	114.051	128.721	1.00	112.10	L
ATOM	19986	C	LEU	L	24	73.940	113.004	132.341	1.00	113.65	L
ATOM	19987	O	LEU	L	24	72.906	112.344	132.247	1.00	113.19	L
ATOM	19988	N	ALA	L	25	74.261	113.706	133.429	1.00	113.19	L
ATOM	19989	CA	ALA	L	25	73.383	113.760	134.595	1.00	113.73	L
ATOM	19990	CB	ALA	L	25	73.799	114.901	135.511	1.00	110.98	L
ATOM	19991	C	ALA	L	25	71.967	113.983	134.077	1.00	115.85	L
ATOM	19992	O	ALA	L	25	71.578	115.110	133.791	1.00	116.82	L
ATOM	19993	N	PRO	L	26	71.178	112.900	133.954	1.00	117.93	L
ATOM	19994	CD	PRO	L	26	71.521	111.565	134.480	1.00	119.02	L
ATOM	19995	CA	PRO	L	26	69.795	112.908	133.464	1.00	118.43	L
ATOM	19996	CB	PRO	L	26	69.247	111.579	133.972	1.00	119.37	L
ATOM	19997	CG	PRO	L	26	70.439	110.694	133.877	1.00	119.35	L
ATOM	19998	C	PRO	L	26	68.921	114.087	133.875	1.00	118.08	L
ATOM	19999	O	PRO	L	26	67.960	114.411	133.178	1.00	118.39	L
ATOM	20000	N	VAL	L	27	69.240	114.726	134.997	1.00	117.04	L
ATOM	20001	CA	VAL	L	27	68.444	115.860	135.447	1.00	116.72	L
ATOM	20002	CB	VAL	L	27	67.453	115.437	136.545	1.00	115.85	L
ATOM	20003	CG1	VAL	L	27	66.699	116.649	137.065	1.00	115.20	L
ATOM	20004	CG2	VAL	L	27	66.478	114.416	135.987	1.00	116.99	L
ATOM	20005	C	VAL	L	27	69.263	117.040	135.955	1.00	118.18	L
ATOM	20006	O	VAL	L	27	69.821	117.007	137.052	1.00	117.60	L
ATOM	20007	N	VAL	L	28	69.316	118.087	135.136	1.00	120.17	L
ATOM	20008	CA	VAL	L	28	70.039	119.313	135.457	1.00	119.97	L
ATOM	20009	CB	VAL	L	28	71.133	119.614	134.417	1.00	120.44	L
ATOM	20010	CG1	VAL	L	28	71.952	120.816	134.867	1.00	121.73	L
ATOM	20011	CG2	VAL	L	28	72.014	118.396	134.214	1.00	121.83	L
ATOM	20012	C	VAL	L	28	69.053	120.473	135.433	1.00	119.84	L
ATOM	20013	O	VAL	L	28	68.295	120.625	134.477	1.00	120.06	L
ATOM	20014	N	ASN	L	29	69.065	121.293	136.477	1.00	119.78	L
ATOM	20015	CA	ASN	L	29	68.159	122.434	136.545	1.00	119.85	L
ATOM	20016	CB	ASN	L	29	67.610	122.580	137.963	1.00	119.36	L
ATOM	20017	CG	ASN	L	29	66.703	121.432	138.350	1.00	118.35	L
ATOM	20018	OD1	ASN	L	29	65.704	121.168	137.682	1.00	116.86	L
ATOM	20019	ND2	ASN	L	29	67.046	120.742	139.431	1.00	118.47	L

ATOM	20020	C	ASN	L	29	68.840	123.728	136.110	1.00119.29	L
ATOM	20021	O	ASN	L	29	70.065	123.836	136.150	1.00120.08	L
ATOM	20022	N	VAL	L	30	68.039	124.704	135.688	1.00118.55	L
ATOM	20023	CA	VAL	L	30	68.563	125.992	135.240	1.00117.56	L
ATOM	20024	CB	VAL	L	30	67.420	126.994	134.922	1.00116.48	L
ATOM	20025	CG1	VAL	L	30	68.001	128.308	134.426	1.00114.92	L
ATOM	20026	CG2	VAL	L	30	66.488	126.413	133.874	1.00115.23	L
ATOM	20027	C	VAL	L	30	69.476	126.608	136.297	1.00117.05	L
ATOM	20028	O	VAL	L	30	69.335	126.336	137.492	1.00116.86	L
ATOM	20029	N	GLY	L	31	70.411	127.440	135.849	1.00116.06	L
ATOM	20030	CA	GLY	L	31	71.336	128.070	136.770	1.00114.99	L
ATOM	20031	C	GLY	L	31	72.527	127.164	137.004	1.00114.19	L
ATOM	20032	O	GLY	L	31	73.676	127.572	136.821	1.00114.67	L
ATOM	20033	N	GLN	L	32	72.250	125.924	137.403	1.00112.57	L
ATOM	20034	CA	GLN	L	32	73.298	124.943	137.660	1.00109.53	L
ATOM	20035	CB	GLN	L	32	72.686	123.631	138.159	1.00108.33	L
ATOM	20036	CG	GLN	L	32	72.346	123.674	139.638	1.00107.52	L
ATOM	20037	CD	GLN	L	32	71.618	122.441	140.115	1.00108.81	L
ATOM	20038	OE1	GLN	L	32	72.061	121.318	139.883	1.00109.53	L
ATOM	20039	NE2	GLN	L	32	70.494	122.643	140.796	1.00108.44	L
ATOM	20040	C	GLN	L	32	74.165	124.709	136.427	1.00107.30	L
ATOM	20041	O	GLN	L	32	73.998	125.386	135.411	1.00107.09	L
ATOM	20042	N	ASN	L	33	75.073	123.740	136.507	1.00103.42	L
ATOM	20043	CA	ASN	L	33	75.991	123.499	135.404	1.00 99.40	L
ATOM	20044	CB	ASN	L	33	77.359	124.062	135.803	1.00 96.36	L
ATOM	20045	CG	ASN	L	33	78.291	124.231	134.630	1.00 94.07	L
ATOM	20046	OD1	ASN	L	33	79.404	124.719	134.790	1.00 93.16	L
ATOM	20047	ND2	ASN	L	33	77.845	123.833	133.442	1.00 93.24	L
ATOM	20048	C	ASN	L	33	76.156	122.058	134.909	1.00 96.70	L
ATOM	20049	O	ASN	L	33	76.771	121.234	135.583	1.00 97.20	L
ATOM	20050	N	LEU	L	34	75.614	121.759	133.729	1.00 92.83	L
ATOM	20051	CA	LEU	L	34	75.766	120.428	133.149	1.00 89.01	L
ATOM	20052	CB	LEU	L	34	74.923	120.286	131.878	1.00 84.74	L
ATOM	20053	CG	LEU	L	34	75.161	119.049	131.002	1.00 82.66	L
ATOM	20054	CD1	LEU	L	34	75.179	117.797	131.852	1.00 84.61	L
ATOM	20055	CD2	LEU	L	34	74.070	118.952	129.950	1.00 80.81	L
ATOM	20056	C	LEU	L	34	77.247	120.307	132.811	1.00 89.28	L
ATOM	20057	O	LEU	L	34	77.955	121.311	132.796	1.00 88.96	L
ATOM	20058	N	VAL	L	35	77.722	119.091	132.557	1.00 90.16	L
ATOM	20059	CA	VAL	L	35	79.133	118.870	132.233	1.00 89.52	L
ATOM	20060	CB	VAL	L	35	79.985	118.659	133.513	1.00 87.84	L
ATOM	20061	CG1	VAL	L	35	81.407	118.278	133.132	1.00 88.98	L
ATOM	20062	CG2	VAL	L	35	79.992	119.921	134.358	1.00 84.50	L
ATOM	20063	C	VAL	L	35	79.328	117.654	131.336	1.00 89.81	L
ATOM	20064	O	VAL	L	35	78.741	116.595	131.573	1.00 90.47	L
ATOM	20065	N	VAL	L	36	80.156	117.806	130.306	1.00 89.33	L
ATOM	20066	CA	VAL	L	36	80.427	116.701	129.394	1.00 91.57	L
ATOM	20067	CB	VAL	L	36	79.715	116.891	128.032	1.00 91.44	L
ATOM	20068	CG1	VAL	L	36	79.968	115.677	127.131	1.00 86.99	L
ATOM	20069	CG2	VAL	L	36	78.223	117.081	128.250	1.00 92.82	L
ATOM	20070	C	VAL	L	36	81.923	116.554	129.154	1.00 92.55	L
ATOM	20071	O	VAL	L	36	82.428	116.906	128.087	1.00 93.76	L
ATOM	20072	N	ASP	L	37	82.627	116.038	130.159	1.00 92.64	L
ATOM	20073	CA	ASP	L	37	84.071	115.835	130.066	1.00 92.19	L
ATOM	20074	CB	ASP	L	37	84.679	115.712	131.465	1.00 93.24	L
ATOM	20075	CG	ASP	L	37	86.000	114.982	131.456	1.00 91.26	L
ATOM	20076	OD1	ASP	L	37	86.909	115.400	130.712	1.00 89.57	L
ATOM	20077	OD2	ASP	L	37	86.125	113.986	132.194	1.00 97.56	L

ATOM	20078	C	ASP	L	37	84.413	114.592	129.243	1.00	88.48	L
ATOM	20079	O	ASP	L	37	83.951	113.492	129.543	1.00	87.92	L
ATOM	20080	N	LEU	L	38	85.233	114.773	128.213	1.00	84.80	L
ATOM	20081	CA	LEU	L	38	85.612	113.666	127.349	1.00	84.40	L
ATOM	20082	CB	LEU	L	38	85.502	114.094	125.886	1.00	83.25	L
ATOM	20083	CG	LEU	L	38	84.116	114.583	125.458	1.00	82.11	L
ATOM	20084	CD1	LEU	L	38	84.139	114.848	123.973	1.00	83.62	L
ATOM	20085	CD2	LEU	L	38	83.050	113.550	125.787	1.00	77.00	L
ATOM	20086	C	LEU	L	38	87.003	113.099	127.638	1.00	83.42	L
ATOM	20087	O	LEU	L	38	87.432	112.131	127.005	1.00	81.89	L
ATOM	20088	N	SER	L	39	87.707	113.699	128.594	1.00	81.84	L
ATOM	20089	CA	SER	L	39	89.022	113.202	128.974	1.00	81.69	L
ATOM	20090	CB	SER	L	39	89.787	114.249	129.788	1.00	81.92	L
ATOM	20091	OG	SER	L	39	89.218	114.416	131.074	1.00	79.36	L
ATOM	20092	C	SER	L	39	88.731	111.969	129.829	1.00	82.77	L
ATOM	20093	O	SER	L	39	89.383	111.700	130.838	1.00	83.41	L
ATOM	20094	N	THR	L	40	87.722	111.228	129.400	1.00	83.28	L
ATOM	20095	CA	THR	L	40	87.283	110.033	130.083	1.00	85.92	L
ATOM	20096	CB	THR	L	40	86.505	110.395	131.372	1.00	83.35	L
ATOM	20097	OG1	THR	L	40	87.343	111.187	132.225	1.00	82.31	L
ATOM	20098	CG2	THR	L	40	86.081	109.140	132.121	1.00	81.78	L
ATOM	20099	C	THR	L	40	86.365	109.335	129.094	1.00	89.55	L
ATOM	20100	O	THR	L	40	85.415	108.650	129.475	1.00	90.96	L
ATOM	20101	N	GLN	L	41	86.659	109.531	127.813	1.00	92.10	L
ATOM	20102	CA	GLN	L	41	85.880	108.937	126.729	1.00	95.59	L
ATOM	20103	CB	GLN	L	41	84.623	109.761	126.449	1.00	99.28	L
ATOM	20104	CG	GLN	L	41	83.665	109.938	127.617	1.00	105.53	L
ATOM	20105	CD	GLN	L	41	82.852	108.695	127.908	1.00	106.58	L
ATOM	20106	OE1	GLN	L	41	82.358	108.035	126.992	1.00	110.90	L
ATOM	20107	NE2	GLN	L	41	82.691	108.377	129.188	1.00	109.35	L
ATOM	20108	C	GLN	L	41	86.720	108.924	125.456	1.00	95.95	L
ATOM	20109	O	GLN	L	41	86.353	108.282	124.474	1.00	95.18	L
ATOM	20110	N	ILE	L	42	87.838	109.649	125.480	1.00	96.04	L
ATOM	20111	CA	ILE	L	42	88.728	109.759	124.321	1.00	94.97	L
ATOM	20112	CB	ILE	L	42	88.299	110.930	123.415	1.00	95.20	L
ATOM	20113	CG2	ILE	L	42	89.358	111.188	122.353	1.00	90.44	L
ATOM	20114	CG1	ILE	L	42	86.936	110.630	122.794	1.00	94.21	L
ATOM	20115	CD1	ILE	L	42	86.243	111.848	122.246	1.00	98.08	L
ATOM	20116	C	ILE	L	42	90.187	109.986	124.719	1.00	94.60	L
ATOM	20117	O	ILE	L	42	90.515	110.945	125.425	1.00	91.63	L
ATOM	20118	N	PHE	L	43	91.061	109.109	124.237	1.00	94.34	L
ATOM	20119	CA	PHE	L	43	92.481	109.202	124.547	1.00	91.57	L
ATOM	20120	CB	PHE	L	43	92.865	108.176	125.616	1.00	86.66	L
ATOM	20121	CG	PHE	L	43	91.770	107.883	126.592	1.00	83.49	L
ATOM	20122	CD1	PHE	L	43	90.649	107.169	126.188	1.00	81.39	L
ATOM	20123	CD2	PHE	L	43	91.839	108.351	127.904	1.00	82.98	L
ATOM	20124	CE1	PHE	L	43	89.611	106.922	127.066	1.00	83.68	L
ATOM	20125	CE2	PHE	L	43	90.803	108.110	128.797	1.00	84.14	L
ATOM	20126	CZ	PHE	L	43	89.681	107.392	128.370	1.00	86.24	L
ATOM	20127	C	PHE	L	43	93.308	108.952	123.303	1.00	92.26	L
ATOM	20128	O	PHE	L	43	92.928	108.161	122.439	1.00	91.34	L
ATOM	20129	N	CYS	L	44	94.441	109.635	123.220	1.00	95.12	L
ATOM	20130	CA	CYS	L	44	95.343	109.481	122.093	1.00	98.17	L
ATOM	20131	C	CYS	L	44	96.724	109.176	122.653	1.00	101.13	L
ATOM	20132	O	CYS	L	44	96.953	109.276	123.856	1.00	100.75	L
ATOM	20133	CB	CYS	L	44	95.407	110.766	121.268	1.00	96.60	L
ATOM	20134	SG	CYS	L	44	93.805	111.489	120.787	1.00	95.49	L
ATOM	20135	N	HIS	L	45	97.646	108.816	121.772	1.00	104.78	L

ATOM	20136	CA	HIS	L	45	99.007	108.493	122.177	1.00106.88	L
ATOM	20137	CB	HIS	L	45	99.101	107.014	122.561	1.00107.03	L
ATOM	20138	CG	HIS	L	45	98.867	106.084	121.410	1.00108.74	L
ATOM	20139	CD2	HIS	L	45	99.680	105.182	120.812	1.00110.01	L
ATOM	20140	ND1	HIS	L	45	97.685	106.064	120.699	1.00109.72	L
ATOM	20141	CE1	HIS	L	45	97.782	105.192	119.711	1.00108.24	L
ATOM	20142	NE2	HIS	L	45	98.982	104.643	119.757	1.00111.01	L
ATOM	20143	C	HIS	L	45	99.934	108.767	120.999	1.00108.77	L
ATOM	20144	O	HIS	L	45	99.503	108.769	119.841	1.00108.58	L
ATOM	20145	N	ASN	L	46	101.208	108.995	121.298	1.00110.57	L
ATOM	20146	CA	ASN	L	46	102.205	109.243	120.266	1.00110.28	L
ATOM	20147	CB	ASN	L	46	103.383	110.019	120.853	1.00107.69	L
ATOM	20148	CG	ASN	L	46	104.254	110.633	119.789	1.00107.38	L
ATOM	20149	OD1	ASN	L	46	104.409	110.074	118.708	1.00106.71	L
ATOM	20150	ND2	ASN	L	46	104.842	111.785	120.091	1.00107.19	L
ATOM	20151	C	ASN	L	46	102.681	107.875	119.773	1.00111.19	L
ATOM	20152	O	ASN	L	46	102.902	106.967	120.577	1.00111.80	L
ATOM	20153	N	ASP	L	47	102.822	107.717	118.461	1.00111.27	L
ATOM	20154	CA	ASP	L	47	103.279	106.444	117.906	1.00111.88	L
ATOM	20155	CB	ASP	L	47	102.633	106.183	116.547	1.00111.80	L
ATOM	20156	CG	ASP	L	47	101.182	105.790	116.664	1.00113.88	L
ATOM	20157	OD1	ASP	L	47	100.857	105.013	117.588	1.00115.25	L
ATOM	20158	OD2	ASP	L	47	100.370	106.243	115.829	1.00114.60	L
ATOM	20159	C	ASP	L	47	104.796	106.382	117.762	1.00112.30	L
ATOM	20160	O	ASP	L	47	105.407	105.339	117.995	1.00113.03	L
ATOM	20161	N	TYR	L	48	105.394	107.506	117.374	1.00112.08	L
ATOM	20162	CA	TYR	L	48	106.841	107.616	117.193	1.00111.47	L
ATOM	20163	CB	TYR	L	48	107.146	107.989	115.739	1.00110.86	L
ATOM	20164	CG	TYR	L	48	106.482	107.092	114.708	1.00112.72	L
ATOM	20165	CD1	TYR	L	48	106.171	107.575	113.436	1.00113.99	L
ATOM	20166	CE1	TYR	L	48	105.566	106.757	112.480	1.00113.19	L
ATOM	20167	CD2	TYR	L	48	106.171	105.761	114.996	1.00111.98	L
ATOM	20168	CE2	TYR	L	48	105.569	104.936	114.042	1.00111.03	L
ATOM	20169	CZ	TYR	L	48	105.270	105.443	112.790	1.00111.62	L
ATOM	20170	OH	TYR	L	48	104.675	104.646	111.846	1.00111.04	L
ATOM	20171	C	TYR	L	48	107.336	108.720	118.134	1.00111.06	L
ATOM	20172	O	TYR	L	48	107.832	109.756	117.686	1.00110.61	L
ATOM	20173	N	PRO	L	49	107.216	108.500	119.457	1.00110.86	L
ATOM	20174	CD	PRO	L	49	106.708	107.257	120.068	1.00110.06	L
ATOM	20175	CA	PRO	L	49	107.622	109.450	120.499	1.00110.62	L
ATOM	20176	CB	PRO	L	49	107.036	108.831	121.765	1.00110.31	L
ATOM	20177	CG	PRO	L	49	107.179	107.379	121.503	1.00110.49	L
ATOM	20178	C	PRO	L	49	109.101	109.781	120.661	1.00110.29	L
ATOM	20179	O	PRO	L	49	109.435	110.848	121.172	1.00109.78	L
ATOM	20180	N	GLU	L	50	109.985	108.882	120.243	1.00111.02	L
ATOM	20181	CA	GLU	L	50	111.419	109.126	120.385	1.00110.70	L
ATOM	20182	CB	GLU	L	50	112.201	107.818	120.233	1.00110.37	L
ATOM	20183	CG	GLU	L	50	112.366	107.028	121.527	1.00109.99	L
ATOM	20184	CD	GLU	L	50	111.051	106.535	122.101	1.00112.20	L
ATOM	20185	OE1	GLU	L	50	110.304	105.849	121.371	1.00113.32	L
ATOM	20186	OE2	GLU	L	50	110.768	106.825	123.285	1.00113.10	L
ATOM	20187	C	GLU	L	50	111.979	110.172	119.423	1.00109.74	L
ATOM	20188	O	GLU	L	50	113.124	110.597	119.564	1.00109.26	L
ATOM	20189	N	THR	L	51	111.176	110.593	118.452	1.00109.32	L
ATOM	20190	CA	THR	L	51	111.630	111.591	117.492	1.00109.84	L
ATOM	20191	CB	THR	L	51	111.861	110.976	116.104	1.00112.44	L
ATOM	20192	OG1	THR	L	51	112.632	109.776	116.236	1.00115.48	L
ATOM	20193	CG2	THR	L	51	112.605	111.961	115.206	1.00110.74	L

ATOM	20194	C	THR	L	51	110.603	112.694	117.331	1.00107.59	L
ATOM	20195	O	THR	L	51	110.901	113.875	117.506	1.00105.42	L
ATOM	20196	N	ILE	L	52	109.387	112.288	116.998	1.00106.94	L
ATOM	20197	CA	ILE	L	52	108.296	113.221	116.775	1.00107.93	L
ATOM	20198	CB	ILE	L	52	107.188	112.564	115.937	1.00108.37	L
ATOM	20199	CG2	ILE	L	52	106.313	113.636	115.307	1.00107.90	L
ATOM	20200	CG1	ILE	L	52	107.813	111.684	114.852	1.00110.10	L
ATOM	20201	CD1	ILE	L	52	106.808	110.868	114.071	1.00110.83	L
ATOM	20202	C	ILE	L	52	107.655	113.755	118.050	1.00107.24	L
ATOM	20203	O	ILE	L	52	107.662	113.100	119.092	1.00107.94	L
ATOM	20204	N	THR	L	53	107.102	114.957	117.944	1.00106.76	L
ATOM	20205	CA	THR	L	53	106.410	115.612	119.047	1.00105.47	L
ATOM	20206	CB	THR	L	53	107.170	116.875	119.531	1.00108.03	L
ATOM	20207	OG1	THR	L	53	108.489	116.515	119.966	1.00110.96	L
ATOM	20208	CG2	THR	L	53	106.435	117.527	120.690	1.00110.29	L
ATOM	20209	C	THR	L	53	105.044	116.023	118.488	1.00102.52	L
ATOM	20210	O	THR	L	53	104.954	116.935	117.660	1.00101.48	L
ATOM	20211	N	ASP	L	54	103.989	115.335	118.924	1.00 99.33	L
ATOM	20212	CA	ASP	L	54	102.636	115.625	118.448	1.00 95.94	L
ATOM	20213	CB	ASP	L	54	101.749	114.377	118.542	1.00 99.71	L
ATOM	20214	CG	ASP	L	54	102.046	113.360	117.449	1.00100.98	L
ATOM	20215	OD1	ASP	L	54	101.929	113.705	116.249	1.00100.59	L
ATOM	20216	OD2	ASP	L	54	102.390	112.210	117.795	1.00102.19	L
ATOM	20217	C	ASP	L	54	101.951	116.789	119.153	1.00 91.20	L
ATOM	20218	O	ASP	L	54	102.010	116.926	120.377	1.00 88.79	L
ATOM	20219	N	TYR	L	55	101.290	117.611	118.344	1.00 88.05	L
ATOM	20220	CA	TYR	L	55	100.579	118.798	118.798	1.00 83.66	L
ATOM	20221	CB	TYR	L	55	101.109	120.012	118.043	1.00 81.43	L
ATOM	20222	CG	TYR	L	55	102.588	120.237	118.238	1.00 81.12	L
ATOM	20223	CD1	TYR	L	55	103.345	120.911	117.276	1.00 82.02	L
ATOM	20224	CE1	TYR	L	55	104.698	121.163	117.472	1.00 81.17	L
ATOM	20225	CD2	TYR	L	55	103.226	119.816	119.401	1.00 78.06	L
ATOM	20226	CE2	TYR	L	55	104.574	120.061	119.608	1.00 81.06	L
ATOM	20227	CZ	TYR	L	55	105.306	120.736	118.643	1.00 82.46	L
ATOM	20228	OH	TYR	L	55	106.642	120.994	118.857	1.00 85.23	L
ATOM	20229	C	TYR	L	55	99.084	118.658	118.558	1.00 80.92	L
ATOM	20230	O	TYR	L	55	98.616	118.754	117.423	1.00 80.06	L
ATOM	20231	N	VAL	L	56	98.339	118.428	119.633	1.00 79.17	L
ATOM	20232	CA	VAL	L	56	96.900	118.279	119.536	1.00 79.08	L
ATOM	20233	CB	VAL	L	56	96.394	117.139	120.437	1.00 78.79	L
ATOM	20234	CG1	VAL	L	56	94.870	117.040	120.369	1.00 74.58	L
ATOM	20235	CG2	VAL	L	56	97.020	115.844	119.998	1.00 75.84	L
ATOM	20236	C	VAL	L	56	96.202	119.572	119.917	1.00 80.04	L
ATOM	20237	O	VAL	L	56	96.569	120.239	120.884	1.00 78.01	L
ATOM	20238	N	THR	L	57	95.184	119.909	119.141	1.00 82.07	L
ATOM	20239	CA	THR	L	57	94.419	121.119	119.357	1.00 84.66	L
ATOM	20240	CB	THR	L	57	94.964	122.251	118.474	1.00 84.53	L
ATOM	20241	OG1	THR	L	57	93.993	123.299	118.376	1.00 86.53	L
ATOM	20242	CG2	THR	L	57	95.277	121.726	117.088	1.00 87.09	L
ATOM	20243	C	THR	L	57	92.956	120.893	119.008	1.00 86.38	L
ATOM	20244	O	THR	L	57	92.628	120.004	118.219	1.00 89.14	L
ATOM	20245	N	LEU	L	58	92.083	121.699	119.606	1.00 86.67	L
ATOM	20246	CA	LEU	L	58	90.645	121.635	119.346	1.00 84.73	L
ATOM	20247	CB	LEU	L	58	89.849	121.874	120.641	1.00 85.17	L
ATOM	20248	CG	LEU	L	58	88.315	121.982	120.541	1.00 85.48	L
ATOM	20249	CD1	LEU	L	58	87.716	120.690	120.005	1.00 80.21	L
ATOM	20250	CD2	LEU	L	58	87.740	122.303	121.910	1.00 80.98	L
ATOM	20251	C	LEU	L	58	90.319	122.720	118.318	1.00 81.74	L

ATOM	20252	O	LEU	L	58	90.210	123.900	118.660	1.00	81.13	L
ATOM	20253	N	GLN	L	59	90.188	122.309	117.061	1.00	79.17	L
ATOM	20254	CA	GLN	L	59	89.889	123.221	115.965	1.00	78.54	L
ATOM	20255	CB	GLN	L	59	89.972	122.473	114.637	1.00	80.36	L
ATOM	20256	CG	GLN	L	59	91.325	122.492	113.973	1.00	87.58	L
ATOM	20257	CD	GLN	L	59	91.416	123.519	112.856	1.00	91.04	L
ATOM	20258	OE1	GLN	L	59	91.430	124.726	113.102	1.00	94.22	L
ATOM	20259	NE2	GLN	L	59	91.473	123.038	111.617	1.00	91.65	L
ATOM	20260	C	GLN	L	59	88.516	123.864	116.069	1.00	77.08	L
ATOM	20261	O	GLN	L	59	88.384	125.067	116.272	1.00	73.94	L
ATOM	20262	N	ARG	L	60	87.494	123.038	115.911	1.00	78.88	L
ATOM	20263	CA	ARG	L	60	86.115	123.491	115.945	1.00	79.78	L
ATOM	20264	CB	ARG	L	60	85.442	123.165	114.604	1.00	83.90	L
ATOM	20265	CG	ARG	L	60	83.981	123.565	114.485	1.00	90.82	L
ATOM	20266	CD	ARG	L	60	83.818	125.073	114.448	1.00	98.16	L
ATOM	20267	NE	ARG	L	60	84.669	125.679	113.426	1.00	105.85	L
ATOM	20268	CZ	ARG	L	60	84.621	126.960	113.066	1.00	109.47	L
ATOM	20269	NH1	ARG	L	60	83.755	127.785	113.644	1.00	110.94	L
ATOM	20270	NH2	ARG	L	60	85.449	127.421	112.134	1.00	110.29	L
ATOM	20271	C	ARG	L	60	85.331	122.850	117.088	1.00	77.28	L
ATOM	20272	O	ARG	L	60	85.783	121.896	117.728	1.00	74.62	L
ATOM	20273	N	GLY	L	61	84.154	123.405	117.333	1.00	75.42	L
ATOM	20274	CA	GLY	L	61	83.279	122.910	118.370	1.00	76.59	L
ATOM	20275	C	GLY	L	61	81.891	123.354	117.969	1.00	77.00	L
ATOM	20276	O	GLY	L	61	81.574	124.538	118.054	1.00	79.00	L
ATOM	20277	N	SER	L	62	81.069	122.415	117.516	1.00	76.20	L
ATOM	20278	CA	SER	L	62	79.713	122.732	117.092	1.00	75.35	L
ATOM	20279	CB	SER	L	62	79.445	122.078	115.742	1.00	75.58	L
ATOM	20280	OG	SER	L	62	80.528	122.325	114.862	1.00	72.02	L
ATOM	20281	C	SER	L	62	78.665	122.283	118.116	1.00	74.53	L
ATOM	20282	O	SER	L	62	78.921	121.411	118.936	1.00	72.16	L
ATOM	20283	N	ALA	L	63	77.487	122.894	118.068	1.00	74.93	L
ATOM	20284	CA	ALA	L	63	76.411	122.555	118.993	1.00	74.08	L
ATOM	20285	CB	ALA	L	63	76.129	123.735	119.919	1.00	74.43	L
ATOM	20286	C	ALA	L	63	75.148	122.181	118.218	1.00	74.14	L
ATOM	20287	O	ALA	L	63	74.859	122.763	117.170	1.00	74.62	L
ATOM	20288	N	TYR	L	64	74.408	121.195	118.725	1.00	74.33	L
ATOM	20289	CA	TYR	L	64	73.177	120.749	118.077	1.00	71.93	L
ATOM	20290	CB	TYR	L	64	73.439	119.497	117.242	1.00	72.29	L
ATOM	20291	CG	TYR	L	64	74.607	119.642	116.289	1.00	78.01	L
ATOM	20292	CD1	TYR	L	64	75.919	119.697	116.764	1.00	82.67	L
ATOM	20293	CE1	TYR	L	64	77.001	119.912	115.897	1.00	80.50	L
ATOM	20294	CD2	TYR	L	64	74.402	119.794	114.919	1.00	78.73	L
ATOM	20295	CE2	TYR	L	64	75.475	120.005	114.043	1.00	77.98	L
ATOM	20296	CZ	TYR	L	64	76.769	120.067	114.541	1.00	79.41	L
ATOM	20297	OH	TYR	L	64	77.824	120.308	113.692	1.00	78.93	L
ATOM	20298	C	TYR	L	64	72.111	120.459	119.119	1.00	70.49	L
ATOM	20299	O	TYR	L	64	72.388	120.459	120.321	1.00	68.77	L
ATOM	20300	N	GLY	L	65	70.889	120.227	118.649	1.00	70.51	L
ATOM	20301	CA	GLY	L	65	69.783	119.933	119.543	1.00	71.27	L
ATOM	20302	C	GLY	L	65	69.634	120.838	120.754	1.00	72.60	L
ATOM	20303	O	GLY	L	65	69.885	122.041	120.697	1.00	73.49	L
ATOM	20304	N	GLY	L	66	69.221	120.243	121.863	1.00	74.40	L
ATOM	20305	CA	GLY	L	66	69.018	120.996	123.085	1.00	78.35	L
ATOM	20306	C	GLY	L	66	70.218	121.746	123.627	1.00	81.01	L
ATOM	20307	O	GLY	L	66	70.063	122.628	124.470	1.00	82.82	L
ATOM	20308	N	VAL	L	67	71.418	121.404	123.177	1.00	83.46	L
ATOM	20309	CA	VAL	L	67	72.599	122.111	123.664	1.00	86.20	L

ATOM	20310	CB	VAL	L	67	73.897	121.290	123.436	1.00	89.78	L
ATOM	20311	CG1	VAL	L	67	75.122	122.177	123.665	1.00	91.91	L
ATOM	20312	CG2	VAL	L	67	73.939	120.098	124.397	1.00	89.85	L
ATOM	20313	C	VAL	L	67	72.703	123.442	122.923	1.00	83.78	L
ATOM	20314	O	VAL	L	67	72.982	124.491	123.515	1.00	82.20	L
ATOM	20315	N	LEU	L	68	72.461	123.380	121.620	1.00	79.83	L
ATOM	20316	CA	LEU	L	68	72.509	124.550	120.763	1.00	76.51	L
ATOM	20317	CB	LEU	L	68	72.257	124.118	119.317	1.00	68.85	L
ATOM	20318	CG	LEU	L	68	72.259	125.213	118.256	1.00	66.02	L
ATOM	20319	CD1	LEU	L	68	73.537	126.049	118.352	1.00	64.62	L
ATOM	20320	CD2	LEU	L	68	72.147	124.566	116.901	1.00	59.96	L
ATOM	20321	C	LEU	L	68	71.475	125.608	121.178	1.00	77.45	L
ATOM	20322	O	LEU	L	68	71.749	126.811	121.145	1.00	80.85	L
ATOM	20323	N	SER	L	69	70.299	125.154	121.596	1.00	73.29	L
ATOM	20324	CA	SER	L	69	69.231	126.059	121.968	1.00	68.32	L
ATOM	20325	CB	SER	L	69	67.969	125.641	121.232	1.00	68.97	L
ATOM	20326	OG	SER	L	69	67.681	124.285	121.508	1.00	70.10	L
ATOM	20327	C	SER	L	69	68.904	126.200	123.448	1.00	67.47	L
ATOM	20328	O	SER	L	69	68.415	127.245	123.875	1.00	68.40	L
ATOM	20329	N	ASN	L	70	69.162	125.173	124.245	1.00	65.33	L
ATOM	20330	CA	ASN	L	70	68.813	125.258	125.655	1.00	64.88	L
ATOM	20331	CB	ASN	L	70	68.102	123.978	126.076	1.00	66.40	L
ATOM	20332	CG	ASN	L	70	66.736	123.839	125.433	1.00	72.12	L
ATOM	20333	OD1	ASN	L	70	65.766	124.479	125.864	1.00	74.89	L
ATOM	20334	ND2	ASN	L	70	66.652	123.016	124.383	1.00	67.62	L
ATOM	20335	C	ASN	L	70	69.909	125.585	126.652	1.00	66.32	L
ATOM	20336	O	ASN	L	70	69.636	125.704	127.853	1.00	68.12	L
ATOM	20337	N	PHE	L	71	71.142	125.742	126.178	1.00	66.30	L
ATOM	20338	CA	PHE	L	71	72.232	126.067	127.092	1.00	64.96	L
ATOM	20339	CB	PHE	L	71	73.087	124.840	127.407	1.00	65.68	L
ATOM	20340	CG	PHE	L	71	72.312	123.681	127.944	1.00	66.61	L
ATOM	20341	CD1	PHE	L	71	71.589	122.848	127.082	1.00	61.48	L
ATOM	20342	CD2	PHE	L	71	72.300	123.417	129.311	1.00	63.62	L
ATOM	20343	CE1	PHE	L	71	70.868	121.773	127.577	1.00	62.62	L
ATOM	20344	CE2	PHE	L	71	71.580	122.342	129.817	1.00	63.13	L
ATOM	20345	CZ	PHE	L	71	70.862	121.519	128.951	1.00	63.19	L
ATOM	20346	C	PHE	L	71	73.164	127.139	126.597	1.00	63.33	L
ATOM	20347	O	PHE	L	71	73.231	127.438	125.415	1.00	60.40	L
ATOM	20348	N	SER	L	72	73.886	127.706	127.548	1.00	66.35	L
ATOM	20349	CA	SER	L	72	74.887	128.727	127.299	1.00	67.71	L
ATOM	20350	CB	SER	L	72	74.620	129.958	128.160	1.00	65.35	L
ATOM	20351	OG	SER	L	72	74.587	129.609	129.537	1.00	59.68	L
ATOM	20352	C	SER	L	72	76.119	128.008	127.808	1.00	70.55	L
ATOM	20353	O	SER	L	72	76.004	127.116	128.647	1.00	69.97	L
ATOM	20354	N	GLY	L	73	77.295	128.361	127.315	1.00	74.76	L
ATOM	20355	CA	GLY	L	73	78.460	127.665	127.815	1.00	78.64	L
ATOM	20356	C	GLY	L	73	79.758	127.787	127.056	1.00	78.90	L
ATOM	20357	O	GLY	L	73	79.868	128.499	126.053	1.00	78.90	L
ATOM	20358	N	THR	L	74	80.741	127.051	127.561	1.00	78.55	L
ATOM	20359	CA	THR	L	74	82.080	127.038	127.008	1.00	77.60	L
ATOM	20360	CB	THR	L	74	82.973	127.993	127.782	1.00	74.97	L
ATOM	20361	OG1	THR	L	74	82.908	127.658	129.172	1.00	70.67	L
ATOM	20362	CG2	THR	L	74	82.525	129.425	127.576	1.00	73.92	L
ATOM	20363	C	THR	L	74	82.712	125.655	127.090	1.00	76.47	L
ATOM	20364	O	THR	L	74	82.181	124.744	127.729	1.00	73.18	L
ATOM	20365	N	VAL	L	75	83.861	125.525	126.435	1.00	77.67	L
ATOM	20366	CA	VAL	L	75	84.619	124.287	126.421	1.00	76.66	L
ATOM	20367	CB	VAL	L	75	84.882	123.800	124.977	1.00	74.93	L

ATOM	20368	CG1	VAL	L	75	85.645	124.860	124.195	1.00	75.68	L
ATOM	20369	CG2	VAL	L	75	85.649	122.501	125.003	1.00	72.70	L
ATOM	20370	C	VAL	L	75	85.950	124.543	127.115	1.00	78.13	L
ATOM	20371	O	VAL	L	75	86.715	125.424	126.718	1.00	77.72	L
ATOM	20372	N	LYS	L	76	86.197	123.791	128.181	1.00	79.69	L
ATOM	20373	CA	LYS	L	76	87.442	123.890	128.936	1.00	79.45	L
ATOM	20374	CB	LYS	L	76	87.219	123.355	130.355	1.00	80.12	L
ATOM	20375	CG	LYS	L	76	88.457	122.849	131.078	1.00	82.85	L
ATOM	20376	CD	LYS	L	76	88.036	121.977	132.276	1.00	86.63	L
ATOM	20377	CE	LYS	L	76	89.208	121.226	132.921	1.00	86.79	L
ATOM	20378	NZ	LYS	L	76	88.774	120.451	134.126	1.00	86.13	L
ATOM	20379	C	LYS	L	76	88.451	123.023	128.181	1.00	78.43	L
ATOM	20380	O	LYS	L	76	88.178	121.852	127.896	1.00	78.82	L
ATOM	20381	N	TYR	L	77	89.598	123.596	127.831	1.00	75.92	L
ATOM	20382	CA	TYR	L	77	90.612	122.836	127.112	1.00	75.60	L
ATOM	20383	CB	TYR	L	77	90.612	123.196	125.635	1.00	73.70	L
ATOM	20384	CG	TYR	L	77	91.568	122.355	124.820	1.00	75.02	L
ATOM	20385	CD1	TYR	L	77	91.225	121.064	124.419	1.00	75.30	L
ATOM	20386	CE1	TYR	L	77	92.098	120.288	123.660	1.00	76.63	L
ATOM	20387	CD2	TYR	L	77	92.815	122.851	124.446	1.00	74.47	L
ATOM	20388	CE2	TYR	L	77	93.698	122.083	123.687	1.00	76.92	L
ATOM	20389	CZ	TYR	L	77	93.333	120.802	123.293	1.00	77.55	L
ATOM	20390	OH	TYR	L	77	94.188	120.047	122.515	1.00	77.63	L
ATOM	20391	C	TYR	L	77	92.011	123.053	127.659	1.00	76.66	L
ATOM	20392	O	TYR	L	77	92.609	124.114	127.460	1.00	76.74	L
ATOM	20393	N	SER	L	78	92.535	122.038	128.337	1.00	77.30	L
ATOM	20394	CA	SER	L	78	93.871	122.120	128.910	1.00	81.60	L
ATOM	20395	CB	SER	L	78	94.930	122.132	127.795	1.00	84.29	L
ATOM	20396	OG	SER	L	78	96.251	122.016	128.315	1.00	82.61	L
ATOM	20397	C	SER	L	78	93.994	123.383	129.755	1.00	82.63	L
ATOM	20398	O	SER	L	78	94.829	124.248	129.489	1.00	85.05	L
ATOM	20399	N	GLY	L	79	93.155	123.487	130.776	1.00	83.55	L
ATOM	20400	CA	GLY	L	79	93.205	124.652	131.635	1.00	84.28	L
ATOM	20401	C	GLY	L	79	92.236	125.725	131.194	1.00	82.37	L
ATOM	20402	O	GLY	L	79	91.073	125.706	131.592	1.00	82.85	L
ATOM	20403	N	SER	L	80	92.713	126.656	130.369	1.00	80.60	L
ATOM	20404	CA	SER	L	80	91.870	127.750	129.884	1.00	79.73	L
ATOM	20405	CB	SER	L	80	92.610	128.590	128.824	1.00	80.13	L
ATOM	20406	OG	SER	L	80	93.617	129.408	129.404	1.00	72.90	L
ATOM	20407	C	SER	L	80	90.540	127.258	129.310	1.00	77.44	L
ATOM	20408	O	SER	L	80	90.418	126.105	128.880	1.00	77.93	L
ATOM	20409	N	SER	L	81	89.546	128.146	129.328	1.00	73.15	L
ATOM	20410	CA	SER	L	81	88.213	127.850	128.816	1.00	68.62	L
ATOM	20411	CB	SER	L	81	87.156	128.125	129.883	1.00	72.90	L
ATOM	20412	OG	SER	L	81	87.420	127.382	131.060	1.00	77.57	L
ATOM	20413	C	SER	L	81	87.975	128.757	127.627	1.00	64.40	L
ATOM	20414	O	SER	L	81	88.567	129.832	127.535	1.00	63.30	L
ATOM	20415	N	TYR	L	82	87.114	128.323	126.716	1.00	60.88	L
ATOM	20416	CA	TYR	L	82	86.823	129.108	125.529	1.00	59.63	L
ATOM	20417	CB	TYR	L	82	87.679	128.596	124.359	1.00	60.52	L
ATOM	20418	CG	TYR	L	82	89.153	128.432	124.694	1.00	61.11	L
ATOM	20419	CD1	TYR	L	82	89.613	127.310	125.394	1.00	63.69	L
ATOM	20420	CE1	TYR	L	82	90.962	127.183	125.768	1.00	59.76	L
ATOM	20421	CD2	TYR	L	82	90.080	129.421	124.366	1.00	61.96	L
ATOM	20422	CE2	TYR	L	82	91.430	129.303	124.733	1.00	62.27	L
ATOM	20423	CZ	TYR	L	82	91.859	128.186	125.437	1.00	61.84	L
ATOM	20424	OH	TYR	L	82	93.179	128.091	125.827	1.00	66.60	L
ATOM	20425	C	TYR	L	82	85.327	129.065	125.172	1.00	58.86	L

ATOM	20426	O	TYR	L	82	84.609	128.132	125.531	1.00	57.93	L
ATOM	20427	N	PRO	L	83	84.836	130.083	124.455	1.00	57.04	L
ATOM	20428	CD	PRO	L	83	85.503	131.279	123.913	1.00	53.87	L
ATOM	20429	CA	PRO	L	83	83.418	130.069	124.099	1.00	56.83	L
ATOM	20430	CB	PRO	L	83	83.271	131.311	123.223	1.00	49.93	L
ATOM	20431	CG	PRO	L	83	84.344	132.211	123.706	1.00	52.26	L
ATOM	20432	C	PRO	L	83	83.016	128.802	123.339	1.00	59.26	L
ATOM	20433	O	PRO	L	83	83.736	128.353	122.443	1.00	62.04	L
ATOM	20434	N	PHE	L	84	81.881	128.216	123.709	1.00	58.57	L
ATOM	20435	CA	PHE	L	84	81.376	127.053	122.998	1.00	58.35	L
ATOM	20436	CB	PHE	L	84	81.444	125.773	123.816	1.00	59.07	L
ATOM	20437	CG	PHE	L	84	80.891	124.582	123.078	1.00	59.76	L
ATOM	20438	CD1	PHE	L	84	81.495	124.139	121.902	1.00	61.91	L
ATOM	20439	CD2	PHE	L	84	79.733	123.948	123.505	1.00	58.66	L
ATOM	20440	CE1	PHE	L	84	80.946	123.087	121.164	1.00	55.43	L
ATOM	20441	CE2	PHE	L	84	79.180	122.894	122.769	1.00	56.03	L
ATOM	20442	CZ	PHE	L	84	79.789	122.468	121.599	1.00	53.28	L
ATOM	20443	C	PHE	L	84	79.924	127.297	122.642	1.00	61.58	L
ATOM	20444	O	PHE	L	84	79.115	127.626	123.517	1.00	63.69	L
ATOM	20445	N	PRO	L	85	79.563	127.131	121.353	1.00	62.51	L
ATOM	20446	CD	PRO	L	85	78.177	127.276	120.877	1.00	58.01	L
ATOM	20447	CA	PRO	L	85	80.439	126.730	120.245	1.00	62.15	L
ATOM	20448	CB	PRO	L	85	79.546	126.896	119.028	1.00	59.55	L
ATOM	20449	CG	PRO	L	85	78.213	126.525	119.566	1.00	60.99	L
ATOM	20450	C	PRO	L	85	81.708	127.557	120.140	1.00	64.27	L
ATOM	20451	O	PRO	L	85	81.714	128.745	120.443	1.00	65.25	L
ATOM	20452	N	THR	L	86	82.784	126.905	119.718	1.00	66.71	L
ATOM	20453	CA	THR	L	86	84.087	127.540	119.559	1.00	65.47	L
ATOM	20454	CB	THR	L	86	85.147	126.505	119.185	1.00	65.18	L
ATOM	20455	OG1	THR	L	86	84.894	126.030	117.854	1.00	61.44	L
ATOM	20456	CG2	THR	L	86	85.097	125.335	120.159	1.00	67.46	L
ATOM	20457	C	THR	L	86	84.049	128.591	118.454	1.00	65.96	L
ATOM	20458	O	THR	L	86	83.275	128.474	117.497	1.00	65.57	L
ATOM	20459	N	THR	L	87	84.897	129.608	118.593	1.00	63.47	L
ATOM	20460	CA	THR	L	87	84.981	130.695	117.626	1.00	60.53	L
ATOM	20461	CB	THR	L	87	84.782	132.066	118.299	1.00	58.09	L
ATOM	20462	OG1	THR	L	87	85.930	132.375	119.101	1.00	59.58	L
ATOM	20463	CG2	THR	L	87	83.544	132.054	119.178	1.00	52.94	L
ATOM	20464	C	THR	L	87	86.349	130.701	116.962	1.00	60.69	L
ATOM	20465	O	THR	L	87	86.616	131.512	116.082	1.00	60.99	L
ATOM	20466	N	SER	L	88	87.223	129.801	117.393	1.00	62.48	L
ATOM	20467	CA	SER	L	88	88.559	129.724	116.823	1.00	61.69	L
ATOM	20468	CB	SER	L	88	89.320	131.011	117.105	1.00	59.96	L
ATOM	20469	OG	SER	L	88	89.501	131.159	118.495	1.00	66.19	L
ATOM	20470	C	SER	L	88	89.331	128.545	117.392	1.00	61.69	L
ATOM	20471	O	SER	L	88	88.971	127.998	118.436	1.00	54.72	L
ATOM	20472	N	GLU	L	89	90.394	128.161	116.689	1.00	66.75	L
ATOM	20473	CA	GLU	L	89	91.233	127.041	117.098	1.00	70.85	L
ATOM	20474	CB	GLU	L	89	92.271	126.729	116.026	1.00	72.23	L
ATOM	20475	CG	GLU	L	89	93.353	125.784	116.498	1.00	73.17	L
ATOM	20476	CD	GLU	L	89	94.285	125.385	115.383	1.00	77.65	L
ATOM	20477	OE1	GLU	L	89	94.832	126.297	114.717	1.00	79.95	L
ATOM	20478	OE2	GLU	L	89	94.468	124.163	115.175	1.00	75.36	L
ATOM	20479	C	GLU	L	89	91.940	127.307	118.414	1.00	73.76	L
ATOM	20480	O	GLU	L	89	92.487	128.389	118.638	1.00	76.12	L
ATOM	20481	N	THR	L	90	91.946	126.288	119.263	1.00	73.37	L
ATOM	20482	CA	THR	L	90	92.543	126.369	120.584	1.00	75.20	L
ATOM	20483	CB	THR	L	90	91.940	125.257	121.469	1.00	74.12	L

ATOM	20484	OG1	THR	L	90	92.189	125.539	122.846	1.00	77.43	L
ATOM	20485	CG2	THR	L	90	92.556	123.926	121.129	1.00	73.10	L
ATOM	20486	C	THR	L	90	94.074	126.234	120.558	1.00	76.12	L
ATOM	20487	O	THR	L	90	94.654	125.835	119.548	1.00	76.90	L
ATOM	20488	N	PRO	L	91	94.750	126.614	121.657	1.00	76.40	L
ATOM	20489	CD	PRO	L	91	94.256	127.448	122.767	1.00	76.63	L
ATOM	20490	CA	PRO	L	91	96.210	126.498	121.713	1.00	77.24	L
ATOM	20491	CB	PRO	L	91	96.543	127.058	123.089	1.00	77.37	L
ATOM	20492	CG	PRO	L	91	95.521	128.125	123.255	1.00	78.70	L
ATOM	20493	C	PRO	L	91	96.537	125.017	121.607	1.00	78.08	L
ATOM	20494	O	PRO	L	91	95.654	124.187	121.813	1.00	79.75	L
ATOM	20495	N	ARG	L	92	97.787	124.676	121.308	1.00	80.18	L
ATOM	20496	CA	ARG	L	92	98.161	123.270	121.161	1.00	82.56	L
ATOM	20497	CB	ARG	L	92	99.133	123.097	119.985	1.00	85.05	L
ATOM	20498	CG	ARG	L	92	100.467	123.822	120.133	1.00	90.29	L
ATOM	20499	CD	ARG	L	92	101.353	123.569	118.915	1.00	92.48	L
ATOM	20500	NE	ARG	L	92	102.657	124.234	118.993	1.00	95.87	L
ATOM	20501	CZ	ARG	L	92	103.571	124.002	119.932	1.00	96.69	L
ATOM	20502	NH1	ARG	L	92	103.337	123.118	120.895	1.00	96.03	L
ATOM	20503	NH2	ARG	L	92	104.728	124.650	119.904	1.00	96.72	L
ATOM	20504	C	ARG	L	92	98.750	122.614	122.405	1.00	82.84	L
ATOM	20505	O	ARG	L	92	99.473	123.240	123.178	1.00	83.28	L
ATOM	20506	N	VAL	L	93	98.418	121.341	122.583	1.00	83.09	L
ATOM	20507	CA	VAL	L	93	98.902	120.540	123.700	1.00	85.45	L
ATOM	20508	CB	VAL	L	93	97.725	119.894	124.449	1.00	87.64	L
ATOM	20509	CG1	VAL	L	93	98.243	119.004	125.571	1.00	90.30	L
ATOM	20510	CG2	VAL	L	93	96.807	120.980	124.994	1.00	87.21	L
ATOM	20511	C	VAL	L	93	99.807	119.440	123.125	1.00	86.06	L
ATOM	20512	O	VAL	L	93	99.496	118.876	122.072	1.00	85.84	L
ATOM	20513	N	VAL	L	94	100.913	119.130	123.806	1.00	85.82	L
ATOM	20514	CA	VAL	L	94	101.857	118.117	123.315	1.00	83.24	L
ATOM	20515	CB	VAL	L	94	103.320	118.416	123.759	1.00	79.73	L
ATOM	20516	CG1	VAL	L	94	103.708	119.832	123.369	1.00	75.78	L
ATOM	20517	CG2	VAL	L	94	103.476	118.201	125.253	1.00	76.25	L
ATOM	20518	C	VAL	L	94	101.550	116.681	123.707	1.00	83.19	L
ATOM	20519	O	VAL	L	94	101.059	116.409	124.801	1.00	81.51	L
ATOM	20520	N	TYR	L	95	101.850	115.767	122.789	1.00	86.60	L
ATOM	20521	CA	TYR	L	95	101.648	114.339	123.004	1.00	89.65	L
ATOM	20522	CB	TYR	L	95	100.506	113.836	122.124	1.00	88.03	L
ATOM	20523	CG	TYR	L	95	99.173	114.088	122.764	1.00	89.36	L
ATOM	20524	CD1	TYR	L	95	98.734	115.383	123.004	1.00	90.03	L
ATOM	20525	CE1	TYR	L	95	97.550	115.624	123.684	1.00	90.13	L
ATOM	20526	CD2	TYR	L	95	98.384	113.031	123.214	1.00	93.15	L
ATOM	20527	CE2	TYR	L	95	97.197	113.260	123.894	1.00	91.91	L
ATOM	20528	CZ	TYR	L	95	96.792	114.560	124.127	1.00	91.18	L
ATOM	20529	OH	TYR	L	95	95.642	114.795	124.830	1.00	91.14	L
ATOM	20530	C	TYR	L	95	102.934	113.569	122.719	1.00	91.24	L
ATOM	20531	O	TYR	L	95	103.368	113.465	121.573	1.00	92.06	L
ATOM	20532	N	ASN	L	96	103.543	113.035	123.773	1.00	92.64	L
ATOM	20533	CA	ASN	L	96	104.793	112.299	123.635	1.00	93.97	L
ATOM	20534	CB	ASN	L	96	105.964	113.238	123.960	1.00	95.34	L
ATOM	20535	CG	ASN	L	96	105.717	114.075	125.208	1.00	99.29	L
ATOM	20536	OD1	ASN	L	96	106.441	115.036	125.476	1.00	102.12	L
ATOM	20537	ND2	ASN	L	96	104.696	113.709	125.981	1.00	99.32	L
ATOM	20538	C	ASN	L	96	104.870	111.021	124.483	1.00	93.62	L
ATOM	20539	O	ASN	L	96	105.461	111.012	125.568	1.00	92.26	L
ATOM	20540	N	SER	L	97	104.272	109.946	123.967	1.00	93.18	L
ATOM	20541	CA	SER	L	97	104.255	108.641	124.630	1.00	94.06	L

ATOM	20542	CB	SER	L	97	103.903	108.786	126.114	1.00	94.27	L
ATOM	20543	OG	SER	L	97	103.763	107.516	126.728	1.00	93.23	L
ATOM	20544	C	SER	L	97	103.237	107.726	123.967	1.00	94.52	L
ATOM	20545	O	SER	L	97	102.174	108.179	123.551	1.00	94.59	L
ATOM	20546	N	ARG	L	98	103.560	106.438	123.865	1.00	95.53	L
ATOM	20547	CA	ARG	L	98	102.642	105.486	123.251	1.00	95.28	L
ATOM	20548	CB	ARG	L	98	103.378	104.221	122.809	1.00	96.66	L
ATOM	20549	CG	ARG	L	98	104.415	104.485	121.730	1.00	100.78	L
ATOM	20550	CD	ARG	L	98	104.984	103.201	121.140	1.00	101.63	L
ATOM	20551	NE	ARG	L	98	106.123	103.472	120.265	1.00	102.17	L
ATOM	20552	CZ	ARG	L	98	107.281	103.978	120.681	1.00	103.13	L
ATOM	20553	NH1	ARG	L	98	107.464	104.270	121.962	1.00	103.18	L
ATOM	20554	NH2	ARG	L	98	108.260	104.204	119.815	1.00	106.66	L
ATOM	20555	C	ARG	L	98	101.562	105.140	124.249	1.00	94.49	L
ATOM	20556	O	ARG	L	98	100.662	104.350	123.968	1.00	94.00	L
ATOM	20557	N	THR	L	99	101.667	105.744	125.427	1.00	95.06	L
ATOM	20558	CA	THR	L	99	100.685	105.536	126.481	1.00	96.92	L
ATOM	20559	CB	THR	L	99	101.277	105.866	127.866	1.00	95.58	L
ATOM	20560	OG1	THR	L	99	102.365	104.976	128.142	1.00	93.72	L
ATOM	20561	CG2	THR	L	99	100.214	105.732	128.954	1.00	94.64	L
ATOM	20562	C	THR	L	99	99.488	106.452	126.208	1.00	98.50	L
ATOM	20563	O	THR	L	99	99.605	107.683	126.228	1.00	97.72	L
ATOM	20564	N	ASP	L	100	98.340	105.842	125.942	1.00	98.88	L
ATOM	20565	CA	ASP	L	100	97.126	106.593	125.655	1.00	100.68	L
ATOM	20566	CB	ASP	L	100	95.949	105.633	125.522	1.00	101.20	L
ATOM	20567	CG	ASP	L	100	96.081	104.726	124.329	1.00	102.58	L
ATOM	20568	OD1	ASP	L	100	95.858	105.199	123.192	1.00	100.73	L
ATOM	20569	OD2	ASP	L	100	96.419	103.542	124.533	1.00	106.83	L
ATOM	20570	C	ASP	L	100	96.778	107.672	126.677	1.00	100.45	L
ATOM	20571	O	ASP	L	100	96.262	107.378	127.755	1.00	97.97	L
ATOM	20572	N	LYS	L	101	97.075	108.920	126.328	1.00	101.43	L
ATOM	20573	CA	LYS	L	101	96.760	110.063	127.178	1.00	101.84	L
ATOM	20574	CB	LYS	L	101	97.892	111.095	127.149	1.00	100.45	L
ATOM	20575	CG	LYS	L	101	97.604	112.359	127.950	1.00	101.29	L
ATOM	20576	CD	LYS	L	101	98.745	113.370	127.845	1.00	100.15	L
ATOM	20577	CE	LYS	L	101	98.516	114.561	128.771	1.00	102.11	L
ATOM	20578	NZ	LYS	L	101	99.636	115.547	128.728	1.00	101.98	L
ATOM	20579	C	LYS	L	101	95.493	110.682	126.590	1.00	102.86	L
ATOM	20580	O	LYS	L	101	95.339	110.747	125.367	1.00	103.84	L
ATOM	20581	N	PRO	L	102	94.560	111.132	127.447	1.00	102.52	L
ATOM	20582	CD	PRO	L	102	94.532	111.047	128.922	1.00	101.78	L
ATOM	20583	CA	PRO	L	102	93.325	111.737	126.939	1.00	99.44	L
ATOM	20584	CB	PRO	L	102	92.362	111.545	128.098	1.00	99.58	L
ATOM	20585	CG	PRO	L	102	93.260	111.825	129.284	1.00	100.17	L
ATOM	20586	C	PRO	L	102	93.559	113.215	126.654	1.00	96.41	L
ATOM	20587	O	PRO	L	102	94.357	113.858	127.340	1.00	94.91	L
ATOM	20588	N	TRP	L	103	92.893	113.762	125.644	1.00	94.11	L
ATOM	20589	CA	TRP	L	103	93.069	115.184	125.391	1.00	91.08	L
ATOM	20590	CB	TRP	L	103	92.921	115.523	123.895	1.00	89.75	L
ATOM	20591	CG	TRP	L	103	91.557	115.423	123.349	1.00	93.88	L
ATOM	20592	CD2	TRP	L	103	91.000	116.210	122.291	1.00	94.16	L
ATOM	20593	CE2	TRP	L	103	89.679	115.748	122.079	1.00	95.47	L
ATOM	20594	CE3	TRP	L	103	91.484	117.257	121.500	1.00	93.12	L
ATOM	20595	CD1	TRP	L	103	90.586	114.541	123.726	1.00	96.82	L
ATOM	20596	NE1	TRP	L	103	89.454	114.731	122.969	1.00	98.60	L
ATOM	20597	CZ2	TRP	L	103	88.832	116.301	121.107	1.00	92.43	L
ATOM	20598	CZ3	TRP	L	103	90.640	117.807	120.531	1.00	92.99	L
ATOM	20599	CH2	TRP	L	103	89.328	117.324	120.347	1.00	91.23	L

ATOM	20600	C	TRP	L	103	92.034	115.886	126.262	1.00	87.62	L
ATOM	20601	O	TRP	L	103	90.884	115.454	126.354	1.00	82.55	L
ATOM	20602	N	PRO	L	104	92.453	116.954	126.954	1.00	88.26	L
ATOM	20603	CD	PRO	L	104	93.783	117.567	126.774	1.00	88.92	L
ATOM	20604	CA	PRO	L	104	91.627	117.768	127.852	1.00	89.03	L
ATOM	20605	CB	PRO	L	104	92.634	118.750	128.436	1.00	89.62	L
ATOM	20606	CG	PRO	L	104	93.558	118.979	127.272	1.00	90.97	L
ATOM	20607	C	PRO	L	104	90.466	118.486	127.163	1.00	88.46	L
ATOM	20608	O	PRO	L	104	90.599	119.631	126.736	1.00	87.77	L
ATOM	20609	N	VAL	L	105	89.327	117.817	127.060	1.00	87.18	L
ATOM	20610	CA	VAL	L	105	88.181	118.428	126.420	1.00	89.16	L
ATOM	20611	CB	VAL	L	105	87.930	117.830	125.025	1.00	88.47	L
ATOM	20612	CG1	VAL	L	105	86.608	118.336	124.468	1.00	86.01	L
ATOM	20613	CG2	VAL	L	105	89.066	118.221	124.103	1.00	89.19	L
ATOM	20614	C	VAL	L	105	86.940	118.256	127.266	1.00	91.00	L
ATOM	20615	O	VAL	L	105	86.286	117.209	127.231	1.00	93.61	L
ATOM	20616	N	ALA	L	106	86.620	119.294	128.031	1.00	87.98	L
ATOM	20617	CA	ALA	L	106	85.450	119.260	128.884	1.00	84.07	L
ATOM	20618	CB	ALA	L	106	85.865	119.414	130.338	1.00	83.94	L
ATOM	20619	C	ALA	L	106	84.462	120.352	128.484	1.00	82.01	L
ATOM	20620	O	ALA	L	106	84.825	121.529	128.362	1.00	78.41	L
ATOM	20621	N	LEU	L	107	83.216	119.931	128.269	1.00	79.10	L
ATOM	20622	CA	LEU	L	107	82.122	120.815	127.893	1.00	74.67	L
ATOM	20623	CB	LEU	L	107	81.156	120.086	126.973	1.00	68.43	L
ATOM	20624	CG	LEU	L	107	81.142	120.542	125.528	1.00	66.15	L
ATOM	20625	CD1	LEU	L	107	82.547	120.498	124.971	1.00	65.95	L
ATOM	20626	CD2	LEU	L	107	80.206	119.649	124.732	1.00	67.45	L
ATOM	20627	C	LEU	L	107	81.357	121.275	129.121	1.00	75.06	L
ATOM	20628	O	LEU	L	107	80.894	120.454	129.914	1.00	73.85	L
ATOM	20629	N	TYR	L	108	81.225	122.587	129.272	1.00	76.71	L
ATOM	20630	CA	TYR	L	108	80.496	123.149	130.398	1.00	79.85	L
ATOM	20631	CB	TYR	L	108	81.428	124.006	131.253	1.00	79.40	L
ATOM	20632	CG	TYR	L	108	82.486	123.190	131.963	1.00	87.08	L
ATOM	20633	CD1	TYR	L	108	83.508	122.563	131.249	1.00	88.93	L
ATOM	20634	CE1	TYR	L	108	84.475	121.794	131.897	1.00	89.60	L
ATOM	20635	CD2	TYR	L	108	82.458	123.023	133.352	1.00	88.23	L
ATOM	20636	CE2	TYR	L	108	83.423	122.251	134.011	1.00	87.28	L
ATOM	20637	CZ	TYR	L	108	84.429	121.641	133.275	1.00	89.05	L
ATOM	20638	OH	TYR	L	108	85.401	120.892	133.904	1.00	89.94	L
ATOM	20639	C	TYR	L	108	79.299	123.963	129.905	1.00	81.70	L
ATOM	20640	O	TYR	L	108	79.442	125.104	129.464	1.00	83.42	L
ATOM	20641	N	LEU	L	109	78.117	123.358	129.988	1.00	81.73	L
ATOM	20642	CA	LEU	L	109	76.883	123.991	129.535	1.00	83.90	L
ATOM	20643	CB	LEU	L	109	76.190	123.072	128.536	1.00	76.93	L
ATOM	20644	CG	LEU	L	109	77.162	122.436	127.555	1.00	73.45	L
ATOM	20645	CD1	LEU	L	109	76.403	121.471	126.658	1.00	70.95	L
ATOM	20646	CD2	LEU	L	109	77.869	123.520	126.754	1.00	68.90	L
ATOM	20647	C	LEU	L	109	75.913	124.322	130.673	1.00	85.97	L
ATOM	20648	O	LEU	L	109	75.673	123.504	131.556	1.00	87.21	L
ATOM	20649	N	THR	L	110	75.356	125.525	130.643	1.00	88.00	L
ATOM	20650	CA	THR	L	110	74.405	125.945	131.663	1.00	90.69	L
ATOM	20651	CB	THR	L	110	74.811	127.284	132.294	1.00	88.72	L
ATOM	20652	OG1	THR	L	110	76.161	127.193	132.762	1.00	89.59	L
ATOM	20653	CG2	THR	L	110	73.896	127.617	133.467	1.00	87.69	L
ATOM	20654	C	THR	L	110	73.043	126.109	131.009	1.00	93.52	L
ATOM	20655	O	THR	L	110	72.954	126.559	129.865	1.00	95.18	L
ATOM	20656	N	PRO	L	111	71.964	125.728	131.715	1.00	94.33	L
ATOM	20657	CD	PRO	L	111	71.908	124.887	132.922	1.00	93.27	L

ATOM	20658	CA	PRO	L	111	70.629	125.868	131.124	1.00	94.38	L
ATOM	20659	CB	PRO	L	111	69.774	124.900	131.950	1.00	93.24	L
ATOM	20660	CG	PRO	L	111	70.783	123.956	132.579	1.00	92.31	L
ATOM	20661	C	PRO	L	111	70.128	127.311	131.226	1.00	94.83	L
ATOM	20662	O	PRO	L	111	70.327	127.983	132.246	1.00	94.63	L
ATOM	20663	N	VAL	L	112	69.494	127.787	130.158	1.00	94.76	L
ATOM	20664	CA	VAL	L	112	68.954	129.142	130.131	1.00	93.13	L
ATOM	20665	CB	VAL	L	112	68.899	129.696	128.698	1.00	88.61	L
ATOM	20666	CG1	VAL	L	112	70.296	129.932	128.181	1.00	84.01	L
ATOM	20667	CG2	VAL	L	112	68.162	128.718	127.793	1.00	87.95	L
ATOM	20668	C	VAL	L	112	67.540	129.120	130.691	1.00	95.21	L
ATOM	20669	O	VAL	L	112	66.809	128.142	130.509	1.00	97.24	L
ATOM	20670	N	SER	L	113	67.160	130.191	131.379	1.00	95.90	L
ATOM	20671	CA	SER	L	113	65.822	130.303	131.957	1.00	96.67	L
ATOM	20672	CB	SER	L	113	65.532	131.771	132.286	1.00	95.83	L
ATOM	20673	OG	SER	L	113	64.230	131.934	132.810	1.00	100.08	L
ATOM	20674	C	SER	L	113	64.765	129.759	130.985	1.00	95.81	L
ATOM	20675	O	SER	L	113	63.770	129.176	131.402	1.00	93.97	L
ATOM	20676	N	SER	L	114	65.016	129.942	129.691	1.00	97.49	L
ATOM	20677	CA	SER	L	114	64.128	129.504	128.615	1.00	98.52	L
ATOM	20678	CB	SER	L	114	64.733	129.890	127.261	1.00	96.80	L
ATOM	20679	OG	SER	L	114	63.936	129.430	126.186	1.00	93.54	L
ATOM	20680	C	SER	L	114	63.798	128.017	128.601	1.00	101.31	L
ATOM	20681	O	SER	L	114	62.700	127.627	128.208	1.00	100.76	L
ATOM	20682	N	ALA	L	115	64.749	127.183	129.007	1.00	106.23	L
ATOM	20683	CA	ALA	L	115	64.526	125.740	129.029	1.00	111.03	L
ATOM	20684	CB	ALA	L	115	65.762	125.030	129.568	1.00	110.38	L
ATOM	20685	C	ALA	L	115	63.303	125.413	129.894	1.00	114.25	L
ATOM	20686	O	ALA	L	115	62.702	126.314	130.489	1.00	115.26	L
ATOM	20687	N	GLY	L	116	62.932	124.134	129.961	1.00	116.14	L
ATOM	20688	CA	GLY	L	116	61.775	123.745	130.757	1.00	117.11	L
ATOM	20689	C	GLY	L	116	61.762	122.309	131.263	1.00	117.63	L
ATOM	20690	O	GLY	L	116	61.675	122.070	132.469	1.00	116.94	L
ATOM	20691	N	GLY	L	117	61.830	121.353	130.340	1.00	118.06	L
ATOM	20692	CA	GLY	L	117	61.828	119.951	130.718	1.00	116.99	L
ATOM	20693	C	GLY	L	117	62.896	119.172	129.976	1.00	116.51	L
ATOM	20694	O	GLY	L	117	64.069	119.213	130.343	1.00	115.33	L
ATOM	20695	N	VAL	L	118	62.490	118.465	128.925	1.00	116.89	L
ATOM	20696	CA	VAL	L	118	63.421	117.673	128.131	1.00	117.38	L
ATOM	20697	CB	VAL	L	118	62.676	116.703	127.182	1.00	118.05	L
ATOM	20698	CG1	VAL	L	118	63.675	115.927	126.336	1.00	117.86	L
ATOM	20699	CG2	VAL	L	118	61.819	115.744	127.983	1.00	118.93	L
ATOM	20700	C	VAL	L	118	64.314	118.575	127.290	1.00	117.99	L
ATOM	20701	O	VAL	L	118	63.952	118.958	126.176	1.00	119.20	L
ATOM	20702	N	ALA	L	119	65.480	118.919	127.828	1.00	117.68	L
ATOM	20703	CA	ALA	L	119	66.432	119.765	127.117	1.00	116.69	L
ATOM	20704	CB	ALA	L	119	67.460	120.332	128.094	1.00	113.17	L
ATOM	20705	C	ALA	L	119	67.130	118.941	126.035	1.00	117.27	L
ATOM	20706	O	ALA	L	119	67.228	119.365	124.881	1.00	117.47	L
ATOM	20707	N	ILE	L	120	67.603	117.757	126.417	1.00	117.58	L
ATOM	20708	CA	ILE	L	120	68.297	116.859	125.497	1.00	115.96	L
ATOM	20709	CB	ILE	L	120	69.765	116.628	125.942	1.00	115.51	L
ATOM	20710	CG2	ILE	L	120	70.438	115.619	125.025	1.00	115.90	L
ATOM	20711	CG1	ILE	L	120	70.532	117.950	125.927	1.00	112.37	L
ATOM	20712	CD1	ILE	L	120	71.980	117.816	126.333	1.00	112.13	L
ATOM	20713	C	ILE	L	120	67.597	115.505	125.432	1.00	113.76	L
ATOM	20714	O	ILE	L	120	67.132	114.993	126.449	1.00	113.24	L
ATOM	20715	N	LYS	L	121	67.528	114.934	124.234	1.00	111.98	L

ATOM	20716	CA	LYS	L	121	66.898	113.633	124.042	1.00112.00	L
ATOM	20717	CB	LYS	L	121	66.568	113.418	122.560	1.00111.05	L
ATOM	20718	CG	LYS	L	121	65.146	113.842	122.173	1.00110.26	L
ATOM	20719	CD	LYS	L	121	64.818	115.267	122.625	1.00110.11	L
ATOM	20720	CE	LYS	L	121	63.312	115.567	122.569	1.00108.08	L
ATOM	20721	NZ	LYS	L	121	62.733	115.498	121.196	1.00105.43	L
ATOM	20722	C	LYS	L	121	67.796	112.512	124.561	1.00111.83	L
ATOM	20723	O	LYS	L	121	68.830	112.772	125.172	1.00112.38	L
ATOM	20724	N	ALA	L	122	67.401	111.267	124.324	1.00111.38	L
ATOM	20725	CA	ALA	L	122	68.179	110.130	124.800	1.00111.63	L
ATOM	20726	CB	ALA	L	122	67.266	109.145	125.519	1.00112.12	L
ATOM	20727	C	ALA	L	122	68.930	109.421	123.683	1.00111.82	L
ATOM	20728	O	ALA	L	122	69.341	108.272	123.837	1.00111.41	L
ATOM	20729	N	GLY	L	123	69.114	110.107	122.561	1.00111.86	L
ATOM	20730	CA	GLY	L	123	69.820	109.507	121.443	1.00112.93	L
ATOM	20731	C	GLY	L	123	70.029	110.469	120.291	1.00113.36	L
ATOM	20732	O	GLY	L	123	69.917	110.099	119.115	1.00113.10	L
ATOM	20733	N	SER	L	124	70.336	111.715	120.634	1.00113.08	L
ATOM	20734	CA	SER	L	124	70.565	112.756	119.641	1.00110.16	L
ATOM	20735	CB	SER	L	124	69.655	113.960	119.918	1.00111.12	L
ATOM	20736	OG	SER	L	124	69.825	114.446	121.241	1.00111.22	L
ATOM	20737	C	SER	L	124	72.019	113.199	119.658	1.00106.46	L
ATOM	20738	O	SER	L	124	72.827	112.690	120.439	1.00104.46	L
ATOM	20739	N	LEU	L	125	72.341	114.144	118.779	1.00104.17	L
ATOM	20740	CA	LEU	L	125	73.688	114.688	118.685	1.00101.15	L
ATOM	20741	CB	LEU	L	125	74.004	115.072	117.238	1.00 99.82	L
ATOM	20742	CG	LEU	L	125	75.389	115.664	116.966	1.00100.94	L
ATOM	20743	CD1	LEU	L	125	76.490	114.687	117.376	1.00 98.29	L
ATOM	20744	CD2	LEU	L	125	75.489	115.989	115.491	1.00 98.87	L
ATOM	20745	C	LEU	L	125	73.798	115.916	119.583	1.00 98.00	L
ATOM	20746	O	LEU	L	125	72.937	116.793	119.560	1.00 98.22	L
ATOM	20747	N	ILE	L	126	74.850	115.957	120.391	1.00 95.32	L
ATOM	20748	CA	ILE	L	126	75.083	117.082	121.284	1.00 93.82	L
ATOM	20749	CB	ILE	L	126	75.844	116.663	122.561	1.00 91.81	L
ATOM	20750	CG2	ILE	L	126	76.133	117.881	123.411	1.00 92.04	L
ATOM	20751	CG1	ILE	L	126	75.037	115.665	123.375	1.00 91.24	L
ATOM	20752	CD1	ILE	L	126	75.748	115.256	124.654	1.00 92.20	L
ATOM	20753	C	ILE	L	126	75.965	118.100	120.569	1.00 92.69	L
ATOM	20754	O	ILE	L	126	75.570	119.240	120.322	1.00 92.55	L
ATOM	20755	N	ALA	L	127	77.170	117.658	120.236	1.00 90.56	L
ATOM	20756	CA	ALA	L	127	78.146	118.507	119.591	1.00 87.76	L
ATOM	20757	CB	ALA	L	127	79.085	119.081	120.650	1.00 88.58	L
ATOM	20758	C	ALA	L	127	78.947	117.761	118.540	1.00 85.45	L
ATOM	20759	O	ALA	L	127	78.674	116.600	118.236	1.00 85.97	L
ATOM	20760	N	VAL	L	128	79.938	118.455	117.991	1.00 82.73	L
ATOM	20761	CA	VAL	L	128	80.827	117.910	116.980	1.00 79.04	L
ATOM	20762	CB	VAL	L	128	80.300	118.210	115.566	1.00 76.97	L
ATOM	20763	CG1	VAL	L	128	81.321	117.799	114.528	1.00 75.27	L
ATOM	20764	CG2	VAL	L	128	79.004	117.462	115.334	1.00 74.08	L
ATOM	20765	C	VAL	L	128	82.202	118.544	117.168	1.00 79.10	L
ATOM	20766	O	VAL	L	128	82.557	119.495	116.472	1.00 79.97	L
ATOM	20767	N	LEU	L	129	82.961	118.010	118.125	1.00 79.66	L
ATOM	20768	CA	LEU	L	129	84.305	118.499	118.453	1.00 80.32	L
ATOM	20769	CB	LEU	L	129	84.707	118.037	119.855	1.00 78.71	L
ATOM	20770	CG	LEU	L	129	83.702	118.277	120.977	1.00 78.31	L
ATOM	20771	CD1	LEU	L	129	84.254	117.718	122.272	1.00 72.61	L
ATOM	20772	CD2	LEU	L	129	83.417	119.768	121.098	1.00 77.08	L
ATOM	20773	C	LEU	L	129	85.350	117.995	117.469	1.00 81.47	L

ATOM	20774	O	LEU	L	129	85.482	116.786	117.277	1.00	82.88	L
ATOM	20775	N	ILE	L	130	86.103	118.907	116.859	1.00	81.31	L
ATOM	20776	CA	ILE	L	130	87.125	118.492	115.906	1.00	81.20	L
ATOM	20777	CB	ILE	L	130	87.090	119.327	114.610	1.00	79.51	L
ATOM	20778	CG2	ILE	L	130	88.263	118.940	113.724	1.00	80.91	L
ATOM	20779	CG1	ILE	L	130	85.783	119.091	113.854	1.00	79.22	L
ATOM	20780	CD1	ILE	L	130	85.730	119.782	112.496	1.00	75.69	L
ATOM	20781	C	ILE	L	130	88.539	118.566	116.467	1.00	82.29	L
ATOM	20782	O	ILE	L	130	89.008	119.632	116.878	1.00	81.81	L
ATOM	20783	N	LEU	L	131	89.215	117.421	116.471	1.00	82.60	L
ATOM	20784	CA	LEU	L	131	90.582	117.339	116.959	1.00	83.22	L
ATOM	20785	CB	LEU	L	131	90.842	115.965	117.582	1.00	82.39	L
ATOM	20786	CG	LEU	L	131	92.201	115.755	118.266	1.00	85.30	L
ATOM	20787	CD1	LEU	L	131	92.129	114.506	119.132	1.00	80.96	L
ATOM	20788	CD2	LEU	L	131	93.327	115.640	117.233	1.00	86.20	L
ATOM	20789	C	LEU	L	131	91.532	117.566	115.794	1.00	84.97	L
ATOM	20790	O	LEU	L	131	91.444	116.891	114.771	1.00	86.03	L
ATOM	20791	N	ARG	L	132	92.439	118.523	115.955	1.00	86.68	L
ATOM	20792	CA	ARG	L	132	93.416	118.847	114.920	1.00	86.79	L
ATOM	20793	CB	ARG	L	132	93.510	120.358	114.751	1.00	89.45	L
ATOM	20794	CG	ARG	L	132	94.628	120.825	113.843	1.00	90.76	L
ATOM	20795	CD	ARG	L	132	94.117	121.193	112.467	1.00	93.02	L
ATOM	20796	NE	ARG	L	132	94.918	122.267	111.889	1.00	95.53	L
ATOM	20797	CZ	ARG	L	132	94.752	122.755	110.665	1.00	98.72	L
ATOM	20798	NH1	ARG	L	132	93.806	122.267	109.866	1.00	98.10	L
ATOM	20799	NH2	ARG	L	132	95.536	123.738	110.244	1.00	101.33	L
ATOM	20800	C	ARG	L	132	94.765	118.308	115.353	1.00	86.07	L
ATOM	20801	O	ARG	L	132	95.224	118.602	116.459	1.00	84.34	L
ATOM	20802	N	GLN	L	133	95.407	117.536	114.481	1.00	85.83	L
ATOM	20803	CA	GLN	L	133	96.700	116.953	114.815	1.00	85.03	L
ATOM	20804	CB	GLN	L	133	96.565	115.433	114.954	1.00	86.32	L
ATOM	20805	CG	GLN	L	133	97.800	114.746	115.515	1.00	90.06	L
ATOM	20806	CD	GLN	L	133	98.520	113.888	114.493	1.00	93.48	L
ATOM	20807	OE1	GLN	L	133	97.933	112.980	113.900	1.00	96.92	L
ATOM	20808	NE2	GLN	L	133	99.801	114.165	114.288	1.00	94.16	L
ATOM	20809	C	GLN	L	133	97.813	117.274	113.829	1.00	82.89	L
ATOM	20810	O	GLN	L	133	97.644	117.149	112.613	1.00	82.65	L
ATOM	20811	N	THR	L	134	98.950	117.694	114.379	1.00	80.04	L
ATOM	20812	CA	THR	L	134	100.142	118.028	113.605	1.00	78.44	L
ATOM	20813	CB	THR	L	134	100.295	119.542	113.391	1.00	74.37	L
ATOM	20814	OG1	THR	L	134	100.445	120.195	114.659	1.00	74.29	L
ATOM	20815	CG2	THR	L	134	99.096	120.094	112.656	1.00	67.03	L
ATOM	20816	C	THR	L	134	101.331	117.546	114.420	1.00	80.41	L
ATOM	20817	O	THR	L	134	101.151	116.804	115.381	1.00	80.98	L
ATOM	20818	N	ASN	L	135	102.537	117.964	114.039	1.00	82.96	L
ATOM	20819	CA	ASN	L	135	103.753	117.570	114.752	1.00	86.06	L
ATOM	20820	CB	ASN	L	135	104.022	116.074	114.586	1.00	87.19	L
ATOM	20821	CG	ASN	L	135	104.191	115.671	113.135	1.00	90.46	L
ATOM	20822	OD1	ASN	L	135	104.956	116.290	112.390	1.00	92.80	L
ATOM	20823	ND2	ASN	L	135	103.486	114.623	112.726	1.00	88.18	L
ATOM	20824	C	ASN	L	135	104.950	118.349	114.237	1.00	87.65	L
ATOM	20825	O	ASN	L	135	104.863	119.023	113.207	1.00	88.95	L
ATOM	20826	N	ASN	L	136	106.069	118.244	114.948	1.00	87.83	L
ATOM	20827	CA	ASN	L	136	107.285	118.961	114.569	1.00	90.59	L
ATOM	20828	CB	ASN	L	136	108.052	119.412	115.828	1.00	86.23	L
ATOM	20829	CG	ASN	L	136	108.553	118.243	116.675	1.00	81.18	L
ATOM	20830	OD1	ASN	L	136	109.275	118.437	117.657	1.00	75.43	L
ATOM	20831	ND2	ASN	L	136	108.169	117.026	116.298	1.00	78.89	L

ATOM	20832	C	ASN	L	136	108.214	118.141	113.677	1.00	94.38	L
ATOM	20833	O	ASN	L	136	109.432	118.309	113.724	1.00	94.46	L
ATOM	20834	N	TYR	L	137	107.641	117.273	112.848	1.00	99.26	L
ATOM	20835	CA	TYR	L	137	108.450	116.420	111.982	1.00	102.21	L
ATOM	20836	CB	TYR	L	137	108.210	114.951	112.356	1.00	105.04	L
ATOM	20837	CG	TYR	L	137	109.185	113.974	111.739	1.00	107.17	L
ATOM	20838	CD1	TYR	L	137	110.561	114.130	111.907	1.00	108.25	L
ATOM	20839	CE1	TYR	L	137	111.463	113.223	111.356	1.00	109.73	L
ATOM	20840	CD2	TYR	L	137	108.731	112.881	111.001	1.00	107.50	L
ATOM	20841	CE2	TYR	L	137	109.622	111.967	110.447	1.00	110.67	L
ATOM	20842	CZ	TYR	L	137	110.987	112.144	110.627	1.00	110.75	L
ATOM	20843	OH	TYR	L	137	111.871	111.250	110.067	1.00	112.76	L
ATOM	20844	C	TYR	L	137	108.208	116.628	110.489	1.00	102.28	L
ATOM	20845	O	TYR	L	137	109.156	116.800	109.723	1.00	101.36	L
ATOM	20846	N	ASN	L	138	106.947	116.615	110.072	1.00	103.24	L
ATOM	20847	CA	ASN	L	138	106.633	116.799	108.661	1.00	106.35	L
ATOM	20848	CB	ASN	L	138	106.542	115.443	107.964	1.00	109.08	L
ATOM	20849	CG	ASN	L	138	105.580	114.506	108.653	1.00	112.28	L
ATOM	20850	OD1	ASN	L	138	105.881	113.959	109.713	1.00	115.20	L
ATOM	20851	ND2	ASN	L	138	104.404	114.328	108.062	1.00	114.09	L
ATOM	20852	C	ASN	L	138	105.344	117.573	108.421	1.00	107.43	L
ATOM	20853	O	ASN	L	138	104.802	118.195	109.333	1.00	108.04	L
ATOM	20854	N	SER	L	139	104.862	117.518	107.181	1.00	108.41	L
ATOM	20855	CA	SER	L	139	103.645	118.212	106.764	1.00	109.53	L
ATOM	20856	CB	SER	L	139	103.613	118.312	105.234	1.00	110.25	L
ATOM	20857	OG	SER	L	139	103.767	117.034	104.634	1.00	110.24	L
ATOM	20858	C	SER	L	139	102.342	117.575	107.257	1.00	109.45	L
ATOM	20859	O	SER	L	139	101.268	117.836	106.698	1.00	108.79	L
ATOM	20860	N	ASP	L	140	102.434	116.752	108.300	1.00	108.24	L
ATOM	20861	CA	ASP	L	140	101.257	116.082	108.848	1.00	107.70	L
ATOM	20862	CB	ASP	L	140	101.686	114.937	109.772	1.00	110.11	L
ATOM	20863	CG	ASP	L	140	101.617	113.579	109.086	1.00	112.90	L
ATOM	20864	OD1	ASP	L	140	101.968	112.562	109.724	1.00	113.08	L
ATOM	20865	OD2	ASP	L	140	101.204	113.528	107.906	1.00	114.21	L
ATOM	20866	C	ASP	L	140	100.271	117.004	109.574	1.00	105.09	L
ATOM	20867	O	ASP	L	140	100.606	117.658	110.562	1.00	102.96	L
ATOM	20868	N	ASP	L	141	99.044	117.031	109.062	1.00	103.42	L
ATOM	20869	CA	ASP	L	141	97.972	117.856	109.604	1.00	101.97	L
ATOM	20870	CB	ASP	L	141	97.956	119.201	108.871	1.00	100.58	L
ATOM	20871	CG	ASP	L	141	96.992	120.192	109.477	1.00	97.46	L
ATOM	20872	OD1	ASP	L	141	95.784	119.885	109.569	1.00	95.00	L
ATOM	20873	OD2	ASP	L	141	97.450	121.288	109.853	1.00	97.01	L
ATOM	20874	C	ASP	L	141	96.649	117.120	109.381	1.00	101.22	L
ATOM	20875	O	ASP	L	141	96.101	117.135	108.276	1.00	100.33	L
ATOM	20876	N	PHE	L	142	96.134	116.484	110.428	1.00	100.00	L
ATOM	20877	CA	PHE	L	142	94.891	115.737	110.302	1.00	99.49	L
ATOM	20878	CB	PHE	L	142	95.162	114.264	110.585	1.00	99.92	L
ATOM	20879	CG	PHE	L	142	96.257	113.685	109.742	1.00	100.59	L
ATOM	20880	CD1	PHE	L	142	97.477	113.334	110.307	1.00	99.51	L
ATOM	20881	CD2	PHE	L	142	96.069	113.494	108.374	1.00	100.20	L
ATOM	20882	CE1	PHE	L	142	98.497	112.799	109.521	1.00	100.90	L
ATOM	20883	CE2	PHE	L	142	97.080	112.961	107.580	1.00	99.52	L
ATOM	20884	CZ	PHE	L	142	98.297	112.611	108.155	1.00	100.36	L
ATOM	20885	C	PHE	L	142	93.773	116.241	111.205	1.00	99.71	L
ATOM	20886	O	PHE	L	142	94.015	117.002	112.142	1.00	100.22	L
ATOM	20887	N	GLN	L	143	92.546	115.808	110.916	1.00	99.22	L
ATOM	20888	CA	GLN	L	143	91.384	116.218	111.698	1.00	97.23	L
ATOM	20889	CB	GLN	L	143	90.424	117.040	110.836	1.00	98.83	L

ATOM	20890	CG	GLN	L	143	91.061	118.230	110.133	1.00106.63	L
ATOM	20891	CD	GLN	L	143	90.034	119.257	109.660	1.00109.25	L
ATOM	20892	OE1	GLN	L	143	88.993	118.903	109.097	1.00109.69	L
ATOM	20893	NE2	GLN	L	143	90.332	120.539	109.881	1.00108.17	L
ATOM	20894	C	GLN	L	143	90.611	115.055	112.319	1.00 95.55	L
ATOM	20895	O	GLN	L	143	89.591	114.625	111.780	1.00 94.93	L
ATOM	20896	N	PHE	L	144	91.100	114.552	113.452	1.00 94.24	L
ATOM	20897	CA	PHE	L	144	90.435	113.462	114.171	1.00 92.10	L
ATOM	20898	CB	PHE	L	144	91.244	113.055	115.411	1.00 89.25	L
ATOM	20899	CG	PHE	L	144	92.538	112.346	115.100	1.00 89.97	L
ATOM	20900	CD1	PHE	L	144	93.522	112.961	114.326	1.00 88.96	L
ATOM	20901	CD2	PHE	L	144	92.774	111.059	115.587	1.00 86.90	L
ATOM	20902	CE1	PHE	L	144	94.717	112.303	114.041	1.00 84.95	L
ATOM	20903	CE2	PHE	L	144	93.961	110.396	115.308	1.00 82.57	L
ATOM	20904	CZ	PHE	L	144	94.935	111.019	114.533	1.00 83.58	L
ATOM	20905	C	PHE	L	144	89.063	113.965	114.620	1.00 92.07	L
ATOM	20906	O	PHE	L	144	88.954	114.648	115.638	1.00 93.04	L
ATOM	20907	N	VAL	L	145	88.022	113.619	113.869	1.00 91.17	L
ATOM	20908	CA	VAL	L	145	86.664	114.058	114.180	1.00 90.03	L
ATOM	20909	CB	VAL	L	145	85.800	114.053	112.917	1.00 87.64	L
ATOM	20910	CG1	VAL	L	145	84.535	114.849	113.157	1.00 86.20	L
ATOM	20911	CG2	VAL	L	145	86.591	114.615	111.754	1.00 87.89	L
ATOM	20912	C	VAL	L	145	85.944	113.236	115.249	1.00 91.58	L
ATOM	20913	O	VAL	L	145	86.274	112.076	115.489	1.00 91.95	L
ATOM	20914	N	TRP	L	146	84.956	113.852	115.890	1.00 93.81	L
ATOM	20915	CA	TRP	L	146	84.177	113.184	116.926	1.00 96.62	L
ATOM	20916	CB	TRP	L	146	84.785	113.420	118.313	1.00 97.19	L
ATOM	20917	CG	TRP	L	146	86.263	113.170	118.404	1.00 99.89	L
ATOM	20918	CD2	TRP	L	146	86.906	111.949	118.792	1.00100.34	L
ATOM	20919	CE2	TRP	L	146	88.298	112.171	118.726	1.00101.27	L
ATOM	20920	CE3	TRP	L	146	86.440	110.688	119.188	1.00 99.68	L
ATOM	20921	CD1	TRP	L	146	87.264	114.057	118.128	1.00100.91	L
ATOM	20922	NE1	TRP	L	146	88.489	113.466	118.320	1.00101.69	L
ATOM	20923	CZ2	TRP	L	146	89.233	111.177	119.043	1.00101.37	L
ATOM	20924	CZ3	TRP	L	146	87.372	109.700	119.504	1.00 99.47	L
ATOM	20925	CH2	TRP	L	146	88.751	109.952	119.427	1.00 99.82	L
ATOM	20926	C	TRP	L	146	82.740	113.695	116.932	1.00 98.19	L
ATOM	20927	O	TRP	L	146	82.484	114.860	116.630	1.00 99.25	L
ATOM	20928	N	ASN	L	147	81.807	112.813	117.278	1.00 98.72	L
ATOM	20929	CA	ASN	L	147	80.393	113.162	117.346	1.00 97.24	L
ATOM	20930	CB	ASN	L	147	79.616	112.500	116.206	1.00 96.46	L
ATOM	20931	CG	ASN	L	147	80.088	112.962	114.843	1.00 99.08	L
ATOM	20932	OD1	ASN	L	147	80.186	114.161	114.587	1.00100.11	L
ATOM	20933	ND2	ASN	L	147	80.380	112.014	113.959	1.00100.25	L
ATOM	20934	C	ASN	L	147	79.839	112.715	118.687	1.00 95.29	L
ATOM	20935	O	ASN	L	147	79.737	111.525	118.970	1.00 95.76	L
ATOM	20936	N	ILE	L	148	79.487	113.685	119.515	1.00 93.82	L
ATOM	20937	CA	ILE	L	148	78.959	113.397	120.833	1.00 93.12	L
ATOM	20938	CB	ILE	L	148	79.305	114.533	121.803	1.00 93.54	L
ATOM	20939	CG2	ILE	L	148	78.841	114.181	123.209	1.00 93.67	L
ATOM	20940	CG1	ILE	L	148	80.814	114.806	121.759	1.00 95.07	L
ATOM	20941	CD1	ILE	L	148	81.689	113.643	122.208	1.00 95.98	L
ATOM	20942	C	ILE	L	148	77.446	113.216	120.812	1.00 94.04	L
ATOM	20943	O	ILE	L	148	76.725	114.051	120.265	1.00 94.66	L
ATOM	20944	N	TYR	L	149	76.979	112.115	121.405	1.00 93.96	L
ATOM	20945	CA	TYR	L	149	75.551	111.797	121.496	1.00 92.63	L
ATOM	20946	CB	TYR	L	149	75.194	110.579	120.636	1.00 86.32	L
ATOM	20947	CG	TYR	L	149	75.260	110.796	119.141	1.00 81.19	L

ATOM	20948	CD1	TYR	L	149	76.481	110.901	118.482	1.00	81.29	L
ATOM	20949	CE1	TYR	L	149	76.543	111.055	117.094	1.00	82.61	L
ATOM	20950	CD2	TYR	L	149	74.099	110.857	118.379	1.00	80.94	L
ATOM	20951	CE2	TYR	L	149	74.149	111.012	116.991	1.00	82.14	L
ATOM	20952	CZ	TYR	L	149	75.371	111.107	116.353	1.00	81.23	L
ATOM	20953	OH	TYR	L	149	75.417	111.237	114.980	1.00	75.32	L
ATOM	20954	C	TYR	L	149	75.194	111.485	122.947	1.00	95.22	L
ATOM	20955	O	TYR	L	149	76.036	111.011	123.707	1.00	95.84	L
ATOM	20956	N	ALA	L	150	73.950	111.753	123.332	1.00	99.77	L
ATOM	20957	CA	ALA	L	150	73.496	111.476	124.695	1.00	104.13	L
ATOM	20958	CB	ALA	L	150	72.909	112.744	125.328	1.00	100.17	L
ATOM	20959	C	ALA	L	150	72.449	110.356	124.666	1.00	107.26	L
ATOM	20960	O	ALA	L	150	71.367	110.516	124.095	1.00	107.72	L
ATOM	20961	N	ASN	L	151	72.779	109.220	125.277	1.00	109.51	L
ATOM	20962	CA	ASN	L	151	71.863	108.082	125.303	1.00	111.60	L
ATOM	20963	CB	ASN	L	151	72.612	106.797	125.678	1.00	114.96	L
ATOM	20964	CG	ASN	L	151	73.664	106.405	124.654	1.00	117.47	L
ATOM	20965	OD1	ASN	L	151	73.364	106.218	123.473	1.00	118.63	L
ATOM	20966	ND2	ASN	L	151	74.905	106.269	125.106	1.00	116.36	L
ATOM	20967	C	ASN	L	151	70.707	108.282	126.280	1.00	110.80	L
ATOM	20968	O	ASN	L	151	69.822	107.433	126.379	1.00	110.08	L
ATOM	20969	N	ASN	L	152	70.711	109.403	126.993	1.00	110.23	L
ATOM	20970	CA	ASN	L	152	69.665	109.683	127.969	1.00	109.91	L
ATOM	20971	CB	ASN	L	152	70.228	109.530	129.382	1.00	107.74	L
ATOM	20972	CG	ASN	L	152	71.374	110.481	129.655	1.00	106.00	L
ATOM	20973	OD1	ASN	L	152	72.380	110.480	128.942	1.00	103.98	L
ATOM	20974	ND2	ASN	L	152	71.228	111.302	130.688	1.00	102.87	L
ATOM	20975	C	ASN	L	152	69.081	111.080	127.812	1.00	110.79	L
ATOM	20976	O	ASN	L	152	69.786	112.017	127.451	1.00	111.67	L
ATOM	20977	N	ASP	L	153	67.788	111.212	128.088	1.00	112.40	L
ATOM	20978	CA	ASP	L	153	67.111	112.500	127.992	1.00	114.93	L
ATOM	20979	CB	ASP	L	153	65.586	112.328	128.020	1.00	116.51	L
ATOM	20980	CG	ASP	L	153	65.073	111.374	126.962	1.00	118.21	L
ATOM	20981	OD1	ASP	L	153	65.347	111.597	125.763	1.00	119.85	L
ATOM	20982	OD2	ASP	L	153	64.381	110.403	127.336	1.00	119.38	L
ATOM	20983	C	ASP	L	153	67.493	113.370	129.182	1.00	116.39	L
ATOM	20984	O	ASP	L	153	67.280	112.977	130.330	1.00	116.25	L
ATOM	20985	N	VAL	L	154	68.063	114.543	128.931	1.00	117.83	L
ATOM	20986	CA	VAL	L	154	68.397	115.421	130.045	1.00	118.66	L
ATOM	20987	CB	VAL	L	154	69.528	116.417	129.710	1.00	117.57	L
ATOM	20988	CG1	VAL	L	154	69.875	117.240	130.950	1.00	112.99	L
ATOM	20989	CG2	VAL	L	154	70.752	115.670	129.219	1.00	118.38	L
ATOM	20990	C	VAL	L	154	67.119	116.196	130.321	1.00	119.29	L
ATOM	20991	O	VAL	L	154	66.239	116.282	129.461	1.00	117.78	L
ATOM	20992	N	VAL	L	155	67.009	116.748	131.521	1.00	120.59	L
ATOM	20993	CA	VAL	L	155	65.824	117.498	131.888	1.00	122.19	L
ATOM	20994	CB	VAL	L	155	64.833	116.619	132.689	1.00	123.16	L
ATOM	20995	CG1	VAL	L	155	63.600	117.427	133.063	1.00	125.29	L
ATOM	20996	CG2	VAL	L	155	64.433	115.406	131.870	1.00	122.86	L
ATOM	20997	C	VAL	L	155	66.203	118.701	132.729	1.00	123.19	L
ATOM	20998	O	VAL	L	155	67.207	118.681	133.436	1.00	121.87	L
ATOM	20999	N	VAL	L	156	65.394	119.749	132.633	1.00	125.80	L
ATOM	21000	CA	VAL	L	156	65.610	120.974	133.388	1.00	129.18	L
ATOM	21001	CB	VAL	L	156	66.149	122.098	132.487	1.00	129.24	L
ATOM	21002	CG1	VAL	L	156	66.525	123.298	133.333	1.00	127.69	L
ATOM	21003	CG2	VAL	L	156	67.352	121.600	131.695	1.00	129.88	L
ATOM	21004	C	VAL	L	156	64.260	121.389	133.962	1.00	131.48	L
ATOM	21005	O	VAL	L	156	63.726	122.445	133.626	1.00	132.48	L

ATOM	21006	N	PRO	L	157	63.703	120.556	134.855	1.00133.03	L
ATOM	21007	CD	PRO	L	157	64.482	119.510	135.547	1.00134.41	L
ATOM	21008	CA	PRO	L	157	62.415	120.749	135.522	1.00133.45	L
ATOM	21009	CB	PRO	L	157	62.670	120.175	136.909	1.00133.86	L
ATOM	21010	CG	PRO	L	157	63.492	118.976	136.581	1.00135.16	L
ATOM	21011	C	PRO	L	157	61.854	122.165	135.564	1.00133.09	L
ATOM	21012	O	PRO	L	157	62.572	123.134	135.818	1.00133.18	L
ATOM	21013	N	THR	L	158	60.553	122.257	135.301	1.00132.56	L
ATOM	21014	CA	THR	L	158	59.829	123.517	135.312	1.00132.02	L
ATOM	21015	CB	THR	L	158	58.467	123.357	134.608	1.00131.55	L
ATOM	21016	OG1	THR	L	158	57.692	124.548	134.782	1.00131.99	L
ATOM	21017	CG2	THR	L	158	57.711	122.166	135.180	1.00131.54	L
ATOM	21018	C	THR	L	158	59.613	123.921	136.770	1.00132.27	L
ATOM	21019	O	THR	L	158	59.444	123.059	137.634	1.00132.56	L
ATOM	21020	N	GLY	L	159	59.623	125.223	137.043	1.00132.65	L
ATOM	21021	CA	GLY	L	159	59.444	125.680	138.411	1.00134.10	L
ATOM	21022	C	GLY	L	159	58.602	126.929	138.609	1.00135.22	L
ATOM	21023	O	GLY	L	159	58.030	127.467	137.660	1.00134.72	L
ATOM	21024	N	GLY	L	160	58.538	127.383	139.861	1.00136.82	L
ATOM	21025	CA	GLY	L	160	57.768	128.562	140.225	1.00139.58	L
ATOM	21026	C	GLY	L	160	57.680	129.639	139.163	1.00141.87	L
ATOM	21027	O	GLY	L	160	58.701	130.110	138.663	1.00142.83	L
ATOM	21028	N	CYS	L	161	56.455	130.034	138.824	1.00143.17	L
ATOM	21029	CA	CYS	L	161	56.226	131.055	137.809	1.00144.18	L
ATOM	21030	C	CYS	L	161	56.445	132.459	138.346	1.00145.18	L
ATOM	21031	O	CYS	L	161	56.464	132.680	139.559	1.00144.17	L
ATOM	21032	CB	CYS	L	161	54.812	130.933	137.249	1.00144.15	L
ATOM	21033	SG	CYS	L	161	54.509	129.349	136.410	1.00145.77	L
ATOM	21034	N	ASP	L	162	56.598	133.400	137.420	1.00147.42	L
ATOM	21035	CA	ASP	L	162	56.843	134.799	137.744	1.00150.12	L
ATOM	21036	CB	ASP	L	162	57.262	135.549	136.478	1.00150.40	L
ATOM	21037	CG	ASP	L	162	57.598	136.999	136.746	1.00151.65	L
ATOM	21038	OD1	ASP	L	162	58.526	137.258	137.544	1.00152.23	L
ATOM	21039	OD2	ASP	L	162	56.934	137.879	136.159	1.00152.76	L
ATOM	21040	C	ASP	L	162	55.650	135.505	138.380	1.00152.02	L
ATOM	21041	O	ASP	L	162	54.680	135.836	137.700	1.00152.24	L
ATOM	21042	N	VAL	L	163	55.738	135.743	139.687	1.00153.78	L
ATOM	21043	CA	VAL	L	163	54.676	136.418	140.423	1.00154.78	L
ATOM	21044	CB	VAL	L	163	54.651	135.979	141.900	1.00153.61	L
ATOM	21045	CG1	VAL	L	163	53.463	136.605	142.605	1.00153.56	L
ATOM	21046	CG2	VAL	L	163	54.590	134.469	141.992	1.00153.56	L
ATOM	21047	C	VAL	L	163	54.886	137.927	140.375	1.00156.44	L
ATOM	21048	O	VAL	L	163	55.545	138.496	141.244	1.00156.30	L
ATOM	21049	N	SER	L	164	54.326	138.567	139.353	1.00158.60	L
ATOM	21050	CA	SER	L	164	54.453	140.012	139.189	1.00160.84	L
ATOM	21051	CB	SER	L	164	54.325	140.395	137.711	1.00160.62	L
ATOM	21052	OG	SER	L	164	55.308	139.752	136.920	1.00160.48	L
ATOM	21053	C	SER	L	164	53.395	140.754	139.997	1.00162.70	L
ATOM	21054	O	SER	L	164	52.201	140.488	139.869	1.00162.91	L
ATOM	21055	N	ALA	L	165	53.846	141.688	140.827	1.00164.81	L
ATOM	21056	CA	ALA	L	165	52.954	142.482	141.660	1.00167.05	L
ATOM	21057	CB	ALA	L	165	52.535	141.684	142.884	1.00166.53	L
ATOM	21058	C	ALA	L	165	53.686	143.746	142.082	1.00169.20	L
ATOM	21059	O	ALA	L	165	54.544	143.706	142.963	1.00169.05	L
ATOM	21060	N	ARG	L	166	53.344	144.861	141.443	1.00172.36	L
ATOM	21061	CA	ARG	L	166	53.968	146.150	141.729	1.00175.67	L
ATOM	21062	CB	ARG	L	166	52.996	147.293	141.416	1.00176.53	L
ATOM	21063	CG	ARG	L	166	52.677	147.429	139.939	1.00178.29	L

ATOM	21064	CD	ARG	L	166	51.894	148.694	139.641	1.00179.01	L
ATOM	21065	NE	ARG	L	166	51.716	148.882	138.203	1.00180.36	L
ATOM	21066	CZ	ARG	L	166	51.110	149.928	137.652	1.00180.57	L
ATOM	21067	NH1	ARG	L	166	50.616	150.893	138.416	1.00181.38	L
ATOM	21068	NH2	ARG	L	166	50.997	150.009	136.334	1.00180.82	L
ATOM	21069	C	ARG	L	166	54.460	146.283	143.164	1.00177.27	L
ATOM	21070	O	ARG	L	166	55.663	146.222	143.424	1.00176.89	L
ATOM	21071	N	ASP	L	167	53.524	146.456	144.090	1.00179.55	L
ATOM	21072	CA	ASP	L	167	53.859	146.607	145.499	1.00181.95	L
ATOM	21073	CB	ASP	L	167	54.869	147.741	145.674	1.00182.14	L
ATOM	21074	CG	ASP	L	167	54.479	148.990	144.906	1.00181.80	L
ATOM	21075	OD1	ASP	L	167	55.273	149.953	144.901	1.00182.26	L
ATOM	21076	OD2	ASP	L	167	53.381	149.011	144.307	1.00180.56	L
ATOM	21077	C	ASP	L	167	52.609	146.898	146.316	1.00183.70	L
ATOM	21078	O	ASP	L	167	51.591	147.323	145.769	1.00183.47	L
ATOM	21079	N	VAL	L	168	52.699	146.670	147.624	1.00186.05	L
ATOM	21080	CA	VAL	L	168	51.582	146.897	148.537	1.00188.63	L
ATOM	21081	CB	VAL	L	168	52.083	147.062	149.999	1.00188.60	L
ATOM	21082	CG1	VAL	L	168	53.160	148.132	150.065	1.00189.70	L
ATOM	21083	CG2	VAL	L	168	50.919	147.413	150.918	1.00188.25	L
ATOM	21084	C	VAL	L	168	50.742	148.113	148.142	1.00190.31	L
ATOM	21085	O	VAL	L	168	51.117	149.259	148.392	1.00190.58	L
ATOM	21086	N	THR	L	169	49.602	147.845	147.513	1.00191.71	L
ATOM	21087	CA	THR	L	169	48.698	148.899	147.076	1.00192.44	L
ATOM	21088	CB	THR	L	169	47.666	148.366	146.054	1.00192.40	L
ATOM	21089	OG1	THR	L	169	48.351	147.821	144.919	1.00192.37	L
ATOM	21090	CG2	THR	L	169	46.742	149.485	145.590	1.00191.97	L
ATOM	21091	C	THR	L	169	47.949	149.470	148.271	1.00193.11	L
ATOM	21092	O	THR	L	169	47.682	148.768	149.248	1.00192.92	L
ATOM	21093	N	VAL	L	170	47.621	150.753	148.189	1.00193.92	L
ATOM	21094	CA	VAL	L	170	46.893	151.423	149.254	1.00194.64	L
ATOM	21095	CB	VAL	L	170	47.499	152.810	149.552	1.00194.85	L
ATOM	21096	CG1	VAL	L	170	46.806	153.435	150.753	1.00194.69	L
ATOM	21097	CG2	VAL	L	170	48.994	152.679	149.802	1.00194.96	L
ATOM	21098	C	VAL	L	170	45.448	151.589	148.803	1.00194.94	L
ATOM	21099	O	VAL	L	170	45.170	151.663	147.604	1.00194.93	L
ATOM	21100	N	THR	L	171	44.528	151.640	149.759	1.00194.75	L
ATOM	21101	CA	THR	L	171	43.120	151.792	149.427	1.00194.56	L
ATOM	21102	CB	THR	L	171	42.277	150.676	150.059	1.00193.75	L
ATOM	21103	OG1	THR	L	171	42.840	149.403	149.719	1.00192.29	L
ATOM	21104	CG2	THR	L	171	40.853	150.739	149.542	1.00192.97	L
ATOM	21105	C	THR	L	171	42.575	153.136	149.890	1.00195.21	L
ATOM	21106	O	THR	L	171	42.682	153.490	151.065	1.00194.53	L
ATOM	21107	N	LEU	L	172	41.994	153.879	148.953	1.00196.72	L
ATOM	21108	CA	LEU	L	172	41.419	155.185	149.250	1.00198.13	L
ATOM	21109	CB	LEU	L	172	40.673	155.724	148.023	1.00197.78	L
ATOM	21110	CG	LEU	L	172	41.457	155.832	146.711	1.00197.05	L
ATOM	21111	CD1	LEU	L	172	40.522	156.269	145.599	1.00196.78	L
ATOM	21112	CD2	LEU	L	172	42.605	156.818	146.863	1.00196.76	L
ATOM	21113	C	LEU	L	172	40.449	155.037	150.418	1.00199.28	L
ATOM	21114	O	LEU	L	172	39.566	154.178	150.390	1.00199.52	L
ATOM	21115	N	PRO	L	173	40.603	155.869	151.463	1.00199.88	L
ATOM	21116	CD	PRO	L	173	41.533	157.007	151.583	1.00200.00	L
ATOM	21117	CA	PRO	L	173	39.715	155.797	152.629	1.00199.90	L
ATOM	21118	CB	PRO	L	173	40.282	156.868	153.561	1.00199.63	L
ATOM	21119	CG	PRO	L	173	40.841	157.879	152.606	1.00199.73	L
ATOM	21120	C	PRO	L	173	38.257	156.052	152.249	1.00200.00	L
ATOM	21121	O	PRO	L	173	37.871	155.875	151.091	1.00199.88	L

ATOM	21122	N	ASP	L	174	37.449	156.464	153.222	1.00200.00	L
ATOM	21123	CA	ASP	L	174	36.035	156.739	152.976	1.00200.00	L
ATOM	21124	CB	ASP	L	174	35.875	157.785	151.862	1.00200.00	L
ATOM	21125	CG	ASP	L	174	36.558	159.104	152.184	1.00200.00	L
ATOM	21126	OD1	ASP	L	174	37.787	159.106	152.410	1.00200.00	L
ATOM	21127	OD2	ASP	L	174	35.863	160.143	152.202	1.00200.00	L
ATOM	21128	C	ASP	L	174	35.310	155.460	152.557	1.00199.69	L
ATOM	21129	O	ASP	L	174	35.932	154.410	152.388	1.00199.90	L
ATOM	21130	N	TYR	L	175	33.993	155.554	152.396	1.00199.07	L
ATOM	21131	CA	TYR	L	175	33.192	154.411	151.969	1.00198.18	L
ATOM	21132	CB	TYR	L	175	31.696	154.688	152.170	1.00198.70	L
ATOM	21133	CG	TYR	L	175	31.225	154.592	153.607	1.00199.39	L
ATOM	21134	CD1	TYR	L	175	31.781	155.394	154.602	1.00199.74	L
ATOM	21135	CE1	TYR	L	175	31.340	155.315	155.923	1.00200.00	L
ATOM	21136	CD2	TYR	L	175	30.213	153.702	153.969	1.00199.49	L
ATOM	21137	CE2	TYR	L	175	29.764	153.614	155.286	1.00199.57	L
ATOM	21138	CZ	TYR	L	175	30.332	154.423	156.256	1.00199.86	L
ATOM	21139	OH	TYR	L	175	29.892	154.343	157.558	1.00199.49	L
ATOM	21140	C	TYR	L	175	33.471	154.116	150.494	1.00197.18	L
ATOM	21141	O	TYR	L	175	33.670	152.960	150.113	1.00196.70	L
ATOM	21142	N	PRO	L	176	33.485	155.160	149.640	1.00196.26	L
ATOM	21143	CD	PRO	L	176	33.240	156.590	149.911	1.00196.20	L
ATOM	21144	CA	PRO	L	176	33.751	154.949	148.214	1.00194.96	L
ATOM	21145	CB	PRO	L	176	33.416	156.305	147.599	1.00195.26	L
ATOM	21146	CG	PRO	L	176	33.815	157.257	148.680	1.00195.52	L
ATOM	21147	C	PRO	L	176	35.207	154.553	147.997	1.00193.61	L
ATOM	21148	O	PRO	L	176	36.019	155.348	147.520	1.00193.32	L
ATOM	21149	N	GLY	L	177	35.530	153.319	148.366	1.00192.17	L
ATOM	21150	CA	GLY	L	177	36.885	152.830	148.215	1.00190.54	L
ATOM	21151	C	GLY	L	177	36.953	151.576	147.370	1.00189.21	L
ATOM	21152	O	GLY	L	177	36.162	150.647	147.543	1.00188.45	L
ATOM	21153	N	SER	L	178	37.909	151.559	146.449	1.00188.32	L
ATOM	21154	CA	SER	L	178	38.116	150.432	145.550	1.00187.15	L
ATOM	21155	CB	SER	L	178	36.917	150.262	144.613	1.00187.92	L
ATOM	21156	OG	SER	L	178	37.166	149.258	143.643	1.00187.73	L
ATOM	21157	C	SER	L	178	39.364	150.710	144.732	1.00185.73	L
ATOM	21158	O	SER	L	178	39.358	151.565	143.849	1.00185.13	L
ATOM	21159	N	VAL	L	179	40.435	149.988	145.034	1.00184.81	L
ATOM	21160	CA	VAL	L	179	41.692	150.173	144.327	1.00184.16	L
ATOM	21161	CB	VAL	L	179	42.784	150.708	145.287	1.00184.24	L
ATOM	21162	CG1	VAL	L	179	42.430	152.116	145.738	1.00184.77	L
ATOM	21163	CG2	VAL	L	179	42.913	149.796	146.501	1.00184.21	L
ATOM	21164	C	VAL	L	179	42.185	148.889	143.665	1.00183.28	L
ATOM	21165	O	VAL	L	179	43.092	148.226	144.173	1.00183.76	L
ATOM	21166	N	PRO	L	180	41.596	148.522	142.512	1.00181.72	L
ATOM	21167	CD	PRO	L	180	40.678	149.300	141.666	1.00180.87	L
ATOM	21168	CA	PRO	L	180	42.026	147.300	141.825	1.00180.56	L
ATOM	21169	CB	PRO	L	180	41.335	147.404	140.462	1.00180.57	L
ATOM	21170	CG	PRO	L	180	41.110	148.883	140.290	1.00180.43	L
ATOM	21171	C	PRO	L	180	43.547	147.236	141.722	1.00179.29	L
ATOM	21172	O	PRO	L	180	44.169	148.052	141.043	1.00179.04	L
ATOM	21173	N	ILE	L	181	44.135	146.264	142.416	1.00178.12	L
ATOM	21174	CA	ILE	L	181	45.585	146.085	142.440	1.00177.04	L
ATOM	21175	CB	ILE	L	181	46.021	145.284	143.690	1.00177.19	L
ATOM	21176	CG2	ILE	L	181	47.538	145.134	143.711	1.00177.19	L
ATOM	21177	CG1	ILE	L	181	45.532	145.986	144.958	1.00177.11	L
ATOM	21178	CD1	ILE	L	181	45.844	145.234	146.238	1.00177.15	L
ATOM	21179	C	ILE	L	181	46.132	145.368	141.206	1.00175.39	L

ATOM	21180	O	ILE	L	181	45.636	144.308	140.820	1.00175.95	L
ATOM	21181	N	PRO	L	182	47.167	145.946	140.568	1.00172.68	L
ATOM	21182	CD	PRO	L	182	47.685	147.310	140.775	1.00172.09	L
ATOM	21183	CA	PRO	L	182	47.771	145.341	139.377	1.00169.66	L
ATOM	21184	CB	PRO	L	182	48.740	146.421	138.894	1.00170.20	L
ATOM	21185	CG	PRO	L	182	48.109	147.693	139.382	1.00170.98	L
ATOM	21186	C	PRO	L	182	48.494	144.045	139.747	1.00166.29	L
ATOM	21187	O	PRO	L	182	49.295	144.021	140.686	1.00165.80	L
ATOM	21188	N	LEU	L	183	48.208	142.971	139.016	1.00162.04	L
ATOM	21189	CA	LEU	L	183	48.845	141.689	139.287	1.00157.53	L
ATOM	21190	CB	LEU	L	183	48.188	141.028	140.503	1.00156.33	L
ATOM	21191	CG	LEU	L	183	49.117	140.838	141.707	1.00154.74	L
ATOM	21192	CD1	LEU	L	183	48.320	140.806	142.999	1.00153.41	L
ATOM	21193	CD2	LEU	L	183	49.915	139.560	141.524	1.00153.95	L
ATOM	21194	C	LEU	L	183	48.815	140.748	138.087	1.00154.71	L
ATOM	21195	O	LEU	L	183	47.750	140.381	137.594	1.00153.54	L
ATOM	21196	N	THR	L	184	50.006	140.373	137.627	1.00152.49	L
ATOM	21197	CA	THR	L	184	50.182	139.479	136.486	1.00149.81	L
ATOM	21198	CB	THR	L	184	50.685	140.246	135.247	1.00148.72	L
ATOM	21199	OG1	THR	L	184	51.181	139.316	134.279	1.00147.34	L
ATOM	21200	CG2	THR	L	184	51.796	141.211	135.628	1.00146.63	L
ATOM	21201	C	THR	L	184	51.205	138.403	136.824	1.00148.99	L
ATOM	21202	O	THR	L	184	52.046	138.599	137.698	1.00149.53	L
ATOM	21203	N	VAL	L	185	51.135	137.271	136.132	1.00147.77	L
ATOM	21204	CA	VAL	L	185	52.066	136.171	136.371	1.00147.36	L
ATOM	21205	CB	VAL	L	185	51.613	135.293	137.572	1.00147.02	L
ATOM	21206	CG1	VAL	L	185	52.431	134.009	137.624	1.00145.90	L
ATOM	21207	CG2	VAL	L	185	51.771	136.064	138.876	1.00145.85	L
ATOM	21208	C	VAL	L	185	52.217	135.268	135.148	1.00147.32	L
ATOM	21209	O	VAL	L	185	51.228	134.786	134.597	1.00146.98	L
ATOM	21210	N	TYR	L	186	53.461	135.047	134.728	1.00147.25	L
ATOM	21211	CA	TYR	L	186	53.741	134.186	133.585	1.00146.63	L
ATOM	21212	CB	TYR	L	186	54.013	135.025	132.332	1.00147.19	L
ATOM	21213	CG	TYR	L	186	55.257	135.879	132.385	1.00147.76	L
ATOM	21214	CD1	TYR	L	186	56.375	135.563	131.612	1.00147.65	L
ATOM	21215	CE1	TYR	L	186	57.514	136.358	131.636	1.00148.39	L
ATOM	21216	CD2	TYR	L	186	55.311	137.017	133.188	1.00147.97	L
ATOM	21217	CE2	TYR	L	186	56.445	137.821	133.219	1.00148.87	L
ATOM	21218	CZ	TYR	L	186	57.543	137.485	132.441	1.00148.79	L
ATOM	21219	OH	TYR	L	186	58.666	138.279	132.467	1.00149.17	L
ATOM	21220	C	TYR	L	186	54.929	133.288	133.908	1.00145.85	L
ATOM	21221	O	TYR	L	186	55.675	133.557	134.851	1.00145.02	L
ATOM	21222	N	CYS	L	187	55.102	132.222	133.129	1.00145.61	L
ATOM	21223	CA	CYS	L	187	56.184	131.269	133.366	1.00145.37	L
ATOM	21224	C	CYS	L	187	57.178	131.172	132.213	1.00144.41	L
ATOM	21225	O	CYS	L	187	56.907	131.628	131.101	1.00144.53	L
ATOM	21226	CB	CYS	L	187	55.598	129.877	133.619	1.00146.62	L
ATOM	21227	SG	CYS	L	187	54.011	129.867	134.512	1.00146.71	L
ATOM	21228	N	ALA	L	188	58.331	130.568	132.491	1.00142.91	L
ATOM	21229	CA	ALA	L	188	59.360	130.375	131.479	1.00141.01	L
ATOM	21230	CB	ALA	L	188	60.633	129.859	132.123	1.00140.88	L
ATOM	21231	C	ALA	L	188	58.805	129.346	130.501	1.00140.24	L
ATOM	21232	O	ALA	L	188	59.160	129.324	129.322	1.00139.61	L
ATOM	21233	N	LYS	L	189	57.923	128.496	131.020	1.00140.52	L
ATOM	21234	CA	LYS	L	189	57.262	127.452	130.243	1.00139.62	L
ATOM	21235	CB	LYS	L	189	57.882	126.085	130.538	1.00139.37	L
ATOM	21236	CG	LYS	L	189	59.205	125.844	129.833	1.00139.48	L
ATOM	21237	CD	LYS	L	189	59.038	125.866	128.316	1.00139.23	L

ATOM	21238	CE	LYS	L	189	58.060	124.800	127.849	1.00139.77	L
ATOM	21239	NZ	LYS	L	189	57.904	124.797	126.371	1.00140.08	L
ATOM	21240	C	LYS	L	189	55.772	127.426	130.572	1.00138.37	L
ATOM	21241	O	LYS	L	189	55.379	127.255	131.728	1.00137.10	L
ATOM	21242	N	SER	L	190	54.951	127.602	129.543	1.00137.92	L
ATOM	21243	CA	SER	L	190	53.503	127.613	129.697	1.00137.90	L
ATOM	21244	CB	SER	L	190	52.833	127.655	128.321	1.00139.52	L
ATOM	21245	OG	SER	L	190	51.420	127.688	128.439	1.00141.84	L
ATOM	21246	C	SER	L	190	52.992	126.409	130.480	1.00136.66	L
ATOM	21247	O	SER	L	190	52.791	125.329	129.924	1.00136.41	L
ATOM	21248	N	GLN	L	191	52.779	126.610	131.776	1.00134.68	L
ATOM	21249	CA	GLN	L	191	52.286	125.557	132.654	1.00131.84	L
ATOM	21250	CB	GLN	L	191	53.339	125.222	133.707	1.00131.70	L
ATOM	21251	CG	GLN	L	191	53.864	126.442	134.445	1.00132.51	L
ATOM	21252	CD	GLN	L	191	54.596	126.088	135.725	1.00132.09	L
ATOM	21253	OE1	GLN	L	191	53.990	125.624	136.694	1.00130.86	L
ATOM	21254	NE2	GLN	L	191	55.908	126.304	135.735	1.00132.56	L
ATOM	21255	C	GLN	L	191	51.010	126.021	133.345	1.00130.08	L
ATOM	21256	O	GLN	L	191	50.964	127.119	133.901	1.00129.96	L
ATOM	21257	N	ASN	L	192	49.978	125.183	133.314	1.00127.83	L
ATOM	21258	CA	ASN	L	192	48.702	125.520	133.937	1.00124.21	L
ATOM	21259	CB	ASN	L	192	47.702	124.385	133.728	1.00122.43	L
ATOM	21260	CG	ASN	L	192	47.077	124.417	132.351	1.00121.72	L
ATOM	21261	OD1	ASN	L	192	47.765	124.618	131.348	1.00120.25	L
ATOM	21262	ND2	ASN	L	192	45.767	124.216	132.292	1.00122.48	L
ATOM	21263	C	ASN	L	192	48.826	125.845	135.419	1.00121.21	L
ATOM	21264	O	ASN	L	192	49.344	125.051	136.206	1.00119.96	L
ATOM	21265	N	LEU	L	193	48.339	127.028	135.782	1.00118.22	L
ATOM	21266	CA	LEU	L	193	48.384	127.512	137.153	1.00115.38	L
ATOM	21267	CB	LEU	L	193	49.020	128.904	137.195	1.00113.68	L
ATOM	21268	CG	LEU	L	193	50.505	129.003	137.550	1.00111.81	L
ATOM	21269	CD1	LEU	L	193	50.982	130.440	137.403	1.00110.48	L
ATOM	21270	CD2	LEU	L	193	50.713	128.512	138.977	1.00111.31	L
ATOM	21271	C	LEU	L	193	47.012	127.580	137.807	1.00114.46	L
ATOM	21272	O	LEU	L	193	45.981	127.470	137.143	1.00114.83	L
ATOM	21273	N	GLY	L	194	47.025	127.768	139.123	1.00112.79	L
ATOM	21274	CA	GLY	L	194	45.803	127.875	139.896	1.00110.29	L
ATOM	21275	C	GLY	L	194	46.128	128.628	141.171	1.00109.86	L
ATOM	21276	O	GLY	L	194	47.302	128.760	141.523	1.00109.34	L
ATOM	21277	N	TYR	L	195	45.109	129.130	141.865	1.00109.62	L
ATOM	21278	CA	TYR	L	195	45.341	129.867	143.107	1.00107.96	L
ATOM	21279	CB	TYR	L	195	46.006	131.214	142.809	1.00108.64	L
ATOM	21280	CG	TYR	L	195	45.057	132.235	142.221	1.00108.16	L
ATOM	21281	CD1	TYR	L	195	44.650	132.154	140.888	1.00108.18	L
ATOM	21282	CE1	TYR	L	195	43.739	133.063	140.358	1.00107.23	L
ATOM	21283	CD2	TYR	L	195	44.529	133.256	143.012	1.00107.42	L
ATOM	21284	CE2	TYR	L	195	43.617	134.167	142.494	1.00107.93	L
ATOM	21285	CZ	TYR	L	195	43.225	134.065	141.165	1.00108.57	L
ATOM	21286	OH	TYR	L	195	42.318	134.965	140.646	1.00110.22	L
ATOM	21287	C	TYR	L	195	44.067	130.128	143.907	1.00106.67	L
ATOM	21288	O	TYR	L	195	42.976	130.220	143.346	1.00104.85	L
ATOM	21289	N	TYR	L	196	44.222	130.254	145.221	1.00107.65	L
ATOM	21290	CA	TYR	L	196	43.103	130.536	146.106	1.00109.86	L
ATOM	21291	CB	TYR	L	196	42.627	129.262	146.817	1.00111.05	L
ATOM	21292	CG	TYR	L	196	43.534	128.707	147.900	1.00112.86	L
ATOM	21293	CD1	TYR	L	196	43.717	129.387	149.103	1.00113.71	L
ATOM	21294	CE1	TYR	L	196	44.488	128.844	150.125	1.00115.04	L
ATOM	21295	CD2	TYR	L	196	44.157	127.464	147.747	1.00112.55	L

ATOM	21296	CE2	TYR	L	196	44.935	126.913	148.769	1.00112.46	L
ATOM	21297	CZ	TYR	L	196	45.093	127.610	149.957	1.00115.01	L
ATOM	21298	OH	TYR	L	196	45.846	127.082	150.985	1.00116.86	L
ATOM	21299	C	TYR	L	196	43.563	131.583	147.103	1.00112.75	L
ATOM	21300	O	TYR	L	196	44.728	131.604	147.495	1.00111.94	L
ATOM	21301	N	LEU	L	197	42.650	132.453	147.513	1.00117.54	L
ATOM	21302	CA	LEU	L	197	42.993	133.524	148.437	1.00123.20	L
ATOM	21303	CB	LEU	L	197	42.080	134.727	148.187	1.00123.22	L
ATOM	21304	CG	LEU	L	197	41.806	135.038	146.712	1.00124.03	L
ATOM	21305	CD1	LEU	L	197	40.915	136.265	146.609	1.00122.76	L
ATOM	21306	CD2	LEU	L	197	43.118	135.255	145.969	1.00122.97	L
ATOM	21307	C	LEU	L	197	42.924	133.128	149.906	1.00126.68	L
ATOM	21308	O	LEU	L	197	41.949	133.437	150.591	1.00127.60	L
ATOM	21309	N	SER	L	198	43.965	132.456	150.390	1.00130.08	L
ATOM	21310	CA	SER	L	198	44.016	132.040	151.788	1.00133.95	L
ATOM	21311	CB	SER	L	198	45.185	131.082	152.021	1.00134.98	L
ATOM	21312	OG	SER	L	198	46.377	131.558	151.422	1.00136.69	L
ATOM	21313	C	SER	L	198	44.148	133.239	152.721	1.00136.32	L
ATOM	21314	O	SER	L	198	45.105	134.010	152.628	1.00136.14	L
ATOM	21315	N	GLY	L	199	43.181	133.385	153.621	1.00139.23	L
ATOM	21316	CA	GLY	L	199	43.200	134.491	154.561	1.00142.31	L
ATOM	21317	C	GLY	L	199	42.195	134.285	155.679	1.00144.42	L
ATOM	21318	O	GLY	L	199	41.731	133.166	155.899	1.00145.14	L
ATOM	21319	N	THR	L	200	41.856	135.362	156.384	1.00145.76	L
ATOM	21320	CA	THR	L	200	40.900	135.288	157.485	1.00146.63	L
ATOM	21321	CB	THR	L	200	41.597	135.515	158.842	1.00145.84	L
ATOM	21322	OG1	THR	L	200	42.546	134.464	159.070	1.00145.22	L
ATOM	21323	CG2	THR	L	200	40.575	135.531	159.973	1.00143.55	L
ATOM	21324	C	THR	L	200	39.773	136.304	157.332	1.00147.64	L
ATOM	21325	O	THR	L	200	40.018	137.493	157.122	1.00147.12	L
ATOM	21326	N	THR	L	201	38.539	135.820	157.450	1.00149.19	L
ATOM	21327	CA	THR	L	201	37.353	136.660	157.317	1.00150.19	L
ATOM	21328	CB	THR	L	201	36.301	135.990	156.409	1.00149.89	L
ATOM	21329	OG1	THR	L	201	35.259	136.926	156.106	1.00148.91	L
ATOM	21330	CG2	THR	L	201	35.692	134.785	157.114	1.00149.97	L
ATOM	21331	C	THR	L	201	36.702	136.933	158.671	1.00150.83	L
ATOM	21332	O	THR	L	201	37.083	136.351	159.689	1.00150.50	L
ATOM	21333	N	ALA	L	202	35.709	137.819	158.666	1.00151.57	L
ATOM	21334	CA	ALA	L	202	34.990	138.184	159.879	1.00151.58	L
ATOM	21335	CB	ALA	L	202	35.125	139.682	160.135	1.00151.10	L
ATOM	21336	C	ALA	L	202	33.517	137.804	159.775	1.00151.64	L
ATOM	21337	O	ALA	L	202	32.639	138.630	160.024	1.00152.12	L
ATOM	21338	N	ASP	L	203	33.249	136.554	159.407	1.00150.93	L
ATOM	21339	CA	ASP	L	203	31.877	136.076	159.273	1.00150.43	L
ATOM	21340	CB	ASP	L	203	31.124	136.903	158.221	1.00150.95	L
ATOM	21341	CG	ASP	L	203	31.799	136.881	156.858	1.00150.84	L
ATOM	21342	OD1	ASP	L	203	31.194	137.377	155.883	1.00150.44	L
ATOM	21343	OD2	ASP	L	203	32.935	136.373	156.762	1.00150.58	L
ATOM	21344	C	ASP	L	203	31.815	134.603	158.892	1.00150.02	L
ATOM	21345	O	ASP	L	203	32.812	133.885	158.975	1.00149.69	L
ATOM	21346	N	ALA	L	204	30.630	134.162	158.481	1.00149.99	L
ATOM	21347	CA	ALA	L	204	30.413	132.783	158.065	1.00149.70	L
ATOM	21348	CB	ALA	L	204	29.099	132.262	158.636	1.00149.26	L
ATOM	21349	C	ALA	L	204	30.390	132.723	156.540	1.00149.45	L
ATOM	21350	O	ALA	L	204	30.271	131.649	155.952	1.00150.17	L
ATOM	21351	N	GLY	L	205	30.498	133.887	155.907	1.00148.84	L
ATOM	21352	CA	GLY	L	205	30.509	133.945	154.457	1.00148.97	L
ATOM	21353	C	GLY	L	205	31.927	133.803	153.934	1.00149.89	L

ATOM	21354	O	GLY	L	205	32.164	133.853	152.728	1.00149.36	L
ATOM	21355	N	ASN	L	206	32.867	133.623	154.862	1.00151.16	L
ATOM	21356	CA	ASN	L	206	34.293	133.468	154.565	1.00151.66	L
ATOM	21357	CB	ASN	L	206	34.686	131.988	154.652	1.00149.32	L
ATOM	21358	CG	ASN	L	206	34.877	131.520	156.089	1.00146.99	L
ATOM	21359	OD1	ASN	L	206	35.811	131.941	156.771	1.00143.76	L
ATOM	21360	ND2	ASN	L	206	33.988	130.650	156.554	1.00146.57	L
ATOM	21361	C	ASN	L	206	34.769	134.068	153.241	1.00153.14	L
ATOM	21362	O	ASN	L	206	35.391	133.393	152.420	1.00152.41	L
ATOM	21363	N	SER	L	207	34.475	135.351	153.054	1.00155.81	L
ATOM	21364	CA	SER	L	207	34.871	136.082	151.856	1.00158.27	L
ATOM	21365	CB	SER	L	207	33.805	135.951	150.765	1.00157.99	L
ATOM	21366	OG	SER	L	207	32.603	136.592	151.149	1.00158.55	L
ATOM	21367	C	SER	L	207	35.048	137.553	152.223	1.00160.26	L
ATOM	21368	O	SER	L	207	35.261	138.399	151.358	1.00160.55	L
ATOM	21369	N	ILE	L	208	34.954	137.844	153.518	1.00162.52	L
ATOM	21370	CA	ILE	L	208	35.105	139.204	154.027	1.00164.56	L
ATOM	21371	CB	ILE	L	208	33.819	139.673	154.751	1.00164.61	L
ATOM	21372	CG2	ILE	L	208	34.005	141.087	155.288	1.00164.50	L
ATOM	21373	CG1	ILE	L	208	32.632	139.622	153.787	1.00163.90	L
ATOM	21374	CD1	ILE	L	208	31.308	140.006	154.416	1.00163.11	L
ATOM	21375	C	ILE	L	208	36.277	139.252	155.007	1.00166.14	L
ATOM	21376	O	ILE	L	208	36.083	139.296	156.223	1.00165.96	L
ATOM	21377	N	PHE	L	209	37.493	139.241	154.466	1.00168.24	L
ATOM	21378	CA	PHE	L	209	38.709	139.268	155.275	1.00170.01	L
ATOM	21379	CB	PHE	L	209	39.935	139.496	154.378	1.00168.70	L
ATOM	21380	CG	PHE	L	209	39.987	138.588	153.168	1.00167.09	L
ATOM	21381	CD1	PHE	L	209	39.255	138.889	152.020	1.00166.39	L
ATOM	21382	CD2	PHE	L	209	40.758	137.427	153.182	1.00166.16	L
ATOM	21383	CE1	PHE	L	209	39.291	138.050	150.904	1.00165.43	L
ATOM	21384	CE2	PHE	L	209	40.800	136.580	152.070	1.00165.13	L
ATOM	21385	CZ	PHE	L	209	40.065	136.894	150.930	1.00165.18	L
ATOM	21386	C	PHE	L	209	38.629	140.345	156.359	1.00172.21	L
ATOM	21387	O	PHE	L	209	37.965	141.364	156.183	1.00172.71	L
ATOM	21388	N	THR	L	210	39.305	140.111	157.480	1.00174.61	L
ATOM	21389	CA	THR	L	210	39.288	141.046	158.602	1.00177.34	L
ATOM	21390	CB	THR	L	210	39.531	140.310	159.935	1.00176.49	L
ATOM	21391	OG1	THR	L	210	40.711	139.505	159.832	1.00175.52	L
ATOM	21392	CG2	THR	L	210	38.350	139.429	160.279	1.00177.21	L
ATOM	21393	C	THR	L	210	40.291	142.193	158.510	1.00180.05	L
ATOM	21394	O	THR	L	210	40.852	142.467	157.449	1.00180.46	L
ATOM	21395	N	ASN	L	211	40.497	142.860	159.644	1.00182.81	L
ATOM	21396	CA	ASN	L	211	41.423	143.985	159.763	1.00185.21	L
ATOM	21397	CB	ASN	L	211	40.649	145.267	160.103	1.00185.96	L
ATOM	21398	CG	ASN	L	211	41.557	146.477	160.294	1.00186.56	L
ATOM	21399	OD1	ASN	L	211	41.105	147.540	160.717	1.00186.51	L
ATOM	21400	ND2	ASN	L	211	42.838	146.320	159.978	1.00186.69	L
ATOM	21401	C	ASN	L	211	42.431	143.680	160.873	1.00186.55	L
ATOM	21402	O	ASN	L	211	42.049	143.468	162.025	1.00186.09	L
ATOM	21403	N	THR	L	212	43.715	143.663	160.522	1.00188.33	L
ATOM	21404	CA	THR	L	212	44.776	143.374	161.485	1.00189.70	L
ATOM	21405	CB	THR	L	212	45.934	142.595	160.820	1.00189.19	L
ATOM	21406	OG1	THR	L	212	45.408	141.487	160.080	1.00187.93	L
ATOM	21407	CG2	THR	L	212	46.896	142.072	161.877	1.00188.74	L
ATOM	21408	C	THR	L	212	45.348	144.653	162.096	1.00191.08	L
ATOM	21409	O	THR	L	212	46.414	145.121	161.689	1.00191.41	L
ATOM	21410	N	ALA	L	213	44.642	145.214	163.075	1.00192.08	L
ATOM	21411	CA	ALA	L	213	45.094	146.439	163.725	1.00193.02	L

ATOM	21412	CB	ALA	L	213	44.854	147.633	162.802	1.00192.76	L
ATOM	21413	C	ALA	L	213	44.412	146.675	165.070	1.00193.76	L
ATOM	21414	O	ALA	L	213	43.337	146.138	165.340	1.00193.80	L
ATOM	21415	N	SER	L	214	45.055	147.483	165.910	1.00194.61	L
ATOM	21416	CA	SER	L	214	44.533	147.827	167.230	1.00194.92	L
ATOM	21417	CB	SER	L	214	45.594	147.560	168.302	1.00194.45	L
ATOM	21418	OG	SER	L	214	45.124	147.922	169.589	1.00193.78	L
ATOM	21419	C	SER	L	214	44.145	149.306	167.233	1.00195.31	L
ATOM	21420	O	SER	L	214	43.691	149.845	168.244	1.00195.06	L
ATOM	21421	N	PHE	L	215	44.333	149.944	166.081	1.00195.84	L
ATOM	21422	CA	PHE	L	215	44.021	151.357	165.878	1.00196.27	L
ATOM	21423	CB	PHE	L	215	44.866	151.903	164.715	1.00197.28	L
ATOM	21424	CG	PHE	L	215	44.485	153.293	164.251	1.00198.99	L
ATOM	21425	CD1	PHE	L	215	45.010	153.794	163.064	1.00199.46	L
ATOM	21426	CD2	PHE	L	215	43.599	154.092	164.972	1.00199.87	L
ATOM	21427	CE1	PHE	L	215	44.664	155.060	162.598	1.00200.00	L
ATOM	21428	CE2	PHE	L	215	43.245	155.363	164.513	1.00200.00	L
ATOM	21429	CZ	PHE	L	215	43.777	155.844	163.323	1.00200.00	L
ATOM	21430	C	PHE	L	215	42.536	151.528	165.569	1.00196.19	L
ATOM	21431	O	PHE	L	215	42.067	151.119	164.508	1.00196.15	L
ATOM	21432	N	SER	L	216	41.812	152.148	166.499	1.00196.06	L
ATOM	21433	CA	SER	L	216	40.381	152.397	166.346	1.00195.86	L
ATOM	21434	CB	SER	L	216	40.156	153.712	165.588	1.00196.04	L
ATOM	21435	OG	SER	L	216	38.778	154.041	165.515	1.00195.50	L
ATOM	21436	C	SER	L	216	39.700	151.247	165.608	1.00195.56	L
ATOM	21437	O	SER	L	216	39.365	151.366	164.429	1.00195.88	L
ATOM	21438	N	PRO	L	217	39.487	150.116	166.302	1.00194.85	L
ATOM	21439	CD	PRO	L	217	39.696	149.957	167.751	1.00194.65	L
ATOM	21440	CA	PRO	L	217	38.849	148.918	165.746	1.00194.09	L
ATOM	21441	CB	PRO	L	217	38.845	147.957	166.929	1.00194.20	L
ATOM	21442	CG	PRO	L	217	38.689	148.887	168.091	1.00194.65	L
ATOM	21443	C	PRO	L	217	37.443	149.177	165.212	1.00193.38	L
ATOM	21444	O	PRO	L	217	36.451	148.877	165.879	1.00193.35	L
ATOM	21445	N	ALA	L	218	37.365	149.730	164.007	1.00192.46	L
ATOM	21446	CA	ALA	L	218	36.081	150.026	163.387	1.00191.38	L
ATOM	21447	CB	ALA	L	218	36.297	150.732	162.054	1.00191.58	L
ATOM	21448	C	ALA	L	218	35.277	148.746	163.183	1.00190.29	L
ATOM	21449	O	ALA	L	218	35.838	147.678	162.933	1.00190.19	L
ATOM	21450	N	GLN	L	219	33.959	148.864	163.296	1.00188.90	L
ATOM	21451	CA	GLN	L	219	33.058	147.729	163.129	1.00187.10	L
ATOM	21452	CB	GLN	L	219	31.761	147.989	163.897	1.00185.63	L
ATOM	21453	CG	GLN	L	219	31.952	148.161	165.393	1.00182.43	L
ATOM	21454	CD	GLN	L	219	30.773	148.845	166.051	1.00180.66	L
ATOM	21455	OE1	GLN	L	219	30.607	150.060	165.946	1.00178.51	L
ATOM	21456	NE2	GLN	L	219	29.939	148.066	166.726	1.00179.73	L
ATOM	21457	C	GLN	L	219	32.741	147.491	161.652	1.00186.44	L
ATOM	21458	O	GLN	L	219	32.366	148.418	160.936	1.00187.05	L
ATOM	21459	N	GLY	L	220	32.899	146.251	161.200	1.00184.73	L
ATOM	21460	CA	GLY	L	220	32.612	145.924	159.814	1.00182.11	L
ATOM	21461	C	GLY	L	220	33.520	146.563	158.778	1.00180.24	L
ATOM	21462	O	GLY	L	220	33.050	147.276	157.892	1.00180.15	L
ATOM	21463	N	VAL	L	221	34.820	146.305	158.883	1.00178.18	L
ATOM	21464	CA	VAL	L	221	35.790	146.853	157.940	1.00175.92	L
ATOM	21465	CB	VAL	L	221	36.637	147.971	158.580	1.00175.33	L
ATOM	21466	CG1	VAL	L	221	37.636	148.509	157.567	1.00174.64	L
ATOM	21467	CG2	VAL	L	221	35.736	149.085	159.077	1.00174.98	L
ATOM	21468	C	VAL	L	221	36.728	145.756	157.456	1.00174.66	L
ATOM	21469	O	VAL	L	221	37.717	145.435	158.115	1.00174.06	L

ATOM	21470	N	GLY	L	222	36.410	145.184	156.300	1.00173.72	L
ATOM	21471	CA	GLY	L	222	37.236	144.127	155.749	1.00172.80	L
ATOM	21472	C	GLY	L	222	37.560	144.334	154.281	1.00171.98	L
ATOM	21473	O	GLY	L	222	37.540	145.461	153.784	1.00172.51	L
ATOM	21474	N	VAL	L	223	37.862	143.241	153.587	1.00170.19	L
ATOM	21475	CA	VAL	L	223	38.193	143.292	152.166	1.00167.90	L
ATOM	21476	CB	VAL	L	223	39.725	143.265	151.946	1.00168.14	L
ATOM	21477	CG1	VAL	L	223	40.045	143.358	150.461	1.00167.77	L
ATOM	21478	CG2	VAL	L	223	40.378	144.411	152.700	1.00167.56	L
ATOM	21479	C	VAL	L	223	37.573	142.104	151.439	1.00166.02	L
ATOM	21480	O	VAL	L	223	37.172	141.121	152.063	1.00166.00	L
ATOM	21481	N	GLN	L	224	37.494	142.201	150.117	1.00163.65	L
ATOM	21482	CA	GLN	L	224	36.930	141.134	149.304	1.00161.18	L
ATOM	21483	CB	GLN	L	224	35.414	141.070	149.497	1.00161.12	L
ATOM	21484	CG	GLN	L	224	34.781	139.797	148.971	1.00159.54	L
ATOM	21485	CD	GLN	L	224	33.305	139.710	149.286	1.00157.78	L
ATOM	21486	OE1	GLN	L	224	32.892	139.896	150.430	1.00156.96	L
ATOM	21487	NE2	GLN	L	224	32.501	139.419	148.274	1.00156.40	L
ATOM	21488	C	GLN	L	224	37.264	141.397	147.841	1.00159.33	L
ATOM	21489	O	GLN	L	224	36.528	142.088	147.131	1.00159.50	L
ATOM	21490	N	LEU	L	225	38.387	140.839	147.405	1.00156.49	L
ATOM	21491	CA	LEU	L	225	38.870	141.000	146.037	1.00153.60	L
ATOM	21492	CB	LEU	L	225	40.122	140.141	145.833	1.00155.05	L
ATOM	21493	CG	LEU	L	225	41.104	140.081	147.012	1.00155.93	L
ATOM	21494	CD1	LEU	L	225	42.333	139.286	146.603	1.00155.05	L
ATOM	21495	CD2	LEU	L	225	41.501	141.486	147.447	1.00156.77	L
ATOM	21496	C	LEU	L	225	37.808	140.622	145.007	1.00150.60	L
ATOM	21497	O	LEU	L	225	36.764	140.069	145.353	1.00151.15	L
ATOM	21498	N	THR	L	226	38.078	140.922	143.740	1.00146.65	L
ATOM	21499	CA	THR	L	226	37.136	140.612	142.672	1.00143.10	L
ATOM	21500	CB	THR	L	226	35.878	141.494	142.771	1.00141.93	L
ATOM	21501	CG1	THR	L	226	35.093	141.338	141.583	1.00139.34	L
ATOM	21502	CG2	THR	L	226	36.258	142.955	142.936	1.00140.82	L
ATOM	21503	C	THR	L	226	37.720	140.773	141.274	1.00141.62	L
ATOM	21504	O	THR	L	226	38.091	141.874	140.865	1.00141.39	L
ATOM	21505	N	ARG	L	227	37.790	139.667	140.542	1.00140.25	L
ATOM	21506	CA	ARG	L	227	38.312	139.681	139.183	1.00139.91	L
ATOM	21507	CB	ARG	L	227	38.839	138.297	138.802	1.00140.71	L
ATOM	21508	CG	ARG	L	227	37.921	137.146	139.182	1.00140.34	L
ATOM	21509	CD	ARG	L	227	38.546	135.810	138.802	1.00140.33	L
ATOM	21510	NE	ARG	L	227	38.094	134.723	139.668	1.00140.00	L
ATOM	21511	CZ	ARG	L	227	36.848	134.265	139.719	1.00139.35	L
ATOM	21512	NH1	ARG	L	227	36.543	133.274	140.546	1.00139.45	L
ATOM	21513	NH2	ARG	L	227	35.912	134.788	138.941	1.00138.84	L
ATOM	21514	C	ARG	L	227	37.227	140.107	138.208	1.00140.14	L
ATOM	21515	O	ARG	L	227	36.473	139.277	137.699	1.00139.98	L
ATOM	21516	N	ASN	L	228	37.157	141.410	137.953	1.00140.69	L
ATOM	21517	CA	ASN	L	228	36.161	141.975	137.048	1.00140.78	L
ATOM	21518	CB	ASN	L	228	36.440	141.544	135.606	1.00139.62	L
ATOM	21519	CG	ASN	L	228	37.543	142.356	134.962	1.00138.82	L
ATOM	21520	OD1	ASN	L	228	37.831	142.196	133.777	1.00138.63	L
ATOM	21521	ND2	ASN	L	228	38.163	143.237	135.739	1.00138.46	L
ATOM	21522	C	ASN	L	228	34.732	141.599	137.427	1.00140.61	L
ATOM	21523	O	ASN	L	228	34.087	140.797	136.748	1.00140.40	L
ATOM	21524	N	GLY	L	229	34.245	142.189	138.514	1.00140.33	L
ATOM	21525	CA	GLY	L	229	32.894	141.916	138.966	1.00140.28	L
ATOM	21526	C	GLY	L	229	32.760	140.651	139.792	1.00139.85	L
ATOM	21527	O	GLY	L	229	32.203	140.675	140.891	1.00140.17	L

ATOM	21528	N	THR	L	230	33.265	139.541	139.264	1.00139.13	L
ATOM	21529	CA	THR	L	230	33.185	138.265	139.964	1.00138.18	L
ATOM	21530	CB	THR	L	230	33.575	137.087	139.037	1.00137.99	L
ATOM	21531	OG1	THR	L	230	32.843	137.173	137.808	1.00136.11	L
ATOM	21532	CG2	THR	L	230	33.255	135.756	139.709	1.00137.71	L
ATOM	21533	C	THR	L	230	34.115	138.263	141.172	1.00137.37	L
ATOM	21534	O	THR	L	230	35.328	138.122	141.024	1.00138.91	L
ATOM	21535	N	ILE	L	231	33.550	138.431	142.363	1.00135.64	L
ATOM	21536	CA	ILE	L	231	34.353	138.433	143.579	1.00134.51	L
ATOM	21537	CB	ILE	L	231	33.532	138.931	144.803	1.00134.55	L
ATOM	21538	CG2	ILE	L	231	34.237	138.558	146.098	1.00135.10	L
ATOM	21539	CG1	ILE	L	231	33.341	140.450	144.717	1.00134.23	L
ATOM	21540	CD1	ILE	L	231	32.630	141.067	145.909	1.00131.30	L
ATOM	21541	C	ILE	L	231	34.887	137.026	143.848	1.00134.05	L
ATOM	21542	O	ILE	L	231	34.302	136.030	143.415	1.00133.19	L
ATOM	21543	N	ILE	L	232	36.009	136.954	144.556	1.00133.84	L
ATOM	21544	CA	ILE	L	232	36.634	135.677	144.871	1.00132.51	L
ATOM	21545	CB	ILE	L	232	38.040	135.579	144.238	1.00133.53	L
ATOM	21546	CG2	ILE	L	232	38.621	134.188	144.470	1.00134.52	L
ATOM	21547	CG1	ILE	L	232	37.961	135.874	142.738	1.00133.66	L
ATOM	21548	CD1	ILE	L	232	39.313	135.964	142.070	1.00134.66	L
ATOM	21549	C	ILE	L	232	36.779	135.467	146.374	1.00129.80	L
ATOM	21550	O	ILE	L	232	37.564	136.150	147.034	1.00129.98	L
ATOM	21551	N	PRO	L	233	36.007	134.527	146.936	1.00127.04	L
ATOM	21552	CD	PRO	L	233	34.870	133.836	146.300	1.00126.07	L
ATOM	21553	CA	PRO	L	233	36.066	134.231	148.371	1.00124.52	L
ATOM	21554	CB	PRO	L	233	34.745	133.513	148.624	1.00125.61	L
ATOM	21555	CG	PRO	L	233	34.511	132.792	147.328	1.00126.64	L
ATOM	21556	C	PRO	L	233	37.285	133.360	148.688	1.00121.44	L
ATOM	21557	O	PRO	L	233	37.838	132.718	147.797	1.00120.88	L
ATOM	21558	N	ALA	L	234	37.702	133.343	149.951	1.00118.55	L
ATOM	21559	CA	ALA	L	234	38.863	132.555	150.369	1.00115.94	L
ATOM	21560	CB	ALA	L	234	39.072	132.698	151.871	1.00115.25	L
ATOM	21561	C	ALA	L	234	38.736	131.076	150.003	1.00114.34	L
ATOM	21562	O	ALA	L	234	37.661	130.611	149.636	1.00116.12	L
ATOM	21563	N	ASN	L	235	39.846	130.347	150.101	1.00111.47	L
ATOM	21564	CA	ASN	L	235	39.885	128.914	149.796	1.00108.03	L
ATOM	21565	CB	ASN	L	235	39.374	128.118	150.997	1.00103.64	L
ATOM	21566	CG	ASN	L	235	40.313	128.191	152.184	1.00100.44	L
ATOM	21567	OD1	ASN	L	235	41.274	127.429	152.280	1.00100.05	L
ATOM	21568	ND2	ASN	L	235	40.048	129.123	153.089	1.00 99.23	L
ATOM	21569	C	ASN	L	235	39.106	128.517	148.546	1.00108.38	L
ATOM	21570	O	ASN	L	235	38.705	127.365	148.392	1.00108.53	L
ATOM	21571	N	ASN	L	236	38.899	129.475	147.654	1.00110.54	L
ATOM	21572	CA	ASN	L	236	38.173	129.228	146.417	1.00113.14	L
ATOM	21573	CB	ASN	L	236	37.081	130.285	146.222	1.00115.93	L
ATOM	21574	CG	ASN	L	236	36.260	130.054	144.965	1.00117.89	L
ATOM	21575	OD1	ASN	L	236	35.456	129.121	144.895	1.00117.10	L
ATOM	21576	ND2	ASN	L	236	36.463	130.904	143.961	1.00118.52	L
ATOM	21577	C	ASN	L	236	39.149	129.279	145.250	1.00113.48	L
ATOM	21578	O	ASN	L	236	39.160	130.240	144.479	1.00113.36	L
ATOM	21579	N	THR	L	237	39.977	128.248	145.136	1.00113.70	L
ATOM	21580	CA	THR	L	237	40.955	128.172	144.061	1.00115.20	L
ATOM	21581	CB	THR	L	237	41.518	126.740	143.926	1.00114.88	L
ATOM	21582	OG1	THR	L	237	42.227	126.397	145.121	1.00115.41	L
ATOM	21583	CG2	THR	L	237	42.464	126.639	142.740	1.00114.17	L
ATOM	21584	C	THR	L	237	40.328	128.591	142.734	1.00116.86	L
ATOM	21585	O	THR	L	237	39.175	128.262	142.449	1.00116.94	L

ATOM	21586	N	VAL	L	238	41.086	129.330	141.931	1.00117.88	L
ATOM	21587	CA	VAL	L	238	40.592	129.782	140.641	1.00119.43	L
ATOM	21588	CB	VAL	L	238	40.461	131.313	140.599	1.00118.73	L
ATOM	21589	CG1	VAL	L	238	39.750	131.736	139.321	1.00119.18	L
ATOM	21590	CG2	VAL	L	238	39.700	131.803	141.821	1.00118.57	L
ATOM	21591	C	VAL	L	238	41.530	129.329	139.532	1.00121.15	L
ATOM	21592	O	VAL	L	238	42.740	129.211	139.739	1.00120.74	L
ATOM	21593	N	SER	L	239	40.960	129.078	138.356	1.00123.12	L
ATOM	21594	CA	SER	L	239	41.725	128.623	137.200	1.00124.75	L
ATOM	21595	CB	SER	L	239	40.794	127.962	136.176	1.00124.99	L
ATOM	21596	OG	SER	L	239	41.517	127.517	135.038	1.00123.63	L
ATOM	21597	C	SER	L	239	42.511	129.737	136.517	1.00125.58	L
ATOM	21598	O	SER	L	239	42.212	130.922	136.669	1.00126.12	L
ATOM	21599	N	LEU	L	240	43.523	129.333	135.761	1.00126.00	L
ATOM	21600	CA	LEU	L	240	44.373	130.259	135.034	1.00125.95	L
ATOM	21601	CB	LEU	L	240	45.633	130.558	135.850	1.00124.63	L
ATOM	21602	CG	LEU	L	240	45.367	131.182	137.223	1.00123.48	L
ATOM	21603	CD1	LEU	L	240	46.631	131.170	138.057	1.00122.79	L
ATOM	21604	CD2	LEU	L	240	44.848	132.598	137.043	1.00123.83	L
ATOM	21605	C	LEU	L	240	44.731	129.571	133.725	1.00126.65	L
ATOM	21606	O	LEU	L	240	44.750	130.196	132.667	1.00127.06	L
ATOM	21607	N	GLY	L	241	45.000	128.272	133.810	1.00127.15	L
ATOM	21608	CA	GLY	L	241	45.339	127.494	132.633	1.00127.52	L
ATOM	21609	C	GLY	L	241	46.536	127.988	131.845	1.00128.10	L
ATOM	21610	O	GLY	L	241	47.654	128.040	132.359	1.00127.28	L
ATOM	21611	N	ALA	L	242	46.295	128.345	130.587	1.00129.06	L
ATOM	21612	CA	ALA	L	242	47.345	128.831	129.700	1.00129.54	L
ATOM	21613	CB	ALA	L	242	46.746	129.212	128.351	1.00128.35	L
ATOM	21614	C	ALA	L	242	48.105	130.016	130.284	1.00130.25	L
ATOM	21615	O	ALA	L	242	47.665	131.163	130.168	1.00131.19	L
ATOM	21616	N	VAL	L	243	49.245	129.731	130.910	1.00130.19	L
ATOM	21617	CA	VAL	L	243	50.084	130.768	131.506	1.00130.05	L
ATOM	21618	CB	VAL	L	243	50.003	130.740	133.043	1.00127.90	L
ATOM	21619	CG1	VAL	L	243	50.795	131.900	133.625	1.00125.33	L
ATOM	21620	CG2	VAL	L	243	48.553	130.809	133.485	1.00126.86	L
ATOM	21621	C	VAL	L	243	51.544	130.581	131.086	1.00131.53	L
ATOM	21622	O	VAL	L	243	52.334	129.960	131.799	1.00131.35	L
ATOM	21623	N	GLY	L	244	51.890	131.127	129.922	1.00132.61	L
ATOM	21624	CA	GLY	L	244	53.245	131.006	129.414	1.00132.92	L
ATOM	21625	C	GLY	L	244	54.095	132.249	129.587	1.00132.91	L
ATOM	21626	O	GLY	L	244	54.330	132.692	130.710	1.00131.28	L
ATOM	21627	N	THR	L	245	54.555	132.811	128.470	1.00134.31	L
ATOM	21628	CA	THR	L	245	55.400	134.005	128.487	1.00135.48	L
ATOM	21629	CB	THR	L	245	56.339	134.042	127.258	1.00135.61	L
ATOM	21630	OG1	THR	L	245	55.558	134.054	126.055	1.00134.44	L
ATOM	21631	CG2	THR	L	245	57.259	132.830	127.253	1.00134.34	L
ATOM	21632	C	THR	L	245	54.607	135.311	128.524	1.00136.00	L
ATOM	21633	O	THR	L	245	55.130	136.348	128.938	1.00135.85	L
ATOM	21634	N	SER	L	246	53.352	135.258	128.084	1.00135.95	L
ATOM	21635	CA	SER	L	246	52.486	136.434	128.076	1.00134.86	L
ATOM	21636	CB	SER	L	246	51.302	136.203	127.137	1.00133.31	L
ATOM	21637	OG	SER	L	246	51.751	135.813	125.852	1.00131.16	L
ATOM	21638	C	SER	L	246	51.976	136.708	129.489	1.00135.29	L
ATOM	21639	O	SER	L	246	50.964	136.146	129.910	1.00135.05	L
ATOM	21640	N	ALA	L	247	52.687	137.569	130.214	1.00135.71	L
ATOM	21641	CA	ALA	L	247	52.331	137.921	131.587	1.00136.43	L
ATOM	21642	CB	ALA	L	247	53.115	139.152	132.026	1.00135.78	L
ATOM	21643	C	ALA	L	247	50.836	138.167	131.761	1.00137.24	L

ATOM	21644	O	ALA	L	247	50.357	139.283	131.556	1.00136.61	L
ATOM	21645	N	VAL	L	248	50.106	137.123	132.150	1.00138.44	L
ATOM	21646	CA	VAL	L	248	48.661	137.216	132.357	1.00138.58	L
ATOM	21647	CB	VAL	L	248	47.997	135.810	132.345	1.00137.73	L
ATOM	21648	CG1	VAL	L	248	46.484	135.948	132.443	1.00137.27	L
ATOM	21649	CG2	VAL	L	248	48.385	135.053	131.078	1.00134.70	L
ATOM	21650	C	VAL	L	248	48.348	137.898	133.692	1.00139.04	L
ATOM	21651	O	VAL	L	248	48.963	137.586	134.712	1.00137.79	L
ATOM	21652	N	SER	L	249	47.393	138.826	133.675	1.00140.53	L
ATOM	21653	CA	SER	L	249	47.003	139.554	134.882	1.00141.68	L
ATOM	21654	CB	SER	L	249	46.698	141.020	134.547	1.00140.56	L
ATOM	21655	OG	SER	L	249	46.513	141.792	135.723	1.00136.48	L
ATOM	21656	C	SER	L	249	45.784	138.901	135.530	1.00143.26	L
ATOM	21657	O	SER	L	249	45.049	138.154	134.879	1.00144.01	L
ATOM	21658	N	LEU	L	250	45.575	139.190	136.813	1.00143.70	L
ATOM	21659	CA	LEU	L	250	44.461	138.621	137.568	1.00143.42	L
ATOM	21660	CB	LEU	L	250	44.870	138.441	139.033	1.00141.87	L
ATOM	21661	CG	LEU	L	250	45.996	137.443	139.312	1.00140.67	L
ATOM	21662	CD1	LEU	L	250	46.417	137.535	140.765	1.00139.90	L
ATOM	21663	CD2	LEU	L	250	45.529	136.036	138.975	1.00140.09	L
ATOM	21664	C	LEU	L	250	43.178	139.446	137.501	1.00143.85	L
ATOM	21665	O	LEU	L	250	42.078	138.898	137.567	1.00143.62	L
ATOM	21666	N	GLY	L	251	43.321	140.761	137.371	1.00144.54	L
ATOM	21667	CA	GLY	L	251	42.153	141.620	137.313	1.00145.25	L
ATOM	21668	C	GLY	L	251	41.551	141.772	138.695	1.00145.66	L
ATOM	21669	O	GLY	L	251	40.345	141.984	138.848	1.00146.28	L
ATOM	21670	N	LEU	L	252	42.404	141.658	139.707	1.00145.48	L
ATOM	21671	CA	LEU	L	252	41.978	141.777	141.092	1.00146.11	L
ATOM	21672	CB	LEU	L	252	43.113	141.350	142.019	1.00145.26	L
ATOM	21673	CG	LEU	L	252	43.775	140.015	141.678	1.00144.11	L
ATOM	21674	CD1	LEU	L	252	44.850	139.720	142.702	1.00144.82	L
ATOM	21675	CD2	LEU	L	252	42.740	138.902	141.652	1.00143.73	L
ATOM	21676	C	LEU	L	252	41.562	143.207	141.417	1.00147.20	L
ATOM	21677	O	LEU	L	252	42.298	144.156	141.143	1.00146.92	L
ATOM	21678	N	THR	L	253	40.380	143.354	142.005	1.00148.74	L
ATOM	21679	CA	THR	L	253	39.867	144.669	142.370	1.00150.16	L
ATOM	21680	CB	THR	L	253	38.590	145.005	141.579	1.00148.71	L
ATOM	21681	OG1	THR	L	253	38.772	144.650	140.203	1.00147.35	L
ATOM	21682	CG2	THR	L	253	38.287	146.493	141.674	1.00147.82	L
ATOM	21683	C	THR	L	253	39.544	144.705	143.861	1.00152.15	L
ATOM	21684	O	THR	L	253	38.381	144.592	144.252	1.00152.47	L
ATOM	21685	N	ALA	L	254	40.577	144.856	144.687	1.00153.91	L
ATOM	21686	CA	ALA	L	254	40.409	144.905	146.138	1.00155.75	L
ATOM	21687	CB	ALA	L	254	41.746	145.205	146.809	1.00153.52	L
ATOM	21688	C	ALA	L	254	39.379	145.964	146.517	1.00158.12	L
ATOM	21689	O	ALA	L	254	39.662	147.161	146.463	1.00158.61	L
ATOM	21690	N	ASN	L	255	38.184	145.517	146.900	1.00160.34	L
ATOM	21691	CA	ASN	L	255	37.106	146.425	147.281	1.00162.25	L
ATOM	21692	CB	ASN	L	255	35.841	146.115	146.470	1.00160.87	L
ATOM	21693	CG	ASN	L	255	36.013	146.388	144.986	1.00159.44	L
ATOM	21694	OD1	ASN	L	255	35.091	146.185	144.197	1.00157.79	L
ATOM	21695	ND2	ASN	L	255	37.194	146.854	144.600	1.00159.89	L
ATOM	21696	C	ASN	L	255	36.784	146.357	148.772	1.00164.52	L
ATOM	21697	O	ASN	L	255	37.281	145.486	149.487	1.00163.83	L
ATOM	21698	N	TYR	L	256	35.946	147.287	149.227	1.00167.80	L
ATOM	21699	CA	TYR	L	256	35.539	147.360	150.629	1.00170.38	L
ATOM	21700	CB	TYR	L	256	34.926	148.735	150.931	1.00173.17	L
ATOM	21701	CG	TYR	L	256	35.940	149.802	151.297	1.00175.64	L

ATOM	21702	CD1	TYR	L	256	36.975	150.142	150.426	1.00176.49	L
ATOM	21703	CE1	TYR	L	256	37.922	151.107	150.773	1.00176.89	L
ATOM	21704	CD2	TYR	L	256	35.874	150.458	152.528	1.00176.27	L
ATOM	21705	CE2	TYR	L	256	36.816	151.424	152.884	1.00177.13	L
ATOM	21706	CZ	TYR	L	256	37.838	151.742	152.002	1.00177.22	L
ATOM	21707	OH	TYR	L	256	38.780	152.684	152.353	1.00177.47	L
ATOM	21708	C	TYR	L	256	34.548	146.263	151.008	1.00170.75	L
ATOM	21709	O	TYR	L	256	33.606	145.977	150.266	1.00170.57	L
ATOM	21710	N	ALA	L	257	34.766	145.661	152.175	1.00171.43	L
ATOM	21711	CA	ALA	L	257	33.907	144.588	152.667	1.00172.25	L
ATOM	21712	CB	ALA	L	257	34.732	143.322	152.881	1.00172.17	L
ATOM	21713	C	ALA	L	257	33.184	144.962	153.960	1.00172.59	L
ATOM	21714	O	ALA	L	257	33.734	144.829	155.055	1.00172.71	L
ATOM	21715	N	ARG	L	258	31.946	145.426	153.820	1.00172.78	L
ATOM	21716	CA	ARG	L	258	31.123	145.812	154.962	1.00172.94	L
ATOM	21717	CB	ARG	L	258	30.040	146.793	154.501	1.00172.77	L
ATOM	21718	CG	ARG	L	258	29.185	147.385	155.610	1.00172.14	L
ATOM	21719	CD	ARG	L	258	28.263	148.466	155.054	1.00171.64	L
ATOM	21720	NE	ARG	L	258	27.336	148.985	156.057	1.00171.24	L
ATOM	21721	CZ	ARG	L	258	26.464	149.965	155.836	1.00170.73	L
ATOM	21722	NH1	ARG	L	258	25.656	150.370	156.807	1.00169.46	L
ATOM	21723	NH2	ARG	L	258	26.402	150.545	154.645	1.00170.12	L
ATOM	21724	C	ARG	L	258	30.496	144.541	155.533	1.00173.50	L
ATOM	21725	O	ARG	L	258	29.998	143.702	154.783	1.00173.32	L
ATOM	21726	N	THR	L	259	30.524	144.398	156.855	1.00174.56	L
ATOM	21727	CA	THR	L	259	29.976	143.208	157.504	1.00175.73	L
ATOM	21728	CB	THR	L	259	30.924	142.706	158.614	1.00175.51	L
ATOM	21729	OG1	THR	L	259	31.030	143.698	159.641	1.00174.05	L
ATOM	21730	CG2	THR	L	259	32.307	142.425	158.044	1.00174.74	L
ATOM	21731	C	THR	L	259	28.579	143.387	158.104	1.00176.87	L
ATOM	21732	O	THR	L	259	27.591	143.500	157.378	1.00176.49	L
ATOM	21733	N	GLY	L	260	28.506	143.398	159.433	1.00178.40	L
ATOM	21734	CA	GLY	L	260	27.235	143.550	160.119	1.00179.79	L
ATOM	21735	C	GLY	L	260	26.434	144.759	159.678	1.00180.94	L
ATOM	21736	O	GLY	L	260	25.391	144.617	159.041	1.00181.38	L
ATOM	21737	N	GLY	L	261	26.916	145.951	160.019	1.00181.87	L
ATOM	21738	CA	GLY	L	261	26.218	147.167	159.640	1.00182.81	L
ATOM	21739	C	GLY	L	261	27.068	148.411	159.812	1.00183.60	L
ATOM	21740	O	GLY	L	261	27.260	149.180	158.870	1.00183.71	L
ATOM	21741	N	GLN	L	262	27.576	148.609	161.024	1.00184.25	L
ATOM	21742	CA	GLN	L	262	28.415	149.760	161.338	1.00185.35	L
ATOM	21743	CB	GLN	L	262	28.845	149.693	162.808	1.00185.58	L
ATOM	21744	CG	GLN	L	262	29.794	150.799	163.255	1.00186.47	L
ATOM	21745	CD	GLN	L	262	29.141	152.167	163.298	1.00186.74	L
ATOM	21746	OE1	GLN	L	262	29.781	153.158	163.647	1.00186.92	L
ATOM	21747	NE2	GLN	L	262	27.861	152.229	162.946	1.00187.16	L
ATOM	21748	C	GLN	L	262	29.651	149.813	160.439	1.00186.19	L
ATOM	21749	O	GLN	L	262	30.122	148.783	159.957	1.00186.51	L
ATOM	21750	N	VAL	L	263	30.160	151.022	160.210	1.00186.69	L
ATOM	21751	CA	VAL	L	263	31.353	151.235	159.388	1.00186.68	L
ATOM	21752	CB	VAL	L	263	30.983	151.612	157.930	1.00186.52	L
ATOM	21753	CG1	VAL	L	263	32.236	151.652	157.066	1.00186.12	L
ATOM	21754	CG2	VAL	L	263	29.985	150.614	157.367	1.00186.10	L
ATOM	21755	C	VAL	L	263	32.163	152.377	160.014	1.00186.62	L
ATOM	21756	O	VAL	L	263	32.453	153.384	159.364	1.00186.64	L
ATOM	21757	N	THR	L	264	32.519	152.199	161.285	1.00186.40	L
ATOM	21758	CA	THR	L	264	33.275	153.188	162.052	1.00185.86	L
ATOM	21759	CB	THR	L	264	33.603	152.644	163.466	1.00185.05	L

ATOM	21760	OG1	THR	L	264	32.446	151.994	164.009	1.00183.72	L
ATOM	21761	CG2	THR	L	264	34.002	153.778	164.401	1.00184.30	L
ATOM	21762	C	THR	L	264	34.578	153.612	161.369	1.00186.16	L
ATOM	21763	O	THR	L	264	34.865	153.208	160.241	1.00186.21	L
ATOM	21764	N	ALA	L	265	35.358	154.434	162.065	1.00186.17	L
ATOM	21765	CA	ALA	L	265	36.628	154.929	161.547	1.00186.22	L
ATOM	21766	CB	ALA	L	265	36.794	156.399	161.911	1.00185.87	L
ATOM	21767	C	ALA	L	265	37.803	154.121	162.091	1.00186.20	L
ATOM	21768	O	ALA	L	265	37.769	153.651	163.229	1.00185.77	L
ATOM	21769	N	GLY	L	266	38.838	153.966	161.269	1.00186.20	L
ATOM	21770	CA	GLY	L	266	40.013	153.219	161.684	1.00185.90	L
ATOM	21771	C	GLY	L	266	40.966	152.936	160.537	1.00185.77	L
ATOM	21772	O	GLY	L	266	41.301	153.834	159.763	1.00186.01	L
ATOM	21773	N	ASN	L	267	41.404	151.685	160.425	1.00185.57	L
ATOM	21774	CA	ASN	L	267	42.326	151.277	159.368	1.00184.98	L
ATOM	21775	CB	ASN	L	267	43.644	150.781	159.973	1.00184.46	L
ATOM	21776	CG	ASN	L	267	44.472	151.899	160.564	1.00183.93	L
ATOM	21777	OD1	ASN	L	267	45.493	151.659	161.207	1.00183.97	L
ATOM	21778	ND2	ASN	L	267	44.042	153.133	160.339	1.00183.42	L
ATOM	21779	C	ASN	L	267	41.758	150.180	158.474	1.00184.62	L
ATOM	21780	O	ASN	L	267	41.037	149.297	158.934	1.00184.85	L
ATOM	21781	N	VAL	L	268	42.091	150.247	157.189	1.00184.01	L
ATOM	21782	CA	VAL	L	268	41.657	149.248	156.214	1.00183.08	L
ATOM	21783	CB	VAL	L	268	41.093	149.916	154.928	1.00182.92	L
ATOM	21784	CG1	VAL	L	268	40.618	148.858	153.949	1.00182.79	L
ATOM	21785	CG2	VAL	L	268	39.950	150.849	155.285	1.00182.26	L
ATOM	21786	C	VAL	L	268	42.905	148.430	155.859	1.00182.31	L
ATOM	21787	O	VAL	L	268	43.371	148.447	154.718	1.00182.12	L
ATOM	21788	N	GLN	L	269	43.442	147.716	156.848	1.00181.44	L
ATOM	21789	CA	GLN	L	269	44.648	146.918	156.660	1.00180.39	L
ATOM	21790	CB	GLN	L	269	45.701	147.372	157.673	1.00179.48	L
ATOM	21791	CG	GLN	L	269	45.896	148.890	157.720	1.00177.49	L
ATOM	21792	CD	GLN	L	269	47.021	149.304	158.653	1.00175.95	L
ATOM	21793	OE1	GLN	L	269	48.179	148.951	158.435	1.00175.41	L
ATOM	21794	NE2	GLN	L	269	46.684	150.048	159.700	1.00174.22	L
ATOM	21795	C	GLN	L	269	44.401	145.412	156.797	1.00179.83	L
ATOM	21796	O	GLN	L	269	43.950	144.935	157.837	1.00180.12	L
ATOM	21797	N	SER	L	270	44.706	144.674	155.734	1.00178.98	L
ATOM	21798	CA	SER	L	270	44.532	143.225	155.714	1.00177.81	L
ATOM	21799	CB	SER	L	270	43.242	142.856	154.972	1.00177.13	L
ATOM	21800	OG	SER	L	270	43.090	141.451	154.862	1.00175.56	L
ATOM	21801	C	SER	L	270	45.722	142.533	155.053	1.00177.18	L
ATOM	21802	O	SER	L	270	46.522	143.171	154.365	1.00177.36	L
ATOM	21803	N	ILE	L	271	45.828	141.224	155.267	1.00175.98	L
ATOM	21804	CA	ILE	L	271	46.913	140.431	154.694	1.00173.74	L
ATOM	21805	CB	ILE	L	271	47.976	140.043	155.765	1.00173.60	L
ATOM	21806	CG2	ILE	L	271	49.102	139.257	155.111	1.00173.53	L
ATOM	21807	CG1	ILE	L	271	48.550	141.294	156.437	1.00172.90	L
ATOM	21808	CD1	ILE	L	271	47.651	141.923	157.488	1.00170.54	L
ATOM	21809	C	ILE	L	271	46.359	139.146	154.062	1.00171.22	L
ATOM	21810	O	ILE	L	271	46.352	138.081	154.690	1.00170.75	L
ATOM	21811	N	ILE	L	272	45.901	139.259	152.817	1.00168.02	L
ATOM	21812	CA	ILE	L	272	45.335	138.129	152.084	1.00164.41	L
ATOM	21813	CB	ILE	L	272	44.293	138.615	151.047	1.00163.69	L
ATOM	21814	CG2	ILE	L	272	43.602	137.417	150.397	1.00163.14	L
ATOM	21815	CG1	ILE	L	272	43.264	139.521	151.729	1.00162.53	L
ATOM	21816	CD1	ILE	L	272	42.285	140.167	150.772	1.00162.10	L
ATOM	21817	C	ILE	L	272	46.418	137.333	151.351	1.00161.76	L

ATOM	21818	O	ILE	L	272	46.803	137.676	150.231	1.00162.01	L
ATOM	21819	N	GLY	L	273	46.897	136.265	151.983	1.00157.79	L
ATOM	21820	CA	GLY	L	273	47.930	135.444	151.375	1.00152.77	L
ATOM	21821	C	GLY	L	273	47.470	134.742	150.113	1.00148.90	L
ATOM	21822	O	GLY	L	273	47.067	133.582	150.155	1.00149.63	L
ATOM	21823	N	VAL	L	274	47.531	135.443	148.986	1.00144.35	L
ATOM	21824	CA	VAL	L	274	47.112	134.868	147.716	1.00140.70	L
ATOM	21825	CB	VAL	L	274	47.144	135.921	146.598	1.00140.36	L
ATOM	21826	CG1	VAL	L	274	46.662	135.307	145.295	1.00140.85	L
ATOM	21827	CG2	VAL	L	274	46.277	137.105	146.982	1.00139.80	L
ATOM	21828	C	VAL	L	274	48.011	133.699	147.323	1.00138.34	L
ATOM	21829	O	VAL	L	274	49.013	133.877	146.630	1.00137.87	L
ATOM	21830	N	THR	L	275	47.639	132.503	147.771	1.00135.41	L
ATOM	21831	CA	THR	L	275	48.402	131.294	147.486	1.00131.45	L
ATOM	21832	CB	THR	L	275	48.072	130.179	148.502	1.00129.33	L
ATOM	21833	OG1	THR	L	275	48.394	130.622	149.825	1.00126.70	L
ATOM	21834	CG2	THR	L	275	48.867	128.925	148.193	1.00128.65	L
ATOM	21835	C	THR	L	275	48.146	130.758	146.081	1.00130.43	L
ATOM	21836	O	THR	L	275	47.032	130.840	145.564	1.00129.14	L
ATOM	21837	N	PHE	L	276	49.197	130.213	145.474	1.00130.31	L
ATOM	21838	CA	PHE	L	276	49.128	129.635	144.134	1.00129.73	L
ATOM	21839	CB	PHE	L	276	50.230	130.213	143.243	1.00127.52	L
ATOM	21840	CG	PHE	L	276	49.951	131.600	142.746	1.00126.84	L
ATOM	21841	CD1	PHE	L	276	49.611	132.621	143.629	1.00127.09	L
ATOM	21842	CD2	PHE	L	276	50.048	131.891	141.388	1.00126.37	L
ATOM	21843	CE1	PHE	L	276	49.371	133.913	143.165	1.00127.63	L
ATOM	21844	CE2	PHE	L	276	49.810	133.178	140.914	1.00126.64	L
ATOM	21845	CZ	PHE	L	276	49.471	134.192	141.803	1.00127.27	L
ATOM	21846	C	PHE	L	276	49.308	128.121	144.226	1.00130.22	L
ATOM	21847	O	PHE	L	276	50.106	127.630	145.029	1.00131.51	L
ATOM	21848	N	VAL	L	277	48.566	127.386	143.404	1.00128.80	L
ATOM	21849	CA	VAL	L	277	48.654	125.930	143.390	1.00126.73	L
ATOM	21850	CB	VAL	L	277	47.270	125.274	143.636	1.00127.39	L
ATOM	21851	CG1	VAL	L	277	47.368	123.763	143.472	1.00127.03	L
ATOM	21852	CG2	VAL	L	277	46.776	125.613	145.035	1.00125.79	L
ATOM	21853	C	VAL	L	277	49.194	125.470	142.043	1.00124.70	L
ATOM	21854	O	VAL	L	277	48.719	125.903	140.991	1.00123.40	L
ATOM	21855	N	TYR	L	278	50.191	124.593	142.079	1.00123.30	L
ATOM	21856	CA	TYR	L	278	50.787	124.091	140.852	1.00122.10	L
ATOM	21857	CB	TYR	L	278	52.310	124.117	140.955	1.00119.26	L
ATOM	21858	CG	TYR	L	278	52.880	125.513	140.895	1.00114.93	L
ATOM	21859	CD1	TYR	L	278	52.859	126.350	142.013	1.00112.63	L
ATOM	21860	CE1	TYR	L	278	53.353	127.654	141.945	1.00110.01	L
ATOM	21861	CD2	TYR	L	278	53.409	126.012	139.708	1.00111.15	L
ATOM	21862	CE2	TYR	L	278	53.903	127.307	139.628	1.00109.13	L
ATOM	21863	CZ	TYR	L	278	53.873	128.127	140.745	1.00108.95	L
ATOM	21864	OH	TYR	L	278	54.357	129.416	140.651	1.00103.78	L
ATOM	21865	C	TYR	L	278	50.319	122.697	140.481	1.00121.89	L
ATOM	21866	O	TYR	L	278	50.196	121.820	141.334	1.00122.90	L
ATOM	21867	N	GLN	L	279	50.065	122.509	139.191	1.00121.80	L
ATOM	21868	CA	GLN	L	279	49.600	121.235	138.660	1.00122.47	L
ATOM	21869	CB	GLN	L	279	48.703	121.482	137.448	1.00122.96	L
ATOM	21870	CG	GLN	L	279	48.037	120.240	136.888	1.00124.11	L
ATOM	21871	CD	GLN	L	279	47.371	120.501	135.550	1.00125.62	L
ATOM	21872	OE1	GLN	L	279	46.681	119.637	135.006	1.00125.62	L
ATOM	21873	NE2	GLN	L	279	47.586	121.696	135.007	1.00125.46	L
ATOM	21874	C	GLN	L	279	50.772	120.348	138.254	1.00122.66	L
ATOM	21875	O	GLN	L	279	50.915	119.259	138.846	1.00123.49	L

ATOM	21876	OXT	GLN	L	279	51.531	120.753	137.351	1.00122.63	L
ATOM	21877	C	GLY	M	1	136.129	9.408	89.689	1.00138.67	M
ATOM	21878	O	GLY	M	1	135.588	8.802	88.766	1.00138.58	M
ATOM	21879	N	GLY	M	1	138.229	10.137	90.832	1.00136.77	M
ATOM	21880	CA	GLY	M	1	137.527	9.974	89.527	1.00137.99	M
ATOM	21881	N	VAL	M	2	135.544	9.605	90.866	1.00139.92	M
ATOM	21882	CA	VAL	M	2	134.200	9.113	91.157	1.00141.38	M
ATOM	21883	CB	VAL	M	2	133.815	9.413	92.631	1.00141.36	M
ATOM	21884	CG1	VAL	M	2	132.511	8.716	92.986	1.00143.13	M
ATOM	21885	CG2	VAL	M	2	134.933	8.966	93.563	1.00139.58	M
ATOM	21886	C	VAL	M	2	133.162	9.749	90.219	1.00142.73	M
ATOM	21887	O	VAL	M	2	133.362	10.856	89.713	1.00143.18	M
ATOM	21888	N	ALA	M	3	132.061	9.036	89.984	1.00143.63	M
ATOM	21889	CA	ALA	M	3	130.988	9.519	89.113	1.00144.99	M
ATOM	21890	CB	ALA	M	3	131.388	9.368	87.653	1.00145.20	M
ATOM	21891	C	ALA	M	3	129.683	8.764	89.378	1.00145.58	M
ATOM	21892	O	ALA	M	3	129.663	7.533	89.415	1.00145.59	M
ATOM	21893	N	LEU	M	4	128.595	9.509	89.555	1.00145.88	M
ATOM	21894	CA	LEU	M	4	127.296	8.907	89.830	1.00145.31	M
ATOM	21895	CB	LEU	M	4	126.331	9.952	90.394	1.00144.79	M
ATOM	21896	CG	LEU	M	4	126.663	10.505	91.784	1.00144.85	M
ATOM	21897	CD1	LEU	M	4	125.597	11.508	92.193	1.00146.03	M
ATOM	21898	CD2	LEU	M	4	126.735	9.372	92.797	1.00143.22	M
ATOM	21899	C	LEU	M	4	126.675	8.250	88.611	1.00144.89	M
ATOM	21900	O	LEU	M	4	126.837	8.715	87.486	1.00143.25	M
ATOM	21901	N	GLY	M	5	125.957	7.160	88.853	1.00145.71	M
ATOM	21902	CA	GLY	M	5	125.315	6.443	87.772	1.00146.87	M
ATOM	21903	C	GLY	M	5	124.174	7.222	87.155	1.00147.84	M
ATOM	21904	O	GLY	M	5	123.724	6.892	86.059	1.00148.86	M
ATOM	21905	N	ALA	M	6	123.704	8.258	87.846	1.00147.87	M
ATOM	21906	CA	ALA	M	6	122.600	9.057	87.327	1.00148.05	M
ATOM	21907	CB	ALA	M	6	121.292	8.610	87.962	1.00148.57	M
ATOM	21908	C	ALA	M	6	122.765	10.561	87.499	1.00147.72	M
ATOM	21909	O	ALA	M	6	123.466	11.035	88.393	1.00146.72	M
ATOM	21910	N	THR	M	7	122.092	11.300	86.624	1.00147.71	M
ATOM	21911	CA	THR	M	7	122.122	12.754	86.631	1.00147.48	M
ATOM	21912	CB	THR	M	7	122.072	13.299	85.192	1.00146.65	M
ATOM	21913	OG1	THR	M	7	120.914	12.784	84.519	1.00145.23	M
ATOM	21914	CG2	THR	M	7	123.315	12.878	84.430	1.00146.56	M
ATOM	21915	C	THR	M	7	120.932	13.304	87.414	1.00148.31	M
ATOM	21916	O	THR	M	7	120.850	14.504	87.682	1.00148.56	M
ATOM	21917	N	ARG	M	8	120.007	12.416	87.771	1.00148.51	M
ATOM	21918	CA	ARG	M	8	118.818	12.798	88.525	1.00148.16	M
ATOM	21919	CB	ARG	M	8	117.816	13.518	87.626	1.00146.08	M
ATOM	21920	CG	ARG	M	8	117.182	12.623	86.578	1.00142.78	M
ATOM	21921	CD	ARG	M	8	117.728	12.886	85.181	1.00142.29	M
ATOM	21922	NE	ARG	M	8	117.246	14.148	84.617	1.00140.71	M
ATOM	21923	CZ	ARG	M	8	117.747	15.347	84.904	1.00140.94	M
ATOM	21924	NH1	ARG	M	8	117.230	16.429	84.337	1.00141.17	M
ATOM	21925	NH2	ARG	M	8	118.772	15.468	85.740	1.00139.99	M
ATOM	21926	C	ARG	M	8	118.153	11.554	89.100	1.00149.25	M
ATOM	21927	O	ARG	M	8	118.382	10.442	88.620	1.00149.14	M
ATOM	21928	N	VAL	M	9	117.324	11.748	90.122	1.00150.65	M
ATOM	21929	CA	VAL	M	9	116.618	10.644	90.769	1.00150.88	M
ATOM	21930	CB	VAL	M	9	117.250	10.299	92.145	1.00149.66	M
ATOM	21931	CG1	VAL	M	9	116.584	9.065	92.732	1.00147.37	M
ATOM	21932	CG2	VAL	M	9	118.747	10.078	91.990	1.00148.68	M
ATOM	21933	C	VAL	M	9	115.138	10.985	90.986	1.00152.42	M

ATOM	21934	O	VAL	M	9	114.795	12.097	91.397	1.00152.06	M
ATOM	21935	N	ILE	M	10	114.268	10.022	90.700	1.00154.35	M
ATOM	21936	CA	ILE	M	10	112.828	10.196	90.877	1.00155.84	M
ATOM	21937	CB	ILE	M	10	112.049	9.784	89.609	1.00153.17	M
ATOM	21938	CG2	ILE	M	10	110.558	9.952	89.839	1.00151.52	M
ATOM	21939	CG1	ILE	M	10	112.495	10.638	88.421	1.00152.30	M
ATOM	21940	CD1	ILE	M	10	112.214	12.121	88.584	1.00151.75	M
ATOM	21941	C	ILE	M	10	112.396	9.301	92.032	1.00158.90	M
ATOM	21942	O	ILE	M	10	112.482	8.077	91.938	1.00159.23	M
ATOM	21943	N	TYR	M	11	111.940	9.912	93.121	1.00161.81	M
ATOM	21944	CA	TYR	M	11	111.513	9.150	94.289	1.00164.28	M
ATOM	21945	CB	TYR	M	11	111.943	9.851	95.581	1.00165.34	M
ATOM	21946	CG	TYR	M	11	112.040	8.902	96.748	1.00166.87	M
ATOM	21947	CD1	TYR	M	11	113.217	8.194	96.991	1.00167.66	M
ATOM	21948	CE1	TYR	M	11	113.300	7.260	98.015	1.00168.11	M
ATOM	21949	CD2	TYR	M	11	110.940	8.656	97.567	1.00166.96	M
ATOM	21950	CE2	TYR	M	11	111.010	7.720	98.598	1.00167.91	M
ATOM	21951	CZ	TYR	M	11	112.197	7.025	98.814	1.00168.06	M
ATOM	21952	OH	TYR	M	11	112.285	6.088	99.819	1.00167.85	M
ATOM	21953	C	TYR	M	11	110.002	8.946	94.319	1.00165.36	M
ATOM	21954	O	TYR	M	11	109.264	9.797	94.816	1.00165.31	M
ATOM	21955	N	PRO	M	12	109.521	7.807	93.795	1.00166.40	M
ATOM	21956	CD	PRO	M	12	110.261	6.687	93.190	1.00166.91	M
ATOM	21957	CA	PRO	M	12	108.080	7.542	93.788	1.00167.00	M
ATOM	21958	CB	PRO	M	12	107.990	6.135	93.196	1.00166.92	M
ATOM	21959	CG	PRO	M	12	109.208	6.049	92.328	1.00166.70	M
ATOM	21960	C	PRO	M	12	107.521	7.608	95.206	1.00167.65	M
ATOM	21961	O	PRO	M	12	108.055	6.978	96.120	1.00168.30	M
ATOM	21962	N	ALA	M	13	106.458	8.384	95.390	1.00167.54	M
ATOM	21963	CA	ALA	M	13	105.838	8.515	96.701	1.00167.10	M
ATOM	21964	CB	ALA	M	13	104.703	9.527	96.648	1.00166.54	M
ATOM	21965	C	ALA	M	13	105.313	7.150	97.121	1.00167.00	M
ATOM	21966	O	ALA	M	13	104.460	6.570	96.448	1.00166.76	M
ATOM	21967	N	GLY	M	14	105.833	6.640	98.232	1.00167.21	M
ATOM	21968	CA	GLY	M	14	105.414	5.338	98.715	1.00167.87	M
ATOM	21969	C	GLY	M	14	106.575	4.362	98.739	1.00168.61	M
ATOM	21970	O	GLY	M	14	106.615	3.453	99.569	1.00168.51	M
ATOM	21971	N	GLN	M	15	107.521	4.549	97.823	1.00169.53	M
ATOM	21972	CA	GLN	M	15	108.696	3.686	97.734	1.00170.64	M
ATOM	21973	CB	GLN	M	15	109.624	4.166	96.616	1.00170.94	M
ATOM	21974	CG	GLN	M	15	109.062	3.989	95.220	1.00171.70	M
ATOM	21975	CD	GLN	M	15	109.066	2.545	94.765	1.00172.82	M
ATOM	21976	OE1	GLN	M	15	108.551	1.662	95.453	1.00172.70	M
ATOM	21977	NE2	GLN	M	15	109.646	2.295	93.596	1.00173.73	M
ATOM	21978	C	GLN	M	15	109.458	3.684	99.052	1.00171.34	M
ATOM	21979	O	GLN	M	15	109.733	4.739	99.625	1.00172.25	M
ATOM	21980	N	LYS	M	16	109.798	2.495	99.533	1.00170.88	M
ATOM	21981	CA	LYS	M	16	110.533	2.368	100.782	1.00170.06	M
ATOM	21982	CB	LYS	M	16	110.628	0.898	101.190	1.00169.33	M
ATOM	21983	CG	LYS	M	16	111.181	0.670	102.587	1.00167.81	M
ATOM	21984	CD	LYS	M	16	111.414	-0.814	102.854	1.00167.34	M
ATOM	21985	CE	LYS	M	16	110.167	-1.646	102.552	1.00167.46	M
ATOM	21986	NZ	LYS	M	16	108.971	-1.189	103.325	1.00166.99	M
ATOM	21987	C	LYS	M	16	111.934	2.939	100.595	1.00169.79	M
ATOM	21988	O	LYS	M	16	112.491	3.555	101.506	1.00169.94	M
ATOM	21989	N	GLN	M	17	112.491	2.739	99.403	1.00168.92	M
ATOM	21990	CA	GLN	M	17	113.831	3.219	99.099	1.00168.66	M
ATOM	21991	CB	GLN	M	17	114.862	2.405	99.886	1.00168.41	M

ATOM	21992	CG	GLN	M	17	114.768	0.904	99.647	1.00166.56	M
ATOM	21993	CD	GLN	M	17	116.042	0.164	100.021	1.00166.08	M
ATOM	21994	OE1	GLN	M	17	116.521	0.251	101.154	1.00165.38	M
ATOM	21995	NE2	GLN	M	17	116.595	-0.573	99.064	1.00165.49	M
ATOM	21996	C	GLN	M	17	114.187	3.155	97.614	1.00168.57	M
ATOM	21997	O	GLN	M	17	113.795	2.226	96.908	1.00168.54	M
ATOM	21998	N	VAL	M	18	114.937	4.155	97.157	1.00168.25	M
ATOM	21999	CA	VAL	M	18	115.407	4.236	95.774	1.00167.24	M
ATOM	22000	CB	VAL	M	18	114.982	5.564	95.107	1.00166.77	M
ATOM	22001	CG1	VAL	M	18	115.629	5.692	93.737	1.00166.34	M
ATOM	22002	CG2	VAL	M	18	113.471	5.611	94.975	1.00166.66	M
ATOM	22003	C	VAL	M	18	116.932	4.175	95.852	1.00167.01	M
ATOM	22004	O	VAL	M	18	117.529	4.808	96.720	1.00167.05	M
ATOM	22005	N	GLN	M	19	117.566	3.418	94.960	1.00166.63	M
ATOM	22006	CA	GLN	M	19	119.021	3.300	94.999	1.00165.99	M
ATOM	22007	CB	GLN	M	19	119.421	1.855	95.325	1.00167.32	M
ATOM	22008	CG	GLN	M	19	118.964	0.817	94.316	1.00169.57	M
ATOM	22009	CD	GLN	M	19	119.255	-0.604	94.774	1.00170.32	M
ATOM	22010	OE1	GLN	M	19	118.739	-1.053	95.799	1.00170.96	M
ATOM	22011	NE2	GLN	M	19	120.082	-1.318	94.015	1.00169.63	M
ATOM	22012	C	GLN	M	19	119.762	3.769	93.752	1.00164.77	M
ATOM	22013	O	GLN	M	19	119.368	3.477	92.622	1.00164.30	M
ATOM	22014	N	LEU	M	20	120.849	4.499	93.983	1.00163.79	M
ATOM	22015	CA	LEU	M	20	121.688	5.037	92.919	1.00163.16	M
ATOM	22016	CB	LEU	M	20	121.974	6.520	93.192	1.00163.56	M
ATOM	22017	CG	LEU	M	20	122.723	7.351	92.143	1.00163.59	M
ATOM	22018	CD1	LEU	M	20	121.953	7.344	90.838	1.00163.68	M
ATOM	22019	CD2	LEU	M	20	122.893	8.778	92.646	1.00163.91	M
ATOM	22020	C	LEU	M	20	122.996	4.243	92.869	1.00162.84	M
ATOM	22021	O	LEU	M	20	123.290	3.466	93.778	1.00161.84	M
ATOM	22022	N	ALA	M	21	123.780	4.445	91.812	1.00163.10	M
ATOM	22023	CA	ALA	M	21	125.043	3.729	91.645	1.00162.99	M
ATOM	22024	CB	ALA	M	21	125.029	2.966	90.326	1.00163.02	M
ATOM	22025	C	ALA	M	21	126.271	4.635	91.707	1.00162.80	M
ATOM	22026	O	ALA	M	21	126.315	5.682	91.059	1.00162.56	M
ATOM	22027	N	VAL	M	22	127.269	4.215	92.483	1.00162.64	M
ATOM	22028	CA	VAL	M	22	128.511	4.973	92.639	1.00162.42	M
ATOM	22029	CB	VAL	M	22	128.819	5.250	94.121	1.00161.48	M
ATOM	22030	CG1	VAL	M	22	129.712	6.474	94.239	1.00160.88	M
ATOM	22031	CG2	VAL	M	22	127.534	5.434	94.895	1.00160.35	M
ATOM	22032	C	VAL	M	22	129.681	4.179	92.064	1.00163.06	M
ATOM	22033	O	VAL	M	22	129.892	3.025	92.434	1.00163.51	M
ATOM	22034	N	THR	M	23	130.452	4.801	91.178	1.00163.19	M
ATOM	22035	CA	THR	M	23	131.588	4.127	90.559	1.00162.64	M
ATOM	22036	CB	THR	M	23	131.284	3.798	89.077	1.00161.50	M
ATOM	22037	OG1	THR	M	23	132.479	3.344	88.431	1.00161.79	M
ATOM	22038	CG2	THR	M	23	130.751	5.021	88.349	1.00160.11	M
ATOM	22039	C	THR	M	23	132.894	4.922	90.635	1.00163.04	M
ATOM	22040	O	THR	M	23	133.005	6.007	90.071	1.00163.61	M
ATOM	22041	N	ASN	M	24	133.881	4.371	91.336	1.00163.56	M
ATOM	22042	CA	ASN	M	24	135.180	5.022	91.479	1.00164.15	M
ATOM	22043	CB	ASN	M	24	135.803	4.668	92.835	1.00164.63	M
ATOM	22044	CG	ASN	M	24	137.213	5.212	92.992	1.00165.35	M
ATOM	22045	OD1	ASN	M	24	137.556	6.252	92.430	1.00166.39	M
ATOM	22046	ND2	ASN	M	24	138.032	4.517	93.774	1.00165.50	M
ATOM	22047	C	ASN	M	24	136.120	4.614	90.351	1.00164.35	M
ATOM	22048	O	ASN	M	24	136.566	3.469	90.285	1.00164.21	M
ATOM	22049	N	ASN	M	25	136.418	5.562	89.467	1.00165.13	M

ATOM	22050	CA	ASN	M	25	137.297	5.312	88.329	1.00166.53	M
ATOM	22051	CB	ASN	M	25	137.155	6.430	87.294	1.00164.09	M
ATOM	22052	CG	ASN	M	25	135.976	6.216	86.364	1.00162.00	M
ATOM	22053	OD1	ASN	M	25	134.836	6.061	86.805	1.00160.62	M
ATOM	22054	ND2	ASN	M	25	136.247	6.208	85.064	1.00159.91	M
ATOM	22055	C	ASN	M	25	138.764	5.147	88.691	1.00168.64	M
ATOM	22056	O	ASN	M	25	139.359	4.111	88.410	1.00169.18	M
ATOM	22057	N	ASP	M	26	139.347	6.173	89.299	1.00171.68	M
ATOM	22058	CA	ASP	M	26	140.751	6.130	89.683	1.00175.41	M
ATOM	22059	CB	ASP	M	26	141.035	7.193	90.742	1.00177.63	M
ATOM	22060	CG	ASP	M	26	140.849	8.604	90.210	1.00179.98	M
ATOM	22061	OD1	ASP	M	26	141.060	9.569	90.981	1.00181.05	M
ATOM	22062	OD2	ASP	M	26	140.492	8.744	89.018	1.00181.11	M
ATOM	22063	C	ASP	M	26	141.150	4.754	90.196	1.00177.35	M
ATOM	22064	O	ASP	M	26	140.901	4.403	91.348	1.00177.51	M
ATOM	22065	N	GLU	M	27	141.776	3.982	89.315	1.00179.11	M
ATOM	22066	CA	GLU	M	27	142.222	2.628	89.618	1.00180.63	M
ATOM	22067	CB	GLU	M	27	143.109	2.119	88.483	1.00181.06	M
ATOM	22068	CG	GLU	M	27	142.370	1.973	87.165	1.00183.33	M
ATOM	22069	CD	GLU	M	27	143.293	1.820	85.971	1.00184.81	M
ATOM	22070	OE1	GLU	M	27	144.200	0.959	86.017	1.00185.82	M
ATOM	22071	OE2	GLU	M	27	143.101	2.564	84.981	1.00185.09	M
ATOM	22072	C	GLU	M	27	142.971	2.505	90.936	1.00181.72	M
ATOM	22073	O	GLU	M	27	143.096	1.408	91.479	1.00182.53	M
ATOM	22074	N	ASN	M	28	143.468	3.620	91.457	1.00182.28	M
ATOM	22075	CA	ASN	M	28	144.204	3.577	92.708	1.00182.60	M
ATOM	22076	CB	ASN	M	28	145.676	3.244	92.415	1.00182.73	M
ATOM	22077	CG	ASN	M	28	146.228	3.994	91.193	1.00181.85	M
ATOM	22078	OD1	ASN	M	28	147.319	3.688	90.694	1.00180.75	M
ATOM	22079	ND2	ASN	M	28	145.478	4.984	90.717	1.00180.74	M
ATOM	22080	C	ASN	M	28	144.090	4.852	93.538	1.00182.79	M
ATOM	22081	O	ASN	M	28	144.713	5.867	93.228	1.00182.40	M
ATOM	22082	N	SER	M	29	143.290	4.773	94.600	1.00183.59	M
ATOM	22083	CA	SER	M	29	143.053	5.880	95.523	1.00184.62	M
ATOM	22084	CB	SER	M	29	142.993	7.216	94.774	1.00186.06	M
ATOM	22085	OG	SER	M	29	141.981	7.205	93.778	1.00188.05	M
ATOM	22086	C	SER	M	29	141.727	5.634	96.225	1.00184.31	M
ATOM	22087	O	SER	M	29	140.686	5.531	95.578	1.00184.66	M
ATOM	22088	N	THR	M	30	141.767	5.528	97.547	1.00183.64	M
ATOM	22089	CA	THR	M	30	140.556	5.289	98.322	1.00183.56	M
ATOM	22090	CB	THR	M	30	140.895	4.649	99.678	1.00182.82	M
ATOM	22091	OG1	THR	M	30	141.732	3.507	99.464	1.00182.71	M
ATOM	22092	CG2	THR	M	30	139.628	4.199	100.390	1.00182.22	M
ATOM	22093	C	THR	M	30	139.809	6.600	98.557	1.00184.35	M
ATOM	22094	O	THR	M	30	140.426	7.660	98.663	1.00185.24	M
ATOM	22095	N	TYR	M	31	138.482	6.521	98.636	1.00184.21	M
ATOM	22096	CA	TYR	M	31	137.641	7.700	98.852	1.00183.60	M
ATOM	22097	CB	TYR	M	31	136.993	8.133	97.534	1.00182.77	M
ATOM	22098	CG	TYR	M	31	137.942	8.786	96.563	1.00182.56	M
ATOM	22099	CD1	TYR	M	31	138.104	8.282	95.272	1.00182.62	M
ATOM	22100	CE1	TYR	M	31	138.973	8.891	94.370	1.00183.46	M
ATOM	22101	CD2	TYR	M	31	138.672	9.916	96.932	1.00182.62	M
ATOM	22102	CE2	TYR	M	31	139.540	10.534	96.042	1.00183.52	M
ATOM	22103	CZ	TYR	M	31	139.688	10.019	94.762	1.00183.96	M
ATOM	22104	OH	TYR	M	31	140.544	10.640	93.877	1.00183.91	M
ATOM	22105	C	TYR	M	31	136.537	7.467	99.884	1.00183.55	M
ATOM	22106	O	TYR	M	31	135.953	6.383	99.952	1.00184.01	M
ATOM	22107	N	LEU	M	32	136.258	8.492	100.684	1.00183.08	M

ATOM	22108	CA	LEU	M	32	135.208	8.419	101.695	1.00182.97	M
ATOM	22109	CB	LEU	M	32	135.616	9.173	102.964	1.00181.76	M
ATOM	22110	CG	LEU	M	32	136.458	8.426	103.996	1.00180.73	M
ATOM	22111	CD1	LEU	M	32	136.816	9.368	105.129	1.00179.88	M
ATOM	22112	CD2	LEU	M	32	135.681	7.229	104.524	1.00180.28	M
ATOM	22113	C	LEU	M	32	133.931	9.028	101.137	1.00183.55	M
ATOM	22114	O	LEU	M	32	133.759	10.248	101.146	1.00183.59	M
ATOM	22115	N	ILE	M	33	133.040	8.173	100.648	1.00184.31	M
ATOM	22116	CA	ILE	M	33	131.779	8.632	100.082	1.00184.77	M
ATOM	22117	CB	ILE	M	33	131.082	7.510	99.278	1.00184.27	M
ATOM	22118	CG2	ILE	M	33	129.824	8.051	98.611	1.00184.19	M
ATOM	22119	CG1	ILE	M	33	132.040	6.949	98.223	1.00184.51	M
ATOM	22120	CD1	ILE	M	33	132.509	7.968	97.203	1.00183.77	M
ATOM	22121	C	ILE	M	33	130.844	9.095	101.189	1.00185.39	M
ATOM	22122	O	ILE	M	33	130.461	8.316	102.061	1.00185.50	M
ATOM	22123	N	GLN	M	34	130.489	10.373	101.155	1.00186.32	M
ATOM	22124	CA	GLN	M	34	129.598	10.938	102.154	1.00187.42	M
ATOM	22125	CB	GLN	M	34	130.350	11.969	103.000	1.00188.75	M
ATOM	22126	CG	GLN	M	34	129.619	12.395	104.260	1.00190.21	M
ATOM	22127	CD	GLN	M	34	130.462	13.295	105.144	1.00190.77	M
ATOM	22128	OE1	GLN	M	34	130.862	14.387	104.739	1.00191.21	M
ATOM	22129	NE2	GLN	M	34	130.736	12.838	106.360	1.00190.83	M
ATOM	22130	C	GLN	M	34	128.434	11.592	101.422	1.00187.43	M
ATOM	22131	O	GLN	M	34	128.607	12.598	100.736	1.00187.69	M
ATOM	22132	N	SER	M	35	127.249	11.006	101.562	1.00187.52	M
ATOM	22133	CA	SER	M	35	126.058	11.520	100.897	1.00187.35	M
ATOM	22134	CB	SER	M	35	125.376	10.394	100.110	1.00187.12	M
ATOM	22135	OG	SER	M	35	126.254	9.838	99.145	1.00185.44	M
ATOM	22136	C	SER	M	35	125.056	12.146	101.865	1.00187.21	M
ATOM	22137	O	SER	M	35	125.165	11.989	103.083	1.00187.10	M
ATOM	22138	N	TRP	M	36	124.084	12.862	101.305	1.00186.50	M
ATOM	22139	CA	TRP	M	36	123.047	13.517	102.093	1.00185.12	M
ATOM	22140	CB	TRP	M	36	123.674	14.521	103.074	1.00186.99	M
ATOM	22141	CG	TRP	M	36	124.180	15.781	102.434	1.00188.71	M
ATOM	22142	CD2	TRP	M	36	125.531	16.071	102.058	1.00189.52	M
ATOM	22143	CE2	TRP	M	36	125.532	17.355	101.464	1.00190.09	M
ATOM	22144	CE3	TRP	M	36	126.743	15.373	102.166	1.00189.27	M
ATOM	22145	CD1	TRP	M	36	123.437	16.869	102.064	1.00189.16	M
ATOM	22146	NE1	TRP	M	36	124.242	17.817	101.481	1.00189.85	M
ATOM	22147	CZ2	TRP	M	36	126.698	17.954	100.975	1.00190.56	M
ATOM	22148	CZ3	TRP	M	36	127.905	15.972	101.677	1.00189.94	M
ATOM	22149	CH2	TRP	M	36	127.871	17.250	101.091	1.00190.11	M
ATOM	22150	C	TRP	M	36	122.071	14.225	101.154	1.00182.97	M
ATOM	22151	O	TRP	M	36	122.424	14.566	100.021	1.00182.13	M
ATOM	22152	N	VAL	M	37	120.846	14.443	101.627	1.00180.89	M
ATOM	22153	CA	VAL	M	37	119.821	15.098	100.821	1.00178.58	M
ATOM	22154	CB	VAL	M	37	118.634	14.152	100.548	1.00177.69	M
ATOM	22155	CG1	VAL	M	37	117.560	14.878	99.754	1.00177.14	M
ATOM	22156	CG2	VAL	M	37	119.117	12.933	99.785	1.00177.36	M
ATOM	22157	C	VAL	M	37	119.272	16.384	101.433	1.00177.51	M
ATOM	22158	O	VAL	M	37	118.620	16.371	102.479	1.00177.20	M
ATOM	22159	N	GLU	M	38	119.539	17.493	100.754	1.00176.54	M
ATOM	22160	CA	GLU	M	38	119.072	18.804	101.179	1.00175.15	M
ATOM	22161	CB	GLU	M	38	120.091	19.871	100.771	1.00175.45	M
ATOM	22162	CG	GLU	M	38	121.456	19.722	101.431	1.00174.10	M
ATOM	22163	CD	GLU	M	38	122.530	20.530	100.728	1.00173.73	M
ATOM	22164	OE1	GLU	M	38	122.282	21.715	100.428	1.00174.70	M
ATOM	22165	OE2	GLU	M	38	123.625	19.985	100.477	1.00172.40	M

ATOM	22166	C	GLU	M	38	117.743	19.054	100.467	1.00173.99	M
ATOM	22167	O	GLU	M	38	117.428	18.387	99.479	1.00173.61	M
ATOM	22168	N	ASN	M	39	116.959	20.005	100.965	1.00172.21	M
ATOM	22169	CA	ASN	M	39	115.681	20.305	100.337	1.00169.91	M
ATOM	22170	CB	ASN	M	39	114.645	20.735	101.381	1.00169.12	M
ATOM	22171	CG	ASN	M	39	115.040	22.001	102.115	1.00168.13	M
ATOM	22172	OD1	ASN	M	39	115.398	23.006	101.498	1.00167.32	M
ATOM	22173	ND2	ASN	M	39	114.961	21.964	103.440	1.00168.11	M
ATOM	22174	C	ASN	M	39	115.827	21.394	99.283	1.00168.80	M
ATOM	22175	O	ASN	M	39	116.939	21.780	98.916	1.00168.25	M
ATOM	22176	N	ALA	M	40	114.691	21.884	98.802	1.00168.06	M
ATOM	22177	CA	ALA	M	40	114.664	22.923	97.782	1.00167.20	M
ATOM	22178	CB	ALA	M	40	113.225	23.346	97.517	1.00166.33	M
ATOM	22179	C	ALA	M	40	115.504	24.131	98.185	1.00166.98	M
ATOM	22180	O	ALA	M	40	116.258	24.667	97.373	1.00166.32	M
ATOM	22181	N	ASP	M	41	115.372	24.551	99.441	1.00167.58	M
ATOM	22182	CA	ASP	M	41	116.118	25.697	99.953	1.00168.26	M
ATOM	22183	CB	ASP	M	41	115.405	26.303	101.167	1.00169.36	M
ATOM	22184	CG	ASP	M	41	114.031	26.853	100.828	1.00170.43	M
ATOM	22185	OD1	ASP	M	41	113.938	27.733	99.944	1.00170.31	M
ATOM	22186	OD2	ASP	M	41	113.043	26.410	101.453	1.00171.22	M
ATOM	22187	C	ASP	M	41	117.535	25.298	100.349	1.00168.25	M
ATOM	22188	O	ASP	M	41	118.162	25.949	101.187	1.00168.04	M
ATOM	22189	N	GLY	M	42	118.033	24.219	99.753	1.00168.50	M
ATOM	22190	CA	GLY	M	42	119.378	23.762	100.054	1.00168.81	M
ATOM	22191	C	GLY	M	42	119.617	23.398	101.507	1.00169.31	M
ATOM	22192	O	GLY	M	42	120.672	22.877	101.853	1.00169.24	M
ATOM	22193	N	VAL	M	43	118.641	23.673	102.363	1.00170.08	M
ATOM	22194	CA	VAL	M	43	118.771	23.358	103.781	1.00170.89	M
ATOM	22195	CB	VAL	M	43	117.706	24.129	104.624	1.00170.74	M
ATOM	22196	CG1	VAL	M	43	116.469	24.398	103.785	1.00170.47	M
ATOM	22197	CG2	VAL	M	43	117.325	23.325	105.870	1.00170.64	M
ATOM	22198	C	VAL	M	43	118.640	21.859	104.045	1.00171.53	M
ATOM	22199	O	VAL	M	43	117.648	21.239	103.667	1.00170.87	M
ATOM	22200	N	LYS	M	44	119.649	21.278	104.690	1.00172.82	M
ATOM	22201	CA	LYS	M	44	119.617	19.857	105.008	1.00174.01	M
ATOM	22202	CB	LYS	M	44	120.937	19.383	105.617	1.00173.56	M
ATOM	22203	CG	LYS	M	44	122.181	19.591	104.774	1.00173.54	M
ATOM	22204	CD	LYS	M	44	122.813	20.943	105.048	1.00172.65	M
ATOM	22205	CE	LYS	M	44	124.231	20.997	104.526	1.00172.53	M
ATOM	22206	NZ	LYS	M	44	125.095	19.987	105.182	1.00172.97	M
ATOM	22207	C	LYS	M	44	118.512	19.583	106.015	1.00174.93	M
ATOM	22208	O	LYS	M	44	118.369	20.298	107.011	1.00174.35	M
ATOM	22209	N	ASP	M	45	117.751	18.528	105.758	1.00176.16	M
ATOM	22210	CA	ASP	M	45	116.653	18.137	106.628	1.00177.12	M
ATOM	22211	CB	ASP	M	45	115.327	18.730	106.142	1.00177.43	M
ATOM	22212	CG	ASP	M	45	115.118	18.578	104.643	1.00177.44	M
ATOM	22213	OD1	ASP	M	45	115.638	17.617	104.043	1.00176.99	M
ATOM	22214	OD2	ASP	M	45	114.395	19.409	104.056	1.00177.61	M
ATOM	22215	C	ASP	M	45	116.550	16.626	106.668	1.00177.62	M
ATOM	22216	O	ASP	M	45	117.174	15.934	105.868	1.00177.89	M
ATOM	22217	N	GLY	M	46	115.772	16.112	107.611	1.00177.99	M
ATOM	22218	CA	GLY	M	46	115.625	14.675	107.723	1.00178.39	M
ATOM	22219	C	GLY	M	46	114.817	14.088	106.578	1.00178.84	M
ATOM	22220	O	GLY	M	46	114.802	12.870	106.398	1.00178.86	M
ATOM	22221	N	ARG	M	47	114.151	14.951	105.810	1.00179.19	M
ATOM	22222	CA	ARG	M	47	113.322	14.536	104.673	1.00179.21	M
ATOM	22223	CB	ARG	M	47	113.168	15.694	103.683	1.00179.49	M

ATOM	22224	CG	ARG	M	47	111.862	16.454	103.839	1.00179.89	M
ATOM	22225	CD	ARG	M	47	111.787	17.184	105.173	1.00179.96	M
ATOM	22226	NE	ARG	M	47	110.418	17.576	105.501	1.00180.70	M
ATOM	22227	CZ	ARG	M	47	109.474	16.727	105.898	1.00181.06	M
ATOM	22228	NH1	ARG	M	47	109.751	15.435	106.024	1.00180.32	M
ATOM	22229	NH2	ARG	M	47	108.249	17.166	106.158	1.00180.93	M
ATOM	22230	C	ARG	M	47	113.783	13.285	103.921	1.00178.63	M
ATOM	22231	O	ARG	M	47	113.007	12.343	103.753	1.00178.69	M
ATOM	22232	N	PHE	M	48	115.026	13.278	103.449	1.00177.57	M
ATOM	22233	CA	PHE	M	48	115.553	12.115	102.734	1.00176.31	M
ATOM	22234	CB	PHE	M	48	115.701	12.411	101.236	1.00175.85	M
ATOM	22235	CG	PHE	M	48	114.397	12.426	100.484	1.00175.18	M
ATOM	22236	CD1	PHE	M	48	113.596	13.564	100.469	1.00174.87	M
ATOM	22237	CD2	PHE	M	48	113.967	11.295	99.790	1.00173.75	M
ATOM	22238	CE1	PHE	M	48	112.388	13.575	99.774	1.00173.59	M
ATOM	22239	CE2	PHE	M	48	112.763	11.296	99.095	1.00171.69	M
ATOM	22240	CZ	PHE	M	48	111.972	12.436	99.085	1.00172.04	M
ATOM	22241	C	PHE	M	48	116.895	11.665	103.302	1.00175.30	M
ATOM	22242	O	PHE	M	48	117.808	12.474	103.477	1.00175.45	M
ATOM	22243	N	ILE	M	49	117.009	10.368	103.583	1.00173.58	M
ATOM	22244	CA	ILE	M	49	118.235	9.808	104.143	1.00172.06	M
ATOM	22245	CB	ILE	M	49	117.963	9.173	105.523	1.00170.65	M
ATOM	22246	CG2	ILE	M	49	119.261	8.632	106.112	1.00170.92	M
ATOM	22247	CG1	ILE	M	49	117.348	10.218	106.461	1.00168.28	M
ATOM	22248	CD1	ILE	M	49	116.971	9.684	107.821	1.00165.61	M
ATOM	22249	C	ILE	M	49	118.868	8.754	103.238	1.00171.56	M
ATOM	22250	O	ILE	M	49	118.271	7.713	102.975	1.00171.13	M
ATOM	22251	N	VAL	M	50	120.081	9.034	102.768	1.00171.61	M
ATOM	22252	CA	VAL	M	50	120.808	8.115	101.897	1.00171.75	M
ATOM	22253	CB	VAL	M	50	121.771	8.878	100.959	1.00170.75	M
ATOM	22254	CG1	VAL	M	50	122.526	7.903	100.071	1.00168.97	M
ATOM	22255	CG2	VAL	M	50	120.990	9.868	100.116	1.00170.56	M
ATOM	22256	C	VAL	M	50	121.615	7.134	102.740	1.00172.73	M
ATOM	22257	O	VAL	M	50	121.969	7.435	103.882	1.00173.35	M
ATOM	22258	N	THR	M	51	121.903	5.965	102.173	1.00173.19	M
ATOM	22259	CA	THR	M	51	122.661	4.929	102.875	1.00173.75	M
ATOM	22260	CB	THR	M	51	121.715	4.004	103.668	1.00173.18	M
ATOM	22261	OG1	THR	M	51	120.704	3.489	102.793	1.00173.55	M
ATOM	22262	CG2	THR	M	51	121.050	4.762	104.808	1.00172.59	M
ATOM	22263	C	THR	M	51	123.500	4.067	101.924	1.00174.03	M
ATOM	22264	O	THR	M	51	123.048	3.713	100.835	1.00173.81	M
ATOM	22265	N	PRO	M	52	124.735	3.714	102.329	1.00174.43	M
ATOM	22266	CD	PRO	M	52	125.547	2.737	101.585	1.00174.20	M
ATOM	22267	CA	PRO	M	52	125.385	4.074	103.597	1.00174.76	M
ATOM	22268	CB	PRO	M	52	126.555	3.092	103.674	1.00174.71	M
ATOM	22269	CG	PRO	M	52	126.893	2.867	102.244	1.00174.67	M
ATOM	22270	C	PRO	M	52	125.833	5.540	103.651	1.00174.64	M
ATOM	22271	O	PRO	M	52	126.282	6.102	102.650	1.00174.47	M
ATOM	22272	N	PRO	M	53	125.712	6.173	104.831	1.00174.31	M
ATOM	22273	CD	PRO	M	53	125.218	5.554	106.074	1.00174.03	M
ATOM	22274	CA	PRO	M	53	126.083	7.573	105.066	1.00174.30	M
ATOM	22275	CB	PRO	M	53	125.484	7.851	106.436	1.00174.49	M
ATOM	22276	CG	PRO	M	53	125.668	6.540	107.130	1.00174.46	M
ATOM	22277	C	PRO	M	53	127.584	7.849	105.026	1.00174.47	M
ATOM	22278	O	PRO	M	53	128.011	9.004	104.947	1.00174.05	M
ATOM	22279	N	LEU	M	54	128.377	6.785	105.092	1.00174.65	M
ATOM	22280	CA	LEU	M	54	129.829	6.906	105.055	1.00174.29	M
ATOM	22281	CB	LEU	M	54	130.346	7.501	106.368	1.00173.10	M

ATOM	22282	CG	LEU	M	54	131.853	7.754	106.453	1.00172.05	M
ATOM	22283	CD1	LEU	M	54	132.304	8.652	105.307	1.00171.25	M
ATOM	22284	CD2	LEU	M	54	132.169	8.399	107.790	1.00171.55	M
ATOM	22285	C	LEU	M	54	130.472	5.546	104.814	1.00174.09	M
ATOM	22286	O	LEU	M	54	130.196	4.583	105.528	1.00174.19	M
ATOM	22287	N	PHE	M	55	131.327	5.476	103.800	1.00173.75	M
ATOM	22288	CA	PHE	M	55	132.010	4.238	103.456	1.00173.39	M
ATOM	22289	CB	PHE	M	55	131.020	3.255	102.826	1.00174.55	M
ATOM	22290	CG	PHE	M	55	130.447	3.718	101.515	1.00175.91	M
ATOM	22291	CD1	PHE	M	55	130.996	3.286	100.311	1.00176.38	M
ATOM	22292	CD2	PHE	M	55	129.349	4.571	101.482	1.00176.07	M
ATOM	22293	CE1	PHE	M	55	130.457	3.693	99.092	1.00176.40	M
ATOM	22294	CE2	PHE	M	55	128.801	4.986	100.268	1.00176.29	M
ATOM	22295	CZ	PHE	M	55	129.356	4.544	99.070	1.00176.52	M
ATOM	22296	C	PHE	M	55	133.149	4.549	102.492	1.00172.72	M
ATOM	22297	O	PHE	M	55	133.275	5.682	102.027	1.00173.32	M
ATOM	22298	N	ALA	M	56	133.972	3.550	102.188	1.00171.11	M
ATOM	22299	CA	ALA	M	56	135.103	3.766	101.291	1.00168.96	M
ATOM	22300	CB	ALA	M	56	136.404	3.585	102.061	1.00168.57	M
ATOM	22301	C	ALA	M	56	135.112	2.881	100.049	1.00167.22	M
ATOM	22302	O	ALA	M	56	134.787	1.697	100.113	1.00167.07	M
ATOM	22303	N	MET	M	57	135.487	3.475	98.919	1.00165.89	M
ATOM	22304	CA	MET	M	57	135.579	2.763	97.649	1.00164.80	M
ATOM	22305	CB	MET	M	57	134.763	3.460	96.562	1.00164.34	M
ATOM	22306	CG	MET	M	57	133.269	3.443	96.786	1.00164.41	M
ATOM	22307	SD	MET	M	57	132.381	3.448	95.212	1.00164.28	M
ATOM	22308	CE	MET	M	57	132.770	5.074	94.615	1.00163.98	M
ATOM	22309	C	MET	M	57	137.035	2.716	97.214	1.00164.30	M
ATOM	22310	O	MET	M	57	137.541	3.659	96.603	1.00164.30	M
ATOM	22311	N	LYS	M	58	137.703	1.612	97.528	1.00163.39	M
ATOM	22312	CA	LYS	M	58	139.108	1.448	97.181	1.00162.34	M
ATOM	22313	CB	LYS	M	58	139.742	0.381	98.078	1.00163.46	M
ATOM	22314	CG	LYS	M	58	141.255	0.462	98.167	1.00164.38	M
ATOM	22315	CD	LYS	M	58	141.806	-0.655	99.036	1.00165.24	M
ATOM	22316	CE	LYS	M	58	143.236	-0.367	99.460	1.00165.94	M
ATOM	22317	NZ	LYS	M	58	143.301	0.818	100.367	1.00167.11	M
ATOM	22318	C	LYS	M	58	139.280	1.062	95.713	1.00160.63	M
ATOM	22319	O	LYS	M	58	138.554	0.210	95.199	1.00160.39	M
ATOM	22320	N	GLY	M	59	140.241	1.699	95.046	1.00158.73	M
ATOM	22321	CA	GLY	M	59	140.502	1.412	93.645	1.00156.78	M
ATOM	22322	C	GLY	M	59	139.243	1.355	92.803	1.00155.66	M
ATOM	22323	O	GLY	M	59	138.205	1.892	93.195	1.00156.04	M
ATOM	22324	N	LYS	M	60	139.326	0.706	91.645	1.00154.40	M
ATOM	22325	CA	LYS	M	60	138.168	0.594	90.766	1.00153.85	M
ATOM	22326	CB	LYS	M	60	138.572	0.067	89.386	1.00151.86	M
ATOM	22327	CG	LYS	M	60	139.568	0.931	88.650	1.00148.89	M
ATOM	22328	CD	LYS	M	60	139.533	0.667	87.154	1.00147.81	M
ATOM	22329	CE	LYS	M	60	138.283	1.253	86.514	1.00146.66	M
ATOM	22330	NZ	LYS	M	60	138.343	1.206	85.024	1.00145.64	M
ATOM	22331	C	LYS	M	60	137.117	-0.333	91.362	1.00154.54	M
ATOM	22332	O	LYS	M	60	137.227	-1.556	91.258	1.00154.86	M
ATOM	22333	N	LYS	M	61	136.101	0.252	91.988	1.00154.80	M
ATOM	22334	CA	LYS	M	61	135.028	-0.529	92.586	1.00155.05	M
ATOM	22335	CB	LYS	M	61	134.996	-0.335	94.101	1.00155.31	M
ATOM	22336	CG	LYS	M	61	134.980	-1.643	94.872	1.00156.23	M
ATOM	22337	CD	LYS	M	61	134.149	-1.533	96.134	1.00157.03	M
ATOM	22338	CE	LYS	M	61	134.624	-0.399	97.024	1.00157.18	M
ATOM	22339	NZ	LYS	M	61	133.735	-0.248	98.206	1.00158.81	M

ATOM	22340	C	LYS	M	61	133.698	-0.099	91.991	1.00155.48	M
ATOM	22341	O	LYS	M	61	133.649	0.375	90.855	1.00155.31	M
ATOM	22342	N	GLU	M	62	132.623	-0.264	92.757	1.00156.55	M
ATOM	22343	CA	GLU	M	62	131.289	0.111	92.298	1.00157.88	M
ATOM	22344	CB	GLU	M	62	131.009	-0.553	90.942	1.00157.46	M
ATOM	22345	CG	GLU	M	62	130.182	0.280	89.975	1.00156.41	M
ATOM	22346	CD	GLU	M	62	128.693	0.051	90.118	1.00156.38	M
ATOM	22347	OE1	GLU	M	62	128.166	0.245	91.234	1.00155.85	M
ATOM	22348	OE2	GLU	M	62	128.052	-0.319	89.108	1.00156.00	M
ATOM	22349	C	GLU	M	62	130.249	-0.323	93.335	1.00158.52	M
ATOM	22350	O	GLU	M	62	129.882	-1.497	93.409	1.00158.48	M
ATOM	22351	N	ASN	M	63	129.786	0.629	94.142	1.00159.21	M
ATOM	22352	CA	ASN	M	63	128.796	0.345	95.177	1.00159.78	M
ATOM	22353	CB	ASN	M	63	129.299	0.841	96.534	1.00157.82	M
ATOM	22354	CG	ASN	M	63	130.669	0.299	96.879	1.00155.75	M
ATOM	22355	OD1	ASN	M	63	131.623	0.457	96.118	1.00153.12	M
ATOM	22356	ND2	ASN	M	63	130.775	-0.343	98.035	1.00155.43	M
ATOM	22357	C	ASN	M	63	127.450	0.992	94.869	1.00161.10	M
ATOM	22358	O	ASN	M	63	127.323	1.763	93.919	1.00160.85	M
ATOM	22359	N	THR	M	64	126.451	0.676	95.687	1.00163.13	M
ATOM	22360	CA	THR	M	64	125.108	1.214	95.505	1.00165.47	M
ATOM	22361	CB	THR	M	64	124.091	0.076	95.246	1.00165.16	M
ATOM	22362	OG1	THR	M	64	124.485	-0.662	94.083	1.00166.13	M
ATOM	22363	CG2	THR	M	64	122.695	0.639	95.029	1.00163.97	M
ATOM	22364	C	THR	M	64	124.636	2.018	96.719	1.00167.59	M
ATOM	22365	O	THR	M	64	124.765	1.572	97.860	1.00168.18	M
ATOM	22366	N	LEU	M	65	124.093	3.205	96.462	1.00169.23	M
ATOM	22367	CA	LEU	M	65	123.578	4.070	97.523	1.00170.73	M
ATOM	22368	CB	LEU	M	65	123.862	5.540	97.197	1.00171.06	M
ATOM	22369	CG	LEU	M	65	125.330	5.968	97.137	1.00171.03	M
ATOM	22370	CD1	LEU	M	65	125.425	7.412	96.668	1.00170.39	M
ATOM	22371	CD2	LEU	M	65	125.973	5.803	98.508	1.00171.52	M
ATOM	22372	C	LEU	M	65	122.072	3.843	97.632	1.00171.52	M
ATOM	22373	O	LEU	M	65	121.417	3.570	96.629	1.00172.20	M
ATOM	22374	N	ARG	M	66	121.524	3.956	98.840	1.00171.93	M
ATOM	22375	CA	ARG	M	66	120.094	3.738	99.044	1.00172.27	M
ATOM	22376	CB	ARG	M	66	119.873	2.482	99.895	1.00172.53	M
ATOM	22377	CG	ARG	M	66	120.623	1.253	99.390	1.00173.64	M
ATOM	22378	CD	ARG	M	66	120.307	0.006	100.211	1.00173.63	M
ATOM	22379	NE	ARG	M	66	121.162	-1.126	99.856	1.00174.11	M
ATOM	22380	CZ	ARG	M	66	121.251	-1.650	98.636	1.00174.62	M
ATOM	22381	NH1	ARG	M	66	120.536	-1.149	97.634	1.00174.76	M
ATOM	22382	NH2	ARG	M	66	122.056	-2.681	98.415	1.00173.87	M
ATOM	22383	C	ARG	M	66	119.389	4.929	99.692	1.00172.63	M
ATOM	22384	O	ARG	M	66	119.609	5.237	100.865	1.00171.99	M
ATOM	22385	N	ILE	M	67	118.536	5.588	98.910	1.00173.59	M
ATOM	22386	CA	ILE	M	67	117.772	6.749	99.367	1.00174.49	M
ATOM	22387	CB	ILE	M	67	117.301	7.627	98.174	1.00174.68	M
ATOM	22388	CG2	ILE	M	67	116.371	8.722	98.667	1.00175.17	M
ATOM	22389	CG1	ILE	M	67	118.499	8.256	97.459	1.00175.12	M
ATOM	22390	CD1	ILE	M	67	119.329	7.279	96.653	1.00176.75	M
ATOM	22391	C	ILE	M	67	116.535	6.303	100.142	1.00174.68	M
ATOM	22392	O	ILE	M	67	115.611	5.728	99.570	1.00174.67	M
ATOM	22393	N	LEU	M	68	116.512	6.586	101.440	1.00174.82	M
ATOM	22394	CA	LEU	M	68	115.387	6.196	102.283	1.00174.34	M
ATOM	22395	CB	LEU	M	68	115.899	5.675	103.623	1.00173.71	M
ATOM	22396	CG	LEU	M	68	117.086	4.714	103.553	1.00172.89	M
ATOM	22397	CD1	LEU	M	68	117.500	4.336	104.959	1.00172.44	M

ATOM	22398	CD2	LEU	M	68	116.720	3.480	102.748	1.00172.70	M
ATOM	22399	C	LEU	M	68	114.436	7.360	102.524	1.00174.43	M
ATOM	22400	O	LEU	M	68	114.867	8.480	102.796	1.00173.91	M
ATOM	22401	N	ASP	M	69	113.140	7.081	102.432	1.00175.15	M
ATOM	22402	CA	ASP	M	69	112.114	8.098	102.629	1.00175.94	M
ATOM	22403	CB	ASP	M	69	110.837	7.696	101.875	1.00175.49	M
ATOM	22404	CG	ASP	M	69	109.818	8.821	101.800	1.00175.04	M
ATOM	22405	OD1	ASP	M	69	108.856	8.714	101.005	1.00174.49	M
ATOM	22406	OD2	ASP	M	69	109.977	9.811	102.539	1.00174.84	M
ATOM	22407	C	ASP	M	69	111.813	8.295	104.115	1.00176.53	M
ATOM	22408	O	ASP	M	69	111.114	7.489	104.729	1.00176.21	M
ATOM	22409	N	ALA	M	70	112.352	9.371	104.685	1.00177.31	M
ATOM	22410	CA	ALA	M	70	112.146	9.693	106.096	1.00177.60	M
ATOM	22411	CB	ALA	M	70	113.383	10.385	106.664	1.00177.98	M
ATOM	22412	C	ALA	M	70	110.921	10.587	106.256	1.00178.07	M
ATOM	22413	O	ALA	M	70	110.208	10.500	107.257	1.00177.88	M
ATOM	22414	N	THR	M	71	110.684	11.453	105.272	1.00178.68	M
ATOM	22415	CA	THR	M	71	109.524	12.339	105.309	1.00178.96	M
ATOM	22416	CB	THR	M	71	109.504	13.314	104.098	1.00179.77	M
ATOM	22417	OG1	THR	M	71	108.251	14.008	104.064	1.00180.61	M
ATOM	22418	CG2	THR	M	71	109.704	12.566	102.789	1.00180.08	M
ATOM	22419	C	THR	M	71	108.270	11.469	105.285	1.00178.47	M
ATOM	22420	O	THR	M	71	107.952	10.852	104.268	1.00179.10	M
ATOM	22421	N	ASN	M	72	107.572	11.415	106.415	1.00177.09	M
ATOM	22422	CA	ASN	M	72	106.360	10.608	106.539	1.00175.60	M
ATOM	22423	CB	ASN	M	72	105.938	10.524	108.010	1.00176.00	M
ATOM	22424	CG	ASN	M	72	106.786	9.544	108.808	1.00176.03	M
ATOM	22425	OD1	ASN	M	72	106.665	9.454	110.030	1.00176.13	M
ATOM	22426	ND2	ASN	M	72	107.641	8.797	108.118	1.00175.58	M
ATOM	22427	C	ASN	M	72	105.188	11.111	105.695	1.00174.20	M
ATOM	22428	O	ASN	M	72	104.099	11.361	106.217	1.00174.33	M
ATOM	22429	N	ASN	M	73	105.411	11.246	104.390	1.00172.16	M
ATOM	22430	CA	ASN	M	73	104.371	11.710	103.474	1.00169.18	M
ATOM	22431	CB	ASN	M	73	103.183	10.743	103.510	1.00167.64	M
ATOM	22432	CG	ASN	M	73	103.599	9.297	103.300	1.00165.67	M
ATOM	22433	OD1	ASN	M	73	104.349	8.730	104.096	1.00164.27	M
ATOM	22434	ND2	ASN	M	73	103.113	8.694	102.223	1.00164.28	M
ATOM	22435	C	ASN	M	73	103.918	13.111	103.882	1.00167.69	M
ATOM	22436	O	ASN	M	73	102.749	13.468	103.743	1.00167.50	M
ATOM	22437	N	GLN	M	74	104.860	13.900	104.385	1.00166.02	M
ATOM	22438	CA	GLN	M	74	104.576	15.253	104.845	1.00163.77	M
ATOM	22439	CB	GLN	M	74	105.500	15.585	106.025	1.00164.26	M
ATOM	22440	CG	GLN	M	74	105.305	14.640	107.220	1.00164.40	M
ATOM	22441	CD	GLN	M	74	106.478	14.623	108.196	1.00164.21	M
ATOM	22442	OE1	GLN	M	74	106.440	13.928	109.214	1.00162.72	M
ATOM	22443	NE2	GLN	M	74	107.525	15.380	107.886	1.00164.88	M
ATOM	22444	C	GLN	M	74	104.743	16.275	103.725	1.00161.49	M
ATOM	22445	O	GLN	M	74	104.644	17.483	103.952	1.00161.45	M
ATOM	22446	N	LEU	M	75	104.975	15.779	102.513	1.00158.66	M
ATOM	22447	CA	LEU	M	75	105.165	16.637	101.351	1.00156.20	M
ATOM	22448	CB	LEU	M	75	106.343	16.125	100.522	1.00155.16	M
ATOM	22449	CG	LEU	M	75	107.713	16.208	101.190	1.00154.22	M
ATOM	22450	CD1	LEU	M	75	108.715	15.410	100.384	1.00154.22	M
ATOM	22451	CD2	LEU	M	75	108.142	17.660	101.311	1.00152.86	M
ATOM	22452	C	LEU	M	75	103.916	16.711	100.476	1.00154.62	M
ATOM	22453	O	LEU	M	75	103.048	15.841	100.543	1.00153.57	M
ATOM	22454	N	PRO	M	76	103.809	17.763	99.646	1.00153.63	M
ATOM	22455	CD	PRO	M	76	104.770	18.873	99.509	1.00152.99	M

ATOM	22456	CA	PRO	M	76	102.664	17.956	98.751	1.00152.50	M
ATOM	22457	CB	PRO	M	76	103.092	19.148	97.902	1.00152.18	M
ATOM	22458	CG	PRO	M	76	103.928	19.938	98.851	1.00152.33	M
ATOM	22459	C	PRO	M	76	102.425	16.709	97.912	1.00151.95	M
ATOM	22460	O	PRO	M	76	103.370	16.119	97.385	1.00152.44	M
ATOM	22461	N	GLN	M	77	101.164	16.310	97.788	1.00150.89	M
ATOM	22462	CA	GLN	M	77	100.818	15.123	97.018	1.00149.87	M
ATOM	22463	CB	GLN	M	77	99.973	14.180	97.879	1.00147.79	M
ATOM	22464	CG	GLN	M	77	100.610	13.853	99.227	1.00144.44	M
ATOM	22465	CD	GLN	M	77	101.965	13.177	99.095	1.00142.69	M
ATOM	22466	OE1	GLN	M	77	102.707	13.052	100.069	1.00141.15	M
ATOM	22467	NE2	GLN	M	77	102.289	12.729	97.887	1.00142.16	M
ATOM	22468	C	GLN	M	77	100.077	15.470	95.725	1.00150.64	M
ATOM	22469	O	GLN	M	77	99.331	14.649	95.185	1.00150.39	M
ATOM	22470	N	ASP	M	78	100.298	16.687	95.232	1.00151.83	M
ATOM	22471	CA	ASP	M	78	99.667	17.158	94.001	1.00152.07	M
ATOM	22472	CB	ASP	M	78	98.726	18.334	94.296	1.00151.52	M
ATOM	22473	CG	ASP	M	78	99.467	19.581	94.761	1.00151.61	M
ATOM	22474	OD1	ASP	M	78	98.814	20.639	94.892	1.00150.85	M
ATOM	22475	OD2	ASP	M	78	100.694	19.510	94.996	1.00151.03	M
ATOM	22476	C	ASP	M	78	100.704	17.593	92.962	1.00152.37	M
ATOM	22477	O	ASP	M	78	100.350	18.020	91.864	1.00152.26	M
ATOM	22478	N	ARG	M	79	101.982	17.481	93.317	1.00152.49	M
ATOM	22479	CA	ARG	M	79	103.081	17.867	92.431	1.00151.46	M
ATOM	22480	CB	ARG	M	79	103.213	19.389	92.391	1.00151.82	M
ATOM	22481	CG	ARG	M	79	103.727	19.990	93.694	1.00152.66	M
ATOM	22482	CD	ARG	M	79	103.509	21.490	93.745	1.00152.34	M
ATOM	22483	NE	ARG	M	79	102.089	21.811	93.823	1.00153.50	M
ATOM	22484	CZ	ARG	M	79	101.603	23.048	93.849	1.00153.79	M
ATOM	22485	NH1	ARG	M	79	102.426	24.090	93.802	1.00153.05	M
ATOM	22486	NH2	ARG	M	79	100.293	23.245	93.922	1.00154.58	M
ATOM	22487	C	ARG	M	79	104.380	17.280	92.968	1.00150.54	M
ATOM	22488	O	ARG	M	79	104.378	16.584	93.983	1.00150.86	M
ATOM	22489	N	GLU	M	80	105.491	17.573	92.299	1.00148.95	M
ATOM	22490	CA	GLU	M	80	106.779	17.065	92.756	1.00147.36	M
ATOM	22491	CB	GLU	M	80	107.725	16.805	91.587	1.00144.34	M
ATOM	22492	CG	GLU	M	80	107.095	16.303	90.323	1.00140.05	M
ATOM	22493	CD	GLU	M	80	108.146	15.896	89.322	1.00138.75	M
ATOM	22494	OE1	GLU	M	80	108.646	14.760	89.424	1.00139.82	M
ATOM	22495	OE2	GLU	M	80	108.493	16.714	88.448	1.00137.08	M
ATOM	22496	C	GLU	M	80	107.450	18.078	93.674	1.00147.27	M
ATOM	22497	O	GLU	M	80	107.382	19.284	93.431	1.00145.79	M
ATOM	22498	N	SER	M	81	108.094	17.580	94.725	1.00148.36	M
ATOM	22499	CA	SER	M	81	108.815	18.433	95.661	1.00149.23	M
ATOM	22500	CB	SER	M	81	108.561	18.003	97.110	1.00149.19	M
ATOM	22501	OG	SER	M	81	107.228	18.277	97.513	1.00148.12	M
ATOM	22502	C	SER	M	81	110.291	18.269	95.318	1.00149.91	M
ATOM	22503	O	SER	M	81	110.845	17.177	95.439	1.00149.37	M
ATOM	22504	N	LEU	M	82	110.919	19.353	94.878	1.00151.31	M
ATOM	22505	CA	LEU	M	82	112.323	19.315	94.498	1.00152.41	M
ATOM	22506	CB	LEU	M	82	112.654	20.506	93.589	1.00151.39	M
ATOM	22507	CG	LEU	M	82	114.083	20.685	93.063	1.00150.12	M
ATOM	22508	CD1	LEU	M	82	114.568	19.422	92.375	1.00148.97	M
ATOM	22509	CD2	LEU	M	82	114.110	21.858	92.093	1.00149.59	M
ATOM	22510	C	LEU	M	82	113.271	19.298	95.686	1.00154.15	M
ATOM	22511	O	LEU	M	82	113.148	20.101	96.614	1.00154.46	M
ATOM	22512	N	PHE	M	83	114.205	18.351	95.642	1.00155.88	M
ATOM	22513	CA	PHE	M	83	115.240	18.181	96.658	1.00157.38	M

ATOM	22514	CB	PHE	M	83	115.022	16.901	97.474	1.00156.75	M
ATOM	22515	CG	PHE	M	83	113.872	16.977	98.430	1.00157.30	M
ATOM	22516	CD1	PHE	M	83	112.562	17.009	97.962	1.00156.79	M
ATOM	22517	CD2	PHE	M	83	114.097	17.032	99.802	1.00158.11	M
ATOM	22518	CE1	PHE	M	83	111.492	17.097	98.846	1.00156.65	M
ATOM	22519	CE2	PHE	M	83	113.034	17.121	100.695	1.00158.03	M
ATOM	22520	CZ	PHE	M	83	111.728	17.153	100.216	1.00157.40	M
ATOM	22521	C	PHE	M	83	116.547	18.059	95.888	1.00158.96	M
ATOM	22522	O	PHE	M	83	116.560	18.191	94.663	1.00159.98	M
ATOM	22523	N	TRP	M	84	117.642	17.809	96.595	1.00159.60	M
ATOM	22524	CA	TRP	M	84	118.927	17.663	95.932	1.00159.75	M
ATOM	22525	CB	TRP	M	84	119.685	18.993	95.914	1.00159.09	M
ATOM	22526	CG	TRP	M	84	119.052	20.031	95.039	1.00157.37	M
ATOM	22527	CD2	TRP	M	84	119.334	20.277	93.654	1.00156.51	M
ATOM	22528	CE2	TRP	M	84	118.490	21.330	93.235	1.00156.14	M
ATOM	22529	CE3	TRP	M	84	120.219	19.711	92.726	1.00155.84	M
ATOM	22530	CD1	TRP	M	84	118.075	20.917	95.392	1.00157.21	M
ATOM	22531	NE1	TRP	M	84	117.731	21.703	94.314	1.00156.58	M
ATOM	22532	CZ2	TRP	M	84	118.504	21.827	91.928	1.00155.04	M
ATOM	22533	CZ3	TRP	M	84	120.233	20.208	91.423	1.00154.24	M
ATOM	22534	CH2	TRP	M	84	119.381	21.254	91.040	1.00154.08	M
ATOM	22535	C	TRP	M	84	119.796	16.585	96.555	1.00160.11	M
ATOM	22536	O	TRP	M	84	119.986	16.539	97.771	1.00158.87	M
ATOM	22537	N	MET	M	85	120.323	15.718	95.700	1.00161.76	M
ATOM	22538	CA	MET	M	85	121.180	14.628	96.132	1.00163.23	M
ATOM	22539	CB	MET	M	85	120.872	13.377	95.312	1.00164.14	M
ATOM	22540	CG	MET	M	85	121.869	12.256	95.519	1.00166.31	M
ATOM	22541	SD	MET	M	85	121.917	11.668	97.229	1.00168.22	M
ATOM	22542	CE	MET	M	85	122.014	9.890	96.957	1.00167.15	M
ATOM	22543	C	MET	M	85	122.653	14.997	95.975	1.00163.61	M
ATOM	22544	O	MET	M	85	123.096	15.362	94.885	1.00163.11	M
ATOM	22545	N	ASN	M	86	123.407	14.899	97.067	1.00164.54	M
ATOM	22546	CA	ASN	M	86	124.830	15.216	97.036	1.00166.01	M
ATOM	22547	CB	ASN	M	86	125.126	16.439	97.906	1.00166.65	M
ATOM	22548	CG	ASN	M	86	124.423	17.686	97.411	1.00167.31	M
ATOM	22549	OD1	ASN	M	86	123.204	17.813	97.527	1.00167.49	M
ATOM	22550	ND2	ASN	M	86	125.190	18.611	96.847	1.00167.18	M
ATOM	22551	C	ASN	M	86	125.689	14.049	97.499	1.00166.92	M
ATOM	22552	O	ASN	M	86	125.415	13.426	98.524	1.00166.30	M
ATOM	22553	N	VAL	M	87	126.733	13.764	96.726	1.00168.66	M
ATOM	22554	CA	VAL	M	87	127.666	12.683	97.026	1.00170.22	M
ATOM	22555	CB	VAL	M	87	127.608	11.576	95.947	1.00171.09	M
ATOM	22556	CG1	VAL	M	87	128.619	10.481	96.263	1.00171.27	M
ATOM	22557	CG2	VAL	M	87	126.202	10.995	95.876	1.00171.36	M
ATOM	22558	C	VAL	M	87	129.073	13.269	97.071	1.00170.56	M
ATOM	22559	O	VAL	M	87	129.615	13.691	96.048	1.00169.92	M
ATOM	22560	N	LYS	M	88	129.655	13.292	98.265	1.00171.63	M
ATOM	22561	CA	LYS	M	88	130.989	13.849	98.466	1.00173.05	M
ATOM	22562	CB	LYS	M	88	131.047	14.584	99.807	1.00172.63	M
ATOM	22563	CG	LYS	M	88	132.411	15.155	100.146	1.00172.36	M
ATOM	22564	CD	LYS	M	88	132.407	15.778	101.527	1.00171.85	M
ATOM	22565	CE	LYS	M	88	133.776	16.321	101.890	1.00172.06	M
ATOM	22566	NZ	LYS	M	88	133.823	16.758	103.312	1.00172.01	M
ATOM	22567	C	LYS	M	88	132.102	12.812	98.419	1.00174.25	M
ATOM	22568	O	LYS	M	88	132.057	11.807	99.127	1.00174.12	M
ATOM	22569	N	ALA	M	89	133.105	13.074	97.586	1.00176.16	M
ATOM	22570	CA	ALA	M	89	134.251	12.181	97.442	1.00177.90	M
ATOM	22571	CB	ALA	M	89	134.638	12.060	95.972	1.00177.80	M

ATOM	22572	C	ALA	M	89	135.430	12.714	98.254	1.00178.72	M
ATOM	22573	O	ALA	M	89	136.090	13.672	97.853	1.00178.26	M
ATOM	22574	N	ILE	M	90	135.688	12.084	99.395	1.00180.34	M
ATOM	22575	CA	ILE	M	90	136.778	12.495	100.274	1.00182.13	M
ATOM	22576	CB	ILE	M	90	136.373	12.370	101.762	1.00181.86	M
ATOM	22577	CG2	ILE	M	90	137.473	12.936	102.647	1.00180.86	M
ATOM	22578	CG1	ILE	M	90	135.050	13.101	102.012	1.00182.13	M
ATOM	22579	CD1	ILE	M	90	134.508	12.948	103.427	1.00181.27	M
ATOM	22580	C	ILE	M	90	138.036	11.654	100.057	1.00183.66	M
ATOM	22581	O	ILE	M	90	138.019	10.436	100.238	1.00183.94	M
ATOM	22582	N	PRO	M	91	139.146	12.296	99.664	1.00184.76	M
ATOM	22583	CD	PRO	M	91	139.291	13.714	99.291	1.00185.16	M
ATOM	22584	CA	PRO	M	91	140.398	11.571	99.436	1.00185.33	M
ATOM	22585	CB	PRO	M	91	141.229	12.570	98.643	1.00184.82	M
ATOM	22586	CG	PRO	M	91	140.791	13.872	99.212	1.00185.02	M
ATOM	22587	C	PRO	M	91	141.062	11.170	100.751	1.00186.13	M
ATOM	22588	O	PRO	M	91	140.381	10.912	101.745	1.00186.24	M
ATOM	22589	N	SER	M	92	142.391	11.125	100.754	1.00186.89	M
ATOM	22590	CA	SER	M	92	143.143	10.747	101.947	1.00187.23	M
ATOM	22591	CB	SER	M	92	143.814	9.391	101.730	1.00186.50	M
ATOM	22592	OG	SER	M	92	143.101	8.622	100.771	1.00185.32	M
ATOM	22593	C	SER	M	92	144.211	11.791	102.259	1.00187.91	M
ATOM	22594	O	SER	M	92	144.730	12.445	101.358	1.00187.25	M
ATOM	22595	N	MET	M	93	144.542	11.940	103.536	1.00189.49	M
ATOM	22596	CA	MET	M	93	145.556	12.904	103.947	1.00191.35	M
ATOM	22597	CB	MET	M	93	145.456	13.153	105.457	1.00192.18	M
ATOM	22598	CG	MET	M	93	145.963	14.519	105.932	1.00193.50	M
ATOM	22599	SD	MET	M	93	147.760	14.754	105.824	1.00195.23	M
ATOM	22600	CE	MET	M	93	148.233	14.577	107.555	1.00195.50	M
ATOM	22601	C	MET	M	93	146.924	12.323	103.590	1.00192.44	M
ATOM	22602	O	MET	M	93	147.243	11.195	103.970	1.00192.20	M
ATOM	22603	N	ASP	M	94	147.722	13.091	102.851	1.00193.67	M
ATOM	22604	CA	ASP	M	94	149.053	12.645	102.440	1.00194.42	M
ATOM	22605	CB	ASP	M	94	149.556	13.446	101.229	1.00193.94	M
ATOM	22606	CG	ASP	M	94	148.701	13.248	99.992	1.00193.59	M
ATOM	22607	OD1	ASP	M	94	149.175	13.596	98.885	1.00192.77	M
ATOM	22608	OD2	ASP	M	94	147.558	12.754	100.126	1.00193.35	M
ATOM	22609	C	ASP	M	94	150.073	12.788	103.563	1.00195.01	M
ATOM	22610	O	ASP	M	94	150.434	13.904	103.946	1.00195.20	M
ATOM	22611	N	LYS	M	95	150.540	11.659	104.087	1.00195.38	M
ATOM	22612	CA	LYS	M	95	151.538	11.677	105.149	1.00195.52	M
ATOM	22613	CB	LYS	M	95	151.595	10.321	105.864	1.00195.10	M
ATOM	22614	CG	LYS	M	95	150.332	9.967	106.643	1.00194.20	M
ATOM	22615	CD	LYS	M	95	149.192	9.538	105.733	1.00193.30	M
ATOM	22616	CE	LYS	M	95	149.498	8.219	105.043	1.00192.16	M
ATOM	22617	NZ	LYS	M	95	148.359	7.770	104.199	1.00191.02	M
ATOM	22618	C	LYS	M	95	152.893	11.986	104.514	1.00195.71	M
ATOM	22619	O	LYS	M	95	153.917	12.054	105.204	1.00195.93	M
ATOM	22620	N	SER	M	96	152.880	12.183	103.194	1.00195.20	M
ATOM	22621	CA	SER	M	96	154.084	12.486	102.420	1.00194.01	M
ATOM	22622	CB	SER	M	96	154.074	11.707	101.102	1.00193.01	M
ATOM	22623	OG	SER	M	96	153.018	12.145	100.251	1.00191.10	M
ATOM	22624	C	SER	M	96	154.202	13.981	102.117	1.00193.50	M
ATOM	22625	O	SER	M	96	155.260	14.459	101.707	1.00193.52	M
ATOM	22626	N	LYS	M	97	153.111	14.712	102.323	1.00192.62	M
ATOM	22627	CA	LYS	M	97	153.089	16.147	102.082	1.00191.46	M
ATOM	22628	CB	LYS	M	97	152.058	16.476	100.996	1.00189.77	M
ATOM	22629	CG	LYS	M	97	152.057	15.521	99.808	1.00186.88	M

ATOM	22630	CD	LYS	M	97	153.414	15.461	99.134	1.00185.03	M
ATOM	22631	CE	LYS	M	97	153.418	14.423	98.030	1.00183.54	M
ATOM	22632	NZ	LYS	M	97	154.756	14.287	97.393	1.00182.57	M
ATOM	22633	C	LYS	M	97	152.739	16.863	103.385	1.00191.61	M
ATOM	22634	O	LYS	M	97	152.483	18.068	103.399	1.00191.24	M
ATOM	22635	N	LEU	M	98	152.732	16.100	104.475	1.00192.06	M
ATOM	22636	CA	LEU	M	98	152.419	16.619	105.804	1.00192.57	M
ATOM	22637	CB	LEU	M	98	152.627	15.504	106.849	1.00191.45	M
ATOM	22638	CG	LEU	M	98	152.491	15.773	108.356	1.00190.33	M
ATOM	22639	CD1	LEU	M	98	153.707	16.530	108.853	1.00189.56	M
ATOM	22640	CD2	LEU	M	98	151.208	16.534	108.647	1.00190.06	M
ATOM	22641	C	LEU	M	98	153.228	17.859	106.170	1.00193.10	M
ATOM	22642	O	LEU	M	98	152.715	18.781	106.804	1.00192.68	M
ATOM	22643	N	THR	M	99	154.493	17.880	105.770	1.00194.02	M
ATOM	22644	CA	THR	M	99	155.366	19.014	106.079	1.00194.92	M
ATOM	22645	CB	THR	M	99	156.822	18.560	106.339	1.00195.24	M
ATOM	22646	OG1	THR	M	99	157.460	18.274	105.088	1.00195.71	M
ATOM	22647	CG2	THR	M	99	156.836	17.297	107.171	1.00195.14	M
ATOM	22648	C	THR	M	99	155.401	20.007	104.920	1.00195.16	M
ATOM	22649	O	THR	M	99	156.440	20.601	104.633	1.00194.53	M
ATOM	22650	N	GLU	M	100	154.263	20.203	104.263	1.00196.00	M
ATOM	22651	CA	GLU	M	100	154.202	21.125	103.136	1.00196.76	M
ATOM	22652	CB	GLU	M	100	154.490	20.355	101.846	1.00196.28	M
ATOM	22653	CG	GLU	M	100	155.806	19.601	101.845	1.00194.93	M
ATOM	22654	CD	GLU	M	100	155.844	18.535	100.774	1.00194.19	M
ATOM	22655	OE1	GLU	M	100	155.656	18.879	99.589	1.00193.98	M
ATOM	22656	OE2	GLU	M	100	156.064	17.355	101.117	1.00193.46	M
ATOM	22657	C	GLU	M	100	152.886	21.897	102.993	1.00197.38	M
ATOM	22658	O	GLU	M	100	151.937	21.694	103.749	1.00197.48	M
ATOM	22659	N	ASN	M	101	152.863	22.774	101.991	1.00197.68	M
ATOM	22660	CA	ASN	M	101	151.716	23.614	101.667	1.00197.55	M
ATOM	22661	CB	ASN	M	101	152.191	25.014	101.261	1.00198.78	M
ATOM	22662	CG	ASN	M	101	152.875	25.751	102.400	1.00200.00	M
ATOM	22663	OD1	ASN	M	101	153.595	25.147	103.199	1.00200.00	M
ATOM	22664	ND2	ASN	M	101	152.668	27.064	102.472	1.00200.00	M
ATOM	22665	C	ASN	M	101	150.925	22.995	100.520	1.00196.78	M
ATOM	22666	O	ASN	M	101	151.203	23.260	99.345	1.00196.27	M
ATOM	22667	N	THR	M	102	149.935	22.174	100.860	1.00195.92	M
ATOM	22668	CA	THR	M	102	149.134	21.513	99.839	1.00194.31	M
ATOM	22669	CB	THR	M	102	149.162	19.982	100.032	1.00193.60	M
ATOM	22670	OG1	THR	M	102	148.467	19.633	101.236	1.00192.23	M
ATOM	22671	CG2	THR	M	102	150.595	19.493	100.132	1.00193.75	M
ATOM	22672	C	THR	M	102	147.680	21.971	99.784	1.00193.28	M
ATOM	22673	O	THR	M	102	147.187	22.656	100.683	1.00193.70	M
ATOM	22674	N	LEU	M	103	147.011	21.577	98.704	1.00191.34	M
ATOM	22675	CA	LEU	M	103	145.610	21.906	98.466	1.00189.23	M
ATOM	22676	CB	LEU	M	103	145.491	22.980	97.384	1.00188.54	M
ATOM	22677	CG	LEU	M	103	144.066	23.244	96.892	1.00187.58	M
ATOM	22678	CD1	LEU	M	103	143.235	23.872	98.001	1.00187.25	M
ATOM	22679	CD2	LEU	M	103	144.113	24.155	95.685	1.00186.78	M
ATOM	22680	C	LEU	M	103	144.842	20.671	98.010	1.00187.90	M
ATOM	22681	O	LEU	M	103	145.075	20.163	96.911	1.00187.93	M
ATOM	22682	N	GLN	M	104	143.926	20.193	98.850	1.00185.97	M
ATOM	22683	CA	GLN	M	104	143.120	19.022	98.513	1.00183.35	M
ATOM	22684	CB	GLN	M	104	143.174	17.979	99.637	1.00183.27	M
ATOM	22685	CG	GLN	M	104	144.305	16.963	99.497	1.00182.42	M
ATOM	22686	CD	GLN	M	104	144.129	15.761	100.410	1.00182.10	M
ATOM	22687	OE1	GLN	M	104	144.906	14.807	100.359	1.00181.57	M

ATOM	22688	NE2	GLN	M	104	143.102	15.803	101.251	1.00181.97	M
ATOM	22689	C	GLN	M	104	141.665	19.371	98.203	1.00180.78	M
ATOM	22690	O	GLN	M	104	141.034	20.161	98.905	1.00180.02	M
ATOM	22691	N	LEU	M	105	141.141	18.764	97.144	1.00178.00	M
ATOM	22692	CA	LEU	M	105	139.771	19.006	96.722	1.00175.55	M
ATOM	22693	CB	LEU	M	105	139.751	19.385	95.242	1.00174.70	M
ATOM	22694	CG	LEU	M	105	140.782	20.430	94.814	1.00174.26	M
ATOM	22695	CD1	LEU	M	105	140.627	20.702	93.327	1.00174.24	M
ATOM	22696	CD2	LEU	M	105	140.599	21.710	95.616	1.00175.05	M
ATOM	22697	C	LEU	M	105	138.888	17.784	96.944	1.00174.30	M
ATOM	22698	O	LEU	M	105	139.325	16.648	96.765	1.00174.26	M
ATOM	22699	N	ALA	M	106	137.643	18.028	97.339	1.00172.42	M
ATOM	22700	CA	ALA	M	106	136.682	16.958	97.570	1.00170.21	M
ATOM	22701	CB	ALA	M	106	136.161	17.013	99.003	1.00169.09	M
ATOM	22702	C	ALA	M	106	135.538	17.150	96.583	1.00168.88	M
ATOM	22703	O	ALA	M	106	134.520	17.760	96.913	1.00169.89	M
ATOM	22704	N	ILE	M	107	135.717	16.639	95.367	1.00166.43	M
ATOM	22705	CA	ILE	M	107	134.704	16.765	94.323	1.00164.06	M
ATOM	22706	CB	ILE	M	107	135.133	16.043	93.026	1.00163.18	M
ATOM	22707	CG2	ILE	M	107	134.114	16.303	91.925	1.00161.26	M
ATOM	22708	CG1	ILE	M	107	136.511	16.539	92.582	1.00162.39	M
ATOM	22709	CD1	ILE	M	107	136.573	18.022	92.298	1.00161.27	M
ATOM	22710	C	ILE	M	107	133.370	16.187	94.779	1.00162.93	M
ATOM	22711	O	ILE	M	107	133.305	15.065	95.286	1.00162.67	M
ATOM	22712	N	ILE	M	108	132.306	16.959	94.587	1.00161.31	M
ATOM	22713	CA	ILE	M	108	130.971	16.534	94.983	1.00159.77	M
ATOM	22714	CB	ILE	M	108	130.419	17.432	96.108	1.00160.66	M
ATOM	22715	CG2	ILE	M	108	129.086	16.882	96.606	1.00161.09	M
ATOM	22716	CG1	ILE	M	108	131.433	17.504	97.254	1.00161.60	M
ATOM	22717	CD1	ILE	M	108	131.056	18.470	98.366	1.00162.49	M
ATOM	22718	C	ILE	M	108	130.020	16.605	93.798	1.00158.37	M
ATOM	22719	O	ILE	M	108	130.164	17.456	92.921	1.00157.62	M
ATOM	22720	N	SER	M	109	129.051	15.699	93.771	1.00157.63	M
ATOM	22721	CA	SER	M	109	128.072	15.677	92.694	1.00157.19	M
ATOM	22722	CB	SER	M	109	128.094	14.329	91.968	1.00158.55	M
ATOM	22723	OG	SER	M	109	129.250	14.203	91.157	1.00158.80	M
ATOM	22724	C	SER	M	109	126.675	15.951	93.230	1.00155.68	M
ATOM	22725	O	SER	M	109	126.232	15.335	94.202	1.00154.98	M
ATOM	22726	N	ARG	M	110	125.992	16.893	92.592	1.00153.88	M
ATOM	22727	CA	ARG	M	110	124.644	17.266	92.985	1.00151.96	M
ATOM	22728	CB	ARG	M	110	124.619	18.717	93.479	1.00151.82	M
ATOM	22729	CG	ARG	M	110	123.267	19.383	93.326	1.00151.25	M
ATOM	22730	CD	ARG	M	110	123.185	20.736	94.008	1.00151.29	M
ATOM	22731	NE	ARG	M	110	123.084	20.607	95.457	1.00150.77	M
ATOM	22732	CZ	ARG	M	110	122.623	21.564	96.256	1.00150.57	M
ATOM	22733	NH1	ARG	M	110	122.218	22.723	95.745	1.00148.88	M
ATOM	22734	NH2	ARG	M	110	122.564	21.364	97.567	1.00150.13	M
ATOM	22735	C	ARG	M	110	123.672	17.088	91.821	1.00150.23	M
ATOM	22736	O	ARG	M	110	123.852	17.669	90.746	1.00149.96	M
ATOM	22737	N	ILE	M	111	122.647	16.270	92.043	1.00147.97	M
ATOM	22738	CA	ILE	M	111	121.639	16.010	91.024	1.00145.48	M
ATOM	22739	CB	ILE	M	111	121.826	14.615	90.378	1.00145.65	M
ATOM	22740	CG2	ILE	M	111	123.229	14.507	89.801	1.00146.78	M
ATOM	22741	CG1	ILE	M	111	121.589	13.505	91.405	1.00144.40	M
ATOM	22742	CD1	ILE	M	111	121.633	12.107	90.814	1.00139.18	M
ATOM	22743	C	ILE	M	111	120.235	16.106	91.606	1.00142.58	M
ATOM	22744	O	ILE	M	111	120.013	15.811	92.782	1.00141.34	M
ATOM	22745	N	LYS	M	112	119.293	16.516	90.766	1.00140.05	M

ATOM	22746	CA	LYS	M	112	117.905	16.682	91.173	1.00137.93	M
ATOM	22747	CB	LYS	M	112	117.108	17.315	90.035	1.00135.91	M
ATOM	22748	CG	LYS	M	112	117.721	18.601	89.514	1.00134.03	M
ATOM	22749	CD	LYS	M	112	116.987	19.108	88.292	1.00131.62	M
ATOM	22750	CE	LYS	M	112	117.686	20.319	87.704	1.00130.64	M
ATOM	22751	NZ	LYS	M	112	117.062	20.748	86.421	1.00130.48	M
ATOM	22752	C	LYS	M	112	117.236	15.381	91.594	1.00137.37	M
ATOM	22753	O	LYS	M	112	117.444	14.338	90.985	1.00137.25	M
ATOM	22754	N	LEU	M	113	116.430	15.465	92.646	1.00137.37	M
ATOM	22755	CA	LEU	M	113	115.690	14.326	93.176	1.00137.73	M
ATOM	22756	CB	LEU	M	113	116.273	13.899	94.524	1.00135.33	M
ATOM	22757	CG	LEU	M	113	115.419	13.028	95.448	1.00132.51	M
ATOM	22758	CD1	LEU	M	113	114.894	11.805	94.719	1.00131.98	M
ATOM	22759	CD2	LEU	M	113	116.270	12.613	96.632	1.00132.45	M
ATOM	22760	C	LEU	M	113	114.242	14.759	93.345	1.00139.18	M
ATOM	22761	O	LEU	M	113	113.923	15.552	94.228	1.00139.99	M
ATOM	22762	N	TYR	M	114	113.366	14.233	92.498	1.00141.17	M
ATOM	22763	CA	TYR	M	114	111.959	14.604	92.544	1.00143.85	M
ATOM	22764	CB	TYR	M	114	111.419	14.759	91.124	1.00144.88	M
ATOM	22765	CG	TYR	M	114	112.063	15.880	90.361	1.00145.95	M
ATOM	22766	CD1	TYR	M	114	112.769	15.631	89.189	1.00146.47	M
ATOM	22767	CE1	TYR	M	114	113.377	16.662	88.485	1.00148.28	M
ATOM	22768	CD2	TYR	M	114	111.976	17.194	90.817	1.00147.23	M
ATOM	22769	CE2	TYR	M	114	112.577	18.233	90.122	1.00148.86	M
ATOM	22770	CZ	TYR	M	114	113.277	17.961	88.955	1.00148.92	M
ATOM	22771	OH	TYR	M	114	113.873	18.988	88.254	1.00149.39	M
ATOM	22772	C	TYR	M	114	111.033	13.678	93.310	1.00144.96	M
ATOM	22773	O	TYR	M	114	110.942	12.486	93.018	1.00144.46	M
ATOM	22774	N	TYR	M	115	110.338	14.242	94.292	1.00147.26	M
ATOM	22775	CA	TYR	M	115	109.375	13.480	95.070	1.00150.39	M
ATOM	22776	CB	TYR	M	115	109.156	14.107	96.448	1.00150.54	M
ATOM	22777	CG	TYR	M	115	108.147	13.361	97.297	1.00151.14	M
ATOM	22778	CD1	TYR	M	115	108.396	12.049	97.720	1.00152.04	M
ATOM	22779	CE1	TYR	M	115	107.472	11.351	98.499	1.00152.60	M
ATOM	22780	CD2	TYR	M	115	106.940	13.962	97.675	1.00150.65	M
ATOM	22781	CE2	TYR	M	115	106.007	13.276	98.454	1.00150.99	M
ATOM	22782	CZ	TYR	M	115	106.280	11.971	98.862	1.00152.16	M
ATOM	22783	OH	TYR	M	115	105.368	11.290	99.635	1.00150.90	M
ATOM	22784	C	TYR	M	115	108.084	13.548	94.269	1.00152.43	M
ATOM	22785	O	TYR	M	115	107.240	14.410	94.510	1.00151.44	M
ATOM	22786	N	ARG	M	116	107.951	12.646	93.302	1.00156.18	M
ATOM	22787	CA	ARG	M	116	106.775	12.590	92.439	1.00159.49	M
ATOM	22788	CB	ARG	M	116	107.176	12.067	91.061	1.00160.16	M
ATOM	22789	CG	ARG	M	116	106.033	11.950	90.070	1.00162.25	M
ATOM	22790	CD	ARG	M	116	106.525	11.338	88.766	1.00165.08	M
ATOM	22791	NE	ARG	M	116	107.585	12.140	88.162	1.00166.56	M
ATOM	22792	CZ	ARG	M	116	108.297	11.763	87.104	1.00166.09	M
ATOM	22793	NH1	ARG	M	116	108.065	10.588	86.529	1.00164.75	M
ATOM	22794	NH2	ARG	M	116	109.242	12.562	86.620	1.00166.04	M
ATOM	22795	C	ARG	M	116	105.673	11.705	93.022	1.00161.63	M
ATOM	22796	O	ARG	M	116	105.761	10.475	92.974	1.00162.02	M
ATOM	22797	N	PRO	M	117	104.615	12.323	93.576	1.00162.92	M
ATOM	22798	CD	PRO	M	117	104.424	13.777	93.711	1.00163.09	M
ATOM	22799	CA	PRO	M	117	103.488	11.601	94.172	1.00163.29	M
ATOM	22800	CB	PRO	M	117	102.490	12.715	94.471	1.00163.05	M
ATOM	22801	CG	PRO	M	117	103.382	13.861	94.801	1.00162.66	M
ATOM	22802	C	PRO	M	117	102.914	10.553	93.227	1.00163.72	M
ATOM	22803	O	PRO	M	117	102.284	10.892	92.226	1.00163.84	M

ATOM	22804	N	ALA	M	118	103.140	9.283	93.546	1.00163.65	M
ATOM	22805	CA	ALA	M	118	102.635	8.192	92.726	1.00163.56	M
ATOM	22806	CB	ALA	M	118	103.204	6.865	93.218	1.00162.36	M
ATOM	22807	C	ALA	M	118	101.110	8.182	92.803	1.00164.30	M
ATOM	22808	O	ALA	M	118	100.522	7.349	93.488	1.00164.18	M
ATOM	22809	N	LYS	M	119	100.484	9.125	92.099	1.00165.85	M
ATOM	22810	CA	LYS	M	119	99.027	9.262	92.072	1.00167.17	M
ATOM	22811	CB	LYS	M	119	98.498	9.539	93.485	1.00167.64	M
ATOM	22812	CG	LYS	M	119	97.027	9.210	93.696	1.00167.88	M
ATOM	22813	CD	LYS	M	119	96.811	7.706	93.694	1.00168.09	M
ATOM	22814	CE	LYS	M	119	95.393	7.340	94.091	1.00168.69	M
ATOM	22815	NZ	LYS	M	119	95.223	5.864	94.217	1.00169.57	M
ATOM	22816	C	LYS	M	119	98.660	10.434	91.157	1.00167.72	M
ATOM	22817	O	LYS	M	119	97.551	10.965	91.229	1.00167.97	M
ATOM	22818	N	LEU	M	120	99.601	10.828	90.301	1.00167.76	M
ATOM	22819	CA	LEU	M	120	99.407	11.948	89.384	1.00167.78	M
ATOM	22820	CB	LEU	M	120	100.755	12.619	89.096	1.00166.94	M
ATOM	22821	CG	LEU	M	120	101.557	13.072	90.323	1.00166.69	M
ATOM	22822	CD1	LEU	M	120	102.870	13.694	89.874	1.00166.41	M
ATOM	22823	CD2	LEU	M	120	100.746	14.071	91.141	1.00166.18	M
ATOM	22824	C	LEU	M	120	98.740	11.539	88.072	1.00168.20	M
ATOM	22825	O	LEU	M	120	99.035	10.480	87.512	1.00168.25	M
ATOM	22826	N	ALA	M	121	97.838	12.392	87.592	1.00168.67	M
ATOM	22827	CA	ALA	M	121	97.108	12.145	86.353	1.00169.04	M
ATOM	22828	CB	ALA	M	121	95.943	13.122	86.233	1.00169.00	M
ATOM	22829	C	ALA	M	121	98.021	12.270	85.138	1.00169.45	M
ATOM	22830	O	ALA	M	121	98.563	11.275	84.651	1.00169.52	M
ATOM	22831	N	LEU	M	122	98.176	13.497	84.647	1.00169.27	M
ATOM	22832	CA	LEU	M	122	99.023	13.767	83.492	1.00169.57	M
ATOM	22833	CB	LEU	M	122	99.269	15.274	83.373	1.00168.91	M
ATOM	22834	CG	LEU	M	122	100.380	15.709	82.416	1.00168.50	M
ATOM	22835	CD1	LEU	M	122	100.089	15.188	81.026	1.00168.13	M
ATOM	22836	CD2	LEU	M	122	100.486	17.220	82.407	1.00168.45	M
ATOM	22837	C	LEU	M	122	100.364	13.038	83.585	1.00170.32	M
ATOM	22838	O	LEU	M	122	101.218	13.405	84.393	1.00170.67	M
ATOM	22839	N	PRO	M	123	100.566	11.995	82.759	1.00170.58	M
ATOM	22840	CD	PRO	M	123	99.706	11.520	81.661	1.00170.64	M
ATOM	22841	CA	PRO	M	123	101.829	11.250	82.789	1.00170.73	M
ATOM	22842	CB	PRO	M	123	101.620	10.179	81.720	1.00170.25	M
ATOM	22843	CG	PRO	M	123	100.705	10.850	80.748	1.00169.87	M
ATOM	22844	C	PRO	M	123	103.021	12.169	82.493	1.00171.07	M
ATOM	22845	O	PRO	M	123	102.914	13.103	81.693	1.00171.09	M
ATOM	22846	N	PRO	M	124	104.177	11.906	83.129	1.00170.72	M
ATOM	22847	CD	PRO	M	124	104.478	10.681	83.891	1.00170.09	M
ATOM	22848	CA	PRO	M	124	105.392	12.711	82.946	1.00169.98	M
ATOM	22849	CB	PRO	M	124	106.472	11.874	83.641	1.00169.50	M
ATOM	22850	CG	PRO	M	124	105.931	10.476	83.580	1.00169.43	M
ATOM	22851	C	PRO	M	124	105.767	13.078	81.507	1.00169.65	M
ATOM	22852	O	PRO	M	124	106.153	14.215	81.230	1.00168.81	M
ATOM	22853	N	ASP	M	125	105.646	12.117	80.599	1.00170.24	M
ATOM	22854	CA	ASP	M	125	105.985	12.332	79.194	1.00170.83	M
ATOM	22855	CB	ASP	M	125	105.865	11.012	78.428	1.00172.07	M
ATOM	22856	CG	ASP	M	125	104.500	10.365	78.591	1.00173.62	M
ATOM	22857	OD1	ASP	M	125	103.488	11.005	78.233	1.00175.11	M
ATOM	22858	OD2	ASP	M	125	104.440	9.215	79.075	1.00174.30	M
ATOM	22859	C	ASP	M	125	105.131	13.394	78.503	1.00170.73	M
ATOM	22860	O	ASP	M	125	105.602	14.092	77.604	1.00170.35	M
ATOM	22861	N	GLN	M	126	103.877	13.511	78.926	1.00170.99	M

ATOM	22862	CA	GLN	M	126	102.944	14.467	78.339	1.00170.91	M
ATOM	22863	CB	GLN	M	126	101.536	13.866	78.373	1.00170.80	M
ATOM	22864	CG	GLN	M	126	100.476	14.630	77.600	1.00170.53	M
ATOM	22865	CD	GLN	M	126	99.131	13.921	77.613	1.00170.10	M
ATOM	22866	OE1	GLN	M	126	98.138	14.437	77.098	1.00169.57	M
ATOM	22867	NE2	GLN	M	126	99.094	12.730	78.204	1.00169.53	M
ATOM	22868	C	GLN	M	126	102.972	15.810	79.073	1.00170.79	M
ATOM	22869	O	GLN	M	126	101.968	16.523	79.134	1.00169.89	M
ATOM	22870	N	ALA	M	127	104.137	16.158	79.611	1.00171.31	M
ATOM	22871	CA	ALA	M	127	104.294	17.401	80.356	1.00171.64	M
ATOM	22872	CB	ALA	M	127	105.087	17.134	81.632	1.00170.81	M
ATOM	22873	C	ALA	M	127	104.944	18.545	79.573	1.00171.88	M
ATOM	22874	O	ALA	M	127	104.498	19.689	79.661	1.00172.54	M
ATOM	22875	N	ALA	M	128	105.992	18.238	78.813	1.00171.80	M
ATOM	22876	CA	ALA	M	128	106.711	19.254	78.039	1.00171.19	M
ATOM	22877	CB	ALA	M	128	107.897	18.614	77.318	1.00170.88	M
ATOM	22878	C	ALA	M	128	105.859	20.042	77.038	1.00171.18	M
ATOM	22879	O	ALA	M	128	106.196	21.179	76.704	1.00171.05	M
ATOM	22880	N	GLU	M	129	104.766	19.450	76.559	1.00171.37	M
ATOM	22881	CA	GLU	M	129	103.899	20.131	75.596	1.00170.81	M
ATOM	22882	CB	GLU	M	129	102.931	19.148	74.928	1.00170.24	M
ATOM	22883	CG	GLU	M	129	103.454	17.734	74.753	1.00168.93	M
ATOM	22884	CD	GLU	M	129	102.862	16.770	75.766	1.00168.72	M
ATOM	22885	OE1	GLU	M	129	103.191	15.569	75.701	1.00169.13	M
ATOM	22886	OE2	GLU	M	129	102.065	17.213	76.623	1.00167.54	M
ATOM	22887	C	GLU	M	129	103.078	21.201	76.309	1.00170.97	M
ATOM	22888	O	GLU	M	129	102.855	22.294	75.780	1.00170.80	M
ATOM	22889	N	LYS	M	130	102.633	20.864	77.516	1.00171.22	M
ATOM	22890	CA	LYS	M	130	101.823	21.750	78.344	1.00171.10	M
ATOM	22891	CB	LYS	M	130	101.431	21.026	79.635	1.00170.08	M
ATOM	22892	CG	LYS	M	130	101.008	19.577	79.435	1.00167.47	M
ATOM	22893	CD	LYS	M	130	99.824	19.474	78.494	1.00165.74	M
ATOM	22894	CE	LYS	M	130	99.460	18.030	78.228	1.00164.71	M
ATOM	22895	NZ	LYS	M	130	98.316	17.936	77.287	1.00164.36	M
ATOM	22896	C	LYS	M	130	102.541	23.051	78.697	1.00171.35	M
ATOM	22897	O	LYS	M	130	101.998	23.890	79.412	1.00171.39	M
ATOM	22898	N	LEU	M	131	103.760	23.215	78.199	1.00171.89	M
ATOM	22899	CA	LEU	M	131	104.532	24.415	78.484	1.00172.68	M
ATOM	22900	CB	LEU	M	131	106.030	24.118	78.358	1.00172.16	M
ATOM	22901	CG	LEU	M	131	107.020	25.209	78.780	1.00171.19	M
ATOM	22902	CD1	LEU	M	131	106.815	25.563	80.247	1.00171.13	M
ATOM	22903	CD2	LEU	M	131	108.441	24.713	78.556	1.00170.76	M
ATOM	22904	C	LEU	M	131	104.151	25.560	77.553	1.00173.78	M
ATOM	22905	O	LEU	M	131	104.447	25.532	76.357	1.00174.25	M
ATOM	22906	N	ARG	M	132	103.478	26.560	78.114	1.00174.67	M
ATOM	22907	CA	ARG	M	132	103.062	27.738	77.361	1.00175.23	M
ATOM	22908	CB	ARG	M	132	101.644	28.152	77.764	1.00174.68	M
ATOM	22909	CG	ARG	M	132	100.617	27.023	77.715	1.00173.46	M
ATOM	22910	CD	ARG	M	132	99.374	27.396	78.528	1.00172.38	M
ATOM	22911	NE	ARG	M	132	98.529	26.243	78.826	1.00170.19	M
ATOM	22912	CZ	ARG	M	132	97.552	26.247	79.731	1.00168.61	M
ATOM	22913	NH1	ARG	M	132	97.295	27.347	80.430	1.00167.14	M
ATOM	22914	NH2	ARG	M	132	96.837	25.149	79.941	1.00167.99	M
ATOM	22915	C	ARG	M	132	104.058	28.834	77.730	1.00176.17	M
ATOM	22916	O	ARG	M	132	105.016	28.573	78.457	1.00175.95	M
ATOM	22917	N	PHE	M	133	103.845	30.054	77.243	1.00178.03	M
ATOM	22918	CA	PHE	M	133	104.770	31.147	77.545	1.00179.66	M
ATOM	22919	CB	PHE	M	133	105.786	31.314	76.406	1.00181.88	M

ATOM	22920	CG	PHE	M	133	106.646	30.105	76.168	1.00183.58	M
ATOM	22921	CD1	PHE	M	133	106.119	28.962	75.572	1.00183.76	M
ATOM	22922	CD2	PHE	M	133	107.985	30.106	76.545	1.00184.27	M
ATOM	22923	CE1	PHE	M	133	106.912	27.841	75.356	1.00184.04	M
ATOM	22924	CE2	PHE	M	133	108.787	28.989	76.331	1.00184.43	M
ATOM	22925	CZ	PHE	M	133	108.247	27.854	75.736	1.00184.31	M
ATOM	22926	C	PHE	M	133	104.121	32.505	77.814	1.00179.37	M
ATOM	22927	O	PHE	M	133	102.952	32.601	78.182	1.00179.82	M
ATOM	22928	N	ARG	M	134	104.922	33.549	77.624	1.00178.26	M
ATOM	22929	CA	ARG	M	134	104.519	34.939	77.814	1.00177.44	M
ATOM	22930	CB	ARG	M	134	104.243	35.233	79.283	1.00174.48	M
ATOM	22931	CG	ARG	M	134	103.911	36.688	79.561	1.00170.22	M
ATOM	22932	CD	ARG	M	134	103.899	36.947	81.048	1.00167.46	M
ATOM	22933	NE	ARG	M	134	103.071	35.965	81.736	1.00165.53	M
ATOM	22934	CZ	ARG	M	134	103.013	35.833	83.056	1.00164.18	M
ATOM	22935	NH1	ARG	M	134	103.738	36.625	83.837	1.00162.52	M
ATOM	22936	NH2	ARG	M	134	102.233	34.907	83.597	1.00162.92	M
ATOM	22937	C	ARG	M	134	105.725	35.741	77.366	1.00178.56	M
ATOM	22938	O	ARG	M	134	106.500	36.229	78.190	1.00178.45	M
ATOM	22939	N	ARG	M	135	105.878	35.873	76.055	1.00180.51	M
ATOM	22940	CA	ARG	M	135	107.022	36.574	75.496	1.00182.26	M
ATOM	22941	CB	ARG	M	135	107.391	35.937	74.149	1.00183.27	M
ATOM	22942	CG	ARG	M	135	106.548	36.359	72.952	1.00183.89	M
ATOM	22943	CD	ARG	M	135	107.369	37.318	72.117	1.00184.22	M
ATOM	22944	NE	ARG	M	135	108.717	36.782	71.990	1.00184.14	M
ATOM	22945	CZ	ARG	M	135	109.810	37.513	71.813	1.00183.78	M
ATOM	22946	NH1	ARG	M	135	110.987	36.909	71.719	1.00183.67	M
ATOM	22947	NH2	ARG	M	135	109.734	38.837	71.735	1.00183.08	M
ATOM	22948	C	ARG	M	135	106.865	38.088	75.354	1.00182.82	M
ATOM	22949	O	ARG	M	135	106.018	38.572	74.603	1.00183.28	M
ATOM	22950	N	SER	M	136	107.692	38.824	76.095	1.00182.94	M
ATOM	22951	CA	SER	M	136	107.690	40.286	76.066	1.00183.35	M
ATOM	22952	CB	SER	M	136	107.906	40.852	77.477	1.00182.31	M
ATOM	22953	OG	SER	M	136	106.867	40.471	78.363	1.00181.01	M
ATOM	22954	C	SER	M	136	108.821	40.761	75.152	1.00183.87	M
ATOM	22955	O	SER	M	136	109.003	40.243	74.047	1.00184.13	M
ATOM	22956	N	ALA	M	137	109.576	41.749	75.618	1.00184.02	M
ATOM	22957	CA	ALA	M	137	110.700	42.284	74.862	1.00184.04	M
ATOM	22958	CB	ALA	M	137	110.451	43.742	74.503	1.00184.02	M
ATOM	22959	C	ALA	M	137	111.928	42.160	75.754	1.00184.01	M
ATOM	22960	O	ALA	M	137	113.051	42.467	75.348	1.00184.27	M
ATOM	22961	N	ASN	M	138	111.687	41.704	76.981	1.00183.66	M
ATOM	22962	CA	ASN	M	138	112.736	41.511	77.975	1.00182.80	M
ATOM	22963	CB	ASN	M	138	113.251	42.869	78.481	1.00184.17	M
ATOM	22964	CG	ASN	M	138	112.154	43.729	79.107	1.00185.91	M
ATOM	22965	OD1	ASN	M	138	111.442	43.298	80.020	1.00187.17	M
ATOM	22966	ND2	ASN	M	138	112.026	44.960	78.622	1.00186.17	M
ATOM	22967	C	ASN	M	138	112.257	40.666	79.160	1.00181.29	M
ATOM	22968	O	ASN	M	138	113.037	40.356	80.062	1.00181.27	M
ATOM	22969	N	SER	M	139	110.982	40.286	79.157	1.00179.09	M
ATOM	22970	CA	SER	M	139	110.432	39.495	80.253	1.00176.98	M
ATOM	22971	CB	SER	M	139	109.526	40.374	81.122	1.00175.27	M
ATOM	22972	OG	SER	M	139	110.258	41.436	81.705	1.00171.87	M
ATOM	22973	C	SER	M	139	109.659	38.256	79.804	1.00176.77	M
ATOM	22974	O	SER	M	139	108.473	38.117	80.103	1.00177.03	M
ATOM	22975	N	LEU	M	140	110.331	37.357	79.090	1.00176.12	M
ATOM	22976	CA	LEU	M	140	109.692	36.126	78.626	1.00175.34	M
ATOM	22977	CB	LEU	M	140	110.638	35.352	77.699	1.00175.45	M

ATOM	22978	CG	LEU	M	140	110.082	34.151	76.924	1.00175.32	M
ATOM	22979	CD1	LEU	M	140	111.117	33.688	75.909	1.00174.80	M
ATOM	22980	CD2	LEU	M	140	109.721	33.022	77.880	1.00175.41	M
ATOM	22981	C	LEU	M	140	109.362	35.297	79.864	1.00174.45	M
ATOM	22982	O	LEU	M	140	110.211	35.110	80.733	1.00174.57	M
ATOM	22983	N	THR	M	141	108.133	34.798	79.943	1.00173.50	M
ATOM	22984	CA	THR	M	141	107.713	34.023	81.104	1.00172.55	M
ATOM	22985	CB	THR	M	141	106.464	34.652	81.758	1.00172.71	M
ATOM	22986	OG1	THR	M	141	106.715	36.034	82.038	1.00173.00	M
ATOM	22987	CG2	THR	M	141	106.115	33.927	83.053	1.00171.88	M
ATOM	22988	C	THR	M	141	107.409	32.554	80.820	1.00172.01	M
ATOM	22989	O	THR	M	141	106.387	32.223	80.214	1.00172.10	M
ATOM	22990	N	LEU	M	142	108.303	31.679	81.271	1.00171.10	M
ATOM	22991	CA	LEU	M	142	108.126	30.240	81.105	1.00170.05	M
ATOM	22992	CB	LEU	M	142	109.433	29.494	81.411	1.00170.75	M
ATOM	22993	CG	LEU	M	142	110.649	29.662	80.489	1.00171.05	M
ATOM	22994	CD1	LEU	M	142	110.367	29.008	79.152	1.00171.20	M
ATOM	22995	CD2	LEU	M	142	110.984	31.136	80.309	1.00171.14	M
ATOM	22996	C	LEU	M	142	107.051	29.823	82.105	1.00168.69	M
ATOM	22997	O	LEU	M	142	107.185	30.067	83.303	1.00167.24	M
ATOM	22998	N	ILE	M	143	105.984	29.201	81.615	1.00167.98	M
ATOM	22999	CA	ILE	M	143	104.892	28.776	82.484	1.00166.78	M
ATOM	23000	CB	ILE	M	143	103.626	29.651	82.231	1.00167.11	M
ATOM	23001	CG2	ILE	M	143	103.441	29.889	80.741	1.00167.09	M
ATOM	23002	CD1	ILE	M	143	102.386	28.995	82.849	1.00167.31	M
ATOM	23003	CG1	ILE	M	143	102.393	28.949	84.366	1.00166.98	M
ATOM	23004	C	ILE	M	143	104.540	27.291	82.341	1.00165.12	M
ATOM	23005	O	ILE	M	143	104.252	26.804	81.247	1.00164.76	M
ATOM	23006	N	ASN	M	144	104.568	26.582	83.465	1.00163.33	M
ATOM	23007	CA	ASN	M	144	104.255	25.160	83.496	1.00161.86	M
ATOM	23008	CB	ASN	M	144	105.486	24.361	83.925	1.00162.24	M
ATOM	23009	CG	ASN	M	144	105.135	22.974	84.421	1.00162.36	M
ATOM	23010	OD1	ASN	M	144	104.422	22.226	83.753	1.00161.71	M
ATOM	23011	ND2	ASN	M	144	105.638	22.623	85.598	1.00161.60	M
ATOM	23012	C	ASN	M	144	103.093	24.852	84.436	1.00160.90	M
ATOM	23013	O	ASN	M	144	103.192	25.047	85.647	1.00159.85	M
ATOM	23014	N	PRO	M	145	101.970	24.372	83.879	1.00160.83	M
ATOM	23015	CD	PRO	M	145	101.677	24.407	82.435	1.00161.04	M
ATOM	23016	CA	PRO	M	145	100.764	24.022	84.633	1.00160.92	M
ATOM	23017	CB	PRO	M	145	99.655	24.344	83.646	1.00160.80	M
ATOM	23018	CG	PRO	M	145	100.252	23.868	82.370	1.00160.90	M
ATOM	23019	C	PRO	M	145	100.730	22.555	85.072	1.00160.78	M
ATOM	23020	O	PRO	M	145	99.770	22.113	85.701	1.00160.47	M
ATOM	23021	N	THR	M	146	101.766	21.799	84.729	1.00160.53	M
ATOM	23022	CA	THR	M	146	101.825	20.392	85.108	1.00160.60	M
ATOM	23023	CB	THR	M	146	102.700	19.584	84.132	1.00161.32	M
ATOM	23024	OG1	THR	M	146	104.082	19.902	84.345	1.00162.35	M
ATOM	23025	CG2	THR	M	146	102.333	19.916	82.696	1.00161.89	M
ATOM	23026	C	THR	M	146	102.433	20.283	86.503	1.00160.58	M
ATOM	23027	O	THR	M	146	103.033	21.235	87.001	1.00161.32	M
ATOM	23028	N	PRO	M	147	102.280	19.121	87.156	1.00159.86	M
ATOM	23029	CD	PRO	M	147	101.388	18.007	86.787	1.00159.22	M
ATOM	23030	CA	PRO	M	147	102.831	18.921	88.500	1.00159.21	M
ATOM	23031	CB	PRO	M	147	101.934	17.832	89.067	1.00159.47	M
ATOM	23032	CG	PRO	M	147	101.683	16.982	87.864	1.00159.31	M
ATOM	23033	C	PRO	M	147	104.307	18.513	88.522	1.00159.17	M
ATOM	23034	O	PRO	M	147	104.805	18.037	89.544	1.00158.58	M
ATOM	23035	N	TYR	M	148	105.001	18.701	87.401	1.00159.97	M

ATOM	23036	CA	TYR	M	148	106.417	18.334	87.299	1.00160.16	M
ATOM	23037	CB	TYR	M	148	106.642	17.319	86.166	1.00161.83	M
ATOM	23038	CG	TYR	M	148	105.765	16.085	86.188	1.00163.31	M
ATOM	23039	CD1	TYR	M	148	104.457	16.124	85.701	1.00163.73	M
ATOM	23040	CE1	TYR	M	148	103.655	14.983	85.698	1.00164.53	M
ATOM	23041	CD2	TYR	M	148	106.251	14.871	86.677	1.00163.72	M
ATOM	23042	CE2	TYR	M	148	105.459	13.725	86.679	1.00164.17	M
ATOM	23043	CZ	TYR	M	148	104.164	13.787	86.189	1.00164.73	M
ATOM	23044	OH	TYR	M	148	103.385	12.651	86.194	1.00165.72	M
ATOM	23045	C	TYR	M	148	107.348	19.521	87.041	1.00158.72	M
ATOM	23046	O	TYR	M	148	106.962	20.495	86.390	1.00157.97	M
ATOM	23047	N	TYR	M	149	108.579	19.429	87.546	1.00156.96	M
ATOM	23048	CA	TYR	M	149	109.574	20.478	87.327	1.00155.30	M
ATOM	23049	CB	TYR	M	149	110.731	20.388	88.329	1.00151.03	M
ATOM	23050	CG	TYR	M	149	110.486	20.987	89.697	1.00145.87	M
ATOM	23051	CD1	TYR	M	149	109.896	20.241	90.714	1.00145.22	M
ATOM	23052	CE1	TYR	M	149	109.704	20.780	91.987	1.00142.84	M
ATOM	23053	CD2	TYR	M	149	110.876	22.294	89.983	1.00143.31	M
ATOM	23054	CE2	TYR	M	149	110.688	22.843	91.250	1.00141.38	M
ATOM	23055	CZ	TYR	M	149	110.102	22.080	92.249	1.00141.83	M
ATOM	23056	OH	TYR	M	149	109.912	22.605	93.509	1.00138.74	M
ATOM	23057	C	TYR	M	149	110.139	20.257	85.930	1.00156.58	M
ATOM	23058	O	TYR	M	149	110.925	19.334	85.718	1.00157.08	M
ATOM	23059	N	LEU	M	150	109.739	21.097	84.982	1.00158.18	M
ATOM	23060	CA	LEU	M	150	110.219	20.969	83.610	1.00159.28	M
ATOM	23061	CB	LEU	M	150	109.254	21.661	82.642	1.00159.56	M
ATOM	23062	CG	LEU	M	150	107.780	21.253	82.675	1.00159.18	M
ATOM	23063	CD1	LEU	M	150	107.019	22.066	81.638	1.00158.81	M
ATOM	23064	CD2	LEU	M	150	107.638	19.765	82.401	1.00158.84	M
ATOM	23065	C	LEU	M	150	111.606	21.587	83.466	1.00160.01	M
ATOM	23066	O	LEU	M	150	111.769	22.799	83.606	1.00160.11	M
ATOM	23067	N	THR	M	151	112.603	20.754	83.187	1.00160.64	M
ATOM	23068	CA	THR	M	151	113.965	21.241	83.023	1.00161.04	M
ATOM	23069	CB	THR	M	151	114.987	20.124	83.324	1.00160.24	M
ATOM	23070	OG1	THR	M	151	114.693	19.537	84.599	1.00158.03	M
ATOM	23071	CG2	THR	M	151	116.396	20.689	83.358	1.00159.52	M
ATOM	23072	C	THR	M	151	114.159	21.740	81.590	1.00162.07	M
ATOM	23073	O	THR	M	151	114.698	21.025	80.743	1.00162.39	M
ATOM	23074	N	VAL	M	152	113.708	22.968	81.332	1.00162.45	M
ATOM	23075	CA	VAL	M	152	113.806	23.590	80.010	1.00162.06	M
ATOM	23076	CB	VAL	M	152	112.934	24.871	79.934	1.00160.42	M
ATOM	23077	CG1	VAL	M	152	113.146	25.573	78.601	1.00159.55	M
ATOM	23078	CG2	VAL	M	152	111.467	24.514	80.112	1.00158.89	M
ATOM	23079	C	VAL	M	152	115.238	23.951	79.617	1.00162.96	M
ATOM	23080	O	VAL	M	152	115.935	24.661	80.341	1.00162.45	M
ATOM	23081	N	THR	M	153	115.664	23.456	78.459	1.00164.11	M
ATOM	23082	CA	THR	M	153	117.004	23.719	77.959	1.00165.22	M
ATOM	23083	CB	THR	M	153	117.926	22.502	78.168	1.00165.35	M
ATOM	23084	OG1	THR	M	153	119.211	22.771	77.595	1.00166.14	M
ATOM	23085	CG2	THR	M	153	117.334	21.269	77.513	1.00164.92	M
ATOM	23086	C	THR	M	153	116.982	24.069	76.474	1.00166.06	M
ATOM	23087	O	THR	M	153	115.966	23.896	75.796	1.00165.51	M
ATOM	23088	N	GLU	M	154	118.116	24.561	75.982	1.00167.64	M
ATOM	23089	CA	GLU	M	154	118.265	24.955	74.585	1.00169.60	M
ATOM	23090	CB	GLU	M	154	118.321	23.717	73.690	1.00169.68	M
ATOM	23091	CG	GLU	M	154	119.341	22.678	74.139	1.00169.16	M
ATOM	23092	CD	GLU	M	154	119.520	21.557	73.133	1.00169.62	M
ATOM	23093	OE1	GLU	M	154	120.153	20.535	73.476	1.00168.97	M

ATOM	23094	OE2	GLU	M	154	119.034	21.705	71.992	1.00170.41	M
ATOM	23095	C	GLU	M	154	117.116	25.864	74.150	1.00171.43	M
ATOM	23096	O	GLU	M	154	116.596	25.741	73.039	1.00171.57	M
ATOM	23097	N	LEU	M	155	116.724	26.772	75.041	1.00173.17	M
ATOM	23098	CA	LEU	M	155	115.642	27.716	74.770	1.00174.48	M
ATOM	23099	CB	LEU	M	155	115.224	28.422	76.066	1.00175.68	M
ATOM	23100	CG	LEU	M	155	113.999	29.342	76.034	1.00176.29	M
ATOM	23101	CD1	LEU	M	155	112.770	28.561	75.587	1.00177.00	M
ATOM	23102	CD2	LEU	M	155	113.773	29.934	77.418	1.00176.38	M
ATOM	23103	C	LEU	M	155	116.116	28.742	73.744	1.00174.63	M
ATOM	23104	O	LEU	M	155	117.243	29.229	73.822	1.00174.33	M
ATOM	23105	N	ASN	M	156	115.256	29.068	72.784	1.00175.22	M
ATOM	23106	CA	ASN	M	156	115.619	30.024	71.744	1.00176.15	M
ATOM	23107	CB	ASN	M	156	116.107	29.277	70.501	1.00175.16	M
ATOM	23108	CG	ASN	M	156	117.131	28.209	70.828	1.00174.26	M
ATOM	23109	OD1	ASN	M	156	118.200	28.498	71.366	1.00173.65	M
ATOM	23110	ND2	ASN	M	156	116.806	26.963	70.507	1.00173.16	M
ATOM	23111	C	ASN	M	156	114.460	30.933	71.351	1.00177.52	M
ATOM	23112	O	ASN	M	156	113.340	30.467	71.136	1.00177.04	M
ATOM	23113	N	ALA	M	157	114.739	32.232	71.256	1.00179.26	M
ATOM	23114	CA	ALA	M	157	113.731	33.216	70.867	1.00180.74	M
ATOM	23115	CB	ALA	M	157	114.218	34.624	71.194	1.00180.15	M
ATOM	23116	C	ALA	M	157	113.518	33.066	69.364	1.00181.78	M
ATOM	23117	O	ALA	M	157	113.213	34.030	68.658	1.00181.80	M
ATOM	23118	N	GLY	M	158	113.681	31.832	68.895	1.00182.73	M
ATOM	23119	CA	GLY	M	158	113.539	31.528	67.485	1.00183.82	M
ATOM	23120	C	GLY	M	158	114.921	31.339	66.892	1.00184.39	M
ATOM	23121	O	GLY	M	158	115.277	30.249	66.439	1.00183.96	M
ATOM	23122	N	THR	M	159	115.704	32.414	66.914	1.00185.09	M
ATOM	23123	CA	THR	M	159	117.065	32.411	66.389	1.00185.62	M
ATOM	23124	CB	THR	M	159	117.228	33.447	65.256	1.00185.33	M
ATOM	23125	OG1	THR	M	159	116.898	34.752	65.749	1.00185.31	M
ATOM	23126	CG2	THR	M	159	116.315	33.110	64.089	1.00184.87	M
ATOM	23127	C	THR	M	159	118.039	32.765	67.507	1.00185.91	M
ATOM	23128	O	THR	M	159	119.160	32.257	67.560	1.00185.79	M
ATOM	23129	N	ARG	M	160	117.593	33.643	68.400	1.00185.94	M
ATOM	23130	CA	ARG	M	160	118.399	34.092	69.527	1.00185.85	M
ATOM	23131	CB	ARG	M	160	117.891	35.456	70.000	1.00187.03	M
ATOM	23132	CG	ARG	M	160	118.482	35.949	71.309	1.00188.64	M
ATOM	23133	CD	ARG	M	160	120.005	35.925	71.317	1.00189.35	M
ATOM	23134	NE	ARG	M	160	120.524	36.730	72.416	1.00190.57	M
ATOM	23135	CZ	ARG	M	160	121.778	36.690	72.854	1.00191.09	M
ATOM	23136	NH1	ARG	M	160	122.666	35.876	72.290	1.00191.04	M
ATOM	23137	NH2	ARG	M	160	122.146	37.467	73.865	1.00191.81	M
ATOM	23138	C	ARG	M	160	118.363	33.085	70.676	1.00184.97	M
ATOM	23139	O	ARG	M	160	117.320	32.873	71.296	1.00185.01	M
ATOM	23140	N	VAL	M	161	119.513	32.470	70.950	1.00183.15	M
ATOM	23141	CA	VAL	M	161	119.635	31.476	72.014	1.00180.83	M
ATOM	23142	CB	VAL	M	161	120.952	30.666	71.887	1.00180.55	M
ATOM	23143	CG1	VAL	M	161	122.155	31.587	72.034	1.00180.32	M
ATOM	23144	CG2	VAL	M	161	120.992	29.569	72.941	1.00179.70	M
ATOM	23145	C	VAL	M	161	119.585	32.107	73.403	1.00179.10	M
ATOM	23146	O	VAL	M	161	120.243	33.114	73.669	1.00178.40	M
ATOM	23147	N	LEU	M	162	118.798	31.503	74.286	1.00177.47	M
ATOM	23148	CA	LEU	M	162	118.652	31.998	75.648	1.00175.29	M
ATOM	23149	CB	LEU	M	162	117.171	32.073	76.027	1.00175.98	M
ATOM	23150	CG	LEU	M	162	116.327	33.068	75.231	1.00176.22	M
ATOM	23151	CD1	LEU	M	162	114.900	33.096	75.768	1.00175.77	M

ATOM	23152	CD2	LEU	M	162	116.962	34.441	75.337	1.00176.05	M
ATOM	23153	C	LEU	M	162	119.389	31.127	76.656	1.00173.19	M
ATOM	23154	O	LEU	M	162	120.334	30.416	76.309	1.00172.86	M
ATOM	23155	N	GLU	M	163	118.946	31.190	77.908	1.00170.97	M
ATOM	23156	CA	GLU	M	163	119.560	30.416	78.975	1.00168.58	M
ATOM	23157	CB	GLU	M	163	120.094	31.357	80.053	1.00167.13	M
ATOM	23158	CG	GLU	M	163	121.000	30.684	81.056	1.00164.86	M
ATOM	23159	CD	GLU	M	163	121.850	31.677	81.808	1.00164.28	M
ATOM	23160	OE1	GLU	M	163	122.561	32.463	81.146	1.00164.02	M
ATOM	23161	OE2	GLU	M	163	121.812	31.671	83.055	1.00163.99	M
ATOM	23162	C	GLU	M	163	118.561	29.435	79.578	1.00167.55	M
ATOM	23163	O	GLU	M	163	117.366	29.725	79.670	1.00167.41	M
ATOM	23164	N	ASN	M	164	119.066	28.273	79.984	1.00166.29	M
ATOM	23165	CA	ASN	M	164	118.249	27.212	80.571	1.00164.72	M
ATOM	23166	CB	ASN	M	164	119.154	26.090	81.092	1.00162.66	M
ATOM	23167	CG	ASN	M	164	120.098	25.562	80.030	1.00160.50	M
ATOM	23168	OD1	ASN	M	164	119.669	24.985	79.032	1.00158.84	M
ATOM	23169	ND2	ASN	M	164	121.394	25.762	80.239	1.00159.13	M
ATOM	23170	C	ASN	M	164	117.355	27.714	81.704	1.00164.20	M
ATOM	23171	O	ASN	M	164	117.508	28.843	82.174	1.00164.94	M
ATOM	23172	N	ALA	M	165	116.428	26.867	82.144	1.00162.78	M
ATOM	23173	CA	ALA	M	165	115.510	27.227	83.218	1.00160.99	M
ATOM	23174	CB	ALA	M	165	114.413	28.132	82.674	1.00160.97	M
ATOM	23175	C	ALA	M	165	114.893	25.995	83.869	1.00159.76	M
ATOM	23176	O	ALA	M	165	114.868	24.917	83.278	1.00160.09	M
ATOM	23177	N	LEU	M	166	114.396	26.164	85.091	1.00158.69	M
ATOM	23178	CA	LEU	M	166	113.771	25.072	85.833	1.00158.51	M
ATOM	23179	CB	LEU	M	166	114.650	24.675	87.025	1.00154.99	M
ATOM	23180	CG	LEU	M	166	114.089	23.591	87.952	1.00151.79	M
ATOM	23181	CD1	LEU	M	166	113.913	22.295	87.185	1.00150.66	M
ATOM	23182	CD2	LEU	M	166	115.021	23.388	89.128	1.00149.53	M
ATOM	23183	C	LEU	M	166	112.381	25.481	86.324	1.00160.16	M
ATOM	23184	O	LEU	M	166	112.207	25.864	87.481	1.00160.41	M
ATOM	23185	N	VAL	M	167	111.394	25.394	85.435	1.00161.90	M
ATOM	23186	CA	VAL	M	167	110.019	25.760	85.761	1.00163.12	M
ATOM	23187	CB	VAL	M	167	109.143	25.797	84.487	1.00162.19	M
ATOM	23188	CG1	VAL	M	167	107.816	26.462	84.789	1.00162.23	M
ATOM	23189	CG2	VAL	M	167	109.872	26.535	83.373	1.00160.57	M
ATOM	23190	C	VAL	M	167	109.402	24.778	86.760	1.00165.03	M
ATOM	23191	O	VAL	M	167	109.221	23.600	86.458	1.00165.05	M
ATOM	23192	N	PRO	M	168	109.073	25.259	87.969	1.00167.02	M
ATOM	23193	CD	PRO	M	168	109.256	26.650	88.421	1.00167.23	M
ATOM	23194	CA	PRO	M	168	108.474	24.443	89.031	1.00169.01	M
ATOM	23195	CB	PRO	M	168	108.511	25.380	90.235	1.00168.54	M
ATOM	23196	CG	PRO	M	168	108.330	26.723	89.607	1.00167.44	M
ATOM	23197	C	PRO	M	168	107.053	23.962	88.708	1.00171.22	M
ATOM	23198	O	PRO	M	168	106.393	24.501	87.816	1.00171.85	M
ATOM	23199	N	PRO	M	169	106.570	22.934	89.431	1.00172.69	M
ATOM	23200	CD	PRO	M	169	107.321	22.177	90.443	1.00173.20	M
ATOM	23201	CA	PRO	M	169	105.234	22.354	89.254	1.00174.13	M
ATOM	23202	CB	PRO	M	169	105.197	21.242	90.301	1.00173.61	M
ATOM	23203	CG	PRO	M	169	106.619	20.842	90.421	1.00173.27	M
ATOM	23204	C	PRO	M	169	104.149	23.393	89.501	1.00175.58	M
ATOM	23205	O	PRO	M	169	104.115	24.019	90.563	1.00175.35	M
ATOM	23206	N	MET	M	170	103.264	23.570	88.525	1.00177.03	M
ATOM	23207	CA	MET	M	170	102.185	24.542	88.649	1.00177.95	M
ATOM	23208	CB	MET	M	170	101.234	24.125	89.772	1.00178.04	M
ATOM	23209	CG	MET	M	170	100.393	22.913	89.432	1.00177.43	M

ATOM	23210	SD	MET M 170	99.742	22.095	90.891	1.00178.32	M
ATOM	23211	CE	MET M 170	100.731	20.625	90.887	1.00177.32	M
ATOM	23212	C	MET M 170	102.767	25.918	88.937	1.00178.27	M
ATOM	23213	O	MET M 170	102.184	26.716	89.673	1.00178.41	M
ATOM	23214	N	GLY M 171	103.929	26.184	88.350	1.00178.21	M
ATOM	23215	CA	GLY M 171	104.584	27.461	88.548	1.00178.21	M
ATOM	23216	C	GLY M 171	105.068	28.036	87.235	1.00178.36	M
ATOM	23217	O	GLY M 171	104.711	27.549	86.162	1.00178.06	M
ATOM	23218	N	GLU M 172	105.887	29.078	87.324	1.00179.00	M
ATOM	23219	CA	GLU M 172	106.430	29.734	86.146	1.00179.27	M
ATOM	23220	CB	GLU M 172	105.447	30.801	85.648	1.00179.94	M
ATOM	23221	CG	GLU M 172	104.823	31.647	86.759	1.00180.96	M
ATOM	23222	CD	GLU M 172	103.650	32.489	86.273	1.00181.04	M
ATOM	23223	OE1	GLU M 172	103.866	33.377	85.420	1.00181.13	M
ATOM	23224	OE2	GLU M 172	102.513	32.259	86.744	1.00180.13	M
ATOM	23225	C	GLU M 172	107.788	30.354	86.451	1.00179.32	M
ATOM	23226	O	GLU M 172	108.158	30.528	87.612	1.00178.43	M
ATOM	23227	N	SER M 173	108.531	30.677	85.397	1.00180.38	M
ATOM	23228	CA	SER M 173	109.853	31.274	85.541	1.00181.60	M
ATOM	23229	CB	SER M 173	110.902	30.173	85.715	1.00181.18	M
ATOM	23230	OG	SER M 173	110.598	29.369	86.843	1.00180.08	M
ATOM	23231	C	SER M 173	110.186	32.137	84.326	1.00182.40	M
ATOM	23232	O	SER M 173	110.049	31.697	83.185	1.00182.44	M
ATOM	23233	N	ALA M 174	110.624	33.366	84.578	1.00183.26	M
ATOM	23234	CA	ALA M 174	110.954	34.290	83.500	1.00183.67	M
ATOM	23235	CB	ALA M 174	110.437	35.686	83.846	1.00184.32	M
ATOM	23236	C	ALA M 174	112.444	34.361	83.166	1.00183.52	M
ATOM	23237	O	ALA M 174	113.284	34.605	84.035	1.00183.14	M
ATOM	23238	N	VAL M 175	112.757	34.146	81.893	1.00183.51	M
ATOM	23239	CA	VAL M 175	114.124	34.208	81.410	1.00183.85	M
ATOM	23240	CB	VAL M 175	114.442	33.009	80.502	1.00184.06	M
ATOM	23241	CG1	VAL M 175	115.884	33.084	80.020	1.00183.72	M
ATOM	23242	CG2	VAL M 175	114.195	31.703	81.233	1.00184.03	M
ATOM	23243	C	VAL M 175	114.283	35.496	80.618	1.00184.43	M
ATOM	23244	O	VAL M 175	113.337	35.964	79.985	1.00184.20	M
ATOM	23245	N	LYS M 176	115.485	36.063	80.669	1.00185.35	M
ATOM	23246	CA	LYS M 176	115.781	37.325	79.992	1.00186.62	M
ATOM	23247	CB	LYS M 176	117.248	37.725	80.213	1.00185.60	M
ATOM	23248	CG	LYS M 176	117.565	38.078	81.657	1.00184.78	M
ATOM	23249	CD	LYS M 176	117.434	36.861	82.553	1.00184.98	M
ATOM	23250	CE	LYS M 176	117.144	37.274	83.988	1.00185.47	M
ATOM	23251	NZ	LYS M 176	115.795	37.935	84.100	1.00185.42	M
ATOM	23252	C	LYS M 176	115.495	37.310	78.486	1.00188.09	M
ATOM	23253	O	LYS M 176	116.242	36.719	77.711	1.00188.62	M
ATOM	23254	N	LEU M 177	114.417	37.968	78.069	1.00189.31	M
ATOM	23255	CA	LEU M 177	114.068	38.049	76.652	1.00190.32	M
ATOM	23256	CB	LEU M 177	112.583	38.375	76.497	1.00190.36	M
ATOM	23257	CG	LEU M 177	112.019	38.371	75.069	1.00190.41	M
ATOM	23258	CD1	LEU M 177	112.704	37.305	74.211	1.00189.84	M
ATOM	23259	CD2	LEU M 177	110.518	38.092	75.123	1.00190.82	M
ATOM	23260	C	LEU M 177	114.947	39.134	76.043	1.00191.31	M
ATOM	23261	O	LEU M 177	114.749	40.325	76.279	1.00190.92	M
ATOM	23262	N	PRO M 178	115.932	38.716	75.238	1.00192.78	M
ATOM	23263	CD	PRO M 178	115.981	37.323	74.758	1.00193.23	M
ATOM	23264	CA	PRO M 178	116.930	39.522	74.535	1.00194.08	M
ATOM	23265	CB	PRO M 178	117.728	38.468	73.779	1.00193.66	M
ATOM	23266	CG	PRO M 178	116.676	37.465	73.433	1.00193.60	M
ATOM	23267	C	PRO M 178	116.444	40.636	73.608	1.00195.30	M

ATOM	23268	O	PRO	M	178	117.201	41.564	73.300	1.00195.26	M
ATOM	23269	N	SER	M	179	115.196	40.551	73.161	1.00196.43	M
ATOM	23270	CA	SER	M	179	114.637	41.542	72.234	1.00197.09	M
ATOM	23271	CB	SER	M	179	114.920	42.979	72.705	1.00197.13	M
ATOM	23272	OG	SER	M	179	114.255	43.941	71.895	1.00197.84	M
ATOM	23273	C	SER	M	179	115.181	41.323	70.824	1.00197.23	M
ATOM	23274	O	SER	M	179	114.942	42.121	69.907	1.00197.28	M
ATOM	23275	N	ASP	M	180	115.944	40.239	70.687	1.00196.82	M
ATOM	23276	CA	ASP	M	180	116.516	39.801	69.407	1.00195.85	M
ATOM	23277	CB	ASP	M	180	117.974	39.357	69.594	1.00195.86	M
ATOM	23278	CG	ASP	M	180	118.864	40.463	70.131	1.00195.24	M
ATOM	23279	OD1	ASP	M	180	120.071	40.192	70.365	1.00194.49	M
ATOM	23280	OD2	ASP	M	180	118.371	41.599	70.319	1.00194.73	M
ATOM	23281	C	ASP	M	180	115.611	38.604	69.160	1.00194.79	M
ATOM	23282	O	ASP	M	180	115.995	37.565	68.637	1.00194.39	M
ATOM	23283	N	ALA	M	181	114.374	38.839	69.576	1.00194.02	M
ATOM	23284	CA	ALA	M	181	113.243	37.924	69.578	1.00193.42	M
ATOM	23285	CB	ALA	M	181	112.093	38.616	70.215	1.00192.69	M
ATOM	23286	C	ALA	M	181	112.763	37.311	68.266	1.00192.98	M
ATOM	23287	O	ALA	M	181	113.546	36.845	67.440	1.00193.44	M
ATOM	23288	N	GLY	M	182	111.435	37.267	68.151	1.00191.99	M
ATOM	23289	CA	GLY	M	182	110.735	36.702	67.011	1.00190.99	M
ATOM	23290	C	GLY	M	182	109.367	36.309	67.534	1.00190.55	M
ATOM	23291	O	GLY	M	182	108.440	37.120	67.553	1.00189.85	M
ATOM	23292	N	SER	M	183	109.271	35.062	67.980	1.00191.14	M
ATOM	23293	CA	SER	M	183	108.059	34.480	68.534	1.00191.80	M
ATOM	23294	CB	SER	M	183	106.791	35.075	67.902	1.00191.82	M
ATOM	23295	OG	SER	M	183	105.871	35.492	68.903	1.00191.35	M
ATOM	23296	C	SER	M	183	108.121	32.981	68.261	1.00191.85	M
ATOM	23297	O	SER	M	183	107.313	32.196	68.766	1.00191.98	M
ATOM	23298	N	ASN	M	184	109.099	32.593	67.450	1.00191.36	M
ATOM	23299	CA	ASN	M	184	109.311	31.191	67.101	1.00190.18	M
ATOM	23300	CB	ASN	M	184	110.225	31.077	65.867	1.00191.58	M
ATOM	23301	CG	ASN	M	184	110.535	29.631	65.493	1.00192.69	M
ATOM	23302	OD1	ASN	M	184	109.628	28.845	65.216	1.00193.46	M
ATOM	23303	ND2	ASN	M	184	111.821	29.275	65.489	1.00193.00	M
ATOM	23304	C	ASN	M	184	109.953	30.472	68.278	1.00188.38	M
ATOM	23305	O	ASN	M	184	110.896	29.695	68.109	1.00188.47	M
ATOM	23306	N	ILE	M	185	109.448	30.747	69.475	1.00185.96	M
ATOM	23307	CA	ILE	M	185	109.988	30.118	70.671	1.00183.40	M
ATOM	23308	CB	ILE	M	185	109.083	30.356	71.901	1.00183.40	M
ATOM	23309	CG2	ILE	M	185	109.708	29.698	73.131	1.00181.97	M
ATOM	23310	CG1	ILE	M	185	108.913	31.858	72.150	1.00183.37	M
ATOM	23311	CD1	ILE	M	185	108.022	32.197	73.333	1.00182.77	M
ATOM	23312	C	ILE	M	185	110.144	28.612	70.467	1.00181.28	M
ATOM	23313	O	ILE	M	185	109.228	27.945	69.994	1.00180.97	M
ATOM	23314	N	THR	M	186	111.321	28.095	70.807	1.00178.77	M
ATOM	23315	CA	THR	M	186	111.625	26.673	70.675	1.00176.06	M
ATOM	23316	CB	THR	M	186	112.554	26.416	69.480	1.00176.01	M
ATOM	23317	OG1	THR	M	186	113.760	27.172	69.638	1.00175.75	M
ATOM	23318	CG2	THR	M	186	111.876	26.827	68.185	1.00175.32	M
ATOM	23319	C	THR	M	186	112.309	26.191	71.949	1.00173.92	M
ATOM	23320	O	THR	M	186	112.957	26.980	72.638	1.00173.62	M
ATOM	23321	N	TYR	M	187	112.179	24.903	72.264	1.00171.58	M
ATOM	23322	CA	TYR	M	187	112.785	24.389	73.486	1.00169.33	M
ATOM	23323	CB	TYR	M	187	112.002	24.909	74.693	1.00169.88	M
ATOM	23324	CG	TYR	M	187	110.566	24.427	74.747	1.00170.31	M
ATOM	23325	CD1	TYR	M	187	110.229	23.239	75.398	1.00169.69	M

ATOM	23326	CE1	TYR	M	187	108.909	22.785	75.437	1.00170.48	M
ATOM	23327	CD2	TYR	M	187	109.545	25.152	74.131	1.00170.86	M
ATOM	23328	CE2	TYR	M	187	108.223	24.709	74.160	1.00171.33	M
ATOM	23329	CZ	TYR	M	187	107.911	23.526	74.814	1.00171.52	M
ATOM	23330	OH	TYR	M	187	106.604	23.090	74.837	1.00172.00	M
ATOM	23331	C	TYR	M	187	112.884	22.874	73.588	1.00167.29	M
ATOM	23332	O	TYR	M	187	112.095	22.138	72.994	1.00167.50	M
ATOM	23333	N	ARG	M	188	113.867	22.422	74.359	1.00164.56	M
ATOM	23334	CA	ARG	M	188	114.084	21.003	74.602	1.00162.61	M
ATOM	23335	CB	ARG	M	188	115.392	20.532	73.959	1.00162.09	M
ATOM	23336	CG	ARG	M	188	115.411	20.626	72.439	1.00161.34	M
ATOM	23337	CD	ARG	M	188	116.694	20.039	71.864	1.00160.26	M
ATOM	23338	NE	ARG	M	188	116.756	18.584	71.968	1.00158.13	M
ATOM	23339	CZ	ARG	M	188	116.046	17.749	71.215	1.00157.97	M
ATOM	23340	NH1	ARG	M	188	115.213	18.220	70.296	1.00157.49	M
ATOM	23341	NH2	ARG	M	188	116.172	16.440	71.374	1.00158.57	M
ATOM	23342	C	ARG	M	188	114.158	20.837	76.117	1.00161.60	M
ATOM	23343	O	ARG	M	188	114.588	21.749	76.820	1.00161.42	M
ATOM	23344	N	THR	M	189	113.728	19.684	76.621	1.00160.62	M
ATOM	23345	CA	THR	M	189	113.748	19.440	78.060	1.00159.17	M
ATOM	23346	CB	THR	M	189	112.324	19.303	78.626	1.00160.75	M
ATOM	23347	OG1	THR	M	189	111.812	18.000	78.319	1.00162.48	M
ATOM	23348	CG2	THR	M	189	111.403	20.355	78.014	1.00162.72	M
ATOM	23349	C	THR	M	189	114.514	18.175	78.425	1.00156.94	M
ATOM	23350	O	THR	M	189	114.965	17.434	77.553	1.00157.16	M
ATOM	23351	N	ILE	M	190	114.651	17.936	79.726	1.00154.58	M
ATOM	23352	CA	ILE	M	190	115.356	16.761	80.227	1.00152.38	M
ATOM	23353	CB	ILE	M	190	116.539	17.158	81.134	1.00150.72	M
ATOM	23354	CG2	ILE	M	190	117.323	15.920	81.533	1.00149.53	M
ATOM	23355	CG1	ILE	M	190	117.460	18.130	80.400	1.00149.30	M
ATOM	23356	CD1	ILE	M	190	118.613	18.617	81.241	1.00148.34	M
ATOM	23357	C	ILE	M	190	114.401	15.885	81.035	1.00151.43	M
ATOM	23358	O	ILE	M	190	113.895	16.299	82.078	1.00151.45	M
ATOM	23359	N	ASN	M	191	114.165	14.671	80.550	1.00149.85	M
ATOM	23360	CA	ASN	M	191	113.266	13.747	81.223	1.00148.87	M
ATOM	23361	CB	ASN	M	191	112.764	12.696	80.238	1.00149.98	M
ATOM	23362	CG	ASN	M	191	113.891	12.006	79.512	1.00150.89	M
ATOM	23363	OD1	ASN	M	191	114.772	11.412	80.132	1.00151.21	M
ATOM	23364	ND2	ASN	M	191	113.875	12.085	78.186	1.00152.21	M
ATOM	23365	C	ASN	M	191	113.907	13.062	82.421	1.00147.71	M
ATOM	23366	O	ASN	M	191	114.978	13.458	82.875	1.00146.15	M
ATOM	23367	N	ASP	M	192	113.239	12.018	82.908	1.00147.99	M
ATOM	23368	CA	ASP	M	192	113.675	11.255	84.078	1.00147.77	M
ATOM	23369	CB	ASP	M	192	112.597	10.238	84.477	1.00150.61	M
ATOM	23370	CG	ASP	M	192	111.232	10.874	84.685	1.00153.53	M
ATOM	23371	OD1	ASP	M	192	110.329	10.176	85.194	1.00154.92	M
ATOM	23372	OD2	ASP	M	192	111.059	12.061	84.332	1.00156.05	M
ATOM	23373	C	ASP	M	192	115.005	10.515	83.968	1.00145.49	M
ATOM	23374	O	ASP	M	192	115.655	10.257	84.982	1.00144.36	M
ATOM	23375	N	TYR	M	193	115.409	10.159	82.753	1.00143.78	M
ATOM	23376	CA	TYR	M	193	116.657	9.425	82.570	1.00142.60	M
ATOM	23377	CB	TYR	M	193	116.473	8.352	81.496	1.00139.31	M
ATOM	23378	CG	TYR	M	193	115.130	7.664	81.568	1.00136.59	M
ATOM	23379	CD1	TYR	M	193	114.057	8.109	80.795	1.00135.69	M
ATOM	23380	CE1	TYR	M	193	112.809	7.504	80.881	1.00133.93	M
ATOM	23381	CD2	TYR	M	193	114.920	6.592	82.433	1.00134.77	M
ATOM	23382	CE2	TYR	M	193	113.677	5.979	82.529	1.00133.25	M
ATOM	23383	CZ	TYR	M	193	112.627	6.439	81.751	1.00133.58	M

ATOM	23384	OH	TYR M 193	111.396	5.835	81.839	1.00133.30	M
ATOM	23385	C	TYR M 193	117.806	10.349	82.193	1.00143.89	M
ATOM	23386	O	TYR M 193	118.949	9.911	82.055	1.00142.62	M
ATOM	23387	N	GLY M 194	117.495	11.633	82.046	1.00146.49	M
ATOM	23388	CA	GLY M 194	118.509	12.605	81.684	1.00148.23	M
ATOM	23389	C	GLY M 194	118.651	12.704	80.180	1.00149.28	M
ATOM	23390	O	GLY M 194	119.754	12.891	79.663	1.00149.38	M
ATOM	23391	N	ALA M 195	117.528	12.584	79.475	1.00149.91	M
ATOM	23392	CA	ALA M 195	117.529	12.643	78.017	1.00150.65	M
ATOM	23393	CB	ALA M 195	117.038	11.316	77.454	1.00149.41	M
ATOM	23394	C	ALA M 195	116.688	13.794	77.457	1.00151.24	M
ATOM	23395	O	ALA M 195	115.554	14.021	77.884	1.00151.51	M
ATOM	23396	N	LEU M 196	117.258	14.515	76.496	1.00151.87	M
ATOM	23397	CA	LEU M 196	116.589	15.645	75.856	1.00152.74	M
ATOM	23398	CB	LEU M 196	117.529	16.316	74.849	1.00153.01	M
ATOM	23399	CG	LEU M 196	118.610	17.277	75.341	1.00153.04	M
ATOM	23400	CD1	LEU M 196	119.578	17.590	74.212	1.00152.50	M
ATOM	23401	CD2	LEU M 196	117.954	18.546	75.845	1.00154.12	M
ATOM	23402	C	LEU M 196	115.325	15.222	75.124	1.00153.29	M
ATOM	23403	O	LEU M 196	115.383	14.414	74.202	1.00153.81	M
ATOM	23404	N	THR M 197	114.185	15.770	75.528	1.00154.25	M
ATOM	23405	CA	THR M 197	112.927	15.447	74.865	1.00156.05	M
ATOM	23406	CB	THR M 197	111.721	15.988	75.657	1.00155.19	M
ATOM	23407	OG1	THR M 197	111.763	17.419	75.684	1.00154.18	M
ATOM	23408	CG2	THR M 197	111.748	15.458	77.081	1.00155.00	M
ATOM	23409	C	THR M 197	112.976	16.098	73.477	1.00157.89	M
ATOM	23410	O	THR M 197	113.830	16.950	73.221	1.00157.24	M
ATOM	23411	N	PRO M 198	112.066	15.707	72.564	1.00159.67	M
ATOM	23412	CD	PRO M 198	110.910	14.806	72.727	1.00159.99	M
ATOM	23413	CA	PRO M 198	112.075	16.294	71.219	1.00160.50	M
ATOM	23414	CB	PRO M 198	110.975	15.520	70.499	1.00159.07	M
ATOM	23415	CG	PRO M 198	110.005	15.237	71.593	1.00158.55	M
ATOM	23416	C	PRO M 198	111.846	17.801	71.184	1.00162.02	M
ATOM	23417	O	PRO M 198	111.049	18.341	71.952	1.00162.58	M
ATOM	23418	N	LYS M 199	112.556	18.469	70.280	1.00163.36	M
ATOM	23419	CA	LYS M 199	112.450	19.915	70.117	1.00165.23	M
ATOM	23420	CB	LYS M 199	113.464	20.390	69.072	1.00163.65	M
ATOM	23421	CG	LYS M 199	113.212	21.782	68.533	1.00161.52	M
ATOM	23422	CD	LYS M 199	114.209	22.112	67.441	1.00159.22	M
ATOM	23423	CE	LYS M 199	113.732	23.287	66.609	1.00158.60	M
ATOM	23424	NZ	LYS M 199	113.448	24.473	67.459	1.00158.10	M
ATOM	23425	C	LYS M 199	111.037	20.317	69.701	1.00167.26	M
ATOM	23426	O	LYS M 199	110.544	19.891	68.659	1.00167.32	M
ATOM	23427	N	MET M 200	110.390	21.138	70.523	1.00169.62	M
ATOM	23428	CA	MET M 200	109.032	21.594	70.245	1.00171.97	M
ATOM	23429	CB	MET M 200	108.096	21.118	71.358	1.00172.32	M
ATOM	23430	CG	MET M 200	108.818	20.777	72.655	1.00173.30	M
ATOM	23431	SD	MET M 200	107.786	19.860	73.818	1.00174.58	M
ATOM	23432	CE	MET M 200	108.158	18.155	73.346	1.00174.14	M
ATOM	23433	C	MET M 200	108.974	23.113	70.099	1.00173.50	M
ATOM	23434	O	MET M 200	109.999	23.789	70.205	1.00173.50	M
ATOM	23435	N	THR M 201	107.781	23.649	69.851	1.00175.06	M
ATOM	23436	CA	THR M 201	107.620	25.092	69.670	1.00176.20	M
ATOM	23437	CB	THR M 201	106.780	25.412	68.401	1.00176.49	M
ATOM	23438	OG1	THR M 201	107.354	24.754	67.264	1.00176.27	M
ATOM	23439	CG2	THR M 201	106.758	26.917	68.136	1.00175.83	M
ATOM	23440	C	THR M 201	106.972	25.784	70.870	1.00176.45	M
ATOM	23441	O	THR M 201	106.176	25.189	71.599	1.00175.91	M

ATOM	23442	N	GLY	M	202	107.330	27.052	71.057	1.00176.85	M
ATOM	23443	CA	GLY	M	202	106.797	27.839	72.151	1.00177.04	M
ATOM	23444	C	GLY	M	202	105.360	28.240	71.899	1.00177.33	M
ATOM	23445	O	GLY	M	202	105.067	28.996	70.971	1.00176.79	M
ATOM	23446	N	VAL	M	203	104.468	27.732	72.742	1.00178.09	M
ATOM	23447	CA	VAL	M	203	103.039	28.002	72.636	1.00179.07	M
ATOM	23448	CB	VAL	M	203	102.224	26.727	72.955	1.00179.62	M
ATOM	23449	CG1	VAL	M	203	100.742	26.979	72.732	1.00180.06	M
ATOM	23450	CG2	VAL	M	203	102.715	25.570	72.096	1.00179.50	M
ATOM	23451	C	VAL	M	203	102.603	29.112	73.593	1.00179.13	M
ATOM	23452	O	VAL	M	203	101.960	28.843	74.611	1.00178.93	M
ATOM	23453	N	MET	M	204	102.950	30.356	73.263	1.00179.00	M
ATOM	23454	CA	MET	M	204	102.586	31.498	74.099	1.00178.66	M
ATOM	23455	CB	MET	M	204	102.877	32.820	73.376	1.00177.75	M
ATOM	23456	CG	MET	M	204	104.351	33.094	73.092	1.00177.28	M
ATOM	23457	SD	MET	M	204	105.060	31.999	71.841	1.00177.28	M
ATOM	23458	CE	MET	M	204	104.664	32.897	70.347	1.00176.88	M
ATOM	23459	C	MET	M	204	101.107	31.440	74.467	1.00179.01	M
ATOM	23460	O	MET	M	204	100.254	31.233	73.605	1.00178.75	M
ATOM	23461	N	GLU	M	205	100.809	31.616	75.750	1.00179.74	M
ATOM	23462	CA	GLU	M	205	99.429	31.589	76.224	1.00180.67	M
ATOM	23463	CB	GLU	M	205	99.355	31.024	77.644	1.00181.66	M
ATOM	23464	CG	GLU	M	205	100.099	31.852	78.681	1.00183.20	M
ATOM	23465	CD	GLU	M	205	99.321	32.013	79.974	1.00183.54	M
ATOM	23466	OE1	GLU	M	205	99.847	32.656	80.909	1.00183.62	M
ATOM	23467	OE2	GLU	M	205	98.183	31.503	80.052	1.00184.04	M
ATOM	23468	C	GLU	M	205	98.838	32.994	76.206	1.00180.85	M
ATOM	23469	O	GLU	M	205	97.645	33.123	75.852	1.00181.11	M
ATOM	23470	OXT	GLU	M	205	99.574	33.942	76.561	1.00180.79	M
ATOM	23471	CB	PHE	N	1	110.912	-30.283	62.607	1.00 84.33	N
ATOM	23472	CG	PHE	N	1	111.570	-29.215	63.440	1.00 82.84	N
ATOM	23473	CD1	PHE	N	1	111.632	-27.906	62.989	1.00 82.49	N
ATOM	23474	CD2	PHE	N	1	112.101	-29.515	64.690	1.00 82.31	N
ATOM	23475	CE1	PHE	N	1	112.210	-26.911	63.764	1.00 80.22	N
ATOM	23476	CE2	PHE	N	1	112.679	-28.526	65.471	1.00 80.68	N
ATOM	23477	CZ	PHE	N	1	112.731	-27.220	65.005	1.00 80.61	N
ATOM	23478	C	PHE	N	1	108.778	-28.988	62.378	1.00 86.19	N
ATOM	23479	O	PHE	N	1	108.715	-28.624	61.198	1.00 86.27	N
ATOM	23480	N	PHE	N	1	108.831	-31.423	61.902	1.00 85.42	N
ATOM	23481	CA	PHE	N	1	109.386	-30.334	62.752	1.00 84.50	N
ATOM	23482	N	ALA	N	2	108.320	-28.261	63.394	1.00 88.20	N
ATOM	23483	CA	ALA	N	2	107.720	-26.944	63.207	1.00 89.52	N
ATOM	23484	CB	ALA	N	2	106.258	-27.080	62.789	1.00 90.34	N
ATOM	23485	C	ALA	N	2	107.827	-26.161	64.512	1.00 90.57	N
ATOM	23486	O	ALA	N	2	108.055	-26.742	65.580	1.00 88.38	N
ATOM	23487	N	CYS	N	3	107.662	-24.843	64.421	1.00 92.41	N
ATOM	23488	CA	CYS	N	3	107.760	-23.975	65.591	1.00 92.65	N
ATOM	23489	C	CYS	N	3	106.661	-22.921	65.582	1.00 95.18	N
ATOM	23490	O	CYS	N	3	105.956	-22.755	64.585	1.00 95.24	N
ATOM	23491	CB	CYS	N	3	109.111	-23.261	65.601	1.00 90.77	N
ATOM	23492	SG	CYS	N	3	110.555	-24.297	65.215	1.00 82.28	N
ATOM	23493	N	LYS	N	4	106.533	-22.203	66.696	1.00 97.84	N
ATOM	23494	CA	LYS	N	4	105.533	-21.145	66.820	1.00 99.69	N
ATOM	23495	CB	LYS	N	4	104.139	-21.751	67.027	1.00101.99	N
ATOM	23496	CG	LYS	N	4	103.953	-22.566	68.306	1.00104.22	N
ATOM	23497	CD	LYS	N	4	102.619	-23.322	68.285	1.00105.06	N
ATOM	23498	CE	LYS	N	4	101.431	-22.386	68.035	1.00102.42	N
ATOM	23499	NZ	LYS	N	4	100.148	-23.119	67.825	1.00 99.99	N

ATOM	23500	C	LYS	N	4	105.857	-20.177	67.953	1.00	99.59	N
ATOM	23501	O	LYS	N	4	106.465	-20.559	68.954	1.00	99.27	N
ATOM	23502	N	THR	N	5	105.448	-18.923	67.781	1.00	100.39	N
ATOM	23503	CA	THR	N	5	105.689	-17.885	68.777	1.00	102.37	N
ATOM	23504	CB	THR	N	5	105.926	-16.508	68.109	1.00	102.76	N
ATOM	23505	OG1	THR	N	5	107.187	-16.521	67.433	1.00	101.95	N
ATOM	23506	CG2	THR	N	5	105.934	-15.391	69.147	1.00	104.52	N
ATOM	23507	C	THR	N	5	104.538	-17.752	69.764	1.00	102.91	N
ATOM	23508	O	THR	N	5	103.369	-17.733	69.379	1.00	104.10	N
ATOM	23509	N	ALA	N	6	104.888	-17.652	71.041	1.00	103.74	N
ATOM	23510	CA	ALA	N	6	103.913	-17.511	72.112	1.00	105.76	N
ATOM	23511	CB	ALA	N	6	104.632	-17.209	73.420	1.00	104.03	N
ATOM	23512	C	ALA	N	6	102.884	-16.419	71.819	1.00	107.47	N
ATOM	23513	O	ALA	N	6	101.814	-16.388	72.427	1.00	107.52	N
ATOM	23514	N	ASN	N	7	103.209	-15.524	70.889	1.00	109.43	N
ATOM	23515	CA	ASN	N	7	102.303	-14.435	70.535	1.00	111.24	N
ATOM	23516	CB	ASN	N	7	103.102	-13.199	70.091	1.00	115.37	N
ATOM	23517	CG	ASN	N	7	102.263	-11.920	70.090	1.00	116.60	N
ATOM	23518	OD1	ASN	N	7	101.739	-11.507	71.127	1.00	115.03	N
ATOM	23519	ND2	ASN	N	7	102.142	-11.286	68.924	1.00	118.01	N
ATOM	23520	C	ASN	N	7	101.361	-14.869	69.418	1.00	110.27	N
ATOM	23521	O	ASN	N	7	100.347	-14.217	69.155	1.00	110.54	N
ATOM	23522	N	GLY	N	8	101.697	-15.969	68.758	1.00	108.57	N
ATOM	23523	CA	GLY	N	8	100.846	-16.444	67.688	1.00	108.71	N
ATOM	23524	C	GLY	N	8	101.581	-17.082	66.532	1.00	109.06	N
ATOM	23525	O	GLY	N	8	101.940	-18.255	66.604	1.00	110.11	N
ATOM	23526	N	THR	N	9	101.805	-16.303	65.473	1.00	107.93	N
ATOM	23527	CA	THR	N	9	102.475	-16.779	64.262	1.00	106.29	N
ATOM	23528	CB	THR	N	9	103.314	-15.672	63.599	1.00	105.91	N
ATOM	23529	OG1	THR	N	9	102.489	-14.529	63.349	1.00	104.56	N
ATOM	23530	CG2	THR	N	9	103.888	-16.169	62.276	1.00	104.91	N
ATOM	23531	C	THR	N	9	103.377	-17.982	64.485	1.00	106.15	N
ATOM	23532	O	THR	N	9	104.136	-18.038	65.454	1.00	105.79	N
ATOM	23533	N	ALA	N	10	103.285	-18.942	63.573	1.00	106.33	N
ATOM	23534	CA	ALA	N	10	104.074	-20.159	63.662	1.00	107.71	N
ATOM	23535	CB	ALA	N	10	103.164	-21.340	63.954	1.00	107.46	N
ATOM	23536	C	ALA	N	10	104.849	-20.407	62.374	1.00	108.44	N
ATOM	23537	O	ALA	N	10	104.489	-19.898	61.308	1.00	108.85	N
ATOM	23538	N	ILE	N	11	105.920	-21.187	62.483	1.00	107.95	N
ATOM	23539	CA	ILE	N	11	106.743	-21.510	61.330	1.00	108.81	N
ATOM	23540	CB	ILE	N	11	108.229	-21.251	61.610	1.00	110.35	N
ATOM	23541	CG2	ILE	N	11	109.039	-21.549	60.369	1.00	108.87	N
ATOM	23542	CG1	ILE	N	11	108.430	-19.789	62.021	1.00	110.01	N
ATOM	23543	CD1	ILE	N	11	109.863	-19.417	62.319	1.00	108.58	N
ATOM	23544	C	ILE	N	11	106.529	-22.977	60.992	1.00	109.25	N
ATOM	23545	O	ILE	N	11	106.918	-23.867	61.750	1.00	108.92	N
ATOM	23546	N	PRO	N	12	105.909	-23.240	59.832	1.00	110.34	N
ATOM	23547	CD	PRO	N	12	105.551	-22.191	58.860	1.00	110.50	N
ATOM	23548	CA	PRO	N	12	105.581	-24.566	59.298	1.00	111.23	N
ATOM	23549	CB	PRO	N	12	104.769	-24.234	58.052	1.00	110.10	N
ATOM	23550	CG	PRO	N	12	105.416	-22.975	57.575	1.00	110.63	N
ATOM	23551	C	PRO	N	12	106.727	-25.521	58.992	1.00	112.37	N
ATOM	23552	O	PRO	N	12	107.903	-25.171	59.087	1.00	111.97	N
ATOM	23553	N	ILE	N	13	106.345	-26.742	58.629	1.00	114.78	N
ATOM	23554	CA	ILE	N	13	107.277	-27.803	58.273	1.00	116.10	N
ATOM	23555	CB	ILE	N	13	106.520	-29.121	57.970	1.00	114.11	N
ATOM	23556	CG2	ILE	N	13	107.461	-30.133	57.337	1.00	112.96	N
ATOM	23557	CG1	ILE	N	13	105.880	-29.661	59.248	1.00	111.38	N

ATOM	23558	CD1	ILE	N	13	105.119	-30.945	59.051	1.00110.44	N
ATOM	23559	C	ILE	N	13	108.040	-27.395	57.019	1.00118.56	N
ATOM	23560	O	ILE	N	13	107.446	-26.924	56.046	1.00119.46	N
ATOM	23561	N	GLY	N	14	109.356	-27.571	57.044	1.00119.98	N
ATOM	23562	CA	GLY	N	14	110.156	-27.227	55.883	1.00120.80	N
ATOM	23563	C	GLY	N	14	110.666	-25.800	55.834	1.00121.00	N
ATOM	23564	O	GLY	N	14	111.020	-25.304	54.764	1.00121.55	N
ATOM	23565	N	GLY	N	15	110.707	-25.136	56.984	1.00120.87	N
ATOM	23566	CA	GLY	N	15	111.203	-23.773	57.016	1.00121.19	N
ATOM	23567	C	GLY	N	15	110.167	-22.727	57.365	1.00121.02	N
ATOM	23568	O	GLY	N	15	109.070	-23.054	57.821	1.00122.14	N
ATOM	23569	N	GLY	N	16	110.527	-21.462	57.156	1.00120.45	N
ATOM	23570	CA	GLY	N	16	109.627	-20.361	57.449	1.00118.92	N
ATOM	23571	C	GLY	N	16	110.337	-19.100	57.908	1.00117.31	N
ATOM	23572	O	GLY	N	16	111.541	-18.937	57.699	1.00117.64	N
ATOM	23573	N	SER	N	17	109.578	-18.206	58.532	1.00115.42	N
ATOM	23574	CA	SER	N	17	110.099	-16.942	59.039	1.00114.82	N
ATOM	23575	CB	SER	N	17	110.454	-16.002	57.883	1.00115.78	N
ATOM	23576	OG	SER	N	17	111.518	-16.519	57.102	1.00117.73	N
ATOM	23577	C	SER	N	17	109.028	-16.301	59.907	1.00114.28	N
ATOM	23578	O	SER	N	17	107.849	-16.317	59.557	1.00113.66	N
ATOM	23579	N	ALA	N	18	109.439	-15.737	61.038	1.00114.30	N
ATOM	23580	CA	ALA	N	18	108.498	-15.105	61.955	1.00113.28	N
ATOM	23581	CB	ALA	N	18	108.191	-16.050	63.109	1.00113.70	N
ATOM	23582	C	ALA	N	18	109.014	-13.778	62.494	1.00112.05	N
ATOM	23583	O	ALA	N	18	109.941	-13.192	61.942	1.00113.58	N
ATOM	23584	N	ASN	N	19	108.400	-13.315	63.578	1.00109.80	N
ATOM	23585	CA	ASN	N	19	108.772	-12.058	64.214	1.00109.01	N
ATOM	23586	CB	ASN	N	19	108.050	-10.890	63.539	1.00110.27	N
ATOM	23587	CG	ASN	N	19	108.532	-10.639	62.127	1.00113.32	N
ATOM	23588	OD1	ASN	N	19	109.436	-9.833	61.904	1.00116.52	N
ATOM	23589	ND2	ASN	N	19	107.937	-11.337	61.163	1.00111.76	N
ATOM	23590	C	ASN	N	19	108.374	-12.094	65.679	1.00108.14	N
ATOM	23591	O	ASN	N	19	107.200	-12.269	66.000	1.00110.83	N
ATOM	23592	N	VAL	N	20	109.344	-11.936	66.571	1.00106.13	N
ATOM	23593	CA	VAL	N	20	109.047	-11.930	67.999	1.00106.52	N
ATOM	23594	CB	VAL	N	20	110.064	-12.788	68.792	1.00105.60	N
ATOM	23595	CG1	VAL	N	20	109.517	-13.103	70.174	1.00102.86	N
ATOM	23596	CG2	VAL	N	20	110.357	-14.072	68.038	1.00107.78	N
ATOM	23597	C	VAL	N	20	109.116	-10.471	68.467	1.00107.77	N
ATOM	23598	O	VAL	N	20	110.067	-9.757	68.142	1.00107.83	N
ATOM	23599	N	TYR	N	21	108.108	-10.027	69.218	1.00106.67	N
ATOM	23600	CA	TYR	N	21	108.070	-8.643	69.686	1.00104.27	N
ATOM	23601	CB	TYR	N	21	106.680	-8.049	69.434	1.00 94.15	N
ATOM	23602	CG	TYR	N	21	106.283	-8.134	67.985	1.00 83.61	N
ATOM	23603	CD1	TYR	N	21	105.832	-9.332	67.438	1.00 80.96	N
ATOM	23604	CE1	TYR	N	21	105.565	-9.449	66.077	1.00 76.82	N
ATOM	23605	CD2	TYR	N	21	106.447	-7.046	67.136	1.00 81.71	N
ATOM	23606	CE2	TYR	N	21	106.183	-7.152	65.772	1.00 76.73	N
ATOM	23607	CZ	TYR	N	21	105.748	-8.358	65.249	1.00 74.93	N
ATOM	23608	OH	TYR	N	21	105.546	-8.490	63.894	1.00 72.03	N
ATOM	23609	C	TYR	N	21	108.452	-8.491	71.149	1.00107.26	N
ATOM	23610	O	TYR	N	21	108.023	-7.551	71.817	1.00109.24	N
ATOM	23611	N	VAL	N	22	109.281	-9.414	71.625	1.00109.76	N
ATOM	23612	CA	VAL	N	22	109.754	-9.435	73.007	1.00113.12	N
ATOM	23613	CB	VAL	N	22	111.140	-10.108	73.102	1.00114.75	N
ATOM	23614	CG1	VAL	N	22	111.051	-11.544	72.627	1.00115.69	N
ATOM	23615	CG2	VAL	N	22	112.156	-9.330	72.272	1.00114.13	N

ATOM	23616	C	VAL	N	22	109.857	-8.086	73.719	1.00114.54	N
ATOM	23617	O	VAL	N	22	110.205	-7.066	73.119	1.00114.92	N
ATOM	23618	N	ASN	N	23	109.546	-8.100	75.012	1.00116.01	N
ATOM	23619	CA	ASN	N	23	109.628	-6.907	75.840	1.00117.62	N
ATOM	23620	CB	ASN	N	23	108.455	-6.838	76.827	1.00118.80	N
ATOM	23621	CG	ASN	N	23	107.106	-6.713	76.131	1.00120.31	N
ATOM	23622	OD1	ASN	N	23	106.932	-5.888	75.231	1.00120.73	N
ATOM	23623	ND2	ASN	N	23	106.141	-7.525	76.556	1.00118.47	N
ATOM	23624	C	ASN	N	23	110.945	-7.016	76.597	1.00118.49	N
ATOM	23625	O	ASN	N	23	111.333	-8.103	77.035	1.00118.27	N
ATOM	23626	N	LEU	N	24	111.629	-5.888	76.746	1.00119.12	N
ATOM	23627	CA	LEU	N	24	112.918	-5.858	77.424	1.00118.02	N
ATOM	23628	CB	LEU	N	24	113.995	-5.435	76.420	1.00117.04	N
ATOM	23629	CG	LEU	N	24	113.764	-5.951	74.996	1.00115.53	N
ATOM	23630	CD1	LEU	N	24	114.721	-5.270	74.043	1.00114.56	N
ATOM	23631	CD2	LEU	N	24	113.923	-7.464	74.960	1.00115.60	N
ATOM	23632	C	LEU	N	24	112.882	-4.871	78.589	1.00117.32	N
ATOM	23633	O	LEU	N	24	112.221	-3.838	78.497	1.00116.55	N
ATOM	23634	N	ALA	N	25	113.585	-5.194	79.676	1.00116.45	N
ATOM	23635	CA	ALA	N	25	113.639	-4.316	80.840	1.00116.96	N
ATOM	23636	CB	ALA	N	25	114.782	-4.731	81.755	1.00114.96	N
ATOM	23637	C	ALA	N	25	113.861	-2.899	80.323	1.00119.17	N
ATOM	23638	O	ALA	N	25	114.989	-2.510	80.030	1.00120.75	N
ATOM	23639	N	PRO	N	26	112.778	-2.111	80.205	1.00120.99	N
ATOM	23640	CD	PRO	N	26	111.445	-2.453	80.734	1.00122.09	N
ATOM	23641	CA	PRO	N	26	112.785	-0.727	79.718	1.00121.44	N
ATOM	23642	CB	PRO	N	26	111.456	-0.180	80.230	1.00121.96	N
ATOM	23643	CG	PRO	N	26	110.572	-1.369	80.134	1.00121.93	N
ATOM	23644	C	PRO	N	26	113.967	0.149	80.126	1.00120.53	N
ATOM	23645	O	PRO	N	26	114.292	1.109	79.430	1.00119.98	N
ATOM	23646	N	VAL	N	27	114.608	-0.170	81.246	1.00119.20	N
ATOM	23647	CA	VAL	N	27	115.742	0.627	81.693	1.00118.31	N
ATOM	23648	CB	VAL	N	27	115.320	1.618	82.790	1.00117.53	N
ATOM	23649	CG1	VAL	N	27	116.532	2.375	83.306	1.00116.00	N
ATOM	23650	CG2	VAL	N	27	114.293	2.587	82.235	1.00117.75	N
ATOM	23651	C	VAL	N	27	116.924	-0.191	82.198	1.00119.38	N
ATOM	23652	O	VAL	N	27	116.890	-0.750	83.296	1.00118.99	N
ATOM	23653	N	VAL	N	28	117.970	-0.243	81.377	1.00120.91	N
ATOM	23654	CA	VAL	N	28	119.198	-0.965	81.695	1.00120.31	N
ATOM	23655	CB	VAL	N	28	119.498	-2.058	80.655	1.00121.02	N
ATOM	23656	CG1	VAL	N	28	120.700	-2.878	81.101	1.00121.82	N
ATOM	23657	CG2	VAL	N	28	118.281	-2.940	80.455	1.00122.86	N
ATOM	23658	C	VAL	N	28	120.357	0.022	81.670	1.00119.83	N
ATOM	23659	O	VAL	N	28	120.508	0.780	80.717	1.00119.88	N
ATOM	23660	N	ASN	N	29	121.178	0.010	82.711	1.00120.14	N
ATOM	23661	CA	ASN	N	29	122.317	0.917	82.779	1.00120.82	N
ATOM	23662	CB	ASN	N	29	122.464	1.463	84.199	1.00119.34	N
ATOM	23663	CG	ASN	N	29	121.317	2.368	84.589	1.00117.60	N
ATOM	23664	OD1	ASN	N	29	121.049	3.364	83.919	1.00117.13	N
ATOM	23665	ND2	ASN	N	29	120.632	2.027	85.674	1.00115.37	N
ATOM	23666	C	ASN	N	29	123.611	0.238	82.342	1.00121.51	N
ATOM	23667	O	ASN	N	29	123.718	-0.989	82.379	1.00122.70	N
ATOM	23668	N	VAL	N	30	124.587	1.040	81.921	1.00121.16	N
ATOM	23669	CA	VAL	N	30	125.875	0.515	81.471	1.00120.71	N
ATOM	23670	CB	VAL	N	30	126.876	1.656	81.153	1.00119.98	N
ATOM	23671	CG1	VAL	N	30	128.188	1.074	80.658	1.00119.56	N
ATOM	23672	CG2	VAL	N	30	126.295	2.588	80.104	1.00119.29	N
ATOM	23673	C	VAL	N	30	126.494	-0.400	82.526	1.00120.56	N

ATOM	23674	O	VAL	N	30	126.221	-0.263	83.722	1.00120.81	N
ATOM	23675	N	GLY	N	31	127.328	-1.333	82.077	1.00119.51	N
ATOM	23676	CA	GLY	N	31	127.957	-2.258	83.000	1.00117.87	N
ATOM	23677	C	GLY	N	31	127.052	-3.450	83.236	1.00116.64	N
ATOM	23678	O	GLY	N	31	127.462	-4.598	83.055	1.00116.64	N
ATOM	23679	N	GLN	N	32	125.811	-3.172	83.631	1.00115.21	N
ATOM	23680	CA	GLN	N	32	124.828	-4.221	83.888	1.00112.22	N
ATOM	23681	CB	GLN	N	32	123.514	-3.611	84.387	1.00110.81	N
ATOM	23682	CG	GLN	N	32	123.563	-3.269	85.866	1.00112.45	N
ATOM	23683	CD	GLN	N	32	122.330	-2.543	86.347	1.00113.97	N
ATOM	23684	OE1	GLN	N	32	121.206	-2.988	86.119	1.00114.55	N
ATOM	23685	NE2	GLN	N	32	122.534	-1.420	87.029	1.00114.32	N
ATOM	23686	C	GLN	N	32	124.592	-5.088	82.657	1.00109.43	N
ATOM	23687	O	GLN	N	32	125.263	-4.919	81.636	1.00109.88	N
ATOM	23688	N	ASN	N	33	123.627	-6.000	82.741	1.00104.62	N
ATOM	23689	CA	ASN	N	33	123.384	-6.917	81.637	1.00 99.75	N
ATOM	23690	CB	ASN	N	33	123.951	-8.283	82.031	1.00 97.37	N
ATOM	23691	CG	ASN	N	33	124.121	-9.213	80.855	1.00 95.32	N
ATOM	23692	OD1	ASN	N	33	124.616	-10.324	81.010	1.00 96.24	N
ATOM	23693	ND2	ASN	N	33	123.717	-8.765	79.670	1.00 95.97	N
ATOM	23694	C	ASN	N	33	121.943	-7.084	81.143	1.00 95.53	N
ATOM	23695	O	ASN	N	33	121.122	-7.700	81.818	1.00 94.39	N
ATOM	23696	N	LEU	N	34	121.642	-6.542	79.963	1.00 91.28	N
ATOM	23697	CA	LEU	N	34	120.312	-6.693	79.383	1.00 87.63	N
ATOM	23698	CB	LEU	N	34	120.170	-5.849	78.113	1.00 83.41	N
ATOM	23699	CG	LEU	N	34	118.930	-6.087	77.241	1.00 81.22	N
ATOM	23700	CD1	LEU	N	34	117.677	-6.107	78.093	1.00 81.07	N
ATOM	23701	CD2	LEU	N	34	118.835	-4.996	76.186	1.00 80.66	N
ATOM	23702	C	LEU	N	34	120.191	-8.173	79.043	1.00 87.43	N
ATOM	23703	O	LEU	N	34	121.193	-8.879	79.023	1.00 87.02	N
ATOM	23704	N	VAL	N	35	118.974	-8.647	78.793	1.00 88.09	N
ATOM	23705	CA	VAL	N	35	118.751	-10.057	78.469	1.00 87.89	N
ATOM	23706	CB	VAL	N	35	118.539	-10.907	79.750	1.00 85.32	N
ATOM	23707	CG1	VAL	N	35	118.157	-12.328	79.371	1.00 85.15	N
ATOM	23708	CG2	VAL	N	35	119.803	-10.917	80.592	1.00 84.83	N
ATOM	23709	C	VAL	N	35	117.534	-10.254	77.573	1.00 89.20	N
ATOM	23710	O	VAL	N	35	116.475	-9.670	77.812	1.00 91.03	N
ATOM	23711	N	VAL	N	36	117.687	-11.079	76.542	1.00 88.96	N
ATOM	23712	CA	VAL	N	36	116.580	-11.353	75.632	1.00 90.35	N
ATOM	23713	CB	VAL	N	36	116.767	-10.643	74.270	1.00 90.22	N
ATOM	23714	CG1	VAL	N	36	115.553	-10.894	73.373	1.00 84.31	N
ATOM	23715	CG2	VAL	N	36	116.964	-9.150	74.488	1.00 92.34	N
ATOM	23716	C	VAL	N	36	116.436	-12.850	75.392	1.00 91.04	N
ATOM	23717	O	VAL	N	36	116.785	-13.356	74.328	1.00 92.10	N
ATOM	23718	N	ASP	N	37	115.924	-13.555	76.397	1.00 91.14	N
ATOM	23719	CA	ASP	N	37	115.719	-14.999	76.304	1.00 90.26	N
ATOM	23720	CB	ASP	N	37	115.596	-15.606	77.702	1.00 90.59	N
ATOM	23721	CG	ASP	N	37	114.868	-16.922	77.692	1.00 88.81	N
ATOM	23722	OD1	ASP	N	37	115.286	-17.829	76.943	1.00 89.56	N
ATOM	23723	OD2	ASP	N	37	113.872	-17.045	78.428	1.00 94.00	N
ATOM	23724	C	ASP	N	37	114.474	-15.340	75.484	1.00 86.58	N
ATOM	23725	O	ASP	N	37	113.377	-14.877	75.785	1.00 85.00	N
ATOM	23726	N	LEU	N	38	114.653	-16.161	74.456	1.00 83.99	N
ATOM	23727	CA	LEU	N	38	113.547	-16.538	73.592	1.00 83.63	N
ATOM	23728	CB	LEU	N	38	113.976	-16.426	72.128	1.00 83.42	N
ATOM	23729	CG	LEU	N	38	114.464	-15.039	71.700	1.00 81.15	N
ATOM	23730	CD1	LEU	N	38	114.734	-15.063	70.216	1.00 81.02	N
ATOM	23731	CD2	LEU	N	38	113.428	-13.973	72.029	1.00 75.83	N

ATOM	23732	C	LEU	N	38	112.984	-17.932	73.880	1.00	82.50	N
ATOM	23733	O	LEU	N	38	112.021	-18.366	73.241	1.00	81.06	N
ATOM	23734	N	SER	N	39	113.581	-18.635	74.839	1.00	81.14	N
ATOM	23735	CA	SER	N	39	113.085	-19.954	75.213	1.00	81.67	N
ATOM	23736	CB	SER	N	39	114.129	-20.722	76.027	1.00	82.81	N
ATOM	23737	OG	SER	N	39	114.289	-20.157	77.318	1.00	83.02	N
ATOM	23738	C	SER	N	39	111.855	-19.665	76.074	1.00	82.34	N
ATOM	23739	O	SER	N	39	111.587	-20.319	77.084	1.00	80.35	N
ATOM	23740	N	THR	N	40	111.112	-18.656	75.646	1.00	82.98	N
ATOM	23741	CA	THR	N	40	109.919	-18.214	76.331	1.00	84.84	N
ATOM	23742	CB	THR	N	40	110.283	-17.433	77.622	1.00	82.63	N
ATOM	23743	OG1	THR	N	40	111.079	-18.269	78.472	1.00	78.68	N
ATOM	23744	CG2	THR	N	40	109.027	-17.006	78.375	1.00	78.29	N
ATOM	23745	C	THR	N	40	109.222	-17.294	75.341	1.00	87.99	N
ATOM	23746	O	THR	N	40	108.542	-16.340	75.723	1.00	88.82	N
ATOM	23747	N	GLN	N	41	109.413	-17.591	74.059	1.00	90.41	N
ATOM	23748	CA	GLN	N	41	108.819	-16.809	72.976	1.00	94.48	N
ATOM	23749	CB	GLN	N	41	109.647	-15.552	72.699	1.00	98.02	N
ATOM	23750	CG	GLN	N	41	109.826	-14.590	73.863	1.00	104.47	N
ATOM	23751	CD	GLN	N	41	108.585	-13.775	74.155	1.00	106.46	N
ATOM	23752	OE1	GLN	N	41	107.929	-13.275	73.240	1.00	110.83	N
ATOM	23753	NE2	GLN	N	41	108.265	-13.619	75.435	1.00	109.64	N
ATOM	23754	C	GLN	N	41	108.803	-17.649	71.702	1.00	95.37	N
ATOM	23755	O	GLN	N	41	108.154	-17.286	70.720	1.00	95.30	N
ATOM	23756	N	ILE	N	42	109.533	-18.764	71.722	1.00	95.69	N
ATOM	23757	CA	ILE	N	42	109.637	-19.652	70.561	1.00	94.72	N
ATOM	23758	CB	ILE	N	42	110.805	-19.225	69.654	1.00	94.36	N
ATOM	23759	CG2	ILE	N	42	111.060	-20.284	68.593	1.00	90.21	N
ATOM	23760	CG1	ILE	N	42	110.504	-17.862	69.035	1.00	94.34	N
ATOM	23761	CD1	ILE	N	42	111.721	-17.167	68.486	1.00	97.97	N
ATOM	23762	C	ILE	N	42	109.862	-21.111	70.955	1.00	94.84	N
ATOM	23763	O	ILE	N	42	110.820	-21.439	71.662	1.00	94.54	N
ATOM	23764	N	PHE	N	43	108.984	-21.987	70.475	1.00	93.13	N
ATOM	23765	CA	PHE	N	43	109.082	-23.408	70.785	1.00	89.45	N
ATOM	23766	CB	PHE	N	43	108.064	-23.795	71.861	1.00	84.73	N
ATOM	23767	CG	PHE	N	43	107.769	-22.699	72.838	1.00	80.14	N
ATOM	23768	CD1	PHE	N	43	107.051	-21.577	72.435	1.00	76.75	N
ATOM	23769	CD2	PHE	N	43	108.238	-22.768	74.149	1.00	77.34	N
ATOM	23770	CE1	PHE	N	43	106.805	-20.541	73.315	1.00	76.55	N
ATOM	23771	CE2	PHE	N	43	107.997	-21.732	75.042	1.00	76.85	N
ATOM	23772	CZ	PHE	N	43	107.277	-20.612	74.618	1.00	78.52	N
ATOM	23773	C	PHE	N	43	108.829	-24.238	69.546	1.00	89.60	N
ATOM	23774	O	PHE	N	43	108.030	-23.866	68.688	1.00	89.45	N
ATOM	23775	N	CYS	N	44	109.516	-25.369	69.460	1.00	91.72	N
ATOM	23776	CA	CYS	N	44	109.360	-26.272	68.333	1.00	94.01	N
ATOM	23777	C	CYS	N	44	109.060	-27.653	68.892	1.00	95.84	N
ATOM	23778	O	CYS	N	44	109.172	-27.883	70.093	1.00	94.42	N
ATOM	23779	CB	CYS	N	44	110.641	-26.334	67.504	1.00	92.05	N
ATOM	23780	SG	CYS	N	44	111.364	-24.733	67.029	1.00	90.54	N
ATOM	23781	N	HIS	N	45	108.694	-28.575	68.012	1.00	99.46	N
ATOM	23782	CA	HIS	N	45	108.376	-29.935	68.420	1.00	101.40	N
ATOM	23783	CB	HIS	N	45	106.898	-30.033	68.805	1.00	101.15	N
ATOM	23784	CG	HIS	N	45	105.968	-29.798	67.655	1.00	103.49	N
ATOM	23785	CD2	HIS	N	45	105.061	-30.609	67.061	1.00	105.71	N
ATOM	23786	ND1	HIS	N	45	105.949	-28.618	66.943	1.00	105.20	N
ATOM	23787	CE1	HIS	N	45	105.073	-28.713	65.958	1.00	104.89	N
ATOM	23788	NE2	HIS	N	45	104.520	-29.911	66.007	1.00	106.83	N
ATOM	23789	C	HIS	N	45	108.647	-30.860	67.240	1.00	102.95	N

ATOM	23790	O	HIS	N	45	108.645	-30.426	66.084	1.00101.40	N
ATOM	23791	N	ASN	N	46	108.880	-32.134	67.537	1.00105.14	N
ATOM	23792	CA	ASN	N	46	109.126	-33.131	66.505	1.00104.75	N
ATOM	23793	CB	ASN	N	46	109.903	-34.308	67.092	1.00102.14	N
ATOM	23794	CG	ASN	N	46	110.517	-35.179	66.027	1.00102.89	N
ATOM	23795	OD1	ASN	N	46	109.959	-35.330	64.944	1.00103.18	N
ATOM	23796	ND2	ASN	N	46	111.667	-35.770	66.329	1.00102.18	N
ATOM	23797	C	ASN	N	46	107.756	-33.608	66.015	1.00106.02	N
ATOM	23798	O	ASN	N	46	106.849	-33.831	66.821	1.00106.63	N
ATOM	23799	N	ASP	N	47	107.596	-33.749	64.702	1.00105.90	N
ATOM	23800	CA	ASP	N	47	106.322	-34.205	64.149	1.00106.35	N
ATOM	23801	CB	ASP	N	47	106.061	-33.560	62.789	1.00104.96	N
ATOM	23802	CG	ASP	N	47	105.666	-32.110	62.905	1.00106.64	N
ATOM	23803	OD1	ASP	N	47	104.891	-31.786	63.831	1.00108.58	N
ATOM	23804	OD2	ASP	N	47	106.116	-31.298	62.069	1.00106.47	N
ATOM	23805	C	ASP	N	47	106.260	-35.724	64.007	1.00107.53	N
ATOM	23806	O	ASP	N	47	105.215	-36.335	64.244	1.00109.00	N
ATOM	23807	N	TYR	N	48	107.383	-36.323	63.619	1.00107.19	N
ATOM	23808	CA	TYR	N	48	107.493	-37.771	63.436	1.00106.23	N
ATOM	23809	CB	TYR	N	48	107.866	-38.074	61.980	1.00105.80	N
ATOM	23810	CG	TYR	N	48	106.966	-37.409	60.948	1.00107.45	N
ATOM	23811	CD1	TYR	N	48	107.446	-37.098	59.676	1.00109.00	N
ATOM	23812	CE1	TYR	N	48	106.628	-36.493	58.722	1.00109.38	N
ATOM	23813	CD2	TYR	N	48	105.634	-37.099	61.238	1.00106.79	N
ATOM	23814	CE2	TYR	N	48	104.808	-36.495	60.287	1.00106.59	N
ATOM	23815	CZ	TYR	N	48	105.314	-36.196	59.034	1.00108.52	N
ATOM	23816	OH	TYR	N	48	104.519	-35.599	58.088	1.00107.80	N
ATOM	23817	C	TYR	N	48	108.600	-38.264	64.374	1.00105.44	N
ATOM	23818	O	TYR	N	48	109.634	-38.762	63.924	1.00105.81	N
ATOM	23819	N	PRO	N	49	108.383	-38.144	65.697	1.00103.98	N
ATOM	23820	CD	PRO	N	49	107.139	-37.640	66.308	1.00102.81	N
ATOM	23821	CA	PRO	N	49	109.334	-38.548	66.736	1.00103.15	N
ATOM	23822	CB	PRO	N	49	108.715	-37.963	68.003	1.00103.07	N
ATOM	23823	CG	PRO	N	49	107.265	-38.110	67.740	1.00103.53	N
ATOM	23824	C	PRO	N	49	109.663	-40.026	66.894	1.00102.20	N
ATOM	23825	O	PRO	N	49	110.729	-40.362	67.402	1.00102.58	N
ATOM	23826	N	GLU	N	50	108.764	-40.909	66.474	1.00101.57	N
ATOM	23827	CA	GLU	N	50	109.013	-42.342	66.617	1.00101.49	N
ATOM	23828	CB	GLU	N	50	107.705	-43.125	66.468	1.00103.16	N
ATOM	23829	CG	GLU	N	50	106.919	-43.291	67.763	1.00104.81	N
ATOM	23830	CD	GLU	N	50	106.424	-41.978	68.336	1.00109.00	N
ATOM	23831	OE1	GLU	N	50	105.734	-41.234	67.605	1.00110.26	N
ATOM	23832	OE2	GLU	N	50	106.718	-41.696	69.520	1.00112.11	N
ATOM	23833	C	GLU	N	50	110.059	-42.902	65.653	1.00 99.43	N
ATOM	23834	O	GLU	N	50	110.486	-44.048	65.793	1.00 98.00	N
ATOM	23835	N	THR	N	51	110.477	-42.098	64.682	1.00 98.21	N
ATOM	23836	CA	THR	N	51	111.473	-42.554	63.721	1.00 98.52	N
ATOM	23837	CB	THR	N	51	110.855	-42.782	62.336	1.00101.07	N
ATOM	23838	OG1	THR	N	51	109.655	-43.553	62.466	1.00103.76	N
ATOM	23839	CG2	THR	N	51	111.838	-43.526	61.437	1.00 99.51	N
ATOM	23840	C	THR	N	51	112.574	-41.527	63.558	1.00 96.85	N
ATOM	23841	O	THR	N	51	113.753	-41.821	63.730	1.00 94.65	N
ATOM	23842	N	ILE	N	52	112.167	-40.311	63.229	1.00 97.78	N
ATOM	23843	CA	ILE	N	52	113.102	-39.222	63.007	1.00100.46	N
ATOM	23844	CB	ILE	N	52	112.447	-38.113	62.169	1.00100.49	N
ATOM	23845	CG2	ILE	N	52	113.519	-37.242	61.537	1.00 99.33	N
ATOM	23846	CG1	ILE	N	52	111.563	-38.738	61.086	1.00102.45	N
ATOM	23847	CD1	ILE	N	52	110.745	-37.734	60.304	1.00101.94	N

ATOM	23848	C	ILE	N	52	113.635	-38.582	64.285	1.00101.03	N
ATOM	23849	O	ILE	N	52	112.981	-38.592	65.330	1.00101.19	N
ATOM	23850	N	THR	N	53	114.837	-38.026	64.177	1.00101.45	N
ATOM	23851	CA	THR	N	53	115.491	-37.333	65.281	1.00100.27	N
ATOM	23852	CB	THR	N	53	116.755	-38.092	65.766	1.00102.74	N
ATOM	23853	OG1	THR	N	53	116.396	-39.409	66.207	1.00106.30	N
ATOM	23854	CG2	THR	N	53	117.408	-37.354	66.918	1.00104.90	N
ATOM	23855	C	THR	N	53	115.902	-35.967	64.722	1.00 97.40	N
ATOM	23856	O	THR	N	53	116.813	-35.879	63.892	1.00 95.79	N
ATOM	23857	N	ASP	N	54	115.214	-34.912	65.158	1.00 94.92	N
ATOM	23858	CA	ASP	N	54	115.503	-33.559	64.681	1.00 93.01	N
ATOM	23859	CB	ASP	N	54	114.257	-32.671	64.775	1.00 97.00	N
ATOM	23860	CG	ASP	N	54	113.240	-32.969	63.683	1.00 99.19	N
ATOM	23861	OD1	ASP	N	54	113.586	-32.853	62.483	1.00 98.39	N
ATOM	23862	OD2	ASP	N	54	112.089	-33.314	64.030	1.00101.20	N
ATOM	23863	C	ASP	N	54	116.668	-32.873	65.383	1.00 88.98	N
ATOM	23864	O	ASP	N	54	116.811	-32.934	66.607	1.00 87.35	N
ATOM	23865	N	TYR	N	55	117.486	-32.209	64.573	1.00 86.03	N
ATOM	23866	CA	TYR	N	55	118.673	-31.500	65.026	1.00 82.46	N
ATOM	23867	CB	TYR	N	55	119.884	-32.031	64.267	1.00 80.11	N
ATOM	23868	CG	TYR	N	55	120.114	-33.509	64.462	1.00 79.02	N
ATOM	23869	CD1	TYR	N	55	120.789	-34.264	63.499	1.00 79.20	N
ATOM	23870	CE1	TYR	N	55	121.042	-35.617	63.694	1.00 78.39	N
ATOM	23871	CD2	TYR	N	55	119.695	-34.148	65.626	1.00 77.99	N
ATOM	23872	CE2	TYR	N	55	119.943	-35.496	65.832	1.00 80.13	N
ATOM	23873	CZ	TYR	N	55	120.618	-36.226	64.865	1.00 80.79	N
ATOM	23874	OH	TYR	N	55	120.876	-37.561	65.081	1.00 83.09	N
ATOM	23875	C	TYR	N	55	118.534	-30.004	64.788	1.00 80.18	N
ATOM	23876	O	TYR	N	55	118.629	-29.535	63.653	1.00 81.22	N
ATOM	23877	N	VAL	N	56	118.304	-29.261	65.863	1.00 77.70	N
ATOM	23878	CA	VAL	N	56	118.153	-27.820	65.765	1.00 77.49	N
ATOM	23879	CB	VAL	N	56	117.015	-27.317	66.667	1.00 77.18	N
ATOM	23880	CG1	VAL	N	56	116.915	-25.796	66.606	1.00 72.93	N
ATOM	23881	CG2	VAL	N	56	115.722	-27.941	66.223	1.00 75.34	N
ATOM	23882	C	VAL	N	56	119.447	-27.119	66.147	1.00 78.54	N
ATOM	23883	O	VAL	N	56	120.114	-27.482	67.116	1.00 76.08	N
ATOM	23884	N	THR	N	57	119.785	-26.103	65.368	1.00 80.72	N
ATOM	23885	CA	THR	N	57	120.994	-25.339	65.582	1.00 82.94	N
ATOM	23886	CB	THR	N	57	122.124	-25.881	64.698	1.00 82.76	N
ATOM	23887	OG1	THR	N	57	123.170	-24.910	64.597	1.00 84.27	N
ATOM	23888	CG2	THR	N	57	121.593	-26.193	63.314	1.00 85.00	N
ATOM	23889	C	THR	N	57	120.768	-23.878	65.230	1.00 84.65	N
ATOM	23890	O	THR	N	57	119.881	-23.555	64.438	1.00 87.15	N
ATOM	23891	N	LEU	N	58	121.572	-23.003	65.830	1.00 84.65	N
ATOM	23892	CA	LEU	N	58	121.508	-21.565	65.572	1.00 82.64	N
ATOM	23893	CB	LEU	N	58	121.749	-20.773	66.868	1.00 83.44	N
ATOM	23894	CG	LEU	N	58	121.855	-19.241	66.768	1.00 84.94	N
ATOM	23895	CD1	LEU	N	58	120.557	-18.641	66.235	1.00 80.77	N
ATOM	23896	CD2	LEU	N	58	122.184	-18.671	68.138	1.00 82.37	N
ATOM	23897	C	LEU	N	58	122.592	-21.238	64.543	1.00 80.94	N
ATOM	23898	O	LEU	N	58	123.775	-21.132	64.881	1.00 80.11	N
ATOM	23899	N	GLN	N	59	122.176	-21.098	63.288	1.00 79.26	N
ATOM	23900	CA	GLN	N	59	123.088	-20.799	62.190	1.00 78.41	N
ATOM	23901	CB	GLN	N	59	122.341	-20.890	60.862	1.00 79.38	N
ATOM	23902	CG	GLN	N	59	122.359	-22.248	60.203	1.00 84.90	N
ATOM	23903	CD	GLN	N	59	123.381	-22.339	59.089	1.00 87.94	N
ATOM	23904	OE1	GLN	N	59	124.586	-22.354	59.336	1.00 91.07	N
ATOM	23905	NE2	GLN	N	59	122.902	-22.391	57.847	1.00 91.12	N

ATOM	23906	C	GLN	N	59	123.727	-19.425	62.289	1.00	77.29	N
ATOM	23907	O	GLN	N	59	124.932	-19.289	62.486	1.00	76.15	N
ATOM	23908	N	ARG	N	60	122.897	-18.406	62.135	1.00	78.58	N
ATOM	23909	CA	ARG	N	60	123.350	-17.028	62.166	1.00	78.90	N
ATOM	23910	CB	ARG	N	60	123.024	-16.359	60.825	1.00	80.55	N
ATOM	23911	CG	ARG	N	60	123.423	-14.900	60.704	1.00	87.75	N
ATOM	23912	CD	ARG	N	60	124.930	-14.736	60.669	1.00	95.05	N
ATOM	23913	NE	ARG	N	60	125.539	-15.581	59.644	1.00	103.47	N
ATOM	23914	CZ	ARG	N	60	126.821	-15.533	59.288	1.00	107.42	N
ATOM	23915	NH1	ARG	N	60	127.648	-14.671	59.871	1.00	108.66	N
ATOM	23916	NH2	ARG	N	60	127.279	-16.358	58.352	1.00	108.16	N
ATOM	23917	C	ARG	N	60	122.712	-16.245	63.307	1.00	77.29	N
ATOM	23918	O	ARG	N	60	121.754	-16.693	63.943	1.00	75.70	N
ATOM	23919	N	GLY	N	61	123.272	-15.071	63.560	1.00	76.90	N
ATOM	23920	CA	GLY	N	61	122.775	-14.199	64.600	1.00	77.64	N
ATOM	23921	C	GLY	N	61	123.220	-12.811	64.201	1.00	77.40	N
ATOM	23922	O	GLY	N	61	124.406	-12.494	64.286	1.00	79.32	N
ATOM	23923	N	SER	N	62	122.280	-11.988	63.749	1.00	76.52	N
ATOM	23924	CA	SER	N	62	122.599	-10.632	63.327	1.00	76.75	N
ATOM	23925	CB	SER	N	62	121.947	-10.361	61.975	1.00	75.38	N
ATOM	23926	OG	SER	N	62	122.202	-11.435	61.090	1.00	70.96	N
ATOM	23927	C	SER	N	62	122.150	-9.584	64.354	1.00	76.92	N
ATOM	23928	O	SER	N	62	121.283	-9.844	65.181	1.00	75.95	N
ATOM	23929	N	ALA	N	63	122.756	-8.403	64.300	1.00	76.29	N
ATOM	23930	CA	ALA	N	63	122.417	-7.330	65.226	1.00	74.90	N
ATOM	23931	CB	ALA	N	63	123.598	-7.050	66.157	1.00	74.88	N
ATOM	23932	C	ALA	N	63	122.044	-6.068	64.449	1.00	73.93	N
ATOM	23933	O	ALA	N	63	122.625	-5.783	63.397	1.00	72.79	N
ATOM	23934	N	TYR	N	64	121.063	-5.325	64.961	1.00	74.17	N
ATOM	23935	CA	TYR	N	64	120.612	-4.096	64.313	1.00	71.44	N
ATOM	23936	CB	TYR	N	64	119.357	-4.361	63.479	1.00	73.34	N
ATOM	23937	CG	TYR	N	64	119.503	-5.525	62.525	1.00	77.23	N
ATOM	23938	CD1	TYR	N	64	119.559	-6.838	62.998	1.00	81.70	N
ATOM	23939	CE1	TYR	N	64	119.771	-7.918	62.132	1.00	80.89	N
ATOM	23940	CD2	TYR	N	64	119.652	-5.317	61.155	1.00	78.76	N
ATOM	23941	CE2	TYR	N	64	119.861	-6.390	60.275	1.00	79.60	N
ATOM	23942	CZ	TYR	N	64	119.923	-7.686	60.774	1.00	80.89	N
ATOM	23943	OH	TYR	N	64	120.159	-8.739	59.921	1.00	81.02	N
ATOM	23944	C	TYR	N	64	120.323	-3.029	65.352	1.00	68.53	N
ATOM	23945	O	TYR	N	64	120.323	-3.306	66.552	1.00	67.48	N
ATOM	23946	N	GLY	N	65	120.092	-1.808	64.882	1.00	67.66	N
ATOM	23947	CA	GLY	N	65	119.799	-0.704	65.778	1.00	69.04	N
ATOM	23948	C	GLY	N	65	120.705	-0.558	66.993	1.00	70.18	N
ATOM	23949	O	GLY	N	65	121.908	-0.811	66.939	1.00	69.77	N
ATOM	23950	N	GLY	N	66	120.108	-0.146	68.102	1.00	71.54	N
ATOM	23951	CA	GLY	N	66	120.859	0.057	69.324	1.00	75.68	N
ATOM	23952	C	GLY	N	66	121.612	-1.142	69.864	1.00	79.27	N
ATOM	23953	O	GLY	N	66	122.499	-0.986	70.703	1.00	81.55	N
ATOM	23954	N	VAL	N	67	121.268	-2.344	69.417	1.00	80.39	N
ATOM	23955	CA	VAL	N	67	121.980	-3.523	69.901	1.00	81.44	N
ATOM	23956	CB	VAL	N	67	121.161	-4.820	69.675	1.00	84.58	N
ATOM	23957	CG1	VAL	N	67	122.051	-6.046	69.905	1.00	83.85	N
ATOM	23958	CG2	VAL	N	67	119.969	-4.858	70.635	1.00	81.84	N
ATOM	23959	C	VAL	N	67	123.310	-3.622	69.158	1.00	79.17	N
ATOM	23960	O	VAL	N	67	124.361	-3.891	69.749	1.00	77.29	N
ATOM	23961	N	LEU	N	68	123.247	-3.381	67.854	1.00	76.37	N
ATOM	23962	CA	LEU	N	68	124.418	-3.428	66.998	1.00	74.25	N
ATOM	23963	CB	LEU	N	68	123.985	-3.183	65.552	1.00	67.95	N

ATOM	23964	CG	LEU	N	68	125.079	-3.185	64.490	1.00	65.61	N
ATOM	23965	CD1	LEU	N	68	125.907	-4.464	64.584	1.00	64.94	N
ATOM	23966	CD2	LEU	N	68	124.434	-3.064	63.131	1.00	60.85	N
ATOM	23967	C	LEU	N	68	125.476	-2.397	67.408	1.00	75.10	N
ATOM	23968	O	LEU	N	68	126.677	-2.674	67.372	1.00	78.44	N
ATOM	23969	N	SER	N	69	125.022	-1.220	67.824	1.00	71.86	N
ATOM	23970	CA	SER	N	69	125.926	-0.146	68.197	1.00	67.74	N
ATOM	23971	CB	SER	N	69	125.502	1.119	67.466	1.00	69.90	N
ATOM	23972	OG	SER	N	69	124.145	1.405	67.746	1.00	70.55	N
ATOM	23973	C	SER	N	69	126.070	0.179	69.680	1.00	64.88	N
ATOM	23974	O	SER	N	69	127.115	0.660	70.103	1.00	62.94	N
ATOM	23975	N	ASN	N	70	125.043	-0.076	70.477	1.00	63.91	N
ATOM	23976	CA	ASN	N	70	125.127	0.270	71.887	1.00	63.53	N
ATOM	23977	CB	ASN	N	70	123.845	0.975	72.307	1.00	65.93	N
ATOM	23978	CG	ASN	N	70	123.705	2.344	71.668	1.00	72.26	N
ATOM	23979	OD1	ASN	N	70	124.345	3.312	72.101	1.00	76.10	N
ATOM	23980	ND2	ASN	N	70	122.881	2.433	70.622	1.00	67.52	N
ATOM	23981	C	ASN	N	70	125.455	-0.828	72.881	1.00	65.34	N
ATOM	23982	O	ASN	N	70	125.571	-0.554	74.083	1.00	67.07	N
ATOM	23983	N	PHE	N	71	125.618	-2.061	72.406	1.00	65.30	N
ATOM	23984	CA	PHE	N	71	125.943	-3.152	73.319	1.00	62.89	N
ATOM	23985	CB	PHE	N	71	124.716	-4.010	73.633	1.00	63.18	N
ATOM	23986	CG	PHE	N	71	123.555	-3.237	74.177	1.00	61.82	N
ATOM	23987	CD1	PHE	N	71	122.729	-2.503	73.321	1.00	59.81	N
ATOM	23988	CD2	PHE	N	71	123.287	-3.236	75.542	1.00	57.84	N
ATOM	23989	CE1	PHE	N	71	121.653	-1.780	73.819	1.00	59.16	N
ATOM	23990	CE2	PHE	N	71	122.212	-2.516	76.053	1.00	60.63	N
ATOM	23991	CZ	PHE	N	71	121.393	-1.786	75.191	1.00	59.45	N
ATOM	23992	C	PHE	N	71	127.013	-4.082	72.821	1.00	61.20	N
ATOM	23993	O	PHE	N	71	127.303	-4.152	71.638	1.00	60.09	N
ATOM	23994	N	SER	N	72	127.587	-4.801	73.771	1.00	62.42	N
ATOM	23995	CA	SER	N	72	128.603	-5.804	73.520	1.00	63.64	N
ATOM	23996	CB	SER	N	72	129.842	-5.542	74.375	1.00	59.54	N
ATOM	23997	OG	SER	N	72	129.511	-5.512	75.754	1.00	58.59	N
ATOM	23998	C	SER	N	72	127.881	-7.035	74.031	1.00	68.20	N
ATOM	23999	O	SER	N	72	126.985	-6.922	74.866	1.00	67.55	N
ATOM	24000	N	GLY	N	73	128.239	-8.210	73.542	1.00	74.23	N
ATOM	24001	CA	GLY	N	73	127.547	-9.378	74.042	1.00	78.18	N
ATOM	24002	C	GLY	N	73	127.667	-10.677	73.281	1.00	77.91	N
ATOM	24003	O	GLY	N	73	128.376	-10.790	72.279	1.00	77.56	N
ATOM	24004	N	THR	N	74	126.930	-11.660	73.785	1.00	78.02	N
ATOM	24005	CA	THR	N	74	126.914	-12.998	73.230	1.00	78.13	N
ATOM	24006	CB	THR	N	74	127.872	-13.893	74.002	1.00	76.32	N
ATOM	24007	OG1	THR	N	74	127.548	-13.824	75.394	1.00	73.39	N
ATOM	24008	CG2	THR	N	74	129.308	-13.446	73.790	1.00	79.43	N
ATOM	24009	C	THR	N	74	125.532	-13.633	73.308	1.00	77.13	N
ATOM	24010	O	THR	N	74	124.618	-13.106	73.943	1.00	74.81	N
ATOM	24011	N	VAL	N	75	125.404	-14.781	72.653	1.00	77.53	N
ATOM	24012	CA	VAL	N	75	124.166	-15.537	72.643	1.00	75.09	N
ATOM	24013	CB	VAL	N	75	123.680	-15.796	71.200	1.00	73.75	N
ATOM	24014	CG1	VAL	N	75	124.741	-16.553	70.417	1.00	74.59	N
ATOM	24015	CG2	VAL	N	75	122.380	-16.567	71.224	1.00	73.48	N
ATOM	24016	C	VAL	N	75	124.421	-16.870	73.340	1.00	75.19	N
ATOM	24017	O	VAL	N	75	125.302	-17.637	72.943	1.00	74.11	N
ATOM	24018	N	LYS	N	76	123.667	-17.119	74.405	1.00	76.01	N
ATOM	24019	CA	LYS	N	76	123.769	-18.365	75.158	1.00	75.48	N
ATOM	24020	CB	LYS	N	76	123.237	-18.149	76.580	1.00	76.94	N
ATOM	24021	CG	LYS	N	76	122.738	-19.391	77.303	1.00	76.96	N

ATOM	24022	CD	LYS	N	76	121.860	-18.970	78.492	1.00	82.41	N
ATOM	24023	CE	LYS	N	76	121.111	-20.139	79.140	1.00	83.73	N
ATOM	24024	NZ	LYS	N	76	120.337	-19.703	80.348	1.00	80.94	N
ATOM	24025	C	LYS	N	76	122.904	-19.375	74.407	1.00	73.65	N
ATOM	24026	O	LYS	N	76	121.733	-19.102	74.123	1.00	72.77	N
ATOM	24027	N	TYR	N	77	123.477	-20.522	74.060	1.00	71.62	N
ATOM	24028	CA	TYR	N	77	122.717	-21.536	73.342	1.00	72.70	N
ATOM	24029	CB	TYR	N	77	123.073	-21.533	71.863	1.00	71.66	N
ATOM	24030	CG	TYR	N	77	122.235	-22.489	71.046	1.00	70.99	N
ATOM	24031	CD1	TYR	N	77	120.944	-22.149	70.649	1.00	73.44	N
ATOM	24032	CE1	TYR	N	77	120.164	-23.024	69.892	1.00	73.81	N
ATOM	24033	CD2	TYR	N	77	122.732	-23.736	70.670	1.00	72.15	N
ATOM	24034	CE2	TYR	N	77	121.964	-24.620	69.912	1.00	74.62	N
ATOM	24035	CZ	TYR	N	77	120.679	-24.256	69.524	1.00	75.40	N
ATOM	24036	OH	TYR	N	77	119.918	-25.106	68.747	1.00	76.55	N
ATOM	24037	C	TYR	N	77	122.939	-22.935	73.889	1.00	75.10	N
ATOM	24038	O	TYR	N	77	123.999	-23.535	73.685	1.00	76.21	N
ATOM	24039	N	SER	N	78	121.928	-23.457	74.572	1.00	76.74	N
ATOM	24040	CA	SER	N	78	122.008	-24.793	75.141	1.00	81.03	N
ATOM	24041	CB	SER	N	78	122.019	-25.848	74.026	1.00	83.01	N
ATOM	24042	OG	SER	N	78	121.922	-27.166	74.549	1.00	82.25	N
ATOM	24043	C	SER	N	78	123.270	-24.916	75.980	1.00	82.82	N
ATOM	24044	O	SER	N	78	124.135	-25.752	75.709	1.00	86.16	N
ATOM	24045	N	GLY	N	79	123.376	-24.076	76.999	1.00	83.08	N
ATOM	24046	CA	GLY	N	79	124.543	-24.126	77.856	1.00	82.98	N
ATOM	24047	C	GLY	N	79	125.618	-23.160	77.414	1.00	79.66	N
ATOM	24048	O	GLY	N	79	125.602	-21.998	77.815	1.00	80.12	N
ATOM	24049	N	SER	N	80	126.546	-23.637	76.586	1.00	77.24	N
ATOM	24050	CA	SER	N	80	127.638	-22.791	76.102	1.00	76.29	N
ATOM	24051	CB	SER	N	80	128.481	-23.525	75.044	1.00	75.88	N
ATOM	24052	OG	SER	N	80	129.303	-24.523	75.626	1.00	71.30	N
ATOM	24053	C	SER	N	80	127.146	-21.463	75.528	1.00	73.77	N
ATOM	24054	O	SER	N	80	125.991	-21.343	75.099	1.00	74.17	N
ATOM	24055	N	SER	N	81	128.033	-20.468	75.542	1.00	69.28	N
ATOM	24056	CA	SER	N	81	127.737	-19.133	75.032	1.00	63.46	N
ATOM	24057	CB	SER	N	81	128.015	-18.077	76.099	1.00	65.22	N
ATOM	24058	OG	SER	N	81	127.283	-18.345	77.280	1.00	69.59	N
ATOM	24059	C	SER	N	81	128.640	-18.893	73.841	1.00	59.89	N
ATOM	24060	O	SER	N	81	129.715	-19.482	73.738	1.00	57.81	N
ATOM	24061	N	TYR	N	82	128.203	-18.031	72.936	1.00	58.28	N
ATOM	24062	CA	TYR	N	82	128.987	-17.740	71.749	1.00	57.10	N
ATOM	24063	CB	TYR	N	82	128.471	-18.595	70.579	1.00	57.48	N
ATOM	24064	CG	TYR	N	82	128.305	-20.069	70.918	1.00	61.94	N
ATOM	24065	CD1	TYR	N	82	127.182	-20.531	71.617	1.00	63.89	N
ATOM	24066	CE1	TYR	N	82	127.058	-21.882	71.990	1.00	59.19	N
ATOM	24067	CD2	TYR	N	82	129.296	-20.997	70.592	1.00	63.14	N
ATOM	24068	CE2	TYR	N	82	129.179	-22.345	70.957	1.00	61.23	N
ATOM	24069	CZ	TYR	N	82	128.062	-22.778	71.659	1.00	60.69	N
ATOM	24070	OH	TYR	N	82	127.966	-24.100	72.053	1.00	60.45	N
ATOM	24071	C	TYR	N	82	128.944	-16.241	71.392	1.00	55.79	N
ATOM	24072	O	TYR	N	82	128.014	-15.520	71.754	1.00	52.53	N
ATOM	24073	N	PRO	N	83	129.963	-15.751	70.675	1.00	54.19	N
ATOM	24074	CD	PRO	N	83	131.160	-16.417	70.134	1.00	50.04	N
ATOM	24075	CA	PRO	N	83	129.948	-14.334	70.321	1.00	54.15	N
ATOM	24076	CB	PRO	N	83	131.186	-14.187	69.441	1.00	49.23	N
ATOM	24077	CG	PRO	N	83	132.090	-15.260	69.931	1.00	49.30	N
ATOM	24078	C	PRO	N	83	128.681	-13.940	69.564	1.00	56.37	N
ATOM	24079	O	PRO	N	83	128.234	-14.671	68.674	1.00	57.87	N

ATOM	24080	N	PHE	N	84	128.095	-12.801	69.929	1.00	55.24	N
ATOM	24081	CA	PHE	N	84	126.927	-12.297	69.220	1.00	54.63	N
ATOM	24082	CB	PHE	N	84	125.647	-12.365	70.039	1.00	54.02	N
ATOM	24083	CG	PHE	N	84	124.458	-11.812	69.303	1.00	51.82	N
ATOM	24084	CD1	PHE	N	84	124.017	-12.413	68.129	1.00	53.38	N
ATOM	24085	CD2	PHE	N	84	123.825	-10.654	69.731	1.00	50.90	N
ATOM	24086	CE1	PHE	N	84	122.965	-11.862	67.388	1.00	51.58	N
ATOM	24087	CE2	PHE	N	84	122.774	-10.099	68.995	1.00	49.38	N
ATOM	24088	CZ	PHE	N	84	122.347	-10.704	67.823	1.00	46.64	N
ATOM	24089	C	PHE	N	84	127.165	-10.846	68.866	1.00	56.60	N
ATOM	24090	O	PHE	N	84	127.496	-10.041	69.737	1.00	58.01	N
ATOM	24091	N	PRO	N	85	126.995	-10.484	67.579	1.00	58.97	N
ATOM	24092	CD	PRO	N	85	127.136	-9.096	67.106	1.00	57.17	N
ATOM	24093	CA	PRO	N	85	126.595	-11.359	66.471	1.00	59.14	N
ATOM	24094	CB	PRO	N	85	126.755	-10.465	65.252	1.00	54.00	N
ATOM	24095	CG	PRO	N	85	126.391	-9.135	65.789	1.00	58.46	N
ATOM	24096	C	PRO	N	85	127.429	-12.624	66.361	1.00	61.51	N
ATOM	24097	O	PRO	N	85	128.623	-12.623	66.657	1.00	62.64	N
ATOM	24098	N	THR	N	86	126.775	-13.700	65.940	1.00	64.44	N
ATOM	24099	CA	THR	N	86	127.411	-15.002	65.775	1.00	63.85	N
ATOM	24100	CB	THR	N	86	126.371	-16.065	65.405	1.00	63.31	N
ATOM	24101	OG1	THR	N	86	125.889	-15.819	64.074	1.00	57.69	N
ATOM	24102	CG2	THR	N	86	125.205	-16.015	66.384	1.00	63.98	N
ATOM	24103	C	THR	N	86	128.463	-14.961	64.670	1.00	64.65	N
ATOM	24104	O	THR	N	86	128.349	-14.186	63.717	1.00	65.78	N
ATOM	24105	N	THR	N	87	129.477	-15.812	64.805	1.00	62.95	N
ATOM	24106	CA	THR	N	87	130.562	-15.894	63.837	1.00	60.84	N
ATOM	24107	CB	THR	N	87	131.936	-15.687	64.511	1.00	58.69	N
ATOM	24108	OG1	THR	N	87	132.254	-16.834	65.312	1.00	62.28	N
ATOM	24109	CG2	THR	N	87	131.920	-14.453	65.396	1.00	55.23	N
ATOM	24110	C	THR	N	87	130.568	-17.264	63.179	1.00	62.10	N
ATOM	24111	O	THR	N	87	131.388	-17.540	62.310	1.00	63.72	N
ATOM	24112	N	SER	N	88	129.660	-18.131	63.604	1.00	64.18	N
ATOM	24113	CA	SER	N	88	129.587	-19.470	63.038	1.00	64.96	N
ATOM	24114	CB	SER	N	88	130.878	-20.228	63.318	1.00	62.51	N
ATOM	24115	OG	SER	N	88	131.026	-20.411	64.708	1.00	71.68	N
ATOM	24116	C	SER	N	88	128.411	-20.245	63.611	1.00	65.09	N
ATOM	24117	O	SER	N	88	127.861	-19.888	64.656	1.00	58.45	N
ATOM	24118	N	GLU	N	89	128.032	-21.311	62.909	1.00	70.00	N
ATOM	24119	CA	GLU	N	89	126.916	-22.152	63.320	1.00	73.50	N
ATOM	24120	CB	GLU	N	89	126.603	-23.184	62.245	1.00	73.09	N
ATOM	24121	CG	GLU	N	89	125.655	-24.262	62.712	1.00	72.93	N
ATOM	24122	CD	GLU	N	89	125.256	-25.191	61.594	1.00	77.43	N
ATOM	24123	OE1	GLU	N	89	126.165	-25.743	60.926	1.00	77.32	N
ATOM	24124	OE2	GLU	N	89	124.032	-25.365	61.388	1.00	76.45	N
ATOM	24125	C	GLU	N	89	127.186	-22.857	64.637	1.00	76.35	N
ATOM	24126	O	GLU	N	89	128.273	-23.395	64.865	1.00	78.35	N
ATOM	24127	N	THR	N	90	126.167	-22.867	65.485	1.00	75.57	N
ATOM	24128	CA	THR	N	90	126.246	-23.463	66.807	1.00	74.65	N
ATOM	24129	CB	THR	N	90	125.136	-22.858	67.691	1.00	72.58	N
ATOM	24130	OG1	THR	N	90	125.424	-23.092	69.068	1.00	74.39	N
ATOM	24131	CG2	THR	N	90	123.805	-23.478	67.360	1.00	71.41	N
ATOM	24132	C	THR	N	90	126.108	-24.990	66.779	1.00	74.98	N
ATOM	24133	O	THR	N	90	125.700	-25.570	65.770	1.00	75.56	N
ATOM	24134	N	PRO	N	91	126.492	-25.666	67.877	1.00	74.80	N
ATOM	24135	CD	PRO	N	91	127.330	-25.176	68.985	1.00	73.36	N
ATOM	24136	CA	PRO	N	91	126.375	-27.126	67.930	1.00	75.86	N
ATOM	24137	CB	PRO	N	91	126.939	-27.463	69.303	1.00	74.73	N

ATOM	24138	CG	PRO	N	91	128.007	-26.443	69.468	1.00	75.42	N
ATOM	24139	C	PRO	N	91	124.893	-27.456	67.819	1.00	77.18	N
ATOM	24140	O	PRO	N	91	124.058	-26.574	68.013	1.00	78.98	N
ATOM	24141	N	ARG	N	92	124.557	-28.708	67.528	1.00	79.52	N
ATOM	24142	CA	ARG	N	92	123.152	-29.080	67.382	1.00	82.61	N
ATOM	24143	CB	ARG	N	92	122.978	-30.051	66.206	1.00	85.97	N
ATOM	24144	CG	ARG	N	92	123.703	-31.386	66.351	1.00	94.71	N
ATOM	24145	CD	ARG	N	92	123.444	-32.274	65.133	1.00	99.02	N
ATOM	24146	NE	ARG	N	92	124.110	-33.575	65.212	1.00	104.44	N
ATOM	24147	CZ	ARG	N	92	123.882	-34.488	66.155	1.00	107.01	N
ATOM	24148	NH1	ARG	N	92	122.997	-34.254	67.118	1.00	106.75	N
ATOM	24149	NH2	ARG	N	92	124.537	-35.643	66.131	1.00	109.49	N
ATOM	24150	C	ARG	N	92	122.498	-29.670	68.628	1.00	83.19	N
ATOM	24151	O	ARG	N	92	123.127	-30.391	69.402	1.00	83.51	N
ATOM	24152	N	VAL	N	93	121.222	-29.340	68.806	1.00	83.37	N
ATOM	24153	CA	VAL	N	93	120.418	-29.822	69.923	1.00	84.88	N
ATOM	24154	CB	VAL	N	93	119.774	-28.644	70.673	1.00	85.94	N
ATOM	24155	CG1	VAL	N	93	118.884	-29.165	71.796	1.00	88.31	N
ATOM	24156	CG2	VAL	N	93	120.860	-27.726	71.217	1.00	84.11	N
ATOM	24157	C	VAL	N	93	119.316	-30.727	69.347	1.00	86.36	N
ATOM	24158	O	VAL	N	93	118.746	-30.410	68.298	1.00	85.88	N
ATOM	24159	N	VAL	N	94	119.015	-31.840	70.022	1.00	86.97	N
ATOM	24160	CA	VAL	N	94	118.001	-32.785	69.533	1.00	84.28	N
ATOM	24161	CB	VAL	N	94	118.299	-34.245	69.977	1.00	81.91	N
ATOM	24162	CG1	VAL	N	94	119.714	-34.630	69.590	1.00	79.95	N
ATOM	24163	CG2	VAL	N	94	118.083	-34.403	71.473	1.00	83.03	N
ATOM	24164	C	VAL	N	94	116.566	-32.478	69.934	1.00	84.65	N
ATOM	24165	O	VAL	N	94	116.297	-31.987	71.031	1.00	83.83	N
ATOM	24166	N	TYR	N	95	115.649	-32.780	69.019	1.00	87.14	N
ATOM	24167	CA	TYR	N	95	114.219	-32.578	69.234	1.00	88.17	N
ATOM	24168	CB	TYR	N	95	113.716	-31.433	68.356	1.00	85.54	N
ATOM	24169	CG	TYR	N	95	113.970	-30.101	69.000	1.00	86.44	N
ATOM	24170	CD1	TYR	N	95	115.266	-29.660	69.237	1.00	87.56	N
ATOM	24171	CE1	TYR	N	95	115.507	-28.477	69.914	1.00	88.09	N
ATOM	24172	CD2	TYR	N	95	112.915	-29.314	69.453	1.00	89.24	N
ATOM	24173	CE2	TYR	N	95	113.144	-28.125	70.131	1.00	88.30	N
ATOM	24174	CZ	TYR	N	95	114.443	-27.717	70.360	1.00	88.47	N
ATOM	24175	OH	TYR	N	95	114.683	-26.563	71.056	1.00	89.13	N
ATOM	24176	C	TYR	N	95	113.451	-33.864	68.949	1.00	88.84	N
ATOM	24177	O	TYR	N	95	113.353	-34.305	67.807	1.00	88.44	N
ATOM	24178	N	ASN	N	96	112.914	-34.467	70.003	1.00	90.83	N
ATOM	24179	CA	ASN	N	96	112.183	-35.719	69.868	1.00	93.06	N
ATOM	24180	CB	ASN	N	96	113.123	-36.891	70.197	1.00	95.20	N
ATOM	24181	CG	ASN	N	96	113.962	-36.642	71.448	1.00	100.57	N
ATOM	24182	OD1	ASN	N	96	114.928	-37.362	71.714	1.00	101.77	N
ATOM	24183	ND2	ASN	N	96	113.593	-35.625	72.224	1.00	101.23	N
ATOM	24184	C	ASN	N	96	110.907	-35.798	70.715	1.00	93.41	N
ATOM	24185	O	ASN	N	96	110.900	-36.391	71.798	1.00	93.30	N
ATOM	24186	N	SER	N	97	109.832	-35.199	70.201	1.00	92.92	N
ATOM	24187	CA	SER	N	97	108.528	-35.185	70.867	1.00	92.61	N
ATOM	24188	CB	SER	N	97	108.675	-34.834	72.349	1.00	93.64	N
ATOM	24189	OG	SER	N	97	107.405	-34.697	72.964	1.00	96.48	N
ATOM	24190	C	SER	N	97	107.613	-34.167	70.206	1.00	91.97	N
ATOM	24191	O	SER	N	97	108.066	-33.103	69.794	1.00	91.21	N
ATOM	24192	N	ARG	N	98	106.327	-34.490	70.101	1.00	92.96	N
ATOM	24193	CA	ARG	N	98	105.372	-33.569	69.491	1.00	92.49	N
ATOM	24194	CB	ARG	N	98	104.107	-34.305	69.049	1.00	93.81	N
ATOM	24195	CG	ARG	N	98	104.372	-35.344	67.971	1.00	97.07	N

ATOM	24196	CD	ARG	N	98	103.088	-35.913	67.380	1.00	98.80	N
ATOM	24197	NE	ARG	N	98	103.358	-37.053	66.504	1.00	98.30	N
ATOM	24198	CZ	ARG	N	98	103.860	-38.213	66.922	1.00	99.11	N
ATOM	24199	NH1	ARG	N	98	104.146	-38.398	68.205	1.00	99.01	N
ATOM	24200	NH2	ARG	N	98	104.083	-39.192	66.057	1.00	100.89	N
ATOM	24201	C	ARG	N	98	105.026	-32.489	70.492	1.00	91.61	N
ATOM	24202	O	ARG	N	98	104.235	-31.590	70.213	1.00	90.45	N
ATOM	24203	N	THR	N	99	105.629	-32.594	71.670	1.00	93.01	N
ATOM	24204	CA	THR	N	99	105.422	-31.615	72.725	1.00	94.66	N
ATOM	24205	CB	THR	N	99	105.758	-32.209	74.110	1.00	94.07	N
ATOM	24206	OG1	THR	N	99	104.875	-33.302	74.387	1.00	92.60	N
ATOM	24207	CG2	THR	N	99	105.618	-31.148	75.200	1.00	94.33	N
ATOM	24208	C	THR	N	99	106.339	-30.420	72.449	1.00	96.25	N
ATOM	24209	O	THR	N	99	107.571	-30.538	72.465	1.00	95.23	N
ATOM	24210	N	ASP	N	100	105.728	-29.272	72.186	1.00	96.31	N
ATOM	24211	CA	ASP	N	100	106.477	-28.058	71.897	1.00	97.68	N
ATOM	24212	CB	ASP	N	100	105.516	-26.882	71.767	1.00	96.56	N
ATOM	24213	CG	ASP	N	100	104.611	-27.012	70.575	1.00	96.62	N
ATOM	24214	OD1	ASP	N	100	105.087	-26.790	69.439	1.00	92.76	N
ATOM	24215	OD2	ASP	N	100	103.425	-27.348	70.780	1.00	100.01	N
ATOM	24216	C	ASP	N	100	107.556	-27.710	72.919	1.00	98.52	N
ATOM	24217	O	ASP	N	100	107.262	-27.192	73.996	1.00	97.52	N
ATOM	24218	N	LYS	N	101	108.805	-28.006	72.572	1.00	100.35	N
ATOM	24219	CA	LYS	N	101	109.948	-27.690	73.424	1.00	100.34	N
ATOM	24220	CB	LYS	N	101	110.980	-28.823	73.395	1.00	99.81	N
ATOM	24221	CG	LYS	N	101	112.246	-28.533	74.190	1.00	100.05	N
ATOM	24222	CD	LYS	N	101	113.255	-29.673	74.084	1.00	99.73	N
ATOM	24223	CE	LYS	N	101	114.452	-29.443	75.004	1.00	102.72	N
ATOM	24224	NZ	LYS	N	101	115.438	-30.563	74.965	1.00	101.33	N
ATOM	24225	C	LYS	N	101	110.566	-26.422	72.835	1.00	100.13	N
ATOM	24226	O	LYS	N	101	110.626	-26.266	71.613	1.00	101.16	N
ATOM	24227	N	PRO	N	102	111.019	-25.490	73.691	1.00	98.43	N
ATOM	24228	CD	PRO	N	102	110.937	-25.465	75.166	1.00	97.14	N
ATOM	24229	CA	PRO	N	102	111.623	-24.254	73.182	1.00	93.91	N
ATOM	24230	CB	PRO	N	102	111.433	-23.291	74.342	1.00	94.45	N
ATOM	24231	CG	PRO	N	102	111.714	-24.191	75.527	1.00	95.17	N
ATOM	24232	C	PRO	N	102	113.098	-24.488	72.894	1.00	89.20	N
ATOM	24233	O	PRO	N	102	113.741	-25.288	73.577	1.00	86.07	N
ATOM	24234	N	TRP	N	103	113.643	-23.821	71.883	1.00	87.51	N
ATOM	24235	CA	TRP	N	103	115.066	-23.997	71.628	1.00	85.28	N
ATOM	24236	CB	TRP	N	103	115.404	-23.846	70.130	1.00	82.81	N
ATOM	24237	CG	TRP	N	103	115.300	-22.483	69.584	1.00	86.34	N
ATOM	24238	CD2	TRP	N	103	116.087	-21.924	68.527	1.00	87.14	N
ATOM	24239	CE2	TRP	N	103	115.624	-20.603	68.316	1.00	89.54	N
ATOM	24240	CE3	TRP	N	103	117.136	-22.407	67.737	1.00	86.10	N
ATOM	24241	CD1	TRP	N	103	114.417	-21.514	69.961	1.00	89.85	N
ATOM	24242	NE1	TRP	N	103	114.607	-20.381	69.206	1.00	92.91	N
ATOM	24243	CZ2	TRP	N	103	116.177	-19.753	67.343	1.00	86.58	N
ATOM	24244	CZ3	TRP	N	103	117.687	-21.560	66.767	1.00	87.12	N
ATOM	24245	CH2	TRP	N	103	117.202	-20.247	66.582	1.00	84.51	N
ATOM	24246	C	TRP	N	103	115.769	-22.960	72.499	1.00	81.54	N
ATOM	24247	O	TRP	N	103	115.338	-21.811	72.593	1.00	76.07	N
ATOM	24248	N	PRO	N	104	116.837	-23.379	73.191	1.00	82.33	N
ATOM	24249	CD	PRO	N	104	117.453	-24.705	73.005	1.00	83.32	N
ATOM	24250	CA	PRO	N	104	117.651	-22.552	74.089	1.00	84.22	N
ATOM	24251	CB	PRO	N	104	118.633	-23.560	74.672	1.00	84.23	N
ATOM	24252	CG	PRO	N	104	118.865	-24.480	73.504	1.00	85.52	N
ATOM	24253	C	PRO	N	104	118.368	-21.390	73.396	1.00	83.30	N

ATOM	24254	O	PRO	N	104	119.508	-21.524	72.964	1.00	83.17	N
ATOM	24255	N	VAL	N	105	117.701	-20.250	73.295	1.00	81.40	N
ATOM	24256	CA	VAL	N	105	118.310	-19.105	72.654	1.00	82.86	N
ATOM	24257	CB	VAL	N	105	117.710	-18.856	71.260	1.00	82.51	N
ATOM	24258	CG1	VAL	N	105	118.219	-17.531	70.703	1.00	84.29	N
ATOM	24259	CG2	VAL	N	105	118.098	-19.989	70.334	1.00	81.72	N
ATOM	24260	C	VAL	N	105	118.138	-17.865	73.502	1.00	84.20	N
ATOM	24261	O	VAL	N	105	117.089	-17.214	73.468	1.00	86.86	N
ATOM	24262	N	ALA	N	106	119.176	-17.544	74.267	1.00	80.84	N
ATOM	24263	CA	ALA	N	106	119.145	-16.375	75.122	1.00	75.99	N
ATOM	24264	CB	ALA	N	106	119.301	-16.790	76.576	1.00	75.54	N
ATOM	24265	C	ALA	N	106	120.239	-15.383	74.721	1.00	73.72	N
ATOM	24266	O	ALA	N	106	121.417	-15.739	74.596	1.00	67.78	N
ATOM	24267	N	LEU	N	107	119.815	-14.138	74.508	1.00	72.35	N
ATOM	24268	CA	LEU	N	107	120.695	-13.043	74.129	1.00	69.84	N
ATOM	24269	CB	LEU	N	107	119.964	-12.082	73.206	1.00	65.62	N
ATOM	24270	CG	LEU	N	107	120.419	-12.068	71.757	1.00	64.12	N
ATOM	24271	CD1	LEU	N	107	120.380	-13.474	71.204	1.00	63.62	N
ATOM	24272	CD2	LEU	N	107	119.519	-11.130	70.960	1.00	63.60	N
ATOM	24273	C	LEU	N	107	121.151	-12.276	75.354	1.00	70.35	N
ATOM	24274	O	LEU	N	107	120.333	-11.814	76.145	1.00	68.04	N
ATOM	24275	N	TYR	N	108	122.462	-12.141	75.504	1.00	74.83	N
ATOM	24276	CA	TYR	N	108	123.028	-11.413	76.632	1.00	79.86	N
ATOM	24277	CB	TYR	N	108	123.887	-12.348	77.487	1.00	81.57	N
ATOM	24278	CG	TYR	N	108	123.076	-13.410	78.195	1.00	89.57	N
ATOM	24279	CD1	TYR	N	108	122.453	-14.432	77.480	1.00	93.15	N
ATOM	24280	CE1	TYR	N	108	121.683	-15.400	78.128	1.00	95.42	N
ATOM	24281	CD2	TYR	N	108	122.909	-13.382	79.582	1.00	92.93	N
ATOM	24282	CE2	TYR	N	108	122.140	-14.349	80.241	1.00	93.56	N
ATOM	24283	CZ	TYR	N	108	121.531	-15.355	79.506	1.00	95.05	N
ATOM	24284	OH	TYR	N	108	120.777	-16.320	80.137	1.00	96.61	N
ATOM	24285	C	TYR	N	108	123.846	-10.215	76.135	1.00	81.17	N
ATOM	24286	O	TYR	N	108	124.987	-10.357	75.691	1.00	81.71	N
ATOM	24287	N	LEU	N	109	123.243	-9.033	76.221	1.00	81.11	N
ATOM	24288	CA	LEU	N	109	123.874	-7.802	75.765	1.00	82.16	N
ATOM	24289	CB	LEU	N	109	122.955	-7.113	74.763	1.00	76.44	N
ATOM	24290	CG	LEU	N	109	122.316	-8.087	73.781	1.00	72.55	N
ATOM	24291	CD1	LEU	N	109	121.348	-7.337	72.886	1.00	73.65	N
ATOM	24292	CD2	LEU	N	109	123.397	-8.790	72.974	1.00	69.91	N
ATOM	24293	C	LEU	N	109	124.198	-6.836	76.903	1.00	83.90	N
ATOM	24294	O	LEU	N	109	123.377	-6.601	77.785	1.00	83.58	N
ATOM	24295	N	THR	N	110	125.402	-6.279	76.876	1.00	87.22	N
ATOM	24296	CA	THR	N	110	125.823	-5.329	77.896	1.00	90.30	N
ATOM	24297	CB	THR	N	110	127.160	-5.735	78.521	1.00	88.41	N
ATOM	24298	OG1	THR	N	110	127.071	-7.085	78.989	1.00	88.53	N
ATOM	24299	CG2	THR	N	110	127.498	-4.821	79.690	1.00	88.54	N
ATOM	24300	C	THR	N	110	125.988	-3.968	77.240	1.00	93.68	N
ATOM	24301	O	THR	N	110	126.436	-3.879	76.094	1.00	95.58	N
ATOM	24302	N	PRO	N	111	125.608	-2.887	77.946	1.00	94.66	N
ATOM	24303	CD	PRO	N	111	124.769	-2.833	79.155	1.00	93.94	N
ATOM	24304	CA	PRO	N	111	125.749	-1.551	77.355	1.00	94.00	N
ATOM	24305	CB	PRO	N	111	124.779	-0.696	78.177	1.00	94.32	N
ATOM	24306	CG	PRO	N	111	123.833	-1.710	78.812	1.00	94.16	N
ATOM	24307	C	PRO	N	111	127.191	-1.046	77.457	1.00	93.58	N
ATOM	24308	O	PRO	N	111	127.865	-1.238	78.477	1.00	92.75	N
ATOM	24309	N	VAL	N	112	127.666	-0.415	76.387	1.00	92.70	N
ATOM	24310	CA	VAL	N	112	129.020	0.127	76.358	1.00	89.90	N
ATOM	24311	CB	VAL	N	112	129.574	0.184	74.924	1.00	84.22	N

ATOM	24312	CG1	VAL	N	112	129.811	-1.213	74.406	1.00	80.37	N
ATOM	24313	CG2	VAL	N	112	128.594	0.919	74.022	1.00	83.88	N
ATOM	24314	C	VAL	N	112	128.997	1.541	76.920	1.00	92.04	N
ATOM	24315	O	VAL	N	112	128.017	2.271	76.746	1.00	93.78	N
ATOM	24316	N	SER	N	113	130.071	1.922	77.603	1.00	92.76	N
ATOM	24317	CA	SER	N	113	130.181	3.260	78.181	1.00	92.90	N
ATOM	24318	CB	SER	N	113	131.648	3.551	78.510	1.00	91.01	N
ATOM	24319	OG	SER	N	113	131.816	4.852	79.032	1.00	92.35	N
ATOM	24320	C	SER	N	113	129.637	4.317	77.211	1.00	92.21	N
ATOM	24321	O	SER	N	113	129.058	5.314	77.628	1.00	90.24	N
ATOM	24322	N	SER	N	114	129.817	4.065	75.916	1.00	93.72	N
ATOM	24323	CA	SER	N	114	129.378	4.953	74.839	1.00	95.42	N
ATOM	24324	CB	SER	N	114	129.758	4.347	73.483	1.00	93.30	N
ATOM	24325	OG	SER	N	114	129.296	5.142	72.408	1.00	87.37	N
ATOM	24326	C	SER	N	114	127.889	5.284	74.829	1.00	99.68	N
ATOM	24327	O	SER	N	114	127.500	6.385	74.440	1.00	100.57	N
ATOM	24328	N	ALA	N	115	127.055	4.331	75.232	1.00	104.48	N
ATOM	24329	CA	ALA	N	115	125.611	4.553	75.258	1.00	109.15	N
ATOM	24330	CB	ALA	N	115	124.904	3.313	75.797	1.00	108.30	N
ATOM	24331	C	ALA	N	115	125.285	5.776	76.125	1.00	112.58	N
ATOM	24332	O	ALA	N	115	126.184	6.378	76.720	1.00	113.42	N
ATOM	24333	N	GLY	N	116	124.006	6.146	76.196	1.00	114.86	N
ATOM	24334	CA	GLY	N	116	123.619	7.300	76.993	1.00	116.62	N
ATOM	24335	C	GLY	N	116	122.185	7.307	77.498	1.00	118.30	N
ATOM	24336	O	GLY	N	116	121.946	7.386	78.704	1.00	118.33	N
ATOM	24337	N	GLY	N	117	121.229	7.241	76.577	1.00	119.65	N
ATOM	24338	CA	GLY	N	117	119.828	7.240	76.959	1.00	119.86	N
ATOM	24339	C	GLY	N	117	119.045	6.174	76.217	1.00	119.86	N
ATOM	24340	O	GLY	N	117	119.085	5.001	76.586	1.00	119.15	N
ATOM	24341	N	VAL	N	118	118.336	6.580	75.167	1.00	119.99	N
ATOM	24342	CA	VAL	N	118	117.543	5.652	74.372	1.00	120.05	N
ATOM	24343	CB	VAL	N	118	116.575	6.398	73.422	1.00	121.12	N
ATOM	24344	CG1	VAL	N	118	115.798	5.399	72.575	1.00	122.47	N
ATOM	24345	CG2	VAL	N	118	115.617	7.259	74.224	1.00	122.38	N
ATOM	24346	C	VAL	N	118	118.444	4.761	73.528	1.00	120.24	N
ATOM	24347	O	VAL	N	118	118.822	5.124	72.413	1.00	121.61	N
ATOM	24348	N	ALA	N	119	118.790	3.596	74.065	1.00	119.75	N
ATOM	24349	CA	ALA	N	119	119.636	2.645	73.352	1.00	118.45	N
ATOM	24350	CB	ALA	N	119	120.210	1.618	74.327	1.00	116.68	N
ATOM	24351	C	ALA	N	119	118.809	1.945	72.273	1.00	118.13	N
ATOM	24352	O	ALA	N	119	119.230	1.847	71.120	1.00	118.34	N
ATOM	24353	N	ILE	N	120	117.626	1.472	72.656	1.00	117.57	N
ATOM	24354	CA	ILE	N	120	116.728	0.778	71.736	1.00	115.26	N
ATOM	24355	CB	ILE	N	120	116.499	-0.689	72.178	1.00	113.54	N
ATOM	24356	CG2	ILE	N	120	115.493	-1.361	71.260	1.00	114.04	N
ATOM	24357	CG1	ILE	N	120	117.820	-1.457	72.160	1.00	109.79	N
ATOM	24358	CD1	ILE	N	120	117.685	-2.904	72.567	1.00	108.30	N
ATOM	24359	C	ILE	N	120	115.376	1.478	71.675	1.00	113.44	N
ATOM	24360	O	ILE	N	120	114.866	1.945	72.692	1.00	112.72	N
ATOM	24361	N	LYS	N	121	114.801	1.548	70.479	1.00	112.33	N
ATOM	24362	CA	LYS	N	121	113.500	2.180	70.293	1.00	112.31	N
ATOM	24363	CB	LYS	N	121	113.283	2.512	68.812	1.00	111.20	N
ATOM	24364	CG	LYS	N	121	113.706	3.933	68.429	1.00	110.98	N
ATOM	24365	CD	LYS	N	121	115.133	4.259	68.877	1.00	111.42	N
ATOM	24366	CE	LYS	N	121	115.435	5.763	68.818	1.00	109.16	N
ATOM	24367	NZ	LYS	N	121	115.362	6.339	67.445	1.00	105.46	N
ATOM	24368	C	LYS	N	121	112.381	1.281	70.813	1.00	112.45	N
ATOM	24369	O	LYS	N	121	112.645	0.246	71.423	1.00	112.37	N

ATOM	24370	N	ALA N 122	111.133	1.673	70.577	1.00112.29	N
ATOM	24371	CA	ALA N 122	109.997	0.894	71.052	1.00112.47	N
ATOM	24372	CB	ALA N 122	109.013	1.807	71.772	1.00112.33	N
ATOM	24373	C	ALA N 122	109.287	0.141	69.935	1.00113.16	N
ATOM	24374	O	ALA N 122	108.137	-0.272	70.090	1.00112.94	N
ATOM	24375	N	GLY N 123	109.971	-0.041	68.812	1.00113.53	N
ATOM	24376	CA	GLY N 123	109.370	-0.750	67.696	1.00114.43	N
ATOM	24377	C	GLY N 123	110.331	-0.957	66.543	1.00115.20	N
ATOM	24378	O	GLY N 123	109.957	-0.844	65.369	1.00115.81	N
ATOM	24379	N	SER N 124	111.580	-1.262	66.883	1.00114.53	N
ATOM	24380	CA	SER N 124	112.623	-1.491	65.890	1.00110.57	N
ATOM	24381	CB	SER N 124	113.826	-0.580	66.169	1.00110.52	N
ATOM	24382	OG	SER N 124	114.316	-0.755	67.490	1.00107.80	N
ATOM	24383	C	SER N 124	113.067	-2.946	65.905	1.00106.44	N
ATOM	24384	O	SER N 124	112.562	-3.753	66.686	1.00104.52	N
ATOM	24385	N	LEU N 125	114.010	-3.270	65.026	1.00103.73	N
ATOM	24386	CA	LEU N 125	114.550	-4.617	64.932	1.00100.12	N
ATOM	24387	CB	LEU N 125	114.938	-4.931	63.486	1.00 99.26	N
ATOM	24388	CG	LEU N 125	115.532	-6.313	63.211	1.00100.74	N
ATOM	24389	CD1	LEU N 125	114.554	-7.408	63.620	1.00101.49	N
ATOM	24390	CD2	LEU N 125	115.849	-6.414	61.736	1.00 99.64	N
ATOM	24391	C	LEU N 125	115.777	-4.727	65.828	1.00 97.14	N
ATOM	24392	O	LEU N 125	116.651	-3.862	65.805	1.00 97.90	N
ATOM	24393	N	ILE N 126	115.821	-5.779	66.635	1.00 93.73	N
ATOM	24394	CA	ILE N 126	116.948	-6.007	67.528	1.00 91.29	N
ATOM	24395	CB	ILE N 126	116.531	-6.766	68.801	1.00 89.28	N
ATOM	24396	CG2	ILE N 126	117.750	-7.057	69.645	1.00 89.38	N
ATOM	24397	CG1	ILE N 126	115.532	-5.961	69.617	1.00 88.02	N
ATOM	24398	CD1	ILE N 126	115.125	-6.677	70.897	1.00 89.18	N
ATOM	24399	C	ILE N 126	117.967	-6.889	66.814	1.00 90.09	N
ATOM	24400	O	ILE N 126	119.108	-6.491	66.570	1.00 90.06	N
ATOM	24401	N	ALA N 127	117.526	-8.094	66.478	1.00 87.41	N
ATOM	24402	CA	ALA N 127	118.376	-9.070	65.831	1.00 85.12	N
ATOM	24403	CB	ALA N 127	118.951	-10.008	66.885	1.00 85.55	N
ATOM	24404	C	ALA N 127	117.632	-9.872	64.778	1.00 83.93	N
ATOM	24405	O	ALA N 127	116.472	-9.602	64.470	1.00 86.10	N
ATOM	24406	N	VAL N 128	118.325	-10.863	64.231	1.00 81.20	N
ATOM	24407	CA	VAL N 128	117.772	-11.746	63.221	1.00 77.20	N
ATOM	24408	CB	VAL N 128	118.067	-11.217	61.808	1.00 74.09	N
ATOM	24409	CG1	VAL N 128	117.652	-12.237	60.772	1.00 72.39	N
ATOM	24410	CG2	VAL N 128	117.317	-9.921	61.581	1.00 69.25	N
ATOM	24411	C	VAL N 128	118.407	-13.116	63.408	1.00 76.68	N
ATOM	24412	O	VAL N 128	119.359	-13.463	62.712	1.00 80.26	N
ATOM	24413	N	LEU N 129	117.877	-13.879	64.365	1.00 75.08	N
ATOM	24414	CA	LEU N 129	118.368	-15.224	64.691	1.00 74.17	N
ATOM	24415	CB	LEU N 129	117.904	-15.626	66.092	1.00 71.07	N
ATOM	24416	CG	LEU N 129	118.144	-14.622	67.212	1.00 71.08	N
ATOM	24417	CD1	LEU N 129	117.584	-15.174	68.510	1.00 61.13	N
ATOM	24418	CD2	LEU N 129	119.641	-14.335	67.324	1.00 71.12	N
ATOM	24419	C	LEU N 129	117.864	-16.273	63.706	1.00 74.00	N
ATOM	24420	O	LEU N 129	116.656	-16.412	63.517	1.00 76.20	N
ATOM	24421	N	ILE N 130	118.775	-17.025	63.094	1.00 71.77	N
ATOM	24422	CA	ILE N 130	118.355	-18.046	62.142	1.00 72.03	N
ATOM	24423	CB	ILE N 130	119.186	-18.011	60.844	1.00 71.17	N
ATOM	24424	CG2	ILE N 130	118.794	-19.188	59.966	1.00 71.44	N
ATOM	24425	CG1	ILE N 130	118.951	-16.699	60.087	1.00 70.11	N
ATOM	24426	CD1	ILE N 130	119.643	-16.645	58.727	1.00 62.44	N
ATOM	24427	C	ILE N 130	118.432	-19.457	62.700	1.00 74.20	N

ATOM	24428	O	ILE	N	130	119.500	-19.927	63.107	1.00	73.82	N
ATOM	24429	N	LEU	N	131	117.288	-20.134	62.703	1.00	75.44	N
ATOM	24430	CA	LEU	N	131	117.210	-21.503	63.191	1.00	76.53	N
ATOM	24431	CB	LEU	N	131	115.837	-21.768	63.814	1.00	76.50	N
ATOM	24432	CG	LEU	N	131	115.626	-23.127	64.498	1.00	76.94	N
ATOM	24433	CD1	LEU	N	131	114.378	-23.049	65.359	1.00	72.73	N
ATOM	24434	CD2	LEU	N	131	115.513	-24.254	63.468	1.00	76.22	N
ATOM	24435	C	LEU	N	131	117.436	-22.453	62.027	1.00	77.89	N
ATOM	24436	O	LEU	N	131	116.755	-22.369	61.009	1.00	77.81	N
ATOM	24437	N	ARG	N	132	118.397	-23.356	62.183	1.00	80.96	N
ATOM	24438	CA	ARG	N	132	118.720	-24.333	61.149	1.00	83.18	N
ATOM	24439	CB	ARG	N	132	120.230	-24.425	60.978	1.00	86.52	N
ATOM	24440	CG	ARG	N	132	120.696	-25.544	60.070	1.00	87.55	N
ATOM	24441	CD	ARG	N	132	121.061	-25.036	58.694	1.00	89.36	N
ATOM	24442	NE	ARG	N	132	122.133	-25.838	58.111	1.00	91.88	N
ATOM	24443	CZ	ARG	N	132	122.623	-25.669	56.887	1.00	95.34	N
ATOM	24444	NH1	ARG	N	132	122.138	-24.720	56.090	1.00	95.48	N
ATOM	24445	NH2	ARG	N	132	123.607	-26.451	56.464	1.00	96.47	N
ATOM	24446	C	ARG	N	132	118.185	-25.683	61.584	1.00	83.88	N
ATOM	24447	O	ARG	N	132	118.487	-26.143	62.688	1.00	83.16	N
ATOM	24448	N	GLN	N	133	117.408	-26.325	60.716	1.00	84.70	N
ATOM	24449	CA	GLN	N	133	116.824	-27.620	61.048	1.00	84.07	N
ATOM	24450	CB	GLN	N	133	115.303	-27.485	61.189	1.00	85.22	N
ATOM	24451	CG	GLN	N	133	114.616	-28.720	61.752	1.00	87.95	N
ATOM	24452	CD	GLN	N	133	113.756	-29.442	60.728	1.00	90.66	N
ATOM	24453	OE1	GLN	N	133	112.844	-28.856	60.139	1.00	92.70	N
ATOM	24454	NE2	GLN	N	133	114.039	-30.723	60.516	1.00	90.36	N
ATOM	24455	C	GLN	N	133	117.146	-28.731	60.058	1.00	82.81	N
ATOM	24456	O	GLN	N	133	117.018	-28.560	58.841	1.00	81.54	N
ATOM	24457	N	THR	N	134	117.569	-29.867	60.608	1.00	81.62	N
ATOM	24458	CA	THR	N	134	117.900	-31.061	59.836	1.00	81.04	N
ATOM	24459	CB	THR	N	134	119.410	-31.212	59.623	1.00	78.57	N
ATOM	24460	OG1	THR	N	134	120.060	-31.364	60.891	1.00	78.90	N
ATOM	24461	CG2	THR	N	134	119.963	-30.008	58.889	1.00	73.55	N
ATOM	24462	C	THR	N	134	117.420	-32.253	60.650	1.00	83.21	N
ATOM	24463	O	THR	N	134	116.677	-32.075	61.615	1.00	84.10	N
ATOM	24464	N	ASN	N	135	117.838	-33.457	60.265	1.00	84.67	N
ATOM	24465	CA	ASN	N	135	117.447	-34.674	60.976	1.00	87.01	N
ATOM	24466	CB	ASN	N	135	115.952	-34.946	60.813	1.00	87.72	N
ATOM	24467	CG	ASN	N	135	115.546	-35.114	59.364	1.00	89.22	N
ATOM	24468	OD1	ASN	N	135	116.160	-35.880	58.621	1.00	90.35	N
ATOM	24469	ND2	ASN	N	135	114.500	-34.405	58.955	1.00	88.45	N
ATOM	24470	C	ASN	N	135	118.227	-35.868	60.460	1.00	89.69	N
ATOM	24471	O	ASN	N	135	118.898	-35.780	59.430	1.00	89.84	N
ATOM	24472	N	ASN	N	136	118.123	-36.989	61.170	1.00	92.14	N
ATOM	24473	CA	ASN	N	136	118.839	-38.205	60.790	1.00	95.11	N
ATOM	24474	CB	ASN	N	136	119.292	-38.970	62.049	1.00	90.81	N
ATOM	24475	CG	ASN	N	136	118.124	-39.475	62.898	1.00	85.68	N
ATOM	24476	OD1	ASN	N	136	118.323	-40.200	63.880	1.00	77.50	N
ATOM	24477	ND2	ASN	N	136	116.906	-39.093	62.524	1.00	82.76	N
ATOM	24478	C	ASN	N	136	118.017	-39.132	59.901	1.00	99.68	N
ATOM	24479	O	ASN	N	136	118.185	-40.349	59.948	1.00	101.46	N
ATOM	24480	N	TYR	N	137	117.148	-38.560	59.073	1.00	104.47	N
ATOM	24481	CA	TYR	N	137	116.294	-39.370	58.210	1.00	107.68	N
ATOM	24482	CB	TYR	N	137	114.825	-39.129	58.583	1.00	111.95	N
ATOM	24483	CG	TYR	N	137	113.850	-40.102	57.964	1.00	114.80	N
ATOM	24484	CD1	TYR	N	137	114.008	-41.478	58.131	1.00	117.02	N
ATOM	24485	CE1	TYR	N	137	113.102	-42.382	57.581	1.00	117.98	N

ATOM	24486	CD2	TYR	N	137	112.757	-39.648	57.227	1.00114.81	N
ATOM	24487	CE2	TYR	N	137	111.844	-40.542	56.672	1.00117.91	N
ATOM	24488	CZ	TYR	N	137	112.022	-41.907	56.852	1.00118.72	N
ATOM	24489	OH	TYR	N	137	111.129	-42.792	56.291	1.00120.28	N
ATOM	24490	C	TYR	N	137	116.501	-39.132	56.717	1.00107.39	N
ATOM	24491	O	TYR	N	137	116.675	-40.081	55.954	1.00106.22	N
ATOM	24492	N	ASN	N	138	116.482	-37.871	56.298	1.00108.17	N
ATOM	24493	CA	ASN	N	138	116.664	-37.554	54.886	1.00110.06	N
ATOM	24494	CB	ASN	N	138	115.308	-37.461	54.192	1.00112.07	N
ATOM	24495	CG	ASN	N	138	114.372	-36.501	54.885	1.00114.16	N
ATOM	24496	OD1	ASN	N	138	113.824	-36.807	55.944	1.00115.43	N
ATOM	24497	ND2	ASN	N	138	114.195	-35.323	54.300	1.00114.72	N
ATOM	24498	C	ASN	N	138	117.438	-36.263	54.648	1.00110.53	N
ATOM	24499	O	ASN	N	138	118.059	-35.719	55.560	1.00111.75	N
ATOM	24500	N	SER	N	139	117.380	-35.779	53.409	1.00110.60	N
ATOM	24501	CA	SER	N	139	118.075	-34.561	52.993	1.00109.93	N
ATOM	24502	CB	SER	N	139	118.173	-34.528	51.463	1.00109.91	N
ATOM	24503	OG	SER	N	139	116.895	-34.683	50.863	1.00108.71	N
ATOM	24504	C	SER	N	139	117.441	-33.260	53.488	1.00109.01	N
ATOM	24505	O	SER	N	139	117.707	-32.186	52.934	1.00108.87	N
ATOM	24506	N	ASP	N	140	116.615	-33.352	54.528	1.00106.91	N
ATOM	24507	CA	ASP	N	140	115.947	-32.174	55.079	1.00105.38	N
ATOM	24508	CB	ASP	N	140	114.803	-32.602	56.004	1.00106.95	N
ATOM	24509	CG	ASP	N	140	113.447	-32.533	55.322	1.00107.96	N
ATOM	24510	OD1	ASP	N	140	112.432	-32.889	55.958	1.00107.49	N
ATOM	24511	OD2	ASP	N	140	113.394	-32.113	54.147	1.00109.17	N
ATOM	24512	C	ASP	N	140	116.868	-31.190	55.804	1.00102.57	N
ATOM	24513	O	ASP	N	140	117.520	-31.526	56.792	1.00101.48	N
ATOM	24514	N	ASP	N	141	116.894	-29.962	55.298	1.00100.68	N
ATOM	24515	CA	ASP	N	141	117.721	-28.894	55.842	1.00 99.35	N
ATOM	24516	CB	ASP	N	141	119.065	-28.880	55.108	1.00 99.08	N
ATOM	24517	CG	ASP	N	141	120.058	-27.912	55.711	1.00 97.29	N
ATOM	24518	OD1	ASP	N	141	119.752	-26.703	55.799	1.00 96.73	N
ATOM	24519	OD2	ASP	N	141	121.155	-28.367	56.088	1.00 96.66	N
ATOM	24520	C	ASP	N	141	116.985	-27.572	55.618	1.00 98.79	N
ATOM	24521	O	ASP	N	141	116.994	-27.025	54.511	1.00 98.93	N
ATOM	24522	N	PHE	N	142	116.351	-27.056	56.666	1.00 96.65	N
ATOM	24523	CA	PHE	N	142	115.604	-25.812	56.539	1.00 95.84	N
ATOM	24524	CB	PHE	N	142	114.128	-26.083	56.819	1.00 94.39	N
ATOM	24525	CG	PHE	N	142	113.549	-27.179	55.973	1.00 93.02	N
ATOM	24526	CD1	PHE	N	142	113.200	-28.400	56.538	1.00 91.11	N
ATOM	24527	CD2	PHE	N	142	113.359	-26.992	54.605	1.00 91.54	N
ATOM	24528	CE1	PHE	N	142	112.665	-29.421	55.752	1.00 91.81	N
ATOM	24529	CE2	PHE	N	142	112.827	-28.003	53.812	1.00 90.87	N
ATOM	24530	CZ	PHE	N	142	112.478	-29.220	54.385	1.00 91.72	N
ATOM	24531	C	PHE	N	142	116.110	-24.691	57.441	1.00 96.20	N
ATOM	24532	O	PHE	N	142	116.875	-24.932	58.375	1.00 96.43	N
ATOM	24533	N	GLN	N	143	115.674	-23.465	57.156	1.00 96.99	N
ATOM	24534	CA	GLN	N	143	116.085	-22.302	57.937	1.00 96.11	N
ATOM	24535	CB	GLN	N	143	116.905	-21.337	57.076	1.00 96.90	N
ATOM	24536	CG	GLN	N	143	118.095	-21.972	56.373	1.00104.78	N
ATOM	24537	CD	GLN	N	143	119.118	-20.946	55.898	1.00107.38	N
ATOM	24538	OE1	GLN	N	143	118.760	-19.904	55.339	1.00107.92	N
ATOM	24539	NE2	GLN	N	143	120.401	-21.245	56.111	1.00106.47	N
ATOM	24540	C	GLN	N	143	114.922	-21.531	58.560	1.00 95.41	N
ATOM	24541	O	GLN	N	143	114.491	-20.509	58.022	1.00 95.29	N
ATOM	24542	N	PHE	N	144	114.421	-22.022	59.693	1.00 94.18	N
ATOM	24543	CA	PHE	N	144	113.333	-21.359	60.411	1.00 92.83	N

ATOM	24544	CB	PHE	N	144	112.933	-22.170	61.648	1.00	90.96	N
ATOM	24545	CG	PHE	N	144	112.222	-23.462	61.336	1.00	92.42	N
ATOM	24546	CD1	PHE	N	144	112.835	-24.447	60.565	1.00	89.88	N
ATOM	24547	CD2	PHE	N	144	110.931	-23.695	61.820	1.00	91.04	N
ATOM	24548	CE1	PHE	N	144	112.176	-25.644	60.280	1.00	86.76	N
ATOM	24549	CE2	PHE	N	144	110.266	-24.885	61.541	1.00	86.62	N
ATOM	24550	CZ	PHE	N	144	110.890	-25.860	60.768	1.00	87.20	N
ATOM	24551	C	PHE	N	144	113.833	-19.985	60.858	1.00	92.76	N
ATOM	24552	O	PHE	N	144	114.519	-19.873	61.873	1.00	93.62	N
ATOM	24553	N	VAL	N	145	113.486	-18.944	60.106	1.00	91.96	N
ATOM	24554	CA	VAL	N	145	113.924	-17.585	60.417	1.00	91.05	N
ATOM	24555	CB	VAL	N	145	113.915	-16.721	59.159	1.00	87.76	N
ATOM	24556	CG1	VAL	N	145	114.709	-15.455	59.400	1.00	85.49	N
ATOM	24557	CG2	VAL	N	145	114.480	-17.509	57.997	1.00	89.37	N
ATOM	24558	C	VAL	N	145	113.102	-16.865	61.485	1.00	92.80	N
ATOM	24559	O	VAL	N	145	111.940	-17.193	61.723	1.00	93.63	N
ATOM	24560	N	TRP	N	146	113.720	-15.878	62.127	1.00	94.67	N
ATOM	24561	CA	TRP	N	146	113.053	-15.098	63.164	1.00	96.31	N
ATOM	24562	CB	TRP	N	146	113.291	-15.708	64.551	1.00	95.55	N
ATOM	24563	CG	TRP	N	146	113.038	-17.188	64.640	1.00	95.87	N
ATOM	24564	CD2	TRP	N	146	111.817	-17.831	65.031	1.00	94.99	N
ATOM	24565	CE2	TRP	N	146	112.040	-19.223	64.966	1.00	94.94	N
ATOM	24566	CE3	TRP	N	146	110.556	-17.366	65.430	1.00	92.97	N
ATOM	24567	CD1	TRP	N	146	113.924	-18.189	64.362	1.00	95.81	N
ATOM	24568	NE1	TRP	N	146	113.333	-19.412	64.556	1.00	95.20	N
ATOM	24569	CZ2	TRP	N	146	111.046	-20.157	65.286	1.00	95.59	N
ATOM	24570	CZ3	TRP	N	146	109.568	-18.298	65.749	1.00	91.80	N
ATOM	24571	CH2	TRP	N	146	109.820	-19.676	65.674	1.00	92.33	N
ATOM	24572	C	TRP	N	146	113.562	-13.660	63.172	1.00	97.62	N
ATOM	24573	O	TRP	N	146	114.727	-13.401	62.868	1.00	98.75	N
ATOM	24574	N	ASN	N	147	112.678	-12.730	63.519	1.00	98.32	N
ATOM	24575	CA	ASN	N	147	113.029	-11.315	63.588	1.00	96.67	N
ATOM	24576	CB	ASN	N	147	112.366	-10.538	62.451	1.00	96.12	N
ATOM	24577	CG	ASN	N	147	112.831	-11.006	61.089	1.00	99.62	N
ATOM	24578	OD1	ASN	N	147	114.032	-11.101	60.836	1.00	100.68	N
ATOM	24579	ND2	ASN	N	147	111.884	-11.299	60.201	1.00	99.73	N
ATOM	24580	C	ASN	N	147	112.582	-10.764	64.929	1.00	93.92	N
ATOM	24581	O	ASN	N	147	111.391	-10.671	65.213	1.00	93.10	N
ATOM	24582	N	ILE	N	148	113.553	-10.408	65.756	1.00	92.54	N
ATOM	24583	CA	ILE	N	148	113.268	-9.882	67.075	1.00	92.91	N
ATOM	24584	CB	ILE	N	148	114.405	-10.231	68.045	1.00	92.62	N
ATOM	24585	CG2	ILE	N	148	114.052	-9.768	69.451	1.00	93.38	N
ATOM	24586	CG1	ILE	N	148	114.678	-11.740	68.006	1.00	93.48	N
ATOM	24587	CD1	ILE	N	148	113.517	-12.615	68.460	1.00	92.72	N
ATOM	24588	C	ILE	N	148	113.090	-8.368	67.057	1.00	95.35	N
ATOM	24589	O	ILE	N	148	113.930	-7.647	66.515	1.00	96.12	N
ATOM	24590	N	TYR	N	149	111.986	-7.902	67.645	1.00	96.44	N
ATOM	24591	CA	TYR	N	149	111.667	-6.473	67.742	1.00	95.30	N
ATOM	24592	CB	TYR	N	149	110.448	-6.115	66.884	1.00	87.95	N
ATOM	24593	CG	TYR	N	149	110.660	-6.182	65.389	1.00	81.96	N
ATOM	24594	CD1	TYR	N	149	110.768	-7.403	64.730	1.00	80.20	N
ATOM	24595	CE1	TYR	N	149	110.918	-7.465	63.342	1.00	81.47	N
ATOM	24596	CD2	TYR	N	149	110.714	-5.019	64.627	1.00	82.60	N
ATOM	24597	CE2	TYR	N	149	110.866	-5.068	63.239	1.00	81.93	N
ATOM	24598	CZ	TYR	N	149	110.965	-6.292	62.601	1.00	80.38	N
ATOM	24599	OH	TYR	N	149	111.092	-6.338	61.228	1.00	74.85	N
ATOM	24600	C	TYR	N	149	111.356	-6.119	69.197	1.00	98.65	N
ATOM	24601	O	TYR	N	149	110.884	-6.963	69.959	1.00	99.20	N

ATOM	24602	N	ALA	N	150	111.622	-4.875	69.582	1.00103.37	N
ATOM	24603	CA	ALA	N	150	111.347	-4.425	70.945	1.00108.02	N
ATOM	24604	CB	ALA	N	150	112.613	-3.835	71.579	1.00105.02	N
ATOM	24605	C	ALA	N	150	110.226	-3.380	70.915	1.00111.27	N
ATOM	24606	O	ALA	N	150	110.384	-2.301	70.337	1.00112.80	N
ATOM	24607	N	ASN	N	151	109.092	-3.708	71.528	1.00112.72	N
ATOM	24608	CA	ASN	N	151	107.953	-2.793	71.556	1.00113.57	N
ATOM	24609	CB	ASN	N	151	106.670	-3.543	71.930	1.00115.64	N
ATOM	24610	CG	ASN	N	151	106.276	-4.590	70.904	1.00117.25	N
ATOM	24611	OD1	ASN	N	151	106.084	-4.286	69.725	1.00116.80	N
ATOM	24612	ND2	ASN	N	151	106.144	-5.832	71.353	1.00116.19	N
ATOM	24613	C	ASN	N	151	108.153	-1.636	72.533	1.00113.00	N
ATOM	24614	O	ASN	N	151	107.306	-0.750	72.632	1.00112.21	N
ATOM	24615	N	ASN	N	152	109.273	-1.644	73.248	1.00112.60	N
ATOM	24616	CA	ASN	N	152	109.558	-0.598	74.222	1.00112.16	N
ATOM	24617	CB	ASN	N	152	109.406	-1.160	75.635	1.00109.73	N
ATOM	24618	CG	ASN	N	152	110.350	-2.310	75.906	1.00108.20	N
ATOM	24619	OD1	ASN	N	152	110.344	-3.314	75.193	1.00106.11	N
ATOM	24620	ND2	ASN	N	152	111.171	-2.170	76.939	1.00105.55	N
ATOM	24621	C	ASN	N	152	110.955	-0.010	74.062	1.00112.99	N
ATOM	24622	O	ASN	N	152	111.891	-0.712	73.699	1.00114.11	N
ATOM	24623	N	ASP	N	153	111.086	1.283	74.339	1.00114.21	N
ATOM	24624	CA	ASP	N	153	112.373	1.963	74.240	1.00115.27	N
ATOM	24625	CB	ASP	N	153	112.200	3.486	74.268	1.00115.89	N
ATOM	24626	CG	ASP	N	153	111.245	3.998	73.214	1.00117.47	N
ATOM	24627	OD1	ASP	N	153	111.466	3.726	72.015	1.00119.03	N
ATOM	24628	OD2	ASP	N	153	110.275	4.689	73.590	1.00118.35	N
ATOM	24629	C	ASP	N	153	113.244	1.581	75.428	1.00116.14	N
ATOM	24630	O	ASP	N	153	112.851	1.798	76.573	1.00115.76	N
ATOM	24631	N	VAL	N	154	114.417	1.010	75.176	1.00117.24	N
ATOM	24632	CA	VAL	N	154	115.297	0.677	76.288	1.00117.99	N
ATOM	24633	CB	VAL	N	154	116.293	-0.453	75.952	1.00117.42	N
ATOM	24634	CG1	VAL	N	154	117.120	-0.800	77.193	1.00113.34	N
ATOM	24635	CG2	VAL	N	154	115.544	-1.678	75.463	1.00118.30	N
ATOM	24636	C	VAL	N	154	116.072	1.955	76.564	1.00118.54	N
ATOM	24637	O	VAL	N	154	116.157	2.835	75.705	1.00117.37	N
ATOM	24638	N	VAL	N	155	116.623	2.067	77.765	1.00119.89	N
ATOM	24639	CA	VAL	N	155	117.374	3.253	78.132	1.00121.47	N
ATOM	24640	CB	VAL	N	155	116.497	4.243	78.934	1.00121.87	N
ATOM	24641	CG1	VAL	N	155	117.303	5.474	79.303	1.00123.69	N
ATOM	24642	CG2	VAL	N	155	115.283	4.645	78.116	1.00120.64	N
ATOM	24643	C	VAL	N	155	118.579	2.875	78.971	1.00122.90	N
ATOM	24644	O	VAL	N	155	118.563	1.871	79.679	1.00122.79	N
ATOM	24645	N	VAL	N	156	119.626	3.685	78.873	1.00125.76	N
ATOM	24646	CA	VAL	N	156	120.851	3.465	79.626	1.00129.89	N
ATOM	24647	CB	VAL	N	156	121.976	2.926	78.722	1.00130.85	N
ATOM	24648	CG1	VAL	N	156	123.178	2.551	79.569	1.00129.28	N
ATOM	24649	CG2	VAL	N	156	121.478	1.722	77.929	1.00131.39	N
ATOM	24650	C	VAL	N	156	121.269	4.815	80.199	1.00131.99	N
ATOM	24651	O	VAL	N	156	122.327	5.348	79.862	1.00132.54	N
ATOM	24652	N	PRO	N	157	120.438	5.372	81.094	1.00133.35	N
ATOM	24653	CD	PRO	N	157	119.393	4.592	81.787	1.00134.61	N
ATOM	24654	CA	PRO	N	157	120.631	6.661	81.763	1.00132.95	N
ATOM	24655	CB	PRO	N	157	120.056	6.405	83.150	1.00133.55	N
ATOM	24656	CG	PRO	N	157	118.860	5.582	82.822	1.00135.02	N
ATOM	24657	C	PRO	N	157	122.048	7.220	81.804	1.00131.67	N
ATOM	24658	O	PRO	N	157	123.018	6.501	82.055	1.00130.65	N
ATOM	24659	N	THR	N	158	122.138	8.521	81.543	1.00130.87	N

ATOM	24660	CA	THR	N	158	123.396	9.250	81.552	1.00129.54	N
ATOM	24661	CB	THR	N	158	123.231	10.612	80.849	1.00128.09	N
ATOM	24662	OG1	THR	N	158	124.421	11.388	81.016	1.00127.79	N
ATOM	24663	CG2	THR	N	158	122.042	11.367	81.425	1.00127.89	N
ATOM	24664	C	THR	N	158	123.799	9.465	83.008	1.00129.93	N
ATOM	24665	O	THR	N	158	122.938	9.636	83.872	1.00130.47	N
ATOM	24666	N	GLY	N	159	125.101	9.454	83.282	1.00130.64	N
ATOM	24667	CA	GLY	N	159	125.561	9.633	84.649	1.00132.63	N
ATOM	24668	C	GLY	N	159	126.810	10.474	84.845	1.00134.03	N
ATOM	24669	O	GLY	N	159	127.345	11.046	83.895	1.00133.54	N
ATOM	24670	N	GLY	N	160	127.267	10.539	86.095	1.00136.09	N
ATOM	24671	CA	GLY	N	160	128.448	11.308	86.456	1.00139.78	N
ATOM	24672	C	GLY	N	160	129.522	11.398	85.390	1.00142.84	N
ATOM	24673	O	GLY	N	160	129.992	10.378	84.888	1.00143.54	N
ATOM	24674	N	CYS	N	161	129.917	12.623	85.052	1.00145.31	N
ATOM	24675	CA	CYS	N	161	130.935	12.852	84.035	1.00147.58	N
ATOM	24676	C	CYS	N	161	132.339	12.634	84.570	1.00149.90	N
ATOM	24677	O	CYS	N	161	132.562	12.616	85.783	1.00149.38	N
ATOM	24678	CB	CYS	N	161	130.815	14.267	83.478	1.00147.27	N
ATOM	24679	SG	CYS	N	161	129.231	14.573	82.643	1.00148.73	N
ATOM	24680	N	ASP	N	162	133.280	12.481	83.644	1.00153.01	N
ATOM	24681	CA	ASP	N	162	134.679	12.237	83.966	1.00156.58	N
ATOM	24682	CB	ASP	N	162	135.429	11.817	82.700	1.00157.06	N
ATOM	24683	CG	ASP	N	162	136.881	11.482	82.967	1.00158.08	N
ATOM	24684	OD1	ASP	N	162	137.141	10.556	83.765	1.00158.08	N
ATOM	24685	OD2	ASP	N	162	137.760	12.146	82.376	1.00158.51	N
ATOM	24686	C	ASP	N	162	135.384	13.430	84.601	1.00159.22	N
ATOM	24687	O	ASP	N	162	135.713	14.401	83.920	1.00159.09	N
ATOM	24688	N	VAL	N	163	135.624	13.341	85.908	1.00162.14	N
ATOM	24689	CA	VAL	N	163	136.300	14.402	86.647	1.00163.97	N
ATOM	24690	CB	VAL	N	163	135.863	14.426	88.125	1.00162.62	N
ATOM	24691	CG1	VAL	N	163	136.489	15.616	88.830	1.00162.57	N
ATOM	24692	CG2	VAL	N	163	134.352	14.486	88.217	1.00162.76	N
ATOM	24693	C	VAL	N	163	137.811	14.194	86.598	1.00166.18	N
ATOM	24694	O	VAL	N	163	138.384	13.537	87.468	1.00165.88	N
ATOM	24695	N	SER	N	164	138.448	14.757	85.574	1.00168.67	N
ATOM	24696	CA	SER	N	164	139.892	14.631	85.407	1.00170.79	N
ATOM	24697	CB	SER	N	164	140.272	14.761	83.928	1.00170.36	N
ATOM	24698	OG	SER	N	164	139.630	13.776	83.139	1.00170.20	N
ATOM	24699	C	SER	N	164	140.635	15.688	86.214	1.00172.45	N
ATOM	24700	O	SER	N	164	140.369	16.882	86.087	1.00172.49	N
ATOM	24701	N	ALA	N	165	141.569	15.237	87.043	1.00174.56	N
ATOM	24702	CA	ALA	N	165	142.364	16.129	87.875	1.00176.75	N
ATOM	24703	CB	ALA	N	165	141.567	16.549	89.101	1.00176.69	N
ATOM	24704	C	ALA	N	165	143.630	15.397	88.295	1.00178.63	N
ATOM	24705	O	ALA	N	165	143.592	14.537	89.175	1.00178.59	N
ATOM	24706	N	ARG	N	166	144.745	15.742	87.655	1.00181.19	N
ATOM	24707	CA	ARG	N	166	146.035	15.118	87.940	1.00183.93	N
ATOM	24708	CB	ARG	N	166	147.176	16.091	87.626	1.00184.01	N
ATOM	24709	CG	ARG	N	166	147.309	16.410	86.149	1.00184.98	N
ATOM	24710	CD	ARG	N	166	148.573	17.196	85.849	1.00184.99	N
ATOM	24711	NE	ARG	N	166	148.758	17.375	84.411	1.00185.71	N
ATOM	24712	CZ	ARG	N	166	149.803	17.982	83.858	1.00185.47	N
ATOM	24713	NH1	ARG	N	166	150.768	18.476	84.622	1.00186.01	N
ATOM	24714	NH2	ARG	N	166	149.883	18.097	82.540	1.00185.02	N
ATOM	24715	C	ARG	N	166	146.171	14.624	89.373	1.00185.56	N
ATOM	24716	O	ARG	N	166	146.118	13.420	89.633	1.00185.61	N
ATOM	24717	N	ASP	N	167	146.342	15.560	90.300	1.00187.59	N

ATOM	24718	CA	ASP	N	167	146.494	15.223	91.709	1.00189.78	N
ATOM	24719	CB	ASP	N	167	147.628	14.212	91.881	1.00190.47	N
ATOM	24720	CG	ASP	N	167	148.875	14.600	91.110	1.00190.76	N
ATOM	24721	OD1	ASP	N	167	149.838	13.806	91.105	1.00191.61	N
ATOM	24722	OD2	ASP	N	167	148.894	15.698	90.510	1.00189.88	N
ATOM	24723	C	ASP	N	167	146.786	16.473	92.525	1.00191.09	N
ATOM	24724	O	ASP	N	167	147.209	17.491	91.977	1.00190.89	N
ATOM	24725	N	VAL	N	168	146.559	16.384	93.834	1.00193.06	N
ATOM	24726	CA	VAL	N	168	146.787	17.500	94.747	1.00195.14	N
ATOM	24727	CB	VAL	N	168	146.955	16.999	96.208	1.00195.06	N
ATOM	24728	CG1	VAL	N	168	148.027	15.922	96.272	1.00195.62	N
ATOM	24729	CG2	VAL	N	168	147.308	18.163	97.125	1.00194.58	N
ATOM	24730	C	VAL	N	168	148.002	18.341	94.352	1.00196.60	N
ATOM	24731	O	VAL	N	168	149.149	17.966	94.601	1.00197.03	N
ATOM	24732	N	THR	N	169	147.732	19.482	93.724	1.00197.61	N
ATOM	24733	CA	THR	N	169	148.784	20.387	93.285	1.00198.09	N
ATOM	24734	CB	THR	N	169	148.249	21.420	92.265	1.00197.99	N
ATOM	24735	OG1	THR	N	169	147.703	20.737	91.130	1.00198.03	N
ATOM	24736	CG2	THR	N	169	149.367	22.343	91.798	1.00197.73	N
ATOM	24737	C	THR	N	169	149.357	21.134	94.480	1.00198.49	N
ATOM	24738	O	THR	N	169	148.656	21.397	95.459	1.00198.20	N
ATOM	24739	N	VAL	N	170	150.640	21.464	94.395	1.00199.17	N
ATOM	24740	CA	VAL	N	170	151.312	22.190	95.460	1.00199.64	N
ATOM	24741	CB	VAL	N	170	152.701	21.584	95.755	1.00200.00	N
ATOM	24742	CG1	VAL	N	170	153.328	22.277	96.955	1.00199.97	N
ATOM	24743	CG2	VAL	N	170	152.570	20.089	96.007	1.00199.96	N
ATOM	24744	C	VAL	N	170	151.478	23.637	95.009	1.00199.53	N
ATOM	24745	O	VAL	N	170	151.552	23.915	93.811	1.00199.45	N
ATOM	24746	N	THR	N	171	151.528	24.557	95.966	1.00199.06	N
ATOM	24747	CA	THR	N	171	151.680	25.966	95.635	1.00198.59	N
ATOM	24748	CB	THR	N	171	150.564	26.808	96.269	1.00197.96	N
ATOM	24749	OG1	THR	N	171	149.290	26.248	95.932	1.00197.27	N
ATOM	24750	CG2	THR	N	171	150.626	28.233	95.752	1.00197.16	N
ATOM	24751	C	THR	N	171	153.025	26.512	96.096	1.00198.72	N
ATOM	24752	O	THR	N	171	153.380	26.405	97.271	1.00198.23	N
ATOM	24753	N	LEU	N	172	153.767	27.093	95.158	1.00199.21	N
ATOM	24754	CA	LEU	N	172	155.073	27.668	95.453	1.00199.51	N
ATOM	24755	CB	LEU	N	172	155.609	28.416	94.227	1.00199.07	N
ATOM	24756	CG	LEU	N	172	155.715	27.631	92.915	1.00198.57	N
ATOM	24757	CD1	LEU	N	172	156.151	28.568	91.802	1.00198.45	N
ATOM	24758	CD2	LEU	N	172	156.702	26.484	93.066	1.00198.47	N
ATOM	24759	C	LEU	N	172	154.925	28.637	96.621	1.00199.97	N
ATOM	24760	O	LEU	N	172	154.066	29.520	96.594	1.00200.00	N
ATOM	24761	N	PRO	N	173	155.758	28.483	97.665	1.00200.00	N
ATOM	24762	CD	PRO	N	173	156.897	27.554	97.783	1.00199.86	N
ATOM	24763	CA	PRO	N	173	155.686	29.370	98.831	1.00200.00	N
ATOM	24764	CB	PRO	N	173	156.758	28.802	99.762	1.00199.69	N
ATOM	24765	CG	PRO	N	173	157.769	28.245	98.804	1.00199.69	N
ATOM	24766	C	PRO	N	173	155.940	30.829	98.452	1.00200.00	N
ATOM	24767	O	PRO	N	173	155.761	31.215	97.296	1.00200.00	N
ATOM	24768	N	ASP	N	174	156.354	31.636	99.426	1.00200.00	N
ATOM	24769	CA	ASP	N	174	156.628	33.051	99.181	1.00200.00	N
ATOM	24770	CB	ASP	N	174	157.672	33.212	98.065	1.00200.00	N
ATOM	24771	CG	ASP	N	174	158.992	32.530	98.384	1.00200.00	N
ATOM	24772	OD1	ASP	N	174	158.995	31.300	98.609	1.00200.00	N
ATOM	24773	OD2	ASP	N	174	160.031	33.226	98.403	1.00200.00	N
ATOM	24774	C	ASP	N	174	155.348	33.775	98.764	1.00199.73	N
ATOM	24775	O	ASP	N	174	154.298	33.153	98.596	1.00200.00	N

ATOM	24776	N	TYR N 175	155.441	35.093	98.603	1.00198.99	N
ATOM	24777	CA	TYR N 175	154.297	35.893	98.177	1.00197.95	N
ATOM	24778	CB	TYR N 175	154.573	37.389	98.380	1.00198.39	N
ATOM	24779	CG	TYR N 175	154.477	37.859	99.817	1.00198.63	N
ATOM	24780	CD1	TYR N 175	155.281	37.303	100.811	1.00198.77	N
ATOM	24781	CE1	TYR N 175	155.203	37.744	102.132	1.00199.03	N
ATOM	24782	CD2	TYR N 175	153.586	38.871	100.180	1.00198.60	N
ATOM	24783	CE2	TYR N 175	153.500	39.319	101.497	1.00198.57	N
ATOM	24784	CZ	TYR N 175	154.311	38.752	102.466	1.00198.80	N
ATOM	24785	OH	TYR N 175	154.232	39.193	103.767	1.00198.44	N
ATOM	24786	C	TYR N 175	154.000	35.615	96.701	1.00196.70	N
ATOM	24787	O	TYR N 175	152.843	35.417	96.322	1.00196.15	N
ATOM	24788	N	PRO N 176	155.043	35.601	95.846	1.00195.60	N
ATOM	24789	CD	PRO N 176	156.472	35.846	96.115	1.00195.55	N
ATOM	24790	CA	PRO N 176	154.829	35.336	94.420	1.00194.35	N
ATOM	24791	CB	PRO N 176	156.185	35.671	93.804	1.00194.66	N
ATOM	24792	CG	PRO N 176	157.137	35.271	94.882	1.00194.96	N
ATOM	24793	C	PRO N 176	154.435	33.879	94.203	1.00193.01	N
ATOM	24794	O	PRO N 176	155.230	33.069	93.723	1.00192.63	N
ATOM	24795	N	GLY N 177	153.201	33.556	94.573	1.00191.56	N
ATOM	24796	CA	GLY N 177	152.712	32.201	94.422	1.00189.77	N
ATOM	24797	C	GLY N 177	151.456	32.134	93.579	1.00188.30	N
ATOM	24798	O	GLY N 177	150.527	32.923	93.752	1.00187.45	N
ATOM	24799	N	SER N 178	151.439	31.178	92.658	1.00187.50	N
ATOM	24800	CA	SER N 178	150.312	30.971	91.760	1.00186.33	N
ATOM	24801	CB	SER N 178	150.139	32.171	90.825	1.00186.91	N
ATOM	24802	OG	SER N 178	149.135	31.922	89.856	1.00186.58	N
ATOM	24803	C	SER N 178	150.590	29.723	90.941	1.00185.04	N
ATOM	24804	O	SER N 178	151.445	29.729	90.057	1.00184.40	N
ATOM	24805	N	VAL N 179	149.868	28.651	91.243	1.00184.17	N
ATOM	24806	CA	VAL N 179	150.053	27.394	90.536	1.00183.48	N
ATOM	24807	CB	VAL N 179	150.589	26.302	91.495	1.00183.39	N
ATOM	24808	CG1	VAL N 179	151.999	26.656	91.941	1.00183.84	N
ATOM	24809	CG2	VAL N 179	149.679	26.174	92.710	1.00182.92	N
ATOM	24810	C	VAL N 179	148.768	26.900	89.874	1.00182.65	N
ATOM	24811	O	VAL N 179	148.108	25.992	90.383	1.00183.05	N
ATOM	24812	N	PRO N 180	148.399	27.489	88.722	1.00181.11	N
ATOM	24813	CD	PRO N 180	149.176	28.407	87.874	1.00180.47	N
ATOM	24814	CA	PRO N 180	147.177	27.059	88.036	1.00179.74	N
ATOM	24815	CB	PRO N 180	147.280	27.750	86.673	1.00179.77	N
ATOM	24816	CG	PRO N 180	148.758	27.975	86.498	1.00179.66	N
ATOM	24817	C	PRO N 180	147.114	25.537	87.933	1.00178.27	N
ATOM	24818	O	PRO N 180	147.928	24.917	87.251	1.00178.18	N
ATOM	24819	N	ILE N 181	146.144	24.948	88.628	1.00176.73	N
ATOM	24820	CA	ILE N 181	145.967	23.499	88.651	1.00175.28	N
ATOM	24821	CB	ILE N 181	145.168	23.060	89.902	1.00175.71	N
ATOM	24822	CG2	ILE N 181	145.020	21.543	89.922	1.00175.32	N
ATOM	24823	CG1	ILE N 181	145.873	23.546	91.170	1.00175.81	N
ATOM	24824	CD1	ILE N 181	145.123	23.233	92.451	1.00175.65	N
ATOM	24825	C	ILE N 181	145.249	22.955	87.418	1.00173.35	N
ATOM	24826	O	ILE N 181	144.192	23.457	87.029	1.00173.68	N
ATOM	24827	N	PRO N 182	145.823	21.918	86.782	1.00170.62	N
ATOM	24828	CD	PRO N 182	147.187	21.399	86.988	1.00170.15	N
ATOM	24829	CA	PRO N 182	145.217	21.313	85.592	1.00167.33	N
ATOM	24830	CB	PRO N 182	146.298	20.344	85.107	1.00168.16	N
ATOM	24831	CG	PRO N 182	147.570	20.977	85.594	1.00169.17	N
ATOM	24832	C	PRO N 182	143.922	20.589	85.964	1.00163.36	N
ATOM	24833	O	PRO N 182	143.899	19.788	86.902	1.00162.33	N

ATOM	24834	N	LEU N 183	142.848	20.876	85.235	1.00158.93	N
ATOM	24835	CA	LEU N 183	141.566	20.238	85.506	1.00154.49	N
ATOM	24836	CB	LEU N 183	140.908	20.894	86.722	1.00153.15	N
ATOM	24837	CG	LEU N 183	140.721	19.964	87.927	1.00151.11	N
ATOM	24838	CD1	LEU N 183	140.689	20.758	89.219	1.00149.37	N
ATOM	24839	CD2	LEU N 183	139.443	19.164	87.745	1.00150.48	N
ATOM	24840	C	LEU N 183	140.624	20.269	84.306	1.00151.75	N
ATOM	24841	O	LEU N 183	140.257	21.335	83.814	1.00150.15	N
ATOM	24842	N	THR N 184	140.250	19.078	83.844	1.00149.88	N
ATOM	24843	CA	THR N 184	139.355	18.900	82.704	1.00147.84	N
ATOM	24844	CB	THR N 184	140.123	18.401	81.464	1.00146.98	N
ATOM	24845	OG1	THR N 184	139.194	17.907	80.493	1.00146.04	N
ATOM	24846	CG2	THR N 184	141.088	17.290	81.843	1.00145.02	N
ATOM	24847	C	THR N 184	138.280	17.874	83.043	1.00147.16	N
ATOM	24848	O	THR N 184	138.477	17.031	83.914	1.00147.78	N
ATOM	24849	N	VAL N 185	137.145	17.945	82.354	1.00145.79	N
ATOM	24850	CA	VAL N 185	136.046	17.013	82.595	1.00145.31	N
ATOM	24851	CB	VAL N 185	135.170	17.465	83.796	1.00144.76	N
ATOM	24852	CG1	VAL N 185	133.885	16.647	83.849	1.00143.82	N
ATOM	24853	CG2	VAL N 185	135.942	17.307	85.097	1.00142.77	N
ATOM	24854	C	VAL N 185	135.141	16.864	81.375	1.00145.61	N
ATOM	24855	O	VAL N 185	134.657	17.854	80.826	1.00145.05	N
ATOM	24856	N	TYR N 186	134.920	15.621	80.954	1.00146.13	N
ATOM	24857	CA	TYR N 186	134.058	15.342	79.812	1.00146.37	N
ATOM	24858	CB	TYR N 186	134.895	15.070	78.558	1.00146.86	N
ATOM	24859	CG	TYR N 186	135.752	13.829	78.609	1.00146.96	N
ATOM	24860	CD1	TYR N 186	135.437	12.712	77.835	1.00146.90	N
ATOM	24861	CE1	TYR N 186	136.233	11.574	77.858	1.00148.07	N
ATOM	24862	CD2	TYR N 186	136.890	13.775	79.413	1.00147.09	N
ATOM	24863	CE2	TYR N 186	137.695	12.642	79.443	1.00147.67	N
ATOM	24864	CZ	TYR N 186	137.360	11.547	78.664	1.00148.08	N
ATOM	24865	OH	TYR N 186	138.154	10.424	78.691	1.00148.98	N
ATOM	24866	C	TYR N 186	133.161	14.154	80.136	1.00146.32	N
ATOM	24867	O	TYR N 186	133.430	13.410	81.081	1.00145.71	N
ATOM	24868	N	CYS N 187	132.095	13.981	79.359	1.00146.91	N
ATOM	24869	CA	CYS N 187	131.142	12.897	79.596	1.00147.47	N
ATOM	24870	C	CYS N 187	131.045	11.903	78.443	1.00146.62	N
ATOM	24871	O	CYS N 187	131.501	12.173	77.330	1.00146.98	N
ATOM	24872	CB	CYS N 187	129.749	13.481	79.850	1.00148.73	N
ATOM	24873	SG	CYS N 187	129.738	15.068	80.741	1.00149.78	N
ATOM	24874	N	ALA N 188	130.441	10.750	78.721	1.00144.99	N
ATOM	24875	CA	ALA N 188	130.247	9.720	77.709	1.00142.84	N
ATOM	24876	CB	ALA N 188	129.731	8.447	78.353	1.00142.60	N
ATOM	24877	C	ALA N 188	129.217	10.275	76.733	1.00141.66	N
ATOM	24878	O	ALA N 188	129.193	9.917	75.555	1.00140.87	N
ATOM	24879	N	LYS N 189	128.368	11.156	77.255	1.00141.98	N
ATOM	24880	CA	LYS N 189	127.324	11.819	76.481	1.00141.68	N
ATOM	24881	CB	LYS N 189	125.955	11.197	76.775	1.00142.41	N
ATOM	24882	CG	LYS N 189	125.712	9.874	76.065	1.00143.09	N
ATOM	24883	CD	LYS N 189	125.732	10.041	74.548	1.00142.67	N
ATOM	24884	CE	LYS N 189	124.662	11.016	74.084	1.00142.45	N
ATOM	24885	NZ	LYS N 189	124.660	11.178	72.606	1.00143.75	N
ATOM	24886	C	LYS N 189	127.297	13.310	76.812	1.00140.06	N
ATOM	24887	O	LYS N 189	127.126	13.701	77.968	1.00137.97	N
ATOM	24888	N	SER N 190	127.472	14.131	75.783	1.00139.88	N
ATOM	24889	CA	SER N 190	127.484	15.580	75.935	1.00139.63	N
ATOM	24890	CB	SER N 190	127.522	16.250	74.558	1.00140.26	N
ATOM	24891	OG	SER N 190	127.561	17.662	74.678	1.00141.21	N

ATOM	24892	C	SER	N	190	126.280	16.088	76.719	1.00138.75	N
ATOM	24893	O	SER	N	190	125.199	16.288	76.164	1.00138.87	N
ATOM	24894	N	GLN	N	191	126.482	16.298	78.015	1.00137.36	N
ATOM	24895	CA	GLN	N	191	125.429	16.790	78.893	1.00135.68	N
ATOM	24896	CB	GLN	N	191	125.094	15.737	79.945	1.00137.79	N
ATOM	24897	CG	GLN	N	191	126.315	15.214	80.682	1.00141.80	N
ATOM	24898	CD	GLN	N	191	125.961	14.481	81.962	1.00143.30	N
ATOM	24899	OE1	GLN	N	191	125.496	15.086	82.932	1.00142.95	N
ATOM	24900	NE2	GLN	N	191	126.178	13.170	81.970	1.00144.73	N
ATOM	24901	C	GLN	N	191	125.894	18.067	79.585	1.00133.53	N
ATOM	24902	O	GLN	N	191	126.992	18.115	80.140	1.00133.38	N
ATOM	24903	N	ASN	N	192	125.054	19.099	79.554	1.00130.77	N
ATOM	24904	CA	ASN	N	192	125.391	20.376	80.175	1.00126.65	N
ATOM	24905	CB	ASN	N	192	124.253	21.377	79.969	1.00125.25	N
ATOM	24906	CG	ASN	N	192	124.281	22.005	78.591	1.00123.92	N
ATOM	24907	OD1	ASN	N	192	124.478	21.320	77.586	1.00123.53	N
ATOM	24908	ND2	ASN	N	192	124.079	23.314	78.536	1.00123.28	N
ATOM	24909	C	ASN	N	192	125.718	20.251	81.656	1.00123.16	N
ATOM	24910	O	ASN	N	192	124.924	19.733	82.443	1.00122.24	N
ATOM	24911	N	LEU	N	193	126.901	20.739	82.016	1.00119.47	N
ATOM	24912	CA	LEU	N	193	127.385	20.694	83.388	1.00116.68	N
ATOM	24913	CB	LEU	N	193	128.775	20.054	83.430	1.00115.81	N
ATOM	24914	CG	LEU	N	193	128.877	18.570	83.786	1.00114.05	N
ATOM	24915	CD1	LEU	N	193	130.315	18.095	83.633	1.00112.60	N
ATOM	24916	CD2	LEU	N	193	128.393	18.360	85.216	1.00113.35	N
ATOM	24917	C	LEU	N	193	127.454	22.065	84.045	1.00115.25	N
ATOM	24918	O	LEU	N	193	127.346	23.097	83.384	1.00115.44	N
ATOM	24919	N	GLY	N	194	127.644	22.049	85.360	1.00113.49	N
ATOM	24920	CA	GLY	N	194	127.750	23.270	86.133	1.00112.04	N
ATOM	24921	C	GLY	N	194	128.508	22.950	87.406	1.00111.60	N
ATOM	24922	O	GLY	N	194	128.645	21.778	87.756	1.00111.44	N
ATOM	24923	N	TYR	N	195	129.007	23.970	88.101	1.00111.14	N
ATOM	24924	CA	TYR	N	195	129.748	23.738	89.340	1.00109.65	N
ATOM	24925	CB	TYR	N	195	131.094	23.072	89.040	1.00111.92	N
ATOM	24926	CG	TYR	N	195	132.115	24.021	88.452	1.00112.22	N
ATOM	24927	CD1	TYR	N	195	132.036	24.425	87.119	1.00112.53	N
ATOM	24928	CE1	TYR	N	195	132.944	25.334	86.589	1.00112.37	N
ATOM	24929	CD2	TYR	N	195	133.135	24.551	89.245	1.00111.61	N
ATOM	24930	CE2	TYR	N	195	134.048	25.463	88.727	1.00112.46	N
ATOM	24931	CZ	TYR	N	195	133.947	25.850	87.398	1.00114.20	N
ATOM	24932	OH	TYR	N	195	134.848	26.756	86.881	1.00116.63	N
ATOM	24933	C	TYR	N	195	130.012	25.012	90.138	1.00107.66	N
ATOM	24934	O	TYR	N	195	130.106	26.101	89.578	1.00105.32	N
ATOM	24935	N	TYR	N	196	130.139	24.857	91.452	1.00108.03	N
ATOM	24936	CA	TYR	N	196	130.423	25.975	92.339	1.00108.68	N
ATOM	24937	CB	TYR	N	196	129.148	26.451	93.055	1.00109.88	N
ATOM	24938	CG	TYR	N	196	128.591	25.545	94.140	1.00110.94	N
ATOM	24939	CD1	TYR	N	196	129.273	25.359	95.341	1.00111.33	N
ATOM	24940	CE1	TYR	N	196	128.734	24.586	96.363	1.00111.80	N
ATOM	24941	CD2	TYR	N	196	127.348	24.923	93.989	1.00110.65	N
ATOM	24942	CE2	TYR	N	196	126.799	24.142	95.011	1.00110.64	N
ATOM	24943	CZ	TYR	N	196	127.500	23.981	96.198	1.00112.65	N
ATOM	24944	OH	TYR	N	196	126.976	23.226	97.226	1.00113.76	N
ATOM	24945	C	TYR	N	196	131.470	25.512	93.334	1.00110.38	N
ATOM	24946	O	TYR	N	196	131.492	24.349	93.723	1.00108.73	N
ATOM	24947	N	LEU	N	197	132.338	26.425	93.745	1.00115.29	N
ATOM	24948	CA	LEU	N	197	133.412	26.084	94.668	1.00121.08	N
ATOM	24949	CB	LEU	N	197	134.613	26.999	94.417	1.00121.84	N

ATOM	24950	CG	LEU	N	197	134.921	27.273	92.942	1.00123.07	N
ATOM	24951	CD1	LEU	N	197	136.149	28.164	92.840	1.00123.60	N
ATOM	24952	CD2	LEU	N	197	135.136	25.962	92.195	1.00122.57	N
ATOM	24953	C	LEU	N	197	133.020	26.150	96.140	1.00123.88	N
ATOM	24954	O	LEU	N	197	133.334	27.120	96.829	1.00123.61	N
ATOM	24955	N	SER	N	198	132.347	25.109	96.621	1.00127.37	N
ATOM	24956	CA	SER	N	198	131.935	25.059	98.019	1.00132.17	N
ATOM	24957	CB	SER	N	198	130.976	23.890	98.251	1.00133.45	N
ATOM	24958	OG	SER	N	198	131.450	22.702	97.647	1.00136.12	N
ATOM	24959	C	SER	N	198	133.135	24.925	98.950	1.00135.18	N
ATOM	24960	O	SER	N	198	133.907	23.970	98.855	1.00135.50	N
ATOM	24961	N	GLY	N	199	133.281	25.891	99.851	1.00138.29	N
ATOM	24962	CA	GLY	N	199	134.386	25.873	100.793	1.00141.43	N
ATOM	24963	C	GLY	N	199	134.178	26.875	101.911	1.00143.67	N
ATOM	24964	O	GLY	N	199	133.058	27.338	102.132	1.00143.97	N
ATOM	24965	N	THR	N	200	135.255	27.217	102.613	1.00145.41	N
ATOM	24966	CA	THR	N	200	135.184	28.173	103.716	1.00146.54	N
ATOM	24967	CB	THR	N	200	135.411	27.476	105.075	1.00145.39	N
ATOM	24968	OG1	THR	N	200	134.359	26.529	105.304	1.00143.76	N
ATOM	24969	CG2	THR	N	200	135.427	28.497	106.205	1.00142.23	N
ATOM	24970	C	THR	N	200	136.200	29.301	103.563	1.00147.85	N
ATOM	24971	O	THR	N	200	137.389	29.057	103.353	1.00147.27	N
ATOM	24972	N	THR	N	201	135.716	30.535	103.680	1.00149.78	N
ATOM	24973	CA	THR	N	201	136.556	31.722	103.547	1.00151.10	N
ATOM	24974	CB	THR	N	201	135.884	32.772	102.638	1.00150.01	N
ATOM	24975	OG1	THR	N	201	136.818	33.813	102.329	1.00148.11	N
ATOM	24976	CG2	THR	N	201	134.680	33.381	103.343	1.00149.87	N
ATOM	24977	C	THR	N	201	136.831	32.372	104.902	1.00152.63	N
ATOM	24978	O	THR	N	201	136.248	31.990	105.920	1.00152.65	N
ATOM	24979	N	ALA	N	202	137.717	33.363	104.898	1.00153.83	N
ATOM	24980	CA	ALA	N	202	138.082	34.081	106.113	1.00154.52	N
ATOM	24981	CB	ALA	N	202	139.581	33.948	106.366	1.00153.60	N
ATOM	24982	C	ALA	N	202	137.700	35.555	106.009	1.00155.38	N
ATOM	24983	O	ALA	N	202	138.527	36.433	106.256	1.00155.80	N
ATOM	24984	N	ASP	N	203	136.449	35.822	105.641	1.00155.62	N
ATOM	24985	CA	ASP	N	203	135.970	37.195	105.508	1.00155.97	N
ATOM	24986	CB	ASP	N	203	136.794	37.951	104.454	1.00156.44	N
ATOM	24987	CG	ASP	N	203	136.767	37.279	103.090	1.00156.43	N
ATOM	24988	OD1	ASP	N	203	137.261	37.888	102.115	1.00156.01	N
ATOM	24989	OD2	ASP	N	203	136.260	36.143	102.991	1.00156.14	N
ATOM	24990	C	ASP	N	203	134.494	37.258	105.130	1.00155.96	N
ATOM	24991	O	ASP	N	203	133.775	36.262	105.216	1.00155.68	N
ATOM	24992	N	ALA	N	204	134.054	38.442	104.717	1.00156.34	N
ATOM	24993	CA	ALA	N	204	132.674	38.657	104.303	1.00156.41	N
ATOM	24994	CB	ALA	N	204	132.154	39.972	104.872	1.00156.00	N
ATOM	24995	C	ALA	N	204	132.611	38.678	102.777	1.00156.56	N
ATOM	24996	O	ALA	N	204	131.535	38.792	102.191	1.00157.04	N
ATOM	24997	N	GLY	N	205	133.775	38.574	102.142	1.00156.19	N
ATOM	24998	CA	GLY	N	205	133.833	38.563	100.692	1.00155.72	N
ATOM	24999	C	GLY	N	205	133.691	37.145	100.168	1.00156.07	N
ATOM	25000	O	GLY	N	205	133.739	36.909	98.960	1.00155.81	N
ATOM	25001	N	ASN	N	206	133.512	36.205	101.095	1.00156.64	N
ATOM	25002	CA	ASN	N	206	133.357	34.779	100.799	1.00156.53	N
ATOM	25003	CB	ASN	N	206	131.877	34.385	100.889	1.00153.82	N
ATOM	25004	CG	ASN	N	206	131.410	34.195	102.327	1.00150.82	N
ATOM	25005	OD1	ASN	N	206	131.831	33.261	103.009	1.00147.50	N
ATOM	25006	ND2	ASN	N	206	130.540	35.083	102.792	1.00150.10	N
ATOM	25007	C	ASN	N	206	133.955	34.306	99.473	1.00157.62	N

ATOM	25008	O	ASN	N	206	133.278	33.688	98.649	1.00156.97	N
ATOM	25009	N	SER	N	207	135.239	34.598	99.286	1.00159.57	N
ATOM	25010	CA	SER	N	207	135.968	34.205	98.086	1.00161.02	N
ATOM	25011	CB	SER	N	207	135.833	35.272	96.999	1.00160.39	N
ATOM	25012	OG	SER	N	207	136.473	36.476	97.384	1.00159.82	N
ATOM	25013	C	SER	N	207	137.439	34.028	98.452	1.00162.65	N
ATOM	25014	O	SER	N	207	138.285	33.814	97.586	1.00163.44	N
ATOM	25015	N	ILE	N	208	137.731	34.122	99.747	1.00164.05	N
ATOM	25016	CA	ILE	N	208	139.092	33.971	100.252	1.00165.55	N
ATOM	25017	CB	ILE	N	208	139.562	35.255	100.975	1.00165.31	N
ATOM	25018	CG2	ILE	N	208	140.976	35.068	101.510	1.00164.92	N
ATOM	25019	CG1	ILE	N	208	139.511	36.442	100.010	1.00164.50	N
ATOM	25020	CD1	ILE	N	208	139.893	37.769	100.639	1.00163.75	N
ATOM	25021	C	ILE	N	208	139.141	32.800	101.232	1.00167.16	N
ATOM	25022	O	ILE	N	208	139.186	32.995	102.448	1.00166.97	N
ATOM	25023	N	PHE	N	209	139.131	31.584	100.691	1.00169.47	N
ATOM	25024	CA	PHE	N	209	139.159	30.368	101.500	1.00171.24	N
ATOM	25025	CB	PHE	N	209	139.389	29.143	100.601	1.00170.00	N
ATOM	25026	CG	PHE	N	209	138.480	29.089	99.391	1.00168.36	N
ATOM	25027	CD1	PHE	N	209	138.781	29.821	98.242	1.00167.39	N
ATOM	25028	CD2	PHE	N	209	137.319	28.318	99.405	1.00167.74	N
ATOM	25029	CE1	PHE	N	209	137.941	29.785	97.127	1.00166.41	N
ATOM	25030	CE2	PHE	N	209	136.470	28.276	98.294	1.00166.52	N
ATOM	25031	CZ	PHE	N	209	136.783	29.010	97.154	1.00166.26	N
ATOM	25032	C	PHE	N	209	140.237	30.448	102.585	1.00173.18	N
ATOM	25033	O	PHE	N	209	141.256	31.114	102.411	1.00173.78	N
ATOM	25034	N	THR	N	210	140.005	29.768	103.705	1.00175.08	N
ATOM	25035	CA	THR	N	210	140.943	29.785	104.826	1.00177.32	N
ATOM	25036	CB	THR	N	210	140.210	29.541	106.160	1.00176.42	N
ATOM	25037	OG1	THR	N	210	139.405	28.360	106.057	1.00174.96	N
ATOM	25038	CG2	THR	N	210	139.328	30.722	106.507	1.00176.75	N
ATOM	25039	C	THR	N	210	142.091	28.783	104.732	1.00179.73	N
ATOM	25040	O	THR	N	210	142.365	28.222	103.671	1.00179.50	N
ATOM	25041	N	ASN	N	211	142.759	28.579	105.865	1.00182.92	N
ATOM	25042	CA	ASN	N	211	143.885	27.654	105.982	1.00185.91	N
ATOM	25043	CB	ASN	N	211	145.167	28.429	106.322	1.00186.60	N
ATOM	25044	CG	ASN	N	211	146.379	27.522	106.510	1.00187.17	N
ATOM	25045	OD1	ASN	N	211	147.443	27.975	106.933	1.00186.91	N
ATOM	25046	ND2	ASN	N	211	146.224	26.242	106.194	1.00187.18	N
ATOM	25047	C	ASN	N	211	143.581	26.645	107.093	1.00187.69	N
ATOM	25048	O	ASN	N	211	143.368	27.028	108.245	1.00187.39	N
ATOM	25049	N	THR	N	212	143.566	25.361	106.743	1.00189.61	N
ATOM	25050	CA	THR	N	212	143.278	24.300	107.706	1.00190.79	N
ATOM	25051	CB	THR	N	212	142.498	23.142	107.041	1.00190.13	N
ATOM	25052	OG1	THR	N	212	141.387	23.668	106.305	1.00188.96	N
ATOM	25053	CG2	THR	N	212	141.978	22.178	108.097	1.00189.37	N
ATOM	25054	C	THR	N	212	144.557	23.728	108.314	1.00192.21	N
ATOM	25055	O	THR	N	212	145.026	22.663	107.907	1.00192.39	N
ATOM	25056	N	ALA	N	213	145.118	24.432	109.293	1.00193.69	N
ATOM	25057	CA	ALA	N	213	146.344	23.979	109.940	1.00195.11	N
ATOM	25058	CB	ALA	N	213	147.537	24.221	109.015	1.00195.19	N
ATOM	25059	C	ALA	N	213	146.582	24.662	111.284	1.00196.03	N
ATOM	25060	O	ALA	N	213	146.045	25.737	111.554	1.00196.18	N
ATOM	25061	N	SER	N	214	147.391	24.018	112.122	1.00196.81	N
ATOM	25062	CA	SER	N	214	147.737	24.539	113.442	1.00197.14	N
ATOM	25063	CB	SER	N	214	147.475	23.477	114.515	1.00196.38	N
ATOM	25064	OG	SER	N	214	147.837	23.947	115.801	1.00195.53	N
ATOM	25065	C	SER	N	214	149.216	24.930	113.443	1.00197.71	N

ATOM	25066	O	SER	N	214	149.756	25.382	114.454	1.00197.77	N
ATOM	25067	N	PHE	N	215	149.853	24.744	112.288	1.00198.20	N
ATOM	25068	CA	PHE	N	215	151.265	25.058	112.083	1.00198.44	N
ATOM	25069	CB	PHE	N	215	151.809	24.213	110.920	1.00198.81	N
ATOM	25070	CG	PHE	N	215	153.198	24.594	110.454	1.00199.62	N
ATOM	25071	CD1	PHE	N	215	153.697	24.071	109.266	1.00199.83	N
ATOM	25072	CD2	PHE	N	215	153.998	25.480	111.175	1.00200.00	N
ATOM	25073	CE1	PHE	N	215	154.961	24.418	108.798	1.00200.00	N
ATOM	25074	CE2	PHE	N	215	155.267	25.835	110.714	1.00200.00	N
ATOM	25075	CZ	PHE	N	215	155.746	25.305	109.522	1.00200.00	N
ATOM	25076	C	PHE	N	215	151.435	26.543	111.774	1.00198.53	N
ATOM	25077	O	PHE	N	215	151.022	27.014	110.714	1.00198.36	N
ATOM	25078	N	SER	N	216	152.058	27.266	112.703	1.00198.67	N
ATOM	25079	CA	SER	N	216	152.305	28.697	112.549	1.00198.66	N
ATOM	25080	CB	SER	N	216	153.619	28.924	111.790	1.00198.93	N
ATOM	25081	OG	SER	N	216	153.946	30.301	111.721	1.00198.47	N
ATOM	25082	C	SER	N	216	151.153	29.377	111.814	1.00198.34	N
ATOM	25083	O	SER	N	216	151.270	29.712	110.635	1.00198.06	N
ATOM	25084	N	PRO	N	217	150.022	29.589	112.510	1.00198.03	N
ATOM	25085	CD	PRO	N	217	149.864	29.378	113.960	1.00198.08	N
ATOM	25086	CA	PRO	N	217	148.823	30.228	111.956	1.00197.46	N
ATOM	25087	CB	PRO	N	217	147.863	30.231	113.141	1.00197.77	N
ATOM	25088	CG	PRO	N	217	148.795	30.387	114.301	1.00198.21	N
ATOM	25089	C	PRO	N	217	149.081	31.634	111.424	1.00196.73	N
ATOM	25090	O	PRO	N	217	148.783	32.627	112.091	1.00196.78	N
ATOM	25091	N	ALA	N	218	149.634	31.713	110.218	1.00195.37	N
ATOM	25092	CA	ALA	N	218	149.929	32.997	109.598	1.00193.67	N
ATOM	25093	CB	ALA	N	218	150.632	32.783	108.265	1.00193.78	N
ATOM	25094	C	ALA	N	218	148.647	33.800	109.396	1.00192.25	N
ATOM	25095	O	ALA	N	218	147.578	33.239	109.147	1.00192.16	N
ATOM	25096	N	GLN	N	219	148.765	35.118	109.510	1.00190.50	N
ATOM	25097	CA	GLN	N	219	147.628	36.017	109.345	1.00188.49	N
ATOM	25098	CB	GLN	N	219	147.886	37.313	110.114	1.00187.45	N
ATOM	25099	CG	GLN	N	219	148.061	37.122	111.610	1.00185.15	N
ATOM	25100	CD	GLN	N	219	148.745	38.302	112.268	1.00183.96	N
ATOM	25101	OE1	GLN	N	219	149.960	38.468	112.163	1.00181.78	N
ATOM	25102	NE2	GLN	N	219	147.964	39.135	112.944	1.00183.36	N
ATOM	25103	C	GLN	N	219	147.390	36.336	107.869	1.00187.44	N
ATOM	25104	O	GLN	N	219	148.315	36.714	107.153	1.00187.73	N
ATOM	25105	N	GLY	N	220	146.150	36.175	107.418	1.00185.67	N
ATOM	25106	CA	GLY	N	220	145.820	36.465	106.033	1.00183.10	N
ATOM	25107	C	GLY	N	220	146.457	35.559	104.995	1.00181.34	N
ATOM	25108	O	GLY	N	220	147.166	36.031	104.107	1.00181.17	N
ATOM	25109	N	VAL	N	221	146.202	34.258	105.102	1.00179.57	N
ATOM	25110	CA	VAL	N	221	146.749	33.289	104.157	1.00177.47	N
ATOM	25111	CB	VAL	N	221	147.868	32.441	104.796	1.00176.84	N
ATOM	25112	CG1	VAL	N	221	148.404	31.443	103.781	1.00176.10	N
ATOM	25113	CG2	VAL	N	221	148.983	33.342	105.292	1.00176.52	N
ATOM	25114	C	VAL	N	221	145.653	32.351	103.673	1.00176.31	N
ATOM	25115	O	VAL	N	221	145.332	31.361	104.333	1.00176.14	N
ATOM	25116	N	GLY	N	222	145.079	32.670	102.518	1.00175.05	N
ATOM	25117	CA	GLY	N	222	144.022	31.844	101.967	1.00173.68	N
ATOM	25118	C	GLY	N	222	144.226	31.520	100.498	1.00172.31	N
ATOM	25119	O	GLY	N	222	145.353	31.540	100.000	1.00172.50	N
ATOM	25120	N	VAL	N	223	143.132	31.217	99.805	1.00170.29	N
ATOM	25121	CA	VAL	N	223	143.179	30.886	98.384	1.00167.68	N
ATOM	25122	CB	VAL	N	223	143.154	29.351	98.162	1.00168.37	N
ATOM	25123	CG1	VAL	N	223	143.244	29.032	96.677	1.00167.89	N

ATOM	25124	CG2	VAL	N	223	144.302	28.699	98.913	1.00168.25	N
ATOM	25125	C	VAL	N	223	141.987	31.506	97.659	1.00165.18	N
ATOM	25126	O	VAL	N	223	141.005	31.905	98.284	1.00164.77	N
ATOM	25127	N	GLN	N	224	142.084	31.588	96.338	1.00162.32	N
ATOM	25128	CA	GLN	N	224	141.016	32.151	95.527	1.00159.42	N
ATOM	25129	CB	GLN	N	224	140.951	33.665	95.721	1.00159.27	N
ATOM	25130	CG	GLN	N	224	139.678	34.295	95.198	1.00157.49	N
ATOM	25131	CD	GLN	N	224	139.592	35.772	95.513	1.00155.52	N
ATOM	25132	OE1	GLN	N	224	139.782	36.185	96.658	1.00154.60	N
ATOM	25133	NE2	GLN	N	224	139.297	36.576	94.502	1.00153.81	N
ATOM	25134	C	GLN	N	224	141.278	31.818	94.064	1.00157.50	N
ATOM	25135	O	GLN	N	224	141.967	32.555	93.355	1.00157.13	N
ATOM	25136	N	LEU	N	225	140.719	30.694	93.627	1.00154.97	N
ATOM	25137	CA	LEU	N	225	140.878	30.211	92.260	1.00151.70	N
ATOM	25138	CB	LEU	N	225	140.022	28.958	92.055	1.00153.46	N
ATOM	25139	CG	LEU	N	225	139.966	27.976	93.235	1.00154.82	N
ATOM	25140	CD1	LEU	N	225	139.172	26.747	92.826	1.00154.43	N
ATOM	25141	CD2	LEU	N	225	141.371	27.580	93.670	1.00155.15	N
ATOM	25142	C	LEU	N	225	140.498	31.272	91.231	1.00148.24	N
ATOM	25143	O	LEU	N	225	139.940	32.313	91.578	1.00147.95	N
ATOM	25144	N	THR	N	226	140.799	31.003	89.964	1.00144.57	N
ATOM	25145	CA	THR	N	226	140.488	31.945	88.895	1.00141.44	N
ATOM	25146	CB	THR	N	226	141.372	33.205	88.991	1.00140.92	N
ATOM	25147	OG1	THR	N	226	141.212	33.990	87.804	1.00138.61	N
ATOM	25148	CG2	THR	N	226	142.833	32.824	89.152	1.00139.63	N
ATOM	25149	C	THR	N	226	140.647	31.363	87.496	1.00139.82	N
ATOM	25150	O	THR	N	226	141.748	30.994	87.083	1.00139.53	N
ATOM	25151	N	ARG	N	227	139.539	31.289	86.766	1.00138.35	N
ATOM	25152	CA	ARG	N	227	139.552	30.769	85.405	1.00137.82	N
ATOM	25153	CB	ARG	N	227	138.168	30.242	85.025	1.00138.65	N
ATOM	25154	CG	ARG	N	227	137.015	31.158	85.406	1.00138.28	N
ATOM	25155	CD	ARG	N	227	135.679	30.533	85.028	1.00138.93	N
ATOM	25156	NE	ARG	N	227	134.592	30.984	85.894	1.00138.02	N
ATOM	25157	CZ	ARG	N	227	134.136	32.229	85.946	1.00137.81	N
ATOM	25158	NH1	ARG	N	227	133.147	32.535	86.773	1.00137.87	N
ATOM	25159	NH2	ARG	N	227	134.659	33.166	85.169	1.00137.12	N
ATOM	25160	C	ARG	N	227	139.977	31.855	84.431	1.00137.52	N
ATOM	25161	O	ARG	N	227	139.145	32.608	83.924	1.00137.09	N
ATOM	25162	N	ASN	N	228	141.280	31.927	84.176	1.00137.76	N
ATOM	25163	CA	ASN	N	228	141.843	32.924	83.271	1.00137.68	N
ATOM	25164	CB	ASN	N	228	141.412	32.644	81.829	1.00137.02	N
ATOM	25165	CG	ASN	N	228	142.224	31.541	81.184	1.00136.18	N
ATOM	25166	OD1	ASN	N	228	142.062	31.251	80.000	1.00135.87	N
ATOM	25167	ND2	ASN	N	228	143.107	30.921	81.960	1.00135.53	N
ATOM	25168	C	ASN	N	228	141.468	34.353	83.650	1.00137.00	N
ATOM	25169	O	ASN	N	228	140.666	34.998	82.973	1.00136.54	N
ATOM	25170	N	GLY	N	229	142.059	34.840	84.736	1.00136.48	N
ATOM	25171	CA	GLY	N	229	141.787	36.191	85.188	1.00136.08	N
ATOM	25172	C	GLY	N	229	140.522	36.325	86.013	1.00135.46	N
ATOM	25173	O	GLY	N	229	140.546	36.884	87.110	1.00135.60	N
ATOM	25174	N	THR	N	230	139.411	35.818	85.487	1.00134.69	N
ATOM	25175	CA	THR	N	230	138.135	35.898	86.189	1.00133.55	N
ATOM	25176	CB	THR	N	230	136.957	35.508	85.263	1.00133.31	N
ATOM	25177	OG1	THR	N	230	137.038	36.242	84.035	1.00129.93	N
ATOM	25178	CG2	THR	N	230	135.628	35.827	85.938	1.00133.50	N
ATOM	25179	C	THR	N	230	138.135	34.966	87.395	1.00133.08	N
ATOM	25180	O	THR	N	230	137.993	33.754	87.247	1.00134.21	N
ATOM	25181	N	ILE	N	231	138.304	35.530	88.587	1.00132.88	N

ATOM	25182	CA	ILE	N	231	138.308	34.726	89.804	1.00133.28	N
ATOM	25183	CB	ILE	N	231	138.808	35.545	91.031	1.00133.62	N
ATOM	25184	CG2	ILE	N	231	138.440	34.838	92.326	1.00133.48	N
ATOM	25185	CG1	ILE	N	231	140.326	35.739	90.944	1.00133.71	N
ATOM	25186	CD1	ILE	N	231	140.943	36.453	92.135	1.00131.13	N
ATOM	25187	C	ILE	N	231	136.902	34.190	90.074	1.00133.40	N
ATOM	25188	O	ILE	N	231	135.906	34.774	89.640	1.00132.96	N
ATOM	25189	N	ILE	N	232	136.831	33.068	90.784	1.00133.19	N
ATOM	25190	CA	ILE	N	232	135.555	32.442	91.102	1.00131.56	N
ATOM	25191	CB	ILE	N	232	135.455	31.037	90.468	1.00132.36	N
ATOM	25192	CG2	ILE	N	232	134.065	30.457	90.702	1.00132.75	N
ATOM	25193	CG1	ILE	N	232	135.749	31.116	88.969	1.00132.11	N
ATOM	25194	CD1	ILE	N	232	135.837	29.765	88.297	1.00132.95	N
ATOM	25195	C	ILE	N	232	135.350	32.299	92.606	1.00129.38	N
ATOM	25196	O	ILE	N	232	136.039	31.520	93.266	1.00128.94	N
ATOM	25197	N	PRO	N	233	134.407	33.067	93.168	1.00127.82	N
ATOM	25198	CD	PRO	N	233	133.711	34.200	92.530	1.00127.19	N
ATOM	25199	CA	PRO	N	233	134.115	33.009	94.605	1.00126.46	N
ATOM	25200	CB	PRO	N	233	133.395	34.329	94.859	1.00127.51	N
ATOM	25201	CG	PRO	N	233	132.671	34.561	93.562	1.00128.55	N
ATOM	25202	C	PRO	N	233	133.244	31.791	94.922	1.00124.57	N
ATOM	25203	O	PRO	N	233	132.598	31.238	94.031	1.00125.11	N
ATOM	25204	N	ALA	N	234	133.229	31.373	96.183	1.00122.03	N
ATOM	25205	CA	ALA	N	234	132.441	30.214	96.601	1.00119.71	N
ATOM	25206	CB	ALA	N	234	132.588	30.005	98.104	1.00119.98	N
ATOM	25207	C	ALA	N	234	130.960	30.340	96.236	1.00117.86	N
ATOM	25208	O	ALA	N	234	130.493	31.416	95.871	1.00119.63	N
ATOM	25209	N	ASN	N	235	130.233	29.230	96.333	1.00114.31	N
ATOM	25210	CA	ASN	N	235	128.800	29.190	96.033	1.00110.53	N
ATOM	25211	CB	ASN	N	235	128.008	29.704	97.238	1.00106.30	N
ATOM	25212	CG	ASN	N	235	128.083	28.765	98.426	1.00102.58	N
ATOM	25213	OD1	ASN	N	235	127.323	27.802	98.524	1.00102.78	N
ATOM	25214	ND2	ASN	N	235	129.017	29.032	99.330	1.00 99.58	N
ATOM	25215	C	ASN	N	235	128.403	29.969	94.781	1.00109.66	N
ATOM	25216	O	ASN	N	235	127.251	30.365	94.622	1.00109.28	N
ATOM	25217	N	ASN	N	236	129.362	30.177	93.890	1.00110.75	N
ATOM	25218	CA	ASN	N	236	129.110	30.902	92.655	1.00112.49	N
ATOM	25219	CB	ASN	N	236	130.166	31.994	92.460	1.00115.87	N
ATOM	25220	CG	ASN	N	236	129.934	32.818	91.203	1.00118.71	N
ATOM	25221	OD1	ASN	N	236	129.003	33.623	91.135	1.00118.42	N
ATOM	25222	ND2	ASN	N	236	130.783	32.616	90.198	1.00119.37	N
ATOM	25223	C	ASN	N	236	129.160	29.926	91.487	1.00112.30	N
ATOM	25224	O	ASN	N	236	130.121	29.913	90.717	1.00111.71	N
ATOM	25225	N	THR	N	237	128.127	29.099	91.371	1.00112.45	N
ATOM	25226	CA	THR	N	237	128.051	28.121	90.296	1.00113.58	N
ATOM	25227	CB	THR	N	237	126.621	27.558	90.166	1.00112.42	N
ATOM	25228	OG1	THR	N	237	126.282	26.848	91.362	1.00112.02	N
ATOM	25229	CG2	THR	N	237	126.517	26.613	88.979	1.00111.64	N
ATOM	25230	C	THR	N	237	128.468	28.747	88.970	1.00115.29	N
ATOM	25231	O	THR	N	237	128.138	29.898	88.685	1.00115.28	N
ATOM	25232	N	VAL	N	238	129.208	27.989	88.168	1.00116.81	N
ATOM	25233	CA	VAL	N	238	129.658	28.483	86.878	1.00119.12	N
ATOM	25234	CB	VAL	N	238	131.192	28.614	86.833	1.00119.60	N
ATOM	25235	CG1	VAL	N	238	131.617	29.324	85.553	1.00119.88	N
ATOM	25236	CG2	VAL	N	238	131.683	29.373	88.056	1.00119.89	N
ATOM	25237	C	VAL	N	238	129.205	27.546	85.769	1.00120.55	N
ATOM	25238	O	VAL	N	238	129.088	26.337	85.975	1.00119.25	N
ATOM	25239	N	SER	N	239	128.949	28.117	84.594	1.00123.01	N

ATOM	25240	CA	SER	N	239	128.493	27.353	83.438	1.00124.83	N
ATOM	25241	CB	SER	N	239	127.834	28.286	82.415	1.00124.28	N
ATOM	25242	OG	SER	N	239	127.393	27.565	81.276	1.00123.95	N
ATOM	25243	C	SER	N	239	129.606	26.568	82.753	1.00126.29	N
ATOM	25244	O	SER	N	239	130.791	26.867	82.904	1.00126.97	N
ATOM	25245	N	LEU	N	240	129.201	25.557	81.996	1.00127.05	N
ATOM	25246	CA	LEU	N	240	130.126	24.707	81.267	1.00126.89	N
ATOM	25247	CB	LEU	N	240	130.428	23.449	82.083	1.00126.27	N
ATOM	25248	CG	LEU	N	240	131.053	23.714	83.457	1.00125.34	N
ATOM	25249	CD1	LEU	N	240	131.043	22.450	84.295	1.00124.66	N
ATOM	25250	CD2	LEU	N	240	132.471	24.234	83.278	1.00125.15	N
ATOM	25251	C	LEU	N	240	129.438	24.347	79.960	1.00127.66	N
ATOM	25252	O	LEU	N	240	130.062	24.324	78.901	1.00128.43	N
ATOM	25253	N	GLY	N	241	128.139	24.078	80.047	1.00127.98	N
ATOM	25254	CA	GLY	N	241	127.359	23.737	78.872	1.00128.44	N
ATOM	25255	C	GLY	N	241	127.854	22.541	78.082	1.00128.82	N
ATOM	25256	O	GLY	N	241	127.910	21.423	78.595	1.00128.11	N
ATOM	25257	N	ALA	N	242	128.209	22.783	76.824	1.00129.55	N
ATOM	25258	CA	ALA	N	242	128.694	21.734	75.935	1.00129.75	N
ATOM	25259	CB	ALA	N	242	129.073	22.333	74.584	1.00128.08	N
ATOM	25260	C	ALA	N	242	129.882	20.976	76.519	1.00130.32	N
ATOM	25261	O	ALA	N	242	131.029	21.417	76.403	1.00131.60	N
ATOM	25262	N	VAL	N	243	129.598	19.835	77.143	1.00129.73	N
ATOM	25263	CA	VAL	N	243	130.637	18.996	77.737	1.00128.68	N
ATOM	25264	CB	VAL	N	243	130.611	19.077	79.273	1.00124.84	N
ATOM	25265	CG1	VAL	N	243	131.772	18.286	79.852	1.00121.24	N
ATOM	25266	CG2	VAL	N	243	130.679	20.526	79.714	1.00122.72	N
ATOM	25267	C	VAL	N	243	130.450	17.537	77.315	1.00130.55	N
ATOM	25268	O	VAL	N	243	129.830	16.745	78.030	1.00131.00	N
ATOM	25269	N	GLY	N	244	130.993	17.192	76.149	1.00131.23	N
ATOM	25270	CA	GLY	N	244	130.873	15.838	75.641	1.00131.18	N
ATOM	25271	C	GLY	N	244	132.118	14.989	75.813	1.00131.35	N
ATOM	25272	O	GLY	N	244	132.562	14.754	76.936	1.00129.72	N
ATOM	25273	N	THR	N	245	132.680	14.528	74.697	1.00133.30	N
ATOM	25274	CA	THR	N	245	133.874	13.683	74.713	1.00135.04	N
ATOM	25275	CB	THR	N	245	133.912	12.745	73.486	1.00134.87	N
ATOM	25276	OG1	THR	N	245	133.925	13.526	72.284	1.00133.67	N
ATOM	25277	CG2	THR	N	245	132.701	11.823	73.481	1.00133.99	N
ATOM	25278	C	THR	N	245	135.180	14.477	74.746	1.00136.19	N
ATOM	25279	O	THR	N	245	136.218	13.954	75.156	1.00136.82	N
ATOM	25280	N	SER	N	246	135.125	15.732	74.309	1.00136.37	N
ATOM	25281	CA	SER	N	246	136.303	16.596	74.299	1.00135.64	N
ATOM	25282	CB	SER	N	246	136.071	17.780	73.361	1.00134.76	N
ATOM	25283	OG	SER	N	246	135.683	17.333	72.075	1.00132.82	N
ATOM	25284	C	SER	N	246	136.577	17.106	75.712	1.00136.00	N
ATOM	25285	O	SER	N	246	136.015	18.118	76.133	1.00135.48	N
ATOM	25286	N	ALA	N	247	137.440	16.398	76.437	1.00136.58	N
ATOM	25287	CA	ALA	N	247	137.792	16.754	77.809	1.00137.72	N
ATOM	25288	CB	ALA	N	247	139.022	15.970	78.247	1.00136.90	N
ATOM	25289	C	ALA	N	247	138.039	18.248	77.983	1.00139.19	N
ATOM	25290	O	ALA	N	247	139.155	18.724	77.778	1.00138.82	N
ATOM	25291	N	VAL	N	248	136.995	18.977	78.370	1.00141.19	N
ATOM	25292	CA	VAL	N	248	137.086	20.423	78.577	1.00142.08	N
ATOM	25293	CB	VAL	N	248	135.677	21.087	78.567	1.00141.66	N
ATOM	25294	CG1	VAL	N	248	135.813	22.600	78.662	1.00140.95	N
ATOM	25295	CG2	VAL	N	248	134.918	20.703	77.300	1.00139.02	N
ATOM	25296	C	VAL	N	248	137.770	20.736	79.913	1.00142.61	N
ATOM	25297	O	VAL	N	248	137.461	20.120	80.934	1.00141.93	N

ATOM	25298	N	SER N 249	138.698	21.691	79.896	1.00143.55	N
ATOM	25299	CA	SER N 249	139.426	22.081	81.103	1.00144.13	N
ATOM	25300	CB	SER N 249	140.891	22.388	80.766	1.00142.74	N
ATOM	25301	OG	SER N 249	141.664	22.572	81.941	1.00138.03	N
ATOM	25302	C	SER N 249	138.773	23.301	81.753	1.00145.51	N
ATOM	25303	O	SER N 249	138.027	24.038	81.101	1.00146.10	N
ATOM	25304	N	LEU N 250	139.060	23.507	83.036	1.00145.66	N
ATOM	25305	CA	LEU N 250	138.492	24.622	83.792	1.00145.03	N
ATOM	25306	CB	LEU N 250	138.311	24.214	85.256	1.00143.29	N
ATOM	25307	CG	LEU N 250	137.315	23.087	85.537	1.00141.67	N
ATOM	25308	CD1	LEU N 250	137.409	22.666	86.990	1.00141.02	N
ATOM	25309	CD2	LEU N 250	135.908	23.555	85.205	1.00140.62	N
ATOM	25310	C	LEU N 250	139.315	25.906	83.726	1.00145.33	N
ATOM	25311	O	LEU N 250	138.767	27.006	83.796	1.00145.06	N
ATOM	25312	N	GLY N 251	140.630	25.766	83.593	1.00146.22	N
ATOM	25313	CA	GLY N 251	141.486	26.935	83.534	1.00146.75	N
ATOM	25314	C	GLY N 251	141.640	27.535	84.916	1.00147.18	N
ATOM	25315	O	GLY N 251	141.848	28.740	85.070	1.00147.47	N
ATOM	25316	N	LEU N 252	141.535	26.680	85.927	1.00147.47	N
ATOM	25317	CA	LEU N 252	141.656	27.104	87.312	1.00148.59	N
ATOM	25318	CB	LEU N 252	141.231	25.968	88.241	1.00148.05	N
ATOM	25319	CG	LEU N 252	139.895	25.306	87.903	1.00147.89	N
ATOM	25320	CD1	LEU N 252	139.599	24.231	88.929	1.00148.32	N
ATOM	25321	CD2	LEU N 252	138.781	26.342	87.878	1.00148.10	N
ATOM	25322	C	LEU N 252	143.085	27.517	87.635	1.00149.98	N
ATOM	25323	O	LEU N 252	144.032	26.779	87.360	1.00150.09	N
ATOM	25324	N	THR N 253	143.233	28.701	88.223	1.00151.62	N
ATOM	25325	CA	THR N 253	144.547	29.217	88.588	1.00152.62	N
ATOM	25326	CB	THR N 253	144.880	30.496	87.796	1.00150.69	N
ATOM	25327	OG1	THR N 253	144.525	30.315	86.420	1.00147.86	N
ATOM	25328	CG2	THR N 253	146.368	30.801	87.888	1.00149.44	N
ATOM	25329	C	THR N 253	144.583	29.541	90.079	1.00154.70	N
ATOM	25330	O	THR N 253	144.469	30.703	90.470	1.00154.54	N
ATOM	25331	N	ALA N 254	144.735	28.507	90.905	1.00156.99	N
ATOM	25332	CA	ALA N 254	144.785	28.676	92.356	1.00159.33	N
ATOM	25333	CB	ALA N 254	145.085	27.340	93.027	1.00157.41	N
ATOM	25334	C	ALA N 254	145.845	29.703	92.736	1.00161.96	N
ATOM	25335	O	ALA N 254	147.042	29.419	92.683	1.00162.35	N
ATOM	25336	N	ASN N 255	145.398	30.898	93.117	1.00164.67	N
ATOM	25337	CA	ASN N 255	146.308	31.977	93.498	1.00166.88	N
ATOM	25338	CB	ASN N 255	145.997	33.243	92.687	1.00166.88	N
ATOM	25339	CG	ASN N 255	146.266	33.071	91.200	1.00166.49	N
ATOM	25340	OD1	ASN N 255	146.058	33.992	90.411	1.00165.58	N
ATOM	25341	ND2	ASN N 255	146.731	31.890	90.813	1.00167.27	N
ATOM	25342	C	ASN N 255	146.240	32.300	94.990	1.00168.43	N
ATOM	25343	O	ASN N 255	145.370	31.801	95.707	1.00167.77	N
ATOM	25344	N	TYR N 256	147.171	33.137	95.444	1.00170.47	N
ATOM	25345	CA	TYR N 256	147.247	33.544	96.846	1.00171.88	N
ATOM	25346	CB	TYR N 256	148.622	34.158	97.147	1.00172.93	N
ATOM	25347	CG	TYR N 256	149.687	33.145	97.511	1.00173.99	N
ATOM	25348	CD1	TYR N 256	150.027	32.111	96.638	1.00174.50	N
ATOM	25349	CE1	TYR N 256	150.995	31.163	96.983	1.00174.72	N
ATOM	25350	CD2	TYR N 256	150.344	33.210	98.741	1.00174.34	N
ATOM	25351	CE2	TYR N 256	151.311	32.267	99.095	1.00174.90	N
ATOM	25352	CZ	TYR N 256	151.631	31.246	98.212	1.00174.75	N
ATOM	25353	OH	TYR N 256	152.575	30.306	98.562	1.00174.24	N
ATOM	25354	C	TYR N 256	146.150	34.534	97.227	1.00172.41	N
ATOM	25355	O	TYR N 256	145.863	35.475	96.486	1.00172.55	N

ATOM	25356	N	ALA N 257	145.548	34.314	98.394	1.00173.10	N
ATOM	25357	CA	ALA N 257	144.476	35.173	98.887	1.00173.84	N
ATOM	25358	CB	ALA N 257	143.210	34.349	99.100	1.00173.76	N
ATOM	25359	C	ALA N 257	144.850	35.895	100.179	1.00174.30	N
ATOM	25360	O	ALA N 257	144.720	35.342	101.273	1.00174.08	N
ATOM	25361	N	ARG N 258	145.311	37.134	100.040	1.00175.10	N
ATOM	25362	CA	ARG N 258	145.698	37.957	101.181	1.00175.90	N
ATOM	25363	CB	ARG N 258	146.679	39.042	100.722	1.00176.23	N
ATOM	25364	CG	ARG N 258	147.272	39.899	101.830	1.00175.92	N
ATOM	25365	CD	ARG N 258	148.353	40.817	101.272	1.00175.59	N
ATOM	25366	NE	ARG N 258	148.872	41.743	102.275	1.00175.72	N
ATOM	25367	CZ	ARG N 258	149.852	42.614	102.052	1.00175.78	N
ATOM	25368	NH1	ARG N 258	150.259	43.421	103.024	1.00175.64	N
ATOM	25369	NH2	ARG N 258	150.431	42.675	100.860	1.00175.38	N
ATOM	25370	C	ARG N 258	144.429	38.585	101.755	1.00176.50	N
ATOM	25371	O	ARG N 258	143.589	39.084	101.006	1.00176.35	N
ATOM	25372	N	THR N 259	144.287	38.557	103.077	1.00177.38	N
ATOM	25373	CA	THR N 259	143.098	39.104	103.727	1.00178.52	N
ATOM	25374	CB	THR N 259	142.597	38.155	104.836	1.00178.53	N
ATOM	25375	OG1	THR N 259	143.591	38.049	105.863	1.00177.96	N
ATOM	25376	CG2	THR N 259	142.319	36.773	104.266	1.00178.41	N
ATOM	25377	C	THR N 259	143.278	40.500	104.326	1.00179.41	N
ATOM	25378	O	THR N 259	143.390	41.488	103.600	1.00178.79	N
ATOM	25379	N	GLY N 260	143.289	40.572	105.655	1.00180.82	N
ATOM	25380	CA	GLY N 260	143.443	41.842	106.342	1.00182.12	N
ATOM	25381	C	GLY N 260	144.650	42.645	105.899	1.00183.15	N
ATOM	25382	O	GLY N 260	144.506	43.689	105.263	1.00183.44	N
ATOM	25383	N	GLY N 261	145.843	42.163	106.238	1.00184.04	N
ATOM	25384	CA	GLY N 261	147.059	42.861	105.858	1.00184.91	N
ATOM	25385	C	GLY N 261	148.305	42.011	106.028	1.00185.61	N
ATOM	25386	O	GLY N 261	149.073	41.820	105.085	1.00185.76	N
ATOM	25387	N	GLN N 262	148.504	41.502	107.239	1.00186.17	N
ATOM	25388	CA	GLN N 262	149.656	40.665	107.552	1.00187.07	N
ATOM	25389	CB	GLN N 262	149.591	40.234	109.022	1.00187.40	N
ATOM	25390	CG	GLN N 262	150.697	39.284	109.468	1.00187.97	N
ATOM	25391	CD	GLN N 262	152.066	39.939	109.512	1.00188.07	N
ATOM	25392	OE1	GLN N 262	153.057	39.299	109.860	1.00187.86	N
ATOM	25393	NE2	GLN N 262	152.126	41.218	109.160	1.00188.60	N
ATOM	25394	C	GLN N 262	149.709	39.429	106.652	1.00187.71	N
ATOM	25395	O	GLN N 262	148.678	38.957	106.172	1.00187.75	N
ATOM	25396	N	VAL N 263	150.917	38.920	106.421	1.00188.23	N
ATOM	25397	CA	VAL N 263	151.130	37.728	105.598	1.00188.04	N
ATOM	25398	CB	VAL N 263	151.506	38.101	104.140	1.00187.62	N
ATOM	25399	CG1	VAL N 263	151.547	36.849	103.275	1.00187.05	N
ATOM	25400	CG2	VAL N 263	150.508	39.099	103.578	1.00186.81	N
ATOM	25401	C	VAL N 263	152.272	36.917	106.223	1.00187.94	N
ATOM	25402	O	VAL N 263	153.278	36.627	105.572	1.00187.76	N
ATOM	25403	N	THR N 264	152.095	36.560	107.494	1.00187.75	N
ATOM	25404	CA	THR N 264	153.084	35.803	108.259	1.00187.24	N
ATOM	25405	CB	THR N 264	152.541	35.475	109.675	1.00186.52	N
ATOM	25406	OG1	THR N 264	151.891	36.632	110.218	1.00185.15	N
ATOM	25407	CG2	THR N 264	153.676	35.078	110.609	1.00185.63	N
ATOM	25408	C	THR N 264	153.508	34.501	107.574	1.00187.40	N
ATOM	25409	O	THR N 264	153.100	34.215	106.446	1.00187.03	N
ATOM	25410	N	ALA N 265	154.333	33.721	108.266	1.00187.52	N
ATOM	25411	CA	ALA N 265	154.828	32.453	107.747	1.00187.22	N
ATOM	25412	CB	ALA N 265	156.299	32.287	108.108	1.00187.03	N
ATOM	25413	C	ALA N 265	154.022	31.278	108.294	1.00187.02	N

ATOM	25414	O	ALA	N	265	153.553	31.310	109.434	1.00186.76	N
ATOM	25415	N	GLY	N	266	153.866	30.243	107.473	1.00186.71	N
ATOM	25416	CA	GLY	N	266	153.120	29.069	107.889	1.00186.16	N
ATOM	25417	C	GLY	N	266	152.836	28.116	106.742	1.00185.74	N
ATOM	25418	O	GLY	N	266	153.732	27.785	105.966	1.00186.00	N
ATOM	25419	N	ASN	N	267	151.585	27.676	106.634	1.00185.17	N
ATOM	25420	CA	ASN	N	267	151.176	26.754	105.577	1.00184.03	N
ATOM	25421	CB	ASN	N	267	150.681	25.437	106.183	1.00183.84	N
ATOM	25422	CG	ASN	N	267	151.801	24.607	106.769	1.00183.69	N
ATOM	25423	OD1	ASN	N	267	151.562	23.586	107.414	1.00184.04	N
ATOM	25424	ND2	ASN	N	267	153.035	25.036	106.541	1.00183.89	N
ATOM	25425	C	ASN	N	267	150.078	27.322	104.684	1.00183.09	N
ATOM	25426	O	ASN	N	267	149.196	28.043	105.146	1.00183.27	N
ATOM	25427	N	VAL	N	268	150.144	26.990	103.399	1.00181.85	N
ATOM	25428	CA	VAL	N	268	149.143	27.426	102.427	1.00180.41	N
ATOM	25429	CB	VAL	N	268	149.810	27.989	101.142	1.00180.19	N
ATOM	25430	CG1	VAL	N	268	148.751	28.464	100.163	1.00179.91	N
ATOM	25431	CG2	VAL	N	268	150.745	29.131	101.498	1.00179.18	N
ATOM	25432	C	VAL	N	268	148.326	26.176	102.073	1.00179.50	N
ATOM	25433	O	VAL	N	268	148.341	25.710	100.931	1.00179.40	N
ATOM	25434	N	GLN	N	269	147.614	25.639	103.061	1.00178.38	N
ATOM	25435	CA	GLN	N	269	146.817	24.431	102.872	1.00176.96	N
ATOM	25436	CB	GLN	N	269	147.273	23.379	103.883	1.00175.64	N
ATOM	25437	CG	GLN	N	269	148.790	23.185	103.929	1.00173.20	N
ATOM	25438	CD	GLN	N	269	149.205	22.061	104.861	1.00171.78	N
ATOM	25439	OE1	GLN	N	269	148.851	20.903	104.645	1.00171.25	N
ATOM	25440	NE2	GLN	N	269	149.952	22.398	105.906	1.00170.98	N
ATOM	25441	C	GLN	N	269	145.311	24.676	103.010	1.00176.42	N
ATOM	25442	O	GLN	N	269	144.835	25.129	104.049	1.00176.41	N
ATOM	25443	N	SER	N	270	144.572	24.369	101.948	1.00175.79	N
ATOM	25444	CA	SER	N	270	143.123	24.542	101.930	1.00174.80	N
ATOM	25445	CB	SER	N	270	142.751	25.834	101.190	1.00174.38	N
ATOM	25446	OG	SER	N	270	141.346	25.984	101.080	1.00173.02	N
ATOM	25447	C	SER	N	270	142.431	23.352	101.269	1.00174.04	N
ATOM	25448	O	SER	N	270	143.069	22.554	100.580	1.00173.79	N
ATOM	25449	N	ILE	N	271	141.121	23.245	101.485	1.00173.03	N
ATOM	25450	CA	ILE	N	271	140.325	22.162	100.913	1.00170.75	N
ATOM	25451	CB	ILE	N	271	139.940	21.100	101.983	1.00171.37	N
ATOM	25452	CG2	ILE	N	271	139.154	19.973	101.327	1.00171.59	N
ATOM	25453	CG1	ILE	N	271	141.194	20.527	102.652	1.00171.40	N
ATOM	25454	CD1	ILE	N	271	141.822	21.425	103.705	1.00169.71	N
ATOM	25455	C	ILE	N	271	139.039	22.717	100.286	1.00167.91	N
ATOM	25456	O	ILE	N	271	137.975	22.725	100.914	1.00167.12	N
ATOM	25457	N	ILE	N	272	139.151	23.176	99.042	1.00164.84	N
ATOM	25458	CA	ILE	N	272	138.019	23.742	98.312	1.00161.70	N
ATOM	25459	CB	ILE	N	272	138.502	24.785	97.275	1.00161.31	N
ATOM	25460	CG2	ILE	N	272	137.303	25.477	96.628	1.00160.86	N
ATOM	25461	CG1	ILE	N	272	139.410	25.816	97.955	1.00160.36	N
ATOM	25462	CD1	ILE	N	272	140.055	26.797	96.995	1.00159.69	N
ATOM	25463	C	ILE	N	272	137.224	22.658	97.581	1.00159.27	N
ATOM	25464	O	ILE	N	272	137.569	22.272	96.462	1.00159.37	N
ATOM	25465	N	GLY	N	273	136.157	22.178	98.213	1.00155.75	N
ATOM	25466	CA	GLY	N	273	135.338	21.145	97.604	1.00151.69	N
ATOM	25467	C	GLY	N	273	134.634	21.605	96.342	1.00148.34	N
ATOM	25468	O	GLY	N	273	133.474	22.007	96.384	1.00149.18	N
ATOM	25469	N	VAL	N	274	135.332	21.544	95.213	1.00144.20	N
ATOM	25470	CA	VAL	N	274	134.754	21.963	93.943	1.00140.51	N
ATOM	25471	CB	VAL	N	274	135.805	21.931	92.823	1.00140.36	N

ATOM	25472	CG1	VAL	N	274	135.188	22.412	91.519	1.00140.84	N
ATOM	25473	CG2	VAL	N	274	136.990	22.798	93.205	1.00140.56	N
ATOM	25474	C	VAL	N	274	133.586	21.066	93.552	1.00137.84	N
ATOM	25475	O	VAL	N	274	133.764	20.067	92.857	1.00137.99	N
ATOM	25476	N	THR	N	275	132.391	21.438	94.000	1.00134.98	N
ATOM	25477	CA	THR	N	275	131.184	20.672	93.717	1.00131.47	N
ATOM	25478	CB	THR	N	275	130.068	20.997	94.735	1.00129.05	N
ATOM	25479	OG1	THR	N	275	130.514	20.673	96.057	1.00125.93	N
ATOM	25480	CG2	THR	N	275	128.816	20.197	94.429	1.00128.21	N
ATOM	25481	C	THR	N	275	130.647	20.928	92.312	1.00130.65	N
ATOM	25482	O	THR	N	275	130.730	22.043	91.796	1.00129.49	N
ATOM	25483	N	PHE	N	276	130.101	19.877	91.706	1.00130.61	N
ATOM	25484	CA	PHE	N	276	129.520	19.945	90.368	1.00129.66	N
ATOM	25485	CB	PHE	N	276	130.101	18.845	89.476	1.00125.90	N
ATOM	25486	CG	PHE	N	276	131.486	19.127	88.976	1.00123.29	N
ATOM	25487	CD1	PHE	N	276	132.507	19.466	89.856	1.00122.08	N
ATOM	25488	CD2	PHE	N	276	131.775	19.033	87.618	1.00122.77	N
ATOM	25489	CE1	PHE	N	276	133.798	19.707	89.390	1.00122.27	N
ATOM	25490	CE2	PHE	N	276	133.061	19.272	87.142	1.00122.20	N
ATOM	25491	CZ	PHE	N	276	134.075	19.609	88.030	1.00122.12	N
ATOM	25492	C	PHE	N	276	128.005	19.762	90.460	1.00130.53	N
ATOM	25493	O	PHE	N	276	127.516	18.960	91.262	1.00131.98	N
ATOM	25494	N	VAL	N	277	127.267	20.506	89.640	1.00129.00	N
ATOM	25495	CA	VAL	N	277	125.811	20.417	89.627	1.00126.90	N
ATOM	25496	CB	VAL	N	277	125.154	21.799	89.872	1.00128.01	N
ATOM	25497	CG1	VAL	N	277	123.644	21.700	89.710	1.00128.38	N
ATOM	25498	CG2	VAL	N	277	125.491	22.294	91.271	1.00127.82	N
ATOM	25499	C	VAL	N	277	125.349	19.878	88.282	1.00124.88	N
ATOM	25500	O	VAL	N	277	125.779	20.351	87.228	1.00123.66	N
ATOM	25501	N	TYR	N	278	124.472	18.881	88.321	1.00123.41	N
ATOM	25502	CA	TYR	N	278	123.971	18.287	87.095	1.00123.16	N
ATOM	25503	CB	TYR	N	278	123.998	16.764	87.198	1.00121.00	N
ATOM	25504	CG	TYR	N	278	125.395	16.195	87.134	1.00117.56	N
ATOM	25505	CD1	TYR	N	278	126.233	16.217	88.248	1.00115.68	N
ATOM	25506	CE1	TYR	N	278	127.535	15.724	88.177	1.00114.07	N
ATOM	25507	CD2	TYR	N	278	125.891	15.665	85.945	1.00114.61	N
ATOM	25508	CE2	TYR	N	278	127.186	15.173	85.863	1.00113.45	N
ATOM	25509	CZ	TYR	N	278	128.006	15.204	86.979	1.00113.57	N
ATOM	25510	OH	TYR	N	278	129.294	14.719	86.886	1.00112.07	N
ATOM	25511	C	TYR	N	278	122.578	18.756	86.726	1.00123.46	N
ATOM	25512	O	TYR	N	278	121.704	18.883	87.583	1.00124.46	N
ATOM	25513	N	GLN	N	279	122.387	19.007	85.435	1.00123.88	N
ATOM	25514	CA	GLN	N	279	121.113	19.473	84.906	1.00125.17	N
ATOM	25515	CB	GLN	N	279	121.357	20.371	83.694	1.00126.99	N
ATOM	25516	CG	GLN	N	279	120.114	21.035	83.130	1.00128.86	N
ATOM	25517	CD	GLN	N	279	120.375	21.701	81.790	1.00130.66	N
ATOM	25518	OE1	GLN	N	279	119.512	22.389	81.245	1.00131.64	N
ATOM	25519	NE2	GLN	N	279	121.572	21.490	81.249	1.00131.38	N
ATOM	25520	C	GLN	N	279	120.229	18.300	84.499	1.00125.52	N
ATOM	25521	O	GLN	N	279	119.139	18.156	85.090	1.00126.36	N
ATOM	25522	OXT	GLN	N	279	120.638	17.540	83.596	1.00125.83	N
ATOM	25523	C	GLY	O	1	78.373	2.007	35.857	1.00134.14	O
ATOM	25524	O	GLY	O	1	77.768	2.548	34.934	1.00134.01	O
ATOM	25525	N	GLY	O	1	79.098	-0.095	36.999	1.00133.02	O
ATOM	25526	CA	GLY	O	1	78.937	0.609	35.696	1.00133.60	O
ATOM	25527	N	VAL	O	2	78.572	2.594	37.033	1.00135.30	O
ATOM	25528	CA	VAL	O	2	78.081	3.940	37.322	1.00136.54	O
ATOM	25529	CB	VAL	O	2	78.382	4.327	38.795	1.00135.80	O

ATOM	25530	CG1	VAL	O	2	77.687	5.631	39.150	1.00136.50	O
ATOM	25531	CG2	VAL	O	2	77.934	3.210	39.729	1.00133.40	O
ATOM	25532	C	VAL	O	2	78.716	4.977	36.382	1.00138.22	O
ATOM	25533	O	VAL	O	2	79.823	4.774	35.874	1.00139.20	O
ATOM	25534	N	ALA	O	3	78.003	6.076	36.142	1.00139.10	O
ATOM	25535	CA	ALA	O	3	78.491	7.145	35.269	1.00140.57	O
ATOM	25536	CB	ALA	O	3	78.337	6.744	33.814	1.00140.21	O
ATOM	25537	C	ALA	O	3	77.740	8.450	35.531	1.00141.68	O
ATOM	25538	O	ALA	O	3	76.509	8.472	35.567	1.00142.22	O
ATOM	25539	N	LEU	O	4	78.485	9.538	35.708	1.00142.27	O
ATOM	25540	CA	LEU	O	4	77.885	10.840	35.981	1.00142.17	O
ATOM	25541	CB	LEU	O	4	78.931	11.805	36.545	1.00142.40	O
ATOM	25542	CG	LEU	O	4	79.485	11.474	37.936	1.00143.12	O
ATOM	25543	CD1	LEU	O	4	80.490	12.538	38.344	1.00145.00	O
ATOM	25544	CD2	LEU	O	4	78.351	11.404	38.947	1.00141.63	O
ATOM	25545	C	LEU	O	4	77.230	11.462	34.763	1.00141.77	O
ATOM	25546	O	LEU	O	4	77.694	11.300	33.639	1.00140.10	O
ATOM	25547	N	GLY	O	5	76.140	12.181	35.004	1.00142.66	O
ATOM	25548	CA	GLY	O	5	75.423	12.822	33.922	1.00143.93	O
ATOM	25549	C	GLY	O	5	76.205	13.960	33.304	1.00145.16	O
ATOM	25550	O	GLY	O	5	75.876	14.408	32.207	1.00145.86	O
ATOM	25551	N	ALA	O	6	77.241	14.429	33.994	1.00145.60	O
ATOM	25552	CA	ALA	O	6	78.041	15.531	33.473	1.00145.80	O
ATOM	25553	CB	ALA	O	6	77.596	16.838	34.108	1.00145.81	O
ATOM	25554	C	ALA	O	6	79.544	15.363	33.646	1.00145.83	O
ATOM	25555	O	ALA	O	6	80.014	14.661	34.541	1.00145.15	O
ATOM	25556	N	THR	O	7	80.286	16.035	32.771	1.00146.15	O
ATOM	25557	CA	THR	O	7	81.740	16.005	32.778	1.00145.89	O
ATOM	25558	CB	THR	O	7	82.287	16.052	31.339	1.00145.49	O
ATOM	25559	OG1	THR	O	7	81.775	17.211	30.666	1.00144.37	O
ATOM	25560	CG2	THR	O	7	81.863	14.807	30.576	1.00145.34	O
ATOM	25561	C	THR	O	7	82.291	17.196	33.560	1.00146.21	O
ATOM	25562	O	THR	O	7	83.491	17.277	33.828	1.00146.66	O
ATOM	25563	N	ARG	O	8	81.406	18.124	33.912	1.00145.98	O
ATOM	25564	CA	ARG	O	8	81.790	19.313	34.665	1.00145.54	O
ATOM	25565	CB	ARG	O	8	82.512	20.312	33.765	1.00142.89	O
ATOM	25566	CG	ARG	O	8	81.619	20.945	32.718	1.00139.79	O
ATOM	25567	CD	ARG	O	8	81.880	20.395	31.322	1.00139.22	O
ATOM	25568	NE	ARG	O	8	83.140	20.874	30.755	1.00137.52	O
ATOM	25569	CZ	ARG	O	8	84.338	20.371	31.041	1.00138.08	O
ATOM	25570	NH1	ARG	O	8	85.419	20.883	30.473	1.00138.91	O
ATOM	25571	NH2	ARG	O	8	84.456	19.346	31.880	1.00137.38	O
ATOM	25572	C	ARG	O	8	80.547	19.981	35.237	1.00146.76	O
ATOM	25573	O	ARG	O	8	79.437	19.758	34.755	1.00146.12	O
ATOM	25574	N	VAL	O	9	80.742	20.807	36.262	1.00148.93	O
ATOM	25575	CA	VAL	O	9	79.639	21.516	36.908	1.00150.06	O
ATOM	25576	CB	VAL	O	9	79.294	20.888	38.287	1.00148.81	O
ATOM	25577	CG1	VAL	O	9	78.062	21.560	38.874	1.00145.73	O
ATOM	25578	CG2	VAL	O	9	79.072	19.392	38.137	1.00147.33	O
ATOM	25579	C	VAL	O	9	79.981	22.995	37.122	1.00152.31	O
ATOM	25580	O	VAL	O	9	81.093	23.338	37.532	1.00152.53	O
ATOM	25581	N	ILE	O	10	79.018	23.867	36.834	1.00154.48	O
ATOM	25582	CA	ILE	O	10	79.195	25.306	37.009	1.00156.28	O
ATOM	25583	CB	ILE	O	10	78.787	26.085	35.738	1.00153.55	O
ATOM	25584	CG2	ILE	O	10	78.958	27.579	35.964	1.00152.05	O
ATOM	25585	CG1	ILE	O	10	79.639	25.633	34.551	1.00151.61	O
ATOM	25586	CD1	ILE	O	10	81.121	25.911	34.712	1.00150.80	O
ATOM	25587	C	ILE	O	10	78.300	25.743	38.166	1.00159.10	O

ATOM	25588	O	ILE	O	10	77.075	25.657	38.074	1.00159.25	O
ATOM	25589	N	TYR	O	11	78.913	26.201	39.254	1.00161.62	O
ATOM	25590	CA	TYR	O	11	78.151	26.631	40.421	1.00163.89	O
ATOM	25591	CB	TYR	O	11	78.851	26.200	41.712	1.00164.66	O
ATOM	25592	CG	TYR	O	11	77.901	26.108	42.878	1.00165.42	O
ATOM	25593	CD1	TYR	O	11	77.191	24.934	43.123	1.00166.08	O
ATOM	25594	CE1	TYR	O	11	76.257	24.855	44.146	1.00166.31	O
ATOM	25595	CD2	TYR	O	11	77.656	27.211	43.695	1.00165.14	O
ATOM	25596	CE2	TYR	O	11	76.720	27.145	44.724	1.00165.89	O
ATOM	25597	CZ	TYR	O	11	76.023	25.961	44.943	1.00166.03	O
ATOM	25598	OH	TYR	O	11	75.086	25.878	45.948	1.00166.08	O
ATOM	25599	C	TYR	O	11	77.952	28.144	40.449	1.00165.08	O
ATOM	25600	O	TYR	O	11	78.805	28.882	40.942	1.00164.86	O
ATOM	25601	N	PRO	O	12	76.813	28.625	39.926	1.00166.20	O
ATOM	25602	CD	PRO	O	12	75.690	27.884	39.327	1.00167.00	O
ATOM	25603	CA	PRO	O	12	76.549	30.065	39.917	1.00166.64	O
ATOM	25604	CB	PRO	O	12	75.143	30.157	39.327	1.00166.90	O
ATOM	25605	CG	PRO	O	12	75.051	28.934	38.461	1.00167.24	O
ATOM	25606	C	PRO	O	12	76.617	30.625	41.332	1.00167.06	O
ATOM	25607	O	PRO	O	12	75.987	30.093	42.246	1.00167.36	O
ATOM	25608	N	ALA	O	13	77.393	31.688	41.513	1.00167.31	O
ATOM	25609	CA	ALA	O	13	77.526	32.308	42.823	1.00167.21	O
ATOM	25610	CB	ALA	O	13	78.538	33.442	42.768	1.00166.61	O
ATOM	25611	C	ALA	O	13	76.160	32.836	43.241	1.00167.34	O
ATOM	25612	O	ALA	O	13	75.580	33.685	42.564	1.00166.83	O
ATOM	25613	N	GLY	O	14	75.650	32.322	44.354	1.00168.02	O
ATOM	25614	CA	GLY	O	14	74.348	32.743	44.835	1.00168.85	O
ATOM	25615	C	GLY	O	14	73.373	31.582	44.862	1.00169.60	O
ATOM	25616	O	GLY	O	14	72.466	31.543	45.692	1.00170.02	O
ATOM	25617	N	GLN	O	15	73.559	30.634	43.946	1.00169.93	O
ATOM	25618	CA	GLN	O	15	72.696	29.458	43.861	1.00170.36	O
ATOM	25619	CB	GLN	O	15	73.174	28.526	42.744	1.00170.40	O
ATOM	25620	CG	GLN	O	15	72.998	29.087	41.348	1.00171.09	O
ATOM	25621	CD	GLN	O	15	71.555	29.086	40.893	1.00172.03	O
ATOM	25622	OE1	GLN	O	15	70.673	29.604	41.578	1.00172.18	O
ATOM	25623	NE2	GLN	O	15	71.305	28.504	39.725	1.00172.59	O
ATOM	25624	C	GLN	O	15	72.693	28.697	45.179	1.00170.83	O
ATOM	25625	O	GLN	O	15	73.748	28.422	45.751	1.00171.21	O
ATOM	25626	N	LYS	O	16	71.503	28.360	45.660	1.00170.96	O
ATOM	25627	CA	LYS	O	16	71.374	27.628	46.911	1.00170.70	O
ATOM	25628	CB	LYS	O	16	69.903	27.539	47.320	1.00170.57	O
ATOM	25629	CG	LYS	O	16	69.673	26.987	48.717	1.00169.98	O
ATOM	25630	CD	LYS	O	16	68.188	26.758	48.982	1.00170.00	O
ATOM	25631	CE	LYS	O	16	67.358	28.007	48.679	1.00170.04	O
ATOM	25632	NZ	LYS	O	16	67.818	29.200	49.453	1.00170.14	O
ATOM	25633	C	LYS	O	16	71.939	26.226	46.728	1.00170.57	O
ATOM	25634	O	LYS	O	16	72.549	25.667	47.641	1.00170.59	O
ATOM	25635	N	GLN	O	17	71.740	25.670	45.536	1.00169.95	O
ATOM	25636	CA	GLN	O	17	72.217	24.328	45.234	1.00169.72	O
ATOM	25637	CB	GLN	O	17	71.401	23.300	46.023	1.00169.20	O
ATOM	25638	CG	GLN	O	17	69.900	23.396	45.783	1.00167.26	O
ATOM	25639	CD	GLN	O	17	69.158	22.124	46.158	1.00167.09	O
ATOM	25640	OE1	GLN	O	17	69.246	21.645	47.290	1.00166.83	O
ATOM	25641	NE2	GLN	O	17	68.419	21.571	45.202	1.00166.17	O
ATOM	25642	C	GLN	O	17	72.153	23.969	43.750	1.00169.62	O
ATOM	25643	O	GLN	O	17	71.225	24.363	43.044	1.00169.63	O
ATOM	25644	N	VAL	O	18	73.154	23.218	43.294	1.00169.22	O
ATOM	25645	CA	VAL	O	18	73.234	22.746	41.913	1.00168.41	O

ATOM	25646	CB	VAL	O	18	74.562	23.168	41.246	1.00167.31	O
ATOM	25647	CG1	VAL	O	18	74.690	22.518	39.878	1.00166.66	O
ATOM	25648	CG2	VAL	O	18	74.614	24.679	41.112	1.00166.63	O
ATOM	25649	C	VAL	O	18	73.171	21.221	41.992	1.00168.93	O
ATOM	25650	O	VAL	O	18	73.804	20.624	42.862	1.00168.96	O
ATOM	25651	N	GLN	O	19	72.413	20.587	41.102	1.00169.35	O
ATOM	25652	CA	GLN	O	19	72.291	19.132	41.143	1.00169.35	O
ATOM	25653	CB	GLN	O	19	70.846	18.735	41.470	1.00170.56	O
ATOM	25654	CG	GLN	O	19	69.808	19.192	40.460	1.00173.08	O
ATOM	25655	CD	GLN	O	19	68.386	18.903	40.919	1.00174.00	O
ATOM	25656	OE1	GLN	O	19	67.936	19.422	41.943	1.00174.61	O
ATOM	25657	NE2	GLN	O	19	67.673	18.072	40.163	1.00173.07	O
ATOM	25658	C	GLN	O	19	72.758	18.388	39.895	1.00168.82	O
ATOM	25659	O	GLN	O	19	72.464	18.781	38.765	1.00168.28	O
ATOM	25660	N	LEU	O	20	73.488	17.302	40.128	1.00168.71	O
ATOM	25661	CA	LEU	O	20	74.025	16.460	39.065	1.00168.81	O
ATOM	25662	CB	LEU	O	20	75.507	16.173	39.337	1.00168.76	O
ATOM	25663	CG	LEU	O	20	76.337	15.420	38.291	1.00168.30	O
ATOM	25664	CD1	LEU	O	20	76.330	16.186	36.985	1.00167.74	O
ATOM	25665	CD2	LEU	O	20	77.764	15.247	38.793	1.00168.40	O
ATOM	25666	C	LEU	O	20	73.230	15.153	39.016	1.00168.97	O
ATOM	25667	O	LEU	O	20	72.454	14.860	39.927	1.00168.53	O
ATOM	25668	N	ALA	O	21	73.430	14.368	37.959	1.00169.34	O
ATOM	25669	CA	ALA	O	21	72.712	13.106	37.795	1.00169.27	O
ATOM	25670	CB	ALA	O	21	71.948	13.119	36.476	1.00169.84	O
ATOM	25671	C	ALA	O	21	73.615	11.876	37.859	1.00168.76	O
ATOM	25672	O	ALA	O	21	74.661	11.828	37.211	1.00169.03	O
ATOM	25673	N	VAL	O	22	73.192	10.879	38.636	1.00167.83	O
ATOM	25674	CA	VAL	O	22	73.949	9.636	38.793	1.00166.92	O
ATOM	25675	CB	VAL	O	22	74.228	9.328	40.276	1.00166.52	O
ATOM	25676	CG1	VAL	O	22	75.453	8.435	40.395	1.00165.94	O
ATOM	25677	CG2	VAL	O	22	74.414	10.615	41.048	1.00165.83	O
ATOM	25678	C	VAL	O	22	73.153	8.467	38.220	1.00166.54	O
ATOM	25679	O	VAL	O	22	71.997	8.260	38.586	1.00166.78	O
ATOM	25680	N	THR	O	23	73.774	7.693	37.336	1.00165.70	O
ATOM	25681	CA	THR	O	23	73.097	6.558	36.720	1.00164.64	O
ATOM	25682	CB	THR	O	23	72.770	6.860	35.238	1.00163.47	O
ATOM	25683	OG1	THR	O	23	72.313	5.667	34.594	1.00163.62	O
ATOM	25684	CG2	THR	O	23	73.996	7.387	34.510	1.00161.85	O
ATOM	25685	C	THR	O	23	73.891	5.252	36.798	1.00164.69	O
ATOM	25686	O	THR	O	23	74.977	5.140	36.233	1.00165.28	O
ATOM	25687	N	ASN	O	24	73.338	4.265	37.501	1.00164.34	O
ATOM	25688	CA	ASN	O	24	73.988	2.965	37.646	1.00164.10	O
ATOM	25689	CB	ASN	O	24	73.636	2.345	39.003	1.00165.15	O
ATOM	25690	CG	ASN	O	24	74.178	0.933	39.161	1.00166.00	O
ATOM	25691	OD1	ASN	O	24	75.217	0.588	38.598	1.00167.09	O
ATOM	25692	ND2	ASN	O	24	73.485	0.116	39.947	1.00166.30	O
ATOM	25693	C	ASN	O	24	73.578	2.022	36.520	1.00163.44	O
ATOM	25694	O	ASN	O	24	72.433	1.576	36.456	1.00162.71	O
ATOM	25695	N	ASN	O	25	74.526	1.723	35.637	1.00163.74	O
ATOM	25696	CA	ASN	O	25	74.275	0.843	34.502	1.00164.80	O
ATOM	25697	CB	ASN	O	25	75.391	0.982	33.464	1.00162.20	O
ATOM	25698	CG	ASN	O	25	75.175	2.160	32.531	1.00159.82	O
ATOM	25699	OD1	ASN	O	25	75.020	3.301	32.972	1.00158.59	O
ATOM	25700	ND2	ASN	O	25	75.166	1.887	31.233	1.00157.64	O
ATOM	25701	C	ASN	O	25	74.109	-0.623	34.865	1.00166.78	O
ATOM	25702	O	ASN	O	25	73.074	-1.218	34.583	1.00167.57	O
ATOM	25703	N	ASP	O	26	75.133	-1.205	35.477	1.00169.45	O

ATOM	25704	CA	ASP	O	26	75.087	-2.610	35.862	1.00172.71	O
ATOM	25705	CB	ASP	O	26	76.150	-2.894	36.921	1.00175.28	O
ATOM	25706	CG	ASP	O	26	77.561	-2.711	36.387	1.00178.19	O
ATOM	25707	OD1	ASP	O	26	78.525	-2.925	37.158	1.00179.80	O
ATOM	25708	OD2	ASP	O	26	77.701	-2.353	35.194	1.00179.43	O
ATOM	25709	C	ASP	O	26	73.710	-3.008	36.375	1.00174.02	O
ATOM	25710	O	ASP	O	26	73.360	-2.758	37.527	1.00174.06	O
ATOM	25711	N	GLU	O	27	72.938	-3.633	35.494	1.00175.19	O
ATOM	25712	CA	GLU	O	27	71.585	-4.078	35.797	1.00176.36	O
ATOM	25713	CB	GLU	O	27	71.074	-4.964	34.663	1.00176.59	O
ATOM	25714	CG	GLU	O	27	70.929	-4.227	33.345	1.00178.23	O
ATOM	25715	CD	GLU	O	27	70.774	-5.151	32.153	1.00179.41	O
ATOM	25716	OE1	GLU	O	27	69.911	-6.056	32.201	1.00180.17	O
ATOM	25717	OE2	GLU	O	27	71.517	-4.960	31.163	1.00180.00	O
ATOM	25718	C	GLU	O	27	71.460	-4.824	37.115	1.00177.41	O
ATOM	25719	O	GLU	O	27	70.363	-4.948	37.657	1.00178.09	O
ATOM	25720	N	ASN	O	28	72.574	-5.319	37.638	1.00178.28	O
ATOM	25721	CA	ASN	O	28	72.530	-6.054	38.890	1.00179.10	O
ATOM	25722	CB	ASN	O	28	72.192	-7.525	38.598	1.00179.84	O
ATOM	25723	CG	ASN	O	28	72.943	-8.080	37.377	1.00179.66	O
ATOM	25724	OD1	ASN	O	28	72.634	-9.171	36.878	1.00179.46	O
ATOM	25725	ND2	ASN	O	28	73.938	-7.334	36.905	1.00178.79	O
ATOM	25726	C	ASN	O	28	73.806	-5.942	39.718	1.00179.39	O
ATOM	25727	O	ASN	O	28	74.820	-6.569	39.409	1.00179.02	O
ATOM	25728	N	SER	O	29	73.729	-5.139	40.779	1.00179.95	O
ATOM	25729	CA	SER	O	29	74.837	-4.902	41.701	1.00180.44	O
ATOM	25730	CB	SER	O	29	76.174	-4.846	40.952	1.00181.48	O
ATOM	25731	OG	SER	O	29	76.166	-3.835	39.956	1.00182.61	O
ATOM	25732	C	SER	O	29	74.592	-3.574	42.402	1.00180.00	O
ATOM	25733	O	SER	O	29	74.491	-2.534	41.753	1.00180.14	O
ATOM	25734	N	THR	O	30	74.485	-3.613	43.724	1.00179.63	O
ATOM	25735	CA	THR	O	30	74.247	-2.401	44.496	1.00179.88	O
ATOM	25736	CB	THR	O	30	73.604	-2.735	45.853	1.00179.05	O
ATOM	25737	OG1	THR	O	30	72.461	-3.571	45.643	1.00178.45	O
ATOM	25738	CG2	THR	O	30	73.157	-1.466	46.562	1.00178.13	O
ATOM	25739	C	THR	O	30	75.559	-1.655	44.729	1.00181.05	O
ATOM	25740	O	THR	O	30	76.619	-2.274	44.831	1.00181.87	O
ATOM	25741	N	TYR	O	31	75.482	-0.327	44.810	1.00181.40	O
ATOM	25742	CA	TYR	O	31	76.661	0.512	45.024	1.00181.19	O
ATOM	25743	CB	TYR	O	31	77.096	1.156	43.705	1.00180.02	O
ATOM	25744	CG	TYR	O	31	77.745	0.203	42.736	1.00179.65	O
ATOM	25745	CD1	TYR	O	31	77.242	0.041	41.444	1.00179.81	O
ATOM	25746	CE1	TYR	O	31	77.849	-0.830	40.543	1.00180.46	O
ATOM	25747	CD2	TYR	O	31	78.873	-0.530	43.105	1.00179.76	O
ATOM	25748	CE2	TYR	O	31	79.489	-1.401	42.216	1.00180.56	O
ATOM	25749	CZ	TYR	O	31	78.975	-1.548	40.936	1.00180.76	O
ATOM	25750	OH	TYR	O	31	79.595	-2.406	40.053	1.00180.28	O
ATOM	25751	C	TYR	O	31	76.429	1.618	46.054	1.00181.61	O
ATOM	25752	O	TYR	O	31	75.347	2.205	46.121	1.00181.81	O
ATOM	25753	N	LEU	O	32	77.454	1.896	46.853	1.00182.03	O
ATOM	25754	CA	LEU	O	32	77.385	2.947	47.863	1.00182.93	O
ATOM	25755	CB	LEU	O	32	78.138	2.539	49.134	1.00181.74	O
ATOM	25756	CG	LEU	O	32	77.391	1.700	50.169	1.00180.54	O
ATOM	25757	CD1	LEU	O	32	78.332	1.344	51.303	1.00179.10	O
ATOM	25758	CD2	LEU	O	32	76.196	2.480	50.696	1.00180.05	O
ATOM	25759	C	LEU	O	32	77.997	4.223	47.303	1.00184.18	O
ATOM	25760	O	LEU	O	32	79.218	4.395	47.312	1.00184.54	O
ATOM	25761	N	ILE	O	33	77.143	5.115	46.811	1.00185.32	O

ATOM	25762	CA	ILE	O	33	77.602	6.373	46.244	1.00185.97	O
ATOM	25763	CB	ILE	O	33	76.482	7.070	45.440	1.00185.54	O
ATOM	25764	CG2	ILE	O	33	77.024	8.326	44.771	1.00185.19	O
ATOM	25765	CG1	ILE	O	33	75.918	6.110	44.387	1.00185.64	O
ATOM	25766	CD1	ILE	O	33	76.937	5.638	43.368	1.00185.65	O
ATOM	25767	C	ILE	O	33	78.068	7.309	47.350	1.00186.74	O
ATOM	25768	O	ILE	O	33	77.290	7.694	48.222	1.00186.95	O
ATOM	25769	N	GLN	O	34	79.347	7.661	47.315	1.00187.67	O
ATOM	25770	CA	GLN	O	34	79.914	8.553	48.313	1.00188.72	O
ATOM	25771	CB	GLN	O	34	80.943	7.799	49.159	1.00190.36	O
ATOM	25772	CG	GLN	O	34	81.370	8.530	50.419	1.00192.84	O
ATOM	25773	CD	GLN	O	34	82.266	7.687	51.304	1.00193.87	O
ATOM	25774	OE1	GLN	O	34	83.358	7.284	50.900	1.00194.95	O
ATOM	25775	NE2	GLN	O	34	81.807	7.416	52.521	1.00193.95	O
ATOM	25776	C	GLN	O	34	80.569	9.717	47.579	1.00188.50	O
ATOM	25777	O	GLN	O	34	81.575	9.542	46.893	1.00188.62	O
ATOM	25778	N	SER	O	35	79.983	10.903	47.718	1.00188.32	O
ATOM	25779	CA	SER	O	35	80.498	12.094	47.050	1.00188.04	O
ATOM	25780	CB	SER	O	35	79.372	12.776	46.263	1.00187.90	O
ATOM	25781	OG	SER	O	35	78.814	11.899	45.299	1.00186.78	O
ATOM	25782	C	SER	O	35	81.128	13.096	48.015	1.00187.61	O
ATOM	25783	O	SER	O	35	80.971	12.991	49.234	1.00187.71	O
ATOM	25784	N	TRP	O	36	81.846	14.065	47.454	1.00186.54	O
ATOM	25785	CA	TRP	O	36	82.502	15.102	48.242	1.00185.11	O
ATOM	25786	CB	TRP	O	36	83.504	14.475	49.222	1.00186.78	O
ATOM	25787	CG	TRP	O	36	84.763	13.967	48.580	1.00188.24	O
ATOM	25788	CD2	TRP	O	36	85.052	12.615	48.207	1.00188.70	O
ATOM	25789	CE2	TRP	O	36	86.336	12.611	47.613	1.00189.14	O
ATOM	25790	CE3	TRP	O	36	84.353	11.404	48.316	1.00188.44	O
ATOM	25791	CD1	TRP	O	36	85.852	14.707	48.210	1.00188.68	O
ATOM	25792	NE1	TRP	O	36	86.800	13.900	47.628	1.00189.24	O
ATOM	25793	CZ2	TRP	O	36	86.934	11.444	47.126	1.00189.46	O
ATOM	25794	CZ3	TRP	O	36	84.951	10.240	47.830	1.00189.23	O
ATOM	25795	CH2	TRP	O	36	86.229	10.272	47.244	1.00189.32	O
ATOM	25796	C	TRP	O	36	83.211	16.074	47.302	1.00183.26	O
ATOM	25797	O	TRP	O	36	83.550	15.717	46.170	1.00182.48	O
ATOM	25798	N	VAL	O	37	83.431	17.299	47.774	1.00181.63	O
ATOM	25799	CA	VAL	O	37	84.089	18.323	46.968	1.00179.86	O
ATOM	25800	CB	VAL	O	37	83.144	19.511	46.691	1.00179.11	O
ATOM	25801	CG1	VAL	O	37	83.872	20.583	45.892	1.00178.73	O
ATOM	25802	CG2	VAL	O	37	81.924	19.027	45.932	1.00178.71	O
ATOM	25803	C	VAL	O	37	85.375	18.872	47.578	1.00178.85	O
ATOM	25804	O	VAL	O	37	85.364	19.526	48.623	1.00178.39	O
ATOM	25805	N	GLU	O	38	86.484	18.602	46.899	1.00178.01	O
ATOM	25806	CA	GLU	O	38	87.796	19.068	47.322	1.00176.48	O
ATOM	25807	CB	GLU	O	38	88.863	18.048	46.917	1.00176.94	O
ATOM	25808	CG	GLU	O	38	88.712	16.683	47.577	1.00176.33	O
ATOM	25809	CD	GLU	O	38	89.518	15.605	46.875	1.00176.22	O
ATOM	25810	OE1	GLU	O	38	90.704	15.851	46.577	1.00176.86	O
ATOM	25811	OE2	GLU	O	38	88.972	14.510	46.624	1.00175.22	O
ATOM	25812	C	GLU	O	38	88.048	20.394	46.609	1.00175.08	O
ATOM	25813	O	GLU	O	38	87.380	20.708	45.620	1.00174.81	O
ATOM	25814	N	ASN	O	39	89.001	21.175	47.105	1.00173.06	O
ATOM	25815	CA	ASN	O	39	89.304	22.453	46.476	1.00170.50	O
ATOM	25816	CB	ASN	O	39	89.735	23.492	47.518	1.00169.53	O
ATOM	25817	CG	ASN	O	39	90.999	23.098	48.252	1.00168.36	O
ATOM	25818	OD1	ASN	O	39	92.001	22.736	47.636	1.00167.64	O
ATOM	25819	ND2	ASN	O	39	90.964	23.184	49.578	1.00167.90	O

ATOM	25820	C	ASN	O	39	90.392	22.305	45.420	1.00169.00	O
ATOM	25821	O	ASN	O	39	90.776	21.192	45.054	1.00168.60	O
ATOM	25822	N	ALA	O	40	90.882	23.440	44.935	1.00167.67	O
ATOM	25823	CA	ALA	O	40	91.920	23.464	43.916	1.00166.54	O
ATOM	25824	CB	ALA	O	40	92.344	24.903	43.649	1.00165.97	O
ATOM	25825	C	ALA	O	40	93.127	22.622	44.320	1.00166.13	O
ATOM	25826	O	ALA	O	40	93.663	21.868	43.510	1.00165.54	O
ATOM	25827	N	ASP	O	41	93.550	22.755	45.575	1.00166.43	O
ATOM	25828	CA	ASP	O	41	94.695	22.008	46.090	1.00166.69	O
ATOM	25829	CB	ASP	O	41	95.304	22.721	47.304	1.00167.39	O
ATOM	25830	CG	ASP	O	41	95.858	24.094	46.964	1.00168.11	O
ATOM	25831	OD1	ASP	O	41	96.738	24.181	46.080	1.00167.63	O
ATOM	25832	OD2	ASP	O	41	95.418	25.085	47.586	1.00168.78	O
ATOM	25833	C	ASP	O	41	94.295	20.590	46.488	1.00166.49	O
ATOM	25834	O	ASP	O	41	94.947	19.963	47.325	1.00165.88	O
ATOM	25835	N	GLY	O	42	93.215	20.094	45.894	1.00166.58	O
ATOM	25836	CA	GLY	O	42	92.756	18.750	46.197	1.00166.49	O
ATOM	25837	C	GLY	O	42	92.390	18.516	47.650	1.00166.72	O
ATOM	25838	O	GLY	O	42	91.865	17.463	47.998	1.00166.46	O
ATOM	25839	N	VAL	O	43	92.669	19.490	48.507	1.00167.49	O
ATOM	25840	CA	VAL	O	43	92.353	19.362	49.925	1.00168.33	O
ATOM	25841	CB	VAL	O	43	93.125	20.427	50.766	1.00168.05	O
ATOM	25842	CG1	VAL	O	43	93.395	21.663	49.924	1.00167.75	O
ATOM	25843	CG2	VAL	O	43	92.323	20.813	52.011	1.00168.00	O
ATOM	25844	C	VAL	O	43	90.853	19.496	50.187	1.00168.91	O
ATOM	25845	O	VAL	O	43	90.235	20.488	49.808	1.00168.60	O
ATOM	25846	N	LYS	O	44	90.271	18.490	50.834	1.00169.78	O
ATOM	25847	CA	LYS	O	44	88.850	18.525	51.150	1.00170.71	O
ATOM	25848	CB	LYS	O	44	88.373	17.207	51.760	1.00169.76	O
ATOM	25849	CG	LYS	O	44	88.579	15.965	50.919	1.00168.98	O
ATOM	25850	CD	LYS	O	44	89.927	15.330	51.196	1.00168.19	O
ATOM	25851	CE	LYS	O	44	89.979	13.910	50.680	1.00168.42	O
ATOM	25852	NZ	LYS	O	44	88.965	13.049	51.334	1.00168.41	O
ATOM	25853	C	LYS	O	44	88.577	19.633	52.156	1.00171.75	O
ATOM	25854	O	LYS	O	44	89.292	19.778	53.152	1.00171.31	O
ATOM	25855	N	ASP	O	45	87.523	20.395	51.897	1.00173.37	O
ATOM	25856	CA	ASP	O	45	87.132	21.494	52.767	1.00174.94	O
ATOM	25857	CB	ASP	O	45	87.729	22.818	52.280	1.00175.29	O
ATOM	25858	CG	ASP	O	45	87.577	23.025	50.780	1.00175.50	O
ATOM	25859	OD1	ASP	O	45	86.617	22.506	50.183	1.00174.95	O
ATOM	25860	OD2	ASP	O	45	88.409	23.746	50.192	1.00176.12	O
ATOM	25861	C	ASP	O	45	85.621	21.601	52.807	1.00175.88	O
ATOM	25862	O	ASP	O	45	84.927	20.978	52.006	1.00176.26	O
ATOM	25863	N	GLY	O	46	85.109	22.379	53.750	1.00176.59	O
ATOM	25864	CA	GLY	O	46	83.672	22.529	53.860	1.00177.12	O
ATOM	25865	C	GLY	O	46	83.085	23.338	52.717	1.00177.64	O
ATOM	25866	O	GLY	O	46	81.868	23.357	52.539	1.00177.50	O
ATOM	25867	N	ARG	O	47	83.949	24.000	51.945	1.00178.20	O
ATOM	25868	CA	ARG	O	47	83.535	24.830	50.809	1.00178.38	O
ATOM	25869	CB	ARG	O	47	84.692	24.980	49.817	1.00178.45	O
ATOM	25870	CG	ARG	O	47	85.455	26.285	49.970	1.00178.93	O
ATOM	25871	CD	ARG	O	47	86.189	26.362	51.302	1.00179.34	O
ATOM	25872	NE	ARG	O	47	86.580	27.732	51.628	1.00179.84	O
ATOM	25873	CZ	ARG	O	47	85.732	28.676	52.027	1.00180.03	O
ATOM	25874	NH1	ARG	O	47	84.441	28.401	52.159	1.00179.46	O
ATOM	25875	NH2	ARG	O	47	86.172	29.901	52.285	1.00179.69	O
ATOM	25876	C	ARG	O	47	82.283	24.369	50.058	1.00178.28	O
ATOM	25877	O	ARG	O	47	81.342	25.146	49.890	1.00178.40	O

ATOM	25878	N	PHE	O	48	82.274	23.125	49.585	1.00177.70	O
ATOM	25879	CA	PHE	O	48	81.111	22.599	48.870	1.00176.66	O
ATOM	25880	CB	PHE	O	48	81.407	22.448	47.373	1.00176.12	O
ATOM	25881	CG	PHE	O	48	81.426	23.750	46.618	1.00175.20	O
ATOM	25882	CD1	PHE	O	48	82.566	24.547	46.600	1.00174.89	O
ATOM	25883	CD2	PHE	O	48	80.295	24.182	45.927	1.00174.01	O
ATOM	25884	CE1	PHE	O	48	82.579	25.754	45.901	1.00173.88	O
ATOM	25885	CE2	PHE	O	48	80.299	25.385	45.228	1.00172.36	O
ATOM	25886	CZ	PHE	O	48	81.442	26.172	45.215	1.00172.54	O
ATOM	25887	C	PHE	O	48	80.658	21.258	49.440	1.00175.95	O
ATOM	25888	O	PHE	O	48	81.467	20.344	49.614	1.00176.31	O
ATOM	25889	N	ILE	O	49	79.362	21.147	49.722	1.00174.32	O
ATOM	25890	CA	ILE	O	49	78.800	19.923	50.284	1.00172.93	O
ATOM	25891	CB	ILE	O	49	78.164	20.198	51.663	1.00171.64	O
ATOM	25892	CG2	ILE	O	49	77.617	18.902	52.251	1.00171.81	O
ATOM	25893	CG1	ILE	O	49	79.209	20.813	52.600	1.00169.70	O
ATOM	25894	CD1	ILE	O	49	78.677	21.194	53.958	1.00167.18	O
ATOM	25895	C	ILE	O	49	77.745	19.288	49.381	1.00172.32	O
ATOM	25896	O	ILE	O	49	76.705	19.885	49.119	1.00171.97	O
ATOM	25897	N	VAL	O	50	78.024	18.074	48.914	1.00172.16	O
ATOM	25898	CA	VAL	O	50	77.104	17.347	48.044	1.00172.19	O
ATOM	25899	CB	VAL	O	50	77.866	16.381	47.105	1.00171.57	O
ATOM	25900	CG1	VAL	O	50	76.889	15.626	46.218	1.00170.37	O
ATOM	25901	CG2	VAL	O	50	78.856	17.160	46.260	1.00171.65	O
ATOM	25902	C	VAL	O	50	76.123	16.544	48.889	1.00172.82	O
ATOM	25903	O	VAL	O	50	76.423	16.194	50.032	1.00173.29	O
ATOM	25904	N	THR	O	51	74.952	16.256	48.322	1.00173.04	O
ATOM	25905	CA	THR	O	51	73.914	15.501	49.023	1.00173.48	O
ATOM	25906	CB	THR	O	51	72.990	16.448	49.815	1.00173.02	O
ATOM	25907	OG1	THR	O	51	72.477	17.459	48.938	1.00173.20	O
ATOM	25908	CG2	THR	O	51	73.751	17.111	50.954	1.00172.75	O
ATOM	25909	C	THR	O	51	73.051	14.663	48.072	1.00173.77	O
ATOM	25910	O	THR	O	51	72.699	15.114	46.982	1.00173.51	O
ATOM	25911	N	PRO	O	52	72.696	13.430	48.477	1.00174.31	O
ATOM	25912	CD	PRO	O	52	71.719	12.617	47.733	1.00173.80	O
ATOM	25913	CA	PRO	O	52	73.055	12.780	49.746	1.00175.03	O
ATOM	25914	CB	PRO	O	52	72.070	11.612	49.825	1.00174.88	O
ATOM	25915	CG	PRO	O	52	71.847	11.273	48.395	1.00174.45	O
ATOM	25916	C	PRO	O	52	74.520	12.331	49.803	1.00175.25	O
ATOM	25917	O	PRO	O	52	75.082	11.880	48.802	1.00175.44	O
ATOM	25918	N	PRO	O	53	75.153	12.453	50.984	1.00174.97	O
ATOM	25919	CD	PRO	O	53	74.534	12.951	52.227	1.00174.52	O
ATOM	25920	CA	PRO	O	53	76.553	12.079	51.219	1.00174.71	O
ATOM	25921	CB	PRO	O	53	76.832	12.678	52.590	1.00174.98	O
ATOM	25922	CG	PRO	O	53	75.520	12.501	53.285	1.00174.96	O
ATOM	25923	C	PRO	O	53	76.827	10.577	51.182	1.00174.49	O
ATOM	25924	O	PRO	O	53	77.981	10.148	51.105	1.00174.59	O
ATOM	25925	N	LEU	O	54	75.762	9.784	51.250	1.00173.69	O
ATOM	25926	CA	LEU	O	54	75.880	8.332	51.216	1.00172.10	O
ATOM	25927	CB	LEU	O	54	76.473	7.817	52.529	1.00170.03	O
ATOM	25928	CG	LEU	O	54	76.726	6.312	52.615	1.00168.23	O
ATOM	25929	CD1	LEU	O	54	77.622	5.858	51.469	1.00167.09	O
ATOM	25930	CD2	LEU	O	54	77.370	5.999	53.952	1.00167.32	O
ATOM	25931	C	LEU	O	54	74.518	7.692	50.976	1.00171.44	O
ATOM	25932	O	LEU	O	54	73.555	7.971	51.689	1.00171.36	O
ATOM	25933	N	PHE	O	55	74.447	6.836	49.963	1.00170.51	O
ATOM	25934	CA	PHE	O	55	73.208	6.153	49.618	1.00169.52	O
ATOM	25935	CB	PHE	O	55	72.227	7.144	48.987	1.00169.37	O

ATOM	25936	CG	PHE	O	55	72.690	7.715	47.675	1.00169.41	O
ATOM	25937	CD1	PHE	O	55	72.258	7.164	46.472	1.00169.16	O
ATOM	25938	CD2	PHE	O	55	73.544	8.812	47.639	1.00169.55	O
ATOM	25939	CE1	PHE	O	55	72.665	7.701	45.252	1.00169.02	O
ATOM	25940	CE2	PHE	O	55	73.958	9.358	46.425	1.00169.61	O
ATOM	25941	CZ	PHE	O	55	73.517	8.801	45.229	1.00169.11	O
ATOM	25942	C	PHE	O	55	73.518	5.013	48.657	1.00168.97	O
ATOM	25943	O	PHE	O	55	74.651	4.881	48.193	1.00169.71	O
ATOM	25944	N	ALA	O	56	72.519	4.190	48.354	1.00167.64	O
ATOM	25945	CA	ALA	O	56	72.735	3.059	47.459	1.00166.03	O
ATOM	25946	CB	ALA	O	56	72.554	1.760	48.229	1.00165.62	O
ATOM	25947	C	ALA	O	56	71.849	3.050	46.217	1.00165.02	O
ATOM	25948	O	ALA	O	56	70.666	3.377	46.280	1.00164.75	O
ATOM	25949	N	MET	O	57	72.443	2.671	45.088	1.00164.70	O
ATOM	25950	CA	MET	O	57	71.729	2.579	43.818	1.00164.52	O
ATOM	25951	CB	MET	O	57	72.428	3.391	42.728	1.00163.73	O
ATOM	25952	CG	MET	O	57	72.414	4.885	42.949	1.00163.83	O
ATOM	25953	SD	MET	O	57	72.421	5.762	41.370	1.00163.06	O
ATOM	25954	CE	MET	O	57	74.043	5.376	40.776	1.00162.33	O
ATOM	25955	C	MET	O	57	71.679	1.124	43.386	1.00164.69	O
ATOM	25956	O	MET	O	57	72.623	0.615	42.777	1.00164.77	O
ATOM	25957	N	LYS	O	58	70.574	0.458	43.701	1.00164.57	O
ATOM	25958	CA	LYS	O	58	70.407	-0.947	43.356	1.00164.29	O
ATOM	25959	CB	LYS	O	58	69.339	-1.578	44.255	1.00164.93	O
ATOM	25960	CG	LYS	O	58	69.419	-3.091	44.347	1.00165.72	O
ATOM	25961	CD	LYS	O	58	68.302	-3.641	45.214	1.00165.24	O
ATOM	25962	CE	LYS	O	58	68.590	-5.070	45.638	1.00165.65	O
ATOM	25963	NZ	LYS	O	58	69.776	-5.131	46.543	1.00166.58	O
ATOM	25964	C	LYS	O	58	70.020	-1.121	41.887	1.00163.13	O
ATOM	25965	O	LYS	O	58	69.167	-0.395	41.373	1.00162.90	O
ATOM	25966	N	GLY	O	59	70.656	-2.084	41.221	1.00161.56	O
ATOM	25967	CA	GLY	O	59	70.369	-2.350	39.821	1.00159.72	O
ATOM	25968	C	GLY	O	59	70.313	-1.092	38.977	1.00158.61	O
ATOM	25969	O	GLY	O	59	70.851	-0.056	39.367	1.00159.20	O
ATOM	25970	N	LYS	O	60	69.663	-1.175	37.818	1.00157.19	O
ATOM	25971	CA	LYS	O	60	69.552	-0.017	36.938	1.00156.09	O
ATOM	25972	CB	LYS	O	60	69.023	-0.421	35.558	1.00153.35	O
ATOM	25973	CG	LYS	O	60	69.883	-1.420	34.825	1.00149.71	O
ATOM	25974	CD	LYS	O	60	69.620	-1.386	33.329	1.00147.90	O
ATOM	25975	CE	LYS	O	60	70.208	-0.138	32.691	1.00146.94	O
ATOM	25976	NZ	LYS	O	60	70.164	-0.199	31.201	1.00147.16	O
ATOM	25977	C	LYS	O	60	68.626	1.035	37.533	1.00156.65	O
ATOM	25978	O	LYS	O	60	67.403	0.924	37.432	1.00157.00	O
ATOM	25979	N	LYS	O	61	69.212	2.054	38.154	1.00156.59	O
ATOM	25980	CA	LYS	O	61	68.432	3.129	38.751	1.00156.20	O
ATOM	25981	CB	LYS	O	61	68.629	3.163	40.266	1.00156.07	O
ATOM	25982	CG	LYS	O	61	67.322	3.183	41.038	1.00156.29	O
ATOM	25983	CD	LYS	O	61	67.436	4.014	42.299	1.00156.17	O
ATOM	25984	CE	LYS	O	61	68.569	3.539	43.186	1.00155.70	O
ATOM	25985	NZ	LYS	O	61	68.720	4.428	44.368	1.00157.29	O
ATOM	25986	C	LYS	O	61	68.868	4.457	38.153	1.00156.44	O
ATOM	25987	O	LYS	O	61	69.347	4.503	37.019	1.00156.00	O
ATOM	25988	N	GLU	O	62	68.701	5.533	38.917	1.00157.45	O
ATOM	25989	CA	GLU	O	62	69.080	6.866	38.457	1.00158.55	O
ATOM	25990	CB	GLU	O	62	68.418	7.145	37.101	1.00156.98	O
ATOM	25991	CG	GLU	O	62	69.253	7.968	36.132	1.00154.87	O
ATOM	25992	CD	GLU	O	62	69.028	9.459	36.274	1.00154.52	O
ATOM	25993	OE1	GLU	O	62	69.223	9.985	37.390	1.00154.25	O

ATOM	25994	OE2	GLU	O	62	68.661	10.102	35.265	1.00153.75	O
ATOM	25995	C	GLU	O	62	68.648	7.908	39.494	1.00159.46	O
ATOM	25996	O	GLU	O	62	67.475	8.276	39.566	1.00159.43	O
ATOM	25997	N	ASN	O	63	69.601	8.371	40.300	1.00160.23	O
ATOM	25998	CA	ASN	O	63	69.319	9.360	41.337	1.00160.50	O
ATOM	25999	CB	ASN	O	63	69.818	8.859	42.693	1.00159.30	O
ATOM	26000	CG	ASN	O	63	69.273	7.490	43.043	1.00157.77	O
ATOM	26001	OD1	ASN	O	63	69.429	6.532	42.284	1.00155.43	O
ATOM	26002	ND2	ASN	O	63	68.632	7.390	44.200	1.00156.81	O
ATOM	26003	C	ASN	O	63	69.967	10.703	41.027	1.00161.45	O
ATOM	26004	O	ASN	O	63	70.736	10.827	40.075	1.00161.28	O
ATOM	26005	N	THR	O	64	69.654	11.704	41.844	1.00163.05	O
ATOM	26006	CA	THR	O	64	70.193	13.048	41.660	1.00165.10	O
ATOM	26007	CB	THR	O	64	69.056	14.068	41.396	1.00164.96	O
ATOM	26008	OG1	THR	O	64	68.322	13.675	40.231	1.00165.66	O
ATOM	26009	CG2	THR	O	64	69.620	15.463	41.180	1.00163.82	O
ATOM	26010	C	THR	O	64	70.998	13.521	42.874	1.00166.87	O
ATOM	26011	O	THR	O	64	70.551	13.397	44.015	1.00167.59	O
ATOM	26012	N	LEU	O	65	72.188	14.060	42.616	1.00167.91	O
ATOM	26013	CA	LEU	O	65	73.054	14.576	43.675	1.00168.66	O
ATOM	26014	CB	LEU	O	65	74.523	14.288	43.348	1.00168.15	O
ATOM	26015	CG	LEU	O	65	74.950	12.820	43.291	1.00166.83	O
ATOM	26016	CD1	LEU	O	65	76.392	12.723	42.824	1.00165.84	O
ATOM	26017	CD2	LEU	O	65	74.785	12.179	44.661	1.00166.75	O
ATOM	26018	C	LEU	O	65	72.829	16.084	43.783	1.00169.17	O
ATOM	26019	O	LEU	O	65	72.557	16.738	42.779	1.00169.96	O
ATOM	26020	N	ARG	O	66	72.942	16.633	44.989	1.00169.28	O
ATOM	26021	CA	ARG	O	66	72.727	18.063	45.190	1.00169.71	O
ATOM	26022	CB	ARG	O	66	71.471	18.286	46.039	1.00169.06	O
ATOM	26023	CG	ARG	O	66	70.243	17.536	45.535	1.00168.83	O
ATOM	26024	CD	ARG	O	66	68.996	17.858	46.352	1.00168.15	O
ATOM	26025	NE	ARG	O	66	67.863	17.003	45.998	1.00167.40	O
ATOM	26026	CZ	ARG	O	66	67.338	16.913	44.779	1.00166.98	O
ATOM	26027	NH1	ARG	O	66	67.839	17.625	43.777	1.00166.09	O
ATOM	26028	NH2	ARG	O	66	66.306	16.108	44.560	1.00165.95	O
ATOM	26029	C	ARG	O	66	73.918	18.767	45.836	1.00170.72	O
ATOM	26030	O	ARG	O	66	74.225	18.548	47.010	1.00170.37	O
ATOM	26031	N	ILE	O	67	74.579	19.617	45.051	1.00172.12	O
ATOM	26032	CA	ILE	O	67	75.741	20.382	45.505	1.00173.41	O
ATOM	26033	CB	ILE	O	67	76.618	20.852	44.310	1.00173.44	O
ATOM	26034	CG2	ILE	O	67	77.719	21.778	44.800	1.00174.11	O
ATOM	26035	CG1	ILE	O	67	77.246	19.652	43.596	1.00173.75	O
ATOM	26036	CD1	ILE	O	67	76.269	18.822	42.793	1.00174.57	O
ATOM	26037	C	ILE	O	67	75.298	21.622	46.281	1.00173.89	O
ATOM	26038	O	ILE	O	67	74.724	22.547	45.709	1.00173.99	O
ATOM	26039	N	LEU	O	68	75.581	21.646	47.579	1.00174.32	O
ATOM	26040	CA	LEU	O	68	75.194	22.773	48.419	1.00174.13	O
ATOM	26041	CB	LEU	O	68	74.674	22.264	49.761	1.00174.80	O
ATOM	26042	CG	LEU	O	68	73.711	21.078	49.695	1.00175.44	O
ATOM	26043	CD1	LEU	O	68	73.331	20.665	51.103	1.00175.24	O
ATOM	26044	CD2	LEU	O	68	72.476	21.447	48.889	1.00176.07	O
ATOM	26045	C	LEU	O	68	76.358	23.722	48.657	1.00174.01	O
ATOM	26046	O	LEU	O	68	77.477	23.290	48.930	1.00173.51	O
ATOM	26047	N	ASP	O	69	76.081	25.018	48.565	1.00174.65	O
ATOM	26048	CA	ASP	O	69	77.099	26.043	48.761	1.00175.72	O
ATOM	26049	CB	ASP	O	69	76.701	27.320	48.006	1.00175.61	O
ATOM	26050	CG	ASP	O	69	77.829	28.339	47.931	1.00175.58	O
ATOM	26051	OD1	ASP	O	69	77.722	29.299	47.134	1.00175.42	O

ATOM	26052	OD2	ASP	O	69	78.818	28.179	48.670	1.00174.77	O
ATOM	26053	C	ASP	O	69	77.298	26.347	50.247	1.00176.34	O
ATOM	26054	O	ASP	O	69	76.494	27.049	50.861	1.00175.96	O
ATOM	26055	N	ALA	O	70	78.373	25.806	50.818	1.00177.08	O
ATOM	26056	CA	ALA	O	70	78.694	26.014	52.227	1.00177.24	O
ATOM	26057	CB	ALA	O	70	79.385	24.776	52.799	1.00177.57	O
ATOM	26058	C	ALA	O	70	79.590	27.240	52.385	1.00177.61	O
ATOM	26059	O	ALA	O	70	79.503	27.955	53.384	1.00177.50	O
ATOM	26060	N	THR	O	71	80.456	27.474	51.402	1.00178.01	O
ATOM	26061	CA	THR	O	71	81.344	28.632	51.437	1.00178.21	O
ATOM	26062	CB	THR	O	71	82.318	28.648	50.225	1.00179.26	O
ATOM	26063	OG1	THR	O	71	83.017	29.899	50.189	1.00179.87	O
ATOM	26064	CG2	THR	O	71	81.568	28.451	48.917	1.00179.57	O
ATOM	26065	C	THR	O	71	80.475	29.885	51.410	1.00177.47	O
ATOM	26066	O	THR	O	71	79.855	30.201	50.394	1.00177.65	O
ATOM	26067	N	ASN	O	72	80.424	30.587	52.539	1.00176.19	O
ATOM	26068	CA	ASN	O	72	79.620	31.800	52.662	1.00174.94	O
ATOM	26069	CB	ASN	O	72	79.539	32.223	54.133	1.00175.49	O
ATOM	26070	CG	ASN	O	72	78.555	31.382	54.931	1.00175.87	O
ATOM	26071	OD1	ASN	O	72	78.466	31.505	56.152	1.00176.08	O
ATOM	26072	ND2	ASN	O	72	77.804	30.529	54.241	1.00175.44	O
ATOM	26073	C	ASN	O	72	80.124	32.971	51.817	1.00173.63	O
ATOM	26074	O	ASN	O	72	80.375	34.060	52.337	1.00173.44	O
ATOM	26075	N	ASN	O	73	80.259	32.746	50.512	1.00172.02	O
ATOM	26076	CA	ASN	O	73	80.725	33.784	49.596	1.00169.58	O
ATOM	26077	CB	ASN	O	73	79.760	34.974	49.631	1.00167.40	O
ATOM	26078	CG	ASN	O	73	78.314	34.560	49.421	1.00165.41	O
ATOM	26079	OD1	ASN	O	73	77.745	33.813	50.218	1.00163.71	O
ATOM	26080	ND2	ASN	O	73	77.713	35.044	48.343	1.00164.20	O
ATOM	26081	C	ASN	O	73	82.125	34.236	50.002	1.00168.85	O
ATOM	26082	O	ASN	O	73	82.483	35.403	49.862	1.00169.03	O
ATOM	26083	N	GLN	O	74	82.913	33.294	50.506	1.00168.09	O
ATOM	26084	CA	GLN	O	74	84.268	33.574	50.965	1.00166.73	O
ATOM	26085	CB	GLN	O	74	84.597	32.649	52.146	1.00167.82	O
ATOM	26086	CG	GLN	O	74	83.653	32.846	53.343	1.00168.82	O
ATOM	26087	CD	GLN	O	74	83.635	31.673	54.320	1.00168.62	O
ATOM	26088	OE1	GLN	O	74	82.938	31.711	55.338	1.00167.53	O
ATOM	26089	NE2	GLN	O	74	84.391	30.626	54.011	1.00168.59	O
ATOM	26090	C	GLN	O	74	85.290	33.405	49.846	1.00164.80	O
ATOM	26091	O	GLN	O	74	86.498	33.500	50.071	1.00164.61	O
ATOM	26092	N	LEU	O	75	84.794	33.172	48.635	1.00162.63	O
ATOM	26093	CA	LEU	O	75	85.652	32.980	47.472	1.00160.70	O
ATOM	26094	CB	LEU	O	75	85.139	31.801	46.645	1.00160.32	O
ATOM	26095	CG	LEU	O	75	85.217	30.431	47.316	1.00159.96	O
ATOM	26096	CD1	LEU	O	75	84.417	29.430	46.509	1.00159.91	O
ATOM	26097	CD2	LEU	O	75	86.669	30.000	47.438	1.00158.87	O
ATOM	26098	C	LEU	O	75	85.728	34.226	46.597	1.00159.20	O
ATOM	26099	O	LEU	O	75	84.860	35.096	46.666	1.00158.19	O
ATOM	26100	N	PRO	O	76	86.779	34.328	45.764	1.00158.46	O
ATOM	26101	CD	PRO	O	76	87.887	33.366	45.630	1.00157.78	O
ATOM	26102	CA	PRO	O	76	86.974	35.471	44.866	1.00157.72	O
ATOM	26103	CB	PRO	O	76	88.165	35.040	44.018	1.00157.28	O
ATOM	26104	CG	PRO	O	76	88.954	34.205	44.969	1.00157.65	O
ATOM	26105	C	PRO	O	76	85.727	35.713	44.026	1.00157.39	O
ATOM	26106	O	PRO	O	76	85.136	34.769	43.498	1.00157.78	O
ATOM	26107	N	GLN	O	77	85.331	36.975	43.901	1.00156.61	O
ATOM	26108	CA	GLN	O	77	84.145	37.323	43.131	1.00156.21	O
ATOM	26109	CB	GLN	O	77	83.203	38.168	43.993	1.00154.79	O

ATOM	26110	CG	GLN	O	77	82.873	37.532	45.342	1.00152.58	O
ATOM	26111	CD	GLN	O	77	82.196	36.177	45.212	1.00151.18	O
ATOM	26112	OE1	GLN	O	77	82.067	35.437	46.189	1.00150.01	O
ATOM	26113	NE2	GLN	O	77	81.751	35.851	44.005	1.00150.84	O
ATOM	26114	C	GLN	O	77	84.493	38.063	41.840	1.00157.07	O
ATOM	26115	O	GLN	O	77	83.675	38.812	41.299	1.00156.76	O
ATOM	26116	N	ASP	O	78	85.708	37.835	41.346	1.00158.31	O
ATOM	26117	CA	ASP	O	78	86.181	38.463	40.114	1.00158.64	O
ATOM	26118	CB	ASP	O	78	87.358	39.402	40.409	1.00158.57	O
ATOM	26119	CG	ASP	O	78	88.604	38.660	40.873	1.00158.69	O
ATOM	26120	OD1	ASP	O	78	89.662	39.311	41.003	1.00158.55	O
ATOM	26121	OD2	ASP	O	78	88.532	37.433	41.107	1.00158.24	O
ATOM	26122	C	ASP	O	78	86.616	37.424	39.076	1.00158.64	O
ATOM	26123	O	ASP	O	78	87.044	37.777	37.977	1.00158.14	O
ATOM	26124	N	ARG	O	79	86.503	36.147	39.434	1.00158.59	O
ATOM	26125	CA	ARG	O	79	86.886	35.046	38.550	1.00157.22	O
ATOM	26126	CB	ARG	O	79	88.406	34.912	38.508	1.00157.48	O
ATOM	26127	CG	ARG	O	79	89.004	34.400	39.812	1.00158.19	O
ATOM	26128	CD	ARG	O	79	90.505	34.614	39.862	1.00158.54	O
ATOM	26129	NE	ARG	O	79	90.828	36.034	39.939	1.00159.10	O
ATOM	26130	CZ	ARG	O	79	92.066	36.518	39.964	1.00159.02	O
ATOM	26131	NH1	ARG	O	79	93.107	35.695	39.918	1.00158.14	O
ATOM	26132	NH2	ARG	O	79	92.265	37.828	40.034	1.00159.63	O
ATOM	26133	C	ARG	O	79	86.295	33.749	39.090	1.00155.90	O
ATOM	26134	O	ARG	O	79	85.600	33.755	40.106	1.00155.91	O
ATOM	26135	N	GLU	O	80	86.583	32.636	38.423	1.00154.17	O
ATOM	26136	CA	GLU	O	80	86.072	31.350	38.881	1.00152.29	O
ATOM	26137	CB	GLU	O	80	85.810	30.401	37.714	1.00148.95	O
ATOM	26138	CG	GLU	O	80	85.308	31.031	36.448	1.00144.19	O
ATOM	26139	CD	GLU	O	80	84.898	29.979	35.447	1.00142.11	O
ATOM	26140	OE1	GLU	O	80	83.763	29.480	35.552	1.00142.39	O
ATOM	26141	OE2	GLU	O	80	85.714	29.631	34.571	1.00140.06	O
ATOM	26142	C	GLU	O	80	87.084	30.679	39.799	1.00152.28	O
ATOM	26143	O	GLU	O	80	88.290	30.745	39.557	1.00151.44	O
ATOM	26144	N	SER	O	81	86.586	30.036	40.851	1.00153.02	O
ATOM	26145	CA	SER	O	81	87.441	29.315	41.787	1.00153.63	O
ATOM	26146	CB	SER	O	81	87.011	29.573	43.235	1.00154.15	O
ATOM	26147	OG	SER	O	81	87.294	30.905	43.636	1.00155.03	O
ATOM	26148	C	SER	O	81	87.274	27.840	41.447	1.00153.75	O
ATOM	26149	O	SER	O	81	86.182	27.288	41.567	1.00153.52	O
ATOM	26150	N	LEU	O	82	88.358	27.209	41.009	1.00154.33	O
ATOM	26151	CA	LEU	O	82	88.317	25.805	40.630	1.00154.77	O
ATOM	26152	CB	LEU	O	82	89.507	25.471	39.720	1.00152.88	O
ATOM	26153	CG	LEU	O	82	89.684	24.040	39.196	1.00150.94	O
ATOM	26154	CD1	LEU	O	82	88.418	23.557	38.511	1.00150.07	O
ATOM	26155	CD2	LEU	O	82	90.855	24.009	38.224	1.00150.04	O
ATOM	26156	C	LEU	O	82	88.299	24.859	41.821	1.00156.55	O
ATOM	26157	O	LEU	O	82	89.102	24.982	42.748	1.00156.58	O
ATOM	26158	N	PHE	O	83	87.350	23.927	41.777	1.00158.54	O
ATOM	26159	CA	PHE	O	83	87.175	22.893	42.794	1.00159.99	O
ATOM	26160	CB	PHE	O	83	85.896	23.114	43.608	1.00159.63	O
ATOM	26161	CG	PHE	O	83	85.973	24.265	44.562	1.00161.01	O
ATOM	26162	CD1	PHE	O	83	86.009	25.573	44.094	1.00161.02	O
ATOM	26163	CD2	PHE	O	83	86.026	24.040	45.935	1.00162.39	O
ATOM	26164	CE1	PHE	O	83	86.100	26.645	44.976	1.00161.40	O
ATOM	26165	CE2	PHE	O	83	86.117	25.104	46.827	1.00162.76	O
ATOM	26166	CZ	PHE	O	83	86.155	26.411	46.346	1.00162.16	O
ATOM	26167	C	PHE	O	83	87.053	21.585	42.024	1.00161.15	O

ATOM	26168	O	PHE	O	83	87.185	21.568	40.799	1.00161.46	O
ATOM	26169	N	TRP	O	84	86.802	20.491	42.733	1.00161.92	O
ATOM	26170	CA	TRP	O	84	86.655	19.205	42.072	1.00162.41	O
ATOM	26171	CB	TRP	O	84	87.985	18.447	42.056	1.00161.01	O
ATOM	26172	CG	TRP	O	84	89.023	19.077	41.182	1.00158.69	O
ATOM	26173	CD2	TRP	O	84	89.268	18.793	39.799	1.00157.88	O
ATOM	26174	CE2	TRP	O	84	90.323	19.634	39.379	1.00157.46	O
ATOM	26175	CE3	TRP	O	84	88.700	17.908	38.872	1.00157.37	O
ATOM	26176	CD1	TRP	O	84	89.910	20.051	41.535	1.00158.27	O
ATOM	26177	NE1	TRP	O	84	90.697	20.393	40.457	1.00157.52	O
ATOM	26178	CZ2	TRP	O	84	90.820	19.617	38.071	1.00156.51	O
ATOM	26179	CZ3	TRP	O	84	89.196	17.892	37.568	1.00156.14	O
ATOM	26180	CH2	TRP	O	84	90.245	18.741	37.184	1.00155.72	O
ATOM	26181	C	TRP	O	84	85.577	18.338	42.699	1.00163.31	O
ATOM	26182	O	TRP	O	84	85.530	18.153	43.915	1.00162.30	O
ATOM	26183	N	MET	O	85	84.708	17.811	41.845	1.00165.09	O
ATOM	26184	CA	MET	O	85	83.617	16.956	42.278	1.00166.44	O
ATOM	26185	CB	MET	O	85	82.366	17.267	41.457	1.00166.85	O
ATOM	26186	CG	MET	O	85	81.241	16.273	41.665	1.00168.16	O
ATOM	26187	SD	MET	O	85	80.654	16.226	43.374	1.00169.04	O
ATOM	26188	CE	MET	O	85	78.878	16.131	43.105	1.00168.13	O
ATOM	26189	C	MET	O	85	83.985	15.483	42.123	1.00166.78	O
ATOM	26190	O	MET	O	85	84.351	15.036	41.033	1.00166.57	O
ATOM	26191	N	ASN	O	86	83.884	14.732	43.217	1.00167.07	O
ATOM	26192	CA	ASN	O	86	84.199	13.309	43.189	1.00168.08	O
ATOM	26193	CB	ASN	O	86	85.422	13.011	44.059	1.00167.69	O
ATOM	26194	CG	ASN	O	86	86.671	13.710	43.563	1.00167.21	O
ATOM	26195	OD1	ASN	O	86	86.799	14.929	43.677	1.00166.52	O
ATOM	26196	ND2	ASN	O	86	87.597	12.941	43.002	1.00165.80	O
ATOM	26197	C	ASN	O	86	83.030	12.451	43.652	1.00169.02	O
ATOM	26198	O	ASN	O	86	82.409	12.727	44.678	1.00168.40	O
ATOM	26199	N	VAL	O	87	82.743	11.408	42.879	1.00170.67	O
ATOM	26200	CA	VAL	O	87	81.662	10.476	43.180	1.00172.17	O
ATOM	26201	CB	VAL	O	87	80.554	10.536	42.102	1.00173.30	O
ATOM	26202	CG1	VAL	O	87	79.457	9.527	42.418	1.00173.82	O
ATOM	26203	CG2	VAL	O	87	79.975	11.944	42.031	1.00173.48	O
ATOM	26204	C	VAL	O	87	82.245	9.067	43.226	1.00172.29	O
ATOM	26205	O	VAL	O	87	82.665	8.522	42.204	1.00171.65	O
ATOM	26206	N	LYS	O	88	82.269	8.487	44.422	1.00172.92	O
ATOM	26207	CA	LYS	O	88	82.821	7.153	44.625	1.00173.76	O
ATOM	26208	CB	LYS	O	88	83.559	7.097	45.965	1.00173.54	O
ATOM	26209	CG	LYS	O	88	84.130	5.733	46.306	1.00173.45	O
ATOM	26210	CD	LYS	O	88	84.752	5.738	47.688	1.00173.20	O
ATOM	26211	CE	LYS	O	88	85.292	4.367	48.054	1.00172.88	O
ATOM	26212	NZ	LYS	O	88	85.727	4.323	49.477	1.00172.76	O
ATOM	26213	C	LYS	O	88	81.782	6.041	44.580	1.00174.19	O
ATOM	26214	O	LYS	O	88	80.776	6.087	45.287	1.00173.99	O
ATOM	26215	N	ALA	O	89	82.043	5.036	43.749	1.00175.22	O
ATOM	26216	CA	ALA	O	89	81.149	3.892	43.608	1.00176.39	O
ATOM	26217	CB	ALA	O	89	81.027	3.504	42.139	1.00176.34	O
ATOM	26218	C	ALA	O	89	81.681	2.714	44.421	1.00177.02	O
ATOM	26219	O	ALA	O	89	82.639	2.051	44.020	1.00176.35	O
ATOM	26220	N	ILE	O	90	81.052	2.458	45.564	1.00178.58	O
ATOM	26221	CA	ILE	O	90	81.462	1.368	46.443	1.00180.23	O
ATOM	26222	CB	ILE	O	90	81.339	1.776	47.931	1.00179.72	O
ATOM	26223	CG2	ILE	O	90	81.905	0.678	48.817	1.00178.71	O
ATOM	26224	CG1	ILE	O	90	82.070	3.100	48.179	1.00179.58	O
ATOM	26225	CD1	ILE	O	90	81.915	3.645	49.592	1.00178.49	O

ATOM	26226	C	ILE	O	90	80.617	0.111	46.228	1.00181.83	O
ATOM	26227	O	ILE	O	90	79.398	0.129	46.409	1.00182.02	O
ATOM	26228	N	PRO	O	91	81.257	-1.001	45.835	1.00183.07	O
ATOM	26229	CD	PRO	O	91	82.675	-1.148	45.461	1.00183.25	O
ATOM	26230	CA	PRO	O	91	80.529	-2.252	45.609	1.00184.09	O
ATOM	26231	CB	PRO	O	91	81.529	-3.085	44.818	1.00183.35	O
ATOM	26232	CG	PRO	O	91	82.831	-2.649	45.386	1.00183.10	O
ATOM	26233	C	PRO	O	91	80.126	-2.914	46.924	1.00185.47	O
ATOM	26234	O	PRO	O	91	79.866	-2.232	47.915	1.00185.94	O
ATOM	26235	N	SER	O	92	80.081	-4.243	46.930	1.00186.72	O
ATOM	26236	CA	SER	O	92	79.702	-4.988	48.127	1.00187.69	O
ATOM	26237	CB	SER	O	92	78.345	-5.658	47.913	1.00187.18	O
ATOM	26238	OG	SER	O	92	77.577	-4.945	46.955	1.00186.67	O
ATOM	26239	C	SER	O	92	80.744	-6.057	48.441	1.00188.56	O
ATOM	26240	O	SER	O	92	81.398	-6.577	47.540	1.00187.96	O
ATOM	26241	N	MET	O	93	80.893	-6.388	49.719	1.00190.08	O
ATOM	26242	CA	MET	O	93	81.854	-7.403	50.130	1.00192.01	O
ATOM	26243	CB	MET	O	93	82.106	-7.300	51.640	1.00192.70	O
ATOM	26244	CG	MET	O	93	83.470	-7.810	52.113	1.00193.96	O
ATOM	26245	SD	MET	O	93	83.702	-9.607	52.006	1.00195.56	O
ATOM	26246	CE	MET	O	93	83.521	-10.080	53.736	1.00196.31	O
ATOM	26247	C	MET	O	93	81.272	-8.771	49.777	1.00193.39	O
ATOM	26248	O	MET	O	93	80.144	-9.088	50.161	1.00193.15	O
ATOM	26249	N	ASP	O	94	82.037	-9.571	49.037	1.00194.82	O
ATOM	26250	CA	ASP	O	94	81.591	-10.903	48.628	1.00195.67	O
ATOM	26251	CB	ASP	O	94	82.390	-11.409	47.417	1.00194.76	O
ATOM	26252	CG	ASP	O	94	82.193	-10.557	46.178	1.00194.22	O
ATOM	26253	OD1	ASP	O	94	82.542	-11.032	45.071	1.00193.47	O
ATOM	26254	OD2	ASP	O	94	81.700	-9.413	46.310	1.00193.94	O
ATOM	26255	C	ASP	O	94	81.732	-11.921	49.754	1.00196.59	O
ATOM	26256	O	ASP	O	94	82.847	-12.283	50.138	1.00197.12	O
ATOM	26257	N	LYS	O	95	80.602	-12.385	50.279	1.00196.99	O
ATOM	26258	CA	LYS	O	95	80.620	-13.381	51.342	1.00196.98	O
ATOM	26259	CB	LYS	O	95	79.265	-13.433	52.058	1.00195.93	O
ATOM	26260	CG	LYS	O	95	78.913	-12.166	52.833	1.00194.00	O
ATOM	26261	CD	LYS	O	95	78.485	-11.028	51.921	1.00191.88	O
ATOM	26262	CE	LYS	O	95	77.165	-11.334	51.232	1.00190.43	O
ATOM	26263	NZ	LYS	O	95	76.717	-10.197	50.387	1.00188.67	O
ATOM	26264	C	LYS	O	95	80.927	-14.738	50.708	1.00197.52	O
ATOM	26265	O	LYS	O	95	80.995	-15.761	51.400	1.00197.76	O
ATOM	26266	N	SER	O	96	81.122	-14.727	49.388	1.00197.54	O
ATOM	26267	CA	SER	O	96	81.423	-15.934	48.615	1.00196.83	O
ATOM	26268	CB	SER	O	96	80.645	-15.925	47.296	1.00196.10	O
ATOM	26269	OG	SER	O	96	81.083	-14.870	46.444	1.00194.38	O
ATOM	26270	C	SER	O	96	82.918	-16.055	48.311	1.00196.50	O
ATOM	26271	O	SER	O	96	83.394	-17.114	47.901	1.00196.43	O
ATOM	26272	N	LYS	O	97	83.651	-14.966	48.519	1.00195.86	O
ATOM	26273	CA	LYS	O	97	85.086	-14.945	48.277	1.00194.86	O
ATOM	26274	CB	LYS	O	97	85.417	-13.916	47.190	1.00193.50	O
ATOM	26275	CG	LYS	O	97	84.462	-13.916	45.999	1.00190.73	O
ATOM	26276	CD	LYS	O	97	84.401	-15.275	45.327	1.00188.36	O
ATOM	26277	CE	LYS	O	97	83.363	-15.279	44.222	1.00186.55	O
ATOM	26278	NZ	LYS	O	97	83.224	-16.617	43.590	1.00185.25	O
ATOM	26279	C	LYS	O	97	85.802	-14.594	49.580	1.00194.88	O
ATOM	26280	O	LYS	O	97	87.007	-14.338	49.594	1.00194.79	O
ATOM	26281	N	LEU	O	98	85.038	-14.584	50.670	1.00194.95	O
ATOM	26282	CA	LEU	O	98	85.558	-14.270	51.998	1.00195.25	O
ATOM	26283	CB	LEU	O	98	84.444	-14.475	53.044	1.00194.52	O

ATOM	26284	CG	LEU	O	98	84.715	-14.337	54.551	1.00193.75	O
ATOM	26285	CD1	LEU	O	98	85.466	-15.555	55.050	1.00192.92	O
ATOM	26286	CD2	LEU	O	98	85.480	-13.055	54.842	1.00193.65	O
ATOM	26287	C	LEU	O	98	86.796	-15.080	52.365	1.00195.44	O
ATOM	26288	O	LEU	O	98	87.715	-14.569	53.001	1.00195.23	O
ATOM	26289	N	THR	O	99	86.817	-16.346	51.966	1.00195.77	O
ATOM	26290	CA	THR	O	99	87.950	-17.219	52.275	1.00196.05	O
ATOM	26291	CB	THR	O	99	87.495	-18.675	52.539	1.00196.49	O
ATOM	26292	OG1	THR	O	99	87.209	-19.317	51.289	1.00196.89	O
ATOM	26293	CG2	THR	O	99	86.230	-18.692	53.372	1.00196.75	O
ATOM	26294	C	THR	O	99	88.945	-17.258	51.118	1.00195.80	O
ATOM	26295	O	THR	O	99	89.537	-18.298	50.834	1.00195.24	O
ATOM	26296	N	GLU	O	100	89.144	-16.122	50.459	1.00196.03	O
ATOM	26297	CA	GLU	O	100	90.065	-16.064	49.331	1.00196.28	O
ATOM	26298	CB	GLU	O	100	89.294	-16.352	48.040	1.00195.98	O
ATOM	26299	CG	GLU	O	100	88.538	-17.667	48.040	1.00195.14	O
ATOM	26300	CD	GLU	O	100	87.470	-17.703	46.971	1.00194.53	O
ATOM	26301	OE1	GLU	O	100	87.813	-17.515	45.786	1.00194.23	O
ATOM	26302	OE2	GLU	O	100	86.290	-17.920	47.315	1.00194.09	O
ATOM	26303	C	GLU	O	100	90.838	-14.750	49.186	1.00196.60	O
ATOM	26304	O	GLU	O	100	90.636	-13.800	49.943	1.00196.55	O
ATOM	26305	N	ASN	O	101	91.715	-14.730	48.183	1.00196.78	O
ATOM	26306	CA	ASN	O	101	92.557	-13.583	47.859	1.00196.57	O
ATOM	26307	CB	ASN	O	101	93.954	-14.060	47.453	1.00197.91	O
ATOM	26308	CG	ASN	O	101	94.691	-14.744	48.592	1.00199.75	O
ATOM	26309	OD1	ASN	O	101	94.086	-15.461	49.391	1.00200.00	O
ATOM	26310	ND2	ASN	O	101	96.005	-14.542	48.660	1.00200.00	O
ATOM	26311	C	ASN	O	101	91.938	-12.793	46.712	1.00195.76	O
ATOM	26312	O	ASN	O	101	92.201	-13.074	45.538	1.00195.20	O
ATOM	26313	N	THR	O	102	91.119	-11.801	47.049	1.00195.12	O
ATOM	26314	CA	THR	O	102	90.459	-11.002	46.026	1.00193.82	O
ATOM	26315	CB	THR	O	102	88.928	-11.029	46.219	1.00193.24	O
ATOM	26316	OG1	THR	O	102	88.580	-10.332	47.422	1.00191.81	O
ATOM	26317	CG2	THR	O	102	88.437	-12.461	46.321	1.00193.33	O
ATOM	26318	C	THR	O	102	90.918	-9.550	45.969	1.00192.91	O
ATOM	26319	O	THR	O	102	91.602	-9.055	46.866	1.00193.42	O
ATOM	26320	N	LEU	O	103	90.525	-8.882	44.889	1.00191.17	O
ATOM	26321	CA	LEU	O	103	90.855	-7.481	44.649	1.00189.53	O
ATOM	26322	CB	LEU	O	103	91.931	-7.365	43.569	1.00189.08	O
ATOM	26323	CG	LEU	O	103	92.197	-5.940	43.074	1.00188.43	O
ATOM	26324	CD1	LEU	O	103	92.829	-5.109	44.182	1.00187.67	O
ATOM	26325	CD2	LEU	O	103	93.107	-5.991	41.865	1.00187.63	O
ATOM	26326	C	LEU	O	103	89.621	-6.712	44.192	1.00188.53	O
ATOM	26327	O	LEU	O	103	89.115	-6.946	43.093	1.00188.62	O
ATOM	26328	N	GLN	O	104	89.145	-5.794	45.031	1.00186.89	O
ATOM	26329	CA	GLN	O	104	87.975	-4.987	44.691	1.00184.50	O
ATOM	26330	CB	GLN	O	104	86.931	-5.036	45.815	1.00184.46	O
ATOM	26331	CG	GLN	O	104	85.912	-6.166	45.677	1.00183.50	O
ATOM	26332	CD	GLN	O	104	84.712	-5.985	46.591	1.00183.04	O
ATOM	26333	OE1	GLN	O	104	83.758	-6.762	46.543	1.00182.06	O
ATOM	26334	NE2	GLN	O	104	84.755	-4.955	47.428	1.00182.64	O
ATOM	26335	C	GLN	O	104	88.327	-3.533	44.379	1.00182.04	O
ATOM	26336	O	GLN	O	104	89.118	-2.901	45.080	1.00181.45	O
ATOM	26337	N	LEU	O	105	87.720	-3.008	43.320	1.00179.21	O
ATOM	26338	CA	LEU	O	105	87.964	-1.640	42.896	1.00176.65	O
ATOM	26339	CB	LEU	O	105	88.345	-1.622	41.416	1.00176.20	O
ATOM	26340	CG	LEU	O	105	89.388	-2.655	40.987	1.00176.02	O
ATOM	26341	CD1	LEU	O	105	89.660	-2.502	39.500	1.00176.21	O

ATOM	26342	CD2	LEU	O	105	90.668	-2.472	41.787	1.00177.08	O
ATOM	26343	C	LEU	O	105	86.744	-0.753	43.116	1.00175.17	O
ATOM	26344	O	LEU	O	105	85.605	-1.187	42.939	1.00175.21	O
ATOM	26345	N	ALA	O	106	86.991	0.491	43.509	1.00173.05	O
ATOM	26346	CA	ALA	O	106	85.922	1.454	43.738	1.00170.65	O
ATOM	26347	CB	ALA	O	106	85.976	1.977	45.170	1.00169.56	O
ATOM	26348	C	ALA	O	106	86.117	2.596	42.749	1.00169.06	O
ATOM	26349	O	ALA	O	106	86.729	3.614	43.077	1.00170.09	O
ATOM	26350	N	ILE	O	107	85.607	2.416	41.533	1.00166.32	O
ATOM	26351	CA	ILE	O	107	85.733	3.427	40.488	1.00163.56	O
ATOM	26352	CB	ILE	O	107	85.011	2.996	39.193	1.00162.66	O
ATOM	26353	CG2	ILE	O	107	85.272	4.013	38.091	1.00161.31	O
ATOM	26354	CG1	ILE	O	107	85.504	1.617	38.750	1.00161.79	O
ATOM	26355	CD1	ILE	O	107	86.988	1.551	38.465	1.00160.62	O
ATOM	26356	C	ILE	O	107	85.157	4.762	40.942	1.00162.38	O
ATOM	26357	O	ILE	O	107	84.036	4.829	41.450	1.00162.73	O
ATOM	26358	N	ILE	O	108	85.930	5.825	40.749	1.00160.32	O
ATOM	26359	CA	ILE	O	108	85.507	7.161	41.142	1.00158.18	O
ATOM	26360	CB	ILE	O	108	86.405	7.714	42.268	1.00158.74	O
ATOM	26361	CG2	ILE	O	108	85.859	9.050	42.758	1.00159.44	O
ATOM	26362	CG1	ILE	O	108	86.474	6.703	43.418	1.00159.03	O
ATOM	26363	CD1	ILE	O	108	87.443	7.079	44.527	1.00159.45	O
ATOM	26364	C	ILE	O	108	85.577	8.110	39.955	1.00156.40	O
ATOM	26365	O	ILE	O	108	86.428	7.964	39.078	1.00155.60	O
ATOM	26366	N	SER	O	109	84.672	9.080	39.927	1.00155.26	O
ATOM	26367	CA	SER	O	109	84.650	10.061	38.850	1.00154.29	O
ATOM	26368	CB	SER	O	109	83.303	10.038	38.121	1.00155.46	O
ATOM	26369	OG	SER	O	109	83.178	8.881	37.310	1.00155.12	O
ATOM	26370	C	SER	O	109	84.928	11.459	39.385	1.00152.04	O
ATOM	26371	O	SER	O	109	84.314	11.905	40.357	1.00151.20	O
ATOM	26372	N	ARG	O	110	85.869	12.140	38.744	1.00149.12	O
ATOM	26373	CA	ARG	O	110	86.245	13.487	39.137	1.00145.71	O
ATOM	26374	CB	ARG	O	110	87.697	13.509	39.628	1.00146.21	O
ATOM	26375	CG	ARG	O	110	88.366	14.859	39.474	1.00145.63	O
ATOM	26376	CD	ARG	O	110	89.721	14.939	40.155	1.00145.19	O
ATOM	26377	NE	ARG	O	110	89.593	15.043	41.603	1.00144.35	O
ATOM	26378	CZ	ARG	O	110	90.551	15.505	42.400	1.00144.21	O
ATOM	26379	NH1	ARG	O	110	91.710	15.909	41.886	1.00142.57	O
ATOM	26380	NH2	ARG	O	110	90.352	15.569	43.710	1.00144.11	O
ATOM	26381	C	ARG	O	110	86.071	14.454	37.970	1.00142.97	O
ATOM	26382	O	ARG	O	110	86.651	14.270	36.895	1.00141.66	O
ATOM	26383	N	ILE	O	111	85.254	15.480	38.188	1.00140.42	O
ATOM	26384	CA	ILE	O	111	84.998	16.486	37.167	1.00138.14	O
ATOM	26385	CB	ILE	O	111	83.603	16.300	36.523	1.00136.96	O
ATOM	26386	CG2	ILE	O	111	83.490	14.899	35.951	1.00137.82	O
ATOM	26387	CG1	ILE	O	111	82.494	16.537	37.550	1.00135.22	O
ATOM	26388	CD1	ILE	O	111	81.098	16.496	36.957	1.00129.50	O
ATOM	26389	C	ILE	O	111	85.096	17.890	37.748	1.00136.36	O
ATOM	26390	O	ILE	O	111	84.804	18.115	38.922	1.00135.39	O
ATOM	26391	N	LYS	O	112	85.508	18.831	36.907	1.00135.16	O
ATOM	26392	CA	LYS	O	112	85.674	20.221	37.314	1.00134.28	O
ATOM	26393	CB	LYS	O	112	86.312	21.017	36.176	1.00133.10	O
ATOM	26394	CG	LYS	O	112	87.596	20.400	35.654	1.00131.96	O
ATOM	26395	CD	LYS	O	112	88.103	21.133	34.431	1.00130.93	O
ATOM	26396	CE	LYS	O	112	89.311	20.430	33.842	1.00130.75	O
ATOM	26397	NZ	LYS	O	112	89.739	21.051	32.557	1.00130.88	O
ATOM	26398	C	LYS	O	112	84.374	20.894	37.733	1.00133.94	O
ATOM	26399	O	LYS	O	112	83.331	20.692	37.120	1.00133.82	O

ATOM	26400	N	LEU	O	113	84.459	21.701	38.785	1.00133.87	O
ATOM	26401	CA	LEU	O	113	83.321	22.444	39.315	1.00134.06	O
ATOM	26402	CB	LEU	O	113	82.893	21.862	40.662	1.00130.77	O
ATOM	26403	CG	LEU	O	113	82.025	22.720	41.586	1.00127.37	O
ATOM	26404	CD1	LEU	O	113	80.801	23.246	40.858	1.00125.49	O
ATOM	26405	CD2	LEU	O	113	81.612	21.874	42.769	1.00126.43	O
ATOM	26406	C	LEU	O	113	83.756	23.892	39.482	1.00135.95	O
ATOM	26407	O	LEU	O	113	84.547	24.210	40.366	1.00137.11	O
ATOM	26408	N	TYR	O	114	83.233	24.767	38.633	1.00138.81	O
ATOM	26409	CA	TYR	O	114	83.606	26.175	38.676	1.00142.04	O
ATOM	26410	CB	TYR	O	114	83.762	26.713	37.256	1.00144.21	O
ATOM	26411	CG	TYR	O	114	84.883	26.065	36.493	1.00147.16	O
ATOM	26412	CD1	TYR	O	114	84.633	25.359	35.320	1.00148.03	O
ATOM	26413	CE1	TYR	O	114	85.663	24.749	34.618	1.00149.98	O
ATOM	26414	CD2	TYR	O	114	86.198	26.150	36.949	1.00148.69	O
ATOM	26415	CE2	TYR	O	114	87.237	25.547	36.253	1.00150.08	O
ATOM	26416	CZ	TYR	O	114	86.964	24.847	35.088	1.00150.30	O
ATOM	26417	OH	TYR	O	114	87.991	24.253	34.389	1.00150.58	O
ATOM	26418	C	TYR	O	114	82.682	27.105	39.442	1.00142.76	O
ATOM	26419	O	TYR	O	114	81.491	27.199	39.148	1.00142.47	O
ATOM	26420	N	TYR	O	115	83.245	27.799	40.424	1.00144.25	O
ATOM	26421	CA	TYR	O	115	82.483	28.762	41.200	1.00146.88	O
ATOM	26422	CB	TYR	O	115	83.112	28.983	42.575	1.00147.39	O
ATOM	26423	CG	TYR	O	115	82.368	29.996	43.422	1.00148.28	O
ATOM	26424	CD1	TYR	O	115	81.056	29.749	43.846	1.00149.31	O
ATOM	26425	CE1	TYR	O	115	80.361	30.676	44.624	1.00149.47	O
ATOM	26426	CD2	TYR	O	115	82.973	31.201	43.797	1.00147.47	O
ATOM	26427	CE2	TYR	O	115	82.290	32.137	44.576	1.00147.78	O
ATOM	26428	CZ	TYR	O	115	80.985	31.867	44.986	1.00148.89	O
ATOM	26429	OH	TYR	O	115	80.307	32.783	45.759	1.00147.37	O
ATOM	26430	C	TYR	O	115	82.553	30.050	40.396	1.00148.95	O
ATOM	26431	O	TYR	O	115	83.415	30.894	40.636	1.00148.75	O
ATOM	26432	N	ARG	O	116	81.650	30.182	39.429	1.00151.91	O
ATOM	26433	CA	ARG	O	116	81.599	31.357	38.564	1.00154.29	O
ATOM	26434	CB	ARG	O	116	81.078	30.956	37.184	1.00153.72	O
ATOM	26435	CG	ARG	O	116	80.965	32.099	36.192	1.00153.67	O
ATOM	26436	CD	ARG	O	116	80.353	31.608	34.889	1.00154.88	O
ATOM	26437	NE	ARG	O	116	81.152	30.546	34.286	1.00155.00	O
ATOM	26438	CZ	ARG	O	116	80.773	29.831	33.230	1.00154.27	O
ATOM	26439	NH1	ARG	O	116	79.598	30.062	32.656	1.00152.62	O
ATOM	26440	NH2	ARG	O	116	81.570	28.885	32.747	1.00153.86	O
ATOM	26441	C	ARG	O	116	80.715	32.462	39.145	1.00156.06	O
ATOM	26442	O	ARG	O	116	79.486	32.373	39.101	1.00155.96	O
ATOM	26443	N	PRO	O	117	81.335	33.522	39.694	1.00157.49	O
ATOM	26444	CD	PRO	O	117	82.790	33.709	39.829	1.00157.72	O
ATOM	26445	CA	PRO	O	117	80.615	34.652	40.288	1.00157.96	O
ATOM	26446	CB	PRO	O	117	81.730	35.648	40.585	1.00158.12	O
ATOM	26447	CG	PRO	O	117	82.877	34.752	40.918	1.00157.45	O
ATOM	26448	C	PRO	O	117	79.568	35.226	39.343	1.00158.31	O
ATOM	26449	O	PRO	O	117	79.907	35.851	38.340	1.00158.02	O
ATOM	26450	N	ALA	O	118	78.298	35.002	39.663	1.00158.58	O
ATOM	26451	CA	ALA	O	118	77.207	35.507	38.842	1.00158.79	O
ATOM	26452	CB	ALA	O	118	75.881	34.943	39.335	1.00157.24	O
ATOM	26453	C	ALA	O	118	77.202	37.031	38.921	1.00160.02	O
ATOM	26454	O	ALA	O	118	76.372	37.620	39.610	1.00159.94	O
ATOM	26455	N	LYS	O	119	78.142	37.655	38.213	1.00162.06	O
ATOM	26456	CA	LYS	O	119	78.283	39.112	38.185	1.00163.72	O
ATOM	26457	CB	LYS	O	119	78.561	39.642	39.598	1.00164.20	O

ATOM	26458	CG	LYS	O	119	78.236	41.115	39.807	1.00164.49	O
ATOM	26459	CD	LYS	O	119	76.733	41.334	39.804	1.00165.13	O
ATOM	26460	CE	LYS	O	119	76.369	42.755	40.199	1.00165.82	O
ATOM	26461	NZ	LYS	O	119	74.892	42.930	40.323	1.00166.66	O
ATOM	26462	C	LYS	O	119	79.454	39.476	37.268	1.00164.65	O
ATOM	26463	O	LYS	O	119	79.986	40.585	37.337	1.00165.09	O
ATOM	26464	N	LEU	O	120	79.849	38.532	36.415	1.00164.98	O
ATOM	26465	CA	LEU	O	120	80.968	38.723	35.495	1.00165.24	O
ATOM	26466	CB	LEU	O	120	81.637	37.374	35.211	1.00164.29	O
ATOM	26467	CG	LEU	O	120	82.089	36.575	36.440	1.00163.44	O
ATOM	26468	CD1	LEU	O	120	82.708	35.260	35.995	1.00163.15	O
ATOM	26469	CD2	LEU	O	120	83.089	37.386	37.256	1.00162.62	O
ATOM	26470	C	LEU	O	120	80.559	39.390	34.182	1.00165.69	O
ATOM	26471	O	LEU	O	120	79.500	39.097	33.622	1.00165.21	O
ATOM	26472	N	ALA	O	121	81.414	40.288	33.701	1.00166.62	O
ATOM	26473	CA	ALA	O	121	81.168	41.018	32.461	1.00167.36	O
ATOM	26474	CB	ALA	O	121	82.150	42.180	32.338	1.00167.18	O
ATOM	26475	C	ALA	O	121	81.293	40.102	31.248	1.00168.01	O
ATOM	26476	O	ALA	O	121	80.296	39.560	30.763	1.00168.19	O
ATOM	26477	N	LEU	O	122	82.519	39.944	30.758	1.00167.78	O
ATOM	26478	CA	LEU	O	122	82.788	39.096	29.603	1.00167.76	O
ATOM	26479	CB	LEU	O	122	84.294	38.847	29.484	1.00166.84	O
ATOM	26480	CG	LEU	O	122	84.725	37.732	28.530	1.00166.34	O
ATOM	26481	CD1	LEU	O	122	84.202	38.022	27.140	1.00165.75	O
ATOM	26482	CD2	LEU	O	122	86.236	37.622	28.520	1.00166.29	O
ATOM	26483	C	LEU	O	122	82.057	37.758	29.698	1.00168.38	O
ATOM	26484	O	LEU	O	122	82.423	36.905	30.506	1.00168.79	O
ATOM	26485	N	PRO	O	123	81.015	37.557	28.872	1.00168.81	O
ATOM	26486	CD	PRO	O	123	80.542	38.417	27.773	1.00168.92	O
ATOM	26487	CA	PRO	O	123	80.267	36.295	28.904	1.00169.30	O
ATOM	26488	CB	PRO	O	123	79.197	36.504	27.835	1.00168.84	O
ATOM	26489	CG	PRO	O	123	79.869	37.418	26.862	1.00168.72	O
ATOM	26490	C	PRO	O	123	81.185	35.099	28.609	1.00169.69	O
ATOM	26491	O	PRO	O	123	82.119	35.204	27.809	1.00169.70	O
ATOM	26492	N	PRO	O	124	80.920	33.944	29.247	1.00169.33	O
ATOM	26493	CD	PRO	O	124	79.695	33.646	30.009	1.00168.79	O
ATOM	26494	CA	PRO	O	124	81.723	32.727	29.066	1.00168.50	O
ATOM	26495	CB	PRO	O	124	80.883	31.650	29.763	1.00167.83	O
ATOM	26496	CG	PRO	O	124	79.488	32.193	29.700	1.00168.04	O
ATOM	26497	C	PRO	O	124	82.088	32.351	27.628	1.00168.01	O
ATOM	26498	O	PRO	O	124	83.224	31.964	27.350	1.00167.61	O
ATOM	26499	N	ASP	O	125	81.127	32.473	26.720	1.00167.87	O
ATOM	26500	CA	ASP	O	125	81.341	32.133	25.315	1.00167.73	O
ATOM	26501	CB	ASP	O	125	80.022	32.256	24.549	1.00168.62	O
ATOM	26502	CG	ASP	O	125	79.378	33.621	24.712	1.00169.21	O
ATOM	26503	OD1	ASP	O	125	80.019	34.631	24.352	1.00169.62	O
ATOM	26504	OD2	ASP	O	125	78.227	33.683	25.197	1.00169.55	O
ATOM	26505	C	ASP	O	125	82.404	32.983	24.621	1.00167.15	O
ATOM	26506	O	ASP	O	125	83.101	32.509	23.722	1.00166.33	O
ATOM	26507	N	GLN	O	126	82.523	34.237	25.042	1.00167.31	O
ATOM	26508	CA	GLN	O	126	83.482	35.168	24.455	1.00167.13	O
ATOM	26509	CB	GLN	O	126	82.883	36.577	24.490	1.00166.85	O
ATOM	26510	CG	GLN	O	126	83.645	37.633	23.711	1.00166.52	O
ATOM	26511	CD	GLN	O	126	82.937	38.977	23.723	1.00166.34	O
ATOM	26512	OE1	GLN	O	126	83.452	39.969	23.204	1.00166.44	O
ATOM	26513	NE2	GLN	O	126	81.748	39.015	24.314	1.00166.04	O
ATOM	26514	C	GLN	O	126	84.825	35.137	25.189	1.00166.81	O
ATOM	26515	O	GLN	O	126	85.539	36.140	25.251	1.00166.00	O

ATOM	26516	N	ALA	O	127	85.172	33.973	25.728	1.00167.07	O
ATOM	26517	CA	ALA	O	127	86.414	33.817	26.475	1.00167.30	O
ATOM	26518	CB	ALA	O	127	86.145	33.028	27.752	1.00166.89	O
ATOM	26519	C	ALA	O	127	87.555	33.162	25.692	1.00167.65	O
ATOM	26520	O	ALA	O	127	88.701	33.604	25.778	1.00168.44	O
ATOM	26521	N	ALA	O	128	87.246	32.114	24.934	1.00167.64	O
ATOM	26522	CA	ALA	O	128	88.260	31.392	24.162	1.00167.32	O
ATOM	26523	CB	ALA	O	128	87.617	30.210	23.440	1.00166.97	O
ATOM	26524	C	ALA	O	128	89.049	32.241	23.163	1.00167.66	O
ATOM	26525	O	ALA	O	128	90.188	31.904	22.831	1.00167.63	O
ATOM	26526	N	GLU	O	129	88.456	33.332	22.679	1.00168.09	O
ATOM	26527	CA	GLU	O	129	89.142	34.198	21.716	1.00167.95	O
ATOM	26528	CB	GLU	O	129	88.159	35.163	21.046	1.00166.71	O
ATOM	26529	CG	GLU	O	129	86.747	34.642	20.870	1.00165.00	O
ATOM	26530	CD	GLU	O	129	85.783	35.239	21.881	1.00164.85	O
ATOM	26531	OE1	GLU	O	129	84.580	34.914	21.813	1.00165.47	O
ATOM	26532	OE2	GLU	O	129	86.226	36.034	22.738	1.00163.58	O
ATOM	26533	C	GLU	O	129	90.215	35.019	22.428	1.00168.62	O
ATOM	26534	O	GLU	O	129	91.310	35.239	21.897	1.00168.40	O
ATOM	26535	N	LYS	O	130	89.880	35.468	23.635	1.00169.15	O
ATOM	26536	CA	LYS	O	130	90.769	36.278	24.462	1.00169.05	O
ATOM	26537	CB	LYS	O	130	90.045	36.674	25.752	1.00167.30	O
ATOM	26538	CG	LYS	O	130	88.598	37.099	25.551	1.00164.30	O
ATOM	26539	CD	LYS	O	130	88.497	38.283	24.609	1.00161.55	O
ATOM	26540	CE	LYS	O	130	87.053	38.652	24.343	1.00159.97	O
ATOM	26541	NZ	LYS	O	130	86.962	39.794	23.399	1.00157.92	O
ATOM	26542	C	LYS	O	130	92.069	35.560	24.816	1.00169.75	O
ATOM	26543	O	LYS	O	130	92.909	36.105	25.529	1.00169.80	O
ATOM	26544	N	LEU	O	131	92.233	34.339	24.319	1.00170.60	O
ATOM	26545	CA	LEU	O	131	93.430	33.562	24.604	1.00171.11	O
ATOM	26546	CB	LEU	O	131	93.128	32.065	24.480	1.00170.31	O
ATOM	26547	CG	LEU	O	131	94.216	31.074	24.907	1.00169.06	O
ATOM	26548	CD1	LEU	O	131	94.570	31.281	26.373	1.00168.64	O
ATOM	26549	CD2	LEU	O	131	93.717	29.654	24.683	1.00168.44	O
ATOM	26550	C	LEU	O	131	94.574	33.940	23.671	1.00172.05	O
ATOM	26551	O	LEU	O	131	94.545	33.643	22.476	1.00172.20	O
ATOM	26552	N	ARG	O	132	95.574	34.613	24.231	1.00173.08	O
ATOM	26553	CA	ARG	O	132	96.753	35.027	23.479	1.00173.91	O
ATOM	26554	CB	ARG	O	132	97.167	36.445	23.881	1.00173.97	O
ATOM	26555	CG	ARG	O	132	96.040	37.473	23.830	1.00173.47	O
ATOM	26556	CD	ARG	O	132	96.415	38.716	24.638	1.00173.48	O
ATOM	26557	NE	ARG	O	132	95.262	39.563	24.936	1.00172.97	O
ATOM	26558	CZ	ARG	O	132	95.267	40.540	25.840	1.00172.00	O
ATOM	26559	NH1	ARG	O	132	96.368	40.797	26.540	1.00171.27	O
ATOM	26560	NH2	ARG	O	132	94.171	41.258	26.051	1.00171.56	O
ATOM	26561	C	ARG	O	132	97.849	34.030	23.850	1.00174.56	O
ATOM	26562	O	ARG	O	132	97.585	33.072	24.577	1.00174.47	O
ATOM	26563	N	PHE	O	133	99.069	34.241	23.364	1.00175.87	O
ATOM	26564	CA	PHE	O	133	100.160	33.314	23.667	1.00176.74	O
ATOM	26565	CB	PHE	O	133	100.326	32.297	22.528	1.00179.22	O
ATOM	26566	CG	PHE	O	133	99.115	31.438	22.291	1.00180.94	O
ATOM	26567	CD1	PHE	O	133	97.973	31.966	21.694	1.00181.33	O
ATOM	26568	CD2	PHE	O	133	99.115	30.099	22.668	1.00181.60	O
ATOM	26569	CE1	PHE	O	133	96.850	31.174	21.479	1.00181.73	O
ATOM	26570	CE2	PHE	O	133	97.997	29.300	22.456	1.00182.20	O
ATOM	26571	CZ	PHE	O	133	96.862	29.840	21.860	1.00182.29	O
ATOM	26572	C	PHE	O	133	101.517	33.962	23.934	1.00175.65	O
ATOM	26573	O	PHE	O	133	101.615	35.131	24.300	1.00175.33	O

ATOM	26574	N	ARG	O	134	102.559	33.159	23.747	1.00174.49	O
ATOM	26575	CA	ARG	O	134	103.949	33.558	23.934	1.00174.21	O
ATOM	26576	CB	ARG	O	134	104.244	33.837	25.402	1.00172.21	O
ATOM	26577	CG	ARG	O	134	105.702	34.165	25.679	1.00169.32	O
ATOM	26578	CD	ARG	O	134	105.961	34.181	27.166	1.00167.25	O
ATOM	26579	NE	ARG	O	134	104.981	35.014	27.853	1.00165.87	O
ATOM	26580	CZ	ARG	O	134	104.849	35.075	29.174	1.00164.95	O
ATOM	26581	NH1	ARG	O	134	105.640	34.350	29.955	1.00163.57	O
ATOM	26582	NH2	ARG	O	134	103.925	35.859	29.713	1.00163.91	O
ATOM	26583	C	ARG	O	134	104.751	32.352	23.487	1.00175.36	O
ATOM	26584	O	ARG	O	134	105.240	31.578	24.311	1.00175.55	O
ATOM	26585	N	ARG	O	135	104.884	32.198	22.175	1.00177.06	O
ATOM	26586	CA	ARG	O	135	105.584	31.053	21.618	1.00178.58	O
ATOM	26587	CB	ARG	O	135	104.947	30.683	20.272	1.00179.28	O
ATOM	26588	CG	ARG	O	135	105.371	31.522	19.075	1.00179.63	O
ATOM	26589	CD	ARG	O	135	106.328	30.699	18.241	1.00179.80	O
ATOM	26590	NE	ARG	O	135	105.789	29.351	18.113	1.00179.13	O
ATOM	26591	CZ	ARG	O	135	106.517	28.255	17.939	1.00178.30	O
ATOM	26592	NH1	ARG	O	135	105.910	27.080	17.844	1.00178.35	O
ATOM	26593	NH2	ARG	O	135	107.843	28.328	17.862	1.00177.40	O
ATOM	26594	C	ARG	O	135	107.098	31.208	21.476	1.00179.20	O
ATOM	26595	O	ARG	O	135	107.583	32.054	20.723	1.00179.36	O
ATOM	26596	N	SER	O	136	107.832	30.380	22.217	1.00179.60	O
ATOM	26597	CA	SER	O	136	109.294	30.380	22.189	1.00180.23	O
ATOM	26598	CB	SER	O	136	109.858	30.165	23.601	1.00179.25	O
ATOM	26599	OG	SER	O	136	109.480	31.205	24.485	1.00178.13	O
ATOM	26600	C	SER	O	136	109.766	29.245	21.276	1.00180.94	O
ATOM	26601	O	SER	O	136	109.248	29.063	20.171	1.00181.49	O
ATOM	26602	N	ALA	O	137	110.753	28.489	21.742	1.00181.06	O
ATOM	26603	CA	ALA	O	137	111.285	27.361	20.987	1.00180.96	O
ATOM	26604	CB	ALA	O	137	112.744	27.607	20.626	1.00180.76	O
ATOM	26605	C	ALA	O	137	111.160	26.135	21.883	1.00180.89	O
ATOM	26606	O	ALA	O	137	111.464	25.011	21.477	1.00181.21	O
ATOM	26607	N	ASN	O	138	110.708	26.379	23.112	1.00180.31	O
ATOM	26608	CA	ASN	O	138	110.513	25.332	24.108	1.00179.19	O
ATOM	26609	CB	ASN	O	138	111.871	24.816	24.615	1.00179.80	O
ATOM	26610	CG	ASN	O	138	112.732	25.912	25.240	1.00180.84	O
ATOM	26611	OD1	ASN	O	138	112.302	26.624	26.152	1.00181.85	O
ATOM	26612	ND2	ASN	O	138	113.961	26.040	24.754	1.00180.97	O
ATOM	26613	C	ASN	O	138	109.669	25.815	25.293	1.00177.92	O
ATOM	26614	O	ASN	O	138	109.360	25.038	26.198	1.00177.72	O
ATOM	26615	N	SER	O	139	109.289	27.090	25.286	1.00176.27	O
ATOM	26616	CA	SER	O	139	108.498	27.644	26.381	1.00174.70	O
ATOM	26617	CB	SER	O	139	109.378	28.550	27.249	1.00173.58	O
ATOM	26618	OG	SER	O	139	110.439	27.817	27.834	1.00171.66	O
ATOM	26619	C	SER	O	139	107.261	28.418	25.930	1.00174.30	O
ATOM	26620	O	SER	O	139	107.126	29.607	26.225	1.00174.61	O
ATOM	26621	N	LEU	O	140	106.359	27.746	25.218	1.00173.15	O
ATOM	26622	CA	LEU	O	140	105.129	28.385	24.752	1.00171.75	O
ATOM	26623	CB	LEU	O	140	104.354	27.437	23.827	1.00170.66	O
ATOM	26624	CG	LEU	O	140	103.153	27.994	23.053	1.00169.63	O
ATOM	26625	CD1	LEU	O	140	102.689	26.960	22.038	1.00168.81	O
ATOM	26626	CD2	LEU	O	140	102.025	28.358	24.008	1.00169.19	O
ATOM	26627	C	LEU	O	140	104.299	28.718	25.989	1.00170.93	O
ATOM	26628	O	LEU	O	140	104.109	27.870	26.858	1.00170.95	O
ATOM	26629	N	THR	O	141	103.803	29.949	26.067	1.00170.13	O
ATOM	26630	CA	THR	O	141	103.029	30.373	27.226	1.00169.39	O
ATOM	26631	CB	THR	O	141	103.658	31.622	27.876	1.00169.62	O

ATOM	26632	OG1	THR	O	141	105.041	31.369	28.155	1.00170.69	O
ATOM	26633	CG2	THR	O	141	102.934	31.975	29.171	1.00169.11	O
ATOM	26634	C	THR	O	141	101.562	30.680	26.943	1.00168.81	O
ATOM	26635	O	THR	O	141	101.233	31.704	26.337	1.00168.71	O
ATOM	26636	N	LEU	O	142	100.686	29.787	27.394	1.00168.06	O
ATOM	26637	CA	LEU	O	142	99.247	29.967	27.229	1.00166.85	O
ATOM	26638	CB	LEU	O	142	98.499	28.661	27.534	1.00168.08	O
ATOM	26639	CG	LEU	O	142	98.664	27.443	26.614	1.00168.66	O
ATOM	26640	CD1	LEU	O	142	98.009	27.725	25.278	1.00168.65	O
ATOM	26641	CD2	LEU	O	142	100.138	27.105	26.436	1.00169.28	O
ATOM	26642	C	LEU	O	142	98.830	31.043	28.229	1.00165.02	O
ATOM	26643	O	LEU	O	142	99.071	30.911	29.428	1.00162.97	O
ATOM	26644	N	ILE	O	143	98.211	32.110	27.737	1.00164.12	O
ATOM	26645	CA	ILE	O	143	97.786	33.205	28.602	1.00162.61	O
ATOM	26646	CB	ILE	O	143	98.664	34.468	28.348	1.00162.73	O
ATOM	26647	CG2	ILE	O	143	98.902	34.651	26.858	1.00162.24	O
ATOM	26648	CG1	ILE	O	143	98.010	35.710	28.963	1.00162.54	O
ATOM	26649	CD1	ILE	O	143	97.961	35.706	30.479	1.00162.32	O
ATOM	26650	C	ILE	O	143	96.303	33.560	28.458	1.00160.89	O
ATOM	26651	O	ILE	O	143	95.817	33.849	27.364	1.00160.12	O
ATOM	26652	N	ASN	O	144	95.594	33.532	29.582	1.00159.34	O
ATOM	26653	CA	ASN	O	144	94.173	33.847	29.613	1.00158.14	O
ATOM	26654	CB	ASN	O	144	93.372	32.617	30.044	1.00158.44	O
ATOM	26655	CG	ASN	O	144	91.985	32.972	30.542	1.00158.38	O
ATOM	26656	OD1	ASN	O	144	91.239	33.685	29.874	1.00158.30	O
ATOM	26657	ND2	ASN	O	144	91.632	32.471	31.721	1.00156.81	O
ATOM	26658	C	ASN	O	144	93.866	35.011	30.551	1.00157.44	O
ATOM	26659	O	ASN	O	144	94.060	34.914	31.763	1.00156.60	O
ATOM	26660	N	PRO	O	145	93.388	36.134	29.992	1.00157.35	O
ATOM	26661	CD	PRO	O	145	93.425	36.425	28.547	1.00157.30	O
ATOM	26662	CA	PRO	O	145	93.040	37.341	30.745	1.00157.34	O
ATOM	26663	CB	PRO	O	145	93.363	38.450	29.757	1.00157.10	O
ATOM	26664	CG	PRO	O	145	92.886	37.850	28.480	1.00157.21	O
ATOM	26665	C	PRO	O	145	91.574	37.379	31.186	1.00157.07	O
ATOM	26666	O	PRO	O	145	91.134	38.339	31.815	1.00156.69	O
ATOM	26667	N	THR	O	146	90.815	36.343	30.845	1.00156.77	O
ATOM	26668	CA	THR	O	146	89.409	36.287	31.224	1.00156.80	O
ATOM	26669	CB	THR	O	146	88.598	35.413	30.251	1.00157.02	O
ATOM	26670	OG1	THR	O	146	88.911	34.031	30.466	1.00157.69	O
ATOM	26671	CG2	THR	O	146	88.932	35.774	28.814	1.00157.76	O
ATOM	26672	C	THR	O	146	89.301	35.680	32.619	1.00157.06	O
ATOM	26673	O	THR	O	146	90.253	35.078	33.115	1.00157.74	O
ATOM	26674	N	PRO	O	147	88.141	35.836	33.274	1.00156.66	O
ATOM	26675	CD	PRO	O	147	87.028	36.729	32.902	1.00156.32	O
ATOM	26676	CA	PRO	O	147	87.939	35.288	34.619	1.00155.88	O
ATOM	26677	CB	PRO	O	147	86.852	36.188	35.185	1.00156.41	O
ATOM	26678	CG	PRO	O	147	86.002	36.438	33.982	1.00156.61	O
ATOM	26679	C	PRO	O	147	87.527	33.813	34.642	1.00155.53	O
ATOM	26680	O	PRO	O	147	87.048	33.318	35.664	1.00154.83	O
ATOM	26681	N	TYR	O	148	87.716	33.116	33.522	1.00155.94	O
ATOM	26682	CA	TYR	O	148	87.346	31.701	33.422	1.00155.74	O
ATOM	26683	CB	TYR	O	148	86.330	31.475	32.289	1.00157.08	O
ATOM	26684	CG	TYR	O	148	85.097	32.354	32.310	1.00158.52	O
ATOM	26685	CD1	TYR	O	148	85.136	33.661	31.818	1.00159.22	O
ATOM	26686	CE1	TYR	O	148	83.996	34.466	31.815	1.00159.59	O
ATOM	26687	CD2	TYR	O	148	83.883	31.872	32.803	1.00159.33	O
ATOM	26688	CE2	TYR	O	148	82.738	32.667	32.805	1.00159.57	O
ATOM	26689	CZ	TYR	O	148	82.800	33.961	32.311	1.00159.63	O

ATOM	26690	OH	TYR	O	148	81.666	34.742	32.317	1.00160.17	O
ATOM	26691	C	TYR	O	148	88.531	30.768	33.165	1.00154.31	O
ATOM	26692	O	TYR	O	148	89.506	31.151	32.515	1.00153.22	O
ATOM	26693	N	TYR	O	149	88.435	29.538	33.671	1.00153.16	O
ATOM	26694	CA	TYR	O	149	89.482	28.540	33.453	1.00152.26	O
ATOM	26695	CB	TYR	O	149	89.389	27.383	34.459	1.00147.97	O
ATOM	26696	CG	TYR	O	149	89.990	27.631	35.827	1.00143.22	O
ATOM	26697	CD1	TYR	O	149	89.246	28.226	36.842	1.00142.16	O
ATOM	26698	CE1	TYR	O	149	89.785	28.420	38.114	1.00138.89	O
ATOM	26699	CD2	TYR	O	149	91.295	27.237	36.114	1.00140.73	O
ATOM	26700	CE2	TYR	O	149	91.846	27.428	37.380	1.00138.26	O
ATOM	26701	CZ	TYR	O	149	91.084	28.020	38.375	1.00138.21	O
ATOM	26702	OH	TYR	O	149	91.608	28.211	39.634	1.00136.61	O
ATOM	26703	C	TYR	O	149	89.262	27.973	32.058	1.00153.92	O
ATOM	26704	O	TYR	O	149	88.340	27.186	31.847	1.00154.28	O
ATOM	26705	N	LEU	O	150	90.100	28.372	31.108	1.00155.75	O
ATOM	26706	CA	LEU	O	150	89.973	27.889	29.737	1.00156.95	O
ATOM	26707	CB	LEU	O	150	90.667	28.849	28.765	1.00157.71	O
ATOM	26708	CG	LEU	O	150	90.262	30.325	28.795	1.00157.97	O
ATOM	26709	CD1	LEU	O	150	91.075	31.085	27.756	1.00157.42	O
ATOM	26710	CD2	LEU	O	150	88.772	30.468	28.522	1.00157.71	O
ATOM	26711	C	LEU	O	150	90.587	26.502	29.595	1.00157.52	O
ATOM	26712	O	LEU	O	150	91.797	26.337	29.736	1.00157.92	O
ATOM	26713	N	THR	O	151	89.753	25.506	29.316	1.00158.14	O
ATOM	26714	CA	THR	O	151	90.239	24.144	29.156	1.00158.83	O
ATOM	26715	CB	THR	O	151	89.122	23.125	29.458	1.00158.56	O
ATOM	26716	OG1	THR	O	151	88.533	23.423	30.731	1.00156.87	O
ATOM	26717	CG2	THR	O	151	89.686	21.713	29.494	1.00158.94	O
ATOM	26718	C	THR	O	151	90.740	23.946	27.725	1.00159.66	O
ATOM	26719	O	THR	O	151	90.028	23.406	26.879	1.00160.15	O
ATOM	26720	N	VAL	O	152	91.968	24.397	27.465	1.00159.91	O
ATOM	26721	CA	VAL	O	152	92.588	24.294	26.144	1.00159.49	O
ATOM	26722	CB	VAL	O	152	93.869	25.160	26.066	1.00158.14	O
ATOM	26723	CG1	VAL	O	152	94.570	24.945	24.734	1.00157.30	O
ATOM	26724	CG2	VAL	O	152	93.516	26.628	26.244	1.00156.86	O
ATOM	26725	C	VAL	O	152	92.946	22.863	25.752	1.00160.26	O
ATOM	26726	O	VAL	O	152	93.654	22.167	26.478	1.00159.60	O
ATOM	26727	N	THR	O	153	92.452	22.437	24.594	1.00161.84	O
ATOM	26728	CA	THR	O	153	92.713	21.094	24.097	1.00163.84	O
ATOM	26729	CB	THR	O	153	91.493	20.173	24.306	1.00164.74	O
ATOM	26730	OG1	THR	O	153	91.760	18.886	23.735	1.00165.81	O
ATOM	26731	CG2	THR	O	153	90.262	20.767	23.649	1.00164.56	O
ATOM	26732	C	THR	O	153	93.062	21.114	22.612	1.00164.71	O
ATOM	26733	O	THR	O	153	92.888	22.128	21.934	1.00163.91	O
ATOM	26734	N	GLU	O	154	93.553	19.978	22.122	1.00166.29	O
ATOM	26735	CA	GLU	O	154	93.948	19.823	20.727	1.00167.83	O
ATOM	26736	CB	GLU	O	154	92.708	19.768	19.832	1.00167.53	O
ATOM	26737	CG	GLU	O	154	91.666	18.751	20.284	1.00166.69	O
ATOM	26738	CD	GLU	O	154	90.544	18.574	19.278	1.00166.71	O
ATOM	26739	OE1	GLU	O	154	89.520	17.943	19.623	1.00165.28	O
ATOM	26740	OE2	GLU	O	154	90.691	19.058	18.136	1.00167.23	O
ATOM	26741	C	GLU	O	154	94.859	20.968	20.290	1.00169.59	O
ATOM	26742	O	GLU	O	154	94.738	21.485	19.177	1.00169.86	O
ATOM	26743	N	LEU	O	155	95.766	21.362	21.182	1.00171.32	O
ATOM	26744	CA	LEU	O	155	96.713	22.441	20.908	1.00172.97	O
ATOM	26745	CB	LEU	O	155	97.417	22.861	22.204	1.00173.88	O
ATOM	26746	CG	LEU	O	155	98.341	24.083	22.167	1.00174.53	O
ATOM	26747	CD1	LEU	O	155	97.563	25.312	21.718	1.00175.39	O

ATOM	26748	CD2	LEU	O	155	98.933	24.312	23.551	1.00174.94	O
ATOM	26749	C	LEU	O	155	97.738	21.964	19.884	1.00173.67	O
ATOM	26750	O	LEU	O	155	98.225	20.837	19.966	1.00173.50	O
ATOM	26751	N	ASN	O	156	98.065	22.821	18.921	1.00174.74	O
ATOM	26752	CA	ASN	O	156	99.022	22.456	17.882	1.00175.77	O
ATOM	26753	CB	ASN	O	156	98.275	21.966	16.639	1.00174.78	O
ATOM	26754	CG	ASN	O	156	97.203	20.947	16.967	1.00173.83	O
ATOM	26755	OD1	ASN	O	156	97.488	19.878	17.506	1.00173.18	O
ATOM	26756	ND2	ASN	O	156	95.958	21.277	16.644	1.00172.99	O
ATOM	26757	C	ASN	O	156	99.936	23.613	17.488	1.00177.14	O
ATOM	26758	O	ASN	O	156	99.473	24.735	17.270	1.00177.25	O
ATOM	26759	N	ALA	O	157	101.234	23.331	17.392	1.00178.15	O
ATOM	26760	CA	ALA	O	157	102.218	24.337	17.000	1.00178.88	O
ATOM	26761	CB	ALA	O	157	103.625	23.850	17.327	1.00177.89	O
ATOM	26762	C	ALA	O	157	102.068	24.549	15.498	1.00179.52	O
ATOM	26763	O	ALA	O	157	103.032	24.854	14.791	1.00179.29	O
ATOM	26764	N	GLY	O	158	100.835	24.387	15.028	1.00180.29	O
ATOM	26765	CA	GLY	O	158	100.530	24.528	13.619	1.00180.94	O
ATOM	26766	C	GLY	O	158	100.339	23.145	13.028	1.00181.05	O
ATOM	26767	O	GLY	O	158	99.249	22.792	12.576	1.00180.88	O
ATOM	26768	N	THR	O	159	101.413	22.361	13.050	1.00181.06	O
ATOM	26769	CA	THR	O	159	101.406	21.000	12.526	1.00180.85	O
ATOM	26770	CB	THR	O	159	102.441	20.833	11.394	1.00179.89	O
ATOM	26771	OG1	THR	O	159	103.746	21.163	11.886	1.00179.35	O
ATOM	26772	CG2	THR	O	159	102.105	21.746	10.227	1.00178.74	O
ATOM	26773	C	THR	O	159	101.758	20.028	13.647	1.00181.10	O
ATOM	26774	O	THR	O	159	101.248	18.908	13.703	1.00181.11	O
ATOM	26775	N	ARG	O	160	102.636	20.476	14.539	1.00181.03	O
ATOM	26776	CA	ARG	O	160	103.082	19.671	15.667	1.00181.02	O
ATOM	26777	CB	ARG	O	160	104.447	20.177	16.140	1.00182.01	O
ATOM	26778	CG	ARG	O	160	104.937	19.587	17.450	1.00183.23	O
ATOM	26779	CD	ARG	O	160	104.913	18.065	17.462	1.00184.37	O
ATOM	26780	NE	ARG	O	160	105.715	17.545	18.563	1.00185.67	O
ATOM	26781	CZ	ARG	O	160	105.674	16.290	19.001	1.00186.34	O
ATOM	26782	NH1	ARG	O	160	104.862	15.402	18.438	1.00186.33	O
ATOM	26783	NH2	ARG	O	160	106.451	15.924	20.013	1.00186.99	O
ATOM	26784	C	ARG	O	160	102.074	19.707	16.814	1.00180.41	O
ATOM	26785	O	ARG	O	160	101.864	20.752	17.432	1.00180.54	O
ATOM	26786	N	VAL	O	161	101.459	18.558	17.091	1.00178.91	O
ATOM	26787	CA	VAL	O	161	100.465	18.440	18.157	1.00176.91	O
ATOM	26788	CB	VAL	O	161	99.652	17.124	18.032	1.00176.51	O
ATOM	26789	CG1	VAL	O	161	100.571	15.919	18.182	1.00176.23	O
ATOM	26790	CG2	VAL	O	161	98.554	17.089	19.085	1.00175.11	O
ATOM	26791	C	VAL	O	161	101.096	18.490	19.545	1.00175.49	O
ATOM	26792	O	VAL	O	161	102.101	17.830	19.812	1.00174.73	O
ATOM	26793	N	LEU	O	162	100.493	19.279	20.427	1.00174.36	O
ATOM	26794	CA	LEU	O	162	100.988	19.427	21.789	1.00172.65	O
ATOM	26795	CB	LEU	O	162	101.066	20.909	22.164	1.00173.73	O
ATOM	26796	CG	LEU	O	162	102.062	21.751	21.367	1.00174.22	O
ATOM	26797	CD1	LEU	O	162	102.091	23.180	21.899	1.00173.67	O
ATOM	26798	CD2	LEU	O	162	103.435	21.116	21.475	1.00174.05	O
ATOM	26799	C	LEU	O	162	100.117	18.693	22.798	1.00170.69	O
ATOM	26800	O	LEU	O	162	99.403	17.749	22.452	1.00170.43	O
ATOM	26801	N	GLU	O	163	100.180	19.139	24.049	1.00168.58	O
ATOM	26802	CA	GLU	O	163	99.406	18.529	25.117	1.00166.43	O
ATOM	26803	CB	GLU	O	163	100.346	17.993	26.195	1.00166.16	O
ATOM	26804	CG	GLU	O	163	99.673	17.090	27.201	1.00165.57	O
ATOM	26805	CD	GLU	O	163	100.668	16.241	27.955	1.00165.52	O

ATOM	26806	OE1	GLU	O	163	101.454	15.530	27.293	1.00165.27	O
ATOM	26807	OE2	GLU	O	163	100.661	16.281	29.203	1.00165.40	O
ATOM	26808	C	GLU	O	163	98.426	19.532	25.720	1.00165.01	O
ATOM	26809	O	GLU	O	163	98.718	20.726	25.809	1.00164.65	O
ATOM	26810	N	ASN	O	164	97.264	19.029	26.127	1.00163.54	O
ATOM	26811	CA	ASN	O	164	96.205	19.847	26.713	1.00161.67	O
ATOM	26812	CB	ASN	O	164	95.082	18.944	27.236	1.00160.05	O
ATOM	26813	CG	ASN	O	164	94.551	17.999	26.174	1.00158.54	O
ATOM	26814	OD1	ASN	O	164	93.975	18.428	25.175	1.00156.89	O
ATOM	26815	ND2	ASN	O	164	94.750	16.702	26.385	1.00157.41	O
ATOM	26816	C	ASN	O	164	96.709	20.742	27.843	1.00160.57	O
ATOM	26817	O	ASN	O	164	97.839	20.591	28.310	1.00160.88	O
ATOM	26818	N	ALA	O	165	95.862	21.669	28.281	1.00158.83	O
ATOM	26819	CA	ALA	O	165	96.224	22.589	29.353	1.00156.88	O
ATOM	26820	CB	ALA	O	165	97.129	23.681	28.808	1.00157.29	O
ATOM	26821	C	ALA	O	165	94.992	23.210	30.004	1.00155.49	O
ATOM	26822	O	ALA	O	165	93.915	23.238	29.412	1.00156.11	O
ATOM	26823	N	LEU	O	166	95.162	23.706	31.226	1.00153.74	O
ATOM	26824	CA	LEU	O	166	94.071	24.334	31.966	1.00152.80	O
ATOM	26825	CB	LEU	O	166	93.671	23.457	33.159	1.00149.17	O
ATOM	26826	CG	LEU	O	166	92.589	24.020	34.087	1.00146.18	O
ATOM	26827	CD1	LEU	O	166	91.294	24.197	33.319	1.00145.52	O
ATOM	26828	CD2	LEU	O	166	92.382	23.093	35.266	1.00143.32	O
ATOM	26829	C	LEU	O	166	94.484	25.727	32.454	1.00154.09	O
ATOM	26830	O	LEU	O	166	94.873	25.903	33.608	1.00154.22	O
ATOM	26831	N	VAL	O	167	94.395	26.712	31.565	1.00155.73	O
ATOM	26832	CA	VAL	O	167	94.763	28.086	31.888	1.00157.07	O
ATOM	26833	CB	VAL	O	167	94.800	28.962	30.614	1.00156.63	O
ATOM	26834	CG1	VAL	O	167	95.472	30.288	30.915	1.00157.35	O
ATOM	26835	CG2	VAL	O	167	95.533	28.231	29.500	1.00155.51	O
ATOM	26836	C	VAL	O	167	93.784	28.707	32.885	1.00158.57	O
ATOM	26837	O	VAL	O	167	92.606	28.890	32.583	1.00158.19	O
ATOM	26838	N	PRO	O	168	94.266	29.036	34.093	1.00160.51	O
ATOM	26839	CD	PRO	O	168	95.657	28.851	34.545	1.00160.40	O
ATOM	26840	CA	PRO	O	168	93.451	29.638	35.154	1.00162.84	O
ATOM	26841	CB	PRO	O	168	94.388	29.602	36.358	1.00162.20	O
ATOM	26842	CG	PRO	O	168	95.732	29.781	35.728	1.00160.58	O
ATOM	26843	C	PRO	O	168	92.972	31.059	34.828	1.00165.43	O
ATOM	26844	O	PRO	O	168	93.512	31.716	33.936	1.00166.06	O
ATOM	26845	N	PRO	O	169	91.944	31.545	35.551	1.00167.26	O
ATOM	26846	CD	PRO	O	169	91.185	30.797	36.565	1.00167.72	O
ATOM	26847	CA	PRO	O	169	91.365	32.881	35.370	1.00169.01	O
ATOM	26848	CB	PRO	O	169	90.253	32.923	36.416	1.00168.28	O
ATOM	26849	CG	PRO	O	169	89.851	31.500	36.541	1.00167.87	O
ATOM	26850	C	PRO	O	169	92.407	33.964	35.617	1.00171.16	O
ATOM	26851	O	PRO	O	169	93.032	33.998	36.677	1.00171.06	O
ATOM	26852	N	MET	O	170	92.585	34.848	34.640	1.00173.46	O
ATOM	26853	CA	MET	O	170	93.560	35.925	34.763	1.00174.98	O
ATOM	26854	CB	MET	O	170	93.144	36.878	35.886	1.00175.83	O
ATOM	26855	CG	MET	O	170	91.932	37.722	35.547	1.00176.04	O
ATOM	26856	SD	MET	O	170	91.111	38.377	37.007	1.00177.18	O
ATOM	26857	CE	MET	O	170	89.640	37.389	37.004	1.00175.38	O
ATOM	26858	C	MET	O	170	94.935	35.342	35.052	1.00175.34	O
ATOM	26859	O	MET	O	170	95.735	35.928	35.783	1.00175.49	O
ATOM	26860	N	GLY	O	171	95.198	34.177	34.470	1.00175.56	O
ATOM	26861	CA	GLY	O	171	96.473	33.520	34.669	1.00176.21	O
ATOM	26862	C	GLY	O	171	97.046	33.033	33.357	1.00177.10	O
ATOM	26863	O	GLY	O	171	96.560	33.390	32.284	1.00177.32	O

ATOM	26864	N	GLU	O	172	98.086	32.212	33.446	1.00177.98	O
ATOM	26865	CA	GLU	O	172	98.741	31.666	32.268	1.00178.63	O
ATOM	26866	CB	GLU	O	172	99.810	32.649	31.768	1.00179.41	O
ATOM	26867	CG	GLU	O	172	100.659	33.275	32.877	1.00180.08	O
ATOM	26868	CD	GLU	O	172	101.503	34.447	32.391	1.00179.85	O
ATOM	26869	OE1	GLU	O	172	102.390	34.229	31.537	1.00179.72	O
ATOM	26870	OE2	GLU	O	172	101.274	35.584	32.863	1.00179.06	O
ATOM	26871	C	GLU	O	172	99.359	30.308	32.573	1.00178.90	O
ATOM	26872	O	GLU	O	172	99.531	29.940	33.736	1.00177.99	O
ATOM	26873	N	SER	O	173	99.682	29.565	31.521	1.00180.15	O
ATOM	26874	CA	SER	O	173	100.278	28.243	31.671	1.00181.60	O
ATOM	26875	CB	SER	O	173	99.176	27.196	31.845	1.00181.21	O
ATOM	26876	OG	SER	O	173	98.372	27.501	32.973	1.00180.34	O
ATOM	26877	C	SER	O	173	101.140	27.908	30.456	1.00182.69	O
ATOM	26878	O	SER	O	173	100.701	28.045	29.314	1.00182.71	O
ATOM	26879	N	ALA	O	174	102.369	27.468	30.707	1.00183.96	O
ATOM	26880	CA	ALA	O	174	103.291	27.138	29.628	1.00184.80	O
ATOM	26881	CB	ALA	O	174	104.688	27.652	29.974	1.00185.44	O
ATOM	26882	C	ALA	O	174	103.359	25.648	29.292	1.00184.93	O
ATOM	26883	O	ALA	O	174	103.602	24.810	30.162	1.00184.72	O
ATOM	26884	N	VAL	O	175	103.144	25.333	28.020	1.00185.01	O
ATOM	26885	CA	VAL	O	175	103.205	23.964	27.538	1.00185.40	O
ATOM	26886	CB	VAL	O	175	102.005	23.645	26.632	1.00184.74	O
ATOM	26887	CG1	VAL	O	175	102.076	22.201	26.154	1.00183.64	O
ATOM	26888	CG2	VAL	O	175	100.701	23.896	27.363	1.00184.27	O
ATOM	26889	C	VAL	O	175	104.494	23.800	26.748	1.00186.44	O
ATOM	26890	O	VAL	O	175	104.962	24.745	26.112	1.00185.81	O
ATOM	26891	N	LYS	O	176	105.060	22.599	26.804	1.00188.44	O
ATOM	26892	CA	LYS	O	176	106.321	22.298	26.128	1.00190.82	O
ATOM	26893	CB	LYS	O	176	106.720	20.830	26.354	1.00190.29	O
ATOM	26894	CG	LYS	O	176	107.073	20.514	27.799	1.00189.76	O
ATOM	26895	CD	LYS	O	176	105.855	20.649	28.694	1.00190.08	O
ATOM	26896	CE	LYS	O	176	106.267	20.942	30.128	1.00190.85	O
ATOM	26897	NZ	LYS	O	176	106.929	22.291	30.235	1.00190.80	O
ATOM	26898	C	LYS	O	176	106.307	22.580	24.622	1.00192.80	O
ATOM	26899	O	LYS	O	176	105.716	21.831	23.847	1.00193.42	O
ATOM	26900	N	LEU	O	177	106.966	23.657	24.202	1.00194.42	O
ATOM	26901	CA	LEU	O	177	107.047	24.002	22.785	1.00195.48	O
ATOM	26902	CB	LEU	O	177	107.376	25.487	22.626	1.00196.62	O
ATOM	26903	CG	LEU	O	177	107.373	26.048	21.197	1.00197.41	O
ATOM	26904	CD1	LEU	O	177	106.305	25.363	20.341	1.00197.25	O
ATOM	26905	CD2	LEU	O	177	107.097	27.551	21.248	1.00198.08	O
ATOM	26906	C	LEU	O	177	108.131	23.121	22.177	1.00195.81	O
ATOM	26907	O	LEU	O	177	109.322	23.315	22.413	1.00195.48	O
ATOM	26908	N	PRO	O	178	107.711	22.137	21.374	1.00196.53	O
ATOM	26909	CD	PRO	O	178	106.318	22.091	20.893	1.00196.80	O
ATOM	26910	CA	PRO	O	178	108.515	21.136	20.672	1.00197.24	O
ATOM	26911	CB	PRO	O	178	107.461	20.340	19.916	1.00197.06	O
ATOM	26912	CG	PRO	O	178	106.460	21.395	19.568	1.00197.17	O
ATOM	26913	C	PRO	O	178	109.629	21.620	19.745	1.00197.81	O
ATOM	26914	O	PRO	O	178	110.556	20.862	19.439	1.00198.11	O
ATOM	26915	N	SER	O	179	109.547	22.868	19.296	1.00197.88	O
ATOM	26916	CA	SER	O	179	110.539	23.424	18.368	1.00197.57	O
ATOM	26917	CB	SER	O	179	111.975	23.140	18.841	1.00197.03	O
ATOM	26918	OG	SER	O	179	112.938	23.800	18.028	1.00197.04	O
ATOM	26919	C	SER	O	179	110.320	22.877	16.960	1.00197.45	O
ATOM	26920	O	SER	O	179	111.119	23.112	16.042	1.00197.25	O
ATOM	26921	N	ASP	O	180	109.235	22.116	16.823	1.00196.98	O

ATOM	26922	CA	ASP	O	180	108.794	21.542	15.545	1.00195.90	O
ATOM	26923	CB	ASP	O	180	108.349	20.085	15.734	1.00195.60	O
ATOM	26924	CG	ASP	O	180	109.455	19.194	16.269	1.00194.53	O
ATOM	26925	OD1	ASP	O	180	109.183	17.988	16.504	1.00193.62	O
ATOM	26926	OD2	ASP	O	180	110.591	19.686	16.455	1.00193.81	O
ATOM	26927	C	ASP	O	180	107.598	22.449	15.297	1.00194.99	O
ATOM	26928	O	ASP	O	180	106.558	22.067	14.774	1.00194.82	O
ATOM	26929	N	ALA	O	181	107.835	23.685	15.712	1.00194.17	O
ATOM	26930	CA	ALA	O	181	106.921	24.817	15.712	1.00193.40	O
ATOM	26931	CB	ALA	O	181	107.615	25.967	16.348	1.00192.89	O
ATOM	26932	C	ALA	O	181	106.310	25.295	14.398	1.00192.76	O
ATOM	26933	O	ALA	O	181	105.842	24.510	13.573	1.00193.06	O
ATOM	26934	N	GLY	O	182	106.266	26.624	14.280	1.00191.57	O
ATOM	26935	CA	GLY	O	182	105.703	27.324	13.139	1.00190.09	O
ATOM	26936	C	GLY	O	182	105.312	28.694	13.663	1.00189.26	O
ATOM	26937	O	GLY	O	182	106.126	29.619	13.684	1.00188.47	O
ATOM	26938	N	SER	O	183	104.065	28.792	14.105	1.00189.42	O
ATOM	26939	CA	SER	O	183	103.485	30.006	14.658	1.00189.65	O
ATOM	26940	CB	SER	O	183	104.081	31.271	14.025	1.00189.51	O
ATOM	26941	OG	SER	O	183	104.502	32.191	15.023	1.00189.76	O
ATOM	26942	C	SER	O	183	101.988	29.944	14.385	1.00189.44	O
ATOM	26943	O	SER	O	183	101.203	30.754	14.888	1.00189.62	O
ATOM	26944	N	ASN	O	184	101.599	28.965	13.576	1.00188.61	O
ATOM	26945	CA	ASN	O	184	100.197	28.755	13.228	1.00187.17	O
ATOM	26946	CB	ASN	O	184	100.080	27.839	11.995	1.00187.96	O
ATOM	26947	CG	ASN	O	184	98.633	27.533	11.622	1.00188.44	O
ATOM	26948	OD1	ASN	O	184	97.849	28.442	11.345	1.00188.80	O
ATOM	26949	ND2	ASN	O	184	98.274	26.248	11.618	1.00188.24	O
ATOM	26950	C	ASN	O	184	99.476	28.119	14.405	1.00185.33	O
ATOM	26951	O	ASN	O	184	98.696	27.177	14.236	1.00185.40	O
ATOM	26952	N	ILE	O	185	99.752	28.625	15.601	1.00182.85	O
ATOM	26953	CA	ILE	O	185	99.122	28.090	16.799	1.00180.18	O
ATOM	26954	CB	ILE	O	185	99.361	28.996	18.026	1.00179.69	O
ATOM	26955	CG2	ILE	O	185	98.700	28.376	19.256	1.00178.25	O
ATOM	26956	CG1	ILE	O	185	100.862	29.165	18.276	1.00179.04	O
ATOM	26957	CD1	ILE	O	185	101.201	30.058	19.457	1.00177.83	O
ATOM	26958	C	ILE	O	185	97.615	27.935	16.596	1.00178.19	O
ATOM	26959	O	ILE	O	185	96.948	28.852	16.122	1.00177.82	O
ATOM	26960	N	THR	O	186	97.097	26.758	16.936	1.00175.93	O
ATOM	26961	CA	THR	O	186	95.674	26.455	16.805	1.00173.39	O
ATOM	26962	CB	THR	O	186	95.414	25.523	15.611	1.00173.28	O
ATOM	26963	OG1	THR	O	186	96.166	24.314	15.772	1.00172.56	O
ATOM	26964	CG2	THR	O	186	95.825	26.198	14.315	1.00172.35	O
ATOM	26965	C	THR	O	186	95.189	25.774	18.081	1.00171.33	O
ATOM	26966	O	THR	O	186	95.977	25.126	18.772	1.00171.07	O
ATOM	26967	N	TYR	O	187	93.902	25.906	18.395	1.00168.75	O
ATOM	26968	CA	TYR	O	187	93.387	25.305	19.618	1.00166.16	O
ATOM	26969	CB	TYR	O	187	93.909	26.088	20.824	1.00166.34	O
ATOM	26970	CG	TYR	O	187	93.431	27.526	20.878	1.00166.06	O
ATOM	26971	CD1	TYR	O	187	92.245	27.866	21.530	1.00165.28	O
ATOM	26972	CE1	TYR	O	187	91.795	29.187	21.566	1.00165.93	O
ATOM	26973	CD2	TYR	O	187	94.159	28.544	20.259	1.00166.29	O
ATOM	26974	CE2	TYR	O	187	93.718	29.867	20.287	1.00166.42	O
ATOM	26975	CZ	TYR	O	187	92.537	30.183	20.941	1.00166.80	O
ATOM	26976	OH	TYR	O	187	92.104	31.492	20.960	1.00166.99	O
ATOM	26977	C	TYR	O	187	91.872	25.209	19.720	1.00164.14	O
ATOM	26978	O	TYR	O	187	91.137	25.998	19.125	1.00164.36	O
ATOM	26979	N	ARG	O	188	91.420	24.228	20.494	1.00161.38	O

ATOM	26980	CA	ARG	O	188	90.000	24.012	20.739	1.00158.94	O
ATOM	26981	CB	ARG	O	188	89.528	22.704	20.097	1.00158.51	O
ATOM	26982	CG	ARG	O	188	89.620	22.682	18.575	1.00157.70	O
ATOM	26983	CD	ARG	O	188	89.031	21.398	18.002	1.00156.94	O
ATOM	26984	NE	ARG	O	188	87.575	21.339	18.108	1.00155.27	O
ATOM	26985	CZ	ARG	O	188	86.740	22.050	17.355	1.00154.70	O
ATOM	26986	NH1	ARG	O	188	87.210	22.881	16.435	1.00154.83	O
ATOM	26987	NH2	ARG	O	188	85.429	21.926	17.516	1.00154.09	O
ATOM	26988	C	ARG	O	188	89.836	23.940	22.253	1.00157.52	O
ATOM	26989	O	ARG	O	188	90.748	23.509	22.956	1.00156.86	O
ATOM	26990	N	THR	O	189	88.684	24.370	22.756	1.00156.35	O
ATOM	26991	CA	THR	O	189	88.437	24.353	24.194	1.00154.56	O
ATOM	26992	CB	THR	O	189	88.303	25.778	24.758	1.00156.78	O
ATOM	26993	OG1	THR	O	189	87.001	26.290	24.452	1.00158.92	O
ATOM	26994	CG2	THR	O	189	89.358	26.695	24.147	1.00159.32	O
ATOM	26995	C	THR	O	189	87.170	23.589	24.559	1.00151.65	O
ATOM	26996	O	THR	O	189	86.428	23.139	23.687	1.00151.33	O
ATOM	26997	N	ILE	O	190	86.929	23.456	25.859	1.00148.95	O
ATOM	26998	CA	ILE	O	190	85.755	22.753	26.363	1.00146.09	O
ATOM	26999	CB	ILE	O	190	86.152	21.573	27.273	1.00143.37	O
ATOM	27000	CG2	ILE	O	190	84.915	20.789	27.673	1.00141.45	O
ATOM	27001	CG1	ILE	O	190	87.121	20.648	26.542	1.00141.10	O
ATOM	27002	CD1	ILE	O	190	87.608	19.498	27.388	1.00139.52	O
ATOM	27003	C	ILE	O	190	84.883	23.712	27.169	1.00145.49	O
ATOM	27004	O	ILE	O	190	85.302	24.220	28.210	1.00145.57	O
ATOM	27005	N	ASN	O	191	83.669	23.949	26.685	1.00144.07	O
ATOM	27006	CA	ASN	O	191	82.747	24.851	27.356	1.00142.64	O
ATOM	27007	CB	ASN	O	191	81.699	25.354	26.369	1.00143.85	O
ATOM	27008	CG	ASN	O	191	81.007	24.229	25.644	1.00144.45	O
ATOM	27009	OD1	ASN	O	191	80.409	23.350	26.265	1.00145.18	O
ATOM	27010	ND2	ASN	O	191	81.087	24.243	24.318	1.00145.40	O
ATOM	27011	C	ASN	O	191	82.059	24.212	28.556	1.00141.04	O
ATOM	27012	O	ASN	O	191	82.452	23.139	29.010	1.00139.19	O
ATOM	27013	N	ASP	O	192	81.019	24.883	29.045	1.00141.16	O
ATOM	27014	CA	ASP	O	192	80.254	24.450	30.215	1.00141.11	O
ATOM	27015	CB	ASP	O	192	79.239	25.530	30.610	1.00143.21	O
ATOM	27016	CG	ASP	O	192	79.876	26.894	30.814	1.00145.73	O
ATOM	27017	OD1	ASP	O	192	79.178	27.798	31.322	1.00146.75	O
ATOM	27018	OD2	ASP	O	192	81.063	27.067	30.460	1.00147.72	O
ATOM	27019	C	ASP	O	192	79.511	23.122	30.106	1.00139.70	O
ATOM	27020	O	ASP	O	192	79.253	22.474	31.121	1.00138.80	O
ATOM	27021	N	TYR	O	193	79.155	22.717	28.892	1.00139.13	O
ATOM	27022	CA	TYR	O	193	78.420	21.468	28.708	1.00138.92	O
ATOM	27023	CB	TYR	O	193	77.346	21.652	27.635	1.00136.60	O
ATOM	27024	CG	TYR	O	193	76.660	22.997	27.706	1.00134.30	O
ATOM	27025	CD1	TYR	O	193	77.106	24.068	26.931	1.00133.65	O
ATOM	27026	CE1	TYR	O	193	76.502	25.316	27.015	1.00132.71	O
ATOM	27027	CD2	TYR	O	193	75.586	23.209	28.570	1.00132.72	O
ATOM	27028	CE2	TYR	O	193	74.975	24.453	28.662	1.00131.82	O
ATOM	27029	CZ	TYR	O	193	75.436	25.502	27.883	1.00132.21	O
ATOM	27030	OH	TYR	O	193	74.834	26.735	27.968	1.00131.29	O
ATOM	27031	C	TYR	O	193	79.341	20.316	28.333	1.00140.46	O
ATOM	27032	O	TYR	O	193	78.899	19.175	28.195	1.00139.19	O
ATOM	27033	N	GLY	O	194	80.626	20.622	28.185	1.00143.51	O
ATOM	27034	CA	GLY	O	194	81.597	19.607	27.823	1.00145.18	O
ATOM	27035	C	GLY	O	194	81.698	19.465	26.318	1.00145.98	O
ATOM	27036	O	GLY	O	194	81.884	18.363	25.801	1.00146.18	O
ATOM	27037	N	ALA	O	195	81.578	20.587	25.614	1.00146.54	O

ATOM	27038	CA	ALA	O	195	81.637	20.584	24.157	1.00147.71	O
ATOM	27039	CB	ALA	O	195	80.311	21.077	23.593	1.00146.68	O
ATOM	27040	C	ALA	O	195	82.790	21.423	23.597	1.00149.15	O
ATOM	27041	O	ALA	O	195	83.020	22.556	24.023	1.00149.89	O
ATOM	27042	N	LEU	O	196	83.509	20.851	22.636	1.00150.40	O
ATOM	27043	CA	LEU	O	196	84.640	21.517	21.995	1.00151.48	O
ATOM	27044	CB	LEU	O	196	85.307	20.574	20.987	1.00151.50	O
ATOM	27045	CG	LEU	O	196	86.266	19.491	21.480	1.00151.78	O
ATOM	27046	CD1	LEU	O	196	86.578	18.523	20.349	1.00150.97	O
ATOM	27047	CD2	LEU	O	196	87.536	20.147	21.984	1.00153.23	O
ATOM	27048	C	LEU	O	196	84.218	22.780	21.262	1.00152.51	O
ATOM	27049	O	LEU	O	196	83.411	22.720	20.339	1.00153.08	O
ATOM	27050	N	THR	O	197	84.767	23.920	21.666	1.00154.06	O
ATOM	27051	CA	THR	O	197	84.444	25.177	21.000	1.00156.71	O
ATOM	27052	CB	THR	O	197	84.986	26.382	21.789	1.00155.25	O
ATOM	27053	OG1	THR	O	197	86.417	26.337	21.814	1.00154.16	O
ATOM	27054	CG2	THR	O	197	84.456	26.355	23.212	1.00154.56	O
ATOM	27055	C	THR	O	197	85.095	25.125	19.612	1.00159.75	O
ATOM	27056	O	THR	O	197	85.946	24.268	19.357	1.00160.08	O
ATOM	27057	N	PRO	O	198	84.707	26.034	18.696	1.00161.73	O
ATOM	27058	CD	PRO	O	198	83.806	27.190	18.857	1.00161.87	O
ATOM	27059	CA	PRO	O	198	85.295	26.022	17.351	1.00162.47	O
ATOM	27060	CB	PRO	O	198	84.521	27.121	16.629	1.00161.18	O
ATOM	27061	CG	PRO	O	198	84.237	28.093	17.721	1.00160.68	O
ATOM	27062	C	PRO	O	198	86.803	26.250	17.316	1.00163.75	O
ATOM	27063	O	PRO	O	198	87.345	27.047	18.085	1.00164.06	O
ATOM	27064	N	LYS	O	199	87.470	25.536	16.414	1.00165.05	O
ATOM	27065	CA	LYS	O	199	88.915	25.639	16.250	1.00166.79	O
ATOM	27066	CB	LYS	O	199	89.389	24.625	15.204	1.00165.31	O
ATOM	27067	CG	LYS	O	199	90.781	24.873	14.664	1.00163.06	O
ATOM	27068	CD	LYS	O	199	91.107	23.875	13.574	1.00161.35	O
ATOM	27069	CE	LYS	O	199	92.284	24.346	12.744	1.00160.99	O
ATOM	27070	NZ	LYS	O	199	93.472	24.628	13.595	1.00161.17	O
ATOM	27071	C	LYS	O	199	89.319	27.051	15.832	1.00168.51	O
ATOM	27072	O	LYS	O	199	88.894	27.543	14.789	1.00168.63	O
ATOM	27073	N	MET	O	200	90.140	27.697	16.654	1.00170.27	O
ATOM	27074	CA	MET	O	200	90.599	29.055	16.374	1.00172.08	O
ATOM	27075	CB	MET	O	200	90.125	29.992	17.486	1.00171.11	O
ATOM	27076	CG	MET	O	200	89.777	29.272	18.783	1.00169.88	O
ATOM	27077	SD	MET	O	200	88.859	30.306	19.943	1.00168.31	O
ATOM	27078	CE	MET	O	200	87.160	29.937	19.476	1.00167.56	O
ATOM	27079	C	MET	O	200	92.119	29.111	16.227	1.00173.94	O
ATOM	27080	O	MET	O	200	92.793	28.085	16.336	1.00174.09	O
ATOM	27081	N	THR	O	201	92.656	30.304	15.978	1.00175.64	O
ATOM	27082	CA	THR	O	201	94.099	30.465	15.797	1.00176.67	O
ATOM	27083	CB	THR	O	201	94.420	31.302	14.525	1.00176.87	O
ATOM	27084	OG1	THR	O	201	93.759	30.729	13.389	1.00177.07	O
ATOM	27085	CG2	THR	O	201	95.924	31.317	14.257	1.00176.41	O
ATOM	27086	C	THR	O	201	94.792	31.113	16.995	1.00176.87	O
ATOM	27087	O	THR	O	201	94.198	31.911	17.724	1.00176.10	O
ATOM	27088	N	GLY	O	202	96.058	30.751	17.184	1.00177.49	O
ATOM	27089	CA	GLY	O	202	96.847	31.283	18.275	1.00178.02	O
ATOM	27090	C	GLY	O	202	97.250	32.719	18.022	1.00178.56	O
ATOM	27091	O	GLY	O	202	98.002	33.012	17.092	1.00178.08	O
ATOM	27092	N	VAL	O	203	96.743	33.613	18.863	1.00179.74	O
ATOM	27093	CA	VAL	O	203	97.017	35.040	18.753	1.00181.41	O
ATOM	27094	CB	VAL	O	203	95.745	35.858	19.070	1.00181.98	O
ATOM	27095	CG1	VAL	O	203	96.001	37.339	18.845	1.00182.67	O

ATOM	27096	CG2	VAL	O	203	94.587	35.368	18.212	1.00182.41	O
ATOM	27097	C	VAL	O	203	98.127	35.477	19.708	1.00182.24	O
ATOM	27098	O	VAL	O	203	97.858	36.122	20.724	1.00182.23	O
ATOM	27099	N	MET	O	204	99.370	35.127	19.379	1.00183.12	O
ATOM	27100	CA	MET	O	204	100.513	35.492	20.215	1.00183.83	O
ATOM	27101	CB	MET	O	204	101.836	35.198	19.493	1.00183.29	O
ATOM	27102	CG	MET	O	204	102.107	33.724	19.212	1.00183.41	O
ATOM	27103	SD	MET	O	204	101.009	33.017	17.964	1.00183.97	O
ATOM	27104	CE	MET	O	204	101.909	33.408	16.468	1.00183.46	O
ATOM	27105	C	MET	O	204	100.459	36.972	20.580	1.00184.81	O
ATOM	27106	O	MET	O	204	100.254	37.824	19.717	1.00184.69	O
ATOM	27107	N	GLU	O	205	100.636	37.271	21.863	1.00185.99	O
ATOM	27108	CA	GLU	O	205	100.612	38.650	22.335	1.00187.11	O
ATOM	27109	CB	GLU	O	205	100.046	38.728	23.756	1.00188.36	O
ATOM	27110	CG	GLU	O	205	100.872	37.983	24.794	1.00189.76	O
ATOM	27111	CD	GLU	O	205	101.037	38.765	26.084	1.00190.05	O
ATOM	27112	OE1	GLU	O	205	101.683	38.241	27.019	1.00190.29	O
ATOM	27113	OE2	GLU	O	205	100.528	39.904	26.160	1.00190.42	O
ATOM	27114	C	GLU	O	205	102.018	39.241	22.317	1.00187.10	O
ATOM	27115	O	GLU	O	205	102.149	40.432	21.960	1.00187.30	O
ATOM	27116	OXT	GLU	O	205	102.965	38.507	22.675	1.00186.72	O
ATOM	27117	CB	PHE	P	1	38.716	27.244	8.742	1.00 84.66	P
ATOM	27118	CG	PHE	P	1	39.786	26.583	9.576	1.00 81.54	P
ATOM	27119	CD1	PHE	P	1	41.096	26.518	9.127	1.00 80.94	P
ATOM	27120	CD2	PHE	P	1	39.487	26.055	10.825	1.00 80.56	P
ATOM	27121	CE1	PHE	P	1	42.095	25.945	9.903	1.00 77.23	P
ATOM	27122	CE2	PHE	P	1	40.477	25.482	11.608	1.00 78.40	P
ATOM	27123	CZ	PHE	P	1	41.785	25.427	11.145	1.00 77.75	P
ATOM	27124	C	PHE	P	1	40.017	29.377	8.508	1.00 87.23	P
ATOM	27125	O	PHE	P	1	40.384	29.434	7.330	1.00 87.39	P
ATOM	27126	N	PHE	P	1	37.580	29.327	8.039	1.00 86.42	P
ATOM	27127	CA	PHE	P	1	38.669	28.772	8.886	1.00 85.33	P
ATOM	27128	N	ALA	P	2	40.745	29.837	9.521	1.00 90.09	P
ATOM	27129	CA	ALA	P	2	42.065	30.432	9.329	1.00 91.89	P
ATOM	27130	CB	ALA	P	2	41.933	31.892	8.902	1.00 91.87	P
ATOM	27131	C	ALA	P	2	42.849	30.328	10.637	1.00 93.43	P
ATOM	27132	O	ALA	P	2	42.268	30.106	11.706	1.00 91.38	P
ATOM	27133	N	CYS	P	3	44.167	30.487	10.545	1.00 95.62	P
ATOM	27134	CA	CYS	P	3	45.033	30.391	11.716	1.00 95.85	P
ATOM	27135	C	CYS	P	3	46.090	31.486	11.703	1.00 97.77	P
ATOM	27136	O	CYS	P	3	46.257	32.186	10.702	1.00 98.18	P
ATOM	27137	CB	CYS	P	3	45.742	29.037	11.732	1.00 94.55	P
ATOM	27138	SG	CYS	P	3	44.704	27.598	11.335	1.00 86.42	P
ATOM	27139	N	LYS	P	4	46.810	31.617	12.816	1.00 99.64	P
ATOM	27140	CA	LYS	P	4	47.868	32.615	12.938	1.00100.42	P
ATOM	27141	CB	LYS	P	4	47.267	34.010	13.147	1.00101.28	P
ATOM	27142	CG	LYS	P	4	46.455	34.200	14.428	1.00103.05	P
ATOM	27143	CD	LYS	P	4	45.696	35.531	14.406	1.00104.65	P
ATOM	27144	CE	LYS	P	4	46.632	36.718	14.157	1.00102.91	P
ATOM	27145	NZ	LYS	P	4	45.897	37.999	13.947	1.00 99.86	P
ATOM	27146	C	LYS	P	4	48.833	32.290	14.072	1.00100.60	P
ATOM	27147	O	LYS	P	4	48.452	31.682	15.074	1.00 99.86	P
ATOM	27148	N	THR	P	5	50.088	32.698	13.901	1.00101.47	P
ATOM	27149	CA	THR	P	5	51.125	32.456	14.899	1.00102.73	P
ATOM	27150	CB	THR	P	5	52.499	32.216	14.228	1.00102.83	P
ATOM	27151	OG1	THR	P	5	52.482	30.956	13.549	1.00100.40	P
ATOM	27152	CG2	THR	P	5	53.614	32.207	15.263	1.00104.66	P
ATOM	27153	C	THR	P	5	51.261	33.608	15.885	1.00103.05	P

ATOM	27154	O	THR	P	5	51.282	34.777	15.498	1.00103.96	P
ATOM	27155	N	ALA	P	6	51.361	33.259	17.163	1.00103.41	P
ATOM	27156	CA	ALA	P	6	51.503	34.234	18.232	1.00105.17	P
ATOM	27157	CB	ALA	P	6	51.804	33.515	19.538	1.00104.52	P
ATOM	27158	C	ALA	P	6	52.596	35.261	17.939	1.00106.64	P
ATOM	27159	O	ALA	P	6	52.629	36.331	18.548	1.00107.12	P
ATOM	27160	N	ASN	P	7	53.490	34.936	17.009	1.00107.71	P
ATOM	27161	CA	ASN	P	7	54.581	35.841	16.653	1.00108.51	P
ATOM	27162	CB	ASN	P	7	55.818	35.038	16.213	1.00112.05	P
ATOM	27163	CG	ASN	P	7	57.100	35.874	16.210	1.00113.08	P
ATOM	27164	OD1	ASN	P	7	57.516	36.396	17.246	1.00111.35	P
ATOM	27165	ND2	ASN	P	7	57.731	35.995	15.042	1.00114.17	P
ATOM	27166	C	ASN	P	7	54.149	36.782	15.533	1.00106.85	P
ATOM	27167	O	ASN	P	7	54.801	37.794	15.267	1.00105.88	P
ATOM	27168	N	GLY	P	8	53.050	36.444	14.871	1.00105.68	P
ATOM	27169	CA	GLY	P	8	52.577	37.294	13.801	1.00105.94	P
ATOM	27170	C	GLY	P	8	51.936	36.556	12.649	1.00105.59	P
ATOM	27171	O	GLY	P	8	50.762	36.197	12.725	1.00106.00	P
ATOM	27172	N	THR	P	9	52.713	36.330	11.590	1.00104.94	P
ATOM	27173	CA	THR	P	9	52.237	35.658	10.380	1.00103.93	P
ATOM	27174	CB	THR	P	9	53.344	34.813	9.721	1.00103.22	P
ATOM	27175	OG1	THR	P	9	54.490	35.634	9.468	1.00102.10	P
ATOM	27176	CG2	THR	P	9	52.847	34.236	8.399	1.00102.28	P
ATOM	27177	C	THR	P	9	51.030	34.761	10.605	1.00103.58	P
ATOM	27178	O	THR	P	9	50.971	34.002	11.574	1.00103.07	P
ATOM	27179	N	ALA	P	10	50.070	34.857	9.693	1.00103.21	P
ATOM	27180	CA	ALA	P	10	48.851	34.071	9.784	1.00104.02	P
ATOM	27181	CB	ALA	P	10	47.674	34.985	10.075	1.00103.21	P
ATOM	27182	C	ALA	P	10	48.602	33.292	8.497	1.00104.16	P
ATOM	27183	O	ALA	P	10	49.111	33.651	7.429	1.00104.97	P
ATOM	27184	N	ILE	P	11	47.822	32.220	8.606	1.00102.24	P
ATOM	27185	CA	ILE	P	11	47.499	31.397	7.454	1.00102.24	P
ATOM	27186	CB	ILE	P	11	47.756	29.911	7.736	1.00103.01	P
ATOM	27187	CG2	ILE	P	11	47.458	29.099	6.494	1.00100.53	P
ATOM	27188	CG1	ILE	P	11	49.218	29.708	8.146	1.00103.33	P
ATOM	27189	CD1	ILE	P	11	49.591	28.272	8.446	1.00101.79	P
ATOM	27190	C	ILE	P	11	46.034	31.611	7.118	1.00102.77	P
ATOM	27191	O	ILE	P	11	45.145	31.222	7.879	1.00102.17	P
ATOM	27192	N	PRO	P	12	45.770	32.232	5.957	1.00103.73	P
ATOM	27193	CD	PRO	P	12	46.821	32.588	4.986	1.00103.10	P
ATOM	27194	CA	PRO	P	12	44.445	32.562	5.420	1.00104.70	P
ATOM	27195	CB	PRO	P	12	44.781	33.371	4.173	1.00103.97	P
ATOM	27196	CG	PRO	P	12	46.039	32.720	3.700	1.00103.94	P
ATOM	27197	C	PRO	P	12	43.484	31.418	5.114	1.00104.79	P
ATOM	27198	O	PRO	P	12	43.829	30.242	5.213	1.00104.53	P
ATOM	27199	N	ILE	P	13	42.266	31.802	4.747	1.00105.47	P
ATOM	27200	CA	ILE	P	13	41.204	30.870	4.396	1.00106.45	P
ATOM	27201	CB	ILE	P	13	39.889	31.625	4.087	1.00104.05	P
ATOM	27202	CG2	ILE	P	13	38.874	30.683	3.461	1.00103.76	P
ATOM	27203	CG1	ILE	P	13	39.347	32.269	5.361	1.00103.43	P
ATOM	27204	CD1	ILE	P	13	38.063	33.031	5.162	1.00102.78	P
ATOM	27205	C	ILE	P	13	41.613	30.102	3.149	1.00108.65	P
ATOM	27206	O	ILE	P	13	42.090	30.691	2.179	1.00110.03	P
ATOM	27207	N	GLY	P	14	41.431	28.787	3.174	1.00110.02	P
ATOM	27208	CA	GLY	P	14	41.777	27.986	2.014	1.00111.02	P
ATOM	27209	C	GLY	P	14	43.204	27.472	1.965	1.00110.89	P
ATOM	27210	O	GLY	P	14	43.700	27.116	0.896	1.00110.86	P
ATOM	27211	N	GLY	P	15	43.869	27.431	3.114	1.00110.64	P

ATOM	27212	CA	GLY	P	15	45.230	26.931	3.145	1.00110.90	P
ATOM	27213	C	GLY	P	15	46.277	27.966	3.495	1.00110.90	P
ATOM	27214	O	GLY	P	15	45.951	29.063	3.945	1.00112.30	P
ATOM	27215	N	GLY	P	16	47.541	27.604	3.288	1.00110.55	P
ATOM	27216	CA	GLY	P	16	48.640	28.506	3.583	1.00109.64	P
ATOM	27217	C	GLY	P	16	49.900	27.795	4.039	1.00108.70	P
ATOM	27218	O	GLY	P	16	50.059	26.590	3.832	1.00108.85	P
ATOM	27219	N	SER	P	17	50.798	28.555	4.659	1.00108.13	P
ATOM	27220	CA	SER	P	17	52.064	28.037	5.164	1.00108.88	P
ATOM	27221	CB	SER	P	17	53.005	27.683	4.007	1.00110.33	P
ATOM	27222	OG	SER	P	17	52.492	26.615	3.229	1.00114.05	P
ATOM	27223	C	SER	P	17	52.707	29.107	6.036	1.00107.73	P
ATOM	27224	O	SER	P	17	52.691	30.286	5.690	1.00107.32	P
ATOM	27225	N	ALA	P	18	53.272	28.694	7.165	1.00106.78	P
ATOM	27226	CA	ALA	P	18	53.903	29.635	8.080	1.00106.26	P
ATOM	27227	CB	ALA	P	18	52.957	29.944	9.233	1.00106.92	P
ATOM	27228	C	ALA	P	18	55.227	29.115	8.620	1.00105.88	P
ATOM	27229	O	ALA	P	18	55.814	28.188	8.068	1.00106.89	P
ATOM	27230	N	ASN	P	19	55.689	29.728	9.704	1.00105.08	P
ATOM	27231	CA	ASN	P	19	56.944	29.356	10.340	1.00105.24	P
ATOM	27232	CB	ASN	P	19	58.114	30.075	9.663	1.00106.15	P
ATOM	27233	CG	ASN	P	19	58.364	29.589	8.255	1.00109.13	P
ATOM	27234	OD1	ASN	P	19	59.167	28.684	8.035	1.00112.27	P
ATOM	27235	ND2	ASN	P	19	57.668	30.182	7.290	1.00108.91	P
ATOM	27236	C	ASN	P	19	56.908	29.756	11.806	1.00105.13	P
ATOM	27237	O	ASN	P	19	56.736	30.930	12.125	1.00107.39	P
ATOM	27238	N	VAL	P	20	57.062	28.788	12.699	1.00103.34	P
ATOM	27239	CA	VAL	P	20	57.071	29.090	14.125	1.00104.40	P
ATOM	27240	CB	VAL	P	20	56.210	28.079	14.917	1.00104.06	P
ATOM	27241	CG1	VAL	P	20	55.897	28.626	16.298	1.00102.21	P
ATOM	27242	CG2	VAL	P	20	54.931	27.787	14.160	1.00105.29	P
ATOM	27243	C	VAL	P	20	58.532	29.020	14.593	1.00105.95	P
ATOM	27244	O	VAL	P	20	59.244	28.066	14.267	1.00106.92	P
ATOM	27245	N	TYR	P	21	58.982	30.026	15.343	1.00104.32	P
ATOM	27246	CA	TYR	P	21	60.366	30.058	15.810	1.00101.29	P
ATOM	27247	CB	TYR	P	21	60.964	31.444	15.554	1.00 92.19	P
ATOM	27248	CG	TYR	P	21	60.879	31.843	14.105	1.00 82.44	P
ATOM	27249	CD1	TYR	P	21	59.682	32.290	13.558	1.00 78.78	P
ATOM	27250	CE1	TYR	P	21	59.567	32.559	12.198	1.00 76.06	P
ATOM	27251	CD2	TYR	P	21	61.969	31.683	13.256	1.00 81.24	P
ATOM	27252	CE2	TYR	P	21	61.867	31.947	11.895	1.00 76.28	P
ATOM	27253	CZ	TYR	P	21	60.660	32.379	11.370	1.00 75.10	P
ATOM	27254	OH	TYR	P	21	60.535	32.580	10.013	1.00 69.04	P
ATOM	27255	C	TYR	P	21	60.517	29.679	17.276	1.00104.07	P
ATOM	27256	O	TYR	P	21	61.458	30.106	17.943	1.00105.87	P
ATOM	27257	N	VAL	P	22	59.591	28.854	17.755	1.00106.40	P
ATOM	27258	CA	VAL	P	22	59.567	28.385	19.138	1.00110.46	P
ATOM	27259	CB	VAL	P	22	58.892	27.001	19.236	1.00112.05	P
ATOM	27260	CG1	VAL	P	22	57.457	27.090	18.762	1.00112.89	P
ATOM	27261	CG2	VAL	P	22	59.668	25.983	18.408	1.00112.53	P
ATOM	27262	C	VAL	P	22	60.917	28.282	19.848	1.00112.45	P
ATOM	27263	O	VAL	P	22	61.937	27.936	19.246	1.00113.80	P
ATOM	27264	N	ASN	P	23	60.904	28.591	21.142	1.00113.40	P
ATOM	27265	CA	ASN	P	23	62.097	28.510	21.970	1.00114.05	P
ATOM	27266	CB	ASN	P	23	62.170	29.683	22.956	1.00115.70	P
ATOM	27267	CG	ASN	P	23	62.300	31.028	22.260	1.00118.32	P
ATOM	27268	OD1	ASN	P	23	63.125	31.198	21.359	1.00118.83	P
ATOM	27269	ND2	ASN	P	23	61.492	31.997	22.685	1.00118.37	P

ATOM	27270	C	ASN	P	23	61.986	27.195	22.728	1.00114.20	P
ATOM	27271	O	ASN	P	23	60.899	26.807	23.165	1.00113.97	P
ATOM	27272	N	LEU	P	24	63.114	26.510	22.879	1.00113.78	P
ATOM	27273	CA	LEU	P	24	63.144	25.223	23.559	1.00112.26	P
ATOM	27274	CB	LEU	P	24	63.565	24.145	22.558	1.00110.83	P
ATOM	27275	CG	LEU	P	24	63.048	24.373	21.134	1.00109.84	P
ATOM	27276	CD1	LEU	P	24	63.730	23.411	20.184	1.00109.19	P
ATOM	27277	CD2	LEU	P	24	61.534	24.214	21.100	1.00110.99	P
ATOM	27278	C	LEU	P	24	64.128	25.258	24.723	1.00111.45	P
ATOM	27279	O	LEU	P	24	65.161	25.917	24.631	1.00110.47	P
ATOM	27280	N	ALA	P	25	63.806	24.557	25.811	1.00111.06	P
ATOM	27281	CA	ALA	P	25	64.684	24.503	26.976	1.00111.56	P
ATOM	27282	CB	ALA	P	25	64.267	23.363	27.891	1.00109.21	P
ATOM	27283	C	ALA	P	25	66.099	24.277	26.459	1.00113.77	P
ATOM	27284	O	ALA	P	25	66.488	23.149	26.174	1.00114.59	P
ATOM	27285	N	PRO	P	26	66.887	25.359	26.333	1.00116.09	P
ATOM	27286	CD	PRO	P	26	66.547	26.693	26.860	1.00117.22	P
ATOM	27287	CA	PRO	P	26	68.270	25.348	25.844	1.00117.12	P
ATOM	27288	CB	PRO	P	26	68.819	26.678	26.352	1.00118.12	P
ATOM	27289	CG	PRO	P	26	67.630	27.562	26.257	1.00117.68	P
ATOM	27290	C	PRO	P	26	69.143	24.167	26.255	1.00117.18	P
ATOM	27291	O	PRO	P	26	70.101	23.840	25.557	1.00116.76	P
ATOM	27292	N	VAL	P	27	68.826	23.531	27.378	1.00117.22	P
ATOM	27293	CA	VAL	P	27	69.621	22.396	27.831	1.00117.55	P
ATOM	27294	CB	VAL	P	27	70.613	22.817	28.929	1.00117.41	P
ATOM	27295	CG1	VAL	P	27	71.366	21.601	29.447	1.00116.17	P
ATOM	27296	CG2	VAL	P	27	71.589	23.840	28.371	1.00118.19	P
ATOM	27297	C	VAL	P	27	68.803	21.217	28.341	1.00118.73	P
ATOM	27298	O	VAL	P	27	68.246	21.254	29.439	1.00118.16	P
ATOM	27299	N	VAL	P	28	68.751	20.168	27.523	1.00120.43	P
ATOM	27300	CA	VAL	P	28	68.027	18.942	27.843	1.00119.50	P
ATOM	27301	CB	VAL	P	28	66.933	18.642	26.803	1.00119.74	P
ATOM	27302	CG1	VAL	P	28	66.113	17.443	27.250	1.00120.35	P
ATOM	27303	CG2	VAL	P	28	66.051	19.860	26.603	1.00121.40	P
ATOM	27304	C	VAL	P	28	69.013	17.783	27.818	1.00118.97	P
ATOM	27305	O	VAL	P	28	69.775	17.633	26.865	1.00118.57	P
ATOM	27306	N	ASN	P	29	68.998	16.963	28.860	1.00119.06	P
ATOM	27307	CA	ASN	P	29	69.904	15.822	28.929	1.00119.36	P
ATOM	27308	CB	ASN	P	29	70.449	15.675	30.348	1.00118.40	P
ATOM	27309	CG	ASN	P	29	71.357	16.818	30.737	1.00117.15	P
ATOM	27310	OD1	ASN	P	29	72.354	17.082	30.067	1.00116.36	P
ATOM	27311	ND2	ASN	P	29	71.017	17.506	31.821	1.00116.64	P
ATOM	27312	C	ASN	P	29	69.224	14.528	28.494	1.00119.49	P
ATOM	27313	O	ASN	P	29	67.997	14.421	28.535	1.00120.91	P
ATOM	27314	N	VAL	P	30	70.023	13.549	28.073	1.00118.67	P
ATOM	27315	CA	VAL	P	30	69.495	12.261	27.626	1.00117.69	P
ATOM	27316	CB	VAL	P	30	70.636	11.257	27.308	1.00116.00	P
ATOM	27317	CG1	VAL	P	30	70.053	9.946	26.813	1.00114.40	P
ATOM	27318	CG2	VAL	P	30	71.570	11.838	26.260	1.00114.79	P
ATOM	27319	C	VAL	P	30	68.578	11.645	28.681	1.00117.44	P
ATOM	27320	O	VAL	P	30	68.713	11.919	29.876	1.00117.02	P
ATOM	27321	N	GLY	P	31	67.643	10.813	28.233	1.00116.87	P
ATOM	27322	CA	GLY	P	31	66.718	10.187	29.156	1.00116.16	P
ATOM	27323	C	GLY	P	31	65.529	11.095	29.390	1.00115.67	P
ATOM	27324	O	GLY	P	31	64.380	10.687	29.207	1.00116.63	P
ATOM	27325	N	GLN	P	32	65.807	12.336	29.788	1.00113.29	P
ATOM	27326	CA	GLN	P	32	64.758	13.317	30.043	1.00109.56	P
ATOM	27327	CB	GLN	P	32	65.366	14.629	30.542	1.00109.12	P

ATOM	27328	CG	GLN	P	32	65.708	14.585	32.022	1.00110.54	P
ATOM	27329	CD	GLN	P	32	66.438	15.819	32.499	1.00112.48	P
ATOM	27330	OE1	GLN	P	32	65.995	16.945	32.268	1.00112.56	P
ATOM	27331	NE2	GLN	P	32	67.563	15.616	33.182	1.00112.25	P
ATOM	27332	C	GLN	P	32	63.893	13.553	28.808	1.00106.91	P
ATOM	27333	O	GLN	P	32	64.062	12.880	27.787	1.00106.85	P
ATOM	27334	N	ASN	P	33	62.985	14.522	28.889	1.00101.72	P
ATOM	27335	CA	ASN	P	33	62.070	14.763	27.783	1.00 95.73	P
ATOM	27336	CB	ASN	P	33	60.702	14.199	28.179	1.00 92.54	P
ATOM	27337	CG	ASN	P	33	59.771	14.031	27.004	1.00 89.51	P
ATOM	27338	OD1	ASN	P	33	58.657	13.541	27.160	1.00 89.17	P
ATOM	27339	ND2	ASN	P	33	60.218	14.432	25.819	1.00 90.87	P
ATOM	27340	C	ASN	P	33	61.906	16.202	27.290	1.00 91.78	P
ATOM	27341	O	ASN	P	33	61.295	17.027	27.965	1.00 91.93	P
ATOM	27342	N	LEU	P	34	62.446	16.499	26.110	1.00 87.19	P
ATOM	27343	CA	LEU	P	34	62.296	17.830	25.532	1.00 84.05	P
ATOM	27344	CB	LEU	P	34	63.140	17.972	24.261	1.00 80.05	P
ATOM	27345	CG	LEU	P	34	62.902	19.207	23.382	1.00 77.94	P
ATOM	27346	CD1	LEU	P	34	62.883	20.464	24.227	1.00 79.35	P
ATOM	27347	CD2	LEU	P	34	63.994	19.298	22.329	1.00 78.35	P
ATOM	27348	C	LEU	P	34	60.815	17.953	25.193	1.00 84.74	P
ATOM	27349	O	LEU	P	34	60.104	16.951	25.177	1.00 84.29	P
ATOM	27350	N	VAL	P	35	60.344	19.170	24.940	1.00 86.30	P
ATOM	27351	CA	VAL	P	35	58.934	19.396	24.616	1.00 87.11	P
ATOM	27352	CB	VAL	P	35	58.085	19.611	25.896	1.00 84.23	P
ATOM	27353	CG1	VAL	P	35	56.667	19.991	25.514	1.00 88.01	P
ATOM	27354	CG2	VAL	P	35	58.072	18.351	26.743	1.00 82.67	P
ATOM	27355	C	VAL	P	35	58.738	20.612	23.715	1.00 88.51	P
ATOM	27356	O	VAL	P	35	59.326	21.670	23.948	1.00 90.23	P
ATOM	27357	N	VAL	P	36	57.912	20.461	22.685	1.00 88.68	P
ATOM	27358	CA	VAL	P	36	57.643	21.568	21.777	1.00 90.81	P
ATOM	27359	CB	VAL	P	36	58.354	21.379	20.415	1.00 91.86	P
ATOM	27360	CG1	VAL	P	36	58.103	22.594	19.514	1.00 88.09	P
ATOM	27361	CG2	VAL	P	36	59.844	21.181	20.633	1.00 92.79	P
ATOM	27362	C	VAL	P	36	56.146	21.712	21.539	1.00 91.91	P
ATOM	27363	O	VAL	P	36	55.642	21.355	20.475	1.00 94.10	P
ATOM	27364	N	ASP	P	37	55.441	22.231	22.542	1.00 90.90	P
ATOM	27365	CA	ASP	P	37	53.998	22.433	22.445	1.00 89.79	P
ATOM	27366	CB	ASP	P	37	53.387	22.556	23.842	1.00 88.47	P
ATOM	27367	CG	ASP	P	37	52.070	23.291	23.829	1.00 83.74	P
ATOM	27368	OD1	ASP	P	37	51.162	22.875	23.083	1.00 80.27	P
ATOM	27369	OD2	ASP	P	37	51.950	24.290	24.564	1.00 88.34	P
ATOM	27370	C	ASP	P	37	53.657	23.676	21.623	1.00 86.66	P
ATOM	27371	O	ASP	P	37	54.122	24.776	21.922	1.00 85.69	P
ATOM	27372	N	LEU	P	38	52.835	23.495	20.594	1.00 83.58	P
ATOM	27373	CA	LEU	P	38	52.460	24.603	19.730	1.00 83.91	P
ATOM	27374	CB	LEU	P	38	52.570	24.177	18.265	1.00 84.37	P
ATOM	27375	CG	LEU	P	38	53.956	23.685	17.835	1.00 84.87	P
ATOM	27376	CD1	LEU	P	38	53.931	23.421	16.351	1.00 86.22	P
ATOM	27377	CD2	LEU	P	38	55.027	24.714	18.164	1.00 81.85	P
ATOM	27378	C	LEU	P	38	51.069	25.175	20.018	1.00 82.20	P
ATOM	27379	O	LEU	P	38	50.646	26.148	19.385	1.00 79.24	P
ATOM	27380	N	SER	P	39	50.360	24.575	20.971	1.00 80.60	P
ATOM	27381	CA	SER	P	39	49.044	25.074	21.347	1.00 79.90	P
ATOM	27382	CB	SER	P	39	48.277	24.030	22.159	1.00 80.27	P
ATOM	27383	OG	SER	P	39	48.842	23.869	23.448	1.00 82.86	P
ATOM	27384	C	SER	P	39	49.336	26.302	22.205	1.00 80.66	P
ATOM	27385	O	SER	P	39	48.687	26.568	23.219	1.00 79.23	P

ATOM	27386	N	THR	P	40	50.344	27.045	21.773	1.00	82.06	P
ATOM	27387	CA	THR	P	40	50.787	28.238	22.456	1.00	83.27	P
ATOM	27388	CB	THR	P	40	51.564	27.871	23.743	1.00	80.98	P
ATOM	27389	OG1	THR	P	40	50.724	27.075	24.592	1.00	77.52	P
ATOM	27390	CG2	THR	P	40	51.997	29.129	24.494	1.00	79.78	P
ATOM	27391	C	THR	P	40	51.707	28.932	21.467	1.00	86.47	P
ATOM	27392	O	THR	P	40	52.661	29.609	21.849	1.00	88.48	P
ATOM	27393	N	GLN	P	41	51.413	28.738	20.185	1.00	88.46	P
ATOM	27394	CA	GLN	P	41	52.194	29.332	19.105	1.00	91.91	P
ATOM	27395	CB	GLN	P	41	53.451	28.505	18.828	1.00	94.77	P
ATOM	27396	CG	GLN	P	41	54.410	28.324	19.995	1.00	99.91	P
ATOM	27397	CD	GLN	P	41	55.233	29.562	20.287	1.00	100.83	P
ATOM	27398	OE1	GLN	P	41	55.737	30.217	19.374	1.00	103.29	P
ATOM	27399	NE2	GLN	P	41	55.391	29.878	21.568	1.00	103.49	P
ATOM	27400	C	GLN	P	41	51.354	29.345	17.832	1.00	93.50	P
ATOM	27401	O	GLN	P	41	51.718	29.988	16.849	1.00	94.64	P
ATOM	27402	N	ILE	P	42	50.237	28.620	17.853	1.00	93.79	P
ATOM	27403	CA	ILE	P	42	49.352	28.514	16.691	1.00	92.50	P
ATOM	27404	CB	ILE	P	42	49.779	27.343	15.787	1.00	91.33	P
ATOM	27405	CG2	ILE	P	42	48.721	27.087	14.724	1.00	87.05	P
ATOM	27406	CG1	ILE	P	42	51.145	27.640	15.171	1.00	88.81	P
ATOM	27407	CD1	ILE	P	42	51.837	26.425	14.620	1.00	91.19	P
ATOM	27408	C	ILE	P	42	47.893	28.291	17.087	1.00	93.56	P
ATOM	27409	O	ILE	P	42	47.566	27.332	17.796	1.00	92.90	P
ATOM	27410	N	PHE	P	43	47.018	29.170	16.605	1.00	93.04	P
ATOM	27411	CA	PHE	P	43	45.596	29.077	16.916	1.00	90.25	P
ATOM	27412	CB	PHE	P	43	45.211	30.100	17.987	1.00	85.53	P
ATOM	27413	CG	PHE	P	43	46.307	30.392	18.963	1.00	82.85	P
ATOM	27414	CD1	PHE	P	43	47.431	31.104	18.559	1.00	80.52	P
ATOM	27415	CD2	PHE	P	43	46.236	29.924	20.276	1.00	80.98	P
ATOM	27416	CE1	PHE	P	43	48.467	31.349	19.437	1.00	82.84	P
ATOM	27417	CE2	PHE	P	43	47.271	30.163	21.171	1.00	82.28	P
ATOM	27418	CZ	PHE	P	43	48.395	30.879	20.743	1.00	85.39	P
ATOM	27419	C	PHE	P	43	44.766	29.327	15.675	1.00	90.53	P
ATOM	27420	O	PHE	P	43	45.140	30.122	14.813	1.00	90.23	P
ATOM	27421	N	CYS	P	44	43.635	28.640	15.592	1.00	92.68	P
ATOM	27422	CA	CYS	P	44	42.732	28.795	14.464	1.00	95.38	P
ATOM	27423	C	CYS	P	44	41.350	29.099	15.022	1.00	97.01	P
ATOM	27424	O	CYS	P	44	41.119	28.988	16.222	1.00	96.71	P
ATOM	27425	CB	CYS	P	44	42.667	27.510	13.637	1.00	95.34	P
ATOM	27426	SG	CYS	P	44	44.265	26.784	13.146	1.00	95.88	P
ATOM	27427	N	HIS	P	45	40.429	29.467	14.142	1.00	99.56	P
ATOM	27428	CA	HIS	P	45	39.070	29.789	14.549	1.00	100.79	P
ATOM	27429	CB	HIS	P	45	38.974	31.268	14.931	1.00	100.05	P
ATOM	27430	CG	HIS	P	45	39.210	32.195	13.780	1.00	101.80	P
ATOM	27431	CD2	HIS	P	45	38.400	33.102	13.183	1.00	103.72	P
ATOM	27432	ND1	HIS	P	45	40.390	32.210	13.066	1.00	103.63	P
ATOM	27433	CE1	HIS	P	45	40.296	33.083	12.078	1.00	102.81	P
ATOM	27434	NE2	HIS	P	45	39.098	33.638	12.127	1.00	104.25	P
ATOM	27435	C	HIS	P	45	38.143	29.517	13.370	1.00	102.60	P
ATOM	27436	O	HIS	P	45	38.575	29.519	12.213	1.00	102.43	P
ATOM	27437	N	ASN	P	46	36.870	29.287	13.669	1.00	104.17	P
ATOM	27438	CA	ASN	P	46	35.873	29.040	12.637	1.00	103.50	P
ATOM	27439	CB	ASN	P	46	34.693	28.267	13.225	1.00	100.21	P
ATOM	27440	CG	ASN	P	46	33.822	27.652	12.162	1.00	99.76	P
ATOM	27441	OD1	ASN	P	46	33.669	28.209	11.080	1.00	98.37	P
ATOM	27442	ND2	ASN	P	46	33.232	26.501	12.467	1.00	98.92	P
ATOM	27443	C	ASN	P	46	35.399	30.410	12.144	1.00	104.35	P

ATOM	27444	O	ASN	P	46	35.179	31.319	12.949	1.00104.70	P
ATOM	27445	N	ASP	P	47	35.259	30.569	10.831	1.00104.57	P
ATOM	27446	CA	ASP	P	47	34.803	31.841	10.273	1.00105.31	P
ATOM	27447	CB	ASP	P	47	35.451	32.098	8.914	1.00103.98	P
ATOM	27448	CG	ASP	P	47	36.904	32.491	9.032	1.00106.93	P
ATOM	27449	OD1	ASP	P	47	37.232	33.270	9.954	1.00109.84	P
ATOM	27450	OD2	ASP	P	47	37.717	32.036	8.201	1.00105.63	P
ATOM	27451	C	ASP	P	47	33.285	31.906	10.129	1.00106.79	P
ATOM	27452	O	ASP	P	47	32.674	32.951	10.365	1.00107.87	P
ATOM	27453	N	TYR	P	48	32.685	30.783	9.741	1.00106.79	P
ATOM	27454	CA	TYR	P	48	31.238	30.676	9.562	1.00105.66	P
ATOM	27455	CB	TYR	P	48	30.932	30.302	8.107	1.00106.38	P
ATOM	27456	CG	TYR	P	48	31.598	31.197	7.075	1.00109.83	P
ATOM	27457	CD1	TYR	P	48	31.909	30.712	5.803	1.00112.02	P
ATOM	27458	CE1	TYR	P	48	32.516	31.526	4.846	1.00112.56	P
ATOM	27459	CD2	TYR	P	48	31.910	32.527	7.362	1.00109.60	P
ATOM	27460	CE2	TYR	P	48	32.515	33.349	6.410	1.00110.36	P
ATOM	27461	CZ	TYR	P	48	32.814	32.840	5.157	1.00111.78	P
ATOM	27462	OH	TYR	P	48	33.412	33.634	4.212	1.00112.39	P
ATOM	27463	C	TYR	P	48	30.742	29.573	10.503	1.00104.34	P
ATOM	27464	O	TYR	P	48	30.243	28.540	10.055	1.00103.74	P
ATOM	27465	N	PRO	P	49	30.864	29.791	11.826	1.00103.67	P
ATOM	27466	CD	PRO	P	49	31.372	31.033	12.438	1.00102.46	P
ATOM	27467	CA	PRO	P	49	30.457	28.842	12.867	1.00103.98	P
ATOM	27468	CB	PRO	P	49	31.042	29.459	14.134	1.00103.20	P
ATOM	27469	CG	PRO	P	49	30.899	30.908	13.870	1.00104.04	P
ATOM	27470	C	PRO	P	49	28.978	28.511	13.027	1.00103.83	P
ATOM	27471	O	PRO	P	49	28.641	27.444	13.537	1.00103.49	P
ATOM	27472	N	GLU	P	50	28.096	29.411	12.608	1.00104.49	P
ATOM	27473	CA	GLU	P	50	26.663	29.167	12.747	1.00105.55	P
ATOM	27474	CB	GLU	P	50	25.882	30.475	12.595	1.00107.20	P
ATOM	27475	CG	GLU	P	50	25.718	31.265	13.889	1.00109.37	P
ATOM	27476	CD	GLU	P	50	27.032	31.763	14.460	1.00113.22	P
ATOM	27477	OE1	GLU	P	50	27.775	32.450	13.726	1.00113.30	P
ATOM	27478	OE2	GLU	P	50	27.314	31.476	15.646	1.00115.16	P
ATOM	27479	C	GLU	P	50	26.102	28.122	11.787	1.00104.58	P
ATOM	27480	O	GLU	P	50	24.954	27.696	11.930	1.00104.50	P
ATOM	27481	N	THR	P	51	26.905	27.702	10.816	1.00103.53	P
ATOM	27482	CA	THR	P	51	26.449	26.704	9.857	1.00103.97	P
ATOM	27483	CB	THR	P	51	26.220	27.320	8.469	1.00105.97	P
ATOM	27484	OG1	THR	P	51	25.449	28.519	8.600	1.00108.71	P
ATOM	27485	CG2	THR	P	51	25.477	26.335	7.570	1.00105.00	P
ATOM	27486	C	THR	P	51	27.472	25.599	9.698	1.00102.34	P
ATOM	27487	O	THR	P	51	27.174	24.420	9.876	1.00101.38	P
ATOM	27488	N	ILE	P	52	28.689	26.003	9.363	1.00101.89	P
ATOM	27489	CA	ILE	P	52	29.779	25.066	9.140	1.00102.31	P
ATOM	27490	CB	ILE	P	52	30.890	25.720	8.301	1.00101.31	P
ATOM	27491	CG2	ILE	P	52	31.760	24.646	7.670	1.00 99.77	P
ATOM	27492	CG1	ILE	P	52	30.268	26.602	7.215	1.00101.53	P
ATOM	27493	CD1	ILE	P	52	31.274	27.420	6.434	1.00 98.69	P
ATOM	27494	C	ILE	P	52	30.417	24.534	10.418	1.00102.53	P
ATOM	27495	O	ILE	P	52	30.410	25.188	11.463	1.00103.80	P
ATOM	27496	N	THR	P	53	30.970	23.331	10.310	1.00101.91	P
ATOM	27497	CA	THR	P	53	31.661	22.678	11.414	1.00100.39	P
ATOM	27498	CB	THR	P	53	30.899	21.415	11.901	1.00102.95	P
ATOM	27499	OG1	THR	P	53	29.580	21.775	12.338	1.00106.61	P
ATOM	27500	CG2	THR	P	53	31.636	20.766	13.058	1.00104.95	P
ATOM	27501	C	THR	P	53	33.028	22.266	10.856	1.00 97.26	P

ATOM	27502	O	THR	P	53	33.115	21.352	10.030	1.00	95.43	P
ATOM	27503	N	ASP	P	54	34.085	22.955	11.289	1.00	94.64	P
ATOM	27504	CA	ASP	P	54	35.441	22.663	10.817	1.00	91.22	P
ATOM	27505	CB	ASP	P	54	36.330	23.907	10.912	1.00	94.05	P
ATOM	27506	CG	ASP	P	54	36.034	24.922	9.822	1.00	95.08	P
ATOM	27507	OD1	ASP	P	54	36.148	24.572	8.623	1.00	94.96	P
ATOM	27508	OD2	ASP	P	54	35.692	26.073	10.168	1.00	96.47	P
ATOM	27509	C	ASP	P	54	36.127	21.500	11.523	1.00	86.48	P
ATOM	27510	O	ASP	P	54	36.071	21.363	12.747	1.00	83.57	P
ATOM	27511	N	TYR	P	55	36.785	20.675	10.713	1.00	84.07	P
ATOM	27512	CA	TYR	P	55	37.493	19.486	11.168	1.00	80.72	P
ATOM	27513	CB	TYR	P	55	36.960	18.273	10.412	1.00	79.83	P
ATOM	27514	CG	TYR	P	55	35.480	18.042	10.610	1.00	79.31	P
ATOM	27515	CD1	TYR	P	55	34.723	17.366	9.647	1.00	78.07	P
ATOM	27516	CE1	TYR	P	55	33.369	17.115	9.841	1.00	76.08	P
ATOM	27517	CD2	TYR	P	55	34.842	18.464	11.773	1.00	78.31	P
ATOM	27518	CE2	TYR	P	55	33.491	18.219	11.977	1.00	81.68	P
ATOM	27519	CZ	TYR	P	55	32.760	17.543	11.009	1.00	79.40	P
ATOM	27520	OH	TYR	P	55	31.423	17.295	11.223	1.00	79.60	P
ATOM	27521	C	TYR	P	55	38.988	19.624	10.930	1.00	77.86	P
ATOM	27522	O	TYR	P	55	39.456	19.533	9.795	1.00	78.43	P
ATOM	27523	N	VAL	P	56	39.731	19.850	12.006	1.00	75.72	P
ATOM	27524	CA	VAL	P	56	41.171	19.998	11.910	1.00	76.00	P
ATOM	27525	CB	VAL	P	56	41.675	21.137	12.807	1.00	77.86	P
ATOM	27526	CG1	VAL	P	56	43.199	21.236	12.737	1.00	76.61	P
ATOM	27527	CG2	VAL	P	56	41.047	22.436	12.366	1.00	76.05	P
ATOM	27528	C	VAL	P	56	41.872	18.707	12.298	1.00	75.33	P
ATOM	27529	O	VAL	P	56	41.513	18.043	13.270	1.00	71.21	P
ATOM	27530	N	THR	P	57	42.886	18.366	11.518	1.00	76.92	P
ATOM	27531	CA	THR	P	57	43.649	17.156	11.735	1.00	79.09	P
ATOM	27532	CB	THR	P	57	43.103	16.025	10.852	1.00	79.78	P
ATOM	27533	OG1	THR	P	57	44.073	14.976	10.752	1.00	80.76	P
ATOM	27534	CG2	THR	P	57	42.790	16.555	9.467	1.00	82.69	P
ATOM	27535	C	THR	P	57	45.109	17.381	11.383	1.00	79.62	P
ATOM	27536	O	THR	P	57	45.435	18.270	10.594	1.00	81.65	P
ATOM	27537	N	LEU	P	58	45.983	16.575	11.983	1.00	79.13	P
ATOM	27538	CA	LEU	P	58	47.419	16.641	11.722	1.00	77.14	P
ATOM	27539	CB	LEU	P	58	48.216	16.403	13.017	1.00	75.69	P
ATOM	27540	CG	LEU	P	58	49.749	16.294	12.921	1.00	74.54	P
ATOM	27541	CD1	LEU	P	58	50.349	17.587	12.393	1.00	69.39	P
ATOM	27542	CD2	LEU	P	58	50.319	15.964	14.289	1.00	71.19	P
ATOM	27543	C	LEU	P	58	47.743	15.554	10.694	1.00	75.24	P
ATOM	27544	O	LEU	P	58	47.845	14.372	11.034	1.00	75.80	P
ATOM	27545	N	GLN	P	59	47.880	15.964	9.438	1.00	73.39	P
ATOM	27546	CA	GLN	P	59	48.178	15.050	8.341	1.00	74.09	P
ATOM	27547	CB	GLN	P	59	48.092	15.797	7.013	1.00	75.65	P
ATOM	27548	CG	GLN	P	59	46.740	15.779	6.348	1.00	84.18	P
ATOM	27549	CD	GLN	P	59	46.651	14.752	5.231	1.00	87.08	P
ATOM	27550	OE1	GLN	P	59	46.641	13.545	5.477	1.00	89.17	P
ATOM	27551	NE2	GLN	P	59	46.594	15.230	3.992	1.00	88.79	P
ATOM	27552	C	GLN	P	59	49.552	14.402	8.441	1.00	73.59	P
ATOM	27553	O	GLN	P	59	49.683	13.199	8.638	1.00	71.89	P
ATOM	27554	N	ARG	P	60	50.576	15.227	8.289	1.00	76.18	P
ATOM	27555	CA	ARG	P	60	51.953	14.773	8.321	1.00	78.25	P
ATOM	27556	CB	ARG	P	60	52.626	15.097	6.981	1.00	82.24	P
ATOM	27557	CG	ARG	P	60	54.086	14.695	6.865	1.00	88.02	P
ATOM	27558	CD	ARG	P	60	54.244	13.190	6.831	1.00	94.40	P
ATOM	27559	NE	ARG	P	60	53.397	12.586	5.805	1.00	104.74	P

ATOM	27560	CZ	ARG	P	60	53.441	11.304	5.446	1.00108.16	P
ATOM	27561	NH1	ARG	P	60	54.301	10.476	6.029	1.00108.72	P
ATOM	27562	NH2	ARG	P	60	52.616	10.846	4.509	1.00109.42	P
ATOM	27563	C	ARG	P	60	52.736	15.417	9.460	1.00 77.25	P
ATOM	27564	O	ARG	P	60	52.285	16.376	10.094	1.00 75.62	P
ATOM	27565	N	GLY	P	61	53.914	14.863	9.708	1.00 76.43	P
ATOM	27566	CA	GLY	P	61	54.788	15.361	10.746	1.00 77.09	P
ATOM	27567	C	GLY	P	61	56.175	14.912	10.349	1.00 77.16	P
ATOM	27568	O	GLY	P	61	56.489	13.727	10.432	1.00 79.56	P
ATOM	27569	N	SER	P	62	57.000	15.849	9.897	1.00 75.75	P
ATOM	27570	CA	SER	P	62	58.357	15.527	9.475	1.00 75.90	P
ATOM	27571	CB	SER	P	62	58.627	16.174	8.122	1.00 74.28	P
ATOM	27572	OG	SER	P	62	57.538	15.940	7.252	1.00 73.57	P
ATOM	27573	C	SER	P	62	59.407	15.977	10.496	1.00 75.98	P
ATOM	27574	O	SER	P	62	59.152	16.853	11.314	1.00 75.79	P
ATOM	27575	N	ALA	P	63	60.586	15.365	10.450	1.00 75.41	P
ATOM	27576	CA	ALA	P	63	61.660	15.706	11.377	1.00 73.59	P
ATOM	27577	CB	ALA	P	63	61.940	14.530	12.310	1.00 71.14	P
ATOM	27578	C	ALA	P	63	62.922	16.078	10.602	1.00 72.84	P
ATOM	27579	O	ALA	P	63	63.208	15.501	9.550	1.00 72.84	P
ATOM	27580	N	TYR	P	64	63.667	17.056	11.114	1.00 72.31	P
ATOM	27581	CA	TYR	P	64	64.894	17.501	10.463	1.00 69.27	P
ATOM	27582	CB	TYR	P	64	64.632	18.752	9.625	1.00 71.26	P
ATOM	27583	CG	TYR	P	64	63.465	18.606	8.671	1.00 75.33	P
ATOM	27584	CD1	TYR	P	64	62.152	18.553	9.145	1.00 79.50	P
ATOM	27585	CE1	TYR	P	64	61.072	18.344	8.275	1.00 78.74	P
ATOM	27586	CD2	TYR	P	64	63.672	18.457	7.301	1.00 76.05	P
ATOM	27587	CE2	TYR	P	64	62.599	18.251	6.422	1.00 73.86	P
ATOM	27588	CZ	TYR	P	64	61.306	18.191	6.916	1.00 75.90	P
ATOM	27589	OH	TYR	P	64	60.253	17.954	6.064	1.00 72.69	P
ATOM	27590	C	TYR	P	64	65.956	17.794	11.505	1.00 66.82	P
ATOM	27591	O	TYR	P	64	65.678	17.793	12.707	1.00 63.49	P
ATOM	27592	N	GLY	P	65	67.175	18.028	11.033	1.00 67.16	P
ATOM	27593	CA	GLY	P	65	68.279	18.321	11.928	1.00 69.31	P
ATOM	27594	C	GLY	P	65	68.426	17.410	13.136	1.00 70.96	P
ATOM	27595	O	GLY	P	65	68.180	16.206	13.080	1.00 69.76	P
ATOM	27596	N	GLY	P	66	68.839	18.007	14.245	1.00 74.07	P
ATOM	27597	CA	GLY	P	66	69.045	17.260	15.469	1.00 78.19	P
ATOM	27598	C	GLY	P	66	67.846	16.507	16.006	1.00 81.23	P
ATOM	27599	O	GLY	P	66	68.001	15.617	16.841	1.00 84.35	P
ATOM	27600	N	VAL	P	67	66.645	16.855	15.558	1.00 82.10	P
ATOM	27601	CA	VAL	P	67	65.462	16.145	16.040	1.00 82.76	P
ATOM	27602	CB	VAL	P	67	64.163	16.967	15.812	1.00 84.50	P
ATOM	27603	CG1	VAL	P	67	62.942	16.081	16.046	1.00 83.51	P
ATOM	27604	CG2	VAL	P	67	64.125	18.160	16.771	1.00 82.81	P
ATOM	27605	C	VAL	P	67	65.363	14.811	15.301	1.00 79.61	P
ATOM	27606	O	VAL	P	67	65.099	13.760	15.895	1.00 78.04	P
ATOM	27607	N	LEU	P	68	65.601	14.872	13.998	1.00 74.86	P
ATOM	27608	CA	LEU	P	68	65.555	13.700	13.146	1.00 71.42	P
ATOM	27609	CB	LEU	P	68	65.801	14.131	11.698	1.00 62.77	P
ATOM	27610	CG	LEU	P	68	65.800	13.037	10.637	1.00 57.78	P
ATOM	27611	CD1	LEU	P	68	64.519	12.210	10.731	1.00 54.60	P
ATOM	27612	CD2	LEU	P	68	65.924	13.683	9.285	1.00 52.24	P
ATOM	27613	C	LEU	P	68	66.586	12.644	13.562	1.00 72.73	P
ATOM	27614	O	LEU	P	68	66.310	11.442	13.538	1.00 76.66	P
ATOM	27615	N	SER	P	69	67.763	13.098	13.974	1.00 69.42	P
ATOM	27616	CA	SER	P	69	68.832	12.191	14.346	1.00 65.32	P
ATOM	27617	CB	SER	P	69	70.095	12.610	13.611	1.00 66.59	P

ATOM	27618	OG	SER	P	69	70.381	13.969	13.886	1.00	68.82	P
ATOM	27619	C	SER	P	69	69.155	12.048	15.828	1.00	63.68	P
ATOM	27620	O	SER	P	69	69.631	11.002	16.254	1.00	62.63	P
ATOM	27621	N	ASN	P	70	68.904	13.078	16.625	1.00	62.54	P
ATOM	27622	CA	ASN	P	70	69.249	12.991	18.037	1.00	62.82	P
ATOM	27623	CB	ASN	P	70	69.961	14.270	18.458	1.00	64.77	P
ATOM	27624	CG	ASN	P	70	71.329	14.408	17.812	1.00	71.23	P
ATOM	27625	OD1	ASN	P	70	72.298	13.773	18.247	1.00	73.95	P
ATOM	27626	ND2	ASN	P	70	71.415	15.225	16.758	1.00	67.76	P
ATOM	27627	C	ASN	P	70	68.150	12.664	19.037	1.00	63.98	P
ATOM	27628	O	ASN	P	70	68.422	12.545	20.239	1.00	64.56	P
ATOM	27629	N	PHE	P	71	66.918	12.502	18.563	1.00	63.07	P
ATOM	27630	CA	PHE	P	71	65.829	12.183	19.476	1.00	59.97	P
ATOM	27631	CB	PHE	P	71	64.973	13.414	19.786	1.00	62.31	P
ATOM	27632	CG	PHE	P	71	65.746	14.577	20.326	1.00	63.40	P
ATOM	27633	CD1	PHE	P	71	66.475	15.406	19.467	1.00	60.07	P
ATOM	27634	CD2	PHE	P	71	65.753	14.845	21.691	1.00	59.46	P
ATOM	27635	CE1	PHE	P	71	67.197	16.484	19.962	1.00	59.56	P
ATOM	27636	CE2	PHE	P	71	66.473	15.920	22.196	1.00	60.84	P
ATOM	27637	CZ	PHE	P	71	67.197	16.741	21.332	1.00	60.85	P
ATOM	27638	C	PHE	P	71	64.896	11.113	18.981	1.00	58.04	P
ATOM	27639	O	PHE	P	71	64.819	10.820	17.803	1.00	57.71	P
ATOM	27640	N	SER	P	72	64.176	10.544	19.929	1.00	60.27	P
ATOM	27641	CA	SER	P	72	63.171	9.530	19.678	1.00	61.58	P
ATOM	27642	CB	SER	P	72	63.428	8.297	20.539	1.00	58.39	P
ATOM	27643	OG	SER	P	72	63.462	8.645	21.916	1.00	51.94	P
ATOM	27644	C	SER	P	72	61.939	10.253	20.185	1.00	66.21	P
ATOM	27645	O	SER	P	72	62.051	11.151	21.025	1.00	65.86	P
ATOM	27646	N	GLY	P	73	60.763	9.897	19.693	1.00	71.00	P
ATOM	27647	CA	GLY	P	73	59.599	10.597	20.190	1.00	75.46	P
ATOM	27648	C	GLY	P	73	58.300	10.481	19.433	1.00	75.19	P
ATOM	27649	O	GLY	P	73	58.186	9.773	18.431	1.00	75.15	P
ATOM	27650	N	THR	P	74	57.318	11.219	19.939	1.00	74.97	P
ATOM	27651	CA	THR	P	74	55.979	11.231	19.387	1.00	75.15	P
ATOM	27652	CB	THR	P	74	55.083	10.277	20.164	1.00	72.66	P
ATOM	27653	OG1	THR	P	74	55.152	10.609	21.554	1.00	65.03	P
ATOM	27654	CG2	THR	P	74	55.526	8.838	19.959	1.00	75.57	P
ATOM	27655	C	THR	P	74	55.343	12.611	19.464	1.00	74.75	P
ATOM	27656	O	THR	P	74	55.868	13.522	20.103	1.00	74.21	P
ATOM	27657	N	VAL	P	75	54.199	12.741	18.805	1.00	75.30	P
ATOM	27658	CA	VAL	P	75	53.445	13.980	18.793	1.00	74.73	P
ATOM	27659	CB	VAL	P	75	53.186	14.465	17.351	1.00	74.05	P
ATOM	27660	CG1	VAL	P	75	52.429	13.402	16.572	1.00	75.57	P
ATOM	27661	CG2	VAL	P	75	52.415	15.762	17.374	1.00	73.26	P
ATOM	27662	C	VAL	P	75	52.111	13.728	19.490	1.00	75.55	P
ATOM	27663	O	VAL	P	75	51.341	12.849	19.092	1.00	74.33	P
ATOM	27664	N	LYS	P	76	51.864	14.483	20.555	1.00	76.56	P
ATOM	27665	CA	LYS	P	76	50.618	14.387	21.311	1.00	76.26	P
ATOM	27666	CB	LYS	P	76	50.837	14.922	22.731	1.00	74.93	P
ATOM	27667	CG	LYS	P	76	49.598	15.424	23.452	1.00	76.22	P
ATOM	27668	CD	LYS	P	76	50.022	16.299	24.644	1.00	82.27	P
ATOM	27669	CE	LYS	P	76	48.855	17.050	25.292	1.00	84.01	P
ATOM	27670	NZ	LYS	P	76	49.293	17.825	26.496	1.00	81.63	P
ATOM	27671	C	LYS	P	76	49.607	15.253	20.558	1.00	75.57	P
ATOM	27672	O	LYS	P	76	49.877	16.428	20.273	1.00	75.19	P
ATOM	27673	N	TYR	P	77	48.462	14.677	20.209	1.00	73.00	P
ATOM	27674	CA	TYR	P	77	47.447	15.438	19.489	1.00	73.12	P
ATOM	27675	CB	TYR	P	77	47.450	15.079	18.009	1.00	70.83	P

ATOM	27676	CG	TYR	P	77	46.495	15.917	17.194	1.00	71.67	P
ATOM	27677	CD1	TYR	P	77	46.836	17.210	16.796	1.00	74.34	P
ATOM	27678	CE1	TYR	P	77	45.962	17.991	16.037	1.00	74.81	P
ATOM	27679	CD2	TYR	P	77	45.250	15.421	16.817	1.00	72.10	P
ATOM	27680	CE2	TYR	P	77	44.366	16.191	16.058	1.00	76.89	P
ATOM	27681	CZ	TYR	P	77	44.730	17.477	15.668	1.00	77.87	P
ATOM	27682	OH	TYR	P	77	43.872	18.236	14.893	1.00	80.59	P
ATOM	27683	C	TYR	P	77	46.047	15.223	20.037	1.00	74.68	P
ATOM	27684	O	TYR	P	77	45.446	14.162	19.836	1.00	75.66	P
ATOM	27685	N	SER	P	78	45.526	16.239	20.717	1.00	74.91	P
ATOM	27686	CA	SER	P	78	44.190	16.162	21.288	1.00	77.30	P
ATOM	27687	CB	SER	P	78	43.134	16.146	20.172	1.00	77.86	P
ATOM	27688	OG	SER	P	78	41.815	16.253	20.692	1.00	73.70	P
ATOM	27689	C	SER	P	78	44.068	14.901	22.131	1.00	78.48	P
ATOM	27690	O	SER	P	78	43.234	14.036	21.861	1.00	81.35	P
ATOM	27691	N	GLY	P	79	44.908	14.798	23.152	1.00	78.33	P
ATOM	27692	CA	GLY	P	79	44.859	13.632	24.011	1.00	80.31	P
ATOM	27693	C	GLY	P	79	45.825	12.555	23.571	1.00	78.66	P
ATOM	27694	O	GLY	P	79	46.989	12.573	23.970	1.00	79.00	P
ATOM	27695	N	SER	P	80	45.347	11.621	22.749	1.00	77.13	P
ATOM	27696	CA	SER	P	80	46.189	10.527	22.265	1.00	76.27	P
ATOM	27697	CB	SER	P	80	45.455	9.687	21.206	1.00	76.54	P
ATOM	27698	OG	SER	P	80	44.445	8.875	21.783	1.00	71.44	P
ATOM	27699	C	SER	P	80	47.516	11.018	21.689	1.00	74.31	P
ATOM	27700	O	SER	P	80	47.638	12.170	21.254	1.00	73.46	P
ATOM	27701	N	SER	P	81	48.508	10.130	21.706	1.00	71.28	P
ATOM	27702	CA	SER	P	81	49.840	10.424	21.192	1.00	67.11	P
ATOM	27703	CB	SER	P	81	50.897	10.154	22.263	1.00	72.32	P
ATOM	27704	OG	SER	P	81	50.623	10.891	23.441	1.00	76.60	P
ATOM	27705	C	SER	P	81	50.081	9.515	20.001	1.00	61.94	P
ATOM	27706	O	SER	P	81	49.490	8.441	19.903	1.00	59.30	P
ATOM	27707	N	TYR	P	82	50.944	9.949	19.093	1.00	58.49	P
ATOM	27708	CA	TYR	P	82	51.233	9.163	17.907	1.00	56.56	P
ATOM	27709	CB	TYR	P	82	50.381	9.677	16.736	1.00	58.20	P
ATOM	27710	CG	TYR	P	82	48.904	9.846	17.072	1.00	63.08	P
ATOM	27711	CD1	TYR	P	82	48.444	10.970	17.772	1.00	65.96	P
ATOM	27712	CE1	TYR	P	82	47.096	11.098	18.146	1.00	59.42	P
ATOM	27713	CD2	TYR	P	82	47.974	8.857	16.746	1.00	63.46	P
ATOM	27714	CE2	TYR	P	82	46.631	8.977	17.110	1.00	61.63	P
ATOM	27715	CZ	TYR	P	82	46.201	10.096	17.814	1.00	62.16	P
ATOM	27716	OH	TYR	P	82	44.879	10.195	18.201	1.00	64.90	P
ATOM	27717	C	TYR	P	82	52.730	9.205	17.550	1.00	55.04	P
ATOM	27718	O	TYR	P	82	53.447	10.140	17.903	1.00	54.11	P
ATOM	27719	N	PRO	P	83	53.222	8.182	16.842	1.00	51.62	P
ATOM	27720	CD	PRO	P	83	52.551	6.991	16.295	1.00	48.83	P
ATOM	27721	CA	PRO	P	83	54.639	8.193	16.486	1.00	50.45	P
ATOM	27722	CB	PRO	P	83	54.782	6.955	15.604	1.00	42.86	P
ATOM	27723	CG	PRO	P	83	53.708	6.058	16.080	1.00	49.91	P
ATOM	27724	C	PRO	P	83	55.042	9.459	15.724	1.00	53.31	P
ATOM	27725	O	PRO	P	83	54.321	9.906	14.825	1.00	56.35	P
ATOM	27726	N	PHE	P	84	56.178	10.047	16.094	1.00	52.67	P
ATOM	27727	CA	PHE	P	84	56.687	11.209	15.378	1.00	52.36	P
ATOM	27728	CB	PHE	P	84	56.623	12.488	16.192	1.00	52.42	P
ATOM	27729	CG	PHE	P	84	57.172	13.676	15.453	1.00	51.63	P
ATOM	27730	CD1	PHE	P	84	56.569	14.118	14.279	1.00	53.44	P
ATOM	27731	CD2	PHE	P	84	58.331	14.309	15.881	1.00	50.62	P
ATOM	27732	CE1	PHE	P	84	57.117	15.171	13.542	1.00	49.33	P
ATOM	27733	CE2	PHE	P	84	58.884	15.362	15.150	1.00	51.20	P

ATOM	27734	CZ	PHE	P	84	58.276	15.789	13.978	1.00	47.15	P
ATOM	27735	C	PHE	P	84	58.137	10.962	15.019	1.00	54.82	P
ATOM	27736	O	PHE	P	84	58.945	10.630	15.889	1.00	57.92	P
ATOM	27737	N	PRO	P	85	58.496	11.127	13.734	1.00	56.34	P
ATOM	27738	CD	PRO	P	85	59.885	10.991	13.261	1.00	54.20	P
ATOM	27739	CA	PRO	P	85	57.620	11.528	12.628	1.00	57.94	P
ATOM	27740	CB	PRO	P	85	58.514	11.365	11.405	1.00	52.60	P
ATOM	27741	CG	PRO	P	85	59.848	11.737	11.940	1.00	55.63	P
ATOM	27742	C	PRO	P	85	56.350	10.700	12.530	1.00	59.90	P
ATOM	27743	O	PRO	P	85	56.342	9.513	12.848	1.00	59.80	P
ATOM	27744	N	THR	P	86	55.277	11.352	12.097	1.00	63.06	P
ATOM	27745	CA	THR	P	86	53.969	10.723	11.940	1.00	60.96	P
ATOM	27746	CB	THR	P	86	52.909	11.766	11.564	1.00	59.08	P
ATOM	27747	OG1	THR	P	86	53.159	12.240	10.233	1.00	53.46	P
ATOM	27748	CG2	THR	P	86	52.967	12.940	12.530	1.00	59.85	P
ATOM	27749	C	THR	P	86	54.009	9.673	10.835	1.00	61.36	P
ATOM	27750	O	THR	P	86	54.787	9.788	9.878	1.00	61.84	P
ATOM	27751	N	THR	P	87	53.157	8.660	10.971	1.00	58.99	P
ATOM	27752	CA	THR	P	87	53.075	7.576	10.002	1.00	58.13	P
ATOM	27753	CB	THR	P	87	53.273	6.205	10.675	1.00	56.89	P
ATOM	27754	OG1	THR	P	87	52.123	5.903	11.478	1.00	61.25	P
ATOM	27755	CG2	THR	P	87	54.515	6.213	11.550	1.00	52.21	P
ATOM	27756	C	THR	P	87	51.703	7.572	9.345	1.00	59.14	P
ATOM	27757	O	THR	P	87	51.421	6.752	8.476	1.00	61.37	P
ATOM	27758	N	SER	P	88	50.840	8.485	9.765	1.00	60.87	P
ATOM	27759	CA	SER	P	88	49.503	8.555	9.197	1.00	61.41	P
ATOM	27760	CB	SER	P	88	48.740	7.267	9.484	1.00	60.97	P
ATOM	27761	OG	SER	P	88	48.545	7.129	10.873	1.00	65.87	P
ATOM	27762	C	SER	P	88	48.734	9.731	9.767	1.00	60.12	P
ATOM	27763	O	SER	P	88	49.099	10.280	10.806	1.00	51.52	P
ATOM	27764	N	GLU	P	89	47.668	10.109	9.066	1.00	65.32	P
ATOM	27765	CA	GLU	P	89	46.830	11.228	9.475	1.00	68.97	P
ATOM	27766	CB	GLU	P	89	45.793	11.540	8.403	1.00	71.45	P
ATOM	27767	CG	GLU	P	89	44.713	12.492	8.871	1.00	71.81	P
ATOM	27768	CD	GLU	P	89	43.782	12.882	7.755	1.00	74.40	P
ATOM	27769	OE1	GLU	P	89	43.237	11.964	7.095	1.00	73.05	P
ATOM	27770	OE2	GLU	P	89	43.602	14.105	7.544	1.00	73.70	P
ATOM	27771	C	GLU	P	89	46.123	10.960	10.792	1.00	70.90	P
ATOM	27772	O	GLU	P	89	45.583	9.876	11.020	1.00	72.17	P
ATOM	27773	N	THR	P	90	46.114	11.979	11.640	1.00	70.61	P
ATOM	27774	CA	THR	P	90	45.516	11.898	12.961	1.00	71.24	P
ATOM	27775	CB	THR	P	90	46.124	13.010	13.848	1.00	70.20	P
ATOM	27776	OG1	THR	P	90	45.877	12.727	15.225	1.00	73.84	P
ATOM	27777	CG2	THR	P	90	45.512	14.350	13.510	1.00	71.88	P
ATOM	27778	C	THR	P	90	43.986	12.038	12.930	1.00	71.01	P
ATOM	27779	O	THR	P	90	43.408	12.437	11.917	1.00	69.22	P
ATOM	27780	N	PRO	P	91	43.309	11.662	14.030	1.00	71.65	P
ATOM	27781	CD	PRO	P	91	43.800	10.827	15.141	1.00	72.08	P
ATOM	27782	CA	PRO	P	91	41.849	11.782	14.087	1.00	73.68	P
ATOM	27783	CB	PRO	P	91	41.513	11.218	15.463	1.00	73.02	P
ATOM	27784	CG	PRO	P	91	42.534	10.152	15.631	1.00	73.51	P
ATOM	27785	C	PRO	P	91	41.526	13.267	13.981	1.00	75.24	P
ATOM	27786	O	PRO	P	91	42.410	14.097	14.186	1.00	76.84	P
ATOM	27787	N	ARG	P	92	40.277	13.608	13.682	1.00	77.46	P
ATOM	27788	CA	ARG	P	92	39.907	15.012	13.535	1.00	79.70	P
ATOM	27789	CB	ARG	P	92	38.934	15.186	12.361	1.00	84.03	P
ATOM	27790	CG	ARG	P	92	37.597	14.458	12.506	1.00	90.43	P
ATOM	27791	CD	ARG	P	92	36.708	14.712	11.286	1.00	93.90	P

ATOM	27792	NE	ARG	P	92	35.404	14.050	11.365	1.00	99.72	P
ATOM	27793	CZ	ARG	P	92	34.490	14.282	12.307	1.00	102.74	P
ATOM	27794	NH1	ARG	P	92	34.724	15.167	13.271	1.00	102.61	P
ATOM	27795	NH2	ARG	P	92	33.337	13.628	12.287	1.00	103.70	P
ATOM	27796	C	ARG	P	92	39.320	15.665	14.780	1.00	79.92	P
ATOM	27797	O	ARG	P	92	38.600	15.038	15.555	1.00	80.44	P
ATOM	27798	N	VAL	P	93	39.649	16.939	14.954	1.00	80.31	P
ATOM	27799	CA	VAL	P	93	39.167	17.743	16.071	1.00	82.33	P
ATOM	27800	CB	VAL	P	93	40.344	18.390	16.818	1.00	84.00	P
ATOM	27801	CG1	VAL	P	93	39.823	19.288	17.933	1.00	85.83	P
ATOM	27802	CG2	VAL	P	93	41.262	17.304	17.366	1.00	81.37	P
ATOM	27803	C	VAL	P	93	38.262	18.844	15.497	1.00	83.50	P
ATOM	27804	O	VAL	P	93	38.577	19.410	14.446	1.00	84.02	P
ATOM	27805	N	VAL	P	94	37.154	19.152	16.176	1.00	83.62	P
ATOM	27806	CA	VAL	P	94	36.213	20.168	15.684	1.00	81.17	P
ATOM	27807	CB	VAL	P	94	34.750	19.871	16.124	1.00	78.27	P
ATOM	27808	CG1	VAL	P	94	34.361	18.454	15.735	1.00	73.68	P
ATOM	27809	CG2	VAL	P	94	34.588	20.098	17.618	1.00	77.12	P
ATOM	27810	C	VAL	P	94	36.518	21.604	16.077	1.00	81.28	P
ATOM	27811	O	VAL	P	94	37.007	21.877	17.172	1.00	80.27	P
ATOM	27812	N	TYR	P	95	36.219	22.518	15.159	1.00	84.96	P
ATOM	27813	CA	TYR	P	95	36.420	23.950	15.373	1.00	86.84	P
ATOM	27814	CB	TYR	P	95	37.565	24.456	14.497	1.00	86.18	P
ATOM	27815	CG	TYR	P	95	38.898	24.199	15.138	1.00	89.38	P
ATOM	27816	CD1	TYR	P	95	39.332	22.903	15.380	1.00	89.45	P
ATOM	27817	CE1	TYR	P	95	40.515	22.660	16.060	1.00	92.50	P
ATOM	27818	CD2	TYR	P	95	39.690	25.254	15.586	1.00	93.98	P
ATOM	27819	CE2	TYR	P	95	40.875	25.025	16.267	1.00	93.37	P
ATOM	27820	CZ	TYR	P	95	41.279	23.725	16.503	1.00	93.75	P
ATOM	27821	OH	TYR	P	95	42.434	23.487	17.203	1.00	92.77	P
ATOM	27822	C	TYR	P	95	35.135	24.720	15.086	1.00	86.98	P
ATOM	27823	O	TYR	P	95	34.700	24.824	13.943	1.00	86.40	P
ATOM	27824	N	ASN	P	96	34.527	25.254	16.138	1.00	87.98	P
ATOM	27825	CA	ASN	P	96	33.278	25.989	16.000	1.00	89.30	P
ATOM	27826	CB	ASN	P	96	32.105	25.050	16.330	1.00	92.01	P
ATOM	27827	CG	ASN	P	96	32.355	24.212	17.586	1.00	97.22	P
ATOM	27828	OD1	ASN	P	96	31.638	23.246	17.856	1.00	99.64	P
ATOM	27829	ND2	ASN	P	96	33.370	24.586	18.359	1.00	97.40	P
ATOM	27830	C	ASN	P	96	33.205	27.269	16.846	1.00	88.49	P
ATOM	27831	O	ASN	P	96	32.618	27.278	17.933	1.00	87.46	P
ATOM	27832	N	SER	P	97	33.807	28.341	16.330	1.00	87.16	P
ATOM	27833	CA	SER	P	97	33.827	29.645	16.994	1.00	87.17	P
ATOM	27834	CB	SER	P	97	34.180	29.501	18.476	1.00	87.04	P
ATOM	27835	OG	SER	P	97	34.317	30.773	19.089	1.00	89.43	P
ATOM	27836	C	SER	P	97	34.847	30.559	16.330	1.00	87.22	P
ATOM	27837	O	SER	P	97	35.908	30.103	15.915	1.00	86.88	P
ATOM	27838	N	ARG	P	98	34.527	31.846	16.226	1.00	88.43	P
ATOM	27839	CA	ARG	P	98	35.446	32.798	15.612	1.00	87.96	P
ATOM	27840	CB	ARG	P	98	34.709	34.063	15.172	1.00	89.43	P
ATOM	27841	CG	ARG	P	98	33.669	33.800	14.092	1.00	93.83	P
ATOM	27842	CD	ARG	P	98	33.099	35.086	13.502	1.00	94.83	P
ATOM	27843	NE	ARG	P	98	31.961	34.816	12.627	1.00	94.86	P
ATOM	27844	CZ	ARG	P	98	30.801	34.315	13.044	1.00	96.02	P
ATOM	27845	NH1	ARG	P	98	30.616	34.031	14.326	1.00	96.86	P
ATOM	27846	NH2	ARG	P	98	29.821	34.088	12.181	1.00	99.06	P
ATOM	27847	C	ARG	P	98	36.524	33.143	16.612	1.00	87.39	P
ATOM	27848	O	ARG	P	98	37.425	33.932	16.332	1.00	87.13	P
ATOM	27849	N	THR	P	99	36.416	32.544	17.791	1.00	87.85	P

ATOM	27850	CA	THR	P	99	37.395	32.751	18.845	1.00	89.38	P
ATOM	27851	CB	THR	P	99	36.798	32.422	20.230	1.00	87.78	P
ATOM	27852	OG1	THR	P	99	35.709	33.312	20.503	1.00	85.74	P
ATOM	27853	CG2	THR	P	99	37.858	32.557	21.323	1.00	86.53	P
ATOM	27854	C	THR	P	99	38.590	31.833	18.572	1.00	91.72	P
ATOM	27855	O	THR	P	99	38.475	30.601	18.592	1.00	90.53	P
ATOM	27856	N	ASP	P	100	39.738	32.442	18.307	1.00	93.46	P
ATOM	27857	CA	ASP	P	100	40.951	31.689	18.024	1.00	97.16	P
ATOM	27858	CB	ASP	P	100	42.129	32.647	17.892	1.00	98.25	P
ATOM	27859	CG	ASP	P	100	42.001	33.550	16.698	1.00	100.26	P
ATOM	27860	OD1	ASP	P	100	42.219	33.068	15.564	1.00	96.67	P
ATOM	27861	OD2	ASP	P	100	41.671	34.739	16.900	1.00	104.44	P
ATOM	27862	C	ASP	P	100	41.297	30.609	19.048	1.00	97.68	P
ATOM	27863	O	ASP	P	100	41.813	30.903	20.127	1.00	96.94	P
ATOM	27864	N	LYS	P	101	41.002	29.361	18.700	1.00	99.33	P
ATOM	27865	CA	LYS	P	101	41.317	28.218	19.552	1.00	99.57	P
ATOM	27866	CB	LYS	P	101	40.187	27.184	19.524	1.00	97.40	P
ATOM	27867	CG	LYS	P	101	40.474	25.923	20.323	1.00	96.04	P
ATOM	27868	CD	LYS	P	101	39.334	24.915	20.217	1.00	97.55	P
ATOM	27869	CE	LYS	P	101	39.560	23.725	21.146	1.00	99.43	P
ATOM	27870	NZ	LYS	P	101	38.441	22.740	21.103	1.00	100.94	P
ATOM	27871	C	LYS	P	101	42.582	27.598	18.963	1.00	100.44	P
ATOM	27872	O	LYS	P	101	42.735	27.531	17.740	1.00	101.99	P
ATOM	27873	N	PRO	P	102	43.516	27.149	19.819	1.00	99.80	P
ATOM	27874	CD	PRO	P	102	43.545	27.234	21.294	1.00	99.17	P
ATOM	27875	CA	PRO	P	102	44.752	26.541	19.312	1.00	96.38	P
ATOM	27876	CB	PRO	P	102	45.714	26.729	20.473	1.00	96.17	P
ATOM	27877	CG	PRO	P	102	44.815	26.453	21.655	1.00	96.48	P
ATOM	27878	C	PRO	P	102	44.518	25.066	19.025	1.00	92.83	P
ATOM	27879	O	PRO	P	102	43.723	24.424	19.714	1.00	91.73	P
ATOM	27880	N	TRP	P	103	45.181	24.518	18.013	1.00	90.21	P
ATOM	27881	CA	TRP	P	103	45.003	23.097	17.762	1.00	87.46	P
ATOM	27882	CB	TRP	P	103	45.150	22.759	16.266	1.00	86.03	P
ATOM	27883	CG	TRP	P	103	46.512	22.859	15.719	1.00	88.45	P
ATOM	27884	CD2	TRP	P	103	47.071	22.066	14.664	1.00	88.91	P
ATOM	27885	CE2	TRP	P	103	48.395	22.524	14.454	1.00	89.23	P
ATOM	27886	CE3	TRP	P	103	46.586	21.018	13.873	1.00	87.11	P
ATOM	27887	CD1	TRP	P	103	47.483	23.737	16.096	1.00	90.99	P
ATOM	27888	NE1	TRP	P	103	48.618	23.543	15.343	1.00	93.09	P
ATOM	27889	CZ2	TRP	P	103	49.244	21.965	13.485	1.00	85.25	P
ATOM	27890	CZ3	TRP	P	103	47.434	20.462	12.907	1.00	86.97	P
ATOM	27891	CH2	TRP	P	103	48.748	20.941	12.725	1.00	83.78	P
ATOM	27892	C	TRP	P	103	46.035	22.391	18.633	1.00	83.70	P
ATOM	27893	O	TRP	P	103	47.184	22.817	18.722	1.00	79.48	P
ATOM	27894	N	PRO	P	104	45.614	21.324	19.327	1.00	84.36	P
ATOM	27895	CD	PRO	P	104	44.285	20.710	19.146	1.00	86.28	P
ATOM	27896	CA	PRO	P	104	46.440	20.510	20.226	1.00	85.55	P
ATOM	27897	CB	PRO	P	104	45.430	19.532	20.815	1.00	86.47	P
ATOM	27898	CG	PRO	P	104	44.506	19.299	19.651	1.00	88.34	P
ATOM	27899	C	PRO	P	104	47.600	19.788	19.537	1.00	84.62	P
ATOM	27900	O	PRO	P	104	47.463	18.646	19.109	1.00	85.13	P
ATOM	27901	N	VAL	P	105	48.741	20.450	19.433	1.00	83.08	P
ATOM	27902	CA	VAL	P	105	49.888	19.837	18.794	1.00	84.05	P
ATOM	27903	CB	VAL	P	105	50.137	20.434	17.400	1.00	82.97	P
ATOM	27904	CG1	VAL	P	105	51.458	19.926	16.841	1.00	82.82	P
ATOM	27905	CG2	VAL	P	105	49.001	20.045	16.479	1.00	81.66	P
ATOM	27906	C	VAL	P	105	51.129	20.013	19.644	1.00	85.51	P
ATOM	27907	O	VAL	P	105	51.779	21.062	19.614	1.00	87.25	P

ATOM	27908	N	ALA	P	106	51.449	18.975	20.409	1.00	82.77	P
ATOM	27909	CA	ALA	P	106	52.616	19.008	21.267	1.00	78.54	P
ATOM	27910	CB	ALA	P	106	52.196	18.851	22.717	1.00	75.97	P
ATOM	27911	C	ALA	P	106	53.606	17.916	20.869	1.00	77.15	P
ATOM	27912	O	ALA	P	106	53.246	16.739	20.749	1.00	73.35	P
ATOM	27913	N	LEU	P	107	54.851	18.336	20.654	1.00	75.78	P
ATOM	27914	CA	LEU	P	107	55.944	17.451	20.276	1.00	72.57	P
ATOM	27915	CB	LEU	P	107	56.908	18.179	19.351	1.00	67.48	P
ATOM	27916	CG	LEU	P	107	56.924	17.721	17.905	1.00	65.80	P
ATOM	27917	CD1	LEU	P	107	55.518	17.762	17.346	1.00	65.45	P
ATOM	27918	CD2	LEU	P	107	57.864	18.610	17.111	1.00	65.69	P
ATOM	27919	C	LEU	P	107	56.709	16.992	21.501	1.00	72.77	P
ATOM	27920	O	LEU	P	107	57.175	17.812	22.291	1.00	71.32	P
ATOM	27921	N	TYR	P	108	56.839	15.680	21.653	1.00	74.77	P
ATOM	27922	CA	TYR	P	108	57.568	15.113	22.778	1.00	79.40	P
ATOM	27923	CB	TYR	P	108	56.632	14.259	23.635	1.00	81.95	P
ATOM	27924	CG	TYR	P	108	55.573	15.077	24.344	1.00	90.28	P
ATOM	27925	CD1	TYR	P	108	54.554	15.703	23.627	1.00	93.15	P
ATOM	27926	CE1	TYR	P	108	53.588	16.475	24.274	1.00	94.79	P
ATOM	27927	CD2	TYR	P	108	55.600	15.245	25.731	1.00	91.57	P
ATOM	27928	CE2	TYR	P	108	54.637	16.017	26.387	1.00	92.11	P
ATOM	27929	CZ	TYR	P	108	53.633	16.628	25.650	1.00	93.67	P
ATOM	27930	OH	TYR	P	108	52.664	17.383	26.275	1.00	97.16	P
ATOM	27931	C	TYR	P	108	58.763	14.293	22.285	1.00	80.70	P
ATOM	27932	O	TYR	P	108	58.619	13.151	21.844	1.00	80.20	P
ATOM	27933	N	LEU	P	109	59.946	14.896	22.370	1.00	80.98	P
ATOM	27934	CA	LEU	P	109	61.178	14.266	21.915	1.00	83.09	P
ATOM	27935	CB	LEU	P	109	61.870	15.189	20.915	1.00	75.45	P
ATOM	27936	CG	LEU	P	109	60.899	15.826	19.931	1.00	70.25	P
ATOM	27937	CD1	LEU	P	109	61.651	16.788	19.035	1.00	69.64	P
ATOM	27938	CD2	LEU	P	109	60.196	14.748	19.126	1.00	68.19	P
ATOM	27939	C	LEU	P	109	62.144	13.938	23.054	1.00	85.98	P
ATOM	27940	O	LEU	P	109	62.380	14.758	23.939	1.00	86.88	P
ATOM	27941	N	THR	P	110	62.704	12.734	23.024	1.00	87.82	P
ATOM	27942	CA	THR	P	110	63.652	12.316	24.047	1.00	89.95	P
ATOM	27943	CB	THR	P	110	63.245	10.984	24.677	1.00	88.98	P
ATOM	27944	OG1	THR	P	110	61.895	11.078	25.144	1.00	90.98	P
ATOM	27945	CG2	THR	P	110	64.161	10.648	25.851	1.00	89.83	P
ATOM	27946	C	THR	P	110	65.011	12.148	23.393	1.00	92.10	P
ATOM	27947	O	THR	P	110	65.096	11.698	22.250	1.00	94.74	P
ATOM	27948	N	PRO	P	111	66.092	12.525	24.099	1.00	91.83	P
ATOM	27949	CD	PRO	P	111	66.148	13.365	25.307	1.00	90.99	P
ATOM	27950	CA	PRO	P	111	67.428	12.381	23.507	1.00	90.04	P
ATOM	27951	CB	PRO	P	111	68.285	13.353	24.325	1.00	90.40	P
ATOM	27952	CG	PRO	P	111	67.271	14.297	24.964	1.00	90.43	P
ATOM	27953	C	PRO	P	111	67.928	10.939	23.611	1.00	87.84	P
ATOM	27954	O	PRO	P	111	67.729	10.268	24.632	1.00	85.09	P
ATOM	27955	N	VAL	P	112	68.562	10.466	22.543	1.00	86.98	P
ATOM	27956	CA	VAL	P	112	69.102	9.111	22.514	1.00	84.91	P
ATOM	27957	CB	VAL	P	112	69.157	8.557	21.080	1.00	79.07	P
ATOM	27958	CG1	VAL	P	112	67.761	8.311	20.565	1.00	72.42	P
ATOM	27959	CG2	VAL	P	112	69.890	9.538	20.176	1.00	78.09	P
ATOM	27960	C	VAL	P	112	70.516	9.130	23.073	1.00	86.78	P
ATOM	27961	O	VAL	P	112	71.247	10.106	22.889	1.00	88.97	P
ATOM	27962	N	SER	P	113	70.892	8.060	23.766	1.00	87.74	P
ATOM	27963	CA	SER	P	113	72.231	7.946	24.343	1.00	88.85	P
ATOM	27964	CB	SER	P	113	72.519	6.477	24.674	1.00	89.95	P
ATOM	27965	OG	SER	P	113	73.826	6.309	25.186	1.00	96.22	P

ATOM	27966	C	SER	P	113	73.292	8.486	23.371	1.00	87.39	P
ATOM	27967	O	SER	P	113	74.287	9.067	23.787	1.00	84.94	P
ATOM	27968	N	SER	P	114	73.042	8.304	22.076	1.00	88.94	P
ATOM	27969	CA	SER	P	114	73.933	8.740	21.002	1.00	90.89	P
ATOM	27970	CB	SER	P	114	73.331	8.354	19.644	1.00	88.50	P
ATOM	27971	OG	SER	P	114	74.120	8.829	18.568	1.00	82.30	P
ATOM	27972	C	SER	P	114	74.263	10.229	20.988	1.00	95.67	P
ATOM	27973	O	SER	P	114	75.363	10.617	20.595	1.00	96.27	P
ATOM	27974	N	ALA	P	115	73.311	11.064	21.394	1.00101.04	P	P
ATOM	27975	CA	ALA	P	115	73.533	12.510	21.417	1.00105.73	P	P
ATOM	27976	CB	ALA	P	115	72.294	13.219	21.958	1.00103.55	P	P
ATOM	27977	C	ALA	P	115	74.758	12.837	22.280	1.00109.50	P	P
ATOM	27978	O	ALA	P	115	75.360	11.937	22.874	1.00111.00	P	P
ATOM	27979	N	GLY	P	116	75.130	14.115	22.346	1.00111.43	P	P
ATOM	27980	CA	GLY	P	116	76.287	14.503	23.141	1.00112.65	P	P
ATOM	27981	C	GLY	P	116	76.297	15.938	23.646	1.00113.65	P	P
ATOM	27982	O	GLY	P	116	76.376	16.180	24.854	1.00112.16	P	P
ATOM	27983	N	GLY	P	117	76.235	16.893	22.722	1.00114.95	P	P
ATOM	27984	CA	GLY	P	117	76.237	18.295	23.099	1.00115.46	P	P
ATOM	27985	C	GLY	P	117	75.171	19.080	22.361	1.00115.58	P	P
ATOM	27986	O	GLY	P	117	73.998	19.050	22.733	1.00114.62	P	P
ATOM	27987	N	VAL	P	118	75.578	19.781	21.307	1.00116.12	P	P
ATOM	27988	CA	VAL	P	118	74.648	20.575	20.512	1.00116.99	P	P
ATOM	27989	CB	VAL	P	118	75.394	21.544	19.562	1.00117.05	P	P
ATOM	27990	CG1	VAL	P	118	74.395	22.319	18.715	1.00116.61	P	P
ATOM	27991	CG2	VAL	P	118	76.255	22.502	20.363	1.00117.74	P	P
ATOM	27992	C	VAL	P	118	73.752	19.674	19.670	1.00118.10	P	P
ATOM	27993	O	VAL	P	118	74.112	19.295	18.555	1.00119.85	P	P
ATOM	27994	N	ALA	P	119	72.587	19.330	20.210	1.00118.14	P	P
ATOM	27995	CA	ALA	P	119	71.635	18.485	19.497	1.00117.59	P	P
ATOM	27996	CB	ALA	P	119	70.606	17.914	20.471	1.00115.17	P	P
ATOM	27997	C	ALA	P	119	70.936	19.312	18.417	1.00118.22	P	P
ATOM	27998	O	ALA	P	119	70.836	18.891	17.264	1.00118.70	P	P
ATOM	27999	N	ILE	P	120	70.465	20.496	18.799	1.00118.79	P	P
ATOM	28000	CA	ILE	P	120	69.772	21.393	17.877	1.00117.49	P	P
ATOM	28001	CB	ILE	P	120	68.305	21.625	18.320	1.00116.58	P	P
ATOM	28002	CG2	ILE	P	120	67.635	22.634	17.402	1.00116.43	P	P
ATOM	28003	CG1	ILE	P	120	67.538	20.304	18.304	1.00113.17	P	P
ATOM	28004	CD1	ILE	P	120	66.092	20.438	18.711	1.00113.83	P	P
ATOM	28005	C	ILE	P	120	70.473	22.745	17.812	1.00115.80	P	P
ATOM	28006	O	ILE	P	120	70.940	23.258	18.828	1.00115.18	P	P
ATOM	28007	N	LYS	P	121	70.543	23.317	16.615	1.00114.57	P	P
ATOM	28008	CA	LYS	P	121	71.177	24.616	16.426	1.00114.54	P	P
ATOM	28009	CB	LYS	P	121	71.509	24.829	14.944	1.00114.80	P	P
ATOM	28010	CG	LYS	P	121	72.929	24.403	14.555	1.00114.42	P	P
ATOM	28011	CD	LYS	P	121	73.252	22.976	15.005	1.00115.30	P	P
ATOM	28012	CE	LYS	P	121	74.757	22.674	14.950	1.00114.61	P	P
ATOM	28013	NZ	LYS	P	121	75.335	22.749	13.578	1.00113.26	P	P
ATOM	28014	C	LYS	P	121	70.280	25.736	16.945	1.00113.98	P	P
ATOM	28015	O	LYS	P	121	69.245	25.476	17.555	1.00114.27	P	P
ATOM	28016	N	ALA	P	122	70.676	26.981	16.708	1.00112.93	P	P
ATOM	28017	CA	ALA	P	122	69.899	28.119	17.181	1.00112.62	P	P
ATOM	28018	CB	ALA	P	122	70.813	29.103	17.900	1.00112.31	P	P
ATOM	28019	C	ALA	P	122	69.147	28.829	16.062	1.00112.83	P	P
ATOM	28020	O	ALA	P	122	68.736	29.980	16.215	1.00113.29	P	P
ATOM	28021	N	GLY	P	123	68.963	28.144	14.939	1.00112.14	P	P
ATOM	28022	CA	GLY	P	123	68.257	28.747	13.821	1.00111.43	P	P
ATOM	28023	C	GLY	P	123	68.047	27.787	12.668	1.00110.54	P	P

ATOM	28024	O	GLY	P	123	68.160	28.161	11.495	1.00110.46	P
ATOM	28025	N	SER	P	124	67.740	26.540	13.010	1.00109.24	P
ATOM	28026	CA	SER	P	124	67.509	25.495	12.019	1.00104.67	P
ATOM	28027	CB	SER	P	124	68.417	24.288	12.299	1.00103.93	P
ATOM	28028	OG	SER	P	124	68.244	23.796	13.620	1.00101.16	P
ATOM	28029	C	SER	P	124	66.052	25.054	12.037	1.00100.42	P
ATOM	28030	O	SER	P	124	65.245	25.564	12.818	1.00 97.87	P
ATOM	28031	N	LEU	P	125	65.727	24.112	11.157	1.00 97.58	P
ATOM	28032	CA	LEU	P	125	64.380	23.572	11.064	1.00 94.03	P
ATOM	28033	CB	LEU	P	125	64.067	23.189	9.617	1.00 92.64	P
ATOM	28034	CG	LEU	P	125	62.684	22.595	9.347	1.00 94.88	P
ATOM	28035	CD1	LEU	P	125	61.586	23.569	9.758	1.00 93.99	P
ATOM	28036	CD2	LEU	P	125	62.580	22.274	7.870	1.00 93.73	P
ATOM	28037	C	LEU	P	125	64.269	22.343	11.963	1.00 91.24	P
ATOM	28038	O	LEU	P	125	65.133	21.466	11.944	1.00 92.23	P
ATOM	28039	N	ILE	P	126	63.216	22.300	12.770	1.00 87.30	P
ATOM	28040	CA	ILE	P	126	62.986	21.177	13.666	1.00 84.92	P
ATOM	28041	CB	ILE	P	126	62.228	21.597	14.939	1.00 83.35	P
ATOM	28042	CG2	ILE	P	126	61.940	20.381	15.787	1.00 85.17	P
ATOM	28043	CG1	ILE	P	126	63.035	22.594	15.753	1.00 82.12	P
ATOM	28044	CD1	ILE	P	126	62.322	23.004	17.029	1.00 82.40	P
ATOM	28045	C	ILE	P	126	62.103	20.158	12.957	1.00 83.27	P
ATOM	28046	O	ILE	P	126	62.496	19.016	12.722	1.00 82.98	P
ATOM	28047	N	ALA	P	127	60.900	20.601	12.618	1.00 81.10	P
ATOM	28048	CA	ALA	P	127	59.922	19.752	11.975	1.00 79.20	P
ATOM	28049	CB	ALA	P	127	58.980	19.189	13.030	1.00 80.14	P
ATOM	28050	C	ALA	P	127	59.125	20.496	10.918	1.00 78.62	P
ATOM	28051	O	ALA	P	127	59.403	21.656	10.606	1.00 80.40	P
ATOM	28052	N	VAL	P	128	58.131	19.803	10.372	1.00 76.03	P
ATOM	28053	CA	VAL	P	128	57.248	20.354	9.360	1.00 73.15	P
ATOM	28054	CB	VAL	P	128	57.778	20.054	7.950	1.00 70.37	P
ATOM	28055	CG1	VAL	P	128	56.760	20.468	6.907	1.00 70.84	P
ATOM	28056	CG2	VAL	P	128	59.074	20.799	7.721	1.00 65.02	P
ATOM	28057	C	VAL	P	128	55.873	19.722	9.548	1.00 74.03	P
ATOM	28058	O	VAL	P	128	55.519	18.770	8.852	1.00 77.08	P
ATOM	28059	N	LEU	P	129	55.114	20.257	10.505	1.00 72.71	P
ATOM	28060	CA	LEU	P	129	53.769	19.772	10.831	1.00 71.97	P
ATOM	28061	CB	LEU	P	129	53.372	20.238	12.231	1.00 69.17	P
ATOM	28062	CG	LEU	P	129	54.375	19.991	13.353	1.00 67.50	P
ATOM	28063	CD1	LEU	P	129	53.822	20.543	14.652	1.00 56.77	P
ATOM	28064	CD2	LEU	P	129	54.654	18.500	13.464	1.00 65.02	P
ATOM	28065	C	LEU	P	129	52.721	20.277	9.847	1.00 72.94	P
ATOM	28066	O	LEU	P	129	52.583	21.485	9.660	1.00 73.90	P
ATOM	28067	N	ILE	P	130	51.968	19.366	9.234	1.00 72.58	P
ATOM	28068	CA	ILE	P	130	50.946	19.783	8.283	1.00 71.93	P
ATOM	28069	CB	ILE	P	130	50.983	18.951	6.987	1.00 70.55	P
ATOM	28070	CG2	ILE	P	130	49.807	19.338	6.105	1.00 69.11	P
ATOM	28071	CG1	ILE	P	130	52.295	19.186	6.235	1.00 69.42	P
ATOM	28072	CD1	ILE	P	130	52.350	18.498	4.880	1.00 69.25	P
ATOM	28073	C	ILE	P	130	49.532	19.710	8.845	1.00 73.13	P
ATOM	28074	O	ILE	P	130	49.061	18.645	9.255	1.00 72.70	P
ATOM	28075	N	LEU	P	131	48.856	20.854	8.848	1.00 74.16	P
ATOM	28076	CA	LEU	P	131	47.489	20.932	9.338	1.00 74.14	P
ATOM	28077	CB	LEU	P	131	47.229	22.305	9.956	1.00 73.63	P
ATOM	28078	CG	LEU	P	131	45.872	22.519	10.636	1.00 77.32	P
ATOM	28079	CD1	LEU	P	131	45.947	23.768	11.502	1.00 75.08	P
ATOM	28080	CD2	LEU	P	131	44.748	22.637	9.600	1.00 77.44	P
ATOM	28081	C	LEU	P	131	46.543	20.704	8.171	1.00 75.80	P

ATOM	28082	O	LEU	P	131	46.640	21.376	7.147	1.00	75.63	P
ATOM	28083	N	ARG	P	132	45.632	19.751	8.329	1.00	78.80	P
ATOM	28084	CA	ARG	P	132	44.657	19.428	7.291	1.00	79.80	P
ATOM	28085	CB	ARG	P	132	44.562	17.918	7.119	1.00	82.79	P
ATOM	28086	CG	ARG	P	132	43.442	17.455	6.217	1.00	83.71	P
ATOM	28087	CD	ARG	P	132	43.952	17.079	4.844	1.00	86.99	P
ATOM	28088	NE	ARG	P	132	43.147	16.008	4.264	1.00	88.24	P
ATOM	28089	CZ	ARG	P	132	43.316	15.517	3.042	1.00	90.40	P
ATOM	28090	NH1	ARG	P	132	44.268	15.996	2.244	1.00	88.77	P
ATOM	28091	NH2	ARG	P	132	42.529	14.538	2.619	1.00	92.07	P
ATOM	28092	C	ARG	P	132	43.308	19.964	7.726	1.00	79.55	P
ATOM	28093	O	ARG	P	132	42.850	19.668	8.832	1.00	78.54	P
ATOM	28094	N	GLN	P	133	42.667	20.738	6.855	1.00	79.89	P
ATOM	28095	CA	GLN	P	133	41.372	21.324	7.188	1.00	79.03	P
ATOM	28096	CB	GLN	P	133	41.509	22.846	7.328	1.00	79.12	P
ATOM	28097	CG	GLN	P	133	40.275	23.540	7.890	1.00	80.08	P
ATOM	28098	CD	GLN	P	133	39.557	24.393	6.863	1.00	82.89	P
ATOM	28099	OE1	GLN	P	133	40.146	25.301	6.270	1.00	85.24	P
ATOM	28100	NE2	GLN	P	133	38.276	24.108	6.648	1.00	80.92	P
ATOM	28101	C	GLN	P	133	40.258	21.004	6.200	1.00	77.48	P
ATOM	28102	O	GLN	P	133	40.428	21.131	4.983	1.00	77.56	P
ATOM	28103	N	THR	P	134	39.122	20.582	6.750	1.00	74.93	P
ATOM	28104	CA	THR	P	134	37.931	20.253	5.976	1.00	73.24	P
ATOM	28105	CB	THR	P	134	37.777	18.746	5.769	1.00	71.11	P
ATOM	28106	OG1	THR	P	134	37.630	18.102	7.043	1.00	71.20	P
ATOM	28107	CG2	THR	P	134	38.979	18.188	5.033	1.00	65.44	P
ATOM	28108	C	THR	P	134	36.744	20.738	6.791	1.00	75.89	P
ATOM	28109	O	THR	P	134	36.925	21.484	7.751	1.00	76.06	P
ATOM	28110	N	ASN	P	135	35.537	20.318	6.413	1.00	78.82	P
ATOM	28111	CA	ASN	P	135	34.317	20.712	7.121	1.00	82.17	P
ATOM	28112	CB	ASN	P	135	34.049	22.208	6.955	1.00	83.11	P
ATOM	28113	CG	ASN	P	135	33.882	22.611	5.504	1.00	85.62	P
ATOM	28114	OD1	ASN	P	135	33.122	21.990	4.759	1.00	88.41	P
ATOM	28115	ND2	ASN	P	135	34.587	23.660	5.096	1.00	84.33	P
ATOM	28116	C	ASN	P	135	33.120	19.934	6.606	1.00	85.04	P
ATOM	28117	O	ASN	P	135	33.203	19.265	5.575	1.00	87.02	P
ATOM	28118	N	ASN	P	136	32.001	20.041	7.317	1.00	86.51	P
ATOM	28119	CA	ASN	P	136	30.786	19.326	6.937	1.00	90.08	P
ATOM	28120	CB	ASN	P	136	30.020	18.875	8.195	1.00	87.43	P
ATOM	28121	CG	ASN	P	136	29.520	20.043	9.044	1.00	85.88	P
ATOM	28122	OD1	ASN	P	136	28.797	19.844	10.028	1.00	81.80	P
ATOM	28123	ND2	ASN	P	136	29.904	21.262	8.671	1.00	83.86	P
ATOM	28124	C	ASN	P	136	29.859	20.146	6.044	1.00	94.02	P
ATOM	28125	O	ASN	P	136	28.640	19.976	6.088	1.00	94.91	P
ATOM	28126	N	TYR	P	137	30.432	21.014	5.215	1.00	98.09	P
ATOM	28127	CA	TYR	P	137	29.624	21.868	4.350	1.00	100.33	P
ATOM	28128	CB	TYR	P	137	29.868	23.337	4.719	1.00	103.11	P
ATOM	28129	CG	TYR	P	137	28.896	24.314	4.103	1.00	104.86	P
ATOM	28130	CD1	TYR	P	137	27.520	24.161	4.273	1.00	106.54	P
ATOM	28131	CE1	TYR	P	137	26.618	25.070	3.723	1.00	108.08	P
ATOM	28132	CD2	TYR	P	137	29.351	25.405	3.364	1.00	105.09	P
ATOM	28133	CE2	TYR	P	137	28.459	26.322	2.810	1.00	108.13	P
ATOM	28134	CZ	TYR	P	137	27.094	26.147	2.992	1.00	108.98	P
ATOM	28135	OH	TYR	P	137	26.210	27.040	2.429	1.00	111.16	P
ATOM	28136	C	TYR	P	137	29.862	21.656	2.858	1.00	99.83	P
ATOM	28137	O	TYR	P	137	28.914	21.479	2.098	1.00	98.94	P
ATOM	28138	N	ASN	P	138	31.122	21.671	2.438	1.00	100.70	P
ATOM	28139	CA	ASN	P	138	31.441	21.487	1.026	1.00	102.61	P

ATOM	28140	CB	ASN	P	138	31.535	22.842	0.328	1.00105.26	P
ATOM	28141	CG	ASN	P	138	32.497	23.779	1.018	1.00108.18	P
ATOM	28142	OD1	ASN	P	138	32.194	24.331	2.077	1.00110.81	P
ATOM	28143	ND2	ASN	P	138	33.675	23.953	0.431	1.00108.20	P
ATOM	28144	C	ASN	P	138	32.729	20.712	0.789	1.00102.83	P
ATOM	28145	O	ASN	P	138	33.271	20.092	1.701	1.00103.43	P
ATOM	28146	N	SER	P	139	33.212	20.769	-0.450	1.00103.00	P
ATOM	28147	CA	SER	P	139	34.426	20.071	-0.864	1.00102.90	P
ATOM	28148	CB	SER	P	139	34.456	19.967	-2.393	1.00102.12	P
ATOM	28149	OG	SER	P	139	34.305	21.244	-2.996	1.00102.35	P
ATOM	28150	C	SER	P	139	35.727	20.706	-0.373	1.00103.07	P
ATOM	28151	O	SER	P	139	36.799	20.439	-0.929	1.00102.99	P
ATOM	28152	N	ASP	P	140	35.637	21.530	0.670	1.00102.02	P
ATOM	28153	CA	ASP	P	140	36.816	22.199	1.219	1.00101.90	P
ATOM	28154	CB	ASP	P	140	36.390	23.345	2.141	1.00104.88	P
ATOM	28155	CG	ASP	P	140	36.464	24.701	1.455	1.00108.10	P
ATOM	28156	OD1	ASP	P	140	36.108	25.719	2.088	1.00109.25	P
ATOM	28157	OD2	ASP	P	140	36.888	24.750	0.280	1.00109.58	P
ATOM	28158	C	ASP	P	140	37.800	21.276	1.945	1.00 99.67	P
ATOM	28159	O	ASP	P	140	37.461	20.622	2.933	1.00 97.92	P
ATOM	28160	N	ASP	P	141	39.029	21.250	1.438	1.00 97.90	P
ATOM	28161	CA	ASP	P	141	40.098	20.422	1.982	1.00 96.42	P
ATOM	28162	CB	ASP	P	141	40.111	19.077	1.250	1.00 94.86	P
ATOM	28163	CG	ASP	P	141	41.076	18.082	1.858	1.00 91.89	P
ATOM	28164	OD1	ASP	P	141	42.286	18.387	1.954	1.00 89.93	P
ATOM	28165	OD2	ASP	P	141	40.616	16.986	2.232	1.00 90.33	P
ATOM	28166	C	ASP	P	141	41.422	21.155	1.759	1.00 96.00	P
ATOM	28167	O	ASP	P	141	41.971	21.139	0.654	1.00 95.61	P
ATOM	28168	N	PHE	P	142	41.938	21.792	2.805	1.00 95.25	P
ATOM	28169	CA	PHE	P	142	43.183	22.537	2.678	1.00 95.81	P
ATOM	28170	CB	PHE	P	142	42.915	24.011	2.959	1.00 96.36	P
ATOM	28171	CG	PHE	P	142	41.820	24.592	2.112	1.00 97.71	P
ATOM	28172	CD1	PHE	P	142	40.599	24.945	2.676	1.00 96.50	P
ATOM	28173	CD2	PHE	P	142	42.008	24.780	0.743	1.00 96.68	P
ATOM	28174	CE1	PHE	P	142	39.578	25.480	1.888	1.00 96.83	P
ATOM	28175	CE2	PHE	P	142	40.997	25.312	-0.050	1.00 95.56	P
ATOM	28176	CZ	PHE	P	142	39.779	25.664	0.524	1.00 95.48	P
ATOM	28177	C	PHE	P	142	44.302	22.032	3.579	1.00 96.95	P
ATOM	28178	O	PHE	P	142	44.060	21.268	4.515	1.00 98.35	P
ATOM	28179	N	GLN	P	143	45.529	22.465	3.289	1.00 97.47	P
ATOM	28180	CA	GLN	P	143	46.694	22.057	4.070	1.00 96.44	P
ATOM	28181	CB	GLN	P	143	47.657	21.235	3.207	1.00 97.69	P
ATOM	28182	CG	GLN	P	143	47.018	20.044	2.504	1.00106.30	P
ATOM	28183	CD	GLN	P	143	48.044	19.016	2.030	1.00108.74	P
ATOM	28184	OE1	GLN	P	143	49.085	19.370	1.467	1.00108.58	P
ATOM	28185	NE2	GLN	P	143	47.745	17.733	2.249	1.00108.16	P
ATOM	28186	C	GLN	P	143	47.468	23.218	4.694	1.00 94.76	P
ATOM	28187	O	GLN	P	143	48.492	23.645	4.158	1.00 94.12	P
ATOM	28188	N	PHE	P	144	46.977	23.724	5.824	1.00 93.26	P
ATOM	28189	CA	PHE	P	144	47.640	24.813	6.542	1.00 91.00	P
ATOM	28190	CB	PHE	P	144	46.832	25.216	7.783	1.00 89.08	P
ATOM	28191	CG	PHE	P	144	45.539	25.926	7.476	1.00 90.32	P
ATOM	28192	CD1	PHE	P	144	44.551	25.310	6.711	1.00 89.39	P
ATOM	28193	CD2	PHE	P	144	45.309	27.217	7.956	1.00 87.89	P
ATOM	28194	CE1	PHE	P	144	43.355	25.968	6.425	1.00 84.52	P
ATOM	28195	CE2	PHE	P	144	44.122	27.881	7.677	1.00 84.44	P
ATOM	28196	CZ	PHE	P	144	43.143	27.256	6.908	1.00 85.36	P
ATOM	28197	C	PHE	P	144	49.012	24.307	6.992	1.00 91.03	P

ATOM	28198	O	PHE	P	144	49.121	23.624	8.011	1.00	91.93	P
ATOM	28199	N	VAL	P	145	50.053	24.649	6.240	1.00	89.62	P
ATOM	28200	CA	VAL	P	145	51.411	24.210	6.553	1.00	88.38	P
ATOM	28201	CB	VAL	P	145	52.277	24.213	5.294	1.00	85.13	P
ATOM	28202	CG1	VAL	P	145	53.543	23.417	5.536	1.00	83.10	P
ATOM	28203	CG2	VAL	P	145	51.487	23.650	4.129	1.00	86.32	P
ATOM	28204	C	VAL	P	145	52.131	25.033	7.623	1.00	90.19	P
ATOM	28205	O	VAL	P	145	51.796	26.190	7.871	1.00	91.20	P
ATOM	28206	N	TRP	P	146	53.125	24.420	8.259	1.00	91.67	P
ATOM	28207	CA	TRP	P	146	53.902	25.086	9.297	1.00	93.41	P
ATOM	28208	CB	TRP	P	146	53.289	24.846	10.683	1.00	94.40	P
ATOM	28209	CG	TRP	P	146	51.812	25.099	10.774	1.00	96.93	P
ATOM	28210	CD2	TRP	P	146	51.171	26.321	11.161	1.00	97.53	P
ATOM	28211	CE2	TRP	P	146	49.779	26.100	11.095	1.00	98.65	P
ATOM	28212	CE3	TRP	P	146	51.638	27.582	11.557	1.00	96.46	P
ATOM	28213	CD1	TRP	P	146	50.810	24.212	10.498	1.00	97.57	P
ATOM	28214	NE1	TRP	P	146	49.587	24.805	10.689	1.00	98.41	P
ATOM	28215	CZ2	TRP	P	146	48.846	27.094	11.412	1.00	98.63	P
ATOM	28216	CZ3	TRP	P	146	50.707	28.571	11.873	1.00	95.90	P
ATOM	28217	CH2	TRP	P	146	49.328	28.319	11.797	1.00	96.41	P
ATOM	28218	C	TRP	P	146	55.339	24.572	9.305	1.00	94.60	P
ATOM	28219	O	TRP	P	146	55.596	23.405	9.004	1.00	95.98	P
ATOM	28220	N	ASN	P	147	56.271	25.453	9.653	1.00	94.20	P
ATOM	28221	CA	ASN	P	147	57.684	25.100	9.721	1.00	91.79	P
ATOM	28222	CB	ASN	P	147	58.460	25.763	8.581	1.00	89.10	P
ATOM	28223	CG	ASN	P	147	57.988	25.301	7.219	1.00	90.53	P
ATOM	28224	OD1	ASN	P	147	57.891	24.103	6.961	1.00	89.64	P
ATOM	28225	ND2	ASN	P	147	57.694	26.249	6.337	1.00	91.31	P
ATOM	28226	C	ASN	P	147	58.238	25.546	11.062	1.00	89.58	P
ATOM	28227	O	ASN	P	147	58.338	26.735	11.346	1.00	89.65	P
ATOM	28228	N	ILE	P	148	58.589	24.576	11.891	1.00	88.25	P
ATOM	28229	CA	ILE	P	148	59.117	24.863	13.209	1.00	88.86	P
ATOM	28230	CB	ILE	P	148	58.768	23.728	14.180	1.00	88.30	P
ATOM	28231	CG2	ILE	P	148	59.233	24.081	15.585	1.00	89.87	P
ATOM	28232	CG1	ILE	P	148	57.260	23.456	14.136	1.00	88.68	P
ATOM	28233	CD1	ILE	P	148	56.388	24.615	14.590	1.00	89.31	P
ATOM	28234	C	ILE	P	148	60.633	25.040	13.191	1.00	90.93	P
ATOM	28235	O	ILE	P	148	61.353	24.199	12.649	1.00	92.55	P
ATOM	28236	N	TYR	P	149	61.101	26.143	13.779	1.00	90.54	P
ATOM	28237	CA	TYR	P	149	62.529	26.460	13.874	1.00	88.94	P
ATOM	28238	CB	TYR	P	149	62.886	27.676	13.013	1.00	82.58	P
ATOM	28239	CG	TYR	P	149	62.818	27.462	11.518	1.00	77.63	P
ATOM	28240	CD1	TYR	P	149	61.598	27.354	10.860	1.00	76.38	P
ATOM	28241	CE1	TYR	P	149	61.536	27.201	9.475	1.00	77.82	P
ATOM	28242	CD2	TYR	P	149	63.979	27.405	10.756	1.00	79.54	P
ATOM	28243	CE2	TYR	P	149	63.931	27.250	9.371	1.00	79.19	P
ATOM	28244	CZ	TYR	P	149	62.709	27.152	8.735	1.00	77.59	P
ATOM	28245	OH	TYR	P	149	62.667	27.022	7.361	1.00	74.25	P
ATOM	28246	C	TYR	P	149	62.886	26.773	15.325	1.00	91.95	P
ATOM	28247	O	TYR	P	149	62.047	27.249	16.087	1.00	92.98	P
ATOM	28248	N	ALA	P	150	64.129	26.503	15.709	1.00	96.52	P
ATOM	28249	CA	ALA	P	150	64.576	26.782	17.073	1.00	101.09	P
ATOM	28250	CB	ALA	P	150	65.163	25.514	17.712	1.00	97.07	P
ATOM	28251	C	ALA	P	150	65.623	27.900	17.043	1.00	103.63	P
ATOM	28252	O	ALA	P	150	66.701	27.739	16.467	1.00	104.14	P
ATOM	28253	N	ASN	P	151	65.297	29.035	17.658	1.00	105.33	P
ATOM	28254	CA	ASN	P	151	66.212	30.172	17.684	1.00	107.35	P
ATOM	28255	CB	ASN	P	151	65.464	31.458	18.057	1.00	110.43	P

ATOM	28256	CG	ASN	P	151	64.415	31.851	17.030	1.00112.28	P
ATOM	28257	OD1	ASN	P	151	64.717	32.041	15.849	1.00113.72	P
ATOM	28258	ND2	ASN	P	151	63.174	31.987	17.482	1.00110.38	P
ATOM	28259	C	ASN	P	151	67.366	29.974	18.662	1.00107.03	P
ATOM	28260	O	ASN	P	151	68.250	30.825	18.766	1.00106.72	P
ATOM	28261	N	ASN	P	152	67.361	28.852	19.374	1.00106.73	P
ATOM	28262	CA	ASN	P	152	68.407	28.569	20.349	1.00106.32	P
ATOM	28263	CB	ASN	P	152	67.848	28.726	21.761	1.00103.85	P
ATOM	28264	CG	ASN	P	152	66.700	27.784	22.036	1.00101.36	P
ATOM	28265	OD1	ASN	P	152	65.695	27.787	21.321	1.00 99.59	P
ATOM	28266	ND2	ASN	P	152	66.840	26.968	23.074	1.00 99.78	P
ATOM	28267	C	ASN	P	152	68.990	27.170	20.192	1.00106.93	P
ATOM	28268	O	ASN	P	152	68.287	26.235	19.830	1.00106.73	P
ATOM	28269	N	ASP	P	153	70.283	27.038	20.468	1.00109.39	P
ATOM	28270	CA	ASP	P	153	70.961	25.751	20.372	1.00111.65	P
ATOM	28271	CB	ASP	P	153	72.485	25.924	20.402	1.00112.84	P
ATOM	28272	CG	ASP	P	153	73.000	26.876	19.343	1.00115.28	P
ATOM	28273	OD1	ASP	P	153	72.726	26.654	18.143	1.00115.03	P
ATOM	28274	OD2	ASP	P	153	73.696	27.845	19.718	1.00116.16	P
ATOM	28275	C	ASP	P	153	70.577	24.881	21.562	1.00113.15	P
ATOM	28276	O	ASP	P	153	70.790	25.273	22.709	1.00113.22	P
ATOM	28277	N	VAL	P	154	70.006	23.708	21.310	1.00114.47	P
ATOM	28278	CA	VAL	P	154	69.673	22.829	22.422	1.00115.75	P
ATOM	28279	CB	VAL	P	154	68.545	21.834	22.085	1.00115.46	P
ATOM	28280	CG1	VAL	P	154	68.196	21.011	23.326	1.00112.52	P
ATOM	28281	CG2	VAL	P	154	67.322	22.581	21.592	1.00117.42	P
ATOM	28282	C	VAL	P	154	70.949	22.052	22.702	1.00116.40	P
ATOM	28283	O	VAL	P	154	71.827	21.962	21.841	1.00116.02	P
ATOM	28284	N	VAL	P	155	71.061	21.504	23.904	1.00117.15	P
ATOM	28285	CA	VAL	P	155	72.246	20.752	24.272	1.00117.98	P
ATOM	28286	CB	VAL	P	155	73.237	21.629	25.073	1.00118.36	P
ATOM	28287	CG1	VAL	P	155	74.466	20.821	25.442	1.00119.89	P
ATOM	28288	CG2	VAL	P	155	73.642	22.841	24.255	1.00117.04	P
ATOM	28289	C	VAL	P	155	71.867	19.549	25.115	1.00119.09	P
ATOM	28290	O	VAL	P	155	70.864	19.568	25.823	1.00118.13	P
ATOM	28291	N	VAL	P	156	72.673	18.500	25.019	1.00121.70	P
ATOM	28292	CA	VAL	P	156	72.451	17.277	25.775	1.00125.46	P
ATOM	28293	CB	VAL	P	156	71.913	16.155	24.874	1.00125.16	P
ATOM	28294	CG1	VAL	P	156	71.540	14.955	25.719	1.00123.42	P
ATOM	28295	CG2	VAL	P	156	70.712	16.653	24.082	1.00125.90	P
ATOM	28296	C	VAL	P	156	73.801	16.860	26.348	1.00128.89	P
ATOM	28297	O	VAL	P	156	74.333	15.802	26.012	1.00130.36	P
ATOM	28298	N	PRO	P	157	74.360	17.692	27.240	1.00130.86	P
ATOM	28299	CD	PRO	P	157	73.583	18.741	27.931	1.00132.55	P
ATOM	28300	CA	PRO	P	157	75.649	17.498	27.907	1.00131.02	P
ATOM	28301	CB	PRO	P	157	75.396	18.075	29.294	1.00131.61	P
ATOM	28302	CG	PRO	P	157	74.575	19.275	28.965	1.00132.82	P
ATOM	28303	C	PRO	P	157	76.208	16.080	27.951	1.00129.91	P
ATOM	28304	O	PRO	P	157	75.490	15.111	28.203	1.00129.03	P
ATOM	28305	N	THR	P	158	77.508	15.988	27.690	1.00129.51	P
ATOM	28306	CA	THR	P	158	78.232	14.728	27.700	1.00129.05	P
ATOM	28307	CB	THR	P	158	79.596	14.889	26.998	1.00127.72	P
ATOM	28308	OG1	THR	P	158	80.371	13.698	27.172	1.00127.89	P
ATOM	28309	CG2	THR	P	158	80.352	16.078	27.569	1.00127.20	P
ATOM	28310	C	THR	P	158	78.445	14.325	29.156	1.00130.06	P
ATOM	28311	O	THR	P	158	78.612	15.188	30.020	1.00130.67	P
ATOM	28312	N	GLY	P	159	78.432	13.023	29.431	1.00131.36	P
ATOM	28313	CA	GLY	P	159	78.611	12.565	30.799	1.00133.57	P

ATOM	28314	C	GLY	P	159	79.453	11.316	30.997	1.00135.16	P
ATOM	28315	O	GLY	P	159	80.027	10.780	30.048	1.00134.86	P
ATOM	28316	N	GLY	P	160	79.516	10.860	32.247	1.00136.91	P
ATOM	28317	CA	GLY	P	160	80.285	9.680	32.611	1.00139.35	P
ATOM	28318	C	GLY	P	160	80.372	8.604	31.548	1.00141.39	P
ATOM	28319	O	GLY	P	160	79.351	8.136	31.047	1.00141.60	P
ATOM	28320	N	CYS	P	161	81.597	8.207	31.211	1.00142.92	P
ATOM	28321	CA	CYS	P	161	81.824	7.187	30.196	1.00144.04	P
ATOM	28322	C	CYS	P	161	81.607	5.785	30.735	1.00145.73	P
ATOM	28323	O	CYS	P	161	81.591	5.564	31.948	1.00144.38	P
ATOM	28324	CB	CYS	P	161	83.236	7.306	29.637	1.00143.83	P
ATOM	28325	SG	CYS	P	161	83.532	8.892	28.800	1.00145.65	P
ATOM	28326	N	ASP	P	162	81.453	4.844	29.810	1.00149.15	P
ATOM	28327	CA	ASP	P	162	81.207	3.445	30.132	1.00153.09	P
ATOM	28328	CB	ASP	P	162	80.788	2.694	28.866	1.00154.14	P
ATOM	28329	CG	ASP	P	162	80.447	1.243	29.134	1.00156.46	P
ATOM	28330	OD1	ASP	P	162	79.519	0.984	29.931	1.00157.50	P
ATOM	28331	OD2	ASP	P	162	81.109	0.362	28.546	1.00157.94	P
ATOM	28332	C	ASP	P	162	82.399	2.739	30.769	1.00155.82	P
ATOM	28333	O	ASP	P	162	83.369	2.407	30.090	1.00155.75	P
ATOM	28334	N	VAL	P	163	82.308	2.500	32.076	1.00158.70	P
ATOM	28335	CA	VAL	P	163	83.368	1.824	32.815	1.00160.49	P
ATOM	28336	CB	VAL	P	163	83.393	2.264	34.291	1.00159.63	P
ATOM	28337	CG1	VAL	P	163	84.582	1.637	34.996	1.00160.00	P
ATOM	28338	CG2	VAL	P	163	83.455	3.776	34.381	1.00159.74	P
ATOM	28339	C	VAL	P	163	83.156	0.315	32.769	1.00162.66	P
ATOM	28340	O	VAL	P	163	82.496	-0.254	33.639	1.00161.93	P
ATOM	28341	N	SER	P	164	83.716	-0.326	31.748	1.00166.04	P
ATOM	28342	CA	SER	P	164	83.586	-1.770	31.584	1.00169.36	P
ATOM	28343	CB	SER	P	164	83.714	-2.156	30.107	1.00169.51	P
ATOM	28344	OG	SER	P	164	82.727	-1.516	29.317	1.00169.75	P
ATOM	28345	C	SER	P	164	84.643	-2.513	32.392	1.00171.57	P
ATOM	28346	O	SER	P	164	85.838	-2.248	32.264	1.00171.88	P
ATOM	28347	N	ALA	P	165	84.192	-3.446	33.223	1.00173.89	P
ATOM	28348	CA	ALA	P	165	85.084	-4.241	34.055	1.00176.26	P
ATOM	28349	CB	ALA	P	165	85.504	-3.443	35.281	1.00175.44	P
ATOM	28350	C	ALA	P	165	84.350	-5.505	34.477	1.00178.52	P
ATOM	28351	O	ALA	P	165	83.491	-5.464	35.358	1.00178.67	P
ATOM	28352	N	ARG	P	166	84.692	-6.621	33.839	1.00181.40	P
ATOM	28353	CA	ARG	P	166	84.067	-7.910	34.124	1.00184.35	P
ATOM	28354	CB	ARG	P	166	85.038	-9.053	33.811	1.00184.53	P
ATOM	28355	CG	ARG	P	166	85.355	-9.189	32.332	1.00185.71	P
ATOM	28356	CD	ARG	P	166	86.138	-10.456	32.032	1.00186.05	P
ATOM	28357	NE	ARG	P	166	86.316	-10.645	30.594	1.00186.18	P
ATOM	28358	CZ	ARG	P	166	86.922	-11.692	30.044	1.00186.03	P
ATOM	28359	NH1	ARG	P	166	87.414	-12.657	30.809	1.00186.61	P
ATOM	28360	NH2	ARG	P	166	87.035	-11.775	28.726	1.00185.47	P
ATOM	28361	C	ARG	P	166	83.574	-8.042	35.558	1.00186.22	P
ATOM	28362	O	ARG	P	166	82.370	-7.983	35.817	1.00186.49	P
ATOM	28363	N	ASP	P	167	84.510	-8.214	36.485	1.00188.21	P
ATOM	28364	CA	ASP	P	167	84.173	-8.363	37.894	1.00190.36	P
ATOM	28365	CB	ASP	P	167	83.160	-9.496	38.069	1.00191.10	P
ATOM	28366	CG	ASP	P	167	83.547	-10.747	37.301	1.00191.35	P
ATOM	28367	OD1	ASP	P	167	82.751	-11.709	37.298	1.00191.97	P
ATOM	28368	OD2	ASP	P	167	84.644	-10.770	36.702	1.00190.71	P
ATOM	28369	C	ASP	P	167	85.423	-8.656	38.711	1.00191.69	P
ATOM	28370	O	ASP	P	167	86.442	-9.078	38.163	1.00191.50	P
ATOM	28371	N	VAL	P	168	85.333	-8.427	40.019	1.00193.48	P

ATOM	28372	CA	VAL	P	168	86.449	-8.656	40.933	1.00195.30	P
ATOM	28373	CB	VAL	P	168	85.946	-8.822	42.395	1.00195.05	P
ATOM	28374	CG1	VAL	P	168	84.868	-9.891	42.461	1.00195.65	P
ATOM	28375	CG2	VAL	P	168	87.109	-9.175	43.314	1.00194.70	P
ATOM	28376	C	VAL	P	168	87.288	-9.873	40.539	1.00196.47	P
ATOM	28377	O	VAL	P	168	86.912	-11.021	40.791	1.00196.91	P
ATOM	28378	N	THR	P	169	88.427	-9.607	39.908	1.00197.02	P
ATOM	28379	CA	THR	P	169	89.329	-10.662	39.471	1.00197.07	P
ATOM	28380	CB	THR	P	169	90.362	-10.130	38.450	1.00197.09	P
ATOM	28381	OG1	THR	P	169	89.678	-9.583	37.316	1.00196.78	P
ATOM	28382	CG2	THR	P	169	91.284	-11.250	37.984	1.00196.88	P
ATOM	28383	C	THR	P	169	90.075	-11.236	40.667	1.00197.21	P
ATOM	28384	O	THR	P	169	90.338	-10.535	41.646	1.00196.99	P
ATOM	28385	N	VAL	P	170	90.405	-12.518	40.583	1.00197.42	P
ATOM	28386	CA	VAL	P	170	91.130	-13.188	41.649	1.00197.75	P
ATOM	28387	CB	VAL	P	170	90.523	-14.573	41.946	1.00198.27	P
ATOM	28388	CG1	VAL	P	170	91.215	-15.199	43.146	1.00198.44	P
ATOM	28389	CG2	VAL	P	170	89.028	-14.440	42.196	1.00198.23	P
ATOM	28390	C	VAL	P	170	92.576	-13.357	41.199	1.00197.65	P
ATOM	28391	O	VAL	P	170	92.853	-13.434	40.000	1.00197.37	P
ATOM	28392	N	THR	P	171	93.497	-13.406	42.155	1.00197.45	P
ATOM	28393	CA	THR	P	171	94.905	-13.560	41.826	1.00197.32	P
ATOM	28394	CB	THR	P	171	95.748	-12.444	42.460	1.00196.74	P
ATOM	28395	OG1	THR	P	171	95.189	-11.170	42.120	1.00195.57	P
ATOM	28396	CG2	THR	P	171	97.174	-12.510	41.945	1.00196.30	P
ATOM	28397	C	THR	P	171	95.450	-14.905	42.290	1.00197.76	P
ATOM	28398	O	THR	P	171	95.344	-15.259	43.466	1.00197.46	P
ATOM	28399	N	LEU	P	172	96.030	-15.650	41.354	1.00198.58	P
ATOM	28400	CA	LEU	P	172	96.604	-16.956	41.651	1.00199.22	P
ATOM	28401	CB	LEU	P	172	97.350	-17.496	40.425	1.00198.84	P
ATOM	28402	CG	LEU	P	172	96.566	-17.603	39.112	1.00198.13	P
ATOM	28403	CD1	LEU	P	172	97.502	-18.041	38.000	1.00197.86	P
ATOM	28404	CD2	LEU	P	172	95.419	-18.589	39.266	1.00197.99	P
ATOM	28405	C	LEU	P	172	97.574	-16.807	42.819	1.00199.82	P
ATOM	28406	O	LEU	P	172	98.457	-15.949	42.793	1.00200.00	P
ATOM	28407	N	PRO	P	173	97.418	-17.638	43.865	1.00199.96	P
ATOM	28408	CD	PRO	P	173	96.488	-18.775	43.986	1.00199.74	P
ATOM	28409	CA	PRO	P	173	98.305	-17.565	45.031	1.00199.83	P
ATOM	28410	CB	PRO	P	173	97.735	-18.634	45.964	1.00199.18	P
ATOM	28411	CG	PRO	P	173	97.179	-19.646	45.007	1.00199.34	P
ATOM	28412	C	PRO	P	173	99.764	-17.823	44.653	1.00199.98	P
ATOM	28413	O	PRO	P	173	100.152	-17.644	43.497	1.00199.90	P
ATOM	28414	N	ASP	P	174	100.570	-18.238	45.626	1.00200.00	P
ATOM	28415	CA	ASP	P	174	101.985	-18.515	45.380	1.00200.00	P
ATOM	28416	CB	ASP	P	174	102.144	-19.560	44.266	1.00200.00	P
ATOM	28417	CG	ASP	P	174	101.460	-20.878	44.588	1.00200.00	P
ATOM	28418	OD1	ASP	P	174	100.231	-20.879	44.814	1.00200.00	P
ATOM	28419	OD2	ASP	P	174	102.156	-21.917	44.607	1.00200.00	P
ATOM	28420	C	ASP	P	174	102.709	-17.237	44.961	1.00199.64	P
ATOM	28421	O	ASP	P	174	102.088	-16.187	44.790	1.00199.74	P
ATOM	28422	N	TYR	P	175	104.027	-17.332	44.801	1.00199.01	P
ATOM	28423	CA	TYR	P	175	104.828	-16.190	44.372	1.00198.05	P
ATOM	28424	CB	TYR	P	175	106.323	-16.467	44.577	1.00198.61	P
ATOM	28425	CG	TYR	P	175	106.793	-16.370	46.015	1.00198.75	P
ATOM	28426	CD1	TYR	P	175	106.236	-17.172	47.009	1.00198.77	P
ATOM	28427	CE1	TYR	P	175	106.675	-17.092	48.331	1.00198.53	P
ATOM	28428	CD2	TYR	P	175	107.807	-15.481	46.377	1.00198.65	P
ATOM	28429	CE2	TYR	P	175	108.254	-15.393	47.693	1.00198.26	P

ATOM	28430	CZ	TYR	P	175	107.684	-16.201	48.664	1.00198.34	P
ATOM	28431	OH	TYR	P	175	108.124	-16.121	49.964	1.00197.71	P
ATOM	28432	C	TYR	P	175	104.551	-15.895	42.895	1.00196.78	P
ATOM	28433	O	TYR	P	175	104.355	-14.739	42.514	1.00196.37	P
ATOM	28434	N	PRO	P	176	104.535	-16.939	42.042	1.00195.53	P
ATOM	28435	CD	PRO	P	176	104.776	-18.369	42.314	1.00195.62	P
ATOM	28436	CA	PRO	P	176	104.271	-16.727	40.616	1.00194.02	P
ATOM	28437	CB	PRO	P	176	104.603	-18.084	40.002	1.00194.32	P
ATOM	28438	CG	PRO	P	176	104.201	-19.034	41.081	1.00194.82	P
ATOM	28439	C	PRO	P	176	102.816	-16.330	40.398	1.00192.58	P
ATOM	28440	O	PRO	P	176	102.004	-17.124	39.919	1.00192.11	P
ATOM	28441	N	GLY	P	177	102.495	-15.095	40.767	1.00191.20	P
ATOM	28442	CA	GLY	P	177	101.141	-14.605	40.613	1.00189.61	P
ATOM	28443	C	GLY	P	177	101.075	-13.350	39.768	1.00188.31	P
ATOM	28444	O	GLY	P	177	101.867	-12.423	39.941	1.00187.55	P
ATOM	28445	N	SER	P	178	100.119	-13.332	38.848	1.00187.47	P
ATOM	28446	CA	SER	P	178	99.913	-12.206	37.949	1.00186.29	P
ATOM	28447	CB	SER	P	178	101.113	-12.036	37.014	1.00186.58	P
ATOM	28448	OG	SER	P	178	100.865	-11.033	36.043	1.00186.38	P
ATOM	28449	C	SER	P	178	98.664	-12.482	37.130	1.00185.11	P
ATOM	28450	O	SER	P	178	98.667	-13.337	36.245	1.00184.89	P
ATOM	28451	N	VAL	P	179	97.593	-11.759	37.432	1.00184.13	P
ATOM	28452	CA	VAL	P	179	96.336	-11.944	36.725	1.00183.46	P
ATOM	28453	CB	VAL	P	179	95.243	-12.477	37.683	1.00183.49	P
ATOM	28454	CG1	VAL	P	179	95.595	-13.887	38.131	1.00184.22	P
ATOM	28455	CG2	VAL	P	179	95.115	-11.566	38.896	1.00183.45	P
ATOM	28456	C	VAL	P	179	95.845	-10.659	36.062	1.00182.67	P
ATOM	28457	O	VAL	P	179	94.938	-9.997	36.569	1.00182.75	P
ATOM	28458	N	PRO	P	180	96.436	-10.292	34.912	1.00181.53	P
ATOM	28459	CD	PRO	P	180	97.354	-11.070	34.065	1.00181.14	P
ATOM	28460	CA	PRO	P	180	96.008	-9.069	34.225	1.00180.44	P
ATOM	28461	CB	PRO	P	180	96.698	-9.175	32.861	1.00180.49	P
ATOM	28462	CG	PRO	P	180	96.922	-10.653	32.688	1.00180.87	P
ATOM	28463	C	PRO	P	180	94.486	-9.005	34.122	1.00179.31	P
ATOM	28464	O	PRO	P	180	93.864	-9.822	33.442	1.00179.22	P
ATOM	28465	N	ILE	P	181	93.899	-8.033	34.814	1.00178.12	P
ATOM	28466	CA	ILE	P	181	92.449	-7.853	34.837	1.00177.08	P
ATOM	28467	CB	ILE	P	181	92.011	-7.050	36.086	1.00177.47	P
ATOM	28468	CG2	ILE	P	181	90.494	-6.901	36.109	1.00176.78	P
ATOM	28469	CG1	ILE	P	181	92.498	-7.753	37.355	1.00177.78	P
ATOM	28470	CD1	ILE	P	181	92.186	-6.997	38.635	1.00177.62	P
ATOM	28471	C	ILE	P	181	91.904	-7.136	33.602	1.00175.32	P
ATOM	28472	O	ILE	P	181	92.406	-6.078	33.213	1.00175.78	P
ATOM	28473	N	PRO	P	182	90.868	-7.712	32.965	1.00172.61	P
ATOM	28474	CD	PRO	P	182	90.349	-9.075	33.172	1.00172.08	P
ATOM	28475	CA	PRO	P	182	90.264	-7.106	31.774	1.00169.35	P
ATOM	28476	CB	PRO	P	182	89.295	-8.185	31.289	1.00170.00	P
ATOM	28477	CG	PRO	P	182	89.925	-9.458	31.778	1.00170.86	P
ATOM	28478	C	PRO	P	182	89.542	-5.809	32.142	1.00165.56	P
ATOM	28479	O	PRO	P	182	88.742	-5.784	33.080	1.00164.94	P
ATOM	28480	N	LEU	P	183	89.830	-4.735	31.412	1.00161.12	P
ATOM	28481	CA	LEU	P	183	89.195	-3.452	31.681	1.00156.23	P
ATOM	28482	CB	LEU	P	183	89.852	-2.792	32.898	1.00155.15	P
ATOM	28483	CG	LEU	P	183	88.923	-2.601	34.102	1.00153.48	P
ATOM	28484	CD1	LEU	P	183	89.719	-2.569	35.393	1.00151.98	P
ATOM	28485	CD2	LEU	P	183	88.126	-1.323	33.918	1.00153.03	P
ATOM	28486	C	LEU	P	183	89.227	-2.511	30.479	1.00152.94	P
ATOM	28487	O	LEU	P	183	90.293	-2.147	29.987	1.00151.44	P

ATOM	28488	N	THR	P	184	88.037	-2.134	30.018	1.00150.28	P
ATOM	28489	CA	THR	P	184	87.862	-1.241	28.877	1.00147.43	P
ATOM	28490	CB	THR	P	184	87.361	-2.008	27.638	1.00146.96	P
ATOM	28491	OG1	THR	P	184	86.869	-1.078	26.666	1.00145.82	P
ATOM	28492	CG2	THR	P	184	86.248	-2.970	28.017	1.00145.24	P
ATOM	28493	C	THR	P	184	86.838	-0.166	29.215	1.00146.29	P
ATOM	28494	O	THR	P	184	85.997	-0.361	30.088	1.00146.72	P
ATOM	28495	N	VAL	P	185	86.908	0.966	28.523	1.00144.81	P
ATOM	28496	CA	VAL	P	185	85.976	2.067	28.762	1.00144.00	P
ATOM	28497	CB	VAL	P	185	86.430	2.944	29.963	1.00144.17	P
ATOM	28498	CG1	VAL	P	185	85.613	4.231	30.014	1.00142.71	P
ATOM	28499	CG2	VAL	P	185	86.270	2.175	31.267	1.00142.54	P
ATOM	28500	C	VAL	P	185	85.828	2.969	27.539	1.00143.45	P
ATOM	28501	O	VAL	P	185	86.817	3.450	26.988	1.00143.02	P
ATOM	28502	N	TYR	P	186	84.586	3.194	27.120	1.00142.96	P
ATOM	28503	CA	TYR	P	186	84.309	4.055	25.978	1.00142.13	P
ATOM	28504	CB	TYR	P	186	84.037	3.216	24.724	1.00141.83	P
ATOM	28505	CG	TYR	P	186	82.792	2.362	24.775	1.00141.60	P
ATOM	28506	CD1	TYR	P	186	81.675	2.679	24.001	1.00140.87	P
ATOM	28507	CE1	TYR	P	186	80.534	1.884	24.026	1.00141.70	P
ATOM	28508	CD2	TYR	P	186	82.736	1.225	25.581	1.00141.65	P
ATOM	28509	CE2	TYR	P	186	81.600	0.423	25.614	1.00141.62	P
ATOM	28510	CZ	TYR	P	186	80.503	0.757	24.834	1.00141.59	P
ATOM	28511	OH	TYR	P	186	79.378	-0.035	24.861	1.00141.29	P
ATOM	28512	C	TYR	P	186	83.121	4.955	26.302	1.00141.88	P
ATOM	28513	O	TYR	P	186	82.377	4.689	27.247	1.00140.92	P
ATOM	28514	N	CYS	P	187	82.949	6.019	25.523	1.00142.93	P
ATOM	28515	CA	CYS	P	187	81.866	6.973	25.759	1.00143.90	P
ATOM	28516	C	CYS	P	187	80.872	7.071	24.605	1.00143.25	P
ATOM	28517	O	CYS	P	187	81.143	6.615	23.493	1.00143.23	P
ATOM	28518	CB	CYS	P	187	82.449	8.366	26.010	1.00145.73	P
ATOM	28519	SG	CYS	P	187	84.035	8.381	26.901	1.00147.02	P
ATOM	28520	N	ALA	P	188	79.720	7.676	24.883	1.00142.00	P
ATOM	28521	CA	ALA	P	188	78.692	7.870	23.869	1.00140.46	P
ATOM	28522	CB	ALA	P	188	77.418	8.387	24.511	1.00140.56	P
ATOM	28523	C	ALA	P	188	79.248	8.898	22.893	1.00139.67	P
ATOM	28524	O	ALA	P	188	78.889	8.921	21.715	1.00138.92	P
ATOM	28525	N	LYS	P	189	80.130	9.747	23.413	1.00139.90	P
ATOM	28526	CA	LYS	P	189	80.794	10.789	22.637	1.00139.22	P
ATOM	28527	CB	LYS	P	189	80.174	12.158	22.931	1.00138.89	P
ATOM	28528	CG	LYS	P	189	78.852	12.401	22.221	1.00138.62	P
ATOM	28529	CD	LYS	P	189	79.021	12.378	20.703	1.00138.43	P
ATOM	28530	CE	LYS	P	189	79.999	13.445	20.236	1.00138.00	P
ATOM	28531	NZ	LYS	P	189	80.155	13.445	18.758	1.00138.69	P
ATOM	28532	C	LYS	P	189	82.286	10.813	22.967	1.00137.92	P
ATOM	28533	O	LYS	P	189	82.679	10.983	24.124	1.00135.96	P
ATOM	28534	N	SER	P	190	83.106	10.635	21.937	1.00137.56	P
ATOM	28535	CA	SER	P	190	84.554	10.623	22.089	1.00137.62	P
ATOM	28536	CB	SER	P	190	85.223	10.582	20.713	1.00138.20	P
ATOM	28537	OG	SER	P	190	86.635	10.542	20.833	1.00139.77	P
ATOM	28538	C	SER	P	190	85.065	11.827	22.872	1.00137.19	P
ATOM	28539	O	SER	P	190	85.264	12.908	22.316	1.00137.04	P
ATOM	28540	N	GLN	P	191	85.276	11.628	24.168	1.00136.15	P
ATOM	28541	CA	GLN	P	191	85.771	12.681	25.045	1.00134.50	P
ATOM	28542	CB	GLN	P	191	84.719	13.018	26.098	1.00135.94	P
ATOM	28543	CG	GLN	P	191	84.192	11.798	26.833	1.00139.38	P
ATOM	28544	CD	GLN	P	191	83.460	12.153	28.112	1.00140.58	P
ATOM	28545	OE1	GLN	P	191	84.066	12.620	29.081	1.00140.54	P

ATOM	28546	NE2	GLN	P	191	82.148	11.935	28.124	1.00141.86	P
ATOM	28547	C	GLN	P	191	87.048	12.217	25.737	1.00132.52	P
ATOM	28548	O	GLN	P	191	87.094	11.122	26.296	1.00132.82	P
ATOM	28549	N	ASN	P	192	88.082	13.053	25.704	1.00130.00	P
ATOM	28550	CA	ASN	P	192	89.357	12.714	26.328	1.00126.49	P
ATOM	28551	CB	ASN	P	192	90.358	13.848	26.122	1.00125.34	P
ATOM	28552	CG	ASN	P	192	90.984	13.816	24.746	1.00125.43	P
ATOM	28553	OD1	ASN	P	192	90.297	13.618	23.742	1.00125.79	P
ATOM	28554	ND2	ASN	P	192	92.294	14.012	24.688	1.00126.73	P
ATOM	28555	C	ASN	P	192	89.233	12.387	27.808	1.00123.10	P
ATOM	28556	O	ASN	P	192	88.717	13.183	28.595	1.00122.87	P
ATOM	28557	N	LEU	P	193	89.719	11.204	28.171	1.00118.98	P
ATOM	28558	CA	LEU	P	193	89.670	10.723	29.544	1.00116.01	P
ATOM	28559	CB	LEU	P	193	89.033	9.333	29.589	1.00114.51	P
ATOM	28560	CG	LEU	P	193	87.549	9.236	29.940	1.00111.64	P
ATOM	28561	CD1	LEU	P	193	87.073	7.799	29.795	1.00111.01	P
ATOM	28562	CD2	LEU	P	193	87.339	9.728	31.364	1.00111.58	P
ATOM	28563	C	LEU	P	193	91.039	10.654	30.200	1.00114.67	P
ATOM	28564	O	LEU	P	193	92.071	10.759	29.535	1.00115.11	P
ATOM	28565	N	GLY	P	194	91.024	10.466	31.516	1.00112.37	P
ATOM	28566	CA	GLY	P	194	92.246	10.359	32.289	1.00110.15	P
ATOM	28567	C	GLY	P	194	91.924	9.606	33.564	1.00109.43	P
ATOM	28568	O	GLY	P	194	90.751	9.472	33.915	1.00109.35	P
ATOM	28569	N	TYR	P	195	92.944	9.107	34.261	1.00108.57	P
ATOM	28570	CA	TYR	P	195	92.711	8.370	35.500	1.00106.98	P
ATOM	28571	CB	TYR	P	195	92.045	7.023	35.203	1.00110.14	P
ATOM	28572	CG	TYR	P	195	92.993	5.999	34.616	1.00111.26	P
ATOM	28573	CD1	TYR	P	195	93.395	6.074	33.282	1.00112.73	P
ATOM	28574	CE1	TYR	P	195	94.303	5.163	32.752	1.00113.10	P
ATOM	28575	CD2	TYR	P	195	93.524	4.981	35.410	1.00111.30	P
ATOM	28576	CE2	TYR	P	195	94.434	4.068	34.893	1.00113.13	P
ATOM	28577	CZ	TYR	P	195	94.820	4.163	33.562	1.00115.10	P
ATOM	28578	OH	TYR	P	195	95.724	3.262	33.045	1.00118.25	P
ATOM	28579	C	TYR	P	195	93.984	8.107	36.297	1.00104.65	P
ATOM	28580	O	TYR	P	195	95.073	8.013	35.735	1.00101.18	P
ATOM	28581	N	TYR	P	196	93.828	7.978	37.610	1.00105.58	P
ATOM	28582	CA	TYR	P	196	94.945	7.693	38.495	1.00107.94	P
ATOM	28583	CB	TYR	P	196	95.422	8.966	39.207	1.00110.21	P
ATOM	28584	CG	TYR	P	196	94.516	9.523	40.291	1.00112.53	P
ATOM	28585	CD1	TYR	P	196	94.330	8.842	41.493	1.00113.06	P
ATOM	28586	CE1	TYR	P	196	93.559	9.386	42.516	1.00114.50	P
ATOM	28587	CD2	TYR	P	196	93.897	10.768	40.139	1.00113.00	P
ATOM	28588	CE2	TYR	P	196	93.118	11.320	41.162	1.00113.39	P
ATOM	28589	CZ	TYR	P	196	92.956	10.620	42.350	1.00115.35	P
ATOM	28590	OH	TYR	P	196	92.203	11.150	43.377	1.00116.50	P
ATOM	28591	C	TYR	P	196	94.483	6.649	39.491	1.00110.74	P
ATOM	28592	O	TYR	P	196	93.321	6.630	39.881	1.00110.19	P
ATOM	28593	N	LEU	P	197	95.393	5.778	39.901	1.00116.18	P
ATOM	28594	CA	LEU	P	197	95.049	4.708	40.827	1.00122.65	P
ATOM	28595	CB	LEU	P	197	95.961	3.503	40.577	1.00124.27	P
ATOM	28596	CG	LEU	P	197	96.235	3.192	39.103	1.00125.10	P
ATOM	28597	CD1	LEU	P	197	97.125	1.962	39.005	1.00124.66	P
ATOM	28598	CD2	LEU	P	197	94.924	2.981	38.357	1.00124.13	P
ATOM	28599	C	LEU	P	197	95.117	5.104	42.299	1.00125.58	P
ATOM	28600	O	LEU	P	197	96.091	4.793	42.987	1.00126.25	P
ATOM	28601	N	SER	P	198	94.077	5.776	42.783	1.00128.37	P
ATOM	28602	CA	SER	P	198	94.028	6.192	44.182	1.00132.28	P
ATOM	28603	CB	SER	P	198	92.859	7.151	44.417	1.00133.27	P

ATOM	28604	OG	SER	P	198	91.669	6.678	43.814	1.00135.55	P
ATOM	28605	C	SER	P	198	93.895	4.995	45.115	1.00134.59	P
ATOM	28606	O	SER	P	198	92.940	4.224	45.023	1.00134.64	P
ATOM	28607	N	GLY	P	199	94.860	4.850	46.017	1.00137.43	P
ATOM	28608	CA	GLY	P	199	94.841	3.745	46.958	1.00140.50	P
ATOM	28609	C	GLY	P	199	95.846	3.951	48.074	1.00142.61	P
ATOM	28610	O	GLY	P	199	96.310	5.071	48.293	1.00142.88	P
ATOM	28611	N	THR	P	200	96.185	2.874	48.778	1.00144.40	P
ATOM	28612	CA	THR	P	200	97.141	2.946	49.880	1.00146.21	P
ATOM	28613	CB	THR	P	200	96.443	2.722	51.240	1.00145.99	P
ATOM	28614	OG1	THR	P	200	95.497	3.774	51.469	1.00145.46	P
ATOM	28615	CG2	THR	P	200	97.464	2.706	52.371	1.00144.12	P
ATOM	28616	C	THR	P	200	98.268	1.928	49.728	1.00147.52	P
ATOM	28617	O	THR	P	200	98.023	0.739	49.515	1.00147.31	P
ATOM	28618	N	THR	P	201	99.502	2.409	49.849	1.00149.26	P
ATOM	28619	CA	THR	P	201	100.687	1.568	49.715	1.00150.21	P
ATOM	28620	CB	THR	P	201	101.738	2.237	48.807	1.00149.42	P
ATOM	28621	OG1	THR	P	201	102.778	1.300	48.498	1.00147.57	P
ATOM	28622	CG2	THR	P	201	102.349	3.439	49.512	1.00149.13	P
ATOM	28623	C	THR	P	201	101.337	1.295	51.069	1.00151.30	P
ATOM	28624	O	THR	P	201	100.958	1.882	52.085	1.00151.07	P
ATOM	28625	N	ALA	P	202	102.328	0.409	51.066	1.00152.61	P
ATOM	28626	CA	ALA	P	202	103.046	0.045	52.279	1.00153.28	P
ATOM	28627	CB	ALA	P	202	102.910	-1.454	52.537	1.00153.49	P
ATOM	28628	C	ALA	P	202	104.520	0.423	52.176	1.00153.70	P
ATOM	28629	O	ALA	P	202	105.397	-0.405	52.426	1.00154.04	P
ATOM	28630	N	ASP	P	203	104.790	1.672	51.807	1.00153.63	P
ATOM	28631	CA	ASP	P	203	106.163	2.148	51.674	1.00154.02	P
ATOM	28632	CB	ASP	P	203	106.917	1.321	50.622	1.00154.75	P
ATOM	28633	CG	ASP	P	203	106.245	1.347	49.258	1.00155.01	P
ATOM	28634	OD1	ASP	P	203	106.853	0.849	48.284	1.00154.43	P
ATOM	28635	OD2	ASP	P	203	105.110	1.857	49.160	1.00155.17	P
ATOM	28636	C	ASP	P	203	106.225	3.622	51.294	1.00154.18	P
ATOM	28637	O	ASP	P	203	105.230	4.342	51.376	1.00153.85	P
ATOM	28638	N	ALA	P	204	107.411	4.062	50.882	1.00154.82	P
ATOM	28639	CA	ALA	P	204	107.629	5.441	50.467	1.00155.11	P
ATOM	28640	CB	ALA	P	204	108.943	5.961	51.036	1.00154.55	P
ATOM	28641	C	ALA	P	204	107.652	5.501	48.941	1.00155.42	P
ATOM	28642	O	ALA	P	204	107.771	6.576	48.354	1.00155.75	P
ATOM	28643	N	GLY	P	205	107.543	4.335	48.307	1.00155.46	P
ATOM	28644	CA	GLY	P	205	107.533	4.273	46.856	1.00155.37	P
ATOM	28645	C	GLY	P	205	106.114	4.417	46.333	1.00155.84	P
ATOM	28646	O	GLY	P	205	105.877	4.368	45.126	1.00155.80	P
ATOM	28647	N	ASN	P	206	105.174	4.598	47.260	1.00156.27	P
ATOM	28648	CA	ASN	P	206	103.748	4.756	46.962	1.00155.76	P
ATOM	28649	CB	ASN	P	206	103.359	6.238	47.048	1.00153.52	P
ATOM	28650	CG	ASN	P	206	103.168	6.708	48.484	1.00151.05	P
ATOM	28651	OD1	ASN	P	206	102.233	6.290	49.166	1.00149.00	P
ATOM	28652	ND2	ASN	P	206	104.058	7.576	48.948	1.00150.30	P
ATOM	28653	C	ASN	P	206	103.273	4.156	45.638	1.00156.39	P
ATOM	28654	O	ASN	P	206	102.653	4.832	44.816	1.00155.44	P
ATOM	28655	N	SER	P	207	103.564	2.873	45.452	1.00158.12	P
ATOM	28656	CA	SER	P	207	103.169	2.144	44.253	1.00159.77	P
ATOM	28657	CB	SER	P	207	104.235	2.276	43.163	1.00159.03	P
ATOM	28658	OG	SER	P	207	105.437	1.631	43.541	1.00158.96	P
ATOM	28659	C	SER	P	207	102.989	0.675	44.622	1.00161.46	P
ATOM	28660	O	SER	P	207	102.775	-0.173	43.756	1.00162.31	P
ATOM	28661	N	ILE	P	208	103.084	0.385	45.917	1.00162.83	P

ATOM	28662	CA	ILE	P	208	102.931	-0.974	46.425	1.00164.30	P
ATOM	28663	CB	ILE	P	208	104.216	-1.445	47.150	1.00164.01	P
ATOM	28664	CG2	ILE	P	208	104.027	-2.857	47.687	1.00163.86	P
ATOM	28665	CG1	ILE	P	208	105.405	-1.398	46.186	1.00163.13	P
ATOM	28666	CD1	ILE	P	208	106.730	-1.785	46.814	1.00162.03	P
ATOM	28667	C	ILE	P	208	101.760	-1.021	47.405	1.00165.64	P
ATOM	28668	O	ILE	P	208	101.954	-1.065	48.620	1.00165.18	P
ATOM	28669	N	PHE	P	209	100.544	-1.009	46.865	1.00167.95	P
ATOM	28670	CA	PHE	P	209	99.330	-1.036	47.675	1.00169.90	P
ATOM	28671	CB	PHE	P	209	98.103	-1.263	46.778	1.00168.81	P
ATOM	28672	CG	PHE	P	209	98.053	-0.355	45.568	1.00167.62	P
ATOM	28673	CD1	PHE	P	209	98.785	-0.659	44.420	1.00167.07	P
ATOM	28674	CD2	PHE	P	209	97.281	0.805	45.579	1.00166.79	P
ATOM	28675	CE1	PHE	P	209	98.750	0.179	43.301	1.00166.09	P
ATOM	28676	CE2	PHE	P	209	97.240	1.650	44.465	1.00165.66	P
ATOM	28677	CZ	PHE	P	209	97.975	1.334	43.325	1.00165.83	P
ATOM	28678	C	PHE	P	209	99.409	-2.113	48.759	1.00172.13	P
ATOM	28679	O	PHE	P	209	100.075	-3.132	48.585	1.00172.46	P
ATOM	28680	N	THR	P	210	98.730	-1.879	49.878	1.00174.79	P
ATOM	28681	CA	THR	P	210	98.746	-2.816	51.001	1.00177.94	P
ATOM	28682	CB	THR	P	210	98.503	-2.081	52.334	1.00177.22	P
ATOM	28683	OG1	THR	P	210	97.323	-1.274	52.230	1.00176.66	P
ATOM	28684	CG2	THR	P	210	99.683	-1.201	52.680	1.00177.90	P
ATOM	28685	C	THR	P	210	97.740	-3.963	50.910	1.00180.65	P
ATOM	28686	O	THR	P	210	97.178	-4.236	49.850	1.00181.08	P
ATOM	28687	N	ASN	P	211	97.535	-4.630	52.043	1.00183.43	P
ATOM	28688	CA	ASN	P	211	96.607	-5.754	52.160	1.00185.93	P
ATOM	28689	CB	ASN	P	211	97.381	-7.035	52.500	1.00186.52	P
ATOM	28690	CG	ASN	P	211	96.473	-8.243	52.692	1.00187.31	P
ATOM	28691	OD1	ASN	P	211	96.925	-9.306	53.117	1.00187.27	P
ATOM	28692	ND2	ASN	P	211	95.192	-8.085	52.375	1.00187.46	P
ATOM	28693	C	ASN	P	211	95.598	-5.448	53.271	1.00187.46	P
ATOM	28694	O	ASN	P	211	95.979	-5.238	54.423	1.00187.38	P
ATOM	28695	N	THR	P	212	94.315	-5.427	52.919	1.00189.07	P
ATOM	28696	CA	THR	P	212	93.254	-5.136	53.882	1.00190.31	P
ATOM	28697	CB	THR	P	212	92.097	-4.357	53.216	1.00189.88	P
ATOM	28698	OG1	THR	P	212	92.624	-3.249	52.477	1.00188.63	P
ATOM	28699	CG2	THR	P	212	91.134	-3.833	54.272	1.00189.72	P
ATOM	28700	C	THR	P	212	92.682	-6.414	54.494	1.00191.64	P
ATOM	28701	O	THR	P	212	91.616	-6.882	54.087	1.00192.06	P
ATOM	28702	N	ALA	P	213	93.387	-6.974	55.473	1.00192.63	P
ATOM	28703	CA	ALA	P	213	92.934	-8.199	56.124	1.00193.52	P
ATOM	28704	CB	ALA	P	213	93.172	-9.394	55.202	1.00193.38	P
ATOM	28705	C	ALA	P	213	93.616	-8.436	57.470	1.00194.11	P
ATOM	28706	O	ALA	P	213	94.692	-7.901	57.739	1.00193.86	P
ATOM	28707	N	SER	P	214	92.972	-9.242	58.310	1.00194.93	P
ATOM	28708	CA	SER	P	214	93.493	-9.588	59.630	1.00195.23	P
ATOM	28709	CB	SER	P	214	92.431	-9.318	60.702	1.00194.72	P
ATOM	28710	OG	SER	P	214	92.899	-9.683	61.988	1.00193.84	P
ATOM	28711	C	SER	P	214	93.879	-11.068	59.633	1.00195.72	P
ATOM	28712	O	SER	P	214	94.330	-11.608	60.644	1.00195.46	P
ATOM	28713	N	PHE	P	215	93.691	-11.707	58.480	1.00196.29	P
ATOM	28714	CA	PHE	P	215	94.000	-13.121	58.277	1.00196.45	P
ATOM	28715	CB	PHE	P	215	93.155	-13.665	57.114	1.00197.29	P
ATOM	28716	CG	PHE	P	215	93.533	-15.055	56.651	1.00198.84	P
ATOM	28717	CD1	PHE	P	215	93.010	-15.553	55.463	1.00199.35	P
ATOM	28718	CD2	PHE	P	215	94.417	-15.855	57.373	1.00199.69	P
ATOM	28719	CE1	PHE	P	215	93.355	-16.820	54.999	1.00200.00	P

ATOM	28720	CE2	PHE	P	215	94.770	-17.127	56.915	1.00199.99	P
ATOM	28721	CZ	PHE	P	215	94.240	-17.606	55.724	1.00200.00	P
ATOM	28722	C	PHE	P	215	95.485	-13.292	57.969	1.00196.21	P
ATOM	28723	O	PHE	P	215	95.955	-12.881	56.908	1.00195.87	P
ATOM	28724	N	SER	P	216	96.207	-13.913	58.899	1.00196.13	P
ATOM	28725	CA	SER	P	216	97.638	-14.163	58.746	1.00195.90	P
ATOM	28726	CB	SER	P	216	97.862	-15.480	57.991	1.00195.73	P
ATOM	28727	OG	SER	P	216	99.239	-15.810	57.918	1.00194.49	P
ATOM	28728	C	SER	P	216	98.320	-13.015	58.008	1.00195.79	P
ATOM	28729	O	SER	P	216	98.655	-13.133	56.828	1.00195.88	P
ATOM	28730	N	PRO	P	217	98.534	-11.884	58.702	1.00195.36	P
ATOM	28731	CD	PRO	P	217	98.321	-11.721	60.150	1.00195.25	P
ATOM	28732	CA	PRO	P	217	99.174	-10.687	58.145	1.00194.57	P
ATOM	28733	CB	PRO	P	217	99.179	-9.724	59.328	1.00194.93	P
ATOM	28734	CG	PRO	P	217	99.330	-10.654	60.491	1.00195.39	P
ATOM	28735	C	PRO	P	217	100.581	-10.947	57.612	1.00193.56	P
ATOM	28736	O	PRO	P	217	101.574	-10.647	58.279	1.00193.30	P
ATOM	28737	N	ALA	P	218	100.659	-11.501	56.406	1.00192.40	P
ATOM	28738	CA	ALA	P	218	101.942	-11.798	55.787	1.00191.17	P
ATOM	28739	CB	ALA	P	218	101.728	-12.503	54.454	1.00191.25	P
ATOM	28740	C	ALA	P	218	102.747	-10.518	55.583	1.00189.92	P
ATOM	28741	O	ALA	P	218	102.187	-9.450	55.331	1.00189.83	P
ATOM	28742	N	GLN	P	219	104.065	-10.637	55.696	1.00188.37	P
ATOM	28743	CA	GLN	P	219	104.965	-9.503	55.530	1.00186.30	P
ATOM	28744	CB	GLN	P	219	106.260	-9.762	56.300	1.00185.12	P
ATOM	28745	CG	GLN	P	219	106.071	-9.932	57.798	1.00182.22	P
ATOM	28746	CD	GLN	P	219	107.250	-10.617	58.458	1.00180.57	P
ATOM	28747	OE1	GLN	P	219	107.414	-11.832	58.355	1.00178.76	P
ATOM	28748	NE2	GLN	P	219	108.084	-9.838	59.133	1.00179.04	P
ATOM	28749	C	GLN	P	219	105.283	-9.267	54.054	1.00185.30	P
ATOM	28750	O	GLN	P	219	105.657	-10.194	53.338	1.00185.64	P
ATOM	28751	N	GLY	P	220	105.125	-8.027	53.602	1.00183.56	P
ATOM	28752	CA	GLY	P	220	105.415	-7.702	52.216	1.00181.06	P
ATOM	28753	C	GLY	P	220	104.508	-8.338	51.179	1.00179.32	P
ATOM	28754	O	GLY	P	220	104.979	-9.049	50.291	1.00178.88	P
ATOM	28755	N	VAL	P	221	103.208	-8.081	51.285	1.00177.70	P
ATOM	28756	CA	VAL	P	221	102.237	-8.626	50.342	1.00175.63	P
ATOM	28757	CB	VAL	P	221	101.389	-9.744	50.981	1.00175.24	P
ATOM	28758	CG1	VAL	P	221	100.390	-10.280	49.967	1.00174.76	P
ATOM	28759	CG2	VAL	P	221	102.289	-10.860	51.480	1.00174.77	P
ATOM	28760	C	VAL	P	221	101.300	-7.529	49.857	1.00174.33	P
ATOM	28761	O	VAL	P	221	100.310	-7.207	50.516	1.00173.79	P
ATOM	28762	N	GLY	P	222	101.621	-6.956	48.701	1.00173.16	P
ATOM	28763	CA	GLY	P	222	100.798	-5.898	48.148	1.00171.89	P
ATOM	28764	C	GLY	P	222	100.475	-6.104	46.679	1.00170.75	P
ATOM	28765	O	GLY	P	222	100.497	-7.231	46.182	1.00171.51	P
ATOM	28766	N	VAL	P	223	100.172	-5.012	45.984	1.00168.42	P
ATOM	28767	CA	VAL	P	223	99.842	-5.064	44.563	1.00165.75	P
ATOM	28768	CB	VAL	P	223	98.308	-5.036	44.340	1.00166.09	P
ATOM	28769	CG1	VAL	P	223	97.988	-5.128	42.855	1.00165.81	P
ATOM	28770	CG2	VAL	P	223	97.652	-6.182	45.091	1.00166.07	P
ATOM	28771	C	VAL	P	223	100.461	-3.876	43.836	1.00163.63	P
ATOM	28772	O	VAL	P	223	100.863	-2.895	44.460	1.00163.38	P
ATOM	28773	N	GLN	P	224	100.542	-3.975	42.515	1.00161.38	P
ATOM	28774	CA	GLN	P	224	101.107	-2.908	41.701	1.00159.13	P
ATOM	28775	CB	GLN	P	224	102.622	-2.844	41.895	1.00158.96	P
ATOM	28776	CG	GLN	P	224	103.254	-1.570	41.370	1.00156.95	P
ATOM	28777	CD	GLN	P	224	104.730	-1.486	41.684	1.00155.27	P

ATOM	28778	OE1	GLN	P	224	105.144	-1.674	42.828	1.00154.64	P
ATOM	28779	NE2	GLN	P	224	105.533	-1.194	40.671	1.00154.35	P
ATOM	28780	C	GLN	P	224	100.773	-3.172	40.239	1.00157.57	P
ATOM	28781	O	GLN	P	224	101.509	-3.864	39.531	1.00157.71	P
ATOM	28782	N	LEU	P	225	99.650	-2.613	39.800	1.00155.03	P
ATOM	28783	CA	LEU	P	225	99.168	-2.772	38.432	1.00151.94	P
ATOM	28784	CB	LEU	P	225	97.916	-1.914	38.227	1.00153.15	P
ATOM	28785	CG	LEU	P	225	96.935	-1.854	39.407	1.00154.26	P
ATOM	28786	CD1	LEU	P	225	95.707	-1.056	38.999	1.00154.11	P
ATOM	28787	CD2	LEU	P	225	96.538	-3.259	39.844	1.00154.08	P
ATOM	28788	C	LEU	P	225	100.230	-2.394	37.402	1.00148.71	P
ATOM	28789	O	LEU	P	225	101.274	-1.839	37.746	1.00149.00	P
ATOM	28790	N	THR	P	226	99.960	-2.695	36.136	1.00144.70	P
ATOM	28791	CA	THR	P	226	100.903	-2.386	35.069	1.00141.35	P
ATOM	28792	CB	THR	P	226	102.160	-3.269	35.168	1.00140.75	P
ATOM	28793	OG1	THR	P	226	102.944	-3.112	33.981	1.00139.09	P
ATOM	28794	CG2	THR	P	226	101.779	-4.731	35.331	1.00139.51	P
ATOM	28795	C	THR	P	226	100.322	-2.549	33.671	1.00139.88	P
ATOM	28796	O	THR	P	226	99.953	-3.650	33.261	1.00139.70	P
ATOM	28797	N	ARG	P	227	100.250	-1.442	32.940	1.00138.53	P
ATOM	28798	CA	ARG	P	227	99.729	-1.457	31.581	1.00137.67	P
ATOM	28799	CB	ARG	P	227	99.204	-0.072	31.197	1.00137.81	P
ATOM	28800	CG	ARG	P	227	100.122	1.079	31.577	1.00137.13	P
ATOM	28801	CD	ARG	P	227	99.500	2.416	31.196	1.00137.73	P
ATOM	28802	NE	ARG	P	227	99.951	3.504	32.061	1.00137.20	P
ATOM	28803	CZ	ARG	P	227	101.197	3.960	32.114	1.00136.41	P
ATOM	28804	NH1	ARG	P	227	101.502	4.950	32.939	1.00136.66	P
ATOM	28805	NH2	ARG	P	227	102.133	3.435	31.336	1.00136.55	P
ATOM	28806	C	ARG	P	227	100.815	-1.885	30.607	1.00137.67	P
ATOM	28807	O	ARG	P	227	101.569	-1.055	30.098	1.00137.90	P
ATOM	28808	N	ASN	P	228	100.885	-3.188	30.353	1.00137.77	P
ATOM	28809	CA	ASN	P	228	101.881	-3.753	29.448	1.00137.45	P
ATOM	28810	CB	ASN	P	228	101.603	-3.321	28.005	1.00136.27	P
ATOM	28811	CG	ASN	P	228	100.496	-4.129	27.361	1.00135.48	P
ATOM	28812	OD1	ASN	P	228	100.205	-3.967	26.177	1.00135.03	P
ATOM	28813	ND2	ASN	P	228	99.875	-5.010	28.138	1.00135.43	P
ATOM	28814	C	ASN	P	228	103.311	-3.378	29.826	1.00136.85	P
ATOM	28815	O	ASN	P	228	103.955	-2.576	29.149	1.00136.28	P
ATOM	28816	N	GLY	P	229	103.800	-3.971	30.910	1.00136.47	P
ATOM	28817	CA	GLY	P	229	105.151	-3.698	31.361	1.00136.52	P
ATOM	28818	C	GLY	P	229	105.285	-2.432	32.185	1.00136.72	P
ATOM	28819	O	GLY	P	229	105.842	-2.455	33.283	1.00137.21	P
ATOM	28820	N	THR	P	230	104.779	-1.321	31.659	1.00136.44	P
ATOM	28821	CA	THR	P	230	104.860	-0.045	32.361	1.00135.76	P
ATOM	28822	CB	THR	P	230	104.472	1.134	31.434	1.00136.11	P
ATOM	28823	OG1	THR	P	230	105.206	1.048	30.205	1.00134.34	P
ATOM	28824	CG2	THR	P	230	104.793	2.463	32.106	1.00136.01	P
ATOM	28825	C	THR	P	230	103.927	-0.042	33.569	1.00134.94	P
ATOM	28826	O	THR	P	230	102.715	0.101	33.421	1.00135.87	P
ATOM	28827	N	ILE	P	231	104.491	-0.213	34.760	1.00133.96	P
ATOM	28828	CA	ILE	P	231	103.687	-0.214	35.976	1.00134.05	P
ATOM	28829	CB	ILE	P	231	104.507	-0.711	37.200	1.00134.07	P
ATOM	28830	CG2	ILE	P	231	103.803	-0.335	38.496	1.00133.90	P
ATOM	28831	CG1	ILE	P	231	104.697	-2.230	37.115	1.00133.56	P
ATOM	28832	CD1	ILE	P	231	105.410	-2.847	38.307	1.00130.87	P
ATOM	28833	C	ILE	P	231	103.155	1.193	36.244	1.00134.53	P
ATOM	28834	O	ILE	P	231	103.743	2.188	35.813	1.00134.23	P
ATOM	28835	N	ILE	P	232	102.032	1.268	36.952	1.00134.74	P

ATOM	28836	CA	ILE	P	232	101.409	2.545	37.266	1.00133.61	P
ATOM	28837	CB	ILE	P	232	100.004	2.645	36.634	1.00134.19	P
ATOM	28838	CG2	ILE	P	232	99.427	4.038	36.863	1.00135.37	P
ATOM	28839	CG1	ILE	P	232	100.082	2.347	35.135	1.00134.07	P
ATOM	28840	CD1	ILE	P	232	98.731	2.262	34.466	1.00134.62	P
ATOM	28841	C	ILE	P	232	101.265	2.756	38.769	1.00131.83	P
ATOM	28842	O	ILE	P	232	100.480	2.075	39.430	1.00131.74	P
ATOM	28843	N	PRO	P	233	102.037	3.696	39.331	1.00130.41	P
ATOM	28844	CD	PRO	P	233	103.173	4.389	38.695	1.00129.70	P
ATOM	28845	CA	PRO	P	233	101.977	3.991	40.767	1.00128.77	P
ATOM	28846	CB	PRO	P	233	103.298	4.710	41.021	1.00130.02	P
ATOM	28847	CG	PRO	P	233	103.533	5.432	39.725	1.00130.33	P
ATOM	28848	C	PRO	P	233	100.759	4.863	41.083	1.00126.55	P
ATOM	28849	O	PRO	P	233	100.205	5.505	40.192	1.00126.14	P
ATOM	28850	N	ALA	P	234	100.343	4.882	42.346	1.00124.46	P
ATOM	28851	CA	ALA	P	234	99.185	5.673	42.762	1.00123.37	P
ATOM	28852	CB	ALA	P	234	98.974	5.528	44.264	1.00122.82	P
ATOM	28853	C	ALA	P	234	99.314	7.154	42.397	1.00122.87	P
ATOM	28854	O	ALA	P	234	100.393	7.619	42.035	1.00124.84	P
ATOM	28855	N	ASN	P	235	98.204	7.884	42.491	1.00120.20	P
ATOM	28856	CA	ASN	P	235	98.163	9.318	42.189	1.00116.56	P
ATOM	28857	CB	ASN	P	235	98.678	10.114	43.393	1.00113.69	P
ATOM	28858	CG	ASN	P	235	97.738	10.042	44.583	1.00110.97	P
ATOM	28859	OD1	ASN	P	235	96.775	10.804	44.679	1.00110.27	P
ATOM	28860	ND2	ASN	P	235	98.005	9.110	45.488	1.00109.75	P
ATOM	28861	C	ASN	P	235	98.941	9.714	40.936	1.00115.21	P
ATOM	28862	O	ASN	P	235	99.338	10.867	40.776	1.00114.44	P
ATOM	28863	N	ASN	P	236	99.149	8.752	40.047	1.00115.80	P
ATOM	28864	CA	ASN	P	236	99.875	9.000	38.811	1.00116.97	P
ATOM	28865	CB	ASN	P	236	100.965	7.941	38.615	1.00121.20	P
ATOM	28866	CG	ASN	P	236	101.789	8.171	37.357	1.00123.94	P
ATOM	28867	OD1	ASN	P	236	102.597	9.102	37.289	1.00123.77	P
ATOM	28868	ND2	ASN	P	236	101.584	7.324	36.351	1.00123.80	P
ATOM	28869	C	ASN	P	236	98.898	8.949	37.646	1.00115.70	P
ATOM	28870	O	ASN	P	236	98.883	7.987	36.878	1.00115.33	P
ATOM	28871	N	THR	P	237	98.074	9.983	37.529	1.00114.79	P
ATOM	28872	CA	THR	P	237	97.095	10.058	36.454	1.00115.91	P
ATOM	28873	CB	THR	P	237	96.535	11.490	36.321	1.00114.93	P
ATOM	28874	OG1	THR	P	237	95.826	11.834	37.517	1.00114.16	P
ATOM	28875	CG2	THR	P	237	95.590	11.592	35.135	1.00114.42	P
ATOM	28876	C	THR	P	237	97.719	9.637	35.128	1.00117.22	P
ATOM	28877	O	THR	P	237	98.872	9.967	34.843	1.00118.11	P
ATOM	28878	N	VAL	P	238	96.961	8.896	34.326	1.00117.17	P
ATOM	28879	CA	VAL	P	238	97.457	8.444	33.037	1.00118.12	P
ATOM	28880	CB	VAL	P	238	97.587	6.911	32.995	1.00117.94	P
ATOM	28881	CG1	VAL	P	238	98.301	6.486	31.715	1.00118.86	P
ATOM	28882	CG2	VAL	P	238	98.346	6.421	34.217	1.00117.47	P
ATOM	28883	C	VAL	P	238	96.521	8.898	31.926	1.00119.09	P
ATOM	28884	O	VAL	P	238	95.312	9.019	32.134	1.00117.75	P
ATOM	28885	N	SER	P	239	97.092	9.149	30.749	1.00120.60	P
ATOM	28886	CA	SER	P	239	96.328	9.605	29.593	1.00121.37	P
ATOM	28887	CB	SER	P	239	97.260	10.263	28.569	1.00120.58	P
ATOM	28888	OG	SER	P	239	96.533	10.710	27.435	1.00119.45	P
ATOM	28889	C	SER	P	239	95.541	8.494	28.909	1.00122.26	P
ATOM	28890	O	SER	P	239	95.841	7.309	29.056	1.00123.04	P
ATOM	28891	N	LEU	P	240	94.527	8.900	28.155	1.00122.45	P
ATOM	28892	CA	LEU	P	240	93.677	7.975	27.426	1.00121.87	P
ATOM	28893	CB	LEU	P	240	92.417	7.674	28.239	1.00120.87	P

ATOM	28894	CG	LEU	P	240	92.682	7.049	29.613	1.00120.19	P
ATOM	28895	CD1	LEU	P	240	91.417	7.063	30.450	1.00118.80	P
ATOM	28896	CD2	LEU	P	240	93.202	5.632	29.432	1.00120.06	P
ATOM	28897	C	LEU	P	240	93.319	8.663	26.119	1.00122.34	P
ATOM	28898	O	LEU	P	240	93.297	8.039	25.061	1.00123.25	P
ATOM	28899	N	GLY	P	241	93.052	9.963	26.207	1.00122.41	P
ATOM	28900	CA	GLY	P	241	92.714	10.743	25.031	1.00122.23	P
ATOM	28901	C	GLY	P	241	91.519	10.247	24.242	1.00122.26	P
ATOM	28902	O	GLY	P	241	90.401	10.193	24.756	1.00121.04	P
ATOM	28903	N	ALA	P	242	91.760	9.891	22.983	1.00123.19	P
ATOM	28904	CA	ALA	P	242	90.712	9.402	22.094	1.00123.44	P
ATOM	28905	CB	ALA	P	242	91.313	9.018	20.745	1.00122.71	P
ATOM	28906	C	ALA	P	242	89.953	8.216	22.680	1.00123.56	P
ATOM	28907	O	ALA	P	242	90.394	7.069	22.567	1.00124.59	P
ATOM	28908	N	VAL	P	243	88.811	8.501	23.302	1.00122.51	P
ATOM	28909	CA	VAL	P	243	87.970	7.466	23.899	1.00121.43	P
ATOM	28910	CB	VAL	P	243	88.052	7.495	25.435	1.00117.61	P
ATOM	28911	CG1	VAL	P	243	87.257	6.338	26.016	1.00113.77	P
ATOM	28912	CG2	VAL	P	243	89.500	7.423	25.875	1.00115.63	P
ATOM	28913	C	VAL	P	243	86.510	7.654	23.477	1.00123.26	P
ATOM	28914	O	VAL	P	243	85.719	8.274	24.192	1.00123.86	P
ATOM	28915	N	GLY	P	244	86.163	7.111	22.312	1.00124.30	P
ATOM	28916	CA	GLY	P	244	84.809	7.234	21.804	1.00124.77	P
ATOM	28917	C	GLY	P	244	83.958	5.991	21.977	1.00125.15	P
ATOM	28918	O	GLY	P	244	83.720	5.550	23.099	1.00123.93	P
ATOM	28919	N	THR	P	245	83.500	5.429	20.860	1.00127.14	P
ATOM	28920	CA	THR	P	245	82.653	4.235	20.878	1.00129.24	P
ATOM	28921	CB	THR	P	245	81.714	4.196	19.648	1.00129.46	P
ATOM	28922	OG1	THR	P	245	82.496	4.184	18.446	1.00128.03	P
ATOM	28923	CG2	THR	P	245	80.792	5.408	19.643	1.00127.55	P
ATOM	28924	C	THR	P	245	83.444	2.928	20.915	1.00130.23	P
ATOM	28925	O	THR	P	245	82.920	1.892	21.328	1.00130.49	P
ATOM	28926	N	SER	P	246	84.699	2.979	20.476	1.00130.44	P
ATOM	28927	CA	SER	P	246	85.561	1.801	20.469	1.00129.91	P
ATOM	28928	CB	SER	P	246	86.744	2.030	19.531	1.00128.72	P
ATOM	28929	OG	SER	P	246	86.295	2.420	18.246	1.00126.50	P
ATOM	28930	C	SER	P	246	86.071	1.525	21.882	1.00130.66	P
ATOM	28931	O	SER	P	246	87.086	2.085	22.302	1.00130.63	P
ATOM	28932	N	ALA	P	247	85.360	0.664	22.607	1.00131.03	P
ATOM	28933	CA	ALA	P	247	85.716	0.312	23.980	1.00131.83	P
ATOM	28934	CB	ALA	P	247	84.931	-0.916	24.418	1.00130.84	P
ATOM	28935	C	ALA	P	247	87.211	0.064	24.156	1.00132.65	P
ATOM	28936	O	ALA	P	247	87.687	-1.053	23.955	1.00131.87	P
ATOM	28937	N	VAL	P	248	87.942	1.108	24.541	1.00134.41	P
ATOM	28938	CA	VAL	P	248	89.387	1.013	24.748	1.00135.28	P
ATOM	28939	CB	VAL	P	248	90.053	2.420	24.734	1.00134.36	P
ATOM	28940	CG1	VAL	P	248	91.566	2.282	24.829	1.00133.09	P
ATOM	28941	CG2	VAL	P	248	89.669	3.177	23.466	1.00131.53	P
ATOM	28942	C	VAL	P	248	89.697	0.331	26.082	1.00136.15	P
ATOM	28943	O	VAL	P	248	89.079	0.639	27.103	1.00135.32	P
ATOM	28944	N	SER	P	249	90.652	-0.598	26.066	1.00137.81	P
ATOM	28945	CA	SER	P	249	91.040	-1.325	27.274	1.00139.38	P
ATOM	28946	CB	SER	P	249	91.345	-2.792	26.939	1.00137.51	P
ATOM	28947	OG	SER	P	249	91.524	-3.564	28.116	1.00131.31	P
ATOM	28948	C	SER	P	249	92.262	-0.671	27.922	1.00141.89	P
ATOM	28949	O	SER	P	249	93.002	0.071	27.268	1.00142.72	P
ATOM	28950	N	LEU	P	250	92.468	-0.955	29.207	1.00142.91	P
ATOM	28951	CA	LEU	P	250	93.584	-0.388	29.962	1.00142.94	P

ATOM	28952	CB	LEU	P	250	93.176	-0.205	31.427	1.00141.33	P
ATOM	28953	CG	LEU	P	250	92.051	0.792	31.706	1.00139.95	P
ATOM	28954	CD1	LEU	P	250	91.628	0.696	33.158	1.00139.01	P
ATOM	28955	CD2	LEU	P	250	92.519	2.199	31.374	1.00139.16	P
ATOM	28956	C	LEU	P	250	94.866	-1.213	29.896	1.00143.68	P
ATOM	28957	O	LEU	P	250	95.966	-0.666	29.962	1.00143.41	P
ATOM	28958	N	GLY	P	251	94.724	-2.528	29.770	1.00145.01	P
ATOM	28959	CA	GLY	P	251	95.891	-3.388	29.712	1.00145.96	P
ATOM	28960	C	GLY	P	251	96.492	-3.540	31.093	1.00146.75	P
ATOM	28961	O	GLY	P	251	97.696	-3.752	31.247	1.00147.04	P
ATOM	28962	N	LEU	P	252	95.639	-3.427	32.104	1.00147.34	P
ATOM	28963	CA	LEU	P	252	96.063	-3.548	33.490	1.00148.58	P
ATOM	28964	CB	LEU	P	252	94.927	-3.121	34.417	1.00147.46	P
ATOM	28965	CG	LEU	P	252	94.268	-1.787	34.073	1.00146.56	P
ATOM	28966	CD1	LEU	P	252	93.192	-1.491	35.096	1.00147.33	P
ATOM	28967	CD2	LEU	P	252	95.306	-0.676	34.049	1.00146.67	P
ATOM	28968	C	LEU	P	252	96.476	-4.977	33.816	1.00150.35	P
ATOM	28969	O	LEU	P	252	95.737	-5.925	33.543	1.00151.25	P
ATOM	28970	N	THR	P	253	97.658	-5.127	34.404	1.00151.78	P
ATOM	28971	CA	THR	P	253	98.168	-6.443	34.768	1.00152.94	P
ATOM	28972	CB	THR	P	253	99.445	-6.781	33.978	1.00151.85	P
ATOM	28973	OG1	THR	P	253	99.265	-6.427	32.601	1.00150.89	P
ATOM	28974	CG2	THR	P	253	99.747	-8.269	34.074	1.00150.81	P
ATOM	28975	C	THR	P	253	98.491	-6.479	36.259	1.00154.54	P
ATOM	28976	O	THR	P	253	99.653	-6.366	36.651	1.00154.78	P
ATOM	28977	N	ALA	P	254	97.457	-6.628	37.085	1.00156.03	P
ATOM	28978	CA	ALA	P	254	97.626	-6.676	38.535	1.00157.66	P
ATOM	28979	CB	ALA	P	254	96.290	-6.972	39.207	1.00155.71	P
ATOM	28980	C	ALA	P	254	98.653	-7.737	38.917	1.00159.73	P
ATOM	28981	O	ALA	P	254	98.368	-8.934	38.863	1.00159.91	P
ATOM	28982	N	ASN	P	255	99.848	-7.291	39.298	1.00161.97	P
ATOM	28983	CA	ASN	P	255	100.927	-8.200	39.680	1.00163.72	P
ATOM	28984	CB	ASN	P	255	102.194	-7.892	38.869	1.00162.76	P
ATOM	28985	CG	ASN	P	255	102.022	-8.162	37.382	1.00161.33	P
ATOM	28986	OD1	ASN	P	255	102.943	-7.956	36.593	1.00158.96	P
ATOM	28987	ND2	ASN	P	255	100.840	-8.628	36.996	1.00162.08	P
ATOM	28988	C	ASN	P	255	101.250	-8.131	41.171	1.00165.52	P
ATOM	28989	O	ASN	P	255	100.754	-7.258	41.887	1.00164.92	P
ATOM	28990	N	TYR	P	256	102.085	-9.063	41.627	1.00168.32	P
ATOM	28991	CA	TYR	P	256	102.492	-9.136	43.029	1.00170.59	P
ATOM	28992	CB	TYR	P	256	103.102	-10.512	43.332	1.00173.04	P
ATOM	28993	CG	TYR	P	256	102.087	-11.576	43.700	1.00175.32	P
ATOM	28994	CD1	TYR	P	256	101.052	-11.917	42.828	1.00176.11	P
ATOM	28995	CE1	TYR	P	256	100.104	-12.882	43.176	1.00176.63	P
ATOM	28996	CD2	TYR	P	256	102.151	-12.230	44.932	1.00175.88	P
ATOM	28997	CE2	TYR	P	256	101.206	-13.197	45.288	1.00176.71	P
ATOM	28998	CZ	TYR	P	256	100.185	-13.516	44.406	1.00176.75	P
ATOM	28999	OH	TYR	P	256	99.242	-14.459	44.754	1.00176.65	P
ATOM	29000	C	TYR	P	256	103.483	-8.041	43.409	1.00170.83	P
ATOM	29001	O	TYR	P	256	104.426	-7.758	42.668	1.00170.47	P
ATOM	29002	N	ALA	P	257	103.265	-7.437	44.575	1.00171.62	P
ATOM	29003	CA	ALA	P	257	104.124	-6.365	45.068	1.00172.61	P
ATOM	29004	CB	ALA	P	257	103.300	-5.098	45.279	1.00172.20	P
ATOM	29005	C	ALA	P	257	104.845	-6.739	46.361	1.00173.26	P
ATOM	29006	O	ALA	P	257	104.293	-6.607	47.455	1.00172.87	P
ATOM	29007	N	ARG	P	258	106.084	-7.202	46.224	1.00174.50	P
ATOM	29008	CA	ARG	P	258	106.907	-7.589	47.367	1.00175.46	P
ATOM	29009	CB	ARG	P	258	107.991	-8.573	46.908	1.00176.25	P

ATOM	29010	CG	ARG	P	258	108.845	-9.166	48.017	1.00176.11	P
ATOM	29011	CD	ARG	P	258	109.762	-10.249	47.461	1.00176.19	P
ATOM	29012	NE	ARG	P	258	110.689	-10.768	48.463	1.00176.72	P
ATOM	29013	CZ	ARG	P	258	111.559	-11.749	48.241	1.00177.02	P
ATOM	29014	NH1	ARG	P	258	112.366	-12.156	49.212	1.00176.60	P
ATOM	29015	NH2	ARG	P	258	111.620	-12.329	47.050	1.00176.66	P
ATOM	29016	C	ARG	P	258	107.536	-6.319	47.938	1.00175.97	P
ATOM	29017	O	ARG	P	258	108.037	-5.480	47.187	1.00175.97	P
ATOM	29018	N	THR	P	259	107.507	-6.175	49.260	1.00176.55	P
ATOM	29019	CA	THR	P	259	108.056	-4.986	49.907	1.00177.34	P
ATOM	29020	CB	THR	P	259	107.109	-4.483	51.016	1.00176.95	P
ATOM	29021	OG1	THR	P	259	107.002	-5.475	52.043	1.00175.64	P
ATOM	29022	CG2	THR	P	259	105.728	-4.201	50.446	1.00176.53	P
ATOM	29023	C	THR	P	259	109.452	-5.168	50.507	1.00178.55	P
ATOM	29024	O	THR	P	259	110.439	-5.284	49.780	1.00178.39	P
ATOM	29025	N	GLY	P	260	109.523	-5.180	51.836	1.00179.89	P
ATOM	29026	CA	GLY	P	260	110.793	-5.333	52.524	1.00180.99	P
ATOM	29027	C	GLY	P	260	111.595	-6.542	52.084	1.00181.83	P
ATOM	29028	O	GLY	P	260	112.640	-6.399	51.451	1.00182.24	P
ATOM	29029	N	GLY	P	261	111.111	-7.733	52.423	1.00182.43	P
ATOM	29030	CA	GLY	P	261	111.809	-8.950	52.045	1.00183.14	P
ATOM	29031	C	GLY	P	261	110.958	-10.194	52.216	1.00183.66	P
ATOM	29032	O	GLY	P	261	110.765	-10.962	51.274	1.00183.88	P
ATOM	29033	N	GLN	P	262	110.448	-10.390	53.426	1.00184.00	P
ATOM	29034	CA	GLN	P	262	109.609	-11.541	53.739	1.00184.79	P
ATOM	29035	CB	GLN	P	262	109.179	-11.475	55.209	1.00184.93	P
ATOM	29036	CG	GLN	P	262	108.229	-12.579	55.655	1.00184.91	P
ATOM	29037	CD	GLN	P	262	108.880	-13.947	55.699	1.00184.56	P
ATOM	29038	OE1	GLN	P	262	108.238	-14.937	56.047	1.00184.52	P
ATOM	29039	NE2	GLN	P	262	110.160	-14.010	55.348	1.00184.54	P
ATOM	29040	C	GLN	P	262	108.373	-11.595	52.840	1.00185.42	P
ATOM	29041	O	GLN	P	262	107.902	-10.564	52.359	1.00185.84	P
ATOM	29042	N	VAL	P	263	107.863	-12.803	52.612	1.00185.62	P
ATOM	29043	CA	VAL	P	263	106.670	-13.014	51.790	1.00185.32	P
ATOM	29044	CB	VAL	P	263	107.040	-13.393	50.332	1.00185.00	P
ATOM	29045	CG1	VAL	P	263	105.786	-13.434	49.468	1.00184.27	P
ATOM	29046	CG2	VAL	P	263	108.038	-12.396	49.767	1.00184.48	P
ATOM	29047	C	VAL	P	263	105.859	-14.153	52.416	1.00185.17	P
ATOM	29048	O	VAL	P	263	105.567	-15.159	51.766	1.00185.28	P
ATOM	29049	N	THR	P	264	105.504	-13.976	53.687	1.00184.78	P
ATOM	29050	CA	THR	P	264	104.746	-14.963	54.454	1.00184.12	P
ATOM	29051	CB	THR	P	264	104.417	-14.417	55.866	1.00183.51	P
ATOM	29052	OG1	THR	P	264	105.574	-13.768	56.407	1.00182.07	P
ATOM	29053	CG2	THR	P	264	104.015	-15.549	56.802	1.00182.74	P
ATOM	29054	C	THR	P	264	103.444	-15.386	53.770	1.00184.26	P
ATOM	29055	O	THR	P	264	103.158	-14.982	52.642	1.00184.16	P
ATOM	29056	N	ALA	P	265	102.662	-16.208	54.466	1.00184.29	P
ATOM	29057	CA	ALA	P	265	101.392	-16.701	53.948	1.00184.27	P
ATOM	29058	CB	ALA	P	265	101.223	-18.171	54.311	1.00184.08	P
ATOM	29059	C	ALA	P	265	100.218	-15.892	54.491	1.00184.23	P
ATOM	29060	O	ALA	P	265	100.250	-15.421	55.630	1.00183.87	P
ATOM	29061	N	GLY	P	266	99.183	-15.737	53.669	1.00184.15	P
ATOM	29062	CA	GLY	P	266	98.009	-14.988	54.081	1.00183.81	P
ATOM	29063	C	GLY	P	266	97.056	-14.704	52.933	1.00183.42	P
ATOM	29064	O	GLY	P	266	96.723	-15.601	52.157	1.00183.72	P
ATOM	29065	N	ASN	P	267	96.617	-13.452	52.823	1.00182.64	P
ATOM	29066	CA	ASN	P	267	95.695	-13.043	51.766	1.00181.14	P
ATOM	29067	CB	ASN	P	267	94.378	-12.545	52.372	1.00180.63	P

ATOM	29068	CG	ASN	P	267	93.547	-13.662	52.962	1.00179.66	P
ATOM	29069	OD1	ASN	P	267	92.528	-13.419	53.607	1.00179.22	P
ATOM	29070	ND2	ASN	P	267	93.972	-14.898	52.734	1.00179.16	P
ATOM	29071	C	ASN	P	267	96.265	-11.947	50.872	1.00180.05	P
ATOM	29072	O	ASN	P	267	96.987	-11.065	51.332	1.00180.26	P
ATOM	29073	N	VAL	P	268	95.934	-12.014	49.586	1.00178.63	P
ATOM	29074	CA	VAL	P	268	96.370	-11.016	48.612	1.00176.89	P
ATOM	29075	CB	VAL	P	268	96.933	-11.685	47.327	1.00176.32	P
ATOM	29076	CG1	VAL	P	268	97.409	-10.628	46.347	1.00175.55	P
ATOM	29077	CG2	VAL	P	268	98.075	-12.620	47.685	1.00175.16	P
ATOM	29078	C	VAL	P	268	95.122	-10.197	48.257	1.00175.95	P
ATOM	29079	O	VAL	P	268	94.657	-10.213	47.115	1.00175.76	P
ATOM	29080	N	GLN	P	269	94.586	-9.483	49.244	1.00175.02	P
ATOM	29081	CA	GLN	P	269	93.380	-8.684	49.055	1.00174.00	P
ATOM	29082	CB	GLN	P	269	92.326	-9.137	50.067	1.00172.78	P
ATOM	29083	CG	GLN	P	269	92.131	-10.654	50.116	1.00170.28	P
ATOM	29084	CD	GLN	P	269	91.006	-11.066	51.049	1.00168.76	P
ATOM	29085	OE1	GLN	P	269	89.848	-10.710	50.832	1.00168.23	P
ATOM	29086	NE2	GLN	P	269	91.342	-11.813	52.095	1.00167.65	P
ATOM	29087	C	GLN	P	269	93.628	-7.178	49.192	1.00173.78	P
ATOM	29088	O	GLN	P	269	94.081	-6.701	50.231	1.00173.76	P
ATOM	29089	N	SER	P	270	93.321	-6.440	48.130	1.00173.64	P
ATOM	29090	CA	SER	P	270	93.496	-4.991	48.110	1.00173.08	P
ATOM	29091	CB	SER	P	270	94.787	-4.622	47.368	1.00172.61	P
ATOM	29092	OG	SER	P	270	94.938	-3.218	47.259	1.00170.94	P
ATOM	29093	C	SER	P	270	92.308	-4.299	47.449	1.00172.84	P
ATOM	29094	O	SER	P	270	91.508	-4.939	46.762	1.00172.98	P
ATOM	29095	N	ILE	P	271	92.202	-2.989	47.662	1.00172.25	P
ATOM	29096	CA	ILE	P	271	91.119	-2.192	47.089	1.00170.26	P
ATOM	29097	CB	ILE	P	271	90.055	-1.803	48.159	1.00170.36	P
ATOM	29098	CG2	ILE	P	271	88.929	-1.018	47.504	1.00170.24	P
ATOM	29099	CG1	ILE	P	271	89.482	-3.054	48.832	1.00169.62	P
ATOM	29100	CD1	ILE	P	271	90.379	-3.683	49.886	1.00167.50	P
ATOM	29101	C	ILE	P	271	91.676	-0.907	46.458	1.00167.81	P
ATOM	29102	O	ILE	P	271	91.686	0.158	47.085	1.00167.20	P
ATOM	29103	N	ILE	P	272	92.134	-1.021	45.213	1.00164.84	P
ATOM	29104	CA	ILE	P	272	92.703	0.109	44.480	1.00161.31	P
ATOM	29105	CB	ILE	P	272	93.745	-0.378	43.443	1.00160.97	P
ATOM	29106	CG2	ILE	P	272	94.437	0.817	42.794	1.00160.21	P
ATOM	29107	CG1	ILE	P	272	94.774	-1.287	44.126	1.00160.34	P
ATOM	29108	CD1	ILE	P	272	95.752	-1.936	43.167	1.00160.25	P
ATOM	29109	C	ILE	P	272	91.621	0.903	43.747	1.00158.69	P
ATOM	29110	O	ILE	P	272	91.235	0.559	42.628	1.00158.92	P
ATOM	29111	N	GLY	P	273	91.141	1.971	44.379	1.00154.85	P
ATOM	29112	CA	GLY	P	273	90.110	2.791	43.767	1.00149.95	P
ATOM	29113	C	GLY	P	273	90.569	3.493	42.503	1.00145.76	P
ATOM	29114	O	GLY	P	273	90.970	4.655	42.544	1.00146.69	P
ATOM	29115	N	VAL	P	274	90.510	2.792	41.377	1.00140.53	P
ATOM	29116	CA	VAL	P	274	90.931	3.368	40.108	1.00136.41	P
ATOM	29117	CB	VAL	P	274	90.899	2.316	38.989	1.00135.96	P
ATOM	29118	CG1	VAL	P	274	91.380	2.929	37.686	1.00135.96	P
ATOM	29119	CG2	VAL	P	274	91.764	1.131	39.373	1.00135.79	P
ATOM	29120	C	VAL	P	274	90.036	4.537	39.715	1.00133.60	P
ATOM	29121	O	VAL	P	274	89.036	4.360	39.021	1.00133.54	P
ATOM	29122	N	THR	P	275	90.410	5.732	40.163	1.00130.29	P
ATOM	29123	CA	THR	P	275	89.647	6.942	39.877	1.00126.15	P
ATOM	29124	CB	THR	P	275	89.975	8.060	40.893	1.00123.01	P
ATOM	29125	OG1	THR	P	275	89.652	7.618	42.216	1.00119.40	P

ATOM	29126	CG2	THR	P	275	89.177	9.313	40.586	1.00120.99	P
ATOM	29127	C	THR	P	275	89.905	7.478	38.471	1.00125.14	P
ATOM	29128	O	THR	P	275	91.020	7.396	37.955	1.00123.05	P
ATOM	29129	N	PHE	P	276	88.854	8.023	37.864	1.00125.74	P
ATOM	29130	CA	PHE	P	276	88.921	8.601	36.525	1.00125.53	P
ATOM	29131	CB	PHE	P	276	87.818	8.022	35.636	1.00122.35	P
ATOM	29132	CG	PHE	P	276	88.095	6.633	35.139	1.00120.60	P
ATOM	29133	CD1	PHE	P	276	88.434	5.612	36.021	1.00119.99	P
ATOM	29134	CD2	PHE	P	276	87.998	6.342	33.782	1.00119.84	P
ATOM	29135	CE1	PHE	P	276	88.673	4.321	35.558	1.00119.56	P
ATOM	29136	CE2	PHE	P	276	88.234	5.055	33.308	1.00119.47	P
ATOM	29137	CZ	PHE	P	276	88.572	4.042	34.198	1.00119.86	P
ATOM	29138	C	PHE	P	276	88.741	10.116	36.615	1.00126.81	P
ATOM	29139	O	PHE	P	276	87.943	10.608	37.417	1.00128.27	P
ATOM	29140	N	VAL	P	277	89.484	10.852	35.794	1.00125.94	P
ATOM	29141	CA	VAL	P	277	89.397	12.307	35.780	1.00124.78	P
ATOM	29142	CB	VAL	P	277	90.782	12.961	36.026	1.00126.11	P
ATOM	29143	CG1	VAL	P	277	90.687	14.473	35.860	1.00126.55	P
ATOM	29144	CG2	VAL	P	277	91.274	12.622	37.425	1.00125.30	P
ATOM	29145	C	VAL	P	277	88.858	12.769	34.433	1.00123.48	P
ATOM	29146	O	VAL	P	277	89.331	12.335	33.381	1.00121.93	P
ATOM	29147	N	TYR	P	278	87.863	13.649	34.471	1.00122.92	P
ATOM	29148	CA	TYR	P	278	87.268	14.150	33.244	1.00122.92	P
ATOM	29149	CB	TYR	P	278	85.746	14.125	33.345	1.00120.75	P
ATOM	29150	CG	TYR	P	278	85.173	12.730	33.284	1.00117.57	P
ATOM	29151	CD1	TYR	P	278	85.192	11.893	34.401	1.00116.54	P
ATOM	29152	CE1	TYR	P	278	84.696	10.590	34.333	1.00115.19	P
ATOM	29153	CD2	TYR	P	278	84.645	12.231	32.096	1.00114.56	P
ATOM	29154	CE2	TYR	P	278	84.150	10.936	32.016	1.00113.83	P
ATOM	29155	CZ	TYR	P	278	84.177	10.117	33.134	1.00114.07	P
ATOM	29156	OH	TYR	P	278	83.690	8.830	33.039	1.00111.94	P
ATOM	29157	C	TYR	P	278	87.738	15.541	32.873	1.00123.32	P
ATOM	29158	O	TYR	P	278	87.862	16.416	33.728	1.00124.04	P
ATOM	29159	N	GLN	P	279	87.991	15.728	31.581	1.00123.86	P
ATOM	29160	CA	GLN	P	279	88.457	17.001	31.048	1.00124.64	P
ATOM	29161	CB	GLN	P	279	89.357	16.751	29.838	1.00126.30	P
ATOM	29162	CG	GLN	P	279	90.022	17.993	29.276	1.00128.26	P
ATOM	29163	CD	GLN	P	279	90.688	17.729	27.938	1.00130.05	P
ATOM	29164	OE1	GLN	P	279	91.375	18.592	27.391	1.00131.32	P
ATOM	29165	NE2	GLN	P	279	90.478	16.531	27.399	1.00130.10	P
ATOM	29166	C	GLN	P	279	87.286	17.887	30.638	1.00124.30	P
ATOM	29167	O	GLN	P	279	87.146	18.978	31.225	1.00124.47	P
ATOM	29168	OXT	GLN	P	279	86.525	17.481	29.736	1.00123.76	P
ATOM	29169	OH2	TIP	W	1	91.515	116.970	218.990	1.00 23.41	W
ATOM	29170	OH2	TIP	W	2	78.845	113.492	202.086	1.00 15.53	W
ATOM	29171	OH2	TIP	W	3	46.613	21.523	111.201	1.00 20.29	W
ATOM	29172	OH2	TIP	W	4	64.214	92.999	196.660	1.00 21.66	W
ATOM	29173	OH2	TIP	W	5	116.884	115.704	165.021	1.00 24.04	W
ATOM	29174	OH2	TIP	W	6	21.196	22.424	57.414	1.00 27.58	W
ATOM	29175	OH2	TIP	W	7	45.142	-4.805	35.173	1.00 27.19	W
ATOM	29176	OH2	TIP	W	8	73.972	45.078	89.079	1.00 29.69	W
ATOM	29177	OH2	TIP	W	9	93.017	143.107	142.818	1.00 27.87	W
ATOM	29178	OH2	TIP	W	10	74.703	156.351	129.111	1.00 27.70	W
ATOM	29179	OH2	TIP	W	11	50.920	74.904	182.952	1.00 25.98	W
ATOM	29180	OH2	TIP	W	12	63.210	-17.947	21.730	1.00 33.27	W
ATOM	29181	OH2	TIP	W	13	87.114	63.193	75.527	1.00 27.37	W
ATOM	29182	OH2	TIP	W	14	24.673	10.003	40.671	1.00 18.08	W
ATOM	29183	OH2	TIP	W	15	59.139	24.859	94.411	1.00 12.73	W

ATOM	29184	OH2	TIP	W	16	64.836	45.233	101.698	1.00	22.61	W
ATOM	29185	OH2	TIP	W	17	113.303	128.346	148.255	1.00	17.52	W
ATOM	29186	OH2	TIP	W	18	45.230	4.334	47.853	1.00	20.34	W
ATOM	29187	OH2	TIP	W	19	82.590	135.595	150.675	1.00	40.70	W
ATOM	29188	OH2	TIP	W	20	73.309	92.996	209.378	1.00	23.66	W
ATOM	29189	OH2	TIP	W	21	92.798	133.815	155.495	1.00	19.04	W
ATOM	29190	OH2	TIP	W	22	35.706	-2.424	34.626	1.00	22.08	W
ATOM	29191	OH2	TIP	W	23	102.344	140.805	142.240	1.00	23.06	W
ATOM	29192	OH2	TIP	W	24	71.557	82.742	204.592	1.00	38.73	W
ATOM	29193	OH2	TIP	W	25	66.338	55.676	96.786	1.00	35.88	W
ATOM	29194	OH2	TIP	W	26	43.531	-4.547	31.029	1.00	24.96	W
ATOM	29195	OH2	TIP	W	27	113.583	106.665	160.322	1.00	52.07	W
ATOM	29196	OH2	TIP	W	28	66.632	102.531	196.075	1.00	18.65	W
ATOM	29197	OH2	TIP	W	29	71.620	35.727	88.259	1.00	21.35	W
ATOM	29198	OH2	TIP	W	30	61.496	93.327	196.332	1.00	30.66	W
ATOM	29199	OH2	TIP	W	31	68.438	95.458	212.474	1.00	47.01	W
ATOM	29200	OH2	TIP	W	32	79.101	114.601	211.309	1.00	29.90	W
ATOM	29201	OH2	TIP	W	33	24.132	31.670	52.582	1.00	54.59	W
ATOM	29202	OH2	TIP	W	34	69.932	42.410	105.031	1.00	38.96	W
ATOM	29203	OH2	TIP	W	35	44.858	-7.540	34.709	1.00	28.27	W
ATOM	29204	OH2	TIP	W	36	42.328	-0.941	50.993	1.00	41.44	W
ATOM	29205	OH2	TIP	W	37	94.685	142.861	138.758	1.00	22.11	W
ATOM	29206	OH2	TIP	W	38	76.818	44.609	88.747	1.00	31.31	W
ATOM	29207	OH2	TIP	W	39	73.721	43.538	84.987	1.00	26.47	W
ATOM	29208	OH2	TIP	W	40	72.871	111.718	204.487	1.00	41.66	W
ATOM	29209	OH2	TIP	W	41	54.537	39.908	95.818	1.00	30.95	W
ATOM	29210	OH2	TIP	W	42	26.431	3.965	42.768	1.00	43.76	W
ATOM	29211	OH2	TIP	W	43	61.529	152.171	106.461	1.00	19.98	W
ATOM	29212	OH2	TIP	W	44	93.364	146.035	142.479	1.00	31.99	W
ATOM	29213	OH2	TIP	W	45	71.347	41.937	84.088	1.00	25.29	W
ATOM	29214	OH2	TIP	W	46	95.612	139.011	158.720	1.00	43.20	W
ATOM	29215	OH2	TIP	W	47	65.160	52.716	164.189	1.00	42.30	W
ATOM	29216	OH2	TIP	W	48	80.792	-11.567	3.259	1.00	28.92	W
ATOM	29217	OH2	TIP	W	49	7.143	-7.270	27.258	1.00	63.00	W
ATOM	29218	OH2	TIP	W	50	80.527	80.790	57.098	1.00	23.99	W
ATOM	29219	OH2	TIP	W	51	39.673	14.478	42.095	1.00	32.07	W
ATOM	29220	OH2	TIP	W	52	64.394	94.801	192.576	1.00	29.16	W
ATOM	29221	OH2	TIP	W	53	107.971	139.642	160.821	1.00	32.06	W
ATOM	29222	OH2	TIP	W	54	23.574	10.309	49.772	1.00	35.21	W
ATOM	29223	OH2	TIP	W	55	21.690	22.147	34.318	1.00	28.96	W
ATOM	29224	OH2	TIP	W	56	62.989	106.857	216.945	1.00	26.28	W
ATOM	29225	OH2	TIP	W	57	57.452	57.312	164.749	1.00	31.30	W
ATOM	29226	OH2	TIP	W	58	131.375	144.870	134.831	1.00	54.18	W
ATOM	29227	OH2	TIP	W	59	65.198	26.790	96.873	1.00	41.38	W
ATOM	29228	OH2	TIP	W	60	31.002	-12.527	41.898	1.00	36.55	W
ATOM	29229	OH2	TIP	W	61	83.459	98.504	203.589	1.00	30.02	W
ATOM	29230	OH2	TIP	W	62	63.409	84.565	170.381	1.00	30.91	W
ATOM	29231	OH2	TIP	W	63	57.402	149.868	110.869	1.00	31.06	W
ATOM	29232	OH2	TIP	W	64	95.938	140.432	137.941	1.00	20.13	W
ATOM	29233	OH2	TIP	W	65	83.129	111.985	194.013	1.00	36.26	W
ATOM	29234	OH2	TIP	W	66	54.867	26.362	86.018	1.00	42.40	W
ATOM	29235	OH2	TIP	W	67	76.455	-13.989	-1.286	1.00	25.95	W
ATOM	29236	OH2	TIP	W	68	111.471	134.088	150.704	1.00	28.33	W
ATOM	29237	OH2	TIP	W	69	79.020	115.015	214.547	1.00	19.78	W
ATOM	29238	OH2	TIP	W	70	85.579	115.306	204.481	1.00	22.68	W
ATOM	29239	OH2	TIP	W	71	116.596	130.003	138.665	1.00	37.11	W
ATOM	29240	OH2	TIP	W	72	31.428	-5.995	55.386	1.00	29.58	W
ATOM	29241	OH2	TIP	W	73	18.360	22.781	41.432	1.00	19.93	W

ATOM	29242	OH2	TIP	W	74	53.491	-5.637	8.861	1.00	25.05	W
ATOM	29243	OH2	TIP	W	75	51.124	-5.572	13.349	1.00	30.24	W
ATOM	29244	OH2	TIP	W	76	81.773	31.207	95.844	1.00	34.20	W
ATOM	29245	OH2	TIP	W	77	54.870	61.707	160.152	1.00	22.83	W
ATOM	29246	OH2	TIP	W	78	84.397	143.949	116.500	1.00	30.79	W
ATOM	29247	OH2	TIP	W	79	21.751	8.160	31.327	1.00	52.50	W
ATOM	29248	OH2	TIP	W	80	74.790	53.743	62.812	1.00	31.35	W
ATOM	29249	OH2	TIP	W	81	23.123	9.964	53.140	1.00	23.17	W
ATOM	29250	OH2	TIP	W	82	82.993	76.565	52.649	1.00	24.10	W
ATOM	29251	OH2	TIP	W	83	98.371	123.751	149.714	1.00	28.97	W
ATOM	29252	OH2	TIP	W	84	56.512	107.192	203.503	1.00	33.43	W
ATOM	29253	OH2	TIP	W	85	107.030	150.828	149.663	1.00	37.31	W
ATOM	29254	OH2	TIP	W	86	58.379	0.931	6.456	1.00	33.04	W
ATOM	29255	OH2	TIP	W	87	119.426	115.451	149.119	1.00	20.80	W
ATOM	29256	OH2	TIP	W	88	18.721	11.172	30.520	1.00	41.76	W
ATOM	29257	OH2	TIP	W	89	61.059	21.697	85.181	1.00	50.63	W
ATOM	29258	OH2	TIP	W	90	51.534	-14.841	23.429	1.00	38.41	W
ATOM	29259	OH2	TIP	W	91	69.823	80.014	167.995	1.00	28.80	W
ATOM	29260	OH2	TIP	W	92	89.156	-17.279	15.493	1.00	40.59	W
ATOM	29261	OH2	TIP	W	93	58.376	74.122	183.711	1.00	31.98	W
ATOM	29262	OH2	TIP	W	94	55.652	2.414	42.773	1.00	48.69	W
ATOM	29263	OH2	TIP	W	95	42.078	-2.194	30.250	1.00	25.98	W
ATOM	29264	OH2	TIP	W	96	66.843	96.128	191.695	1.00	27.08	W
ATOM	29265	OH2	TIP	W	97	59.048	23.726	103.490	1.00	40.30	W
ATOM	29266	OH2	TIP	W	98	37.337	23.852	106.374	1.00	52.91	W
ATOM	29267	OH2	TIP	W	99	113.577	115.840	141.646	1.00	42.29	W
ATOM	29268	OH2	TIP	W	100	64.751	92.324	193.677	1.00	34.42	W
ATOM	29269	OH2	TIP	W	101	85.539	-3.637	2.601	1.00	42.92	W
ATOM	29270	OH2	TIP	W	102	60.106	31.194	97.511	1.00	33.58	W
ATOM	29271	OH2	TIP	W	103	91.021	116.568	195.876	1.00	22.55	W
ATOM	29272	OH2	TIP	W	104	72.610	46.234	85.823	1.00	42.82	W
ATOM	29273	OH2	TIP	W	105	114.465	127.959	157.507	1.00	38.96	W
ATOM	29274	OH2	TIP	W	106	52.497	141.967	110.318	1.00	47.16	W
ATOM	29275	OH2	TIP	W	107	30.000	-1.329	53.229	1.00	44.73	W
ATOM	29276	OH2	TIP	W	108	107.051	129.311	151.318	1.00	35.03	W
ATOM	29277	OH2	TIP	W	109	46.020	-3.921	32.111	1.00	39.62	W
ATOM	29278	OH2	TIP	W	110	53.678	-5.897	12.571	1.00	40.86	W
ATOM	29279	OH2	TIP	W	111	67.517	108.017	214.775	1.00	35.79	W
ATOM	29280	OH2	TIP	W	112	71.693	53.770	60.586	1.00	28.60	W
ATOM	29281	OH2	TIP	W	113	70.472	30.112	106.928	1.00	32.05	W
ATOM	29282	OH2	TIP	W	114	30.829	8.900	43.622	1.00	33.21	W
ATOM	29283	OH2	TIP	W	115	101.251	144.909	156.874	1.00	44.81	W
ATOM	29284	OH2	TIP	W	116	75.158	31.504	109.252	1.00	37.48	W
ATOM	29285	OH2	TIP	W	117	59.158	23.128	106.897	1.00	30.19	W
ATOM	29286	OH2	TIP	W	118	51.857	71.279	177.104	1.00	31.11	W
ATOM	29287	OH2	TIP	W	119	52.375	22.980	96.906	1.00	29.49	W
ATOM	29288	OH2	TIP	W	120	63.388	86.914	174.755	1.00	34.57	W
ATOM	29289	OH2	TIP	W	121	16.515	151.555	166.326	1.00	55.32	W
ATOM	29290	OH2	TIP	W	122	66.360	84.605	168.140	1.00	39.53	W
ATOM	29291	OH2	TIP	W	123	92.246	142.302	139.716	1.00	41.26	W
ATOM	29292	OH2	TIP	W	124	53.788	-2.566	6.713	1.00	34.80	W
ATOM	29293	OH2	TIP	W	125	49.355	-1.946	12.010	1.00	54.92	W
ATOM	29294	OH2	TIP	W	126	91.694	119.811	202.797	1.00	25.19	W
ATOM	29295	OH2	TIP	W	127	69.399	6.761	13.008	1.00	60.74	W
ATOM	29296	OH2	TIP	W	128	76.160	115.744	209.517	1.00	34.37	W
ATOM	29297	OH2	TIP	W	129	35.725	24.010	22.166	1.00	67.36	W
ATOM	29298	OH2	TIP	W	130	88.684	139.126	119.128	1.00	59.50	W
ATOM	29299	OH2	TIP	W	131	84.390	140.540	114.370	1.00	31.71	W

ATOM	29300	OH2	TIP	W	132	56.292	88.263	184.704	1.00	42.83	W
ATOM	29301	OH2	TIP	W	133	66.921	-17.148	15.605	1.00	30.57	W
ATOM	29302	OH2	TIP	W	134	26.201	8.222	48.894	1.00	37.98	W
ATOM	29303	OH2	TIP	W	135	82.710	121.763	112.347	1.00	47.72	W
ATOM	29304	OH2	TIP	W	136	33.754	-9.675	28.274	1.00	27.28	W
ATOM	29305	OH2	TIP	W	137	129.999	-17.612	67.287	1.00	47.04	W
ATOM	29306	OH2	TIP	W	138	79.327	37.539	85.033	1.00	32.42	W
ATOM	29307	OH2	TIP	W	139	50.004	-11.303	40.098	1.00	53.13	W
ATOM	29308	OH2	TIP	W	140	48.693	-0.155	28.698	1.00	42.07	W
ATOM	29309	OH2	TIP	W	141	68.534	89.527	190.214	1.00	42.82	W
ATOM	29310	OH2	TIP	W	142	62.356	131.135	188.468	1.00	57.71	W
ATOM	29311	OH2	TIP	W	143	68.218	58.262	60.335	1.00	33.18	W
ATOM	29312	OH2	TIP	W	144	62.289	101.264	210.691	1.00	38.85	W
ATOM	29313	OH2	TIP	W	145	95.874	118.164	202.582	1.00	37.44	W
ATOM	29314	OH2	TIP	W	146	36.795	-6.638	49.296	1.00	31.85	W
ATOM	29315	OH2	TIP	W	147	45.209	141.299	110.756	1.00	49.72	W
ATOM	29316	OH2	TIP	W	148	115.286	121.555	150.642	1.00	21.36	W
ATOM	29317	OH2	TIP	W	149	50.655	160.106	117.057	1.00	52.11	W
ATOM	29318	OH2	TIP	W	150	65.560	108.066	216.518	1.00	65.16	W
ATOM	29319	OH2	TIP	W	151	81.148	105.407	122.039	1.00	55.14	W
ATOM	29320	OH2	TIP	W	152	70.869	49.299	66.192	1.00	51.97	W
ATOM	29321	OH2	TIP	W	153	66.209	135.057	133.475	1.00	78.28	W
ATOM	29322	OH2	TIP	W	154	54.697	63.970	158.207	1.00	51.43	W
ATOM	29323	OH2	TIP	W	155	79.998	119.288	192.003	1.00	44.59	W
ATOM	29324	OH2	TIP	W	156	86.433	89.160	69.361	1.00	40.91	W
ATOM	29325	OH2	TIP	W	157	74.954	110.537	183.820	1.00	45.64	W
ATOM	29326	OH2	TIP	W	158	115.494	131.130	155.683	1.00	33.81	W
ATOM	29327	OH2	TIP	W	159	56.945	32.568	14.860	1.00	58.13	W
ATOM	29328	OH2	TIP	W	160	20.011	15.346	57.535	1.00	43.85	W
ATOM	29329	OH2	TIP	W	161	58.225	18.847	84.279	1.00	53.39	W
ATOM	29330	OH2	TIP	W	162	67.489	88.824	173.451	1.00	52.72	W
ATOM	29331	OH2	TIP	W	163	78.825	33.852	82.055	1.00	40.75	W
ATOM	29332	OH2	TIP	W	164	57.545	87.993	201.950	1.00	50.11	W
ATOM	29333	OH2	TIP	W	165	75.575	6.762	80.755	1.00	54.62	W
ATOM	29334	OH2	TIP	W	166	106.701	144.415	163.025	1.00	42.32	W
ATOM	29335	OH2	TIP	W	167	111.601	129.901	156.276	1.00	52.86	W
ATOM	29336	OH2	TIP	W	168	115.061	128.348	160.759	1.00	23.23	W
ATOM	29337	OH2	TIP	W	169	77.765	107.359	205.044	1.00	31.19	W
ATOM	29338	OH2	TIP	W	170	87.966	149.661	148.037	1.00	49.72	W
ATOM	29339	OH2	TIP	W	171	86.247	66.972	69.624	1.00	31.39	W
ATOM	29340	OH2	TIP	W	172	63.206	84.498	173.913	1.00	37.86	W
ATOM	29341	OH2	TIP	W	173	61.879	22.592	101.885	1.00	29.43	W
ATOM	29342	OH2	TIP	W	174	72.097	55.304	57.861	1.00	55.50	W
ATOM	29343	OH2	TIP	W	175	39.851	9.410	107.470	1.00	50.69	W
ATOM	29344	OH2	TIP	W	176	77.268	111.804	210.238	1.00	45.95	W
ATOM	29345	OH2	TIP	W	177	64.035	-10.758	22.020	1.00	40.30	W
ATOM	29346	OH2	TIP	W	178	71.084	155.374	123.446	1.00	36.92	W
ATOM	29347	OH2	TIP	W	179	60.892	26.338	102.513	1.00	46.05	W
ATOM	29348	OH2	TIP	W	180	79.760	64.195	75.949	1.00	36.03	W
ATOM	29349	OH2	TIP	W	181	74.529	51.273	67.283	1.00	33.42	W
ATOM	29350	OH2	TIP	W	182	32.312	150.411	176.388	1.00	61.77	W
ATOM	29351	OH2	TIP	W	183	72.464	93.042	56.817	1.00	53.88	W
ATOM	29352	OH2	TIP	W	184	68.798	133.920	115.608	1.00	46.16	W
ATOM	29353	OH2	TIP	W	185	89.303	138.787	136.363	1.00	44.73	W
ATOM	29354	OH2	TIP	W	186	22.805	16.729	43.230	1.00	26.89	W
ATOM	29355	OH2	TIP	W	187	22.558	7.194	47.982	1.00	34.73	W
ATOM	29356	OH2	TIP	W	188	73.893	148.650	129.895	1.00	34.92	W
ATOM	29357	OH2	TIP	W	189	74.336	-14.259	-3.382	1.00	61.45	W

ATOM	29358	OH2	TIP	W	190	59.302	104.257	189.621	1.00	30.92	W
ATOM	29359	OH2	TIP	W	191	79.900	137.402	114.192	1.00	29.11	W
ATOM	29360	OH2	TIP	W	192	134.424	3.009	79.211	1.00	69.21	W
ATOM	29361	OH2	TIP	W	193	60.065	84.097	168.753	1.00	36.07	W
ATOM	29362	OH2	TIP	W	194	51.532	8.237	13.511	1.00	44.41	W
ATOM	29363	OH2	TIP	W	195	119.022	127.161	138.028	1.00	47.77	W
ATOM	29364	OH2	TIP	W	196	69.868	64.192	82.729	1.00	37.35	W
ATOM	29365	OH2	TIP	W	197	78.461	-5.475	-3.389	1.00	54.14	W
ATOM	29366	OH2	TIP	W	198	117.629	-3.072	84.340	1.00	39.00	W
ATOM	29367	OH2	TIP	W	199	85.247	116.007	191.505	1.00	64.44	W
ATOM	29368	OH2	TIP	W	200	92.096	112.186	192.111	1.00	45.02	W
ATOM	29369	OH2	TIP	W	201	22.037	13.863	57.159	1.00	54.38	W
ATOM	29370	OH2	TIP	W	202	37.256	26.654	91.815	1.00	33.57	W
ATOM	29371	OH2	TIP	W	203	111.505	106.332	145.518	1.00	39.38	W
ATOM	29372	OH2	TIP	W	205	75.672	158.015	115.443	1.00	25.20	W
ATOM	29373	OH2	TIP	W	206	62.413	-19.627	7.795	1.00	25.30	W
ATOM	29374	OH2	TIP	W	207	49.219	75.669	169.124	1.00	28.82	W
ATOM	29375	OH2	TIP	W	208	26.591	31.782	38.071	1.00	38.33	W
ATOM	29376	OH2	TIP	W	209	99.212	156.024	154.757	1.00	59.95	W
ATOM	29377	OH2	TIP	W	210	77.095	116.428	192.829	1.00	41.95	W
ATOM	29378	OH2	TIP	W	211	46.320	18.261	95.016	1.00	27.32	W
ATOM	29379	OH2	TIP	W	212	74.988	53.619	66.161	1.00	43.11	W
ATOM	29380	OH2	TIP	W	213	54.414	21.343	111.208	1.00	53.47	W
ATOM	29381	OH2	TIP	W	215	69.261	48.750	82.714	1.00	47.13	W
ATOM	29382	OH2	TIP	W	216	91.375	121.721	200.898	1.00	35.90	W
ATOM	29383	OH2	TIP	W	218	116.965	123.615	165.256	1.00	44.17	W
ATOM	29384	OH2	TIP	W	220	33.518	7.250	49.258	1.00	53.45	W
ATOM	29385	OH2	TIP	W	221	88.905	62.669	61.582	1.00	34.81	W
ATOM	29386	OH2	TIP	W	222	131.697	143.184	138.242	1.00	60.37	W
ATOM	29387	OH2	TIP	W	223	61.119	34.341	102.845	1.00	62.38	W
ATOM	29388	OH2	TIP	W	224	121.386	115.852	147.204	1.00	32.44	W
ATOM	29389	OH2	TIP	W	226	87.021	143.785	121.163	1.00	37.81	W
ATOM	29390	OH2	TIP	W	227	77.033	104.038	210.686	1.00	43.75	W
ATOM	29391	OH2	TIP	W	228	108.287	138.823	147.446	1.00	55.71	W
ATOM	29392	OH2	TIP	W	229	76.649	36.707	68.039	1.00	45.20	W
ATOM	29393	OH2	TIP	W	230	2.683	2.024	3.107	1.00	78.98	W
ATOM	29394	OH2	TIP	W	231	30.246	-0.512	39.948	1.00	46.03	W
ATOM	29395	OH2	TIP	W	232	59.097	60.760	157.930	1.00	36.14	W
ATOM	29396	OH2	TIP	W	233	100.786	111.496	199.755	1.00	39.55	W
ATOM	29397	OH2	TIP	W	234	76.615	63.720	168.149	1.00	50.55	W
ATOM	29398	OH2	TIP	W	235	77.579	125.486	211.538	1.00	30.16	W
ATOM	29399	OH2	TIP	W	236	68.442	108.007	201.383	1.00	51.93	W
ATOM	29400	OH2	TIP	W	237	72.339	29.829	109.034	1.00	64.76	W
ATOM	29401	OH2	TIP	W	238	77.441	80.819	199.311	1.00	48.00	W
ATOM	29402	OH2	TIP	W	239	106.161	-12.434	69.903	1.00	83.66	W
ATOM	29403	OH2	TIP	W	240	103.822	130.157	156.732	1.00	48.92	W
ATOM	29404	OH2	TIP	W	242	36.332	-12.187	32.537	1.00	40.22	W
ATOM	29405	OH2	TIP	W	243	60.438	12.601	103.901	1.00	34.55	W
ATOM	29406	OH2	TIP	W	244	72.850	6.320	85.024	1.00	117.23	W
ATOM	29407	OH2	TIP	W	245	90.287	105.734	192.688	1.00	33.84	W
ATOM	29408	OH2	TIP	W	246	61.820	101.317	175.469	1.00	50.54	W
ATOM	29409	OH2	TIP	W	247	58.111	156.915	111.313	1.00	43.09	W
ATOM	29410	OH2	TIP	W	248	36.738	-7.288	14.281	1.00	41.37	W
ATOM	29411	OH2	TIP	W	249	50.102	58.164	164.863	1.00	54.48	W
ATOM	29412	OH2	TIP	W	250	87.705	80.442	57.809	1.00	58.10	W
ATOM	29413	OH2	TIP	W	251	47.712	32.428	85.102	1.00	37.26	W
ATOM	29414	OH2	TIP	W	252	101.548	145.619	121.804	1.00	40.91	W
ATOM	29415	OH2	TIP	W	253	72.020	117.783	138.263	1.00	47.59	W

ATOM	29416	OH2	TIP	W	254	57.218	8.090	38.182	1.00	46.61	W
ATOM	29417	OH2	TIP	W	256	57.232	104.438	215.389	1.00	46.76	W
ATOM	29418	OH2	TIP	W	257	101.632	150.405	140.212	1.00	41.32	W
ATOM	29419	OH2	TIP	W	258	80.730	34.134	107.824	1.00	41.10	W
ATOM	29420	OH2	TIP	W	259	38.613	8.328	35.698	1.00	33.62	W
ATOM	29421	OH2	TIP	W	260	32.391	21.266	31.396	1.00	38.94	W
ATOM	29422	OH2	TIP	W	261	74.006	139.050	136.536	1.00	40.11	W
ATOM	29423	OH2	TIP	W	262	88.271	125.133	212.676	1.00	44.27	W
ATOM	29424	OH2	TIP	W	263	77.423	-9.540	-3.650	1.00	40.85	W
ATOM	29425	OH2	TIP	W	264	13.322	19.478	51.190	1.00	41.63	W
ATOM	29426	OH2	TIP	W	265	95.265	107.205	151.957	1.00	58.71	W
ATOM	29427	OH2	TIP	W	266	99.659	130.023	143.393	1.00	31.19	W
ATOM	29428	OH2	TIP	W	267	78.121	77.420	50.574	1.00	42.56	W
ATOM	29429	OH2	TIP	W	268	38.098	42.841	98.069	1.00	57.87	W
ATOM	29430	OH2	TIP	W	269	42.504	31.331	43.869	1.00	64.89	W
ATOM	29431	OH2	TIP	W	270	80.758	143.705	136.155	1.00	54.42	W
ATOM	29432	OH2	TIP	W	271	81.406	36.406	86.236	1.00	35.88	W
ATOM	29433	OH2	TIP	W	272	74.645	78.479	50.473	1.00	39.47	W
ATOM	29434	OH2	TIP	W	273	59.591	143.637	104.455	1.00	47.37	W
ATOM	29435	OH2	TIP	W	274	72.644	66.331	82.884	1.00	60.99	W
ATOM	29436	OH2	TIP	W	275	74.029	89.169	49.657	1.00	55.19	W
ATOM	29437	OH2	TIP	W	276	100.199	95.575	205.574	1.00	65.15	W
ATOM	29438	OH2	TIP	W	277	125.252	129.726	157.646	1.00	28.28	W
ATOM	29439	OH2	TIP	W	278	72.308	156.276	118.722	1.00	25.69	W
ATOM	29440	OH2	TIP	W	279	64.045	-0.370	28.877	1.00	38.19	W
ATOM	29441	OH2	TIP	W	280	92.918	-3.076	3.105	1.00	62.81	W
ATOM	29442	OH2	TIP	W	281	61.576	74.648	60.830	1.00	39.45	W
ATOM	29443	OH2	TIP	W	283	78.466	60.057	77.986	1.00	58.95	W
ATOM	29444	OH2	TIP	W	284	28.313	17.392	51.361	1.00	63.01	W
ATOM	29445	OH2	TIP	W	285	91.493	113.844	195.498	1.00	41.73	W
ATOM	29446	OH2	TIP	W	286	80.266	-18.690	3.793	1.00	52.96	W
ATOM	29447	OH2	TIP	W	287	60.603	38.570	89.428	1.00	29.66	W
ATOM	29448	OH2	TIP	W	288	69.814	29.874	93.628	1.00	48.69	W
ATOM	29449	OH2	TIP	W	289	55.716	16.259	97.717	1.00	41.98	W
ATOM	29450	OH2	TIP	W	290	80.937	129.975	145.431	1.00	44.32	W
ATOM	29451	OH2	TIP	W	291	85.473	43.552	86.462	1.00	49.52	W
ATOM	29452	OH2	TIP	W	293	33.948	-11.735	54.156	1.00	36.42	W
ATOM	29453	OH2	TIP	W	294	60.572	147.691	104.098	1.00	44.04	W
ATOM	29454	OH2	TIP	W	295	103.865	140.810	124.854	1.00	67.12	W
ATOM	29455	OH2	TIP	W	296	68.136	73.921	190.438	1.00	42.66	W
ATOM	29456	OH2	TIP	W	297	48.769	143.213	103.391	1.00	40.47	W
ATOM	29457	OH2	TIP	W	298	67.709	132.901	134.685	1.00	63.48	W
ATOM	29458	OH2	TIP	W	299	16.417	13.409	44.040	1.00	31.26	W
ATOM	29459	OH2	TIP	W	300	67.667	139.720	136.281	1.00	68.22	W
ATOM	29460	OH2	TIP	W	301	64.433	-17.256	14.005	1.00	26.21	W
ATOM	29461	OH2	TIP	W	302	63.313	130.532	114.200	1.00	43.62	W
ATOM	29462	OH2	TIP	W	303	77.767	147.495	131.332	1.00	65.54	W
ATOM	29463	OH2	TIP	W	304	12.541	8.564	50.026	1.00	42.95	W
ATOM	29464	OH2	TIP	W	305	57.140	-5.896	28.859	1.00	66.24	W
ATOM	29465	OH2	TIP	W	306	20.144	141.088	191.868	1.00	49.40	W
ATOM	29466	OH2	TIP	W	307	85.604	-10.939	-2.938	1.00	63.34	W
ATOM	29467	OH2	TIP	W	308	109.694	120.827	159.185	1.00	59.58	W
ATOM	29468	OH2	TIP	W	309	79.316	64.793	55.760	1.00	53.06	W
ATOM	29469	OH2	TIP	W	310	56.660	101.858	194.058	1.00	38.19	W
ATOM	29470	OH2	TIP	W	311	63.964	152.371	104.285	1.00	58.42	W
ATOM	29471	OH2	TIP	W	312	55.108	87.906	170.779	1.00	53.35	W
ATOM	29472	OH2	TIP	W	313	59.957	-9.179	24.123	1.00	59.01	W
ATOM	29473	OH2	TIP	W	314	63.662	57.477	158.609	1.00	55.78	W

ATOM	29474	OH2	TIP	W	315	104.972	147.287	163.360	1.00	44.01	W
ATOM	29475	OH2	TIP	W	316	102.319	114.583	130.090	1.00	67.25	W
ATOM	29476	OH2	TIP	W	317	69.709	61.748	85.190	1.00	54.88	W
ATOM	29477	OH2	TIP	W	319	24.397	171.554	184.003	1.00	73.24	W
ATOM	29478	OH2	TIP	W	320	132.720	1.594	80.931	1.00	61.67	W
ATOM	29479	OH2	TIP	W	321	82.214	121.952	205.485	1.00	33.30	W
ATOM	29480	OH2	TIP	W	322	81.679	-19.956	16.131	1.00	48.63	W
ATOM	29481	OH2	TIP	W	323	73.920	69.238	53.829	1.00	65.94	W
ATOM	29482	OH2	TIP	W	324	70.439	69.927	82.458	1.00	62.92	W
ATOM	29483	OH2	TIP	W	325	79.555	85.308	50.394	1.00	43.95	W
ATOM	29484	OH2	TIP	W	326	60.762	2.448	8.575	1.00	36.10	W
ATOM	29485	OH2	TIP	W	327	76.916	62.980	55.826	1.00	63.48	W
ATOM	29486	OH2	TIP	W	328	103.923	24.058	32.389	1.00	66.92	W
ATOM	29487	OH2	TIP	W	329	121.680	124.708	151.826	1.00	44.92	W
ATOM	29488	OH2	TIP	W	330	86.508	109.813	212.856	1.00	51.09	W
ATOM	29489	OH2	TIP	W	331	72.691	85.756	56.623	1.00	49.02	W
ATOM	29490	OH2	TIP	W	332	49.776	13.180	104.959	1.00	40.06	W
ATOM	29491	OH2	TIP	W	333	36.584	23.561	92.705	1.00	52.24	W
ATOM	29492	OH2	TIP	W	334	52.832	94.527	194.016	1.00	44.62	W
ATOM	29493	OH2	TIP	W	335	49.094	155.505	123.589	1.00	40.75	W
ATOM	29494	OH2	TIP	W	336	46.678	16.609	93.080	1.00	36.75	W
ATOM	29495	OH2	TIP	W	337	83.586	74.676	50.397	1.00	58.51	W
ATOM	29496	OH2	TIP	W	338	105.572	116.904	138.883	1.00	52.11	W
ATOM	29497	OH2	TIP	W	339	78.878	-10.021	37.928	1.00	73.79	W
ATOM	29498	OH2	TIP	W	340	77.136	99.643	197.117	1.00	32.73	W
ATOM	29499	OH2	TIP	W	341	16.598	22.444	39.509	1.00	34.80	W
ATOM	29500	OH2	TIP	W	342	50.496	141.691	101.008	1.00	49.40	W
ATOM	29501	OH2	TIP	W	343	121.410	-11.928	58.196	1.00	75.33	W
ATOM	29502	OH2	TIP	W	344	148.062	9.417	91.328	1.00	76.28	W
ATOM	29503	OH2	TIP	W	345	114.706	-33.283	76.350	1.00	57.28	W
ATOM	29504	OH2	TIP	W	346	22.967	142.180	211.735	1.00	70.98	W
ATOM	29505	OH2	TIP	W	347	107.399	-0.882	98.954	1.00	70.37	W
ATOM	29506	OH2	TIP	W	348	43.636	-16.111	32.563	1.00	42.12	W
ATOM	29507	OH2	TIP	W	349	124.659	119.047	158.753	1.00	42.02	W
ATOM	29508	OH2	TIP	W	350	57.812	104.932	210.488	1.00	46.19	W
ATOM	29509	OH2	TIP	W	351	64.769	-10.093	2.019	1.00	40.70	W
ATOM	29510	OH2	TIP	W	352	60.498	105.640	217.290	1.00	46.98	W
ATOM	29511	OH2	TIP	W	353	87.341	-3.536	-6.675	1.00	55.05	W
ATOM	29512	OH2	TIP	W	354	94.042	16.904	38.442	1.00	78.08	W
ATOM	29513	OH2	TIP	W	355	44.070	121.500	146.014	1.00	72.52	W
ATOM	29514	OH2	TIP	W	356	91.207	-12.490	-1.754	1.00	58.04	W
ATOM	29515	OH2	TIP	W	357	58.171	-2.014	46.670	1.00	73.38	W
ATOM	29516	OH2	TIP	W	358	51.605	73.712	175.394	1.00	32.79	W
ATOM	29517	OH2	TIP	W	359	66.185	20.452	30.547	1.00	47.79	W
ATOM	29518	OH2	TIP	W	360	23.709	103.243	193.944	1.00	60.94	W
ATOM	29519	OH2	TIP	W	361	44.270	15.706	113.932	1.00	61.24	W
ATOM	29520	OH2	TIP	W	362	102.539	137.175	131.132	1.00	48.67	W
ATOM	29521	OH2	TIP	W	363	49.988	-12.656	23.254	1.00	43.88	W
ATOM	29522	OH2	TIP	W	364	26.201	23.045	30.540	1.00	39.66	W
ATOM	29523	OH2	TIP	W	365	111.833	115.247	138.265	1.00	43.95	W
ATOM	29524	OH2	TIP	W	366	46.081	26.243	84.324	1.00	38.27	W
ATOM	29525	OH2	TIP	W	367	74.729	105.307	210.923	1.00	52.00	W
ATOM	29526	OH2	TIP	W	368	105.283	132.203	157.194	1.00	55.67	W
ATOM	29527	OH2	TIP	W	369	75.738	36.966	102.850	1.00	40.40	W
ATOM	29528	OH2	TIP	W	370	30.439	19.182	33.274	1.00	56.88	W
ATOM	29529	OH2	TIP	W	371	108.113	141.550	162.702	1.00	74.75	W
ATOM	29530	OH2	TIP	W	372	64.018	36.505	104.855	1.00	49.98	W
ATOM	29531	OH2	TIP	W	373	73.722	101.627	212.831	1.00	38.83	W

ATOM	29532	OH2	TIP	W	374	63.239	32.884	103.501	1.00	61.85	W
ATOM	29533	OH2	TIP	W	375	56.300	15.433	95.101	1.00	38.28	W
ATOM	29534	OH2	TIP	W	376	107.800	119.008	140.826	1.00	59.50	W
ATOM	29535	OH2	TIP	W	377	88.265	82.266	60.554	1.00	40.23	W
ATOM	29536	OH2	TIP	W	378	41.388	6.172	35.172	1.00	37.72	W
ATOM	29537	OH2	TIP	W	379	65.247	71.950	190.837	1.00	53.45	W
ATOM	29538	OH2	TIP	W	380	55.660	75.340	182.283	1.00	60.92	W
ATOM	29539	OH2	TIP	W	381	58.237	106.128	206.514	1.00	45.73	W
ATOM	29540	OH2	TIP	W	382	54.399	82.172	185.303	1.00	48.47	W
ATOM	29541	OH2	TIP	W	383	105.026	129.536	159.503	1.00	55.87	W
ATOM	29542	OH2	TIP	W	384	80.275	33.422	102.874	1.00	34.00	W
ATOM	29543	OH2	TIP	W	385	75.181	96.905	196.565	1.00	36.21	W
ATOM	29544	OH2	TIP	W	386	115.278	127.777	136.745	1.00	43.75	W
ATOM	29545	OH2	TIP	W	387	33.293	-11.151	48.992	1.00	44.43	W
ATOM	29546	OH2	TIP	W	388	58.729	100.477	192.731	1.00	31.34	W
ATOM	29547	OH2	TIP	W	389	81.759	122.762	202.803	1.00	36.59	W
ATOM	29548	OH2	TIP	W	390	38.665	-5.774	13.951	1.00	59.34	W
ATOM	29549	OH2	TIP	W	391	78.033	33.567	109.517	1.00	64.74	W
ATOM	29550	OH2	TIP	W	392	12.152	22.102	51.935	1.00	46.75	W
ATOM	29551	OH2	TIP	W	393	89.436	-4.798	-4.404	1.00	55.03	W
ATOM	29552	OH2	TIP	W	394	72.091	142.178	136.839	1.00	56.86	W
ATOM	29553	OH2	TIP	W	395	104.637	149.289	156.791	1.00	37.68	W
ATOM	29554	OH2	TIP	W	396	61.712	74.815	164.398	1.00	34.66	W
ATOM	29555	OH2	TIP	W	397	88.358	107.806	194.929	1.00	57.44	W
ATOM	29556	OH2	TIP	W	398	83.516	55.961	77.686	1.00	52.03	W
ATOM	29557	OH2	TIP	W	399	84.401	123.107	206.206	1.00	30.26	W
ATOM	29558	OH2	TIP	W	400	74.693	38.380	67.233	1.00	55.90	W
ATOM	29559	OH2	TIP	W	401	26.636	0.674	40.200	1.00	53.31	W
ATOM	29560	OH2	TIP	W	402	73.629	155.767	121.571	1.00	32.71	W
ATOM	29561	OH2	TIP	W	403	69.866	111.179	201.660	1.00	58.21	W
ATOM	29562	OH2	TIP	W	404	66.047	-3.839	29.407	1.00	65.77	W
ATOM	29563	OH2	TIP	W	405	3.139	135.660	187.198	1.00	91.81	W
ATOM	29564	OH2	TIP	W	406	46.905	12.594	106.009	1.00	52.39	W
ATOM	29565	OH2	TIP	W	407	53.979	84.615	170.615	1.00	24.60	W
ATOM	29566	OH2	TIP	W	408	38.030	11.444	52.699	1.00	49.51	W
ATOM	29567	OH2	TIP	W	409	94.503	154.403	140.114	1.00	48.75	W
ATOM	29568	OH2	TIP	W	410	60.756	108.994	218.058	1.00	74.56	W
ATOM	29569	OH2	TIP	W	411	32.050	-14.993	44.300	1.00	52.62	W
ATOM	29570	OH2	TIP	W	412	55.971	-14.644	23.714	1.00	55.81	W
ATOM	29571	OH2	TIP	W	413	42.269	3.053	51.611	1.00	40.23	W
ATOM	29572	OH2	TIP	W	414	86.432	64.524	67.785	1.00	32.90	W
ATOM	29573	OH2	TIP	W	415	95.732	135.268	159.533	1.00	48.73	W
ATOM	29574	OH2	TIP	W	416	81.835	152.886	131.153	1.00	51.92	W
ATOM	29575	OH2	TIP	W	417	53.655	65.449	160.522	1.00	50.05	W
ATOM	29576	OH2	TIP	W	418	49.665	30.541	87.078	1.00	62.29	W
ATOM	29577	OH2	TIP	W	419	70.203	-1.405	28.769	1.00	66.25	W
ATOM	29578	OH2	TIP	W	420	58.380	37.677	106.636	1.00	59.82	W
ATOM	29579	OH2	TIP	W	421	26.199	14.065	32.373	1.00	35.02	W
ATOM	29580	OH2	TIP	W	422	64.788	-20.557	17.685	1.00	43.54	W
ATOM	29581	OH2	TIP	W	423	71.910	95.648	213.146	1.00	47.84	W
ATOM	29582	OH2	TIP	W	424	37.605	22.382	90.004	1.00	41.78	W
ATOM	29583	OH2	TIP	W	425	32.278	-11.527	46.062	1.00	50.68	W
ATOM	29584	OH2	TIP	W	426	37.076	27.233	20.943	1.00	42.81	W
ATOM	29585	OH2	TIP	W	427	79.549	32.111	98.735	1.00	42.50	W
ATOM	29586	OH2	TIP	W	428	63.498	16.700	44.844	1.00	64.00	W
ATOM	29587	OH2	TIP	W	429	79.945	100.486	214.261	1.00	54.23	W
ATOM	29588	OH2	TIP	W	430	63.909	48.851	157.096	1.00	64.17	W
ATOM	29589	OH2	TIP	W	431	125.608	116.413	159.707	1.00	51.82	W

ATOM	29590	OH2	TIP	W	432	63.213	-7.469	2.793	1.00	43.24	W
ATOM	29591	OH2	TIP	W	433	10.474	147.801	184.605	1.00	61.31	W
ATOM	29592	OH2	TIP	W	434	66.529	30.435	85.192	1.00	53.35	W
ATOM	29593	OH2	TIP	W	435	50.922	144.773	104.453	1.00	64.06	W
ATOM	29594	OH2	TIP	W	436	62.357	-14.455	20.429	1.00	60.22	W
ATOM	29595	OH2	TIP	W	437	82.265	36.657	82.485	1.00	49.62	W
ATOM	29596	OH2	TIP	W	438	65.417	153.553	106.822	1.00	53.48	W
ATOM	29597	OH2	TIP	W	439	74.894	77.788	184.494	1.00	59.48	W
ATOM	29598	OH2	TIP	W	440	24.390	6.228	50.615	1.00	59.78	W
ATOM	29599	OH2	TIP	W	441	66.826	60.822	62.663	1.00	41.72	W
ATOM	29600	OH2	TIP	W	442	63.282	60.806	76.698	1.00	55.41	W
ATOM	29601	OH2	TIP	W	443	66.002	42.254	105.475	1.00	37.81	W
ATOM	29602	OH2	TIP	W	444	154.279	31.331	104.325	1.00	81.71	W
ATOM	29603	OH2	TIP	W	445	111.863	124.005	140.086	1.00	37.04	W
ATOM	29604	OH2	TIP	W	446	105.813	150.256	154.297	1.00	44.80	W
ATOM	29605	OH2	TIP	W	447	86.576	130.048	121.021	1.00	47.34	W
ATOM	29606	OH2	TIP	W	448	71.501	107.812	193.047	1.00	59.39	W
ATOM	29607	OH2	TIP	W	449	58.233	107.106	212.984	1.00	56.30	W
ATOM	29608	OH2	TIP	W	450	-10.807	107.116	194.147	1.00	63.39	W
ATOM	29609	OH2	TIP	W	451	104.079	149.990	161.768	1.00	40.36	W
ATOM	29610	OH2	TIP	W	452	62.068	72.111	60.297	1.00	48.84	W
ATOM	29611	OH2	TIP	W	453	121.358	-5.190	98.575	1.00	66.97	W
ATOM	29612	OH2	TIP	W	454	8.209	155.738	175.000	1.00	40.95	W
ATOM	29613	OH2	TIP	W	455	45.509	50.446	88.583	1.00	57.78	W
ATOM	29614	OH2	TIP	W	456	100.172	126.970	160.603	1.00	55.58	W
ATOM	29615	OH2	TIP	W	457	47.973	-13.348	13.286	1.00	47.33	W
ATOM	29616	OH2	TIP	W	458	79.954	73.413	78.227	1.00	79.11	W
ATOM	29617	OH2	TIP	W	459	77.484	130.957	124.153	1.00	75.48	W
ATOM	29618	OH2	TIP	W	461	72.826	87.467	47.002	1.00	46.75	W
ATOM	29619	OH2	TIP	W	462	72.036	5.020	13.366	1.00	59.11	W
ATOM	29620	OH2	TIP	W	463	111.219	137.596	147.323	1.00	41.32	W
ATOM	29621	OH2	TIP	W	464	65.065	50.812	154.760	1.00	46.90	W
ATOM	29622	OH2	TIP	W	465	53.570	13.641	102.178	1.00	51.53	W
ATOM	29623	OH2	TIP	W	466	77.848	54.043	61.240	1.00	33.53	W
ATOM	29624	OH2	TIP	W	467	66.007	131.481	113.923	1.00	74.33	W
ATOM	29625	OH2	TIP	W	468	38.830	29.038	43.143	1.00	80.39	W
ATOM	29626	OH2	TIP	W	469	38.378	109.002	143.736	1.00	99.75	W
ATOM	29627	OH2	TIP	W	470	84.224	32.151	98.419	1.00	56.00	W
ATOM	29628	OH2	TIP	W	471	61.575	-0.672	30.907	1.00	62.40	W
ATOM	29629	OH2	TIP	W	472	28.549	0.985	46.603	1.00	45.20	W
ATOM	29630	OH2	TIP	W	473	39.211	46.043	98.314	1.00	70.01	W
ATOM	29631	OH2	TIP	W	474	83.862	144.049	140.239	1.00	57.34	W
ATOM	29632	OH2	TIP	W	475	99.450	120.483	130.604	1.00	71.92	W
ATOM	29633	OH2	TIP	W	476	115.660	105.647	160.105	1.00	67.58	W
ATOM	29634	OH2	TIP	W	477	67.847	67.901	189.858	1.00	53.58	W
ATOM	29635	OH2	TIP	W	478	59.575	78.126	185.716	1.00	56.68	W
ATOM	29636	OH2	TIP	W	479	72.064	-8.690	0.383	1.00	55.49	W
ATOM	29637	OH2	TIP	W	480	89.345	141.100	120.527	1.00	57.36	W
ATOM	29638	OH2	TIP	W	481	27.343	170.209	182.652	1.00	54.76	W
ATOM	29639	OH2	TIP	W	482	106.115	153.231	151.877	1.00	58.15	W
ATOM	29640	OH2	TIP	W	483	59.926	7.090	16.893	1.00	65.40	W
ATOM	29641	OH2	TIP	W	484	30.332	2.404	32.072	1.00	56.77	W
ATOM	29642	OH2	TIP	W	485	79.446	115.585	190.597	1.00	63.24	W
ATOM	29643	OH2	TIP	W	486	54.087	-5.545	31.877	1.00	72.69	W
ATOM	29644	OH2	TIP	W	487	75.257	57.113	95.407	1.00	67.57	W
ATOM	29645	OH2	TIP	W	488	105.916	126.047	122.093	1.00	50.76	W
ATOM	29646	OH2	TIP	W	489	66.672	-3.695	2.121	1.00	42.46	W
ATOM	29647	OH2	TIP	W	490	83.960	51.338	63.380	1.00	75.64	W

ATOM	29648	OH2	TIP	W	491	58.665	22.723	83.147	1.00	62.29	W
ATOM	29649	OH2	TIP	W	492	74.653	121.307	152.640	1.00	67.42	W
ATOM	29650	OH2	TIP	W	493	22.810	10.426	29.063	1.00	47.82	W
ATOM	29651	OH2	TIP	W	494	91.209	65.767	60.001	1.00	46.37	W
ATOM	29652	OH2	TIP	W	495	56.334	101.984	189.787	1.00	53.36	W
ATOM	29653	OH2	TIP	W	496	75.971	86.584	50.451	1.00	61.19	W
ATOM	29654	OH2	TIP	W	497	64.724	45.239	80.691	1.00	74.12	W
ATOM	29655	OH2	TIP	W	498	80.629	50.231	94.395	1.00	55.32	W
ATOM	29656	OH2	TIP	W	499	114.533	105.621	146.597	1.00	52.19	W
ATOM	29657	OH2	TIP	W	500	39.811	-2.347	49.936	1.00	63.53	W
ATOM	29658	OH2	TIP	W	501	23.534	32.655	39.162	1.00	44.64	W
ATOM	29659	OH2	TIP	W	502	66.645	141.467	133.719	1.00	53.29	W
ATOM	29660	OH2	TIP	W	503	74.719	145.540	110.535	1.00	37.79	W
ATOM	29661	OH2	TIP	W	504	28.690	8.535	51.770	1.00	77.49	W
ATOM	29662	OH2	TIP	W	505	48.290	2.101	30.264	1.00	57.23	W
ATOM	29663	OH2	TIP	W	506	38.192	11.061	12.226	1.00	76.95	W
ATOM	29664	C1	MAN	S	500	85.579	-13.629	3.020	1.00	35.98	S
ATOM	29665	O1	MAN	S	500	86.732	-13.510	2.267	1.00	39.83	S
ATOM	29666	C2	MAN	S	500	84.614	-12.521	2.613	1.00	36.14	S
ATOM	29667	O2	MAN	S	500	83.413	-12.642	3.341	1.00	39.67	S
ATOM	29668	C3	MAN	S	500	85.250	-11.163	2.890	1.00	38.81	S
ATOM	29669	O3	MAN	S	500	84.349	-10.109	2.578	1.00	36.68	S
ATOM	29670	C4	MAN	S	500	85.653	-11.075	4.355	1.00	33.98	S
ATOM	29671	O4	MAN	S	500	86.306	-9.843	4.587	1.00	35.46	S
ATOM	29672	C5	MAN	S	500	86.578	-12.237	4.722	1.00	30.51	S
ATOM	29673	O5	MAN	S	500	85.937	-13.503	4.412	1.00	35.90	S
ATOM	29674	C6	MAN	S	500	86.903	-12.250	6.199	1.00	30.14	S
ATOM	29675	O6	MAN	S	500	85.865	-12.874	6.944	1.00	36.23	S
ATOM	29676	C1	MAN	S	601	55.437	52.592	164.431	1.00	36.42	S
ATOM	29677	O1	MAN	S	601	55.609	51.422	163.714	1.00	37.40	S
ATOM	29678	C2	MAN	S	601	56.567	53.554	164.075	1.00	37.39	S
ATOM	29679	O2	MAN	S	601	56.424	54.749	164.814	1.00	41.13	S
ATOM	29680	C3	MAN	S	601	57.891	52.896	164.427	1.00	41.29	S
ATOM	29681	O3	MAN	S	601	58.976	53.751	164.106	1.00	40.93	S
ATOM	29682	C4	MAN	S	601	57.894	52.561	165.920	1.00	36.70	S
ATOM	29683	O4	MAN	S	601	59.116	51.933	166.264	1.00	41.32	S
ATOM	29684	C5	MAN	S	601	56.723	51.630	166.222	1.00	29.62	S
ATOM	29685	O5	MAN	S	601	55.482	52.262	165.833	1.00	35.08	S
ATOM	29686	C6	MAN	S	601	56.613	51.285	167.684	1.00	28.04	S
ATOM	29687	O6	MAN	S	601	56.060	52.362	168.422	1.00	32.09	S
ATOM	29688	C1	MAN	S	502	82.624	85.562	56.769	1.00	38.00	S
ATOM	29689	O1	MAN	S	502	82.473	86.673	55.954	1.00	36.63	S
ATOM	29690	C2	MAN	S	502	81.501	84.584	56.470	1.00	35.62	S
ATOM	29691	O2	MAN	S	502	81.632	83.454	57.311	1.00	41.45	S
ATOM	29692	C3	MAN	S	502	80.184	85.285	56.751	1.00	39.18	S
ATOM	29693	O3	MAN	S	502	79.085	84.450	56.421	1.00	41.30	S
ATOM	29694	C4	MAN	S	502	80.151	85.671	58.226	1.00	33.69	S
ATOM	29695	O4	MAN	S	502	78.921	86.302	58.536	1.00	37.23	S
ATOM	29696	C5	MAN	S	502	81.317	86.616	58.516	1.00	29.86	S
ATOM	29697	O5	MAN	S	502	82.573	85.989	58.153	1.00	34.55	S
ATOM	29698	C6	MAN	S	502	81.414	86.994	59.978	1.00	29.04	S
ATOM	29699	O6	MAN	S	502	81.964	85.934	60.749	1.00	35.71	S
ATOM	29700	C1	MAN	S	603	52.492	151.811	110.611	1.00	34.16	S
ATOM	29701	O1	MAN	S	603	51.328	151.703	109.867	1.00	34.25	S
ATOM	29702	C2	MAN	S	603	53.439	150.690	110.192	1.00	33.78	S
ATOM	29703	O2	MAN	S	603	54.653	150.799	110.907	1.00	39.48	S
ATOM	29704	C3	MAN	S	603	52.779	149.356	110.495	1.00	37.03	S
ATOM	29705	O3	MAN	S	603	53.622	148.286	110.108	1.00	39.72	S

ATOM	29706	C4	MAN	S	603	52.478	149.286	111.992	1.00	35.41	S
ATOM	29707	O4	MAN	S	603	51.878	148.042	112.309	1.00	38.13	S
ATOM	29708	C5	MAN	S	603	51.543	150.436	112.363	1.00	29.34	S
ATOM	29709	O5	MAN	S	603	52.154	151.705	112.015	1.00	30.50	S
ATOM	29710	C6	MAN	S	603	51.233	150.472	113.839	1.00	28.80	S
ATOM	29711	O6	MAN	S	603	52.263	151.128	114.564	1.00	34.36	S
ATOM	29712	C1	MAN	S	504	101.892	108.715	112.571	1.00	103.33	S
ATOM	29713	O1	MAN	S	504	102.887	108.507	111.628	1.00	106.23	S
ATOM	29714	C2	MAN	S	504	101.110	109.992	112.240	1.00	102.32	S
ATOM	29715	O2	MAN	S	504	100.036	110.150	113.158	1.00	103.84	S
ATOM	29716	C3	MAN	S	504	102.030	111.203	112.321	1.00	99.35	S
ATOM	29717	O3	MAN	S	504	101.275	112.385	112.115	1.00	100.69	S
ATOM	29718	C4	MAN	S	504	102.686	111.251	113.693	1.00	98.57	S
ATOM	29719	O4	MAN	S	504	103.609	112.327	113.747	1.00	98.59	S
ATOM	29720	C5	MAN	S	504	103.414	109.937	113.977	1.00	98.29	S
ATOM	29721	O5	MAN	S	504	102.505	108.820	113.866	1.00	99.72	S
ATOM	29722	C6	MAN	S	504	103.933	109.921	115.389	1.00	96.71	S
ATOM	29723	O6	MAN	S	504	102.855	109.911	116.310	1.00	100.33	S
ATOM	29724	C1	MAN	S	605	29.512	171.247	166.355	1.00	103.19	S
ATOM	29725	O1	MAN	S	605	29.689	172.347	165.530	1.00	106.43	S
ATOM	29726	C2	MAN	S	605	28.270	170.466	165.918	1.00	102.18	S
ATOM	29727	O2	MAN	S	605	28.130	169.302	166.721	1.00	105.38	S
ATOM	29728	C3	MAN	S	605	27.029	171.342	166.066	1.00	100.12	S
ATOM	29729	O3	MAN	S	605	25.871	170.579	165.775	1.00	101.64	S
ATOM	29730	C4	MAN	S	605	26.938	171.885	167.490	1.00	98.71	S
ATOM	29731	O4	MAN	S	605	25.847	172.785	167.593	1.00	100.03	S
ATOM	29732	C5	MAN	S	605	28.231	172.606	167.858	1.00	97.69	S
ATOM	29733	O5	MAN	S	605	29.356	171.716	167.704	1.00	98.99	S
ATOM	29734	C6	MAN	S	605	28.221	173.052	169.297	1.00	96.43	S
ATOM	29735	O6	MAN	S	605	28.275	171.933	170.167	1.00	100.15	S
ATOM	29736	C1	MAN	S	506	108.502	-32.821	58.809	1.00	97.47	S
ATOM	29737	O1	MAN	S	506	108.274	-33.814	57.870	1.00	101.43	S
ATOM	29738	C2	MAN	S	506	109.773	-32.046	58.456	1.00	97.03	S
ATOM	29739	O2	MAN	S	506	109.961	-30.989	59.387	1.00	100.27	S
ATOM	29740	C3	MAN	S	506	110.975	-32.984	58.490	1.00	94.15	S
ATOM	29741	O3	MAN	S	506	112.166	-32.253	58.245	1.00	94.91	S
ATOM	29742	C4	MAN	S	506	111.060	-33.654	59.852	1.00	92.51	S
ATOM	29743	O4	MAN	S	506	112.116	-34.601	59.852	1.00	92.35	S
ATOM	29744	C5	MAN	S	506	109.744	-34.356	60.184	1.00	91.51	S
ATOM	29745	O5	MAN	S	506	108.635	-33.434	60.099	1.00	94.07	S
ATOM	29746	C6	MAN	S	506	109.765	-34.860	61.604	1.00	90.63	S
ATOM	29747	O6	MAN	S	506	109.718	-33.776	62.518	1.00	91.11	S
ATOM	29748	C1	MAN	S	607	36.135	29.627	4.984	1.00	114.60	S
ATOM	29749	O1	MAN	S	607	35.096	29.921	4.118	1.00	117.62	S
ATOM	29750	C2	MAN	S	607	36.823	28.325	4.560	1.00	114.16	S
ATOM	29751	O2	MAN	S	607	37.958	28.092	5.382	1.00	116.18	S
ATOM	29752	C3	MAN	S	607	35.853	27.153	4.682	1.00	112.05	S
ATOM	29753	O3	MAN	S	607	36.533	25.942	4.404	1.00	113.43	S
ATOM	29754	C4	MAN	S	607	35.285	27.100	6.091	1.00	111.37	S
ATOM	29755	O4	MAN	S	607	34.321	26.062	6.183	1.00	111.77	S
ATOM	29756	C5	MAN	S	607	34.639	28.436	6.442	1.00	110.78	S
ATOM	29757	O5	MAN	S	607	35.600	29.505	6.311	1.00	112.26	S
ATOM	29758	C6	MAN	S	607	34.176	28.445	7.876	1.00	110.30	S
ATOM	29759	O6	MAN	S	607	35.274	28.255	8.755	1.00	112.39	S
ATOM	29760	OH2	TIP	W	507	101.138	114.498	214.109	1.00	59.06	W
ATOM	29761	OH2	TIP	W	508	101.573	133.279	158.876	1.00	39.53	W
ATOM	29762	OH2	TIP	W	509	38.919	-17.671	46.993	1.00	64.66	W
ATOM	29763	OH2	TIP	W	510	122.105	116.328	144.752	1.00	37.03	W

ATOM	29764	OH2	TIP	W	511	15.346	12.825	41.262	1.00	37.75	W
ATOM	29765	OH2	TIP	W	512	51.215	99.481	208.462	1.00	65.58	W
ATOM	29766	OH2	TIP	W	513	86.818	38.798	100.791	1.00	68.46	W
ATOM	29767	OH2	TIP	W	514	69.933	69.400	188.057	1.00	51.29	W
ATOM	29768	OH2	TIP	W	515	101.261	146.596	137.995	1.00	40.30	W
ATOM	29769	OH2	TIP	W	516	49.743	30.987	5.504	1.00	100.55	W
ATOM	29770	OH2	TIP	W	517	44.172	-17.201	37.603	1.00	55.17	W
ATOM	29771	OH2	TIP	W	518	63.254	129.432	111.561	1.00	67.16	W
ATOM	29772	OH2	TIP	W	519	64.179	99.657	174.819	1.00	57.30	W
ATOM	29773	OH2	TIP	W	520	81.460	32.055	100.775	1.00	34.26	W
ATOM	29774	OH2	TIP	W	521	77.377	62.901	164.995	1.00	97.35	W
ATOM	29775	OH2	TIP	W	522	14.484	20.895	48.043	1.00	51.32	W
ATOM	29776	OH2	TIP	W	523	94.074	-15.777	5.427	1.00	68.08	W
ATOM	29777	OH2	TIP	W	524	53.207	44.196	166.947	1.00	79.75	W
ATOM	29778	OH2	TIP	W	525	122.607	125.430	148.984	1.00	42.38	W
ATOM	29779	OH2	TIP	W	526	68.356	26.847	93.631	1.00	51.97	W
ATOM	29780	OH2	TIP	W	527	99.646	143.709	121.159	1.00	55.12	W
ATOM	29781	OH2	TIP	W	528	84.868	94.163	59.021	1.00	82.96	W
ATOM	29782	OH2	TIP	W	529	68.725	76.510	192.785	1.00	55.81	W
ATOM	29783	OH2	TIP	W	530	129.962	-4.381	92.302	1.00	38.36	W
ATOM	29784	OH2	TIP	W	531	35.847	-12.337	28.046	1.00	52.07	W
ATOM	29785	OH2	TIP	W	532	88.325	106.854	113.177	1.00	94.66	W
ATOM	29786	OH2	TIP	W	533	44.717	-8.982	32.236	1.00	38.83	W
ATOM	29787	OH2	TIP	W	534	60.216	93.587	193.840	1.00	35.73	W
ATOM	29788	OH2	TIP	W	535	126.768	-27.036	56.182	1.00	68.76	W
ATOM	29789	OH2	TIP	W	536	46.546	34.619	113.640	1.00	50.67	W
ATOM	29790	OH2	TIP	W	537	76.775	114.097	187.692	1.00	53.64	W
ATOM	29791	OH2	TIP	W	538	71.676	34.271	71.077	1.00	65.88	W
ATOM	29792	OH2	TIP	W	539	154.228	30.625	101.268	1.00	66.72	W
ATOM	29793	OH2	TIP	W	540	46.851	72.338	167.629	1.00	43.82	W
ATOM	29794	OH2	TIP	W	541	61.248	24.500	80.092	1.00	49.22	W
ATOM	29795	OH2	TIP	W	542	70.667	103.464	191.262	1.00	51.87	W
ATOM	29796	OH2	TIP	W	543	72.834	30.151	86.311	1.00	42.21	W
ATOM	29797	OH2	TIP	W	544	64.543	8.361	38.053	1.00	52.40	W
ATOM	29798	OH2	TIP	W	545	55.465	32.091	17.501	1.00	57.77	W
ATOM	29799	OH2	TIP	W	546	81.203	49.632	77.545	1.00	54.34	W
ATOM	29800	OH2	TIP	W	547	68.083	156.023	129.104	1.00	44.45	W
ATOM	29801	OH2	TIP	W	548	27.609	7.103	22.573	1.00	53.33	W
ATOM	29802	OH2	TIP	W	549	113.645	130.491	134.134	1.00	44.76	W
ATOM	29803	OH2	TIP	W	550	34.943	22.655	59.877	1.00	60.39	W
ATOM	29804	OH2	TIP	W	551	60.861	20.630	88.372	1.00	63.64	W
ATOM	29805	OH2	TIP	W	552	77.917	44.695	85.977	1.00	38.31	W
ATOM	29806	OH2	TIP	W	553	58.815	73.415	163.369	1.00	56.65	W
ATOM	29807	OH2	TIP	W	554	51.665	59.510	160.320	1.00	53.88	W
ATOM	29808	OH2	TIP	W	555	71.678	39.615	104.013	1.00	59.87	W
ATOM	29809	OH2	TIP	W	556	38.719	17.854	23.121	1.00	72.84	W
ATOM	29810	OH2	TIP	W	557	33.574	144.465	136.929	1.00	55.94	W
ATOM	29811	OH2	TIP	W	558	53.773	149.556	123.663	1.00	48.36	W
ATOM	29812	OH2	TIP	W	559	8.984	127.340	215.016	1.00	52.28	W
ATOM	29813	OH2	TIP	W	560	130.824	-9.610	70.683	1.00	71.10	W
ATOM	29814	OH2	TIP	W	561	77.205	75.733	53.450	1.00	47.88	W
ATOM	29815	OH2	TIP	W	562	70.001	109.570	208.400	1.00	53.02	W
ATOM	29816	OH2	TIP	W	563	16.148	20.943	44.452	1.00	49.99	W
ATOM	29817	OH2	TIP	W	564	130.816	143.370	132.267	1.00	56.83	W
ATOM	29818	OH2	TIP	W	565	65.950	-22.137	6.252	1.00	43.33	W
ATOM	29819	OH2	TIP	W	566	27.360	-19.340	20.423	1.00	52.53	W
ATOM	29820	OH2	TIP	W	567	24.046	8.012	26.547	1.00	59.33	W
ATOM	29821	OH2	TIP	W	568	76.256	138.772	138.986	1.00	57.89	W

ATOM	29822	OH2	TIP	W	569	41.318	17.233	100.271	1.00	53.99	W
ATOM	29823	OH2	TIP	W	570	60.723	158.067	112.466	1.00	47.86	W
ATOM	29824	OH2	TIP	W	571	115.692	106.546	144.033	1.00	49.83	W
ATOM	29825	OH2	TIP	W	572	110.535	131.033	130.098	1.00	51.09	W
ATOM	29826	OH2	TIP	W	573	100.411	141.734	158.694	1.00	44.37	W
ATOM	29827	OH2	TIP	W	574	111.139	157.778	128.101	1.00	56.92	W
ATOM	29828	OH2	TIP	W	575	59.731	82.289	166.136	1.00	60.37	W
ATOM	29829	OH2	TIP	W	576	22.318	31.815	36.601	1.00	53.79	W
ATOM	29830	OH2	TIP	W	577	69.986	-17.904	21.234	1.00	35.47	W
ATOM	29831	OH2	TIP	W	578	20.388	7.954	53.073	1.00	62.00	W
ATOM	29832	OH2	TIP	W	579	73.421	158.426	117.398	1.00	41.46	W
ATOM	29833	OH2	TIP	W	580	113.605	132.022	158.143	1.00	57.10	W
ATOM	29834	OH2	TIP	W	581	67.325	49.324	85.041	1.00	52.57	W
ATOM	29835	OH2	TIP	W	582	117.560	130.114	142.140	1.00	61.09	W
ATOM	29836	OH2	TIP	W	583	75.809	152.919	128.117	1.00	53.16	W
ATOM	29837	OH2	TIP	W	584	71.027	114.939	184.649	1.00	72.49	W
ATOM	29838	OH2	TIP	W	585	42.204	5.185	27.044	1.00	62.97	W
ATOM	29839	OH2	TIP	W	586	31.193	-14.714	14.119	1.00	69.18	W
ATOM	29840	OH2	TIP	W	587	117.805	130.209	160.678	1.00	60.08	W
ATOM	29841	OH2	TIP	W	588	20.443	8.035	34.524	1.00	54.79	W
ATOM	29842	OH2	TIP	W	589	83.487	51.596	77.400	1.00	50.36	W
ATOM	29843	OH2	TIP	W	590	46.963	113.293	199.064	1.00	47.21	W
ATOM	29844	OH2	TIP	W	591	84.936	29.722	96.984	1.00	48.30	W
ATOM	29845	OH2	TIP	W	592	66.703	-16.587	20.854	1.00	88.30	W
ATOM	29846	OH2	TIP	W	593	71.762	154.966	128.724	1.00	92.46	W
ATOM	29847	OH2	TIP	W	594	64.178	149.372	131.782	1.00	47.67	W
ATOM	29848	OH2	TIP	W	595	107.856	135.890	139.205	1.00	57.14	W
ATOM	29849	OH2	TIP	W	596	96.657	121.097	207.898	1.00	51.14	W
ATOM	29850	OH2	TIP	W	597	29.811	-15.948	16.695	1.00	68.79	W
ATOM	29851	OH2	TIP	W	598	22.396	146.158	188.133	1.00	56.79	W
ATOM	29852	OH2	TIP	W	599	83.883	143.689	120.329	1.00	64.66	W
ATOM	29853	OH2	TIP	W	600	76.787	35.541	85.226	1.00	80.53	W
ATOM	29854	OH2	TIP	W	601	35.957	5.659	50.905	1.00	42.91	W
ATOM	29855	OH2	TIP	W	602	61.144	102.614	192.364	1.00	56.45	W
ATOM	29856	OH2	TIP	W	603	72.918	151.363	128.332	1.00	63.79	W
ATOM	29857	OH2	TIP	W	604	55.357	142.010	103.461	1.00	65.67	W
ATOM	29858	OH2	TIP	W	605	96.791	132.136	142.852	1.00	71.80	W
ATOM	29859	OH2	TIP	W	606	94.052	155.419	144.792	1.00	75.86	W
ATOM	29860	OH2	TIP	W	607	62.811	-17.565	18.337	1.00	53.85	W
ATOM	29861	OH2	TIP	W	608	62.455	41.497	88.747	1.00	67.72	W
ATOM	29862	OH2	TIP	W	609	51.240	75.610	179.704	1.00	45.45	W
ATOM	29863	OH2	TIP	W	610	71.036	100.329	214.288	1.00	48.03	W
ATOM	29864	OH2	TIP	W	611	81.318	106.319	125.126	1.00	70.14	W
ATOM	29865	OH2	TIP	W	612	101.474	114.928	200.134	1.00	60.00	W
ATOM	29866	OH2	TIP	W	613	27.218	173.464	186.021	1.00	75.20	W
ATOM	29867	OH2	TIP	W	614	60.887	57.469	92.199	1.00	69.57	W
ATOM	29868	OH2	TIP	W	615	44.298	-23.535	33.575	1.00	57.12	W
ATOM	29869	OH2	TIP	W	616	99.753	135.688	160.312	1.00	47.73	W
ATOM	29870	OH2	TIP	W	617	52.633	149.549	104.593	1.00	76.14	W
ATOM	29871	OH2	TIP	W	618	79.743	31.302	106.052	1.00	65.93	W
ATOM	29872	OH2	TIP	W	619	114.827	113.877	137.759	1.00	68.38	W
ATOM	29873	OH2	TIP	W	620	62.229	27.474	76.195	1.00	60.79	W
ATOM	29874	OH2	TIP	W	621	72.024	11.559	80.851	1.00	60.24	W
ATOM	29875	OH2	TIP	W	622	66.390	38.216	106.464	1.00	51.35	W
ATOM	29876	OH2	TIP	W	623	130.643	-25.256	72.179	1.00	57.65	W
ATOM	29877	OH2	TIP	W	624	77.248	-19.739	5.077	1.00	59.58	W
ATOM	29878	OH2	TIP	W	625	94.361	-7.639	9.972	1.00	53.66	W
ATOM	29879	OH2	TIP	W	626	76.791	95.034	63.834	1.00	60.67	W

ATOM	29880	OH2	TIP	W	627	50.878	68.015	182.546	1.00	56.90	W
ATOM	29881	OH2	TIP	W	628	7.364	163.647	179.945	1.00	64.55	W
ATOM	29882	OH2	TIP	W	629	73.605	-11.050	24.191	1.00	53.48	W
ATOM	29883	OH2	TIP	W	630	52.044	28.524	105.333	1.00	61.00	W
ATOM	29884	OH2	TIP	W	631	72.239	160.682	114.358	1.00	62.07	W
ATOM	29885	OH2	TIP	W	632	58.169	64.417	185.804	1.00	58.95	W
ATOM	29886	OH2	TIP	W	633	52.729	-8.454	32.347	1.00	80.49	W
ATOM	29887	OH2	TIP	W	634	87.076	69.591	75.116	1.00	57.60	W
ATOM	29888	OH2	TIP	W	635	64.174	-2.320	3.800	1.00	60.87	W
ATOM	29889	OH2	TIP	W	636	81.252	49.575	63.173	1.00	65.54	W
ATOM	29890	OH2	TIP	W	637	99.076	156.824	126.636	1.00	64.30	W
ATOM	29891	OH2	TIP	W	638	45.170	93.675	195.045	1.00	56.24	W
ATOM	29892	OH2	TIP	W	639	31.251	149.347	179.321	1.00	70.34	W
ATOM	29893	OH2	TIP	W	640	62.195	130.356	120.851	1.00	55.82	W
ATOM	29894	OH2	TIP	W	641	32.474	152.421	179.620	1.00	79.33	W
ATOM	29895	OH2	TIP	W	642	43.901	43.298	91.793	1.00	75.24	W
ATOM	29896	OH2	TIP	W	643	73.448	148.873	109.639	1.00	67.08	W
ATOM	29897	OH2	TIP	W	644	60.156	71.433	161.062	1.00	54.55	W
ATOM	29898	OH2	TIP	W	645	40.987	12.899	37.393	1.00	62.01	W
ATOM	29899	OH2	TIP	W	646	46.983	8.426	6.585	1.00	50.64	W
ATOM	29900	OH2	TIP	W	647	106.825	148.692	159.734	1.00	66.72	W

END

Table 16

ATOM	1	N	GLY	A	1	43.535	15.251	34.960	1.00	34.97
ATOM	2	CA	GLY	A	1	43.265	14.682	36.311	1.00	32.18
ATOM	3	C	GLY	A	1	44.130	13.481	36.618	1.00	30.16
ATOM	4	O	GLY	A	1	45.331	13.504	36.369	1.00	30.25
ATOM	5	N	VAL	A	2	43.513	12.432	37.154	1.00	28.42
ATOM	6	CA	VAL	A	2	44.223	11.208	37.507	1.00	24.56
ATOM	7	C	VAL	A	2	43.557	10.033	36.803	1.00	23.53
ATOM	8	O	VAL	A	2	42.339	9.907	36.846	1.00	23.41
ATOM	9	CB	VAL	A	2	44.209	11.014	39.041	1.00	20.78
ATOM	10	CG1	VAL	A	2	44.877	9.725	39.421	1.00	21.82
ATOM	11	CG2	VAL	A	2	44.931	12.179	39.707	1.00	17.73
ATOM	12	N	ALA	A	3	44.348	9.191	36.130	1.00	24.23
ATOM	13	CA	ALA	A	3	43.791	8.027	35.412	1.00	24.19
ATOM	14	C	ALA	A	3	44.530	6.709	35.646	1.00	24.02
ATOM	15	O	ALA	A	3	45.750	6.673	35.839	1.00	22.03
ATOM	16	CB	ALA	A	3	43.714	8.308	33.916	1.00	21.60
ATOM	17	N	LEU	A	4	43.764	5.626	35.625	1.00	23.03
ATOM	18	CA	LEU	A	4	44.312	4.310	35.843	1.00	20.77
ATOM	19	C	LEU	A	4	44.826	3.766	34.524	1.00	24.96
ATOM	20	O	LEU	A	4	44.297	4.093	33.445	1.00	24.30
ATOM	21	CB	LEU	A	4	43.240	3.400	36.420	1.00	18.27
ATOM	22	CG	LEU	A	4	42.516	3.920	37.678	1.00	21.47
ATOM	23	CD1	LEU	A	4	41.496	2.886	38.125	1.00	18.77
ATOM	24	CD2	LEU	A	4	43.490	4.215	38.808	1.00	16.44
ATOM	25	N	GLY	A	5	45.871	2.941	34.616	1.00	26.08
ATOM	26	CA	GLY	A	5	46.483	2.362	33.433	1.00	24.13
ATOM	27	C	GLY	A	5	45.611	1.379	32.686	1.00	23.20
ATOM	28	O	GLY	A	5	45.786	1.193	31.489	1.00	27.26
ATOM	29	N	ALA	A	6	44.678	0.744	33.382	1.00	22.06
ATOM	30	CA	ALA	A	6	43.776	-0.224	32.762	1.00	20.60
ATOM	31	C	ALA	A	6	42.341	0.231	32.836	1.00	21.10
ATOM	32	O	ALA	A	6	42.016	1.242	33.445	1.00	26.35
ATOM	33	CB	ALA	A	6	43.895	-1.542	33.452	1.00	22.71
ATOM	34	N	THR	A	7	41.473	-0.534	32.210	1.00	19.26
ATOM	35	CA	THR	A	7	40.064	-0.223	32.227	1.00	16.89
ATOM	36	C	THR	A	7	39.388	-1.363	32.936	1.00	16.72
ATOM	37	O	THR	A	7	38.172	-1.369	33.105	1.00	17.35
ATOM	38	CB	THR	A	7	39.505	-0.078	30.813	1.00	20.53
ATOM	39	OG1	THR	A	7	39.912	-1.197	29.998	1.00	20.71
ATOM	40	CG2	THR	A	7	39.994	1.234	30.212	1.00	15.08
ATOM	41	N	ARG	A	8	40.203	-2.333	33.342	1.00	16.36
ATOM	42	CA	ARG	A	8	39.749	-3.503	34.085	1.00	16.52
ATOM	43	C	ARG	A	8	40.980	-4.251	34.593	1.00	16.54
ATOM	44	O	ARG	A	8	42.114	-3.928	34.241	1.00	12.59
ATOM	45	CB	ARG	A	8	38.885	-4.417	33.211	1.00	16.19
ATOM	46	CG	ARG	A	8	39.644	-5.438	32.404	1.00	23.79
ATOM	47	CD	ARG	A	8	39.412	-5.295	30.923	1.00	22.19
ATOM	48	NE	ARG	A	8	37.999	-5.363	30.540	1.00	22.97
ATOM	49	CZ	ARG	A	8	37.209	-4.299	30.417	1.00	21.84
ATOM	50	NH1	ARG	A	8	37.689	-3.085	30.656	1.00	27.18
ATOM	51	NH2	ARG	A	8	35.946	-4.439	30.056	1.00	15.23
ATOM	52	N	VAL	A	9	40.764	-5.260	35.421	1.00	16.99
ATOM	53	CA	VAL	A	9	41.886	-5.990	35.976	1.00	17.11
ATOM	54	C	VAL	A	9	41.519	-7.427	36.199	1.00	19.13
ATOM	55	O	VAL	A	9	40.424	-7.728	36.669	1.00	16.77
ATOM	56	CB	VAL	A	9	42.325	-5.405	37.340	1.00	16.67
ATOM	57	CG1	VAL	A	9	43.159	-6.414	38.092	1.00	14.21
ATOM	58	CG2	VAL	A	9	43.128	-4.140	37.129	1.00	14.18
ATOM	59	N	ILE	A	10	42.461	-8.309	35.871	1.00	20.12
ATOM	60	CA	ILE	A	10	42.270	-9.733	36.038	1.00	18.42

ATOM	61	C	ILE	A	10	43.156	-10.276	37.119	1.00	18.78
ATOM	62	O	ILE	A	10	44.366	-10.240	37.005	1.00	17.39
ATOM	63	CB	ILE	A	10	42.570	-10.496	34.767	1.00	12.33
ATOM	64	CG1	ILE	A	10	41.649	-10.007	33.666	1.00	13.90
ATOM	65	CG2	ILE	A	10	42.334	-11.961	34.996	1.00	14.35
ATOM	66	CD1	ILE	A	10	40.195	-10.001	34.068	1.00	4.79
ATOM	67	N	TYR	A	11	42.533	-10.777	38.179	1.00	21.19
ATOM	68	CA	TYR	A	11	43.281	-11.346	39.280	1.00	21.58
ATOM	69	C	TYR	A	11	43.366	-12.856	39.167	1.00	22.61
ATOM	70	O	TYR	A	11	42.372	-13.571	39.354	1.00	23.15
ATOM	71	CB	TYR	A	11	42.651	-11.005	40.615	1.00	18.81
ATOM	72	CG	TYR	A	11	43.683	-10.898	41.688	1.00	20.41
ATOM	73	CD1	TYR	A	11	44.211	-12.035	42.304	1.00	22.37
ATOM	74	CD2	TYR	A	11	44.152	-9.654	42.082	1.00	22.06
ATOM	75	CE1	TYR	A	11	45.189	-11.919	43.301	1.00	25.96
ATOM	76	CE2	TYR	A	11	45.123	-9.527	43.069	1.00	25.70
ATOM	77	CZ	TYR	A	11	45.637	-10.650	43.676	1.00	26.17
ATOM	78	OH	TYR	A	11	46.589	-10.473	44.649	1.00	25.53
ATOM	79	N	PRO	A	12	44.567	-13.356	38.851	1.00	22.59
ATOM	80	CA	PRO	A	12	44.895	-14.779	38.695	1.00	19.85
ATOM	81	C	PRO	A	12	44.937	-15.471	40.065	1.00	19.19
ATOM	82	O	PRO	A	12	45.772	-15.139	40.920	1.00	11.72
ATOM	83	CB	PRO	A	12	46.280	-14.752	38.040	1.00	22.03
ATOM	84	CG	PRO	A	12	46.421	-13.335	37.486	1.00	23.18
ATOM	85	CD	PRO	A	12	45.718	-12.501	38.501	1.00	22.69
ATOM	86	N	ALA	A	13	44.041	-16.429	40.271	1.00	21.05
ATOM	87	CA	ALA	A	13	43.999	-17.136	41.540	1.00	27.48
ATOM	88	C	ALA	A	13	45.380	-17.685	41.832	1.00	33.19
ATOM	89	O	ALA	A	13	45.994	-18.347	40.989	1.00	36.02
ATOM	90	CB	ALA	A	13	42.993	-18.249	41.489	1.00	28.48
ATOM	91	N	GLY	A	14	45.871	-17.394	43.032	1.00	38.67
ATOM	92	CA	GLY	A	14	47.195	-17.840	43.421	1.00	44.20
ATOM	93	C	GLY	A	14	48.156	-16.666	43.503	1.00	47.53
ATOM	94	O	GLY	A	14	48.921	-16.540	44.466	1.00	48.75
ATOM	95	N	GLN	A	15	48.111	-15.809	42.485	1.00	49.11
ATOM	96	CA	GLN	A	15	48.959	-14.624	42.412	1.00	50.51
ATOM	97	C	GLN	A	15	49.140	-13.938	43.759	1.00	51.17
ATOM	98	O	GLN	A	15	48.170	-13.547	44.412	1.00	51.17
ATOM	99	CB	GLN	A	15	48.364	-13.623	41.426	1.00	53.26
ATOM	100	CG	GLN	A	15	48.819	-13.811	40.012	1.00	57.92
ATOM	101	CD	GLN	A	15	50.300	-13.610	39.878	1.00	61.17
ATOM	102	OE1	GLN	A	15	50.822	-12.539	40.201	1.00	61.00
ATOM	103	NE2	GLN	A	15	50.997	-14.643	39.401	1.00	62.19
ATOM	104	N	LYS	A	16	50.386	-13.777	44.177	1.00	51.79
ATOM	105	CA	LYS	A	16	50.638	-13.120	45.447	1.00	51.12
ATOM	106	C	LYS	A	16	50.122	-11.692	45.373	1.00	48.40
ATOM	107	O	LYS	A	16	49.677	-11.166	46.373	1.00	51.02
ATOM	108	CB	LYS	A	16	52.132	-13.118	45.773	1.00	56.60
ATOM	109	CG	LYS	A	16	52.447	-12.976	47.268	1.00	60.58
ATOM	110	CD	LYS	A	16	53.963	-12.847	47.532	1.00	64.23
ATOM	111	CE	LYS	A	16	54.781	-14.017	46.955	1.00	61.72
ATOM	112	NZ	LYS	A	16	54.383	-15.325	47.536	1.00	61.27
ATOM	113	N	GLN	A	17	50.187	-11.067	44.197	1.00	45.21
ATOM	114	CA	GLN	A	17	49.692	-9.695	44.025	1.00	42.50
ATOM	115	C	GLN	A	17	49.539	-9.267	42.564	1.00	38.98
ATOM	116	O	GLN	A	17	50.103	-9.885	41.676	1.00	42.09
ATOM	117	CB	GLN	A	17	50.619	-8.710	44.714	1.00	42.77
ATOM	118	CG	GLN	A	17	51.999	-8.686	44.108	1.00	47.36
ATOM	119	CD	GLN	A	17	52.715	-7.388	44.387	1.00	48.69
ATOM	120	OE1	GLN	A	17	52.802	-6.952	45.547	1.00	47.32
ATOM	121	NE2	GLN	A	17	53.232	-6.749	43.327	1.00	45.31
ATOM	122	N	VAL	A	18	48.776	-8.205	42.327	1.00	34.91

ATOM	123	CA	VAL	A	18	48.548	-7.675	40.977	1.00	33.19
ATOM	124	C	VAL	A	18	48.698	-6.155	40.955	1.00	31.76
ATOM	125	O	VAL	A	18	48.117	-5.444	41.770	1.00	30.72
ATOM	126	CB	VAL	A	18	47.146	-8.026	40.455	1.00	35.00
ATOM	127	CG1	VAL	A	18	46.873	-7.279	39.163	1.00	30.18
ATOM	128	CG2	VAL	A	18	47.039	-9.525	40.230	1.00	37.03
ATOM	129	N	GLN	A	19	49.452	-5.660	39.989	1.00	30.96
ATOM	130	CA	GLN	A	19	49.736	-4.238	39.900	1.00	30.63
ATOM	131	C	GLN	A	19	48.901	-3.471	38.910	1.00	28.26
ATOM	132	O	GLN	A	19	48.550	-3.984	37.862	1.00	28.76
ATOM	133	CB	GLN	A	19	51.217	-4.065	39.590	1.00	30.50
ATOM	134	CG	GLN	A	19	52.043	-5.006	40.461	1.00	42.61
ATOM	135	CD	GLN	A	19	53.533	-4.735	40.438	1.00	51.67
ATOM	136	OE1	GLN	A	19	54.282	-5.276	41.261	1.00	54.61
ATOM	137	NE2	GLN	A	19	53.977	-3.904	39.496	1.00	55.58
ATOM	138	N	LEU	A	20	48.568	-2.239	39.275	1.00	27.28
ATOM	139	CA	LEU	A	20	47.791	-1.344	38.431	1.00	26.26
ATOM	140	C	LEU	A	20	48.479	0.018	38.460	1.00	26.29
ATOM	141	O	LEU	A	20	48.923	0.475	39.515	1.00	25.44
ATOM	142	CB	LEU	A	20	46.358	-1.211	38.952	1.00	27.89
ATOM	143	CG	LEU	A	20	45.397	-0.247	38.233	1.00	25.55
ATOM	144	CD1	LEU	A	20	45.067	-0.768	36.864	1.00	24.04
ATOM	145	CD2	LEU	A	20	44.117	-0.110	39.027	1.00	26.32
ATOM	146	N	ALA	A	21	48.563	0.662	37.301	1.00	25.66
ATOM	147	CA	ALA	A	21	49.218	1.960	37.187	1.00	25.35
ATOM	148	C	ALA	A	21	48.275	3.141	37.399	1.00	25.01
ATOM	149	O	ALA	A	21	47.121	3.118	36.959	1.00	26.73
ATOM	150	CB	ALA	A	21	49.882	2.073	35.820	1.00	21.60
ATOM	151	N	VAL	A	22	48.779	4.168	38.077	1.00	21.25
ATOM	152	CA	VAL	A	22	48.018	5.382	38.332	1.00	23.04
ATOM	153	C	VAL	A	22	48.898	6.552	37.947	1.00	23.83
ATOM	154	O	VAL	A	22	50.086	6.556	38.222	1.00	22.36
ATOM	155	CB	VAL	A	22	47.644	5.542	39.817	1.00	21.39
ATOM	156	CG1	VAL	A	22	46.954	6.880	40.053	1.00	24.29
ATOM	157	CG2	VAL	A	22	46.720	4.440	40.222	1.00	28.57
ATOM	158	N	THR	A	23	48.316	7.545	37.298	1.00	26.29
ATOM	159	CA	THR	A	23	49.092	8.696	36.909	1.00	29.96
ATOM	160	C	THR	A	23	48.280	9.976	36.934	1.00	32.98
ATOM	161	O	THR	A	23	47.105	10.000	36.577	1.00	31.13
ATOM	162	CB	THR	A	23	49.729	8.509	35.517	1.00	30.31
ATOM	163	OG1	THR	A	23	49.665	9.749	34.794	1.00	28.29
ATOM	164	CG2	THR	A	23	49.033	7.402	34.753	1.00	26.77
ATOM	165	N	ASN	A	24	48.952	11.032	37.377	1.00	36.62
ATOM	166	CA	ASN	A	24	48.391	12.360	37.516	1.00	37.66
ATOM	167	C	ASN	A	24	48.941	13.239	36.398	1.00	40.20
ATOM	168	O	ASN	A	24	50.148	13.422	36.279	1.00	39.49
ATOM	169	CB	ASN	A	24	48.780	12.906	38.894	1.00	34.62
ATOM	170	CG	ASN	A	24	48.338	14.317	39.104	1.00	33.65
ATOM	171	OD1	ASN	A	24	47.291	14.719	38.616	1.00	40.10
ATOM	172	ND2	ASN	A	24	49.119	15.080	39.847	1.00	29.96
ATOM	173	N	ASN	A	25	48.031	13.781	35.591	1.00	45.45
ATOM	174	CA	ASN	A	25	48.349	14.634	34.440	1.00	49.83
ATOM	175	C	ASN	A	25	48.516	16.098	34.757	1.00	51.71
ATOM	176	O	ASN	A	25	49.193	16.820	34.036	1.00	52.42
ATOM	177	CB	ASN	A	25	47.241	14.532	33.404	1.00	50.41
ATOM	178	CG	ASN	A	25	46.993	13.126	32.980	1.00	54.70
ATOM	179	OD1	ASN	A	25	47.271	12.189	33.728	1.00	58.42
ATOM	180	ND2	ASN	A	25	46.452	12.954	31.778	1.00	60.47
ATOM	181	N	ASP	A	26	47.868	16.539	35.821	1.00	54.46
ATOM	182	CA	ASP	A	26	47.909	17.931	36.213	1.00	57.83
ATOM	183	C	ASP	A	26	49.299	18.402	36.632	1.00	60.38
ATOM	184	O	ASP	A	26	49.774	18.102	37.734	1.00	60.03

ATOM	185	CB	ASP	A	26	46.875	18.146	37.313	1.00	61.55
ATOM	186	CG	ASP	A	26	45.482	17.674	36.895	1.00	65.35
ATOM	187	OD1	ASP	A	26	45.320	17.297	35.714	1.00	69.10
ATOM	188	OD2	ASP	A	26	44.552	17.677	37.734	1.00	68.18
ATOM	189	N	GLU	A	27	49.934	19.148	35.724	1.00	62.47
ATOM	190	CA	GLU	A	27	51.278	19.695	35.904	1.00	65.65
ATOM	191	C	GLU	A	27	51.531	20.308	37.270	1.00	65.02
ATOM	192	O	GLU	A	27	52.676	20.528	37.660	1.00	65.68
ATOM	193	CB	GLU	A	27	51.563	20.747	34.829	1.00	70.39
ATOM	194	CG	GLU	A	27	52.472	20.269	33.699	1.00	80.45
ATOM	195	CD	GLU	A	27	52.548	21.254	32.532	1.00	85.82
ATOM	196	OE1	GLU	A	27	52.847	22.448	32.772	1.00	87.60
ATOM	197	OE2	GLU	A	27	52.310	20.828	31.376	1.00	87.77
ATOM	198	N	ASN	A	28	50.462	20.588	37.995	1.00	63.79
ATOM	199	CA	ASN	A	28	50.597	21.186	39.305	1.00	64.09
ATOM	200	C	ASN	A	28	49.268	21.191	40.059	1.00	62.63
ATOM	201	O	ASN	A	28	48.350	21.964	39.766	1.00	61.43
ATOM	202	CB	ASN	A	28	51.170	22.608	39.172	1.00	66.63
ATOM	203	CG	ASN	A	28	50.456	23.443	38.113	1.00	67.63
ATOM	204	OD1	ASN	A	28	50.923	24.519	37.752	1.00	68.35
ATOM	205	ND2	ASN	A	28	49.320	22.952	37.618	1.00	69.52
ATOM	206	N	SER	A	29	49.191	20.297	41.033	1.00	60.62
ATOM	207	CA	SER	A	29	48.021	20.125	41.874	1.00	58.27
ATOM	208	C	SER	A	29	48.173	18.753	42.518	1.00	56.11
ATOM	209	O	SER	A	29	48.182	17.730	41.838	1.00	57.30
ATOM	210	CB	SER	A	29	46.729	20.189	41.047	1.00	57.71
ATOM	211	OG	SER	A	29	46.627	19.106	40.146	1.00	52.13
ATOM	212	N	THR	A	30	48.312	18.741	43.833	1.00	52.46
ATOM	213	CA	THR	A	30	48.480	17.499	44.555	1.00	50.76
ATOM	214	C	THR	A	30	47.156	16.766	44.749	1.00	47.82
ATOM	215	O	THR	A	30	46.086	17.367	44.679	1.00	47.85
ATOM	216	CB	THR	A	30	49.127	17.775	45.917	1.00	52.18
ATOM	217	OG1	THR	A	30	50.448	18.291	45.710	1.00	51.11
ATOM	218	CG2	THR	A	30	49.207	16.508	46.747	1.00	54.01
ATOM	219	N	TYR	A	31	47.241	15.458	44.963	1.00	45.31
ATOM	220	CA	TYR	A	31	46.062	14.632	45.192	1.00	41.94
ATOM	221	C	TYR	A	31	46.331	13.541	46.225	1.00	41.78
ATOM	222	O	TYR	A	31	47.465	13.113	46.456	1.00	41.60
ATOM	223	CB	TYR	A	31	45.584	13.949	43.904	1.00	39.22
ATOM	224	CG	TYR	A	31	44.959	14.852	42.875	1.00	36.12
ATOM	225	CD1	TYR	A	31	43.615	15.206	42.953	1.00	36.13
ATOM	226	CD2	TYR	A	31	45.708	15.352	41.819	1.00	33.12
ATOM	227	CE1	TYR	A	31	43.034	16.038	41.999	1.00	33.09
ATOM	228	CE2	TYR	A	31	45.139	16.181	40.868	1.00	34.66
ATOM	229	CZ	TYR	A	31	43.805	16.519	40.962	1.00	33.81
ATOM	230	OH	TYR	A	31	43.250	17.337	40.009	1.00	35.89
ATOM	231	N	LEU	A	32	45.254	13.095	46.845	1.00	40.19
ATOM	232	CA	LEU	A	32	45.307	12.038	47.825	1.00	35.41
ATOM	233	C	LEU	A	32	44.631	10.868	47.150	1.00	33.26
ATOM	234	O	LEU	A	32	43.447	10.940	46.817	1.00	33.82
ATOM	235	CB	LEU	A	32	44.537	12.458	49.063	1.00	35.89
ATOM	236	CG	LEU	A	32	45.410	13.017	50.173	1.00	30.85
ATOM	237	CD1	LEU	A	32	44.591	13.877	51.112	1.00	26.84
ATOM	238	CD2	LEU	A	32	46.034	11.842	50.885	1.00	26.09
ATOM	239	N	ILE	A	33	45.387	9.797	46.946	1.00	29.67
ATOM	240	CA	ILE	A	33	44.881	8.613	46.280	1.00	24.69
ATOM	241	C	ILE	A	33	44.395	7.507	47.197	1.00	25.53
ATOM	242	O	ILE	A	33	45.210	6.775	47.773	1.00	27.97
ATOM	243	CB	ILE	A	33	45.960	8.043	45.366	1.00	22.67
ATOM	244	CG1	ILE	A	33	46.461	9.146	44.443	1.00	23.60
ATOM	245	CG2	ILE	A	33	45.427	6.863	44.584	1.00	20.17
ATOM	246	CD1	ILE	A	33	45.367	9.812	43.666	1.00	24.21

ATOM	247	N	GLN	A	34	43.070	7.392	47.333	1.00	23.41
ATOM	248	CA	GLN	A	34	42.473	6.335	48.145	1.00	25.62
ATOM	249	C	GLN	A	34	41.892	5.298	47.207	1.00	27.56
ATOM	250	O	GLN	A	34	41.206	5.631	46.247	1.00	29.92
ATOM	251	CB	GLN	A	34	41.369	6.861	49.053	1.00	25.13
ATOM	252	CG	GLN	A	34	41.858	7.516	50.346	1.00	28.27
ATOM	253	CD	GLN	A	34	40.716	7.841	51.287	1.00	27.91
ATOM	254	OE1	GLN	A	34	39.551	7.899	50.873	1.00	25.68
ATOM	255	NE2	GLN	A	34	41.041	8.074	52.556	1.00	25.58
ATOM	256	N	SER	A	35	42.165	4.033	47.496	1.00	29.63
ATOM	257	CA	SER	A	35	41.708	2.940	46.651	1.00	28.77
ATOM	258	C	SER	A	35	41.166	1.777	47.477	1.00	26.99
ATOM	259	O	SER	A	35	41.692	1.485	48.536	1.00	26.83
ATOM	260	CB	SER	A	35	42.888	2.478	45.795	1.00	29.12
ATOM	261	OG	SER	A	35	44.051	3.235	46.128	1.00	32.02
ATOM	262	N	TRP	A	36	40.107	1.131	46.987	1.00	26.38
ATOM	263	CA	TRP	A	36	39.503	-0.019	47.662	1.00	24.35
ATOM	264	C	TRP	A	36	38.800	-0.967	46.683	1.00	25.63
ATOM	265	O	TRP	A	36	38.614	-0.646	45.508	1.00	27.12
ATOM	266	CB	TRP	A	36	38.509	0.443	48.724	1.00	22.42
ATOM	267	CG	TRP	A	36	37.322	1.172	48.183	1.00	18.63
ATOM	268	CD1	TRP	A	36	36.062	0.678	48.011	1.00	18.89
ATOM	269	CD2	TRP	A	36	37.286	2.531	47.751	1.00	12.75
ATOM	270	NE1	TRP	A	36	35.240	1.649	47.500	1.00	17.69
ATOM	271	CE2	TRP	A	36	35.965	2.800	47.330	1.00	13.14
ATOM	272	CE3	TRP	A	36	38.243	3.548	47.674	1.00	7.88
ATOM	273	CZ2	TRP	A	36	35.571	4.054	46.840	1.00	8.59
ATOM	274	CZ3	TRP	A	36	37.852	4.801	47.183	1.00	13.72
ATOM	275	CH2	TRP	A	36	36.521	5.040	46.774	1.00	10.03
ATOM	276	N	VAL	A	37	38.398	-2.133	47.171	1.00	23.97
ATOM	277	CA	VAL	A	37	37.741	-3.098	46.309	1.00	21.90
ATOM	278	C	VAL	A	37	36.392	-3.573	46.830	1.00	21.63
ATOM	279	O	VAL	A	37	36.313	-4.298	47.817	1.00	22.93
ATOM	280	CB	VAL	A	37	38.635	-4.332	46.082	1.00	19.67
ATOM	281	CG1	VAL	A	37	37.857	-5.388	45.332	1.00	22.26
ATOM	282	CG2	VAL	A	37	39.875	-3.945	45.313	1.00	18.72
ATOM	283	N	GLU	A	38	35.327	-3.165	46.157	1.00	21.99
ATOM	284	CA	GLU	A	38	33.991	-3.575	46.545	1.00	21.66
ATOM	285	C	GLU	A	38	33.676	-4.892	45.833	1.00	23.61
ATOM	286	O	GLU	A	38	34.364	-5.275	44.879	1.00	24.27
ATOM	287	CB	GLU	A	38	32.997	-2.497	46.149	1.00	20.63
ATOM	288	CG	GLU	A	38	33.278	-1.163	46.801	1.00	20.04
ATOM	289	CD	GLU	A	38	32.368	-0.072	46.284	1.00	25.39
ATOM	290	OE1	GLU	A	38	31.219	-0.393	45.894	1.00	24.29
ATOM	291	OE2	GLU	A	38	32.789	1.106	46.277	1.00	24.33
ATOM	292	N	ASN	A	39	32.665	-5.606	46.304	1.00	22.31
ATOM	293	CA	ASN	A	39	32.330	-6.858	45.668	1.00	25.19
ATOM	294	C	ASN	A	39	31.155	-6.616	44.724	1.00	29.01
ATOM	295	O	ASN	A	39	30.686	-5.484	44.593	1.00	28.58
ATOM	296	CB	ASN	A	39	31.996	-7.927	46.709	1.00	21.40
ATOM	297	CG	ASN	A	39	30.718	-7.644	47.456	1.00	21.21
ATOM	298	OD1	ASN	A	39	30.121	-6.584	47.307	1.00	26.88
ATOM	299	ND2	ASN	A	39	30.290	-8.596	48.274	1.00	25.71
ATOM	300	N	ALA	A	40	30.696	-7.671	44.054	1.00	30.92
ATOM	301	CA	ALA	A	40	29.590	-7.550	43.118	1.00	31.42
ATOM	302	C	ALA	A	40	28.427	-6.763	43.705	1.00	31.15
ATOM	303	O	ALA	A	40	27.835	-5.937	43.023	1.00	31.66
ATOM	304	CB	ALA	A	40	29.122	-8.928	42.688	1.00	33.80
ATOM	305	N	ASP	A	41	28.097	-7.009	44.965	1.00	30.47
ATOM	306	CA	ASP	A	41	26.998	-6.287	45.568	1.00	31.28
ATOM	307	C	ASP	A	41	27.428	-4.916	46.074	1.00	30.03
ATOM	308	O	ASP	A	41	26.698	-4.274	46.813	1.00	32.71

ATOM	309	CB	ASP	A	41	26.387	-7.095	46.713	1.00	36.45
ATOM	310	CG	ASP	A	41	25.795	-8.426	46.254	1.00	40.44
ATOM	311	OD1	ASP	A	41	24.970	-8.439	45.310	1.00	36.46
ATOM	312	OD2	ASP	A	41	26.156	-9.463	46.858	1.00	41.50
ATOM	313	N	GLY	A	42	28.612	-4.472	45.674	1.00	29.38
ATOM	314	CA	GLY	A	42	29.114	-3.170	46.092	1.00	28.27
ATOM	315	C	GLY	A	42	29.382	-2.985	47.579	1.00	27.78
ATOM	316	O	GLY	A	42	29.375	-1.863	48.103	1.00	25.32
ATOM	317	N	VAL	A	43	29.619	-4.083	48.277	1.00	26.92
ATOM	318	CA	VAL	A	43	29.881	-3.987	49.695	1.00	28.31
ATOM	319	C	VAL	A	43	31.386	-4.059	49.927	1.00	31.14
ATOM	320	O	VAL	A	43	32.085	-4.963	49.440	1.00	31.37
ATOM	321	CB	VAL	A	43	29.162	-5.116	50.488	1.00	27.57
ATOM	322	CG1	VAL	A	43	27.755	-5.320	49.948	1.00	23.21
ATOM	323	CG2	VAL	A	43	29.944	-6.401	50.408	1.00	30.48
ATOM	324	N	LYS	A	44	31.895	-3.078	50.656	1.00	32.41
ATOM	325	CA	LYS	A	44	33.310	-3.046	50.956	1.00	33.08
ATOM	326	C	LYS	A	44	33.662	-4.166	51.923	1.00	35.10
ATOM	327	O	LYS	A	44	33.716	-3.936	53.130	1.00	38.13
ATOM	328	CB	LYS	A	44	33.699	-1.718	51.600	1.00	29.13
ATOM	329	CG	LYS	A	44	33.348	-0.499	50.797	1.00	34.73
ATOM	330	CD	LYS	A	44	34.158	0.694	51.271	1.00	36.63
ATOM	331	CE	LYS	A	44	33.693	1.968	50.610	1.00	36.77
ATOM	332	NZ	LYS	A	44	32.271	2.258	50.945	1.00	44.32
ATOM	333	N	ASP	A	45	33.851	-5.383	51.424	1.00	33.54
ATOM	334	CA	ASP	A	45	34.260	-6.456	52.316	1.00	30.35
ATOM	335	C	ASP	A	45	35.767	-6.467	52.192	1.00	32.82
ATOM	336	O	ASP	A	45	36.355	-5.542	51.616	1.00	35.10
ATOM	337	CB	ASP	A	45	33.689	-7.798	51.890	1.00	31.14
ATOM	338	CG	ASP	A	45	33.677	-7.983	50.398	1.00	28.32
ATOM	339	OD1	ASP	A	45	34.714	-7.736	49.741	1.00	30.84
ATOM	340	OD2	ASP	A	45	32.618	-8.389	49.890	1.00	27.36
ATOM	341	N	GLY	A	46	36.414	-7.507	52.681	1.00	31.17
ATOM	342	CA	GLY	A	46	37.856	-7.488	52.598	1.00	32.95
ATOM	343	C	GLY	A	46	38.528	-8.278	51.510	1.00	34.73
ATOM	344	O	GLY	A	46	39.735	-8.147	51.344	1.00	38.74
ATOM	345	N	ARG	A	47	37.771	-9.084	50.772	1.00	34.16
ATOM	346	CA	ARG	A	47	38.341	-9.921	49.730	1.00	29.52
ATOM	347	C	ARG	A	47	39.626	-9.399	49.104	1.00	26.40
ATOM	348	O	ARG	A	47	40.567	-10.156	48.892	1.00	26.44
ATOM	349	CB	ARG	A	47	37.309	-10.185	48.652	1.00	34.85
ATOM	350	CG	ARG	A	47	36.474	-11.416	48.908	1.00	40.14
ATOM	351	CD	ARG	A	47	35.403	-11.192	49.931	1.00	47.25
ATOM	352	NE	ARG	A	47	34.821	-12.471	50.317	1.00	55.58
ATOM	353	CZ	ARG	A	47	35.517	-13.446	50.890	1.00	57.63
ATOM	354	NH1	ARG	A	47	36.806	-13.275	51.129	1.00	56.21
ATOM	355	NH2	ARG	A	47	34.930	-14.581	51.239	1.00	62.42
ATOM	356	N	PHE	A	48	39.680	-8.109	48.817	1.00	23.33
ATOM	357	CA	PHE	A	48	40.879	-7.543	48.219	1.00	23.58
ATOM	358	C	PHE	A	48	41.308	-6.254	48.878	1.00	23.94
ATOM	359	O	PHE	A	48	40.492	-5.381	49.140	1.00	23.46
ATOM	360	CB	PHE	A	48	40.672	-7.303	46.713	1.00	24.19
ATOM	361	CG	PHE	A	48	40.539	-8.567	45.923	1.00	22.64
ATOM	362	CD1	PHE	A	48	39.337	-9.276	45.925	1.00	22.13
ATOM	363	CD2	PHE	A	48	41.650	-9.120	45.293	1.00	21.19
ATOM	364	CE1	PHE	A	48	39.242	-10.526	45.329	1.00	23.86
ATOM	365	CE2	PHE	A	48	41.574	-10.368	44.692	1.00	23.87
ATOM	366	CZ	PHE	A	48	40.367	-11.080	44.710	1.00	23.51
ATOM	367	N	ILE	A	49	42.603	-6.136	49.138	1.00	26.76
ATOM	368	CA	ILE	A	49	43.147	-4.938	49.755	1.00	30.41
ATOM	369	C	ILE	A	49	44.242	-4.331	48.889	1.00	31.88
ATOM	370	O	ILE	A	49	45.149	-5.025	48.438	1.00	36.09

ATOM	371	CB	ILE	A	49	43.654	-5.255	51.144	1.00	30.39
ATOM	372	CG1	ILE	A	49	42.446	-5.428	52.059	1.00	32.64
ATOM	373	CG2	ILE	A	49	44.536	-4.148	51.647	1.00	31.21
ATOM	374	CD1	ILE	A	49	42.783	-6.031	53.385	1.00	46.29
ATOM	375	N	VAL	A	50	44.141	-3.026	48.667	1.00	31.38
ATOM	376	CA	VAL	A	50	45.068	-2.287	47.813	1.00	28.44
ATOM	377	C	VAL	A	50	46.077	-1.468	48.578	1.00	27.71
ATOM	378	O	VAL	A	50	45.722	-0.788	49.532	1.00	29.04
ATOM	379	CB	VAL	A	50	44.290	-1.279	46.917	1.00	28.09
ATOM	380	CG1	VAL	A	50	45.220	-0.635	45.906	1.00	25.45
ATOM	381	CG2	VAL	A	50	43.111	-1.972	46.249	1.00	27.14
ATOM	382	N	THR	A	51	47.331	-1.515	48.149	1.00	29.14
ATOM	383	CA	THR	A	51	48.370	-0.683	48.762	1.00	29.59
ATOM	384	C	THR	A	51	49.088	0.093	47.663	1.00	29.81
ATOM	385	O	THR	A	51	49.269	-0.400	46.551	1.00	29.60
ATOM	386	CB	THR	A	51	49.449	-1.480	49.541	1.00	28.42
ATOM	387	OG1	THR	A	51	50.111	-2.389	48.660	1.00	29.88
ATOM	388	CG2	THR	A	51	48.847	-2.238	50.688	1.00	29.95
ATOM	389	N	PRO	A	52	49.502	1.326	47.967	1.00	30.80
ATOM	390	CA	PRO	A	52	49.265	1.892	49.300	1.00	31.15
ATOM	391	C	PRO	A	52	47.813	2.335	49.529	1.00	31.63
ATOM	392	O	PRO	A	52	47.170	2.890	48.638	1.00	34.74
ATOM	393	CB	PRO	A	52	50.281	3.040	49.376	1.00	27.97
ATOM	394	CG	PRO	A	52	50.554	3.379	47.954	1.00	28.70
ATOM	395	CD	PRO	A	52	50.560	2.065	47.253	1.00	29.75
ATOM	396	N	PRO	A	53	47.275	2.082	50.732	1.00	31.41
ATOM	397	CA	PRO	A	53	45.896	2.459	51.057	1.00	32.39
ATOM	398	C	PRO	A	53	45.622	3.966	50.969	1.00	34.26
ATOM	399	O	PRO	A	53	44.491	4.389	50.732	1.00	33.21
ATOM	400	CB	PRO	A	53	45.722	1.905	52.468	1.00	30.90
ATOM	401	CG	PRO	A	53	47.095	2.009	53.035	1.00	25.84
ATOM	402	CD	PRO	A	53	47.952	1.517	51.911	1.00	30.17
ATOM	403	N	LEU	A	54	46.665	4.769	51.150	1.00	35.32
ATOM	404	CA	LEU	A	54	46.535	6.225	51.081	1.00	36.08
ATOM	405	C	LEU	A	54	47.870	6.889	50.749	1.00	34.33
ATOM	406	O	LEU	A	54	48.865	6.617	51.422	1.00	35.78
ATOM	407	CB	LEU	A	54	46.043	6.776	52.427	1.00	37.49
ATOM	408	CG	LEU	A	54	45.998	8.307	52.528	1.00	33.13
ATOM	409	CD1	LEU	A	54	44.737	8.836	51.855	1.00	35.60
ATOM	410	CD2	LEU	A	54	46.022	8.714	53.974	1.00	31.16
ATOM	411	N	PHE	A	55	47.900	7.748	49.731	1.00	29.57
ATOM	412	CA	PHE	A	55	49.141	8.450	49.394	1.00	29.38
ATOM	413	C	PHE	A	55	48.922	9.694	48.547	1.00	31.48
ATOM	414	O	PHE	A	55	47.822	9.926	48.052	1.00	36.64
ATOM	415	CB	PHE	A	55	50.119	7.505	48.706	1.00	22.58
ATOM	416	CG	PHE	A	55	49.659	7.011	47.378	1.00	22.54
ATOM	417	CD1	PHE	A	55	48.828	5.901	47.288	1.00	21.89
ATOM	418	CD2	PHE	A	55	50.052	7.653	46.205	1.00	25.16
ATOM	419	CE1	PHE	A	55	48.394	5.430	46.047	1.00	21.04
ATOM	420	CE2	PHE	A	55	49.625	7.191	44.957	1.00	26.71
ATOM	421	CZ	PHE	A	55	48.791	6.072	44.882	1.00	23.11
ATOM	422	N	ALA	A	56	49.953	10.516	48.386	1.00	32.17
ATOM	423	CA	ALA	A	56	49.784	11.728	47.582	1.00	32.42
ATOM	424	C	ALA	A	56	50.608	11.753	46.304	1.00	33.53
ATOM	425	O	ALA	A	56	51.714	11.219	46.241	1.00	35.65
ATOM	426	CB	ALA	A	56	50.097	12.951	48.405	1.00	32.42
ATOM	427	N	MET	A	57	50.049	12.367	45.270	1.00	34.03
ATOM	428	CA	MET	A	57	50.739	12.490	44.003	1.00	32.43
ATOM	429	C	MET	A	57	50.780	13.962	43.712	1.00	33.76
ATOM	430	O	MET	A	57	49.799	14.550	43.248	1.00	30.82
ATOM	431	CB	MET	A	57	50.004	11.740	42.897	1.00	30.13
ATOM	432	CG	MET	A	57	50.036	10.246	43.100	1.00	31.49

ATOM	433	SD	MET	A	57	49.074	9.344	41.915	1.00	33.89
ATOM	434	CE	MET	A	57	50.199	9.302	40.578	1.00	33.24
ATOM	435	N	LYS	A	58	51.922	14.556	44.038	1.00	35.57
ATOM	436	CA	LYS	A	58	52.128	15.971	43.821	1.00	38.78
ATOM	437	C	LYS	A	58	52.442	16.132	42.356	1.00	37.45
ATOM	438	O	LYS	A	58	53.502	15.719	41.905	1.00	35.37
ATOM	439	CB	LYS	A	58	53.303	16.478	44.669	1.00	44.34
ATOM	440	CG	LYS	A	58	53.155	16.218	46.173	1.00	48.33
ATOM	441	CD	LYS	A	58	54.427	16.550	46.960	1.00	50.18
ATOM	442	CE	LYS	A	58	54.718	18.052	46.996	1.00	51.80
ATOM	443	NZ	LYS	A	58	55.917	18.388	47.828	1.00	49.74
ATOM	444	N	GLY	A	59	51.502	16.713	41.616	1.00	39.54
ATOM	445	CA	GLY	A	59	51.699	16.937	40.193	1.00	42.64
ATOM	446	C	GLY	A	59	51.913	15.655	39.423	1.00	44.63
ATOM	447	O	GLY	A	59	51.627	14.573	39.928	1.00	46.74
ATOM	448	N	LYS	A	60	52.418	15.772	38.199	1.00	46.32
ATOM	449	CA	LYS	A	60	52.659	14.606	37.359	1.00	49.05
ATOM	450	C	LYS	A	60	53.549	13.583	38.047	1.00	49.21
ATOM	451	O	LYS	A	60	54.690	13.886	38.408	1.00	49.49
ATOM	452	CB	LYS	A	60	53.296	15.027	36.031	1.00	50.92
ATOM	453	CG	LYS	A	60	52.347	15.781	35.099	1.00	55.71
ATOM	454	CD	LYS	A	60	53.020	16.114	33.775	1.00	60.38
ATOM	455	CE	LYS	A	60	52.008	16.439	32.681	1.00	62.81
ATOM	456	NZ	LYS	A	60	51.293	17.726	32.901	1.00	67.47
ATOM	457	N	LYS	A	61	53.001	12.384	38.245	1.00	47.12
ATOM	458	CA	LYS	A	61	53.702	11.255	38.867	1.00	45.88
ATOM	459	C	LYS	A	61	53.142	10.041	38.144	1.00	46.53
ATOM	460	O	LYS	A	61	52.303	10.187	37.247	1.00	45.69
ATOM	461	CB	LYS	A	61	53.364	11.123	40.362	1.00	45.20
ATOM	462	CG	LYS	A	61	53.826	12.251	41.252	1.00	45.93
ATOM	463	CD	LYS	A	61	55.339	12.287	41.383	1.00	51.47
ATOM	464	CE	LYS	A	61	55.882	11.010	42.020	1.00	54.50
ATOM	465	NZ	LYS	A	61	57.370	10.921	41.881	1.00	55.55
ATOM	466	N	GLU	A	62	53.575	8.848	38.541	1.00	44.79
ATOM	467	CA	GLU	A	62	53.075	7.633	37.911	1.00	44.33
ATOM	468	C	GLU	A	62	53.394	6.465	38.841	1.00	43.60
ATOM	469	O	GLU	A	62	54.311	5.687	38.573	1.00	47.40
ATOM	470	CB	GLU	A	62	53.763	7.451	36.558	1.00	46.41
ATOM	471	CG	GLU	A	62	53.062	6.535	35.556	1.00	54.92
ATOM	472	CD	GLU	A	62	52.798	5.139	36.097	1.00	58.62
ATOM	473	OE1	GLU	A	62	51.782	4.985	36.811	1.00	63.41
ATOM	474	OE2	GLU	A	62	53.597	4.206	35.818	1.00	55.40
ATOM	475	N	ASN	A	63	52.645	6.329	39.933	1.00	39.60
ATOM	476	CA	ASN	A	63	52.933	5.248	40.876	1.00	37.05
ATOM	477	C	ASN	A	63	52.212	3.950	40.566	1.00	33.96
ATOM	478	O	ASN	A	63	51.475	3.853	39.594	1.00	33.57
ATOM	479	CB	ASN	A	63	52.616	5.669	42.322	1.00	37.64
ATOM	480	CG	ASN	A	63	52.940	7.108	42.593	1.00	35.45
ATOM	481	OD1	ASN	A	63	52.067	7.965	42.528	1.00	37.20
ATOM	482	ND2	ASN	A	63	54.203	7.391	42.884	1.00	33.78
ATOM	483	N	THR	A	64	52.415	2.956	41.422	1.00	32.02
ATOM	484	CA	THR	A	64	51.792	1.663	41.217	1.00	32.21
ATOM	485	C	THR	A	64	50.871	1.208	42.341	1.00	33.21
ATOM	486	O	THR	A	64	51.184	1.351	43.516	1.00	37.03
ATOM	487	CB	THR	A	64	52.862	0.580	41.024	1.00	29.58
ATOM	488	OG1	THR	A	64	53.783	0.998	40.014	1.00	26.45
ATOM	489	CG2	THR	A	64	52.230	-0.726	40.602	1.00	27.93
ATOM	490	N	LEU	A	65	49.735	0.645	41.973	1.00	31.64
ATOM	491	CA	LEU	A	65	48.819	0.149	42.968	1.00	32.36
ATOM	492	C	LEU	A	65	48.963	-1.359	43.073	1.00	35.34
ATOM	493	O	LEU	A	65	49.118	-2.035	42.056	1.00	36.59
ATOM	494	CB	LEU	A	65	47.397	0.519	42.579	1.00	31.52

ATOM	495	CG	LEU	A	65	47.143	2.009	42.764	1.00	30.42
ATOM	496	CD1	LEU	A	65	45.670	2.344	42.599	1.00	22.49
ATOM	497	CD2	LEU	A	65	47.620	2.385	44.148	1.00	32.70
ATOM	498	N	ARG	A	66	48.921	-1.891	44.296	1.00	35.78
ATOM	499	CA	ARG	A	66	49.038	-3.338	44.492	1.00	34.87
ATOM	500	C	ARG	A	66	47.792	-3.971	45.110	1.00	35.68
ATOM	501	O	ARG	A	66	47.482	-3.773	46.294	1.00	36.83
ATOM	502	CB	ARG	A	66	50.256	-3.677	45.352	1.00	33.88
ATOM	503	CG	ARG	A	66	51.576	-3.453	44.646	1.00	38.03
ATOM	504	CD	ARG	A	66	52.377	-2.331	45.291	1.00	44.02
ATOM	505	NE	ARG	A	66	53.539	-1.959	44.487	1.00	46.87
ATOM	506	CZ	ARG	A	66	54.488	-2.803	44.100	1.00	46.27
ATOM	507	NH1	ARG	A	66	54.422	-4.081	44.441	1.00	45.98
ATOM	508	NH2	ARG	A	66	55.505	-2.361	43.372	1.00	46.56
ATOM	509	N	ILE	A	67	47.077	-4.732	44.287	1.00	32.09
ATOM	510	CA	ILE	A	67	45.881	-5.411	44.730	1.00	29.08
ATOM	511	C	ILE	A	67	46.315	-6.690	45.418	1.00	29.96
ATOM	512	O	ILE	A	67	47.055	-7.491	44.857	1.00	32.04
ATOM	513	CB	ILE	A	67	44.980	-5.771	43.558	1.00	28.59
ATOM	514	CG1	ILE	A	67	44.426	-4.507	42.892	1.00	28.79
ATOM	515	CG2	ILE	A	67	43.844	-6.640	44.053	1.00	33.54
ATOM	516	CD1	ILE	A	67	45.365	-3.832	41.958	1.00	24.40
ATOM	517	N	LEU	A	68	45.854	-6.898	46.637	1.00	29.61
ATOM	518	CA	LEU	A	68	46.263	-8.083	47.349	1.00	32.76
ATOM	519	C	LEU	A	68	45.113	-9.040	47.613	1.00	36.78
ATOM	520	O	LEU	A	68	44.055	-8.640	48.101	1.00	37.08
ATOM	521	CB	LEU	A	68	46.926	-7.695	48.674	1.00	34.69
ATOM	522	CG	LEU	A	68	48.145	-6.770	48.667	1.00	30.71
ATOM	523	CD1	LEU	A	68	48.766	-6.818	50.034	1.00	25.88
ATOM	524	CD2	LEU	A	68	49.162	-7.205	47.629	1.00	33.05
ATOM	525	N	ASP	A	69	45.336	-10.310	47.282	1.00	39.03
ATOM	526	CA	ASP	A	69	44.346	-11.357	47.485	1.00	39.08
ATOM	527	C	ASP	A	69	44.196	-11.508	48.990	1.00	39.12
ATOM	528	O	ASP	A	69	45.184	-11.655	49.689	1.00	40.45
ATOM	529	CB	ASP	A	69	44.850	-12.652	46.847	1.00	39.86
ATOM	530	CG	ASP	A	69	43.858	-13.800	46.956	1.00	44.79
ATOM	531	OD1	ASP	A	69	42.855	-13.671	47.697	1.00	44.81
ATOM	532	OD2	ASP	A	69	44.098	-14.842	46.293	1.00	45.44
ATOM	533	N	ALA	A	70	42.972	-11.445	49.495	1.00	40.35
ATOM	534	CA	ALA	A	70	42.760	-11.578	50.926	1.00	44.59
ATOM	535	C	ALA	A	70	41.837	-12.735	51.243	1.00	47.83
ATOM	536	O	ALA	A	70	41.752	-13.170	52.388	1.00	48.43
ATOM	537	CB	ALA	A	70	42.187	-10.297	51.501	1.00	41.74
ATOM	538	N	THR	A	71	41.132	-13.230	50.238	1.00	50.52
ATOM	539	CA	THR	A	71	40.238	-14.348	50.474	1.00	57.83
ATOM	540	C	THR	A	71	40.977	-15.671	50.332	1.00	63.01
ATOM	541	O	THR	A	71	41.041	-16.240	49.238	1.00	65.18
ATOM	542	CB	THR	A	71	39.059	-14.343	49.495	1.00	57.54
ATOM	543	OG1	THR	A	71	38.279	-15.534	49.693	1.00	57.21
ATOM	544	CG2	THR	A	71	39.562	-14.260	48.053	1.00	54.94
ATOM	545	N	ASN	A	72	41.538	-16.159	51.433	1.00	66.38
ATOM	546	CA	ASN	A	72	42.279	-17.411	51.391	1.00	72.47
ATOM	547	C	ASN	A	72	41.447	-18.503	50.751	1.00	73.26
ATOM	548	O	ASN	A	72	40.767	-19.254	51.440	1.00	75.13
ATOM	549	CB	ASN	A	72	42.716	-17.828	52.802	1.00	77.55
ATOM	550	CG	ASN	A	72	44.024	-17.153	53.234	1.00	82.03
ATOM	551	OD1	ASN	A	72	44.589	-17.467	54.291	1.00	82.76
ATOM	552	ND2	ASN	A	72	44.510	-16.222	52.410	1.00	83.17
ATOM	553	N	ASN	A	73	41.522	-18.585	49.424	1.00	74.74
ATOM	554	CA	ASN	A	73	40.765	-19.561	48.645	1.00	75.22
ATOM	555	C	ASN	A	73	39.382	-19.820	49.227	1.00	74.44
ATOM	556	O	ASN	A	73	38.929	-20.962	49.300	1.00	76.28

ATOM	557	CB	ASN	A	73	41.536	-20.876	48.534	1.00	77.13
ATOM	558	CG	ASN	A	73	42.494	-20.885	47.364	1.00	78.85
ATOM	559	OD1	ASN	A	73	43.438	-20.093	47.310	1.00	79.99
ATOM	560	ND2	ASN	A	73	42.253	-21.781	46.411	1.00	79.01
ATOM	561	N	GLN	A	74	38.718	-18.748	49.642	1.00	71.52
ATOM	562	CA	GLN	A	74	37.394	-18.860	50.214	1.00	70.23
ATOM	563	C	GLN	A	74	36.364	-18.539	49.141	1.00	67.45
ATOM	564	O	GLN	A	74	35.177	-18.427	49.420	1.00	69.76
ATOM	565	CB	GLN	A	74	37.275	-17.910	51.412	1.00	74.48
ATOM	566	CG	GLN	A	74	38.302	-18.227	52.519	1.00	83.29
ATOM	567	CD	GLN	A	74	38.294	-17.255	53.705	1.00	86.28
ATOM	568	OE1	GLN	A	74	39.174	-17.312	54.575	1.00	85.93
ATOM	569	NE2	GLN	A	74	37.304	-16.368	53.746	1.00	87.40
ATOM	570	N	LEU	A	75	36.834	-18.424	47.901	1.00	63.44
ATOM	571	CA	LEU	A	75	35.983	-18.106	46.751	1.00	58.28
ATOM	572	C	LEU	A	75	35.797	-19.253	45.764	1.00	57.87
ATOM	573	O	LEU	A	75	36.550	-20.228	45.759	1.00	57.75
ATOM	574	CB	LEU	A	75	36.572	-16.936	45.960	1.00	53.49
ATOM	575	CG	LEU	A	75	36.218	-15.483	46.251	1.00	49.18
ATOM	576	CD1	LEU	A	75	37.056	-14.613	45.349	1.00	46.12
ATOM	577	CD2	LEU	A	75	34.738	-15.223	46.021	1.00	43.02
ATOM	578	N	PRO	A	76	34.787	-19.131	44.895	1.00	56.32
ATOM	579	CA	PRO	A	76	34.475	-20.130	43.874	1.00	55.49
ATOM	580	C	PRO	A	76	35.695	-20.383	42.990	1.00	55.02
ATOM	581	O	PRO	A	76	36.252	-19.440	42.430	1.00	56.47
ATOM	582	CB	PRO	A	76	33.341	-19.473	43.101	1.00	53.29
ATOM	583	CG	PRO	A	76	32.605	-18.757	44.172	1.00	55.19
ATOM	584	CD	PRO	A	76	33.720	-18.120	44.971	1.00	57.73
ATOM	585	N	GLN	A	77	36.096	-21.647	42.860	1.00	53.26
ATOM	586	CA	GLN	A	77	37.249	-22.013	42.042	1.00	52.64
ATOM	587	C	GLN	A	77	36.896	-22.541	40.657	1.00	51.25
ATOM	588	O	GLN	A	77	37.782	-22.901	39.880	1.00	51.32
ATOM	589	CB	GLN	A	77	38.095	-23.064	42.755	1.00	55.55
ATOM	590	CG	GLN	A	77	38.773	-22.575	44.010	1.00	59.85
ATOM	591	CD	GLN	A	77	39.742	-21.440	43.755	1.00	62.56
ATOM	592	OE1	GLN	A	77	40.304	-20.879	44.696	1.00	67.95
ATOM	593	NE2	GLN	A	77	39.945	-21.093	42.484	1.00	60.00
ATOM	594	N	ASP	A	78	35.611	-22.591	40.336	1.00	49.57
ATOM	595	CA	ASP	A	78	35.203	-23.092	39.031	1.00	47.48
ATOM	596	C	ASP	A	78	34.775	-21.978	38.087	1.00	46.09
ATOM	597	O	ASP	A	78	34.219	-22.242	37.016	1.00	43.61
ATOM	598	CB	ASP	A	78	34.047	-24.082	39.176	1.00	48.84
ATOM	599	CG	ASP	A	78	32.716	-23.398	39.445	1.00	51.03
ATOM	600	OD1	ASP	A	78	32.703	-22.310	40.060	1.00	51.57
ATOM	601	OD2	ASP	A	78	31.674	-23.956	39.041	1.00	54.00
ATOM	602	N	ARG	A	79	35.032	-20.734	38.477	1.00	45.21
ATOM	603	CA	ARG	A	79	34.628	-19.607	37.650	1.00	43.69
ATOM	604	C	ARG	A	79	35.061	-18.303	38.280	1.00	41.79
ATOM	605	O	ARG	A	79	35.476	-18.263	39.435	1.00	42.16
ATOM	606	CB	ARG	A	79	33.111	-19.584	37.521	1.00	41.84
ATOM	607	CG	ARG	A	79	32.465	-19.163	38.815	1.00	39.38
ATOM	608	CD	ARG	A	79	31.011	-19.522	38.854	1.00	40.26
ATOM	609	NE	ARG	A	79	30.822	-20.904	39.271	1.00	39.01
ATOM	610	CZ	ARG	A	79	29.657	-21.534	39.229	1.00	39.70
ATOM	611	NH1	ARG	A	79	28.575	-20.897	38.789	1.00	39.78
ATOM	612	NH2	ARG	A	79	29.576	-22.799	39.616	1.00	38.42
ATOM	613	N	GLU	A	80	34.914	-17.235	37.507	1.00	39.60
ATOM	614	CA	GLU	A	80	35.257	-15.883	37.937	1.00	36.84
ATOM	615	C	GLU	A	80	34.234	-15.253	38.907	1.00	32.77
ATOM	616	O	GLU	A	80	33.037	-15.544	38.875	1.00	29.57
ATOM	617	CB	GLU	A	80	35.371	-14.962	36.713	1.00	36.96
ATOM	618	CG	GLU	A	80	36.638	-15.061	35.897	1.00	33.47

ATOM	619	CD	GLU	A	80	36.577	-14.168	34.665	1.00	33.89
ATOM	620	OE1	GLU	A	80	35.466	-13.705	34.324	1.00	36.17
ATOM	621	OE2	GLU	A	80	37.626	-13.936	34.029	1.00	29.03
ATOM	622	N	SER	A	81	34.726	-14.374	39.763	1.00	29.49
ATOM	623	CA	SER	A	81	33.864	-13.674	40.689	1.00	29.08
ATOM	624	C	SER	A	81	34.042	-12.195	40.339	1.00	28.83
ATOM	625	O	SER	A	81	35.164	-11.746	40.084	1.00	28.55
ATOM	626	CB	SER	A	81	34.298	-13.955	42.123	1.00	28.52
ATOM	627	OG	SER	A	81	34.149	-15.324	42.442	1.00	30.46
ATOM	628	N	LEU	A	82	32.944	-11.441	40.291	1.00	27.10
ATOM	629	CA	LEU	A	82	33.027	-10.020	39.949	1.00	21.97
ATOM	630	C	LEU	A	82	33.249	-9.116	41.154	1.00	21.82
ATOM	631	O	LEU	A	82	32.562	-9.218	42.187	1.00	20.09
ATOM	632	CB	LEU	A	82	31.760	-9.573	39.211	1.00	18.37
ATOM	633	CG	LEU	A	82	31.497	-8.061	39.222	1.00	19.87
ATOM	634	CD1	LEU	A	82	32.590	-7.292	38.522	1.00	17.79
ATOM	635	CD2	LEU	A	82	30.196	-7.796	38.543	1.00	23.90
ATOM	636	N	PHE	A	83	34.230	-8.237	41.021	1.00	18.87
ATOM	637	CA	PHE	A	83	34.526	-7.294	42.078	1.00	20.62
ATOM	638	C	PHE	A	83	34.689	-5.943	41.440	1.00	20.35
ATOM	639	O	PHE	A	83	34.863	-5.855	40.234	1.00	21.04
ATOM	640	CB	PHE	A	83	35.813	-7.671	42.799	1.00	23.24
ATOM	641	CG	PHE	A	83	35.693	-8.884	43.666	1.00	27.92
ATOM	642	CD1	PHE	A	83	35.228	-10.092	43.150	1.00	28.75
ATOM	643	CD2	PHE	A	83	36.094	-8.839	44.992	1.00	30.80
ATOM	644	CE1	PHE	A	83	35.170	-11.236	43.938	1.00	23.53
ATOM	645	CE2	PHE	A	83	36.042	-9.982	45.786	1.00	29.68
ATOM	646	CZ	PHE	A	83	35.581	-11.181	45.254	1.00	27.88
ATOM	647	N	TRP	A	84	34.630	-4.888	42.243	1.00	21.36
ATOM	648	CA	TRP	A	84	34.799	-3.545	41.715	1.00	21.59
ATOM	649	C	TRP	A	84	35.897	-2.784	42.424	1.00	21.28
ATOM	650	O	TRP	A	84	35.840	-2.618	43.639	1.00	19.54
ATOM	651	CB	TRP	A	84	33.488	-2.774	41.804	1.00	18.74
ATOM	652	CG	TRP	A	84	32.450	-3.388	40.950	1.00	17.83
ATOM	653	CD1	TRP	A	84	31.566	-4.339	41.310	1.00	20.11
ATOM	654	CD2	TRP	A	84	32.215	-3.123	39.561	1.00	21.07
ATOM	655	NE1	TRP	A	84	30.780	-4.697	40.236	1.00	23.22
ATOM	656	CE2	TRP	A	84	31.160	-3.961	39.148	1.00	20.94
ATOM	657	CE3	TRP	A	84	32.794	-2.256	38.626	1.00	20.77
ATOM	658	CZ2	TRP	A	84	30.663	-3.960	37.844	1.00	23.35
ATOM	659	CZ3	TRP	A	84	32.300	-2.253	37.332	1.00	23.12
ATOM	660	CH2	TRP	A	84	31.244	-3.103	36.952	1.00	24.87
ATOM	661	N	MET	A	85	36.900	-2.337	41.662	1.00	21.64
ATOM	662	CA	MET	A	85	37.998	-1.575	42.242	1.00	22.86
ATOM	663	C	MET	A	85	37.788	-0.089	42.028	1.00	24.55
ATOM	664	O	MET	A	85	37.542	0.361	40.905	1.00	24.92
ATOM	665	CB	MET	A	85	39.348	-1.971	41.659	1.00	21.06
ATOM	666	CG	MET	A	85	40.460	-1.446	42.529	1.00	29.90
ATOM	667	SD	MET	A	85	42.119	-1.831	42.018	1.00	41.85
ATOM	668	CE	MET	A	85	42.960	-0.367	42.516	1.00	32.11
ATOM	669	N	ASN	A	86	37.885	0.670	43.119	1.00	25.38
ATOM	670	CA	ASN	A	86	37.685	2.106	43.072	1.00	24.35
ATOM	671	C	ASN	A	86	38.936	2.850	43.465	1.00	23.63
ATOM	672	O	ASN	A	86	39.539	2.534	44.476	1.00	24.44
ATOM	673	CB	ASN	A	86	36.553	2.514	44.022	1.00	23.93
ATOM	674	CG	ASN	A	86	35.262	1.756	43.765	1.00	24.30
ATOM	675	OD1	ASN	A	86	35.170	0.559	44.021	1.00	25.29
ATOM	676	ND2	ASN	A	86	34.257	2.458	43.254	1.00	25.65
ATOM	677	N	VAL	A	87	39.329	3.830	42.657	1.00	23.78
ATOM	678	CA	VAL	A	87	40.498	4.657	42.961	1.00	24.34
ATOM	679	C	VAL	A	87	40.002	6.099	42.979	1.00	25.58
ATOM	680	O	VAL	A	87	39.592	6.668	41.955	1.00	25.08

ATOM	681	CB	VAL	A	87	41.632	4.486	41.920	1.00	24.03
ATOM	682	CG1	VAL	A	87	42.797	5.391	42.259	1.00	20.98
ATOM	683	CG2	VAL	A	87	42.098	3.050	41.904	1.00	21.25
ATOM	684	N	LYS	A	88	40.003	6.670	44.174	1.00	27.07
ATOM	685	CA	LYS	A	88	39.527	8.027	44.378	1.00	28.71
ATOM	686	C	LYS	A	88	40.696	8.977	44.513	1.00	29.32
ATOM	687	O	LYS	A	88	41.677	8.663	45.190	1.00	29.63
ATOM	688	CB	LYS	A	88	38.644	8.097	45.641	1.00	27.70
ATOM	689	CG	LYS	A	88	38.739	9.423	46.374	1.00	31.93
ATOM	690	CD	LYS	A	88	37.941	9.462	47.662	1.00	36.01
ATOM	691	CE	LYS	A	88	36.461	9.669	47.401	1.00	40.74
ATOM	692	NZ	LYS	A	88	35.678	9.930	48.648	1.00	41.67
ATOM	693	N	ALA	A	89	40.583	10.134	43.860	1.00	29.02
ATOM	694	CA	ALA	A	89	41.608	11.164	43.920	1.00	27.89
ATOM	695	C	ALA	A	89	41.038	12.331	44.713	1.00	29.61
ATOM	696	O	ALA	A	89	40.125	13.029	44.266	1.00	28.53
ATOM	697	CB	ALA	A	89	41.996	11.609	42.529	1.00	24.16
ATOM	698	N	ILE	A	90	41.580	12.528	45.907	1.00	31.17
ATOM	699	CA	ILE	A	90	41.124	13.594	46.779	1.00	34.36
ATOM	700	C	ILE	A	90	41.965	14.864	46.629	1.00	38.08
ATOM	701	O	ILE	A	90	43.172	14.860	46.856	1.00	41.96
ATOM	702	CB	ILE	A	90	41.160	13.129	48.247	1.00	30.12
ATOM	703	CG1	ILE	A	90	40.516	11.753	48.360	1.00	30.34
ATOM	704	CG2	ILE	A	90	40.407	14.094	49.121	1.00	30.37
ATOM	705	CD1	ILE	A	90	40.311	11.297	49.777	1.00	31.56
ATOM	706	N	PRO	A	91	41.336	15.967	46.229	1.00	39.24
ATOM	707	CA	PRO	A	91	42.028	17.242	46.056	1.00	43.22
ATOM	708	C	PRO	A	91	42.198	17.935	47.404	1.00	48.70
ATOM	709	O	PRO	A	91	41.301	17.866	48.256	1.00	50.33
ATOM	710	CB	PRO	A	91	41.080	18.008	45.151	1.00	41.90
ATOM	711	CG	PRO	A	91	39.751	17.557	45.647	1.00	39.30
ATOM	712	CD	PRO	A	91	39.945	16.063	45.763	1.00	39.66
ATOM	713	N	SER	A	92	43.331	18.607	47.608	1.00	51.95
ATOM	714	CA	SER	A	92	43.550	19.311	48.872	1.00	55.57
ATOM	715	C	SER	A	92	42.606	20.500	48.953	1.00	56.86
ATOM	716	O	SER	A	92	42.058	20.919	47.939	1.00	56.22
ATOM	717	CB	SER	A	92	44.994	19.784	48.975	1.00	54.92
ATOM	718	OG	SER	A	92	45.866	18.675	49.090	1.00	59.96
ATOM	719	N	MET	A	93	42.398	21.038	50.151	1.00	60.28
ATOM	720	CA	MET	A	93	41.500	22.188	50.295	1.00	63.97
ATOM	721	C	MET	A	93	42.246	23.496	50.053	1.00	63.95
ATOM	722	O	MET	A	93	43.408	23.645	50.442	1.00	64.89
ATOM	723	CB	MET	A	93	40.848	22.217	51.685	1.00	66.93
ATOM	724	CG	MET	A	93	39.762	23.283	51.820	1.00	70.99
ATOM	725	SD	MET	A	93	40.018	24.475	53.173	1.00	80.85
ATOM	726	CE	MET	A	93	38.657	24.043	54.288	1.00	71.79
ATOM	727	N	ASP	A	94	41.573	24.438	49.402	1.00	64.26
ATOM	728	CA	ASP	A	94	42.172	25.730	49.094	1.00	65.05
ATOM	729	C	ASP	A	94	42.004	26.714	50.248	1.00	66.44
ATOM	730	O	ASP	A	94	40.969	27.377	50.371	1.00	67.73
ATOM	731	CB	ASP	A	94	41.540	26.294	47.824	1.00	64.25
ATOM	732	CG	ASP	A	94	42.153	27.601	47.412	1.00	64.54
ATOM	733	OD1	ASP	A	94	42.956	28.137	48.199	1.00	67.55
ATOM	734	OD2	ASP	A	94	41.835	28.093	46.310	1.00	65.77
ATOM	735	N	LYS	A	95	43.032	26.819	51.085	1.00	66.22
ATOM	736	CA	LYS	A	95	42.986	27.700	52.244	1.00	65.20
ATOM	737	C	LYS	A	95	42.636	29.156	51.928	1.00	65.01
ATOM	738	O	LYS	A	95	42.406	29.954	52.834	1.00	64.70
ATOM	739	CB	LYS	A	95	44.320	27.651	52.993	1.00	64.79
ATOM	740	CG	LYS	A	95	44.641	26.318	53.657	1.00	65.78
ATOM	741	CD	LYS	A	95	45.424	25.406	52.729	1.00	68.19
ATOM	742	CE	LYS	A	95	45.945	24.170	53.456	1.00	67.54

ATOM	743	NZ	LYS	A	95	46.744	23.311	52.539	1.00	67.48
ATOM	744	N	SER	A	96	42.586	29.502	50.648	1.00	65.02
ATOM	745	CA	SER	A	96	42.276	30.872	50.251	1.00	64.92
ATOM	746	C	SER	A	96	40.776	31.136	50.145	1.00	66.12
ATOM	747	O	SER	A	96	40.295	32.181	50.590	1.00	67.24
ATOM	748	CB	SER	A	96	42.962	31.211	48.911	1.00	63.93
ATOM	749	OG	SER	A	96	42.430	30.491	47.818	1.00	60.29
ATOM	750	N	LYS	A	97	40.049	30.180	49.568	1.00	65.82
ATOM	751	CA	LYS	A	97	38.603	30.285	49.363	1.00	66.20
ATOM	752	C	LYS	A	97	37.789	29.872	50.599	1.00	66.22
ATOM	753	O	LYS	A	97	36.780	29.178	50.494	1.00	66.67
ATOM	754	CB	LYS	A	97	38.215	29.426	48.156	1.00	66.33
ATOM	755	CG	LYS	A	97	39.013	29.741	46.895	1.00	66.53
ATOM	756	CD	LYS	A	97	38.168	30.453	45.852	1.00	69.62
ATOM	757	CE	LYS	A	97	39.034	31.110	44.789	1.00	72.81
ATOM	758	NZ	LYS	A	97	39.998	32.085	45.393	1.00	74.82
ATOM	759	N	LEU	A	98	38.226	30.343	51.762	1.00	66.68
ATOM	760	CA	LEU	A	98	37.609	30.031	53.054	1.00	66.57
ATOM	761	C	LEU	A	98	36.223	30.661	53.307	1.00	65.79
ATOM	762	O	LEU	A	98	35.278	29.966	53.671	1.00	65.12
ATOM	763	CB	LEU	A	98	38.594	30.440	54.171	1.00	66.59
ATOM	764	CG	LEU	A	98	39.051	29.519	55.317	1.00	61.76
ATOM	765	CD1	LEU	A	98	38.165	29.732	56.512	1.00	61.19
ATOM	766	CD2	LEU	A	98	39.060	28.068	54.874	1.00	56.95
ATOM	767	N	THR	A	99	36.108	31.973	53.125	1.00	66.03
ATOM	768	CA	THR	A	99	34.843	32.675	53.356	1.00	65.74
ATOM	769	C	THR	A	99	33.954	32.571	52.146	1.00	64.45
ATOM	770	O	THR	A	99	32.977	33.310	52.020	1.00	62.84
ATOM	771	CB	THR	A	99	35.055	34.172	53.593	1.00	68.70
ATOM	772	OG1	THR	A	99	35.740	34.734	52.464	1.00	71.44
ATOM	773	CG2	THR	A	99	35.857	34.408	54.848	1.00	67.00
ATOM	774	N	GLU	A	100	34.308	31.659	51.252	1.00	65.03
ATOM	775	CA	GLU	A	100	33.556	31.464	50.024	1.00	64.05
ATOM	776	C	GLU	A	100	32.689	30.214	50.018	1.00	60.71
ATOM	777	O	GLU	A	100	32.951	29.247	50.737	1.00	59.13
ATOM	778	CB	GLU	A	100	34.516	31.388	48.836	1.00	68.40
ATOM	779	CG	GLU	A	100	35.344	32.636	48.608	1.00	77.10
ATOM	780	CD	GLU	A	100	36.338	32.464	47.475	1.00	82.30
ATOM	781	OE1	GLU	A	100	35.904	32.110	46.356	1.00	86.23
ATOM	782	OE2	GLU	A	100	37.551	32.682	47.699	1.00	86.04
ATOM	783	N	ASN	A	101	31.641	30.256	49.207	1.00	57.14
ATOM	784	CA	ASN	A	101	30.780	29.108	49.043	1.00	54.42
ATOM	785	C	ASN	A	101	31.511	28.339	47.986	1.00	52.96
ATOM	786	O	ASN	A	101	31.884	28.910	46.961	1.00	53.64
ATOM	787	CB	ASN	A	101	29.418	29.511	48.519	1.00	52.86
ATOM	788	CG	ASN	A	101	28.520	29.981	49.608	1.00	54.21
ATOM	789	OD1	ASN	A	101	28.836	29.831	50.791	1.00	53.75
ATOM	790	ND2	ASN	A	101	27.382	30.543	49.234	1.00	52.78
ATOM	791	N	THR	A	102	31.734	27.054	48.229	1.00	51.52
ATOM	792	CA	THR	A	102	32.453	26.237	47.265	1.00	48.85
ATOM	793	C	THR	A	102	31.831	24.854	47.079	1.00	47.32
ATOM	794	O	THR	A	102	30.968	24.426	47.846	1.00	45.08
ATOM	795	CB	THR	A	102	33.917	26.035	47.697	1.00	48.20
ATOM	796	OG1	THR	A	102	33.994	24.923	48.598	1.00	53.05
ATOM	797	CG2	THR	A	102	34.447	27.274	48.403	1.00	43.19
ATOM	798	N	LEU	A	103	32.283	24.177	46.031	1.00	46.15
ATOM	799	CA	LEU	A	103	31.863	22.818	45.717	1.00	44.10
ATOM	800	C	LEU	A	103	33.089	22.126	45.156	1.00	43.94
ATOM	801	O	LEU	A	103	33.440	22.336	43.995	1.00	44.70
ATOM	802	CB	LEU	A	103	30.771	22.774	44.651	1.00	41.36
ATOM	803	CG	LEU	A	103	30.526	21.330	44.185	1.00	39.95
ATOM	804	CD1	LEU	A	103	29.868	20.546	45.314	1.00	39.47

ATOM	805	CD2	LEU	A	103	29.666	21.291	42.934	1.00	36.48
ATOM	806	N	GLN	A	104	33.751	21.314	45.972	1.00	42.50
ATOM	807	CA	GLN	A	104	34.934	20.612	45.490	1.00	39.96
ATOM	808	C	GLN	A	104	34.574	19.211	45.037	1.00	34.42
ATOM	809	O	GLN	A	104	33.970	18.448	45.796	1.00	33.07
ATOM	810	CB	GLN	A	104	36.002	20.525	46.582	1.00	43.05
ATOM	811	CG	GLN	A	104	37.389	20.969	46.133	1.00	46.85
ATOM	812	CD	GLN	A	104	38.422	20.855	47.244	1.00	54.06
ATOM	813	OE1	GLN	A	104	39.438	21.552	47.230	1.00	58.89
ATOM	814	NE2	GLN	A	104	38.172	19.967	48.208	1.00	53.32
ATOM	815	N	LEU	A	105	34.940	18.883	43.803	1.00	26.35
ATOM	816	CA	LEU	A	105	34.676	17.553	43.287	1.00	25.33
ATOM	817	C	LEU	A	105	35.857	16.598	43.552	1.00	22.77
ATOM	818	O	LEU	A	105	36.959	17.027	43.886	1.00	17.99
ATOM	819	CB	LEU	A	105	34.368	17.607	41.793	1.00	30.03
ATOM	820	CG	LEU	A	105	33.033	18.242	41.387	1.00	32.19
ATOM	821	CD1	LEU	A	105	32.821	18.072	39.885	1.00	25.23
ATOM	822	CD2	LEU	A	105	31.902	17.577	42.162	1.00	33.32
ATOM	823	N	ALA	A	106	35.594	15.301	43.419	1.00	20.12
ATOM	824	CA	ALA	A	106	36.581	14.260	43.657	1.00	18.07
ATOM	825	C	ALA	A	106	36.337	13.114	42.669	1.00	19.01
ATOM	826	O	ALA	A	106	35.393	12.317	42.820	1.00	16.81
ATOM	827	CB	ALA	A	106	36.462	13.751	45.102	1.00	20.26
ATOM	828	N	ILE	A	107	37.194	13.028	41.659	1.00	17.42
ATOM	829	CA	ILE	A	107	37.038	11.998	40.653	1.00	17.86
ATOM	830	C	ILE	A	107	37.446	10.625	41.174	1.00	20.34
ATOM	831	O	ILE	A	107	38.394	10.488	41.953	1.00	22.64
ATOM	832	CB	ILE	A	107	37.837	12.348	39.356	1.00	15.65
ATOM	833	CG1	ILE	A	107	37.139	13.468	38.592	1.00	12.38
ATOM	834	CG2	ILE	A	107	37.869	11.173	38.416	1.00	13.06
ATOM	835	CD1	ILE	A	107	36.987	14.721	39.361	1.00	15.07
ATOM	836	N	ILE	A	108	36.703	9.612	40.743	1.00	20.54
ATOM	837	CA	ILE	A	108	36.969	8.237	41.131	1.00	21.05
ATOM	838	C	ILE	A	108	36.769	7.354	39.902	1.00	21.14
ATOM	839	O	ILE	A	108	35.745	7.444	39.206	1.00	19.05
ATOM	840	CB	ILE	A	108	35.984	7.768	42.253	1.00	22.30
ATOM	841	CG1	ILE	A	108	36.136	8.658	43.475	1.00	19.50
ATOM	842	CG2	ILE	A	108	36.251	6.312	42.654	1.00	19.99
ATOM	843	CD1	ILE	A	108	34.972	8.601	44.375	1.00	21.08
ATOM	844	N	SER	A	109	37.757	6.508	39.640	1.00	19.43
ATOM	845	CA	SER	A	109	37.681	5.580	38.524	1.00	19.54
ATOM	846	C	SER	A	109	37.241	4.255	39.138	1.00	20.47
ATOM	847	O	SER	A	109	37.789	3.828	40.153	1.00	21.17
ATOM	848	CB	SER	A	109	39.045	5.415	37.864	1.00	16.07
ATOM	849	OG	SER	A	109	39.616	6.672	37.527	1.00	23.90
ATOM	850	N	ARG	A	110	36.228	3.633	38.549	1.00	19.39
ATOM	851	CA	ARG	A	110	35.729	2.361	39.032	1.00	18.38
ATOM	852	C	ARG	A	110	35.797	1.342	37.877	1.00	23.34
ATOM	853	O	ARG	A	110	35.029	1.396	36.891	1.00	24.04
ATOM	854	CB	ARG	A	110	34.299	2.515	39.550	1.00	12.73
ATOM	855	CG	ARG	A	110	33.480	1.260	39.375	1.00	20.88
ATOM	856	CD	ARG	A	110	32.161	1.284	40.119	1.00	23.68
ATOM	857	NE	ARG	A	110	32.383	1.207	41.557	1.00	25.61
ATOM	858	CZ	ARG	A	110	31.729	0.400	42.379	1.00	19.09
ATOM	859	NH1	ARG	A	110	30.796	-0.416	41.909	1.00	18.93
ATOM	860	NH2	ARG	A	110	32.022	0.415	43.670	1.00	15.67
ATOM	861	N	ILE	A	111	36.734	0.410	38.012	1.00	23.25
ATOM	862	CA	ILE	A	111	36.956	-0.620	37.012	1.00	21.17
ATOM	863	C	ILE	A	111	36.703	-2.030	37.543	1.00	22.10
ATOM	864	O	ILE	A	111	36.925	-2.324	38.718	1.00	21.31
ATOM	865	CB	ILE	A	111	38.369	-0.496	36.501	1.00	19.59
ATOM	866	CG1	ILE	A	111	39.351	-0.863	37.601	1.00	17.86

ATOM	867	CG2	ILE	A	111	38.613	0.941	36.079	1.00	17.22
ATOM	868	CD1	ILE	A	111	40.771	-0.488	37.298	1.00	25.19
ATOM	869	N	LYS	A	112	36.216	-2.904	36.672	1.00	23.29
ATOM	870	CA	LYS	A	112	35.924	-4.266	37.082	1.00	22.95
ATOM	871	C	LYS	A	112	37.214	-5.005	37.372	1.00	25.54
ATOM	872	O	LYS	A	112	38.256	-4.726	36.773	1.00	28.63
ATOM	873	CB	LYS	A	112	35.174	-5.018	35.991	1.00	18.21
ATOM	874	CG	LYS	A	112	34.131	-4.218	35.253	1.00	20.06
ATOM	875	CD	LYS	A	112	33.256	-5.168	34.449	1.00	26.17
ATOM	876	CE	LYS	A	112	32.597	-4.472	33.267	1.00	34.36
ATOM	877	NZ	LYS	A	112	32.030	-5.406	32.234	1.00	32.37
ATOM	878	N	LEU	A	113	37.127	-5.950	38.298	1.00	25.77
ATOM	879	CA	LEU	A	113	38.247	-6.784	38.679	1.00	25.58
ATOM	880	C	LEU	A	113	37.702	-8.189	38.677	1.00	25.20
ATOM	881	O	LEU	A	113	36.768	-8.483	39.412	1.00	28.38
ATOM	882	CB	LEU	A	113	38.736	-6.448	40.090	1.00	27.80
ATOM	883	CG	LEU	A	113	39.636	-7.532	40.686	1.00	28.14
ATOM	884	CD1	LEU	A	113	40.761	-7.769	39.712	1.00	36.49
ATOM	885	CD2	LEU	A	113	40.207	-7.136	42.020	1.00	28.81
ATOM	886	N	TYR	A	114	38.253	-9.059	37.845	1.00	25.27
ATOM	887	CA	TYR	A	114	37.765	-10.428	37.837	1.00	27.11
ATOM	888	C	TYR	A	114	38.748	-11.349	38.527	1.00	28.64
ATOM	889	O	TYR	A	114	39.957	-11.244	38.324	1.00	27.67
ATOM	890	CB	TYR	A	114	37.525	-10.932	36.421	1.00	23.96
ATOM	891	CG	TYR	A	114	36.488	-10.157	35.670	1.00	20.48
ATOM	892	CD1	TYR	A	114	35.133	-10.350	35.910	1.00	18.88
ATOM	893	CD2	TYR	A	114	36.861	-9.245	34.695	1.00	18.22
ATOM	894	CE1	TYR	A	114	34.180	-9.652	35.182	1.00	18.25
ATOM	895	CE2	TYR	A	114	35.921	-8.549	33.969	1.00	17.12
ATOM	896	CZ	TYR	A	114	34.589	-8.761	34.209	1.00	18.15
ATOM	897	OH	TYR	A	114	33.686	-8.123	33.409	1.00	23.99
ATOM	898	N	TYR	A	115	38.216	-12.235	39.359	1.00	28.83
ATOM	899	CA	TYR	A	115	39.034	-13.193	40.071	1.00	32.03
ATOM	900	C	TYR	A	115	39.025	-14.443	39.189	1.00	36.19
ATOM	901	O	TYR	A	115	37.965	-15.060	38.973	1.00	38.77
ATOM	902	CB	TYR	A	115	38.408	-13.489	41.427	1.00	30.69
ATOM	903	CG	TYR	A	115	39.186	-14.489	42.227	1.00	31.48
ATOM	904	CD1	TYR	A	115	40.374	-14.136	42.849	1.00	35.48
ATOM	905	CD2	TYR	A	115	38.757	-15.798	42.332	1.00	31.37
ATOM	906	CE1	TYR	A	115	41.119	-15.073	43.562	1.00	36.59
ATOM	907	CE2	TYR	A	115	39.492	-16.740	43.033	1.00	35.91
ATOM	908	CZ	TYR	A	115	40.669	-16.378	43.645	1.00	35.34
ATOM	909	OH	TYR	A	115	41.398	-17.332	44.320	1.00	38.60
ATOM	910	N	ARG	A	116	40.188	-14.824	38.670	1.00	34.91
ATOM	911	CA	ARG	A	116	40.215	-15.984	37.796	1.00	37.57
ATOM	912	C	ARG	A	116	40.890	-17.225	38.348	1.00	39.55
ATOM	913	O	ARG	A	116	42.120	-17.355	38.333	1.00	39.16
ATOM	914	CB	ARG	A	116	40.833	-15.610	36.446	1.00	36.23
ATOM	915	CG	ARG	A	116	40.601	-16.663	35.369	1.00	31.81
ATOM	916	CD	ARG	A	116	40.989	-16.122	34.043	1.00	29.98
ATOM	917	NE	ARG	A	116	40.161	-14.985	33.685	1.00	32.16
ATOM	918	CZ	ARG	A	116	40.429	-14.170	32.672	1.00	36.97
ATOM	919	NH1	ARG	A	116	41.510	-14.375	31.932	1.00	38.54
ATOM	920	NH2	ARG	A	116	39.612	-13.167	32.383	1.00	37.69
ATOM	921	N	PRO	A	117	40.079	-18.172	38.825	1.00	42.30
ATOM	922	CA	PRO	A	117	40.562	-19.433	39.393	1.00	46.21
ATOM	923	C	PRO	A	117	41.656	-19.996	38.492	1.00	48.68
ATOM	924	O	PRO	A	117	41.428	-20.240	37.312	1.00	47.83
ATOM	925	CB	PRO	A	117	39.310	-20.300	39.412	1.00	47.42
ATOM	926	CG	PRO	A	117	38.221	-19.292	39.638	1.00	47.92
ATOM	927	CD	PRO	A	117	38.610	-18.155	38.726	1.00	42.46
ATOM	928	N	ALA	A	118	42.840	-20.190	39.064	1.00	52.70

ATOM	929	CA	ALA	A	118	44.015	-20.680	38.342	1.00	56.14
ATOM	930	C	ALA	A	118	43.809	-21.856	37.387	1.00	56.81
ATOM	931	O	ALA	A	118	44.546	-21.998	36.406	1.00	58.62
ATOM	932	CB	ALA	A	118	45.129	-21.006	39.336	1.00	55.57
ATOM	933	N	LYS	A	119	42.831	-22.704	37.665	1.00	56.65
ATOM	934	CA	LYS	A	119	42.592	-23.834	36.784	1.00	59.05
ATOM	935	C	LYS	A	119	41.209	-23.754	36.178	1.00	60.14
ATOM	936	O	LYS	A	119	40.198	-23.878	36.877	1.00	61.89
ATOM	937	CB	LYS	A	119	42.768	-25.152	37.541	1.00	59.33
ATOM	938	CG	LYS	A	119	44.209	-25.443	37.884	1.00	59.25
ATOM	939	CD	LYS	A	119	44.349	-26.623	38.810	1.00	61.91
ATOM	940	CE	LYS	A	119	45.782	-26.702	39.313	1.00	67.78
ATOM	941	NZ	LYS	A	119	46.010	-27.810	40.287	1.00	75.27
ATOM	942	N	LEU	A	120	41.178	-23.521	34.871	1.00	58.33
ATOM	943	CA	LEU	A	120	39.933	-23.424	34.132	1.00	58.20
ATOM	944	C	LEU	A	120	40.154	-24.107	32.794	1.00	59.61
ATOM	945	O	LEU	A	120	41.227	-23.991	32.199	1.00	61.08
ATOM	946	CB	LEU	A	120	39.553	-21.960	33.912	1.00	55.15
ATOM	947	CG	LEU	A	120	39.222	-21.109	35.140	1.00	52.79
ATOM	948	CD1	LEU	A	120	39.127	-19.655	34.709	1.00	50.32
ATOM	949	CD2	LEU	A	120	37.925	-21.580	35.795	1.00	48.11
ATOM	950	N	ALA	A	121	39.143	-24.820	32.317	1.00	59.82
ATOM	951	CA	ALA	A	121	39.262	-25.526	31.055	1.00	59.85
ATOM	952	C	ALA	A	121	39.258	-24.558	29.882	1.00	61.06
ATOM	953	O	ALA	A	121	40.311	-24.140	29.396	1.00	62.25
ATOM	954	CB	ALA	A	121	38.127	-26.521	30.919	1.00	59.76
ATOM	955	N	LEU	A	122	38.060	-24.200	29.441	1.00	61.48
ATOM	956	CA	LEU	A	122	37.874	-23.297	28.317	1.00	61.65
ATOM	957	C	LEU	A	122	38.755	-22.060	28.418	1.00	60.98
ATOM	958	O	LEU	A	122	38.579	-21.241	29.314	1.00	62.03
ATOM	959	CB	LEU	A	122	36.412	-22.860	28.250	1.00	63.03
ATOM	960	CG	LEU	A	122	35.872	-22.415	26.892	1.00	66.99
ATOM	961	CD1	LEU	A	122	34.976	-23.527	26.343	1.00	68.51
ATOM	962	CD2	LEU	A	122	35.077	-21.123	27.032	1.00	68.56
ATOM	963	N	PRO	A	123	39.726	-21.913	27.507	1.00	60.63
ATOM	964	CA	PRO	A	123	40.605	-20.736	27.542	1.00	59.76
ATOM	965	C	PRO	A	123	39.844	-19.437	27.191	1.00	57.68
ATOM	966	O	PRO	A	123	39.071	-19.397	26.232	1.00	55.55
ATOM	967	CB	PRO	A	123	41.698	-21.089	26.530	1.00	59.73
ATOM	968	CG	PRO	A	123	40.993	-22.007	25.570	1.00	61.78
ATOM	969	CD	PRO	A	123	40.173	-22.879	26.489	1.00	60.04
ATOM	970	N	PRO	A	124	40.070	-18.363	27.972	1.00	56.25
ATOM	971	CA	PRO	A	124	39.450	-17.044	27.822	1.00	55.06
ATOM	972	C	PRO	A	124	39.296	-16.504	26.415	1.00	55.85
ATOM	973	O	PRO	A	124	38.256	-15.957	26.077	1.00	55.15
ATOM	974	CB	PRO	A	124	40.322	-16.143	28.693	1.00	53.42
ATOM	975	CG	PRO	A	124	41.618	-16.857	28.744	1.00	55.63
ATOM	976	CD	PRO	A	124	41.189	-18.280	28.921	1.00	55.53
ATOM	977	N	ASP	A	125	40.314	-16.640	25.583	1.00	59.32
ATOM	978	CA	ASP	A	125	40.183	-16.125	24.230	1.00	64.35
ATOM	979	C	ASP	A	125	39.142	-16.906	23.441	1.00	65.11
ATOM	980	O	ASP	A	125	38.681	-16.452	22.402	1.00	67.02
ATOM	981	CB	ASP	A	125	41.534	-16.142	23.510	1.00	68.50
ATOM	982	CG	ASP	A	125	42.202	-17.496	23.554	1.00	74.96
ATOM	983	OD1	ASP	A	125	42.027	-18.209	24.573	1.00	76.01
ATOM	984	OD2	ASP	A	125	42.914	-17.837	22.578	1.00	77.54
ATOM	985	N	GLN	A	126	38.749	-18.068	23.947	1.00	65.67
ATOM	986	CA	GLN	A	126	37.754	-18.886	23.262	1.00	66.56
ATOM	987	C	GLN	A	126	36.408	-18.910	23.991	1.00	65.48
ATOM	988	O	GLN	A	126	35.770	-19.954	24.072	1.00	65.54
ATOM	989	CB	GLN	A	126	38.280	-20.320	23.117	1.00	70.47
ATOM	990	CG	GLN	A	126	37.335	-21.279	22.379	1.00	77.27

ATOM	991	CD	GLN	A	126	37.711	-22.745	22.559	1.00	78.70
ATOM	992	OE1	GLN	A	126	36.896	-23.642	22.323	1.00	79.06
ATOM	993	NE2	GLN	A	126	38.948	-22.993	22.972	1.00	79.40
ATOM	994	N	ALA	A	127	35.958	-17.776	24.519	1.00	64.06
ATOM	995	CA	ALA	A	127	34.687	-17.783	25.240	1.00	62.05
ATOM	996	C	ALA	A	127	33.613	-16.901	24.617	1.00	62.80
ATOM	997	O	ALA	A	127	32.435	-17.246	24.638	1.00	61.41
ATOM	998	CB	ALA	A	127	34.907	-17.398	26.703	1.00	54.86
ATOM	999	N	ALA	A	128	34.006	-15.772	24.044	1.00	64.68
ATOM	1000	CA	ALA	A	128	33.028	-14.877	23.444	1.00	66.84
ATOM	1001	C	ALA	A	128	32.268	-15.519	22.289	1.00	70.15
ATOM	1002	O	ALA	A	128	31.469	-14.857	21.630	1.00	72.61
ATOM	1003	CB	ALA	A	128	33.706	-13.613	22.973	1.00	66.19
ATOM	1004	N	GLU	A	129	32.513	-16.804	22.046	1.00	72.09
ATOM	1005	CA	GLU	A	129	31.852	-17.534	20.965	1.00	72.04
ATOM	1006	C	GLU	A	129	30.797	-18.471	21.513	1.00	70.89
ATOM	1007	O	GLU	A	129	29.839	-18.815	20.819	1.00	71.62
ATOM	1008	CB	GLU	A	129	32.858	-18.377	20.202	1.00	75.19
ATOM	1009	CG	GLU	A	129	33.524	-19.414	21.091	1.00	82.57
ATOM	1010	CD	GLU	A	129	34.198	-20.521	20.311	1.00	84.86
ATOM	1011	OE1	GLU	A	129	34.862	-20.205	19.298	1.00	84.87
ATOM	1012	OE2	GLU	A	129	34.072	-21.701	20.721	1.00	83.56
ATOM	1013	N	LYS	A	130	30.998	-18.903	22.754	1.00	69.10
ATOM	1014	CA	LYS	A	130	30.079	-19.820	23.419	1.00	67.53
ATOM	1015	C	LYS	A	130	28.793	-19.089	23.786	1.00	65.36
ATOM	1016	O	LYS	A	130	27.902	-19.658	24.401	1.00	62.57
ATOM	1017	CB	LYS	A	130	30.726	-20.376	24.691	1.00	69.15
ATOM	1018	CG	LYS	A	130	32.196	-20.771	24.545	1.00	70.77
ATOM	1019	CD	LYS	A	130	32.381	-22.083	23.801	1.00	74.07
ATOM	1020	CE	LYS	A	130	33.859	-22.365	23.555	1.00	76.23
ATOM	1021	NZ	LYS	A	130	34.111	-23.660	22.855	1.00	78.14
ATOM	1022	N	LEU	A	131	28.710	-17.822	23.400	1.00	66.08
ATOM	1023	CA	LEU	A	131	27.548	-16.999	23.704	1.00	67.30
ATOM	1024	C	LEU	A	131	26.313	-17.350	22.891	1.00	69.49
ATOM	1025	O	LEU	A	131	26.201	-16.975	21.720	1.00	71.11
ATOM	1026	CB	LEU	A	131	27.884	-15.523	23.488	1.00	65.82
ATOM	1027	CG	LEU	A	131	26.769	-14.541	23.853	1.00	62.91
ATOM	1028	CD1	LEU	A	131	26.299	-14.786	25.273	1.00	62.07
ATOM	1029	CD2	LEU	A	131	27.290	-13.133	23.707	1.00	64.30
ATOM	1030	N	ARG	A	132	25.377	-18.060	23.512	1.00	71.48
ATOM	1031	CA	ARG	A	132	24.148	-18.438	22.826	1.00	73.65
ATOM	1032	C	ARG	A	132	23.019	-17.475	23.155	1.00	73.84
ATOM	1033	O	ARG	A	132	23.177	-16.573	23.978	1.00	72.59
ATOM	1034	CB	ARG	A	132	23.742	-19.868	23.197	1.00	74.74
ATOM	1035	CG	ARG	A	132	24.570	-20.924	22.499	1.00	77.52
ATOM	1036	CD	ARG	A	132	24.027	-22.325	22.692	1.00	81.67
ATOM	1037	NE	ARG	A	132	24.255	-22.831	24.040	1.00	83.89
ATOM	1038	CZ	ARG	A	132	23.931	-24.057	24.441	1.00	86.35
ATOM	1039	NH1	ARG	A	132	23.361	-24.910	23.595	1.00	86.42
ATOM	1040	NH2	ARG	A	132	24.179	-24.430	25.691	1.00	87.07
ATOM	1041	N	PHE	A	133	21.877	-17.668	22.503	1.00	74.68
ATOM	1042	CA	PHE	A	133	20.731	-16.808	22.739	1.00	75.18
ATOM	1043	C	PHE	A	133	19.392	-17.523	22.897	1.00	77.36
ATOM	1044	O	PHE	A	133	19.308	-18.755	22.905	1.00	77.32
ATOM	1045	CB	PHE	A	133	20.628	-15.771	21.625	1.00	71.97
ATOM	1046	CG	PHE	A	133	21.821	-14.882	21.529	1.00	68.01
ATOM	1047	CD1	PHE	A	133	23.014	-15.359	21.016	1.00	66.41
ATOM	1048	CD2	PHE	A	133	21.761	-13.572	21.987	1.00	69.00
ATOM	1049	CE1	PHE	A	133	24.137	-14.543	20.960	1.00	70.11
ATOM	1050	CE2	PHE	A	133	22.873	-12.740	21.940	1.00	67.80
ATOM	1051	CZ	PHE	A	133	24.067	-13.226	21.425	1.00	69.98
ATOM	1052	N	ARG	A	134	18.347	-16.710	23.025	1.00	79.85

ATOM	1053	CA	ARG	A	134	16.973	-17.167	23.208	1.00	80.82
ATOM	1054	C	ARG	A	134	16.091	-15.913	23.155	1.00	82.58
ATOM	1055	O	ARG	A	134	16.156	-15.053	24.035	1.00	83.68
ATOM	1056	CB	ARG	A	134	16.854	-17.867	24.558	1.00	77.74
ATOM	1057	CG	ARG	A	134	15.454	-18.092	25.043	1.00	78.94
ATOM	1058	CD	ARG	A	134	15.493	-18.494	26.511	1.00	81.60
ATOM	1059	NE	ARG	A	134	16.131	-19.794	26.715	1.00	81.07
ATOM	1060	CZ	ARG	A	134	16.517	-20.262	27.899	1.00	80.69
ATOM	1061	NH1	ARG	A	134	16.341	-19.535	28.997	1.00	79.39
ATOM	1062	NH2	ARG	A	134	17.069	-21.465	27.985	1.00	79.88
ATOM	1063	N	ARG	A	135	15.275	-15.811	22.111	1.00	85.00
ATOM	1064	CA	ARG	A	135	14.419	-14.641	21.921	1.00	87.20
ATOM	1065	C	ARG	A	135	12.928	-14.765	22.255	1.00	89.04
ATOM	1066	O	ARG	A	135	12.450	-15.799	22.750	1.00	90.19
ATOM	1067	CB	ARG	A	135	14.562	-14.145	20.482	1.00	84.30
ATOM	1068	CG	ARG	A	135	14.740	-15.259	19.486	1.00	85.11
ATOM	1069	CD	ARG	A	135	14.632	-14.778	18.055	1.00	89.42
ATOM	1070	NE	ARG	A	135	15.446	-13.596	17.784	1.00	93.66
ATOM	1071	CZ	ARG	A	135	15.054	-12.347	18.021	1.00	96.36
ATOM	1072	NH1	ARG	A	135	13.849	-12.111	18.533	1.00	96.00
ATOM	1073	NH2	ARG	A	135	15.864	-11.332	17.740	1.00	95.63
ATOM	1074	N	SER	A	136	12.218	-13.671	21.976	1.00	88.55
ATOM	1075	CA	SER	A	136	10.780	-13.531	22.193	1.00	87.58
ATOM	1076	C	SER	A	136	10.399	-12.147	21.667	1.00	87.93
ATOM	1077	O	SER	A	136	11.270	-11.372	21.274	1.00	88.19
ATOM	1078	CB	SER	A	136	10.434	-13.625	23.689	1.00	86.32
ATOM	1079	OG	SER	A	136	10.597	-14.939	24.200	1.00	82.26
ATOM	1080	N	ALA	A	137	9.104	-11.841	21.650	1.00	88.81
ATOM	1081	CA	ALA	A	137	8.622	-10.535	21.188	1.00	88.96
ATOM	1082	C	ALA	A	137	8.836	-9.559	22.344	1.00	88.72
ATOM	1083	O	ALA	A	137	8.158	-8.532	22.466	1.00	88.88
ATOM	1084	CB	ALA	A	137	7.132	-10.618	20.833	1.00	89.49
ATOM	1085	N	ASN	A	138	9.804	-9.902	23.186	1.00	86.68
ATOM	1086	CA	ASN	A	138	10.119	-9.120	24.361	1.00	83.32
ATOM	1087	C	ASN	A	138	11.536	-9.402	24.866	1.00	82.50
ATOM	1088	O	ASN	A	138	12.385	-8.513	24.860	1.00	81.31
ATOM	1089	CB	ASN	A	138	9.092	-9.446	25.442	1.00	81.78
ATOM	1090	CG	ASN	A	138	8.758	-10.927	25.489	1.00	81.47
ATOM	1091	OD1	ASN	A	138	9.589	-11.750	25.860	1.00	81.02
ATOM	1092	ND2	ASN	A	138	7.539	-11.272	25.097	1.00	81.72
ATOM	1093	N	SER	A	139	11.791	-10.640	25.290	1.00	80.69
ATOM	1094	CA	SER	A	139	13.103	-11.023	25.820	1.00	77.29
ATOM	1095	C	SER	A	139	14.087	-11.617	24.824	1.00	75.03
ATOM	1096	O	SER	A	139	13.711	-12.288	23.867	1.00	75.35
ATOM	1097	CB	SER	A	139	12.944	-12.004	26.982	1.00	76.93
ATOM	1098	OG	SER	A	139	12.345	-11.383	28.102	1.00	81.31
ATOM	1099	N	LEU	A	140	15.363	-11.361	25.089	1.00	72.76
ATOM	1100	CA	LEU	A	140	16.475	-11.836	24.277	1.00	68.46
ATOM	1101	C	LEU	A	140	17.520	-12.211	25.315	1.00	65.89
ATOM	1102	O	LEU	A	140	18.547	-11.554	25.448	1.00	64.81
ATOM	1103	CB	LEU	A	140	17.002	-10.704	23.390	1.00	69.73
ATOM	1104	CG	LEU	A	140	17.880	-11.083	22.191	1.00	70.10
ATOM	1105	CD1	LEU	A	140	18.434	-9.831	21.537	1.00	69.48
ATOM	1106	CD2	LEU	A	140	19.014	-11.970	22.644	1.00	70.43
ATOM	1107	N	THR	A	141	17.224	-13.268	26.059	1.00	63.01
ATOM	1108	CA	THR	A	141	18.080	-13.761	27.133	1.00	60.38
ATOM	1109	C	THR	A	141	19.461	-14.261	26.723	1.00	59.65
ATOM	1110	O	THR	A	141	19.580	-15.323	26.108	1.00	59.36
ATOM	1111	CB	THR	A	141	17.397	-14.910	27.862	1.00	60.64
ATOM	1112	OG1	THR	A	141	15.994	-14.637	27.966	1.00	61.86
ATOM	1113	CG2	THR	A	141	17.994	-15.082	29.250	1.00	62.11
ATOM	1114	N	LEU	A	142	20.501	-13.508	27.083	1.00	57.34

ATOM	1115	CA	LEU	A	142	21.878	-13.894	26.779	1.00	53.93
ATOM	1116	C	LEU	A	142	22.176	-15.099	27.662	1.00	55.61
ATOM	1117	O	LEU	A	142	21.517	-15.284	28.683	1.00	58.01
ATOM	1118	CB	LEU	A	142	22.836	-12.771	27.144	1.00	49.82
ATOM	1119	CG	LEU	A	142	22.793	-11.425	26.427	1.00	49.85
ATOM	1120	CD1	LEU	A	142	23.911	-11.329	25.398	1.00	47.72
ATOM	1121	CD2	LEU	A	142	21.434	-11.235	25.809	1.00	49.28
ATOM	1122	N	ILE	A	143	23.154	-15.921	27.289	1.00	54.89
ATOM	1123	CA	ILE	A	143	23.474	-17.087	28.105	1.00	54.84
ATOM	1124	C	ILE	A	143	24.905	-17.594	27.951	1.00	55.02
ATOM	1125	O	ILE	A	143	25.228	-18.344	27.039	1.00	56.50
ATOM	1126	CB	ILE	A	143	22.470	-18.228	27.835	1.00	54.71
ATOM	1127	CG1	ILE	A	143	22.990	-19.530	28.442	1.00	55.42
ATOM	1128	CG2	ILE	A	143	22.198	-18.338	26.354	1.00	53.50
ATOM	1129	CD1	ILE	A	143	21.993	-20.657	28.385	1.00	61.97
ATOM	1130	N	ASN	A	144	25.748	-17.178	28.886	1.00	56.03
ATOM	1131	CA	ASN	A	144	27.164	-17.524	28.919	1.00	54.33
ATOM	1132	C	ASN	A	144	27.410	-18.759	29.772	1.00	52.57
ATOM	1133	O	ASN	A	144	27.285	-18.720	30.989	1.00	52.42
ATOM	1134	CB	ASN	A	144	27.939	-16.320	29.461	1.00	57.49
ATOM	1135	CG	ASN	A	144	29.362	-16.649	29.828	1.00	61.07
ATOM	1136	OD1	ASN	A	144	29.960	-17.590	29.297	1.00	64.29
ATOM	1137	ND2	ASN	A	144	29.929	-15.855	30.729	1.00	61.19
ATOM	1138	N	PRO	A	145	27.762	-19.879	29.131	1.00	51.83
ATOM	1139	CA	PRO	A	145	28.034	-21.163	29.778	1.00	50.87
ATOM	1140	C	PRO	A	145	29.482	-21.327	30.214	1.00	50.19
ATOM	1141	O	PRO	A	145	29.842	-22.325	30.844	1.00	50.43
ATOM	1142	CB	PRO	A	145	27.664	-22.155	28.692	1.00	52.71
ATOM	1143	CG	PRO	A	145	28.232	-21.472	27.476	1.00	52.66
ATOM	1144	CD	PRO	A	145	27.745	-20.036	27.666	1.00	53.23
ATOM	1145	N	THR	A	146	30.311	-20.352	29.865	1.00	48.88
ATOM	1146	CA	THR	A	146	31.724	-20.386	30.215	1.00	47.03
ATOM	1147	C	THR	A	146	31.963	-19.892	31.641	1.00	46.92
ATOM	1148	O	THR	A	146	31.053	-19.392	32.307	1.00	47.76
ATOM	1149	CB	THR	A	146	32.515	-19.498	29.294	1.00	46.29
ATOM	1150	OG1	THR	A	146	32.327	-18.136	29.685	1.00	44.89
ATOM	1151	CG2	THR	A	146	32.021	-19.664	27.876	1.00	50.73
ATOM	1152	N	PRO	A	147	33.198	-20.037	32.134	1.00	44.73
ATOM	1153	CA	PRO	A	147	33.467	-19.572	33.494	1.00	42.77
ATOM	1154	C	PRO	A	147	33.907	-18.101	33.572	1.00	41.73
ATOM	1155	O	PRO	A	147	34.305	-17.628	34.635	1.00	41.78
ATOM	1156	CB	PRO	A	147	34.547	-20.535	33.962	1.00	42.94
ATOM	1157	CG	PRO	A	147	35.314	-20.787	32.710	1.00	40.10
ATOM	1158	CD	PRO	A	147	34.234	-20.986	31.693	1.00	42.45
ATOM	1159	N	TYR	A	148	33.826	-17.378	32.458	1.00	38.80
ATOM	1160	CA	TYR	A	148	34.226	-15.971	32.448	1.00	37.98
ATOM	1161	C	TYR	A	148	33.065	-15.001	32.311	1.00	36.58
ATOM	1162	O	TYR	A	148	31.988	-15.358	31.843	1.00	35.12
ATOM	1163	CB	TYR	A	148	35.213	-15.686	31.312	1.00	37.50
ATOM	1164	CG	TYR	A	148	36.341	-16.671	31.237	1.00	37.02
ATOM	1165	CD1	TYR	A	148	36.113	-17.989	30.831	1.00	35.97
ATOM	1166	CD2	TYR	A	148	37.628	-16.301	31.587	1.00	32.20
ATOM	1167	CE1	TYR	A	148	37.137	-18.904	30.778	1.00	33.98
ATOM	1168	CE2	TYR	A	148	38.660	-17.214	31.540	1.00	34.72
ATOM	1169	CZ	TYR	A	148	38.410	-18.516	31.133	1.00	35.09
ATOM	1170	OH	TYR	A	148	39.437	-19.432	31.086	1.00	34.68
ATOM	1171	N	TYR	A	149	33.308	-13.758	32.709	1.00	35.02
ATOM	1172	CA	TYR	A	149	32.293	-12.723	32.625	1.00	34.14
ATOM	1173	C	TYR	A	149	32.277	-12.096	31.240	1.00	32.33
ATOM	1174	O	TYR	A	149	33.210	-11.400	30.855	1.00	30.31
ATOM	1175	CB	TYR	A	149	32.553	-11.628	33.659	1.00	35.33
ATOM	1176	CG	TYR	A	149	31.804	-11.779	34.969	1.00	39.02

ATOM	1177	CD1	TYR	A	149	32.310	-12.560	36.005	1.00	40.49
ATOM	1178	CD2	TYR	A	149	30.583	-11.135	35.170	1.00	41.91
ATOM	1179	CE1	TYR	A	149	31.619	-12.695	37.214	1.00	43.63
ATOM	1180	CE2	TYR	A	149	29.884	-11.267	36.371	1.00	45.25
ATOM	1181	CZ	TYR	A	149	30.408	-12.047	37.389	1.00	44.89
ATOM	1182	OH	TYR	A	149	29.725	-12.178	38.579	1.00	45.99
ATOM	1183	N	LEU	A	150	31.208	-12.323	30.491	1.00	31.01
ATOM	1184	CA	LEU	A	150	31.133	-11.753	29.159	1.00	30.10
ATOM	1185	C	LEU	A	150	30.580	-10.339	29.211	1.00	31.22
ATOM	1186	O	LEU	A	150	29.460	-10.115	29.688	1.00	28.25
ATOM	1187	CB	LEU	A	150	30.241	-12.598	28.250	1.00	29.12
ATOM	1188	CG	LEU	A	150	30.463	-14.101	28.105	1.00	28.99
ATOM	1189	CD1	LEU	A	150	29.545	-14.580	26.989	1.00	27.49
ATOM	1190	CD2	LEU	A	150	31.922	-14.437	27.795	1.00	26.28
ATOM	1191	N	THR	A	151	31.368	-9.387	28.714	1.00	29.93
ATOM	1192	CA	THR	A	151	30.937	-8.001	28.694	1.00	30.13
ATOM	1193	C	THR	A	151	30.442	-7.756	27.281	1.00	32.08
ATOM	1194	O	THR	A	151	31.156	-7.199	26.449	1.00	34.65
ATOM	1195	CB	THR	A	151	32.113	-7.014	29.036	1.00	34.31
ATOM	1196	OG1	THR	A	151	32.520	-7.168	30.408	1.00	29.48
ATOM	1197	CG2	THR	A	151	31.690	-5.568	28.824	1.00	31.43
ATOM	1198	N	VAL	A	152	29.214	-8.198	27.015	1.00	33.34
ATOM	1199	CA	VAL	A	152	28.562	-8.064	25.707	1.00	32.90
ATOM	1200	C	VAL	A	152	28.265	-6.626	25.337	1.00	34.39
ATOM	1201	O	VAL	A	152	27.673	-5.902	26.110	1.00	38.94
ATOM	1202	CB	VAL	A	152	27.235	-8.837	25.694	1.00	33.52
ATOM	1203	CG1	VAL	A	152	26.454	-8.525	24.434	1.00	32.31
ATOM	1204	CG2	VAL	A	152	27.511	-10.331	25.811	1.00	34.77
ATOM	1205	N	THR	A	153	28.657	-6.215	24.144	1.00	37.62
ATOM	1206	CA	THR	A	153	28.413	-4.852	23.699	1.00	40.97
ATOM	1207	C	THR	A	153	28.163	-4.785	22.184	1.00	47.35
ATOM	1208	O	THR	A	153	28.517	-5.708	21.437	1.00	47.43
ATOM	1209	CB	THR	A	153	29.595	-3.975	24.054	1.00	39.42
ATOM	1210	OG1	THR	A	153	29.456	-2.691	23.437	1.00	36.76
ATOM	1211	CG2	THR	A	153	30.871	-4.631	23.588	1.00	43.57
ATOM	1212	N	GLU	A	154	27.567	-3.683	21.729	1.00	51.86
ATOM	1213	CA	GLU	A	154	27.242	-3.516	20.318	1.00	54.35
ATOM	1214	C	GLU	A	154	26.289	-4.645	19.912	1.00	57.20
ATOM	1215	O	GLU	A	154	26.269	-5.075	18.761	1.00	60.08
ATOM	1216	CB	GLU	A	154	28.512	-3.551	19.453	1.00	52.64
ATOM	1217	CG	GLU	A	154	29.397	-2.309	19.575	1.00	55.83
ATOM	1218	CD	GLU	A	154	30.316	-2.097	18.369	1.00	56.54
ATOM	1219	OE1	GLU	A	154	30.164	-2.831	17.374	1.00	60.23
ATOM	1220	OE2	GLU	A	154	31.180	-1.190	18.404	1.00	52.54
ATOM	1221	N	LEU	A	155	25.503	-5.122	20.873	1.00	59.21
ATOM	1222	CA	LEU	A	155	24.542	-6.200	20.644	1.00	61.51
ATOM	1223	C	LEU	A	155	23.313	-5.669	19.918	1.00	64.40
ATOM	1224	O	LEU	A	155	22.539	-4.906	20.492	1.00	64.64
ATOM	1225	CB	LEU	A	155	24.105	-6.807	21.980	1.00	59.41
ATOM	1226	CG	LEU	A	155	23.116	-7.975	21.968	1.00	58.08
ATOM	1227	CD1	LEU	A	155	23.843	-9.252	21.561	1.00	60.75
ATOM	1228	CD2	LEU	A	155	22.513	-8.153	23.345	1.00	56.52
ATOM	1229	N	ASN	A	156	23.132	-6.074	18.662	1.00	68.16
ATOM	1230	CA	ASN	A	156	21.979	-5.639	17.873	1.00	69.97
ATOM	1231	C	ASN	A	156	21.116	-6.838	17.517	1.00	71.65
ATOM	1232	O	ASN	A	156	21.628	-7.947	17.327	1.00	71.13
ATOM	1233	CB	ASN	A	156	22.443	-4.981	16.583	1.00	68.17
ATOM	1234	CG	ASN	A	156	23.717	-4.219	16.764	1.00	70.11
ATOM	1235	OD1	ASN	A	156	23.739	-3.160	17.394	1.00	70.02
ATOM	1236	ND2	ASN	A	156	24.806	-4.763	16.232	1.00	67.99
ATOM	1237	N	ALA	A	157	19.806	-6.618	17.442	1.00	72.63
ATOM	1238	CA	ALA	A	157	18.893	-7.684	17.060	1.00	74.68

ATOM	1239	C	ALA	A	157	18.907	-7.623	15.539	1.00	77.08
ATOM	1240	O	ALA	A	157	17.922	-7.942	14.870	1.00	77.38
ATOM	1241	CB	ALA	A	157	17.506	-7.403	17.592	1.00	73.15
ATOM	1242	N	GLY	A	158	20.057	-7.203	15.012	1.00	79.59
ATOM	1243	CA	GLY	A	158	20.238	-7.051	13.583	1.00	79.43
ATOM	1244	C	GLY	A	158	19.521	-5.779	13.201	1.00	80.65
ATOM	1245	O	GLY	A	158	20.137	-4.751	12.912	1.00	80.40
ATOM	1246	N	THR	A	159	18.196	-5.854	13.218	1.00	81.06
ATOM	1247	CA	THR	A	159	17.377	-4.708	12.890	1.00	81.41
ATOM	1248	C	THR	A	159	17.759	-3.631	13.898	1.00	82.68
ATOM	1249	O	THR	A	159	18.686	-2.843	13.681	1.00	81.35
ATOM	1250	CB	THR	A	159	15.869	-5.044	13.038	1.00	80.28
ATOM	1251	OG1	THR	A	159	15.621	-6.376	12.571	1.00	76.22
ATOM	1252	CG2	THR	A	159	15.024	-4.065	12.224	1.00	79.30
ATOM	1253	N	ARG	A	160	17.049	-3.640	15.019	1.00	83.93
ATOM	1254	CA	ARG	A	160	17.248	-2.691	16.100	1.00	85.46
ATOM	1255	C	ARG	A	160	18.557	-2.981	16.859	1.00	85.51
ATOM	1256	O	ARG	A	160	19.061	-4.112	16.846	1.00	86.01
ATOM	1257	CB	ARG	A	160	16.045	-2.796	17.048	1.00	88.12
ATOM	1258	CG	ARG	A	160	15.796	-1.608	17.966	1.00	94.20
ATOM	1259	CD	ARG	A	160	15.236	-0.413	17.208	1.00	98.02
ATOM	1260	NE	ARG	A	160	14.748	0.627	18.113	1.00	101.27
ATOM	1261	CZ	ARG	A	160	15.497	1.264	19.010	1.00	102.00
ATOM	1262	NH1	ARG	A	160	16.789	0.976	19.135	1.00	100.33
ATOM	1263	NH2	ARG	A	160	14.947	2.189	19.790	1.00	103.11
ATOM	1264	N	VAL	A	161	19.110	-1.952	17.502	1.00	83.93
ATOM	1265	CA	VAL	A	161	20.324	-2.095	18.307	1.00	81.73
ATOM	1266	C	VAL	A	161	19.832	-2.572	19.679	1.00	80.32
ATOM	1267	O	VAL	A	161	18.661	-2.922	19.818	1.00	80.72
ATOM	1268	CB	VAL	A	161	21.059	-0.741	18.473	1.00	81.65
ATOM	1269	CG1	VAL	A	161	20.225	0.208	19.321	1.00	80.39
ATOM	1270	CG2	VAL	A	161	22.431	-0.963	19.097	1.00	80.51
ATOM	1271	N	LEU	A	162	20.691	-2.585	20.694	1.00	77.94
ATOM	1272	CA	LEU	A	162	20.245	-3.037	22.010	1.00	75.31
ATOM	1273	C	LEU	A	162	21.053	-2.562	23.201	1.00	72.80
ATOM	1274	O	LEU	A	162	22.000	-1.786	23.076	1.00	73.01
ATOM	1275	CB	LEU	A	162	20.156	-4.563	22.048	1.00	76.52
ATOM	1276	CG	LEU	A	162	18.989	-5.174	21.269	1.00	77.46
ATOM	1277	CD1	LEU	A	162	19.091	-6.689	21.272	1.00	77.42
ATOM	1278	CD2	LEU	A	162	17.682	-4.706	21.891	1.00	76.70
ATOM	1279	N	GLU	A	163	20.658	-3.053	24.368	1.00	70.29
ATOM	1280	CA	GLU	A	163	21.299	-2.691	25.625	1.00	66.27
ATOM	1281	C	GLU	A	163	22.500	-3.580	25.926	1.00	61.01
ATOM	1282	O	GLU	A	163	22.373	-4.805	25.948	1.00	59.36
ATOM	1283	CB	GLU	A	163	20.279	-2.805	26.767	1.00	66.98
ATOM	1284	CG	GLU	A	163	20.566	-1.906	27.947	1.00	69.94
ATOM	1285	CD	GLU	A	163	20.632	-0.445	27.544	1.00	73.45
ATOM	1286	OE1	GLU	A	163	21.518	-0.088	26.726	1.00	75.94
ATOM	1287	OE2	GLU	A	163	19.794	0.341	28.041	1.00	71.50
ATOM	1288	N	ASN	A	164	23.663	-2.969	26.151	1.00	55.14
ATOM	1289	CA	ASN	A	164	24.864	-3.736	26.482	1.00	50.11
ATOM	1290	C	ASN	A	164	24.529	-4.711	27.606	1.00	47.76
ATOM	1291	O	ASN	A	164	23.475	-4.615	28.215	1.00	52.28
ATOM	1292	CB	ASN	A	164	25.984	-2.817	26.958	1.00	48.43
ATOM	1293	CG	ASN	A	164	26.581	-2.007	25.852	1.00	43.87
ATOM	1294	OD1	ASN	A	164	27.025	-2.555	24.848	1.00	47.22
ATOM	1295	ND2	ASN	A	164	26.614	-0.698	26.029	1.00	43.76
ATOM	1296	N	ALA	A	165	25.421	-5.638	27.909	1.00	43.10
ATOM	1297	CA	ALA	A	165	25.123	-6.592	28.960	1.00	40.00
ATOM	1298	C	ALA	A	165	26.372	-7.152	29.582	1.00	40.66
ATOM	1299	O	ALA	A	165	27.435	-7.173	28.959	1.00	44.35
ATOM	1300	CB	ALA	A	165	24.295	-7.723	28.403	1.00	35.89

ATOM	1301	N	LEU A 166	26.251	-7.591	30.827	1.00	36.94
ATOM	1302	CA	LEU A 166	27.373	-8.198	31.507	1.00	34.83
ATOM	1303	C	LEU A 166	26.829	-9.559	31.891	1.00	34.24
ATOM	1304	O	LEU A 166	26.163	-9.717	32.895	1.00	34.85
ATOM	1305	CB	LEU A 166	27.774	-7.377	32.729	1.00	31.59
ATOM	1306	CG	LEU A 166	28.856	-8.007	33.610	1.00	32.29
ATOM	1307	CD1	LEU A 166	30.059	-8.446	32.797	1.00	27.07
ATOM	1308	CD2	LEU A 166	29.248	-6.999	34.666	1.00	36.78
ATOM	1309	N	VAL A 167	27.092	-10.555	31.066	1.00	36.34
ATOM	1310	CA	VAL A 167	26.548	-11.864	31.354	1.00	37.38
ATOM	1311	C	VAL A 167	27.478	-12.689	32.193	1.00	38.68
ATOM	1312	O	VAL A 167	28.532	-13.144	31.733	1.00	37.36
ATOM	1313	CB	VAL A 167	26.203	-12.650	30.065	1.00	39.35
ATOM	1314	CG1	VAL A 167	25.331	-13.849	30.416	1.00	36.99
ATOM	1315	CG2	VAL A 167	25.486	-11.739	29.064	1.00	37.41
ATOM	1316	N	PRO A 168	27.087	-12.900	33.453	1.00	41.09
ATOM	1317	CA	PRO A 168	27.837	-13.678	34.443	1.00	42.39
ATOM	1318	C	PRO A 168	28.159	-15.102	33.982	1.00	44.75
ATOM	1319	O	PRO A 168	27.430	-15.708	33.193	1.00	46.30
ATOM	1320	CB	PRO A 168	26.920	-13.659	35.661	1.00	40.68
ATOM	1321	CG	PRO A 168	25.549	-13.522	35.062	1.00	41.51
ATOM	1322	CD	PRO A 168	25.778	-12.491	33.988	1.00	40.21
ATOM	1323	N	PRO A 169	29.267	-15.659	34.477	1.00	46.30
ATOM	1324	CA	PRO A 169	29.673	-17.015	34.107	1.00	46.51
ATOM	1325	C	PRO A 169	28.562	-18.041	34.343	1.00	45.27
ATOM	1326	O	PRO A 169	27.868	-18.006	35.353	1.00	46.77
ATOM	1327	CB	PRO A 169	30.885	-17.262	35.009	1.00	48.23
ATOM	1328	CG	PRO A 169	31.457	-15.894	35.180	1.00	46.88
ATOM	1329	CD	PRO A 169	30.219	-15.073	35.434	1.00	46.77
ATOM	1330	N	MET A 170	28.392	-18.955	33.405	1.00	44.41
ATOM	1331	CA	MET A 170	27.386	-19.989	33.554	1.00	42.99
ATOM	1332	C	MET A 170	26.062	-19.419	34.040	1.00	42.38
ATOM	1333	O	MET A 170	25.383	-20.005	34.876	1.00	39.67
ATOM	1334	CB	MET A 170	27.898	-21.027	34.530	1.00	41.47
ATOM	1335	CG	MET A 170	29.298	-21.441	34.219	1.00	45.65
ATOM	1336	SD	MET A 170	29.785	-22.827	35.219	1.00	60.19
ATOM	1337	CE	MET A 170	30.980	-22.051	36.370	1.00	57.40
ATOM	1338	N	GLY A 171	25.701	-18.263	33.507	1.00	44.14
ATOM	1339	CA	GLY A 171	24.453	-17.640	33.893	1.00	46.56
ATOM	1340	C	GLY A 171	23.915	-16.869	32.717	1.00	48.92
ATOM	1341	O	GLY A 171	24.546	-16.813	31.665	1.00	48.41
ATOM	1342	N	GLU A 172	22.750	-16.264	32.895	1.00	51.42
ATOM	1343	CA	GLU A 172	22.132	-15.511	31.819	1.00	54.41
ATOM	1344	C	GLU A 172	22.021	-14.039	32.185	1.00	55.68
ATOM	1345	O	GLU A 172	22.479	-13.608	33.243	1.00	55.16
ATOM	1346	CB	GLU A 172	20.730	-16.063	31.526	1.00	54.04
ATOM	1347	CG	GLU A 172	20.629	-17.583	31.578	1.00	57.91
ATOM	1348	CD	GLU A 172	19.214	-18.077	31.342	1.00	61.11
ATOM	1349	OE1	GLU A 172	18.280	-17.450	31.890	1.00	62.53
ATOM	1350	OE2	GLU A 172	19.039	-19.091	30.622	1.00	59.59
ATOM	1351	N	SER A 173	21.402	-13.285	31.285	1.00	56.47
ATOM	1352	CA	SER A 173	21.170	-11.864	31.449	1.00	57.97
ATOM	1353	C	SER A 173	20.150	-11.525	30.380	1.00	60.48
ATOM	1354	O	SER A 173	20.427	-11.639	29.185	1.00	62.08
ATOM	1355	CB	SER A 173	22.450	-11.068	31.212	1.00	56.56
ATOM	1356	OG	SER A 173	23.478	-11.489	32.084	1.00	63.49
ATOM	1357	N	THR A 174	18.957	-11.137	30.805	1.00	20.00
ATOM	1358	CG2	THR A 174	16.242	-12.225	31.130	1.00	20.00
ATOM	1359	OG1	THR A 174	16.469	-9.902	31.571	1.00	20.00
ATOM	1360	CB	THR A 174	16.540	-10.855	30.524	1.00	20.00
ATOM	1361	CA	THR A 174	17.920	-10.789	29.856	1.00	20.00
ATOM	1362	C	THR A 174	18.137	-9.369	29.327	1.00	20.00

ATOM	1363	O	THR A 174	18.792	-8.551	29.963	1.00	20.00
ATOM	1364	N	VAL A 175	17.586	-9.092	28.151	1.00	68.32
ATOM	1365	CA	VAL A 175	17.680	-7.779	27.517	1.00	71.76
ATOM	1366	C	VAL A 175	16.364	-7.578	26.775	1.00	75.10
ATOM	1367	O	VAL A 175	15.852	-8.526	26.177	1.00	77.83
ATOM	1368	CB	VAL A 175	18.821	-7.739	26.485	1.00	70.60
ATOM	1369	CG1	VAL A 175	18.980	-6.330	25.923	1.00	69.38
ATOM	1370	CG2	VAL A 175	20.099	-8.220	27.123	1.00	70.96
ATOM	1371	N	LYS A 176	15.807	-6.369	26.798	1.00	75.92
ATOM	1372	CA	LYS A 176	14.547	-6.144	26.097	1.00	77.61
ATOM	1373	C	LYS A 176	14.732	-6.383	24.599	1.00	79.98
ATOM	1374	O	LYS A 176	15.822	-6.177	24.056	1.00	79.49
ATOM	1375	CB	LYS A 176	14.029	-4.729	26.350	1.00	76.54
ATOM	1376	CG	LYS A 176	13.652	-4.462	27.797	1.00	78.90
ATOM	1377	CD	LYS A 176	14.884	-4.468	28.710	1.00	83.36
ATOM	1378	CE	LYS A 176	14.757	-5.486	29.848	1.00	83.10
ATOM	1379	NZ	LYS A 176	13.644	-5.164	30.791	1.00	79.44
ATOM	1380	N	LEU A 177	13.664	-6.827	23.941	1.00	81.98
ATOM	1381	CA	LEU A 177	13.694	-7.121	22.509	1.00	85.14
ATOM	1382	C	LEU A 177	12.567	-6.351	21.814	1.00	87.64
ATOM	1383	O	LEU A 177	11.428	-6.819	21.746	1.00	88.91
ATOM	1384	CB	LEU A 177	13.534	-8.631	22.304	1.00	83.47
ATOM	1385	CG	LEU A 177	14.038	-9.278	21.014	1.00	81.77
ATOM	1386	CD1	LEU A 177	15.445	-8.803	20.703	1.00	80.13
ATOM	1387	CD2	LEU A 177	14.013	-10.786	21.177	1.00	78.78
ATOM	1388	N	PRO A 178	12.882	-5.154	21.289	1.00	89.96
ATOM	1389	CA	PRO A 178	11.984	-4.228	20.588	1.00	93.23
ATOM	1390	C	PRO A 178	11.600	-4.545	19.144	1.00	96.49
ATOM	1391	O	PRO A 178	12.015	-3.833	18.225	1.00	96.14
ATOM	1392	CB	PRO A 178	12.731	-2.908	20.686	1.00	92.42
ATOM	1393	CG	PRO A 178	14.133	-3.346	20.513	1.00	92.47
ATOM	1394	CD	PRO A 178	14.218	-4.551	21.433	1.00	90.44
ATOM	1395	N	SER A 179	10.792	-5.591	18.964	1.00	100.19
ATOM	1396	CA	SER A 179	10.299	-6.041	17.652	1.00	102.71
ATOM	1397	C	SER A 179	11.326	-6.100	16.514	1.00	103.13
ATOM	1398	O	SER A 179	11.623	-7.180	15.998	1.00	102.93
ATOM	1399	CB	SER A 179	9.102	-5.180	17.226	1.00	104.08
ATOM	1400	OG	SER A 179	8.009	-5.344	18.122	1.00	105.40
ATOM	1401	N	ASP A 180	11.843	-4.940	16.115	1.00	104.15
ATOM	1402	CA	ASP A 180	12.846	-4.850	15.056	1.00	104.28
ATOM	1403	C	ASP A 180	13.958	-5.823	15.419	1.00	103.91
ATOM	1404	O	ASP A 180	14.947	-5.431	16.038	1.00	104.08
ATOM	1405	CB	ASP A 180	13.444	-3.438	14.992	1.00	104.76
ATOM	1406	CG	ASP A 180	12.408	-2.343	15.164	1.00	105.12
ATOM	1407	OD1	ASP A 180	11.198	-2.653	15.214	1.00	107.34
ATOM	1408	OD2	ASP A 180	12.811	-1.162	15.250	1.00	103.44
ATOM	1409	N	ALA A 181	13.804	-7.085	15.037	1.00	103.02
ATOM	1410	CA	ALA A 181	14.809	-8.083	15.363	1.00	102.13
ATOM	1411	C	ALA A 181	15.069	-9.038	14.215	1.00	101.03
ATOM	1412	O	ALA A 181	16.125	-8.999	13.582	1.00	100.41
ATOM	1413	CB	ALA A 181	14.374	-8.868	16.598	1.00	101.94
ATOM	1414	N	GLY A 182	14.094	-9.900	13.954	1.00	100.28
ATOM	1415	CA	GLY A 182	14.239	-10.876	12.894	1.00	98.70
ATOM	1416	C	GLY A 182	14.975	-12.098	13.411	1.00	96.62
ATOM	1417	O	GLY A 182	14.356	-13.122	13.720	1.00	95.59
ATOM	1418	N	SER A 183	16.297	-11.981	13.519	1.00	94.44
ATOM	1419	CA	SER A 183	17.134	-13.073	14.000	1.00	91.78
ATOM	1420	C	SER A 183	18.607	-12.774	13.779	1.00	89.42
ATOM	1421	O	SER A 183	19.476	-13.488	14.283	1.00	88.50
ATOM	1422	CB	SER A 183	16.782	-14.370	13.270	1.00	93.13
ATOM	1423	OG	SER A 183	17.744	-15.375	13.531	1.00	94.37
ATOM	1424	N	ASN A 184	18.889	-11.716	13.027	1.00	86.54

ATOM	1425	CA	ASN	A	184	20.269	-11.367	12.729	1.00	84.65
ATOM	1426	C	ASN	A	184	21.033	-10.757	13.900	1.00	82.09
ATOM	1427	O	ASN	A	184	21.208	-9.543	13.979	1.00	80.86
ATOM	1428	CB	ASN	A	184	20.327	-10.421	11.527	1.00	86.23
ATOM	1429	CG	ASN	A	184	21.736	-10.256	10.990	1.00	88.77
ATOM	1430	OD1	ASN	A	184	22.434	-11.244	10.736	1.00	90.08
ATOM	1431	ND2	ASN	A	184	22.163	-9.009	10.810	1.00	90.29
ATOM	1432	N	ILE	A	185	21.508	-11.609	14.800	1.00	79.35
ATOM	1433	CA	ILE	A	185	22.257	-11.127	15.950	1.00	76.24
ATOM	1434	C	ILE	A	185	23.691	-10.743	15.605	1.00	74.23
ATOM	1435	O	ILE	A	185	24.419	-11.486	14.943	1.00	71.89
ATOM	1436	CB	ILE	A	185	22.287	-12.164	17.087	1.00	75.40
ATOM	1437	CG1	ILE	A	185	20.870	-12.379	17.635	1.00	72.50
ATOM	1438	CG2	ILE	A	185	23.257	-11.712	18.165	1.00	74.12
ATOM	1439	CD1	ILE	A	185	20.069	-11.098	17.822	1.00	68.58
ATOM	1440	N	THR	A	186	24.083	-9.571	16.087	1.00	73.06
ATOM	1441	CA	THR	A	186	25.410	-9.027	15.852	1.00	70.01
ATOM	1442	C	THR	A	186	25.924	-8.390	17.140	1.00	68.28
ATOM	1443	O	THR	A	186	25.448	-7.326	17.540	1.00	69.42
ATOM	1444	CB	THR	A	186	25.349	-7.956	14.770	1.00	67.99
ATOM	1445	OG1	THR	A	186	24.276	-8.261	13.875	1.00	68.19
ATOM	1446	CG2	THR	A	186	26.652	-7.910	13.995	1.00	67.60
ATOM	1447	N	TYR	A	187	26.896	-9.032	17.778	1.00	64.24
ATOM	1448	CA	TYR	A	187	27.450	-8.513	19.018	1.00	61.53
ATOM	1449	C	TYR	A	187	28.978	-8.562	19.037	1.00	59.66
ATOM	1450	O	TYR	A	187	29.601	-9.250	18.228	1.00	59.60
ATOM	1451	CB	TYR	A	187	26.910	-9.324	20.187	1.00	60.05
ATOM	1452	CG	TYR	A	187	27.552	-10.683	20.291	1.00	58.65
ATOM	1453	CD1	TYR	A	187	27.058	-11.763	19.574	1.00	57.45
ATOM	1454	CD2	TYR	A	187	28.666	-10.887	21.100	1.00	58.79
ATOM	1455	CE1	TYR	A	187	27.653	-13.013	19.663	1.00	57.78
ATOM	1456	CE2	TYR	A	187	29.267	-12.135	21.198	1.00	56.44
ATOM	1457	CZ	TYR	A	187	28.755	-13.191	20.481	1.00	57.45
ATOM	1458	OH	TYR	A	187	29.326	-14.432	20.606	1.00	57.82
ATOM	1459	N	ARG	A	188	29.564	-7.831	19.983	1.00	57.46
ATOM	1460	CA	ARG	A	188	31.018	-7.763	20.165	1.00	54.33
ATOM	1461	C	ARG	A	188	31.284	-7.744	21.666	1.00	49.96
ATOM	1462	O	ARG	A	188	30.485	-7.204	22.421	1.00	50.32
ATOM	1463	CB	ARG	A	188	31.582	-6.475	19.548	1.00	56.38
ATOM	1464	CG	ARG	A	188	31.270	-6.278	18.078	1.00	57.07
ATOM	1465	CD	ARG	A	188	31.770	-4.930	17.572	1.00	54.59
ATOM	1466	NE	ARG	A	188	33.217	-4.821	17.643	1.00	55.11
ATOM	1467	CZ	ARG	A	188	34.048	-5.631	17.002	1.00	55.36
ATOM	1468	NH1	ARG	A	188	33.566	-6.598	16.247	1.00	56.92
ATOM	1469	NH2	ARG	A	188	35.359	-5.485	17.121	1.00	58.00
ATOM	1470	N	THR	A	189	32.391	-8.322	22.111	1.00	44.03
ATOM	1471	CA	THR	A	189	32.676	-8.305	23.537	1.00	40.96
ATOM	1472	C	THR	A	189	33.960	-7.571	23.868	1.00	41.97
ATOM	1473	O	THR	A	189	34.809	-7.368	22.998	1.00	44.09
ATOM	1474	CB	THR	A	189	32.808	-9.695	24.098	1.00	37.22
ATOM	1475	OG1	THR	A	189	33.968	-10.316	23.533	1.00	32.43
ATOM	1476	CG2	THR	A	189	31.552	-10.492	23.801	1.00	30.86
ATOM	1477	N	ILE	A	190	34.102	-7.172	25.131	1.00	39.78
ATOM	1478	CA	ILE	A	190	35.298	-6.468	25.565	1.00	37.85
ATOM	1479	C	ILE	A	190	36.243	-7.471	26.219	1.00	37.95
ATOM	1480	O	ILE	A	190	35.878	-8.127	27.186	1.00	37.77
ATOM	1481	CB	ILE	A	190	34.929	-5.342	26.524	1.00	34.38
ATOM	1482	CG1	ILE	A	190	34.080	-4.322	25.775	1.00	33.19
ATOM	1483	CG2	ILE	A	190	36.170	-4.669	27.046	1.00	36.31
ATOM	1484	CD1	ILE	A	190	33.645	-3.143	26.600	1.00	37.72
ATOM	1485	N	ASN	A	191	37.451	-7.599	25.672	1.00	37.82
ATOM	1486	CA	ASN	A	191	38.428	-8.565	26.183	1.00	38.41

ATOM	1487	C	ASN	A	191	39.323	-8.108	27.340	1.00	35.99
ATOM	1488	O	ASN	A	191	39.361	-6.927	27.697	1.00	35.36
ATOM	1489	CB	ASN	A	191	39.325	-9.073	25.037	1.00	40.67
ATOM	1490	CG	ASN	A	191	40.319	-8.024	24.562	1.00	41.41
ATOM	1491	OD1	ASN	A	191	41.076	-7.473	25.349	1.00	41.67
ATOM	1492	ND2	ASN	A	191	40.320	-7.753	23.270	1.00	44.70
ATOM	1493	N	ASP	A	192	40.058	-9.070	27.893	1.00	31.63
ATOM	1494	CA	ASP	A	192	40.963	-8.846	29.011	1.00	31.83
ATOM	1495	C	ASP	A	192	41.829	-7.593	28.924	1.00	33.14
ATOM	1496	O	ASP	A	192	42.383	-7.149	29.924	1.00	35.47
ATOM	1497	CB	ASP	A	192	41.866	-10.066	29.187	1.00	31.10
ATOM	1498	CG	ASP	A	192	41.149	-11.240	29.836	1.00	35.33
ATOM	1499	OD1	ASP	A	192	40.009	-11.066	30.308	1.00	39.36
ATOM	1500	OD2	ASP	A	192	41.729	-12.342	29.891	1.00	36.89
ATOM	1501	N	TYR	A	193	41.942	-7.011	27.738	1.00	33.33
ATOM	1502	CA	TYR	A	193	42.775	-5.831	27.568	1.00	31.50
ATOM	1503	C	TYR	A	193	41.954	-4.599	27.256	1.00	33.00
ATOM	1504	O	TYR	A	193	42.495	-3.569	26.824	1.00	33.57
ATOM	1505	CB	TYR	A	193	43.799	-6.097	26.478	1.00	26.19
ATOM	1506	CG	TYR	A	193	44.514	-7.389	26.735	1.00	28.24
ATOM	1507	CD1	TYR	A	193	45.339	-7.532	27.841	1.00	31.10
ATOM	1508	CD2	TYR	A	193	44.327	-8.492	25.908	1.00	30.27
ATOM	1509	CE1	TYR	A	193	45.965	-8.748	28.120	1.00	32.37
ATOM	1510	CE2	TYR	A	193	44.948	-9.716	26.177	1.00	28.95
ATOM	1511	CZ	TYR	A	193	45.769	-9.839	27.283	1.00	30.31
ATOM	1512	OH	TYR	A	193	46.417	-11.035	27.544	1.00	24.83
ATOM	1513	N	GLY	A	194	40.646	-4.720	27.491	1.00	30.93
ATOM	1514	CA	GLY	A	194	39.730	-3.616	27.274	1.00	31.78
ATOM	1515	C	GLY	A	194	39.563	-3.281	25.814	1.00	33.48
ATOM	1516	O	GLY	A	194	39.180	-2.161	25.453	1.00	31.17
ATOM	1517	N	ALA	A	195	39.851	-4.274	24.978	1.00	34.03
ATOM	1518	CA	ALA	A	195	39.753	-4.128	23.539	1.00	33.65
ATOM	1519	C	ALA	A	195	38.599	-4.954	22.998	1.00	33.71
ATOM	1520	O	ALA	A	195	38.325	-6.050	23.484	1.00	30.26
ATOM	1521	CB	ALA	A	195	41.057	-4.558	22.890	1.00	37.36
ATOM	1522	N	LEU	A	196	37.920	-4.395	22.000	1.00	34.93
ATOM	1523	CA	LEU	A	196	36.787	-5.042	21.344	1.00	37.57
ATOM	1524	C	LEU	A	196	37.211	-6.276	20.584	1.00	40.42
ATOM	1525	O	LEU	A	196	38.290	-6.309	19.994	1.00	41.51
ATOM	1526	CB	LEU	A	196	36.145	-4.090	20.337	1.00	32.54
ATOM	1527	CG	LEU	A	196	35.122	-3.078	20.834	1.00	33.90
ATOM	1528	CD1	LEU	A	196	35.309	-1.744	20.136	1.00	30.68
ATOM	1529	CD2	LEU	A	196	33.737	-3.637	20.601	1.00	30.28
ATOM	1530	N	THR	A	197	36.361	-7.293	20.597	1.00	43.70
ATOM	1531	CA	THR	A	197	36.644	-8.499	19.843	1.00	49.54
ATOM	1532	C	THR	A	197	35.789	-8.372	18.573	1.00	53.57
ATOM	1533	O	THR	A	197	34.851	-7.565	18.526	1.00	53.65
ATOM	1534	CB	THR	A	197	36.277	-9.793	20.631	1.00	50.16
ATOM	1535	OG1	THR	A	197	34.850	-9.940	20.735	1.00	48.78
ATOM	1536	CG2	THR	A	197	36.887	-9.733	22.012	1.00	52.54
ATOM	1537	N	PRO	A	198	36.111	-9.156	17.528	1.00	55.36
ATOM	1538	CA	PRO	A	198	35.415	-9.173	16.232	1.00	55.01
ATOM	1539	C	PRO	A	198	33.915	-9.455	16.290	1.00	54.57
ATOM	1540	O	PRO	A	198	33.452	-10.236	17.131	1.00	52.45
ATOM	1541	CB	PRO	A	198	36.165	-10.254	15.459	1.00	58.81
ATOM	1542	CG	PRO	A	198	36.630	-11.195	16.576	1.00	57.97
ATOM	1543	CD	PRO	A	198	37.141	-10.210	17.582	1.00	55.17
ATOM	1544	N	LYS	A	199	33.169	-8.829	15.377	1.00	54.73
ATOM	1545	CA	LYS	A	199	31.724	-9.006	15.314	1.00	55.12
ATOM	1546	C	LYS	A	199	31.461	-10.487	15.329	1.00	55.09
ATOM	1547	O	LYS	A	199	32.368	-11.280	15.100	1.00	56.64
ATOM	1548	CB	LYS	A	199	31.141	-8.404	14.033	1.00	55.22

ATOM	1549	CG	LYS	A	199	31.105	-6.890	14.017	1.00	60.08
ATOM	1550	CD	LYS	A	199	30.209	-6.343	12.899	1.00	64.17
ATOM	1551	CE	LYS	A	199	29.992	-4.826	13.041	1.00	64.04
ATOM	1552	NZ	LYS	A	199	29.027	-4.290	12.036	1.00	59.78
ATOM	1553	N	MET	A	200	30.227	-10.867	15.611	1.00	54.51
ATOM	1554	CA	MET	A	200	29.874	-12.272	15.632	1.00	57.29
ATOM	1555	C	MET	A	200	28.387	-12.380	15.417	1.00	59.01
ATOM	1556	O	MET	A	200	27.652	-11.426	15.674	1.00	60.84
ATOM	1557	CB	MET	A	200	30.284	-12.906	16.961	1.00	58.40
ATOM	1558	CG	MET	A	200	31.782	-13.130	17.061	1.00	60.69
ATOM	1559	SD	MET	A	200	32.359	-13.539	18.701	1.00	64.70
ATOM	1560	CE	MET	A	200	32.044	-15.285	18.733	1.00	61.64
ATOM	1561	N	THR	A	201	27.940	-13.531	14.929	1.00	59.13
ATOM	1562	CA	THR	A	201	26.525	-13.716	14.680	1.00	59.01
ATOM	1563	C	THR	A	201	25.889	-14.616	15.719	1.00	60.50
ATOM	1564	O	THR	A	201	26.349	-15.728	15.972	1.00	59.66
ATOM	1565	CB	THR	A	201	26.290	-14.285	13.280	1.00	57.62
ATOM	1566	OG1	THR	A	201	26.949	-13.446	12.323	1.00	53.47
ATOM	1567	CG2	THR	A	201	24.792	-14.331	12.963	1.00	55.83
ATOM	1568	N	GLY	A	202	24.821	-14.112	16.320	1.00	62.42
ATOM	1569	CA	GLY	A	202	24.124	-14.858	17.348	1.00	67.00
ATOM	1570	C	GLY	A	202	23.682	-16.254	16.967	1.00	68.79
ATOM	1571	O	GLY	A	202	22.992	-16.458	15.967	1.00	69.98
ATOM	1572	N	VAL	A	203	24.080	-17.215	17.795	1.00	70.73
ATOM	1573	CA	VAL	A	203	23.748	-18.622	17.615	1.00	71.70
ATOM	1574	C	VAL	A	203	22.765	-19.052	18.709	1.00	73.86
ATOM	1575	O	VAL	A	203	23.181	-19.377	19.830	1.00	74.05
ATOM	1576	CB	VAL	A	203	25.019	-19.499	17.727	1.00	70.37
ATOM	1577	CG1	VAL	A	203	24.657	-20.976	17.602	1.00	67.30
ATOM	1578	CG2	VAL	A	203	26.024	-19.088	16.669	1.00	68.14
ATOM	1579	N	MET	A	204	21.470	-19.052	18.395	1.00	75.05
ATOM	1580	CA	MET	A	204	20.470	-19.455	19.384	1.00	78.63
ATOM	1581	C	MET	A	204	20.766	-20.866	19.862	1.00	79.39
ATOM	1582	O	MET	A	204	21.428	-21.639	19.174	1.00	79.91
ATOM	1583	CB	MET	A	204	19.055	-19.414	18.798	1.00	78.68
ATOM	1584	CG	MET	A	204	18.527	-18.023	18.524	1.00	81.57
ATOM	1585	SD	MET	A	204	19.596	-17.089	17.408	1.00	88.79
ATOM	1586	CE	MET	A	204	19.108	-17.733	15.804	1.00	87.66
ATOM	1587	N	GLU	A	205	20.283	-21.196	21.050	1.00	80.49
ATOM	1588	CA	GLU	A	205	20.491	-22.521	21.602	1.00	81.71
ATOM	1589	C	GLU	A	205	19.336	-23.418	21.161	1.00	82.80
ATOM	1590	O	GLU	A	205	19.602	-24.455	20.515	1.00	82.90
ATOM	1591	CB	GLU	A	205	20.535	-22.440	23.120	1.00	83.00
ATOM	1592	CG	GLU	A	205	19.356	-21.697	23.696	1.00	85.68
ATOM	1593	CD	GLU	A	205	19.344	-21.720	25.198	1.00	90.09
ATOM	1594	OE1	GLU	A	205	20.271	-22.321	25.793	1.00	90.51
ATOM	1595	OE2	GLU	A	205	18.405	-21.136	25.782	1.00	92.73
ATOM	1596	OXT	GLU	A	205	18.173	-23.069	21.460	1.00	83.19
ATOM	1597	N	PHE	B	1	83.462	-13.300	5.856	1.00	26.12
ATOM	1598	CA	PHE	B	1	82.482	-12.881	6.890	1.00	22.69
ATOM	1599	C	PHE	B	1	81.139	-13.558	6.623	1.00	21.90
ATOM	1600	O	PHE	B	1	80.649	-13.583	5.491	1.00	19.09
ATOM	1601	CB	PHE	B	1	82.364	-11.353	6.869	1.00	22.92
ATOM	1602	CG	PHE	B	1	81.341	-10.806	7.821	1.00	20.45
ATOM	1603	CD1	PHE	B	1	80.008	-10.726	7.455	1.00	20.72
ATOM	1604	CD2	PHE	B	1	81.713	-10.392	9.091	1.00	19.08
ATOM	1605	CE1	PHE	B	1	79.068	-10.247	8.327	1.00	19.74
ATOM	1606	CE2	PHE	B	1	80.789	-9.912	9.974	1.00	17.84
ATOM	1607	CZ	PHE	B	1	79.455	-9.836	9.595	1.00	24.52
ATOM	1608	N	ALA	B	2	80.559	-14.137	7.665	1.00	23.78
ATOM	1609	CA	ALA	B	2	79.277	-14.821	7.526	1.00	27.21
ATOM	1610	C	ALA	B	2	78.419	-14.692	8.773	1.00	29.83

ATOM	1611	O	ALA	B	2	78.924	-14.417	9.867	1.00	33.99
ATOM	1612	CB	ALA	B	2	79.505	-16.277	7.226	1.00	23.88
ATOM	1613	N	CYS	B	3	77.119	-14.892	8.619	1.00	28.60
ATOM	1614	CA	CYS	B	3	76.247	-14.802	9.768	1.00	30.20
ATOM	1615	C	CYS	B	3	75.226	-15.915	9.707	1.00	30.94
ATOM	1616	O	CYS	B	3	74.871	-16.388	8.627	1.00	32.64
ATOM	1617	CB	CYS	B	3	75.526	-13.465	9.790	1.00	33.03
ATOM	1618	SG	CYS	B	3	76.553	-11.977	9.614	1.00	38.69
ATOM	1619	N	LYS	B	4	74.760	-16.341	10.871	1.00	28.42
ATOM	1620	CA	LYS	B	4	73.770	-17.384	10.909	1.00	29.45
ATOM	1621	C	LYS	B	4	72.733	-16.976	11.920	1.00	29.65
ATOM	1622	O	LYS	B	4	72.998	-16.190	12.833	1.00	28.68
ATOM	1623	CB	LYS	B	4	74.389	-18.735	11.278	1.00	33.33
ATOM	1624	CG	LYS	B	4	74.503	-19.018	12.773	1.00	39.57
ATOM	1625	CD	LYS	B	4	75.153	-20.389	13.082	1.00	46.85
ATOM	1626	CE	LYS	B	4	74.435	-21.610	12.428	1.00	51.90
ATOM	1627	NZ	LYS	B	4	74.812	-21.905	10.988	1.00	49.53
ATOM	1628	N	THR	B	5	71.544	-17.523	11.729	1.00	28.49
ATOM	1629	CA	THR	B	5	70.398	-17.241	12.554	1.00	26.34
ATOM	1630	C	THR	B	5	70.327	-18.260	13.680	1.00	29.53
ATOM	1631	O	THR	B	5	70.699	-19.420	13.505	1.00	30.47
ATOM	1632	CB	THR	B	5	69.128	-17.288	11.661	1.00	22.74
ATOM	1633	OG1	THR	B	5	68.409	-16.059	11.786	1.00	21.81
ATOM	1634	CG2	THR	B	5	68.246	-18.455	12.016	1.00	19.73
ATOM	1635	N	ALA	B	6	69.864	-17.825	14.843	1.00	31.98
ATOM	1636	CA	ALA	B	6	69.734	-18.723	15.978	1.00	32.34
ATOM	1637	C	ALA	B	6	69.025	-19.989	15.547	1.00	33.99
ATOM	1638	O	ALA	B	6	69.371	-21.066	16.006	1.00	33.28
ATOM	1639	CB	ALA	B	6	68.964	-18.058	17.081	1.00	35.24
ATOM	1640	N	ASN	B	7	68.031	-19.852	14.670	1.00	38.18
ATOM	1641	CA	ASN	B	7	67.280	-20.997	14.159	1.00	42.84
ATOM	1642	C	ASN	B	7	68.148	-21.843	13.245	1.00	45.32
ATOM	1643	O	ASN	B	7	67.726	-22.906	12.793	1.00	48.04
ATOM	1644	CB	ASN	B	7	66.067	-20.540	13.359	1.00	46.85
ATOM	1645	CG	ASN	B	7	64.926	-20.085	14.231	1.00	53.04
ATOM	1646	OD1	ASN	B	7	64.314	-20.888	14.943	1.00	57.61
ATOM	1647	ND2	ASN	B	7	64.624	-18.785	14.181	1.00	52.32
ATOM	1648	N	GLY	B	8	69.352	-21.359	12.957	1.00	45.88
ATOM	1649	CA	GLY	B	8	70.259	-22.097	12.097	1.00	47.00
ATOM	1650	C	GLY	B	8	70.437	-21.552	10.685	1.00	47.07
ATOM	1651	O	GLY	B	8	71.434	-21.873	10.031	1.00	47.76
ATOM	1652	N	THR	B	9	69.494	-20.736	10.206	1.00	44.67
ATOM	1653	CA	THR	B	9	69.575	-20.173	8.852	1.00	39.65
ATOM	1654	C	THR	B	9	70.747	-19.231	8.634	1.00	37.80
ATOM	1655	O	THR	B	9	70.975	-18.314	9.428	1.00	38.94
ATOM	1656	CB	THR	B	9	68.304	-19.438	8.504	1.00	37.05
ATOM	1657	OG1	THR	B	9	67.262	-20.395	8.327	1.00	42.95
ATOM	1658	CG2	THR	B	9	68.474	-18.652	7.241	1.00	33.16
ATOM	1659	N	ALA	B	10	71.471	-19.432	7.537	1.00	32.40
ATOM	1660	CA	ALA	B	10	72.635	-18.605	7.264	1.00	30.06
ATOM	1661	C	ALA	B	10	72.627	-17.779	5.996	1.00	28.19
ATOM	1662	O	ALA	B	10	71.870	-18.029	5.066	1.00	27.92
ATOM	1663	CB	ALA	B	10	73.870	-19.470	7.274	1.00	28.10
ATOM	1664	N	ILE	B	11	73.491	-16.776	5.985	1.00	25.49
ATOM	1665	CA	ILE	B	11	73.671	-15.912	4.833	1.00	26.22
ATOM	1666	C	ILE	B	11	75.173	-15.963	4.627	1.00	23.55
ATOM	1667	O	ILE	B	11	75.923	-15.449	5.438	1.00	27.89
ATOM	1668	CB	ILE	B	11	73.264	-14.455	5.125	1.00	28.86
ATOM	1669	CG1	ILE	B	11	71.789	-14.387	5.500	1.00	28.17
ATOM	1670	CG2	ILE	B	11	73.518	-13.590	3.899	1.00	29.33
ATOM	1671	CD1	ILE	B	11	71.292	-12.984	5.743	1.00	24.90
ATOM	1672	N	PRO	B	12	75.630	-16.590	3.544	1.00	20.75

ATOM	1673	CA	PRO	B	12	77.057	-16.728	3.223	1.00	19.22
ATOM	1674	C	PRO	B	12	77.757	-15.429	2.877	1.00	19.88
ATOM	1675	O	PRO	B	12	77.111	-14.389	2.837	1.00	19.57
ATOM	1676	CB	PRO	B	12	77.045	-17.703	2.057	1.00	19.99
ATOM	1677	CG	PRO	B	12	75.739	-17.383	1.377	1.00	20.48
ATOM	1678	CD	PRO	B	12	74.783	-17.212	2.513	1.00	17.95
ATOM	1679	N	ILE	B	13	79.072	-15.493	2.641	1.00	20.27
ATOM	1680	CA	ILE	B	13	79.846	-14.302	2.263	1.00	22.98
ATOM	1681	C	ILE	B	13	79.170	-13.692	1.054	1.00	24.58
ATOM	1682	O	ILE	B	13	78.579	-14.406	0.246	1.00	25.86
ATOM	1683	CB	ILE	B	13	81.305	-14.612	1.827	1.00	22.70
ATOM	1684	CG1	ILE	B	13	81.324	-15.886	1.008	1.00	20.76
ATOM	1685	CG2	ILE	B	13	82.245	-14.642	3.021	1.00	23.10
ATOM	1686	CD1	ILE	B	13	82.692	-16.453	0.845	1.00	28.63
ATOM	1687	N	GLY	B	14	79.280	-12.376	0.921	1.00	25.82
ATOM	1688	CA	GLY	B	14	78.636	-11.693	-0.186	1.00	27.33
ATOM	1689	C	GLY	B	14	77.302	-11.129	0.281	1.00	25.56
ATOM	1690	O	GLY	B	14	76.781	-10.172	-0.281	1.00	25.00
ATOM	1691	N	GLY	B	15	76.755	-11.739	1.325	1.00	24.70
ATOM	1692	CA	GLY	B	15	75.490	-11.295	1.862	1.00	24.30
ATOM	1693	C	GLY	B	15	74.263	-11.951	1.249	1.00	25.22
ATOM	1694	O	GLY	B	15	74.329	-12.897	0.459	1.00	26.33
ATOM	1695	N	GLY	B	16	73.116	-11.412	1.615	1.00	21.46
ATOM	1696	CA	GLY	B	16	71.872	-11.950	1.139	1.00	18.87
ATOM	1697	C	GLY	B	16	70.882	-11.612	2.225	1.00	18.93
ATOM	1698	O	GLY	B	16	71.010	-10.575	2.865	1.00	18.09
ATOM	1699	N	SER	B	17	69.904	-12.475	2.456	1.00	16.29
ATOM	1700	CA	SER	B	17	68.935	-12.174	3.478	1.00	15.84
ATOM	1701	C	SER	B	17	68.374	-13.394	4.183	1.00	16.68
ATOM	1702	O	SER	B	17	68.609	-14.538	3.789	1.00	16.67
ATOM	1703	CB	SER	B	17	67.810	-11.352	2.878	1.00	16.46
ATOM	1704	OG	SER	B	17	67.129	-12.093	1.890	1.00	24.19
ATOM	1705	N	ALA	B	18	67.637	-13.144	5.255	1.00	17.48
ATOM	1706	CA	ALA	B	18	67.058	-14.233	6.023	1.00	17.54
ATOM	1707	C	ALA	B	18	65.998	-13.695	6.942	1.00	17.73
ATOM	1708	O	ALA	B	18	66.007	-12.509	7.295	1.00	21.81
ATOM	1709	CB	ALA	B	18	68.143	-14.929	6.857	1.00	9.92
ATOM	1710	N	ASN	B	19	65.096	-14.582	7.333	1.00	15.14
ATOM	1711	CA	ASN	B	19	64.047	-14.222	8.256	1.00	16.38
ATOM	1712	C	ASN	B	19	64.502	-14.536	9.657	1.00	17.86
ATOM	1713	O	ASN	B	19	65.101	-15.581	9.933	1.00	18.20
ATOM	1714	CB	ASN	B	19	62.774	-15.016	7.989	1.00	14.75
ATOM	1715	CG	ASN	B	19	62.023	-14.525	6.787	1.00	14.65
ATOM	1716	OD1	ASN	B	19	62.428	-13.559	6.135	1.00	21.36
ATOM	1717	ND2	ASN	B	19	60.914	-15.184	6.480	1.00	10.97
ATOM	1718	N	VAL	B	20	64.181	-13.620	10.546	1.00	18.69
ATOM	1719	CA	VAL	B	20	64.483	-13.765	11.949	1.00	19.81
ATOM	1720	C	VAL	B	20	63.139	-13.686	12.670	1.00	17.49
ATOM	1721	O	VAL	B	20	62.553	-12.609	12.766	1.00	15.67
ATOM	1722	CB	VAL	B	20	65.384	-12.626	12.372	1.00	22.44
ATOM	1723	CG1	VAL	B	20	65.647	-12.665	13.874	1.00	20.41
ATOM	1724	CG2	VAL	B	20	66.651	-12.710	11.554	1.00	24.61
ATOM	1725	N	TYR	B	21	62.639	-14.820	13.147	1.00	14.63
ATOM	1726	CA	TYR	B	21	61.357	-14.827	13.850	1.00	16.92
ATOM	1727	C	TYR	B	21	61.510	-14.551	15.364	1.00	18.76
ATOM	1728	O	TYR	B	21	62.412	-15.065	16.013	1.00	18.11
ATOM	1729	CB	TYR	B	21	60.647	-16.160	13.613	1.00	13.30
ATOM	1730	CG	TYR	B	21	60.621	-16.555	12.152	1.00	15.31
ATOM	1731	CD1	TYR	B	21	61.677	-17.247	11.585	1.00	14.30
ATOM	1732	CD2	TYR	B	21	59.559	-16.190	11.326	1.00	17.90
ATOM	1733	CE1	TYR	B	21	61.687	-17.566	10.241	1.00	13.54
ATOM	1734	CE2	TYR	B	21	59.558	-16.502	9.975	1.00	15.30

ATOM	1735	CZ	TYR	B	21	60.629	-17.193	9.440	1.00	16.49
ATOM	1736	OH	TYR	B	21	60.643	-17.511	8.104	1.00	16.64
ATOM	1737	N	VAL	B	22	60.625	-13.729	15.920	1.00	19.53
ATOM	1738	CA	VAL	B	22	60.685	-13.383	17.335	1.00	16.16
ATOM	1739	C	VAL	B	22	59.371	-13.508	18.086	1.00	18.78
ATOM	1740	O	VAL	B	22	58.300	-13.263	17.541	1.00	22.51
ATOM	1741	CB	VAL	B	22	61.129	-11.956	17.518	1.00	13.95
ATOM	1742	CG1	VAL	B	22	62.487	-11.755	16.914	1.00	16.59
ATOM	1743	CG2	VAL	B	22	60.135	-11.042	16.869	1.00	15.76
ATOM	1744	N	ASN	B	23	59.471	-13.886	19.355	1.00	21.07
ATOM	1745	CA	ASN	B	23	58.319	-14.008	20.240	1.00	19.87
ATOM	1746	C	ASN	B	23	58.446	-12.783	21.150	1.00	22.33
ATOM	1747	O	ASN	B	23	59.296	-12.750	22.042	1.00	23.08
ATOM	1748	CB	ASN	B	23	58.432	-15.274	21.074	1.00	20.83
ATOM	1749	CG	ASN	B	23	58.766	-16.495	20.245	1.00	19.10
ATOM	1750	OD1	ASN	B	23	57.981	-16.942	19.425	1.00	25.22
ATOM	1751	ND2	ASN	B	23	59.943	-17.042	20.462	1.00	24.81
ATOM	1752	N	LEU	B	24	57.620	-11.768	20.902	1.00	23.11
ATOM	1753	CA	LEU	B	24	57.657	-10.520	21.668	1.00	21.57
ATOM	1754	C	LEU	B	24	56.753	-10.607	22.875	1.00	25.00
ATOM	1755	O	LEU	B	24	55.831	-11.436	22.914	1.00	24.90
ATOM	1756	CB	LEU	B	24	57.210	-9.358	20.793	1.00	14.09
ATOM	1757	CG	LEU	B	24	57.899	-9.281	19.423	1.00	11.53
ATOM	1758	CD1	LEU	B	24	56.926	-8.735	18.406	1.00	15.08
ATOM	1759	CD2	LEU	B	24	59.138	-8.413	19.473	1.00	10.48
ATOM	1760	N	ALA	B	25	57.023	-9.752	23.861	1.00	27.62
ATOM	1761	CA	ALA	B	25	56.227	-9.729	25.088	1.00	25.88
ATOM	1762	C	ALA	B	25	54.774	-9.540	24.688	1.00	26.10
ATOM	1763	O	ALA	B	25	54.415	-8.575	24.008	1.00	27.81
ATOM	1764	CB	ALA	B	25	56.685	-8.605	25.986	1.00	28.08
ATOM	1765	N	PRO	B	26	53.917	-10.460	25.114	1.00	23.27
ATOM	1766	CA	PRO	B	26	52.484	-10.451	24.815	1.00	24.64
ATOM	1767	C	PRO	B	26	51.754	-9.148	25.104	1.00	23.83
ATOM	1768	O	PRO	B	26	50.875	-8.748	24.357	1.00	24.95
ATOM	1769	CB	PRO	B	26	51.938	-11.597	25.674	1.00	24.53
ATOM	1770	CG	PRO	B	26	53.125	-12.435	25.956	1.00	23.79
ATOM	1771	CD	PRO	B	26	54.217	-11.427	26.171	1.00	21.93
ATOM	1772	N	VAL	B	27	52.124	-8.504	26.203	1.00	23.67
ATOM	1773	CA	VAL	B	27	51.480	-7.284	26.632	1.00	22.63
ATOM	1774	C	VAL	B	27	52.481	-6.182	26.949	1.00	24.97
ATOM	1775	O	VAL	B	27	53.493	-6.405	27.587	1.00	25.09
ATOM	1776	CB	VAL	B	27	50.618	-7.565	27.888	1.00	20.51
ATOM	1777	CG1	VAL	B	27	49.899	-6.304	28.344	1.00	21.17
ATOM	1778	CG2	VAL	B	27	49.632	-8.666	27.601	1.00	13.12
ATOM	1779	N	VAL	B	28	52.171	-4.985	26.497	1.00	28.29
ATOM	1780	CA	VAL	B	28	53.006	-3.829	26.715	1.00	31.74
ATOM	1781	C	VAL	B	28	52.063	-2.639	26.881	1.00	36.29
ATOM	1782	O	VAL	B	28	51.182	-2.396	26.047	1.00	39.00
ATOM	1783	CB	VAL	B	28	53.929	-3.615	25.517	1.00	32.31
ATOM	1784	CG1	VAL	B	28	54.728	-2.343	25.682	1.00	35.24
ATOM	1785	CG2	VAL	B	28	54.856	-4.793	25.397	1.00	35.83
ATOM	1786	N	ASN	B	29	52.233	-1.909	27.975	1.00	38.13
ATOM	1787	CA	ASN	B	29	51.386	-0.763	28.269	1.00	36.17
ATOM	1788	C	ASN	B	29	52.009	0.485	27.693	1.00	33.94
ATOM	1789	O	ASN	B	29	53.199	0.509	27.410	1.00	31.82
ATOM	1790	CB	ASN	B	29	51.209	-0.632	29.786	1.00	38.04
ATOM	1791	CG	ASN	B	29	50.414	-1.796	30.390	1.00	43.72
ATOM	1792	OD1	ASN	B	29	49.207	-1.934	30.156	1.00	46.48
ATOM	1793	ND2	ASN	B	29	51.092	-2.635	31.169	1.00	44.52
ATOM	1794	N	VAL	B	30	51.198	1.516	27.496	1.00	33.33
ATOM	1795	CA	VAL	B	30	51.704	2.771	26.955	1.00	33.75
ATOM	1796	C	VAL	B	30	52.822	3.268	27.878	1.00	35.34

ATOM	1797	O	VAL	B	30	52.794	3.026	29.079	1.00	35.99
ATOM	1798	CB	VAL	B	30	50.582	3.838	26.874	1.00	30.59
ATOM	1799	CG1	VAL	B	30	51.095	5.109	26.195	1.00	24.99
ATOM	1800	CG2	VAL	B	30	49.401	3.269	26.120	1.00	27.71
ATOM	1801	N	GLY	B	31	53.818	3.937	27.312	1.00	37.01
ATOM	1802	CA	GLY	B	31	54.905	4.442	28.124	1.00	36.74
ATOM	1803	C	GLY	B	31	55.881	3.353	28.501	1.00	37.00
ATOM	1804	O	GLY	B	31	57.022	3.647	28.849	1.00	38.76
ATOM	1805	N	GLN	B	32	55.436	2.100	28.432	1.00	35.82
ATOM	1806	CA	GLN	B	32	56.278	0.952	28.763	1.00	36.54
ATOM	1807	C	GLN	B	32	57.136	0.603	27.543	1.00	37.54
ATOM	1808	O	GLN	B	32	57.024	1.239	26.488	1.00	37.70
ATOM	1809	CB	GLN	B	32	55.394	-0.236	29.147	1.00	38.59
ATOM	1810	CG	GLN	B	32	56.075	-1.339	29.932	1.00	43.78
ATOM	1811	CD	GLN	B	32	55.070	-2.294	30.587	1.00	49.89
ATOM	1812	OE1	GLN	B	32	54.409	-3.088	29.914	1.00	48.59
ATOM	1813	NE2	GLN	B	32	54.944	-2.203	31.911	1.00	53.35
ATOM	1814	N	ASN	B	33	57.983	-0.412	27.665	1.00	37.29
ATOM	1815	CA	ASN	B	33	58.840	-0.769	26.545	1.00	35.40
ATOM	1816	C	ASN	B	33	58.765	-2.173	25.982	1.00	36.84
ATOM	1817	O	ASN	B	33	58.567	-3.170	26.693	1.00	33.81
ATOM	1818	CB	ASN	B	33	60.294	-0.476	26.888	1.00	33.02
ATOM	1819	CG	ASN	B	33	60.776	0.801	26.275	1.00	36.41
ATOM	1820	OD1	ASN	B	33	61.903	1.230	26.510	1.00	34.51
ATOM	1821	ND2	ASN	B	33	59.922	1.426	25.472	1.00	41.59
ATOM	1822	N	LEU	B	34	58.928	-2.222	24.668	1.00	38.38
ATOM	1823	CA	LEU	B	34	58.957	-3.469	23.937	1.00	37.19
ATOM	1824	C	LEU	B	34	60.403	-3.518	23.471	1.00	35.97
ATOM	1825	O	LEU	B	34	60.904	-2.585	22.821	1.00	31.21
ATOM	1826	CB	LEU	B	34	58.012	-3.439	22.736	1.00	37.00
ATOM	1827	CG	LEU	B	34	57.807	-4.810	22.098	1.00	38.98
ATOM	1828	CD1	LEU	B	34	57.259	-5.780	23.141	1.00	37.68
ATOM	1829	CD2	LEU	B	34	56.853	-4.697	20.924	1.00	36.51
ATOM	1830	N	VAL	B	35	61.080	-4.591	23.853	1.00	35.17
ATOM	1831	CA	VAL	B	35	62.467	-4.761	23.487	1.00	33.65
ATOM	1832	C	VAL	B	35	62.599	-6.034	22.672	1.00	33.55
ATOM	1833	O	VAL	B	35	62.081	-7.087	23.049	1.00	34.27
ATOM	1834	CB	VAL	B	35	63.362	-4.849	24.738	1.00	31.77
ATOM	1835	CG1	VAL	B	35	64.822	-4.799	24.333	1.00	29.02
ATOM	1836	CG2	VAL	B	35	63.046	-3.703	25.677	1.00	26.34
ATOM	1837	N	VAL	B	36	63.265	-5.921	21.529	1.00	31.59
ATOM	1838	CA	VAL	B	36	63.480	-7.069	20.670	1.00	27.98
ATOM	1839	C	VAL	B	36	64.970	-7.175	20.633	1.00	26.53
ATOM	1840	O	VAL	B	36	65.624	-6.463	19.888	1.00	27.10
ATOM	1841	CB	VAL	B	36	62.979	-6.832	19.243	1.00	27.45
ATOM	1842	CG1	VAL	B	36	62.562	-8.158	18.628	1.00	28.97
ATOM	1843	CG2	VAL	B	36	61.825	-5.859	19.241	1.00	25.78
ATOM	1844	N	ASP	B	37	65.517	-8.048	21.460	1.00	26.73
ATOM	1845	CA	ASP	B	37	66.958	-8.192	21.505	1.00	31.00
ATOM	1846	C	ASP	B	37	67.411	-9.192	20.459	1.00	30.60
ATOM	1847	O	ASP	B	37	67.277	-10.409	20.644	1.00	29.46
ATOM	1848	CB	ASP	B	37	67.400	-8.633	22.899	1.00	33.19
ATOM	1849	CG	ASP	B	37	68.868	-8.367	23.148	1.00	39.91
ATOM	1850	OD1	ASP	B	37	69.464	-7.560	22.387	1.00	39.47
ATOM	1851	OD2	ASP	B	37	69.417	-8.958	24.108	1.00	44.56
ATOM	1852	N	LEU	B	38	67.951	-8.672	19.360	1.00	28.42
ATOM	1853	CA	LEU	B	38	68.397	-9.519	18.262	1.00	31.22
ATOM	1854	C	LEU	B	38	69.769	-10.148	18.467	1.00	35.19
ATOM	1855	O	LEU	B	38	70.140	-11.106	17.765	1.00	34.65
ATOM	1856	CB	LEU	B	38	68.367	-8.722	16.968	1.00	29.19
ATOM	1857	CG	LEU	B	38	66.923	-8.476	16.559	1.00	25.70
ATOM	1858	CD1	LEU	B	38	66.830	-7.274	15.669	1.00	29.42

ATOM	1859	CD2	LEU	B	38	66.396	-9.709	15.877	1.00	26.19
ATOM	1860	N	SER	B	39	70.505	-9.602	19.440	1.00	37.22
ATOM	1861	CA	SER	B	39	71.833	-10.073	19.818	1.00	32.38
ATOM	1862	C	SER	B	39	71.688	-11.483	20.364	1.00	31.29
ATOM	1863	O	SER	B	39	72.643	-12.063	20.883	1.00	31.72
ATOM	1864	CB	SER	B	39	72.402	-9.186	20.910	1.00	32.09
ATOM	1865	OG	SER	B	39	71.605	-9.288	22.076	1.00	23.78
ATOM	1866	N	THR	B	40	70.480	-12.019	20.244	1.00	28.48
ATOM	1867	CA	THR	B	40	70.177	-13.354	20.705	1.00	30.79
ATOM	1868	C	THR	B	40	69.866	-14.260	19.540	1.00	32.54
ATOM	1869	O	THR	B	40	69.844	-15.489	19.690	1.00	33.58
ATOM	1870	CB	THR	B	40	68.958	-13.369	21.594	1.00	29.02
ATOM	1871	OG1	THR	B	40	69.080	-12.347	22.575	1.00	30.50
ATOM	1872	CG2	THR	B	40	68.855	-14.686	22.289	1.00	30.68
ATOM	1873	N	GLN	B	41	69.630	-13.660	18.375	1.00	32.58
ATOM	1874	CA	GLN	B	41	69.277	-14.450	17.212	1.00	29.38
ATOM	1875	C	GLN	B	41	70.064	-14.206	15.949	1.00	29.38
ATOM	1876	O	GLN	B	41	69.783	-14.819	14.918	1.00	31.57
ATOM	1877	CB	GLN	B	41	67.802	-14.274	16.942	1.00	24.90
ATOM	1878	CG	GLN	B	41	66.991	-14.590	18.147	1.00	23.51
ATOM	1879	CD	GLN	B	41	65.675	-15.160	17.771	1.00	28.72
ATOM	1880	OE1	GLN	B	41	64.829	-14.457	17.230	1.00	35.23
ATOM	1881	NE2	GLN	B	41	65.483	-16.453	18.030	1.00	30.48
ATOM	1882	N	ILE	B	42	71.052	-13.328	16.011	1.00	26.96
ATOM	1883	CA	ILE	B	42	71.852	-13.070	14.836	1.00	28.39
ATOM	1884	C	ILE	B	42	73.317	-13.088	15.182	1.00	32.17
ATOM	1885	O	ILE	B	42	73.804	-12.228	15.920	1.00	34.23
ATOM	1886	CB	ILE	B	42	71.524	-11.707	14.215	1.00	28.64
ATOM	1887	CG1	ILE	B	42	70.056	-11.651	13.834	1.00	28.18
ATOM	1888	CG2	ILE	B	42	72.374	-11.472	12.981	1.00	26.54
ATOM	1889	CD1	ILE	B	42	69.667	-10.337	13.268	1.00	30.22
ATOM	1890	N	PHE	B	43	74.029	-14.067	14.642	1.00	34.23
ATOM	1891	CA	PHE	B	43	75.454	-14.159	14.889	1.00	35.33
ATOM	1892	C	PHE	B	43	76.280	-14.082	13.617	1.00	37.42
ATOM	1893	O	PHE	B	43	75.875	-14.560	12.556	1.00	41.31
ATOM	1894	CB	PHE	B	43	75.741	-15.444	15.642	1.00	35.11
ATOM	1895	CG	PHE	B	43	74.991	-15.538	16.913	1.00	36.97
ATOM	1896	CD1	PHE	B	43	73.668	-15.969	16.920	1.00	38.14
ATOM	1897	CD2	PHE	B	43	75.556	-15.073	18.092	1.00	35.51
ATOM	1898	CE1	PHE	B	43	72.911	-15.926	18.094	1.00	40.63
ATOM	1899	CE2	PHE	B	43	74.813	-15.022	19.267	1.00	39.18
ATOM	1900	CZ	PHE	B	43	73.486	-15.446	19.275	1.00	35.34
ATOM	1901	N	CYS	B	44	77.440	-13.457	13.725	1.00	37.38
ATOM	1902	CA	CYS	B	44	78.347	-13.330	12.594	1.00	38.83
ATOM	1903	C	CYS	B	44	79.752	-13.693	13.058	1.00	38.78
ATOM	1904	O	CYS	B	44	80.044	-13.674	14.265	1.00	41.00
ATOM	1905	CB	CYS	B	44	78.346	-11.898	12.073	1.00	39.51
ATOM	1906	SG	CYS	B	44	76.735	-11.270	11.507	1.00	42.89
ATOM	1907	N	HIS	B	45	80.623	-14.027	12.112	1.00	34.97
ATOM	1908	CA	HIS	B	45	81.994	-14.373	12.460	1.00	33.30
ATOM	1909	C	HIS	B	45	82.907	-13.896	11.372	1.00	32.79
ATOM	1910	O	HIS	B	45	82.480	-13.704	10.243	1.00	36.47
ATOM	1911	CB	HIS	B	45	82.176	-15.884	12.613	1.00	30.83
ATOM	1912	CG	HIS	B	45	82.040	-16.636	11.330	1.00	32.35
ATOM	1913	ND1	HIS	B	45	80.919	-17.372	11.015	1.00	37.74
ATOM	1914	CD2	HIS	B	45	82.842	-16.691	10.244	1.00	33.63
ATOM	1915	CE1	HIS	B	45	81.033	-17.840	9.786	1.00	34.47
ATOM	1916	NE2	HIS	B	45	82.189	-17.439	9.295	1.00	32.60
ATOM	1917	N	ASN	B	46	84.170	-13.712	11.723	1.00	32.81
ATOM	1918	CA	ASN	B	46	85.197	-13.285	10.790	1.00	32.63
ATOM	1919	C	ASN	B	46	85.811	-14.570	10.206	1.00	33.11
ATOM	1920	O	ASN	B	46	86.079	-15.500	10.939	1.00	32.24

ATOM	1921	CB	ASN	B	46	86.236	-12.489	11.560	1.00	31.74
ATOM	1922	CG	ASN	B	46	87.248	-11.843	10.664	1.00	33.58
ATOM	1923	OD1	ASN	B	46	87.861	-12.497	9.823	1.00	32.79
ATOM	1924	ND2	ASN	B	46	87.440	-10.548	10.841	1.00	32.12
ATOM	1925	N	ASP	B	47	86.031	-14.623	8.899	1.00	36.57
ATOM	1926	CA	ASP	B	47	86.572	-15.827	8.252	1.00	42.04
ATOM	1927	C	ASP	B	47	88.099	-16.031	8.239	1.00	45.03
ATOM	1928	O	ASP	B	47	88.590	-17.149	8.402	1.00	45.98
ATOM	1929	CB	ASP	B	47	86.054	-15.922	6.806	1.00	42.81
ATOM	1930	CG	ASP	B	47	84.645	-16.509	6.714	1.00	43.28
ATOM	1931	OD1	ASP	B	47	84.362	-17.520	7.397	1.00	41.18
ATOM	1932	OD2	ASP	B	47	83.827	-15.973	5.938	1.00	40.77
ATOM	1933	N	TYR	B	48	88.850	-14.967	8.010	1.00	46.29
ATOM	1934	CA	TYR	B	48	90.292	-15.077	7.997	1.00	48.38
ATOM	1935	C	TYR	B	48	90.777	-14.021	8.972	1.00	49.92
ATOM	1936	O	TYR	B	48	91.485	-13.075	8.595	1.00	49.47
ATOM	1937	CB	TYR	B	48	90.825	-14.822	6.591	1.00	52.27
ATOM	1938	CG	TYR	B	48	90.223	-15.733	5.533	1.00	57.48
ATOM	1939	CD1	TYR	B	48	90.614	-17.074	5.426	1.00	57.87
ATOM	1940	CD2	TYR	B	48	89.261	-15.256	4.636	1.00	59.39
ATOM	1941	CE1	TYR	B	48	90.061	-17.916	4.450	1.00	56.41
ATOM	1942	CE2	TYR	B	48	88.701	-16.090	3.657	1.00	57.63
ATOM	1943	CZ	TYR	B	48	89.104	-17.415	3.572	1.00	57.26
ATOM	1944	OH	TYR	B	48	88.530	-18.236	2.629	1.00	51.82
ATOM	1945	N	PRO	B	49	90.393	-14.176	10.257	1.00	50.52
ATOM	1946	CA	PRO	B	49	90.737	-13.275	11.361	1.00	49.81
ATOM	1947	C	PRO	B	49	92.212	-12.950	11.522	1.00	51.27
ATOM	1948	O	PRO	B	49	92.552	-11.792	11.711	1.00	52.42
ATOM	1949	CB	PRO	B	49	90.155	-13.983	12.581	1.00	45.79
ATOM	1950	CG	PRO	B	49	90.228	-15.402	12.211	1.00	48.85
ATOM	1951	CD	PRO	B	49	89.751	-15.394	10.781	1.00	48.13
ATOM	1952	N	GLU	B	50	93.081	-13.958	11.438	1.00	54.13
ATOM	1953	CA	GLU	B	50	94.532	-13.757	11.592	1.00	55.64
ATOM	1954	C	GLU	B	50	95.155	-12.655	10.735	1.00	53.53
ATOM	1955	O	GLU	B	50	96.170	-12.079	11.120	1.00	53.10
ATOM	1956	CB	GLU	B	50	95.303	-15.051	11.316	1.00	57.59
ATOM	1957	CG	GLU	B	50	95.034	-16.166	12.296	1.00	64.83
ATOM	1958	CD	GLU	B	50	93.660	-16.765	12.111	1.00	69.77
ATOM	1959	OE1	GLU	B	50	93.326	-17.118	10.959	1.00	71.61
ATOM	1960	OE2	GLU	B	50	92.917	-16.887	13.110	1.00	73.82
ATOM	1961	N	THR	B	51	94.566	-12.366	9.582	1.00	50.87
ATOM	1962	CA	THR	B	51	95.114	-11.331	8.715	1.00	50.71
ATOM	1963	C	THR	B	51	94.122	-10.271	8.266	1.00	48.56
ATOM	1964	O	THR	B	51	94.516	-9.230	7.743	1.00	47.92
ATOM	1965	CB	THR	B	51	95.745	-11.940	7.441	1.00	53.90
ATOM	1966	OG1	THR	B	51	94.902	-12.985	6.925	1.00	53.23
ATOM	1967	CG2	THR	B	51	97.127	-12.478	7.752	1.00	57.33
ATOM	1968	N	ILE	B	52	92.838	-10.531	8.474	1.00	45.64
ATOM	1969	CA	ILE	B	52	91.822	-9.594	8.036	1.00	40.10
ATOM	1970	C	ILE	B	52	90.921	-9.136	9.150	1.00	37.68
ATOM	1971	O	ILE	B	52	90.469	-9.942	9.951	1.00	36.43
ATOM	1972	CB	ILE	B	52	90.960	-10.233	6.935	1.00	40.90
ATOM	1973	CG1	ILE	B	52	91.876	-10.755	5.829	1.00	40.18
ATOM	1974	CG2	ILE	B	52	89.949	-9.228	6.397	1.00	37.45
ATOM	1975	CD1	ILE	B	52	91.154	-11.220	4.616	1.00	48.08
ATOM	1976	N	THR	B	53	90.665	-7.835	9.196	1.00	37.20
ATOM	1977	CA	THR	B	53	89.772	-7.269	10.202	1.00	38.03
ATOM	1978	C	THR	B	53	88.425	-6.895	9.584	1.00	37.09
ATOM	1979	O	THR	B	53	88.367	-6.263	8.521	1.00	37.83
ATOM	1980	CB	THR	B	53	90.358	-6.010	10.844	1.00	40.84
ATOM	1981	OG1	THR	B	53	91.530	-6.348	11.592	1.00	42.29
ATOM	1982	CG2	THR	B	53	89.339	-5.382	11.774	1.00	44.56

ATOM	1983	N	ASP	B	54	87.348	-7.278	10.265	1.00	35.72
ATOM	1984	CA	ASP	B	54	85.989	-7.001	9.795	1.00	35.17
ATOM	1985	C	ASP	B	54	85.242	-5.878	10.517	1.00	33.80
ATOM	1986	O	ASP	B	54	85.174	-5.848	11.746	1.00	33.40
ATOM	1987	CB	ASP	B	54	85.139	-8.267	9.877	1.00	34.55
ATOM	1988	CG	ASP	B	54	85.149	-9.058	8.594	1.00	35.71
ATOM	1989	OD1	ASP	B	54	85.098	-8.422	7.526	1.00	38.54
ATOM	1990	OD2	ASP	B	54	85.186	-10.307	8.650	1.00	35.03
ATOM	1991	N	TYR	B	55	84.665	-4.972	9.733	1.00	33.20
ATOM	1992	CA	TYR	B	55	83.885	-3.847	10.261	1.00	33.24
ATOM	1993	C	TYR	B	55	82.392	-4.013	9.951	1.00	30.45
ATOM	1994	O	TYR	B	55	81.986	-4.001	8.789	1.00	32.64
ATOM	1995	CB	TYR	B	55	84.383	-2.537	9.665	1.00	34.08
ATOM	1996	CG	TYR	B	55	85.870	-2.346	9.820	1.00	36.75
ATOM	1997	CD1	TYR	B	55	86.441	-2.161	11.078	1.00	30.32
ATOM	1998	CD2	TYR	B	55	86.707	-2.357	8.698	1.00	38.97
ATOM	1999	CE1	TYR	B	55	87.807	-1.988	11.215	1.00	38.08
ATOM	2000	CE2	TYR	B	55	88.074	-2.188	8.820	1.00	39.97
ATOM	2001	CZ	TYR	B	55	88.622	-2.000	10.080	1.00	40.86
ATOM	2002	OH	TYR	B	55	89.982	-1.819	10.196	1.00	40.79
ATOM	2003	N	VAL	B	56	81.588	-4.156	10.999	1.00	24.80
ATOM	2004	CA	VAL	B	56	80.160	-4.351	10.863	1.00	22.30
ATOM	2005	C	VAL	B	56	79.333	-3.168	11.362	1.00	24.55
ATOM	2006	O	VAL	B	56	79.546	-2.685	12.461	1.00	23.79
ATOM	2007	CB	VAL	B	56	79.750	-5.573	11.641	1.00	20.83
ATOM	2008	CG1	VAL	B	56	78.250	-5.747	11.585	1.00	20.12
ATOM	2009	CG2	VAL	B	56	80.474	-6.769	11.093	1.00	18.22
ATOM	2010	N	THR	B	57	78.372	-2.717	10.556	1.00	26.47
ATOM	2011	CA	THR	B	57	77.506	-1.597	10.936	1.00	25.37
ATOM	2012	C	THR	B	57	76.020	-1.898	10.757	1.00	27.42
ATOM	2013	O	THR	B	57	75.636	-2.923	10.176	1.00	26.36
ATOM	2014	CB	THR	B	57	77.757	-0.380	10.070	1.00	22.78
ATOM	2015	OG1	THR	B	57	77.392	-0.689	8.722	1.00	24.12
ATOM	2016	CG2	THR	B	57	79.199	0.010	10.107	1.00	26.57
ATOM	2017	N	LEU	B	58	75.192	-0.987	11.272	1.00	27.02
ATOM	2018	CA	LEU	B	58	73.746	-1.071	11.102	1.00	25.75
ATOM	2019	C	LEU	B	58	73.488	-0.037	9.987	1.00	27.19
ATOM	2020	O	LEU	B	58	73.286	1.152	10.241	1.00	26.49
ATOM	2021	CB	LEU	B	58	73.005	-0.683	12.383	1.00	24.87
ATOM	2022	CG	LEU	B	58	71.474	-0.688	12.244	1.00	25.01
ATOM	2023	CD1	LEU	B	58	70.998	-2.103	11.889	1.00	26.08
ATOM	2024	CD2	LEU	B	58	70.819	-0.196	13.530	1.00	19.96
ATOM	2025	N	GLN	B	59	73.536	-0.520	8.749	1.00	27.39
ATOM	2026	CA	GLN	B	59	73.368	0.286	7.553	1.00	27.68
ATOM	2027	C	GLN	B	59	72.065	1.051	7.553	1.00	29.19
ATOM	2028	O	GLN	B	59	72.044	2.258	7.309	1.00	28.41
ATOM	2029	CB	GLN	B	59	73.425	-0.630	6.334	1.00	32.60
ATOM	2030	CG	GLN	B	59	74.329	-0.168	5.209	1.00	36.08
ATOM	2031	CD	GLN	B	59	73.750	0.983	4.440	1.00	40.96
ATOM	2032	OE1	GLN	B	59	73.244	1.940	5.023	1.00	43.60
ATOM	2033	NE2	GLN	B	59	73.825	0.905	3.120	1.00	42.53
ATOM	2034	N	ARG	B	60	70.973	0.344	7.829	1.00	30.35
ATOM	2035	CA	ARG	B	60	69.642	0.957	7.857	1.00	30.97
ATOM	2036	C	ARG	B	60	68.802	0.150	8.831	1.00	30.79
ATOM	2037	O	ARG	B	60	69.196	-0.950	9.213	1.00	34.40
ATOM	2038	CB	ARG	B	60	69.007	0.909	6.458	1.00	32.68
ATOM	2039	CG	ARG	B	60	67.857	1.876	6.209	1.00	33.70
ATOM	2040	CD	ARG	B	60	67.316	1.757	4.777	1.00	38.65
ATOM	2041	NE	ARG	B	60	68.328	1.352	3.787	1.00	51.11
ATOM	2042	CZ	ARG	B	60	69.392	2.071	3.409	1.00	53.99
ATOM	2043	NH1	ARG	B	60	69.627	3.277	3.925	1.00	54.76
ATOM	2044	NH2	ARG	B	60	70.237	1.577	2.507	1.00	51.13

ATOM	2045	N	GLY	B	61	67.654	0.692	9.228	1.00	29.15
ATOM	2046	CA	GLY	B	61	66.766	0.004	10.152	1.00	25.24
ATOM	2047	C	GLY	B	61	65.391	0.546	9.862	1.00	27.10
ATOM	2048	O	GLY	B	61	65.119	1.707	10.141	1.00	28.77
ATOM	2049	N	SER	B	62	64.519	-0.282	9.299	1.00	29.24
ATOM	2050	CA	SER	B	62	63.176	0.170	8.932	1.00	28.30
ATOM	2051	C	SER	B	62	62.061	-0.497	9.683	1.00	26.57
ATOM	2052	O	SER	B	62	62.162	-1.675	10.026	1.00	23.80
ATOM	2053	CB	SER	B	62	62.936	-0.038	7.434	1.00	28.40
ATOM	2054	OG	SER	B	62	63.918	0.634	6.664	1.00	27.22
ATOM	2055	N	ALA	B	63	60.983	0.263	9.893	1.00	26.76
ATOM	2056	CA	ALA	B	63	59.793	-0.230	10.602	1.00	27.64
ATOM	2057	C	ALA	B	63	58.674	-0.615	9.637	1.00	27.52
ATOM	2058	O	ALA	B	63	58.534	-0.038	8.550	1.00	27.03
ATOM	2059	CB	ALA	B	63	59.289	0.819	11.561	1.00	29.38
ATOM	2060	N	TYR	B	64	57.872	-1.584	10.050	1.00	25.06
ATOM	2061	CA	TYR	B	64	56.791	-2.068	9.226	1.00	22.76
ATOM	2062	C	TYR	B	64	55.582	-2.389	10.057	1.00	22.95
ATOM	2063	O	TYR	B	64	55.697	-2.674	11.240	1.00	22.26
ATOM	2064	CB	TYR	B	64	57.216	-3.342	8.483	1.00	25.17
ATOM	2065	CG	TYR	B	64	58.271	-3.104	7.443	1.00	19.93
ATOM	2066	CD1	TYR	B	64	59.601	-2.953	7.802	1.00	21.91
ATOM	2067	CD2	TYR	B	64	57.923	-2.914	6.108	1.00	15.19
ATOM	2068	CE1	TYR	B	64	60.558	-2.595	6.853	1.00	19.37
ATOM	2069	CE2	TYR	B	64	58.856	-2.568	5.170	1.00	11.80
ATOM	2070	CZ	TYR	B	64	60.173	-2.402	5.548	1.00	15.71
ATOM	2071	OH	TYR	B	64	61.101	-1.999	4.627	1.00	25.34
ATOM	2072	N	GLY	B	65	54.424	-2.361	9.405	1.00	25.81
ATOM	2073	CA	GLY	B	65	53.162	-2.683	10.049	1.00	24.26
ATOM	2074	C	GLY	B	65	52.970	-2.042	11.396	1.00	23.86
ATOM	2075	O	GLY	B	65	53.272	-0.861	11.582	1.00	25.84
ATOM	2076	N	GLY	B	66	52.471	-2.830	12.340	1.00	21.33
ATOM	2077	CA	GLY	B	66	52.236	-2.320	13.671	1.00	21.20
ATOM	2078	C	GLY	B	66	53.311	-1.366	14.145	1.00	22.86
ATOM	2079	O	GLY	B	66	53.076	-0.176	14.298	1.00	21.27
ATOM	2080	N	VAL	B	67	54.506	-1.890	14.371	1.00	25.88
ATOM	2081	CA	VAL	B	67	55.610	-1.087	14.865	1.00	26.94
ATOM	2082	C	VAL	B	67	55.705	0.302	14.258	1.00	28.60
ATOM	2083	O	VAL	B	67	56.127	1.255	14.928	1.00	30.72
ATOM	2084	CB	VAL	B	67	56.939	-1.818	14.636	1.00	25.83
ATOM	2085	CG1	VAL	B	67	58.119	-0.856	14.847	1.00	26.49
ATOM	2086	CG2	VAL	B	67	57.031	-2.999	15.589	1.00	24.42
ATOM	2087	N	LEU	B	68	55.292	0.407	13.000	1.00	25.69
ATOM	2088	CA	LEU	B	68	55.370	1.648	12.256	1.00	24.93
ATOM	2089	C	LEU	B	68	54.295	2.689	12.548	1.00	27.88
ATOM	2090	O	LEU	B	68	54.443	3.878	12.244	1.00	27.37
ATOM	2091	CB	LEU	B	68	55.367	1.302	10.780	1.00	22.71
ATOM	2092	CG	LEU	B	68	55.642	2.418	9.788	1.00	15.14
ATOM	2093	CD1	LEU	B	68	56.948	3.112	10.121	1.00	11.28
ATOM	2094	CD2	LEU	B	68	55.682	1.809	8.413	1.00	12.68
ATOM	2095	N	SER	B	69	53.202	2.242	13.139	1.00	31.44
ATOM	2096	CA	SER	B	69	52.116	3.150	13.449	1.00	33.87
ATOM	2097	C	SER	B	69	51.872	3.259	14.935	1.00	34.08
ATOM	2098	O	SER	B	69	51.509	4.315	15.427	1.00	37.54
ATOM	2099	CB	SER	B	69	50.837	2.669	12.789	1.00	33.51
ATOM	2100	OG	SER	B	69	50.436	1.438	13.354	1.00	36.46
ATOM	2101	N	ASN	B	70	52.081	2.164	15.650	1.00	34.45
ATOM	2102	CA	ASN	B	70	51.838	2.146	17.076	1.00	34.37
ATOM	2103	C	ASN	B	70	53.051	2.377	17.957	1.00	35.63
ATOM	2104	O	ASN	B	70	52.933	2.354	19.185	1.00	35.89
ATOM	2105	CB	ASN	B	70	51.177	0.826	17.460	1.00	35.78
ATOM	2106	CG	ASN	B	70	49.892	0.582	16.695	1.00	36.83

ATOM	2107	OD1	ASN	B	70	49.110	1.498	16.491	1.00	41.18
ATOM	2108	ND2	ASN	B	70	49.665	-0.656	16.278	1.00	38.25
ATOM	2109	N	PHE	B	71	54.216	2.603	17.360	1.00	34.78
ATOM	2110	CA	PHE	B	71	55.394	2.813	18.188	1.00	32.43
ATOM	2111	C	PHE	B	71	56.351	3.934	17.805	1.00	33.30
ATOM	2112	O	PHE	B	71	56.366	4.442	16.690	1.00	34.23
ATOM	2113	CB	PHE	B	71	56.193	1.516	18.310	1.00	29.29
ATOM	2114	CG	PHE	B	71	55.436	0.386	18.939	1.00	23.06
ATOM	2115	CD1	PHE	B	71	54.398	-0.243	18.256	1.00	25.14
ATOM	2116	CD2	PHE	B	71	55.774	-0.064	20.202	1.00	18.93
ATOM	2117	CE1	PHE	B	71	53.707	-1.311	18.829	1.00	25.86
ATOM	2118	CE2	PHE	B	71	55.096	-1.132	20.789	1.00	21.05
ATOM	2119	CZ	PHE	B	71	54.058	-1.757	20.102	1.00	24.04
ATOM	2120	N	SER	B	72	57.158	4.300	18.781	1.00	35.13
ATOM	2121	CA	SER	B	72	58.162	5.327	18.646	1.00	39.15
ATOM	2122	C	SER	B	72	59.345	4.734	19.403	1.00	40.19
ATOM	2123	O	SER	B	72	59.219	4.398	20.582	1.00	40.88
ATOM	2124	CB	SER	B	72	57.672	6.603	19.323	1.00	38.55
ATOM	2125	OG	SER	B	72	58.739	7.504	19.570	1.00	48.46
ATOM	2126	N	GLY	B	73	60.488	4.586	18.744	1.00	39.62
ATOM	2127	CA	GLY	B	73	61.607	3.998	19.455	1.00	41.10
ATOM	2128	C	GLY	B	73	63.022	4.330	19.030	1.00	41.00
ATOM	2129	O	GLY	B	73	63.280	5.214	18.207	1.00	38.43
ATOM	2130	N	THR	B	74	63.948	3.593	19.625	1.00	40.78
ATOM	2131	CA	THR	B	74	65.359	3.766	19.350	1.00	40.58
ATOM	2132	C	THR	B	74	65.960	2.411	19.019	1.00	41.45
ATOM	2133	O	THR	B	74	65.373	1.357	19.314	1.00	38.91
ATOM	2134	CB	THR	B	74	66.131	4.326	20.590	1.00	39.60
ATOM	2135	OG1	THR	B	74	65.999	3.408	21.693	1.00	35.56
ATOM	2136	CG2	THR	B	74	65.605	5.698	20.987	1.00	29.56
ATOM	2137	N	VAL	B	75	67.132	2.455	18.391	1.00	41.29
ATOM	2138	CA	VAL	B	75	67.869	1.246	18.065	1.00	40.89
ATOM	2139	C	VAL	B	75	69.181	1.372	18.833	1.00	40.73
ATOM	2140	O	VAL	B	75	69.975	2.282	18.589	1.00	37.98
ATOM	2141	CB	VAL	B	75	68.135	1.098	16.530	1.00	40.28
ATOM	2142	CG1	VAL	B	75	68.993	2.244	16.011	1.00	37.73
ATOM	2143	CG2	VAL	B	75	68.790	-0.247	16.253	1.00	36.46
ATOM	2144	N	LYS	B	76	69.380	0.484	19.801	1.00	41.44
ATOM	2145	CA	LYS	B	76	70.596	0.509	20.594	1.00	43.46
ATOM	2146	C	LYS	B	76	71.634	-0.387	19.916	1.00	40.68
ATOM	2147	O	LYS	B	76	71.528	-1.608	19.979	1.00	40.83
ATOM	2148	CB	LYS	B	76	70.300	0.009	22.006	1.00	46.58
ATOM	2149	CG	LYS	B	76	71.468	0.156	22.968	1.00	51.94
ATOM	2150	CD	LYS	B	76	71.195	-0.586	24.278	1.00	57.06
ATOM	2151	CE	LYS	B	76	72.336	-0.413	25.289	1.00	57.73
ATOM	2152	NZ	LYS	B	76	72.057	-1.120	26.575	1.00	54.23
ATOM	2153	N	TYR	B	77	72.621	0.221	19.260	1.00	37.31
ATOM	2154	CA	TYR	B	77	73.656	-0.540	18.567	1.00	36.49
ATOM	2155	C	TYR	B	77	74.998	-0.504	19.256	1.00	38.61
ATOM	2156	O	TYR	B	77	75.779	0.429	19.046	1.00	38.96
ATOM	2157	CB	TYR	B	77	73.845	-0.035	17.132	1.00	35.19
ATOM	2158	CG	TYR	B	77	74.806	-0.860	16.291	1.00	33.43
ATOM	2159	CD1	TYR	B	77	74.664	-2.246	16.184	1.00	32.56
ATOM	2160	CD2	TYR	B	77	75.828	-0.252	15.563	1.00	32.87
ATOM	2161	CE1	TYR	B	77	75.511	-2.999	15.369	1.00	29.64
ATOM	2162	CE2	TYR	B	77	76.684	-0.999	14.743	1.00	30.05
ATOM	2163	CZ	TYR	B	77	76.517	-2.368	14.648	1.00	29.06
ATOM	2164	OH	TYR	B	77	77.328	-3.101	13.807	1.00	27.70
ATOM	2165	N	SER	B	78	75.266	-1.521	20.075	1.00	40.20
ATOM	2166	CA	SER	B	78	76.544	-1.633	20.769	1.00	41.02
ATOM	2167	C	SER	B	78	76.736	-0.504	21.777	1.00	41.26
ATOM	2168	O	SER	B	78	77.610	0.348	21.627	1.00	41.70

ATOM	2169	CB	SER	B	78	77.679	-1.638	19.728	1.00	40.89
ATOM	2170	OG	SER	B	78	78.925	-2.003	20.281	1.00	45.52
ATOM	2171	N	GLY	B	79	75.887	-0.481	22.791	1.00	42.89
ATOM	2172	CA	GLY	B	79	76.015	0.535	23.823	1.00	46.50
ATOM	2173	C	GLY	B	79	75.681	1.964	23.447	1.00	48.08
ATOM	2174	O	GLY	B	79	75.948	2.897	24.209	1.00	48.44
ATOM	2175	N	SER	B	80	75.106	2.150	22.270	1.00	47.77
ATOM	2176	CA	SER	B	80	74.716	3.478	21.844	1.00	46.72
ATOM	2177	C	SER	B	80	73.343	3.367	21.194	1.00	46.50
ATOM	2178	O	SER	B	80	73.021	2.371	20.544	1.00	48.40
ATOM	2179	CB	SER	B	80	75.740	4.021	20.867	1.00	47.57
ATOM	2180	OG	SER	B	80	77.031	3.790	21.394	1.00	55.98
ATOM	2181	N	SER	B	81	72.514	4.375	21.397	1.00	44.24
ATOM	2182	CA	SER	B	81	71.197	4.348	20.809	1.00	39.78
ATOM	2183	C	SER	B	81	71.048	5.443	19.785	1.00	37.44
ATOM	2184	O	SER	B	81	71.716	6.464	19.839	1.00	36.63
ATOM	2185	CB	SER	B	81	70.122	4.471	21.889	1.00	41.47
ATOM	2186	OG	SER	B	81	69.943	3.234	22.565	1.00	42.36
ATOM	2187	N	TYR	B	82	70.190	5.180	18.816	1.00	38.24
ATOM	2188	CA	TYR	B	82	69.898	6.117	17.744	1.00	36.60
ATOM	2189	C	TYR	B	82	68.410	5.939	17.429	1.00	36.30
ATOM	2190	O	TYR	B	82	67.766	4.985	17.880	1.00	37.33
ATOM	2191	CB	TYR	B	82	70.710	5.791	16.493	1.00	34.35
ATOM	2192	CG	TYR	B	82	72.155	5.467	16.730	1.00	36.74
ATOM	2193	CD1	TYR	B	82	72.528	4.308	17.408	1.00	38.59
ATOM	2194	CD2	TYR	B	82	73.157	6.282	16.219	1.00	38.80
ATOM	2195	CE1	TYR	B	82	73.864	3.962	17.569	1.00	40.67
ATOM	2196	CE2	TYR	B	82	74.503	5.948	16.371	1.00	41.91
ATOM	2197	CZ	TYR	B	82	74.849	4.785	17.044	1.00	43.58
ATOM	2198	OH	TYR	B	82	76.171	4.433	17.171	1.00	43.69
ATOM	2199	N	PRO	B	83	67.849	6.857	16.656	1.00	33.26
ATOM	2200	CA	PRO	B	83	66.443	6.828	16.261	1.00	36.05
ATOM	2201	C	PRO	B	83	66.071	5.579	15.443	1.00	39.10
ATOM	2202	O	PRO	B	83	66.899	5.056	14.693	1.00	41.89
ATOM	2203	CB	PRO	B	83	66.299	8.095	15.427	1.00	36.01
ATOM	2204	CG	PRO	B	83	67.365	8.992	15.961	1.00	39.58
ATOM	2205	CD	PRO	B	83	68.517	8.069	16.166	1.00	37.11
ATOM	2206	N	PHE	B	84	64.831	5.110	15.581	1.00	38.03
ATOM	2207	CA	PHE	B	84	64.364	3.965	14.815	1.00	36.55
ATOM	2208	C	PHE	B	84	62.913	4.193	14.428	1.00	39.04
ATOM	2209	O	PHE	B	84	62.058	4.309	15.302	1.00	40.98
ATOM	2210	CB	PHE	B	84	64.475	2.679	15.627	1.00	36.61
ATOM	2211	CG	PHE	B	84	64.017	1.455	14.877	1.00	36.45
ATOM	2212	CD1	PHE	B	84	64.775	0.940	13.832	1.00	36.05
ATOM	2213	CD2	PHE	B	84	62.804	0.847	15.178	1.00	36.64
ATOM	2214	CE1	PHE	B	84	64.329	-0.162	13.089	1.00	34.26
ATOM	2215	CE2	PHE	B	84	62.350	-0.258	14.437	1.00	35.07
ATOM	2216	CZ	PHE	B	84	63.118	-0.758	13.394	1.00	32.28
ATOM	2217	N	PRO	B	85	62.600	4.247	13.112	1.00	41.51
ATOM	2218	CA	PRO	B	85	63.465	4.114	11.935	1.00	41.85
ATOM	2219	C	PRO	B	85	64.749	4.891	12.003	1.00	42.64
ATOM	2220	O	PRO	B	85	64.817	5.948	12.612	1.00	44.83
ATOM	2221	CB	PRO	B	85	62.566	4.574	10.807	1.00	37.67
ATOM	2222	CG	PRO	B	85	61.290	3.939	11.202	1.00	39.17
ATOM	2223	CD	PRO	B	85	61.192	4.305	12.676	1.00	40.60
ATOM	2224	N	THR	B	86	65.767	4.339	11.365	1.00	42.42
ATOM	2225	CA	THR	B	86	67.087	4.925	11.356	1.00	43.82
ATOM	2226	C	THR	B	86	67.205	6.024	10.325	1.00	45.15
ATOM	2227	O	THR	B	86	66.542	5.985	9.299	1.00	46.86
ATOM	2228	CB	THR	B	86	68.118	3.855	11.036	1.00	44.01
ATOM	2229	OG1	THR	B	86	67.929	3.414	9.686	1.00	40.62
ATOM	2230	CG2	THR	B	86	67.963	2.669	11.988	1.00	40.07

ATOM	2231	N	THR	B	87	68.063	6.999	10.594	1.00	45.46
ATOM	2232	CA	THR	B	87	68.256	8.088	9.657	1.00	47.03
ATOM	2233	C	THR	B	87	69.698	8.212	9.182	1.00	48.20
ATOM	2234	O	THR	B	87	69.974	8.964	8.242	1.00	47.73
ATOM	2235	CB	THR	B	87	67.811	9.415	10.259	1.00	46.85
ATOM	2236	OG1	THR	B	87	67.888	9.336	11.683	1.00	53.60
ATOM	2237	CG2	THR	B	87	66.397	9.727	9.855	1.00	46.88
ATOM	2238	N	SER	B	88	70.611	7.474	9.820	1.00	49.01
ATOM	2239	CA	SER	B	88	72.028	7.495	9.435	1.00	48.13
ATOM	2240	C	SER	B	88	72.706	6.179	9.779	1.00	47.65
ATOM	2241	O	SER	B	88	72.336	5.539	10.769	1.00	48.72
ATOM	2242	CB	SER	B	88	72.772	8.601	10.172	1.00	50.40
ATOM	2243	OG	SER	B	88	73.153	8.154	11.463	1.00	54.27
ATOM	2244	N	GLU	B	89	73.703	5.789	8.977	1.00	46.13
ATOM	2245	CA	GLU	B	89	74.457	4.553	9.215	1.00	42.40
ATOM	2246	C	GLU	B	89	75.244	4.747	10.500	1.00	40.61
ATOM	2247	O	GLU	B	89	75.771	5.827	10.753	1.00	38.87
ATOM	2248	CB	GLU	B	89	75.429	4.260	8.075	1.00	43.66
ATOM	2249	CG	GLU	B	89	75.927	2.814	8.056	1.00	43.26
ATOM	2250	CD	GLU	B	89	76.942	2.549	6.958	1.00	41.90
ATOM	2251	OE1	GLU	B	89	76.868	3.203	5.898	1.00	42.94
ATOM	2252	OE2	GLU	B	89	77.806	1.673	7.149	1.00	42.10
ATOM	2253	N	THR	B	90	75.326	3.695	11.304	1.00	39.38
ATOM	2254	CA	THR	B	90	76.002	3.777	12.584	1.00	38.82
ATOM	2255	C	THR	B	90	77.471	3.499	12.510	1.00	39.57
ATOM	2256	O	THR	B	90	77.980	3.040	11.495	1.00	41.55
ATOM	2257	CB	THR	B	90	75.446	2.783	13.577	1.00	37.73
ATOM	2258	OG1	THR	B	90	75.629	1.464	13.055	1.00	38.00
ATOM	2259	CG2	THR	B	90	73.991	3.057	13.855	1.00	38.24
ATOM	2260	N	PRO	B	91	78.182	3.783	13.610	1.00	41.18
ATOM	2261	CA	PRO	B	91	79.623	3.558	13.691	1.00	39.55
ATOM	2262	C	PRO	B	91	79.858	2.090	13.406	1.00	36.23
ATOM	2263	O	PRO	B	91	78.916	1.309	13.415	1.00	33.71
ATOM	2264	CB	PRO	B	91	79.938	3.914	15.138	1.00	41.08
ATOM	2265	CG	PRO	B	91	78.936	4.982	15.434	1.00	42.24
ATOM	2266	CD	PRO	B	91	77.683	4.431	14.838	1.00	40.11
ATOM	2267	N	ARG	B	92	81.105	1.716	13.160	1.00	36.77
ATOM	2268	CA	ARG	B	92	81.421	0.325	12.879	1.00	39.08
ATOM	2269	C	ARG	B	92	81.926	-0.443	14.104	1.00	37.79
ATOM	2270	O	ARG	B	92	82.584	0.103	14.981	1.00	40.29
ATOM	2271	CB	ARG	B	92	82.426	0.228	11.709	1.00	39.84
ATOM	2272	CG	ARG	B	92	83.633	1.145	11.802	1.00	48.36
ATOM	2273	CD	ARG	B	92	84.532	1.026	10.566	1.00	52.92
ATOM	2274	NE	ARG	B	92	85.846	1.671	10.731	1.00	60.91
ATOM	2275	CZ	ARG	B	92	86.713	1.412	11.719	1.00	61.87
ATOM	2276	NH1	ARG	B	92	86.420	0.519	12.657	1.00	60.53
ATOM	2277	NH2	ARG	B	92	87.889	2.036	11.765	1.00	58.89
ATOM	2278	N	VAL	B	93	81.563	-1.712	14.164	1.00	34.98
ATOM	2279	CA	VAL	B	93	81.972	-2.600	15.231	1.00	34.36
ATOM	2280	C	VAL	B	93	82.915	-3.569	14.553	1.00	35.35
ATOM	2281	O	VAL	B	93	82.751	-3.858	13.376	1.00	36.24
ATOM	2282	CB	VAL	B	93	80.787	-3.393	15.756	1.00	35.07
ATOM	2283	CG1	VAL	B	93	81.254	-4.422	16.764	1.00	34.52
ATOM	2284	CG2	VAL	B	93	79.765	-2.454	16.339	1.00	37.17
ATOM	2285	N	VAL	B	94	83.900	-4.086	15.268	1.00	36.53
ATOM	2286	CA	VAL	B	94	84.804	-5.009	14.609	1.00	38.16
ATOM	2287	C	VAL	B	94	84.580	-6.446	14.978	1.00	36.95
ATOM	2288	O	VAL	B	94	84.192	-6.774	16.097	1.00	35.84
ATOM	2289	CB	VAL	B	94	86.292	-4.687	14.877	1.00	39.48
ATOM	2290	CG1	VAL	B	94	86.631	-3.325	14.311	1.00	40.19
ATOM	2291	CG2	VAL	B	94	86.578	-4.749	16.362	1.00	42.25
ATOM	2292	N	TYR	B	95	84.811	-7.298	13.992	1.00	38.03

ATOM	2293	CA	TYR	B	95	84.705	-8.732	14.156	1.00	37.70
ATOM	2294	C	TYR	B	95	86.083	-9.246	13.753	1.00	39.13
ATOM	2295	O	TYR	B	95	86.557	-8.994	12.638	1.00	38.40
ATOM	2296	CB	TYR	B	95	83.601	-9.292	13.260	1.00	35.26
ATOM	2297	CG	TYR	B	95	82.213	-9.060	13.830	1.00	32.24
ATOM	2298	CD1	TYR	B	95	81.625	-7.809	13.783	1.00	27.12
ATOM	2299	CD2	TYR	B	95	81.510	-10.097	14.452	1.00	31.83
ATOM	2300	CE1	TYR	B	95	80.381	-7.592	14.336	1.00	30.33
ATOM	2301	CE2	TYR	B	95	80.263	-9.893	15.008	1.00	28.49
ATOM	2302	CZ	TYR	B	95	79.696	-8.636	14.951	1.00	33.00
ATOM	2303	OH	TYR	B	95	78.440	-8.416	15.503	1.00	36.28
ATOM	2304	N	ASN	B	96	86.732	-9.928	14.691	1.00	39.58
ATOM	2305	CA	ASN	B	96	88.072	-10.457	14.490	1.00	39.50
ATOM	2306	C	ASN	B	96	88.229	-11.851	15.089	1.00	38.89
ATOM	2307	O	ASN	B	96	89.083	-12.081	15.942	1.00	39.50
ATOM	2308	CB	ASN	B	96	89.086	-9.507	15.124	1.00	42.28
ATOM	2309	CG	ASN	B	96	88.764	-9.182	16.592	1.00	44.63
ATOM	2310	OD1	ASN	B	96	89.362	-8.283	17.177	1.00	51.73
ATOM	2311	ND2	ASN	B	96	87.830	-9.913	17.182	1.00	45.73
ATOM	2312	N	SER	B	97	87.408	-12.783	14.633	1.00	37.43
ATOM	2313	CA	SER	B	97	87.460	-14.145	15.123	1.00	36.25
ATOM	2314	C	SER	B	97	86.560	-15.024	14.263	1.00	36.95
ATOM	2315	O	SER	B	97	85.614	-14.531	13.664	1.00	38.93
ATOM	2316	CB	SER	B	97	86.990	-14.170	16.569	1.00	32.69
ATOM	2317	OG	SER	B	97	86.556	-15.469	16.927	1.00	32.93
ATOM	2318	N	ARG	B	98	86.849	-16.316	14.184	1.00	37.81
ATOM	2319	CA	ARG	B	98	86.000	-17.200	13.391	1.00	38.35
ATOM	2320	C	ARG	B	98	84.850	-17.690	14.237	1.00	38.98
ATOM	2321	O	ARG	B	98	83.946	-18.328	13.724	1.00	41.36
ATOM	2322	CB	ARG	B	98	86.773	-18.411	12.878	1.00	41.54
ATOM	2323	CG	ARG	B	98	87.953	-18.063	11.997	1.00	50.81
ATOM	2324	CD	ARG	B	98	88.492	-19.286	11.288	1.00	57.87
ATOM	2325	NE	ARG	B	98	89.470	-18.909	10.273	1.00	65.40
ATOM	2326	CZ	ARG	B	98	90.670	-18.406	10.542	1.00	69.38
ATOM	2327	NH1	ARG	B	98	91.048	-18.221	11.803	1.00	71.56
ATOM	2328	NH2	ARG	B	98	91.490	-18.085	9.550	1.00	72.05
ATOM	2329	N	THR	B	99	84.889	-17.400	15.535	1.00	39.65
ATOM	2330	CA	THR	B	99	83.835	-17.832	16.449	1.00	39.28
ATOM	2331	C	THR	B	99	82.643	-16.907	16.305	1.00	39.56
ATOM	2332	O	THR	B	99	82.805	-15.688	16.302	1.00	38.52
ATOM	2333	CB	THR	B	99	84.297	-17.783	17.912	1.00	38.57
ATOM	2334	OG1	THR	B	99	85.458	-18.604	18.089	1.00	34.08
ATOM	2335	CG2	THR	B	99	83.194	-18.294	18.810	1.00	40.70
ATOM	2336	N	ASP	B	100	81.446	-17.475	16.188	1.00	39.34
ATOM	2337	CA	ASP	B	100	80.261	-16.640	16.025	1.00	39.67
ATOM	2338	C	ASP	B	100	80.021	-15.797	17.260	1.00	38.72
ATOM	2339	O	ASP	B	100	79.769	-16.329	18.339	1.00	39.31
ATOM	2340	CB	ASP	B	100	79.011	-17.484	15.767	1.00	42.90
ATOM	2341	CG	ASP	B	100	79.055	-18.229	14.445	1.00	47.82
ATOM	2342	OD1	ASP	B	100	79.229	-17.585	13.387	1.00	51.81
ATOM	2343	OD2	ASP	B	100	78.899	-19.469	14.464	1.00	52.31
ATOM	2344	N	LYS	B	101	80.111	-14.484	17.097	1.00	37.66
ATOM	2345	CA	LYS	B	101	79.864	-13.544	18.183	1.00	36.80
ATOM	2346	C	LYS	B	101	78.534	-12.886	17.809	1.00	37.25
ATOM	2347	O	LYS	B	101	78.121	-12.944	16.654	1.00	37.67
ATOM	2348	CB	LYS	B	101	80.998	-12.516	18.250	1.00	38.18
ATOM	2349	CG	LYS	B	101	80.594	-11.106	18.714	1.00	40.25
ATOM	2350	CD	LYS	B	101	81.717	-10.079	18.490	1.00	35.55
ATOM	2351	CE	LYS	B	101	81.227	-8.645	18.669	1.00	31.71
ATOM	2352	NZ	LYS	B	101	82.337	-7.697	18.376	1.00	32.12
ATOM	2353	N	PRO	B	102	77.829	-12.287	18.782	1.00	37.80
ATOM	2354	CA	PRO	B	102	76.544	-11.637	18.500	1.00	37.24

ATOM	2355	C	PRO B 102	76.610	-10.341	17.685	1.00	35.52
ATOM	2356	O	PRO B 102	77.670	-9.764	17.481	1.00	34.31
ATOM	2357	CB	PRO B 102	75.974	-11.389	19.900	1.00	36.21
ATOM	2358	CG	PRO B 102	76.525	-12.501	20.678	1.00	35.98
ATOM	2359	CD	PRO B 102	77.967	-12.505	20.230	1.00	38.63
ATOM	2360	N	TRP B 103	75.453	-9.922	17.195	1.00	34.68
ATOM	2361	CA	TRP B 103	75.315	-8.675	16.463	1.00	34.32
ATOM	2362	C	TRP B 103	74.411	-7.898	17.428	1.00	36.72
ATOM	2363	O	TRP B 103	73.186	-8.086	17.466	1.00	38.88
ATOM	2364	CB	TRP B 103	74.632	-8.913	15.125	1.00	30.45
ATOM	2365	CG	TRP B 103	74.611	-7.696	14.284	1.00	26.83
ATOM	2366	CD1	TRP B 103	75.619	-6.803	14.127	1.00	27.89
ATOM	2367	CD2	TRP B 103	73.525	-7.222	13.488	1.00	22.39
ATOM	2368	NE1	TRP B 103	75.231	-5.793	13.284	1.00	25.27
ATOM	2369	CE2	TRP B 103	73.946	-6.025	12.881	1.00	20.05
ATOM	2370	CE3	TRP B 103	72.236	-7.691	13.234	1.00	20.48
ATOM	2371	CZ2	TRP B 103	73.128	-5.287	12.039	1.00	18.25
ATOM	2372	CZ3	TRP B 103	71.424	-6.955	12.394	1.00	23.24
ATOM	2373	CH2	TRP B 103	71.875	-5.762	11.808	1.00	21.04
ATOM	2374	N	PRO B 104	75.022	-7.032	18.241	1.00	35.20
ATOM	2375	CA	PRO B 104	74.465	-6.167	19.274	1.00	34.81
ATOM	2376	C	PRO B 104	73.422	-5.173	18.829	1.00	35.50
ATOM	2377	O	PRO B 104	73.615	-3.974	19.009	1.00	35.85
ATOM	2378	CB	PRO B 104	75.692	-5.465	19.794	1.00	34.03
ATOM	2379	CG	PRO B 104	76.385	-5.176	18.553	1.00	33.29
ATOM	2380	CD	PRO B 104	76.347	-6.527	17.860	1.00	36.12
ATOM	2381	N	VAL B 105	72.328	-5.660	18.252	1.00	34.17
ATOM	2382	CA	VAL B 105	71.269	-4.780	17.807	1.00	32.11
ATOM	2383	C	VAL B 105	70.055	-5.096	18.646	1.00	35.87
ATOM	2384	O	VAL B 105	69.700	-6.267	18.829	1.00	38.20
ATOM	2385	CB	VAL B 105	70.916	-4.984	16.311	1.00	26.85
ATOM	2386	CG1	VAL B 105	69.820	-4.034	15.923	1.00	25.08
ATOM	2387	CG2	VAL B 105	72.117	-4.716	15.437	1.00	27.99
ATOM	2388	N	ALA B 106	69.427	-4.053	19.181	1.00	37.15
ATOM	2389	CA	ALA B 106	68.233	-4.233	19.994	1.00	36.27
ATOM	2390	C	ALA B 106	67.272	-3.080	19.789	1.00	37.34
ATOM	2391	O	ALA B 106	67.657	-1.911	19.799	1.00	39.05
ATOM	2392	CB	ALA B 106	68.602	-4.352	21.463	1.00	32.08
ATOM	2393	N	LEU B 107	66.010	-3.435	19.595	1.00	38.81
ATOM	2394	CA	LEU B 107	64.940	-2.470	19.400	1.00	39.91
ATOM	2395	C	LEU B 107	64.252	-2.150	20.726	1.00	40.15
ATOM	2396	O	LEU B 107	63.963	-3.048	21.526	1.00	37.85
ATOM	2397	CB	LEU B 107	63.906	-3.040	18.424	1.00	39.69
ATOM	2398	CG	LEU B 107	63.959	-2.711	16.932	1.00	37.50
ATOM	2399	CD1	LEU B 107	65.341	-2.243	16.503	1.00	38.11
ATOM	2400	CD2	LEU B 107	63.513	-3.949	16.176	1.00	35.15
ATOM	2401	N	TYR B 108	64.008	-0.861	20.946	1.00	42.02
ATOM	2402	CA	TYR B 108	63.317	-0.367	22.141	1.00	42.55
ATOM	2403	C	TYR B 108	62.072	0.337	21.643	1.00	41.75
ATOM	2404	O	TYR B 108	62.116	1.506	21.254	1.00	41.56
ATOM	2405	CB	TYR B 108	64.210	0.597	22.905	1.00	40.20
ATOM	2406	CG	TYR B 108	65.310	-0.138	23.591	1.00	41.24
ATOM	2407	CD1	TYR B 108	65.023	-1.068	24.580	1.00	41.21
ATOM	2408	CD2	TYR B 108	66.634	0.044	23.221	1.00	47.93
ATOM	2409	CE1	TYR B 108	66.011	-1.803	25.184	1.00	44.93
ATOM	2410	CE2	TYR B 108	67.645	-0.688	23.825	1.00	51.79
ATOM	2411	CZ	TYR B 108	67.323	-1.615	24.809	1.00	50.18
ATOM	2412	OH	TYR B 108	68.312	-2.356	25.421	1.00	54.92
ATOM	2413	N	LEU B 109	60.965	-0.395	21.641	1.00	41.34
ATOM	2414	CA	LEU B 109	59.710	0.134	21.126	1.00	41.20
ATOM	2415	C	LEU B 109	58.721	0.514	22.215	1.00	41.53
ATOM	2416	O	LEU B 109	58.523	-0.235	23.171	1.00	43.71

ATOM	2417	CB	LEU B 109	59.087	-0.897	20.178	1.00	36.82
ATOM	2418	CG	LEU B 109	59.994	-1.361	19.038	1.00	31.14
ATOM	2419	CD1	LEU B 109	59.243	-2.290	18.129	1.00	32.22
ATOM	2420	CD2	LEU B 109	60.472	-0.189	18.258	1.00	25.92
ATOM	2421	N	THR B 110	58.090	1.676	22.064	1.00	41.14
ATOM	2422	CA	THR B 110	57.124	2.143	23.065	1.00	40.90
ATOM	2423	C	THR B 110	55.752	2.443	22.468	1.00	39.12
ATOM	2424	O	THR B 110	55.609	3.304	21.598	1.00	36.51
ATOM	2425	CB	THR B 110	57.619	3.421	23.786	1.00	39.34
ATOM	2426	OG1	THR B 110	59.019	3.300	24.071	1.00	40.23
ATOM	2427	CG2	THR B 110	56.871	3.615	25.081	1.00	33.02
ATOM	2428	N	PRO B 111	54.721	1.728	22.940	1.00	38.23
ATOM	2429	CA	PRO B 111	53.364	1.934	22.437	1.00	38.94
ATOM	2430	C	PRO B 111	52.968	3.363	22.686	1.00	40.43
ATOM	2431	O	PRO B 111	53.302	3.933	23.731	1.00	39.73
ATOM	2432	CB	PRO B 111	52.534	0.963	23.266	1.00	37.23
ATOM	2433	CG	PRO B 111	53.501	-0.125	23.577	1.00	37.15
ATOM	2434	CD	PRO B 111	54.747	0.643	23.932	1.00	36.03
ATOM	2435	N	VAL B 112	52.264	3.949	21.727	1.00	41.40
ATOM	2436	CA	VAL B 112	51.827	5.321	21.883	1.00	41.21
ATOM	2437	C	VAL B 112	50.463	5.390	22.528	1.00	41.95
ATOM	2438	O	VAL B 112	49.748	4.391	22.653	1.00	39.83
ATOM	2439	CB	VAL B 112	51.728	6.066	20.542	1.00	39.96
ATOM	2440	CG1	VAL B 112	53.102	6.329	19.985	1.00	37.97
ATOM	2441	CG2	VAL B 112	50.891	5.266	19.576	1.00	39.45
ATOM	2442	N	SER B 113	50.134	6.607	22.937	1.00	43.57
ATOM	2443	CA	SER B 113	48.864	6.947	23.546	1.00	42.34
ATOM	2444	C	SER B 113	47.753	6.297	22.717	1.00	41.95
ATOM	2445	O	SER B 113	46.896	5.584	23.240	1.00	40.49
ATOM	2446	CB	SER B 113	48.743	8.469	23.521	1.00	39.62
ATOM	2447	OG	SER B 113	47.671	8.936	24.295	1.00	45.22
ATOM	2448	N	SER B 114	47.813	6.529	21.410	1.00	43.32
ATOM	2449	CA	SER B 114	46.837	6.007	20.463	1.00	46.71
ATOM	2450	C	SER B 114	46.979	4.533	20.051	1.00	49.12
ATOM	2451	O	SER B 114	46.127	4.010	19.323	1.00	50.79
ATOM	2452	CB	SER B 114	46.836	6.875	19.199	1.00	47.83
ATOM	2453	OG	SER B 114	48.101	6.898	18.563	1.00	46.06
ATOM	2454	N	ALA B 115	48.037	3.859	20.490	1.00	49.53
ATOM	2455	CA	ALA B 115	48.209	2.455	20.128	1.00	48.16
ATOM	2456	C	ALA B 115	46.893	1.698	20.334	1.00	47.80
ATOM	2457	O	ALA B 115	46.254	1.827	21.392	1.00	44.63
ATOM	2458	CB	ALA B 115	49.314	1.828	20.970	1.00	50.37
ATOM	2459	N	GLY B 116	46.497	0.918	19.321	1.00	46.23
ATOM	2460	CA	GLY B 116	45.263	0.142	19.388	1.00	44.63
ATOM	2461	C	GLY B 116	45.162	-0.912	20.489	1.00	43.29
ATOM	2462	O	GLY B 116	45.419	-0.646	21.677	1.00	43.69
ATOM	2463	N	GLY B 117	44.748	-2.112	20.095	1.00	41.04
ATOM	2464	CA	GLY B 117	44.629	-3.222	21.032	1.00	38.96
ATOM	2465	C	GLY B 117	45.708	-4.238	20.677	1.00	37.42
ATOM	2466	O	GLY B 117	46.443	-4.737	21.543	1.00	35.31
ATOM	2467	N	VAL B 118	45.780	-4.546	19.382	1.00	33.33
ATOM	2468	CA	VAL B 118	46.782	-5.446	18.829	1.00	28.81
ATOM	2469	C	VAL B 118	47.725	-4.524	18.084	1.00	25.27
ATOM	2470	O	VAL B 118	47.550	-4.295	16.900	1.00	23.69
ATOM	2471	CB	VAL B 118	46.174	-6.419	17.822	1.00	29.18
ATOM	2472	CG1	VAL B 118	47.272	-7.217	17.152	1.00	25.06
ATOM	2473	CG2	VAL B 118	45.209	-7.345	18.517	1.00	28.13
ATOM	2474	N	ALA B 119	48.711	-3.978	18.782	1.00	25.61
ATOM	2475	CA	ALA B 119	49.644	-3.037	18.156	1.00	25.24
ATOM	2476	C	ALA B 119	50.579	-3.734	17.199	1.00	23.55
ATOM	2477	O	ALA B 119	51.266	-3.094	16.399	1.00	18.09
ATOM	2478	CB	ALA B 119	50.457	-2.288	19.222	1.00	27.95

ATOM	2479	N	ILE	B	120	50.619	-5.053	17.306	1.00	20.77
ATOM	2480	CA	ILE	B	120	51.462	-5.823	16.430	1.00	22.43
ATOM	2481	C	ILE	B	120	50.759	-7.118	16.136	1.00	25.76
ATOM	2482	O	ILE	B	120	50.452	-7.870	17.048	1.00	30.62
ATOM	2483	CB	ILE	B	120	52.833	-6.086	17.070	1.00	19.35
ATOM	2484	CG1	ILE	B	120	53.700	-4.827	16.941	1.00	19.05
ATOM	2485	CG2	ILE	B	120	53.506	-7.267	16.411	1.00	19.95
ATOM	2486	CD1	ILE	B	120	55.166	-5.035	17.231	1.00	14.82
ATOM	2487	N	LYS	B	121	50.471	-7.378	14.869	1.00	26.86
ATOM	2488	CA	LYS	B	121	49.796	-8.622	14.542	1.00	28.09
ATOM	2489	C	LYS	B	121	50.796	-9.759	14.452	1.00	27.79
ATOM	2490	O	LYS	B	121	51.945	-9.577	14.031	1.00	27.26
ATOM	2491	CB	LYS	B	121	49.027	-8.500	13.221	1.00	33.73
ATOM	2492	CG	LYS	B	121	47.520	-8.282	13.378	1.00	38.66
ATOM	2493	CD	LYS	B	121	47.051	-6.952	12.762	1.00	39.42
ATOM	2494	CE	LYS	B	121	46.114	-6.206	13.718	1.00	39.09
ATOM	2495	NZ	LYS	B	121	45.065	-7.100	14.327	1.00	36.51
ATOM	2496	N	ALA	B	122	50.348	-10.934	14.867	1.00	27.51
ATOM	2497	CA	ALA	B	122	51.175	-12.125	14.835	1.00	28.36
ATOM	2498	C	ALA	B	122	51.514	-12.513	13.375	1.00	30.45
ATOM	2499	O	ALA	B	122	50.651	-12.520	12.485	1.00	31.14
ATOM	2500	CB	ALA	B	122	50.450	-13.256	15.549	1.00	20.11
ATOM	2501	N	GLY	B	123	52.783	-12.814	13.125	1.00	30.99
ATOM	2502	CA	GLY	B	123	53.184	-13.177	11.783	1.00	31.98
ATOM	2503	C	GLY	B	123	53.552	-11.983	10.902	1.00	34.36
ATOM	2504	O	GLY	B	123	54.046	-12.182	9.777	1.00	37.98
ATOM	2505	N	SER	B	124	53.354	-10.755	11.396	1.00	29.22
ATOM	2506	CA	SER	B	124	53.661	-9.572	10.598	1.00	25.44
ATOM	2507	C	SER	B	124	55.106	-9.107	10.585	1.00	22.82
ATOM	2508	O	SER	B	124	55.869	-9.370	11.489	1.00	25.38
ATOM	2509	CB	SER	B	124	52.769	-8.408	11.018	1.00	25.06
ATOM	2510	OG	SER	B	124	53.018	-8.017	12.353	1.00	29.45
ATOM	2511	N	LEU	B	125	55.482	-8.411	9.531	1.00	22.51
ATOM	2512	CA	LEU	B	125	56.832	-7.909	9.425	1.00	22.24
ATOM	2513	C	LEU	B	125	56.897	-6.730	10.374	1.00	26.64
ATOM	2514	O	LEU	B	125	56.137	-5.764	10.258	1.00	29.12
ATOM	2515	CB	LEU	B	125	57.116	-7.456	7.996	1.00	19.61
ATOM	2516	CG	LEU	B	125	58.522	-7.012	7.609	1.00	16.96
ATOM	2517	CD1	LEU	B	125	59.434	-8.217	7.498	1.00	12.54
ATOM	2518	CD2	LEU	B	125	58.467	-6.283	6.291	1.00	13.10
ATOM	2519	N	ILE	B	126	57.804	-6.833	11.334	1.00	30.31
ATOM	2520	CA	ILE	B	126	58.014	-5.815	12.361	1.00	28.90
ATOM	2521	C	ILE	B	126	59.096	-4.845	11.944	1.00	28.17
ATOM	2522	O	ILE	B	126	58.999	-3.654	12.179	1.00	29.71
ATOM	2523	CB	ILE	B	126	58.464	-6.474	13.680	1.00	29.60
ATOM	2524	CG1	ILE	B	126	57.386	-7.423	14.179	1.00	30.80
ATOM	2525	CG2	ILE	B	126	58.759	-5.450	14.710	1.00	31.25
ATOM	2526	CD1	ILE	B	126	56.070	-6.758	14.437	1.00	28.75
ATOM	2527	N	ALA	B	127	60.140	-5.368	11.321	1.00	30.52
ATOM	2528	CA	ALA	B	127	61.255	-4.532	10.907	1.00	29.68
ATOM	2529	C	ALA	B	127	62.218	-5.237	9.939	1.00	25.71
ATOM	2530	O	ALA	B	127	62.228	-6.466	9.820	1.00	22.07
ATOM	2531	CB	ALA	B	127	62.020	-4.072	12.163	1.00	28.72
ATOM	2532	N	VAL	B	128	63.014	-4.441	9.238	1.00	20.81
ATOM	2533	CA	VAL	B	128	64.003	-4.991	8.341	1.00	20.73
ATOM	2534	C	VAL	B	128	65.275	-4.230	8.664	1.00	21.75
ATOM	2535	O	VAL	B	128	65.324	-3.022	8.461	1.00	22.91
ATOM	2536	CB	VAL	B	128	63.662	-4.771	6.852	1.00	19.55
ATOM	2537	CG1	VAL	B	128	64.802	-5.272	6.010	1.00	18.06
ATOM	2538	CG2	VAL	B	128	62.388	-5.517	6.465	1.00	17.53
ATOM	2539	N	LEU	B	129	66.285	-4.935	9.177	1.00	19.75
ATOM	2540	CA	LEU	B	129	67.568	-4.333	9.536	1.00	20.46

ATOM	2541	C	LEU B 129	68.708	-4.746	8.602	1.00	20.61
ATOM	2542	O	LEU B 129	68.945	-5.940	8.405	1.00	19.71
ATOM	2543	CB	LEU B 129	67.939	-4.747	10.948	1.00	24.67
ATOM	2544	CG	LEU B 129	66.904	-4.498	12.034	1.00	26.67
ATOM	2545	CD1	LEU B 129	67.431	-5.078	13.319	1.00	28.57
ATOM	2546	CD2	LEU B 129	66.640	-3.014	12.192	1.00	27.85
ATOM	2547	N	ILE B 130	69.433	-3.774	8.048	1.00	19.63
ATOM	2548	CA	ILE B 130	70.536	-4.099	7.135	1.00	20.96
ATOM	2549	C	ILE B 130	71.918	-3.988	7.781	1.00	24.72
ATOM	2550	O	ILE B 130	72.353	-2.897	8.180	1.00	26.00
ATOM	2551	CB	ILE B 130	70.536	-3.217	5.865	1.00	15.12
ATOM	2552	CG1	ILE B 130	69.218	-3.352	5.119	1.00	13.73
ATOM	2553	CG2	ILE B 130	71.619	-3.670	4.930	1.00	7.31
ATOM	2554	CD1	ILE B 130	69.095	-2.369	3.967	1.00	14.89
ATOM	2555	N	LEU B 131	72.587	-5.138	7.863	1.00	24.48
ATOM	2556	CA	LEU B 131	73.907	-5.277	8.447	1.00	25.50
ATOM	2557	C	LEU B 131	74.907	-5.087	7.338	1.00	27.87
ATOM	2558	O	LEU B 131	74.871	-5.808	6.359	1.00	28.20
ATOM	2559	CB	LEU B 131	74.057	-6.679	9.046	1.00	25.88
ATOM	2560	CG	LEU B 131	75.402	-7.088	9.657	1.00	25.94
ATOM	2561	CD1	LEU B 131	75.239	-8.345	10.521	1.00	16.75
ATOM	2562	CD2	LEU B 131	76.410	-7.310	8.536	1.00	23.26
ATOM	2563	N	ARG B 132	75.808	-4.123	7.496	1.00	33.68
ATOM	2564	CA	ARG B 132	76.819	-3.842	6.480	1.00	34.45
ATOM	2565	C	ARG B 132	78.186	-4.390	6.886	1.00	35.32
ATOM	2566	O	ARG B 132	78.570	-4.314	8.057	1.00	36.30
ATOM	2567	CB	ARG B 132	76.911	-2.340	6.246	1.00	35.75
ATOM	2568	CG	ARG B 132	77.677	-1.983	4.996	1.00	41.88
ATOM	2569	CD	ARG B 132	77.505	-0.520	4.650	1.00	41.66
ATOM	2570	NE	ARG B 132	77.883	-0.272	3.266	1.00	45.55
ATOM	2571	CZ	ARG B 132	77.369	0.703	2.525	1.00	51.19
ATOM	2572	NH1	ARG B 132	76.454	1.514	3.049	1.00	48.49
ATOM	2573	NH2	ARG B 132	77.758	0.862	1.261	1.00	55.75
ATOM	2574	N	ASN B 133	78.921	-4.922	5.911	1.00	33.10
ATOM	2575	CA	ASN B 133	80.224	-5.510	6.173	1.00	32.22
ATOM	2576	C	ASN B 133	81.296	-5.088	5.195	1.00	32.69
ATOM	2577	O	ASN B 133	81.099	-5.092	3.985	1.00	35.14
ATOM	2578	CB	ASN B 133	80.095	-7.043	6.199	1.00	32.67
ATOM	2579	CG	ASN B 133	81.371	-7.765	5.773	1.00	35.58
ATOM	2580	OD1	ASN B 133	81.673	-7.875	4.581	1.00	34.38
ATOM	2581	ND2	ASN B 133	82.121	-8.263	6.747	1.00	34.37
ATOM	2582	N	THR B 134	82.442	-4.720	5.739	1.00	31.28
ATOM	2583	CA	THR B 134	83.572	-4.316	4.932	1.00	32.96
ATOM	2584	C	THR B 134	84.777	-4.887	5.639	1.00	34.42
ATOM	2585	O	THR B 134	84.625	-5.561	6.653	1.00	32.75
ATOM	2586	CB	THR B 134	83.688	-2.805	4.872	1.00	32.32
ATOM	2587	OG1	THR B 134	83.412	-2.271	6.170	1.00	38.86
ATOM	2588	CG2	THR B 134	82.716	-2.235	3.866	1.00	28.98
ATOM	2589	N	ASN B 135	85.972	-4.632	5.116	1.00	36.84
ATOM	2590	CA	ASN B 135	87.177	-5.161	5.745	1.00	39.24
ATOM	2591	C	ASN B 135	88.393	-4.335	5.393	1.00	41.72
ATOM	2592	O	ASN B 135	88.388	-3.588	4.414	1.00	44.24
ATOM	2593	CB	ASN B 135	87.419	-6.587	5.296	1.00	35.59
ATOM	2594	CG	ASN B 135	87.610	-6.681	3.818	1.00	35.13
ATOM	2595	OD1	ASN B 135	86.718	-6.351	3.047	1.00	34.76
ATOM	2596	ND2	ASN B 135	88.783	-7.121	3.404	1.00	40.86
ATOM	2597	N	ASN B 136	89.444	-4.491	6.189	1.00	42.19
ATOM	2598	CA	ASN B 136	90.670	-3.748	5.967	1.00	41.63
ATOM	2599	C	ASN B 136	91.566	-4.381	4.915	1.00	40.95
ATOM	2600	O	ASN B 136	92.656	-3.883	4.658	1.00	41.35
ATOM	2601	CB	ASN B 136	91.432	-3.626	7.279	1.00	41.22
ATOM	2602	CG	ASN B 136	91.949	-4.955	7.775	1.00	40.89

ATOM	2603	OD1	ASN	B	136	92.288	-5.100	8.954	1.00	40.56
ATOM	2604	ND2	ASN	B	136	92.035	-5.931	6.876	1.00	36.03
ATOM	2605	N	TYR	B	137	91.112	-5.476	4.309	1.00	42.53
ATOM	2606	CA	TYR	B	137	91.913	-6.159	3.295	1.00	42.12
ATOM	2607	C	TYR	B	137	91.618	-5.798	1.863	1.00	40.01
ATOM	2608	O	TYR	B	137	92.537	-5.682	1.073	1.00	40.43
ATOM	2609	CB	TYR	B	137	91.810	-7.680	3.387	1.00	42.47
ATOM	2610	CG	TYR	B	137	92.560	-8.328	2.238	1.00	47.46
ATOM	2611	CD1	TYR	B	137	93.946	-8.180	2.117	1.00	48.57
ATOM	2612	CD2	TYR	B	137	91.885	-9.042	1.242	1.00	47.52
ATOM	2613	CE1	TYR	B	137	94.639	-8.727	1.038	1.00	49.80
ATOM	2614	CE2	TYR	B	137	92.564	-9.593	0.157	1.00	46.83
ATOM	2615	CZ	TYR	B	137	93.945	-9.434	0.059	1.00	50.97
ATOM	2616	OH	TYR	B	137	94.637	-9.977	-1.008	1.00	46.78
ATOM	2617	N	ASN	B	138	90.345	-5.669	1.514	1.00	40.39
ATOM	2618	CA	ASN	B	138	89.984	-5.324	0.151	1.00	41.26
ATOM	2619	C	ASN	B	138	88.840	-4.331	0.114	1.00	45.81
ATOM	2620	O	ASN	B	138	88.453	-3.783	1.150	1.00	48.81
ATOM	2621	CB	ASN	B	138	89.617	-6.574	-0.634	1.00	38.14
ATOM	2622	CG	ASN	B	138	88.352	-7.217	-0.146	1.00	35.66
ATOM	2623	OD1	ASN	B	138	88.057	-8.357	-0.488	1.00	36.78
ATOM	2624	ND2	ASN	B	138	87.585	-6.492	0.647	1.00	34.96
ATOM	2625	N	SER	B	139	88.284	-4.118	-1.076	1.00	47.86
ATOM	2626	CA	SER	B	139	87.202	-3.151	-1.261	1.00	47.29
ATOM	2627	C	SER	B	139	85.812	-3.761	-1.343	1.00	46.44
ATOM	2628	O	SER	B	139	84.921	-3.202	-1.981	1.00	48.49
ATOM	2629	CB	SER	B	139	87.482	-2.336	-2.518	1.00	46.45
ATOM	2630	OG	SER	B	139	88.031	-3.179	-3.521	1.00	52.08
ATOM	2631	N	ASP	B	140	85.625	-4.905	-0.697	1.00	43.74
ATOM	2632	CA	ASP	B	140	84.329	-5.567	-0.714	1.00	41.91
ATOM	2633	C	ASP	B	140	83.365	-4.848	0.222	1.00	39.99
ATOM	2634	O	ASP	B	140	83.754	-4.406	1.306	1.00	40.75
ATOM	2635	CB	ASP	B	140	84.460	-7.028	-0.262	1.00	41.81
ATOM	2636	CG	ASP	B	140	85.214	-7.884	-1.245	1.00	41.14
ATOM	2637	OD1	ASP	B	140	85.500	-7.410	-2.362	1.00	42.56
ATOM	2638	OD2	ASP	B	140	85.515	-9.042	-0.887	1.00	43.73
ATOM	2639	N	ASP	B	141	82.110	-4.744	-0.204	1.00	36.87
ATOM	2640	CA	ASP	B	141	81.062	-4.115	0.579	1.00	34.06
ATOM	2641	C	ASP	B	141	79.793	-4.933	0.387	1.00	34.51
ATOM	2642	O	ASP	B	141	79.106	-4.780	-0.621	1.00	35.02
ATOM	2643	CB	ASP	B	141	80.837	-2.692	0.096	1.00	34.61
ATOM	2644	CG	ASP	B	141	79.663	-2.036	0.764	1.00	40.72
ATOM	2645	OD1	ASP	B	141	78.520	-2.243	0.308	1.00	49.90
ATOM	2646	OD2	ASP	B	141	79.874	-1.324	1.761	1.00	41.55
ATOM	2647	N	PHE	B	142	79.488	-5.800	1.353	1.00	33.79
ATOM	2648	CA	PHE	B	142	78.313	-6.669	1.290	1.00	32.92
ATOM	2649	C	PHE	B	142	77.243	-6.331	2.305	1.00	32.52
ATOM	2650	O	PHE	B	142	77.552	-5.907	3.419	1.00	32.94
ATOM	2651	CB	PHE	B	142	78.737	-8.109	1.510	1.00	36.72
ATOM	2652	CG	PHE	B	142	79.792	-8.570	0.562	1.00	37.16
ATOM	2653	CD1	PHE	B	142	79.599	-8.470	-0.802	1.00	34.64
ATOM	2654	CD2	PHE	B	142	80.976	-9.117	1.035	1.00	37.19
ATOM	2655	CE1	PHE	B	142	80.561	-8.904	-1.671	1.00	35.45
ATOM	2656	CE2	PHE	B	142	81.940	-9.552	0.169	1.00	33.32
ATOM	2657	CZ	PHE	B	142	81.732	-9.446	-1.186	1.00	35.04
ATOM	2658	N	GLN	B	143	75.984	-6.553	1.926	1.00	30.38
ATOM	2659	CA	GLN	B	143	74.864	-6.258	2.810	1.00	25.90
ATOM	2660	C	GLN	B	143	74.066	-7.479	3.227	1.00	25.89
ATOM	2661	O	GLN	B	143	73.634	-8.283	2.401	1.00	28.53
ATOM	2662	CB	GLN	B	143	73.931	-5.260	2.151	1.00	21.47
ATOM	2663	CG	GLN	B	143	74.579	-3.944	1.830	1.00	32.74
ATOM	2664	CD	GLN	B	143	73.571	-2.820	1.849	1.00	42.80

ATOM	2665	OE1	GLN	B	143	72.583	-2.850	1.108	1.00	47.45
ATOM	2666	NE2	GLN	B	143	73.802	-1.819	2.707	1.00	44.64
ATOM	2667	N	PHE	B	144	73.879	-7.616	4.528	1.00	25.76
ATOM	2668	CA	PHE	B	144	73.123	-8.717	5.085	1.00	25.00
ATOM	2669	C	PHE	B	144	71.790	-8.147	5.499	1.00	27.70
ATOM	2670	O	PHE	B	144	71.711	-7.301	6.381	1.00	32.08
ATOM	2671	CB	PHE	B	144	73.867	-9.301	6.276	1.00	23.13
ATOM	2672	CG	PHE	B	144	75.090	-10.078	5.885	1.00	26.01
ATOM	2673	CD1	PHE	B	144	76.196	-9.429	5.332	1.00	25.71
ATOM	2674	CD2	PHE	B	144	75.120	-11.473	6.015	1.00	25.92
ATOM	2675	CE1	PHE	B	144	77.321	-10.156	4.909	1.00	25.03
ATOM	2676	CE2	PHE	B	144	76.230	-12.209	5.601	1.00	25.70
ATOM	2677	CZ	PHE	B	144	77.335	-11.549	5.046	1.00	27.69
ATOM	2678	N	VAL	B	145	70.735	-8.605	4.847	1.00	28.72
ATOM	2679	CA	VAL	B	145	69.409	-8.097	5.126	1.00	27.45
ATOM	2680	C	VAL	B	145	68.546	-8.980	6.040	1.00	27.79
ATOM	2681	O	VAL	B	145	68.070	-10.057	5.647	1.00	30.49
ATOM	2682	CB	VAL	B	145	68.702	-7.815	3.788	1.00	29.48
ATOM	2683	CG1	VAL	B	145	67.204	-7.583	3.998	1.00	33.45
ATOM	2684	CG2	VAL	B	145	69.342	-6.601	3.140	1.00	21.71
ATOM	2685	N	TRP	B	146	68.338	-8.504	7.267	1.00	23.94
ATOM	2686	CA	TRP	B	146	67.545	-9.244	8.239	1.00	21.60
ATOM	2687	C	TRP	B	146	66.122	-8.747	8.260	1.00	22.80
ATOM	2688	O	TRP	B	146	65.889	-7.553	8.425	1.00	23.84
ATOM	2689	CB	TRP	B	146	68.139	-9.106	9.646	1.00	16.91
ATOM	2690	CG	TRP	B	146	69.586	-9.372	9.673	1.00	10.91
ATOM	2691	CD1	TRP	B	146	70.591	-8.454	9.536	1.00	9.77
ATOM	2692	CD2	TRP	B	146	70.202	-10.650	9.637	1.00	4.00
ATOM	2693	NE1	TRP	B	146	71.793	-9.088	9.395	1.00	7.47
ATOM	2694	CE2	TRP	B	146	71.586	-10.441	9.455	1.00	4.30
ATOM	2695	CE3	TRP	B	146	69.722	-11.953	9.736	1.00	5.20
ATOM	2696	CZ2	TRP	B	146	72.496	-11.490	9.369	1.00	1.00
ATOM	2697	CZ3	TRP	B	146	70.628	-13.000	9.653	1.00	7.46
ATOM	2698	CH2	TRP	B	146	72.005	-12.756	9.468	1.00	1.69
ATOM	2699	N	ASN	B	147	65.183	-9.680	8.095	1.00	23.74
ATOM	2700	CA	ASN	B	147	63.753	-9.386	8.113	1.00	23.13
ATOM	2701	C	ASN	B	147	63.160	-9.877	9.428	1.00	24.88
ATOM	2702	O	ASN	B	147	63.087	-11.079	9.665	1.00	27.32
ATOM	2703	CB	ASN	B	147	63.042	-10.081	6.945	1.00	18.53
ATOM	2704	CG	ASN	B	147	63.631	-9.715	5.602	1.00	17.54
ATOM	2705	OD1	ASN	B	147	63.875	-8.550	5.307	1.00	18.32
ATOM	2706	ND2	ASN	B	147	63.859	-10.715	4.778	1.00	16.75
ATOM	2707	N	ILE	B	148	62.730	-8.949	10.278	1.00	26.06
ATOM	2708	CA	ILE	B	148	62.153	-9.318	11.567	1.00	24.25
ATOM	2709	C	ILE	B	148	60.644	-9.548	11.522	1.00	21.44
ATOM	2710	O	ILE	B	148	59.879	-8.635	11.269	1.00	18.72
ATOM	2711	CB	ILE	B	148	62.459	-8.244	12.646	1.00	24.38
ATOM	2712	CG1	ILE	B	148	63.913	-8.347	13.100	1.00	23.76
ATOM	2713	CG2	ILE	B	148	61.558	-8.441	13.860	1.00	27.25
ATOM	2714	CD1	ILE	B	148	64.931	-8.230	11.994	1.00	25.16
ATOM	2715	N	TYR	B	149	60.239	-10.786	11.771	1.00	19.36
ATOM	2716	CA	TYR	B	149	58.839	-11.156	11.798	1.00	20.42
ATOM	2717	C	TYR	B	149	58.373	-11.448	13.217	1.00	22.69
ATOM	2718	O	TYR	B	149	59.020	-12.196	13.948	1.00	26.83
ATOM	2719	CB	TYR	B	149	58.594	-12.400	10.947	1.00	16.84
ATOM	2720	CG	TYR	B	149	58.483	-12.118	9.473	1.00	23.93
ATOM	2721	CD1	TYR	B	149	59.617	-11.860	8.700	1.00	21.22
ATOM	2722	CD2	TYR	B	149	57.233	-12.107	8.838	1.00	25.10
ATOM	2723	CE1	TYR	B	149	59.515	-11.604	7.334	1.00	20.13
ATOM	2724	CE2	TYR	B	149	57.125	-11.853	7.474	1.00	25.98
ATOM	2725	CZ	TYR	B	149	58.266	-11.604	6.728	1.00	25.48
ATOM	2726	OH	TYR	B	149	58.136	-11.374	5.374	1.00	31.82

ATOM	2727	N	ALA	B	150	57.240	-10.879	13.605	1.00	21.77
ATOM	2728	CA	ALA	B	150	56.711	-11.125	14.932	1.00	19.20
ATOM	2729	C	ALA	B	150	55.930	-12.435	14.941	1.00	17.39
ATOM	2730	O	ALA	B	150	55.072	-12.655	14.099	1.00	15.98
ATOM	2731	CB	ALA	B	150	55.816	-9.983	15.339	1.00	23.43
ATOM	2732	N	ASN	B	151	56.231	-13.294	15.903	1.00	16.12
ATOM	2733	CA	ASN	B	151	55.564	-14.581	16.025	1.00	18.81
ATOM	2734	C	ASN	B	151	54.218	-14.527	16.730	1.00	20.19
ATOM	2735	O	ASN	B	151	53.406	-15.450	16.591	1.00	18.85
ATOM	2736	CB	ASN	B	151	56.444	-15.577	16.784	1.00	20.57
ATOM	2737	CG	ASN	B	151	57.493	-16.205	15.922	1.00	22.02
ATOM	2738	OD1	ASN	B	151	57.261	-16.503	14.751	1.00	26.70
ATOM	2739	ND2	ASN	B	151	58.658	-16.440	16.501	1.00	28.41
ATOM	2740	N	ASN	B	152	53.995	-13.471	17.513	1.00	22.14
ATOM	2741	CA	ASN	B	152	52.741	-13.322	18.256	1.00	22.36
ATOM	2742	C	ASN	B	152	52.242	-11.890	18.231	1.00	23.59
ATOM	2743	O	ASN	B	152	52.952	-10.973	17.811	1.00	19.63
ATOM	2744	CB	ASN	B	152	52.946	-13.706	19.702	1.00	15.66
ATOM	2745	CG	ASN	B	152	54.123	-13.001	20.291	1.00	19.70
ATOM	2746	OD1	ASN	B	152	55.268	-13.304	19.939	1.00	23.60
ATOM	2747	ND2	ASN	B	152	53.868	-12.031	21.171	1.00	17.02
ATOM	2748	N	ASP	B	153	51.011	-11.718	18.704	1.00	25.85
ATOM	2749	CA	ASP	B	153	50.390	-10.408	18.781	1.00	28.05
ATOM	2750	C	ASP	B	153	51.006	-9.679	19.953	1.00	28.46
ATOM	2751	O	ASP	B	153	51.270	-10.282	20.982	1.00	31.62
ATOM	2752	CB	ASP	B	153	48.881	-10.519	19.063	1.00	28.55
ATOM	2753	CG	ASP	B	153	48.080	-10.968	17.864	1.00	33.31
ATOM	2754	OD1	ASP	B	153	48.239	-10.358	16.787	1.00	44.07
ATOM	2755	OD2	ASP	B	153	47.272	-11.915	17.994	1.00	30.60
ATOM	2756	N	VAL	B	154	51.246	-8.390	19.798	1.00	29.35
ATOM	2757	CA	VAL	B	154	51.743	-7.585	20.903	1.00	30.98
ATOM	2758	C	VAL	B	154	50.607	-6.626	21.248	1.00	30.60
ATOM	2759	O	VAL	B	154	50.334	-5.660	20.526	1.00	28.60
ATOM	2760	CB	VAL	B	154	52.998	-6.791	20.530	1.00	33.27
ATOM	2761	CG1	VAL	B	154	53.210	-5.650	21.517	1.00	30.94
ATOM	2762	CG2	VAL	B	154	54.192	-7.718	20.534	1.00	34.90
ATOM	2763	N	VAL	B	155	49.935	-6.934	22.349	1.00	30.46
ATOM	2764	CA	VAL	B	155	48.803	-6.152	22.839	1.00	31.62
ATOM	2765	C	VAL	B	155	49.165	-5.009	23.808	1.00	31.82
ATOM	2766	O	VAL	B	155	49.937	-5.182	24.751	1.00	25.75
ATOM	2767	CB	VAL	B	155	47.756	-7.087	23.515	1.00	29.12
ATOM	2768	CG1	VAL	B	155	47.023	-6.355	24.608	1.00	25.57
ATOM	2769	CG2	VAL	B	155	46.781	-7.613	22.466	1.00	28.43
ATOM	2770	N	VAL	B	156	48.590	-3.841	23.539	1.00	33.04
ATOM	2771	CA	VAL	B	156	48.777	-2.647	24.360	1.00	34.43
ATOM	2772	C	VAL	B	156	47.421	-2.368	25.015	1.00	34.92
ATOM	2773	O	VAL	B	156	46.537	-1.770	24.400	1.00	35.51
ATOM	2774	CB	VAL	B	156	49.167	-1.440	23.497	1.00	34.51
ATOM	2775	CG1	VAL	B	156	49.138	-0.183	24.326	1.00	34.33
ATOM	2776	CG2	VAL	B	156	50.537	-1.653	22.908	1.00	36.99
ATOM	2777	N	PRO	B	157	47.246	-2.784	26.280	1.00	35.14
ATOM	2778	CA	PRO	B	157	45.998	-2.595	27.022	1.00	33.08
ATOM	2779	C	PRO	B	157	45.487	-1.176	26.942	1.00	32.95
ATOM	2780	O	PRO	B	157	46.268	-0.222	26.969	1.00	29.20
ATOM	2781	CB	PRO	B	157	46.379	-2.976	28.442	1.00	32.16
ATOM	2782	CG	PRO	B	157	47.478	-3.943	28.239	1.00	34.69
ATOM	2783	CD	PRO	B	157	48.298	-3.252	27.192	1.00	36.30
ATOM	2784	N	THR	B	158	44.168	-1.043	26.834	1.00	32.67
ATOM	2785	CA	THR	B	158	43.563	0.276	26.757	1.00	32.90
ATOM	2786	C	THR	B	158	43.514	0.869	28.161	1.00	32.29
ATOM	2787	O	THR	B	158	43.102	0.201	29.110	1.00	32.46
ATOM	2788	CB	THR	B	158	42.160	0.200	26.123	1.00	29.05

ATOM	2789	OG1	THR	B	158	41.389	1.328	26.526	1.00	30.69
ATOM	2790	CG2	THR	B	158	41.476	-1.049	26.526	1.00	27.05
ATOM	2791	N	GLY	B	159	43.961	2.118	28.283	1.00	31.48
ATOM	2792	CA	GLY	B	159	43.998	2.782	29.572	1.00	31.48
ATOM	2793	C	GLY	B	159	42.714	3.463	30.007	1.00	31.57
ATOM	2794	O	GLY	B	159	41.699	3.415	29.306	1.00	31.94
ATOM	2795	N	GLY	B	160	42.752	4.099	31.175	1.00	28.28
ATOM	2796	CA	GLY	B	160	41.562	4.768	31.652	1.00	27.07
ATOM	2797	C	GLY	B	160	41.480	6.113	31.000	1.00	25.68
ATOM	2798	O	GLY	B	160	42.492	6.618	30.521	1.00	26.60
ATOM	2799	N	CYS	B	161	40.299	6.707	30.987	1.00	27.42
ATOM	2800	CA	CYS	B	161	40.146	8.022	30.371	1.00	34.48
ATOM	2801	C	CYS	B	161	40.631	9.173	31.273	1.00	35.59
ATOM	2802	O	CYS	B	161	40.963	8.955	32.439	1.00	36.17
ATOM	2803	CB	CYS	B	161	38.693	8.208	29.987	1.00	34.61
ATOM	2804	SG	CYS	B	161	38.061	6.781	29.052	1.00	40.33
ATOM	2805	N	ASP	B	162	40.696	10.391	30.740	1.00	36.98
ATOM	2806	CA	ASP	B	162	41.156	11.511	31.553	1.00	39.12
ATOM	2807	C	ASP	B	162	40.063	12.516	31.818	1.00	41.16
ATOM	2808	O	ASP	B	162	39.446	13.039	30.892	1.00	38.33
ATOM	2809	CB	ASP	B	162	42.345	12.220	30.908	1.00	40.55
ATOM	2810	CG	ASP	B	162	42.826	13.404	31.729	1.00	43.62
ATOM	2811	OD1	ASP	B	162	42.742	13.334	32.972	1.00	45.46
ATOM	2812	OD2	ASP	B	162	43.298	14.402	31.144	1.00	45.90
ATOM	2813	N	VAL	B	163	39.835	12.775	33.101	1.00	44.53
ATOM	2814	CA	VAL	B	163	38.815	13.710	33.530	1.00	48.84
ATOM	2815	C	VAL	B	163	39.391	15.090	33.787	1.00	54.56
ATOM	2816	O	VAL	B	163	39.809	15.410	34.891	1.00	55.47
ATOM	2817	CB	VAL	B	163	38.118	13.210	34.793	1.00	45.18
ATOM	2818	CG1	VAL	B	163	37.129	14.253	35.288	1.00	44.84
ATOM	2819	CG2	VAL	B	163	37.401	11.906	34.490	1.00	41.83
ATOM	2820	N	SER	B	164	39.415	15.907	32.745	1.00	61.85
ATOM	2821	CA	SER	B	164	39.930	17.256	32.861	1.00	70.05
ATOM	2822	C	SER	B	164	38.870	18.097	33.549	1.00	74.32
ATOM	2823	O	SER	B	164	37.682	18.015	33.218	1.00	75.50
ATOM	2824	CB	SER	B	164	40.226	17.843	31.474	1.00	73.30
ATOM	2825	OG	SER	B	164	41.176	17.066	30.762	1.00	78.44
ATOM	2826	N	ALA	B	165	39.305	18.907	34.506	1.00	78.81
ATOM	2827	CA	ALA	B	165	38.393	19.771	35.240	1.00	82.25
ATOM	2828	C	ALA	B	165	39.138	20.924	35.912	1.00	84.40
ATOM	2829	O	ALA	B	165	40.314	20.800	36.270	1.00	86.49
ATOM	2830	CB	ALA	B	165	37.635	18.949	36.288	1.00	80.62
ATOM	2831	N	ARG	B	166	38.453	22.052	36.065	1.00	86.16
ATOM	2832	CA	ARG	B	166	39.030	23.219	36.725	1.00	86.29
ATOM	2833	C	ARG	B	166	38.763	23.036	38.230	1.00	85.48
ATOM	2834	O	ARG	B	166	37.619	22.850	38.664	1.00	85.71
ATOM	2835	CB	ARG	B	166	38.381	24.494	36.171	1.00	88.00
ATOM	2836	CG	ARG	B	166	38.460	24.560	34.644	1.00	87.41
ATOM	2837	CD	ARG	B	166	37.712	25.741	34.048	1.00	86.62
ATOM	2838	NE	ARG	B	166	37.589	25.593	32.599	1.00	87.17
ATOM	2839	CZ	ARG	B	166	36.771	26.311	31.836	1.00	88.10
ATOM	2840	NH1	ARG	B	166	35.993	27.245	32.372	1.00	86.41
ATOM	2841	NH2	ARG	B	166	36.716	26.076	30.534	1.00	88.39
ATOM	2842	N	ASP	B	167	39.839	23.065	39.009	1.00	83.23
ATOM	2843	CA	ASP	B	167	39.782	22.849	40.450	1.00	80.82
ATOM	2844	C	ASP	B	167	38.676	23.555	41.200	1.00	79.24
ATOM	2845	O	ASP	B	167	38.037	24.463	40.671	1.00	79.35
ATOM	2846	CB	ASP	B	167	41.112	23.227	41.086	1.00	83.72
ATOM	2847	CG	ASP	B	167	41.331	22.534	42.401	1.00	85.10
ATOM	2848	OD1	ASP	B	167	40.500	21.670	42.748	1.00	86.89
ATOM	2849	OD2	ASP	B	167	42.330	22.841	43.080	1.00	87.68
ATOM	2850	N	VAL	B	168	38.481	23.124	42.448	1.00	77.90

ATOM	2851	CA	VAL	B	168	37.465	23.659	43.364	1.00	77.02
ATOM	2852	C	VAL	B	168	36.618	24.797	42.780	1.00	75.97
ATOM	2853	O	VAL	B	168	37.087	25.930	42.634	1.00	75.98
ATOM	2854	CB	VAL	B	168	38.120	24.120	44.708	1.00	75.50
ATOM	2855	CG1	VAL	B	168	39.326	25.000	44.431	1.00	76.17
ATOM	2856	CG2	VAL	B	168	37.107	24.860	45.565	1.00	71.94
ATOM	2857	N	THR	B	169	35.366	24.483	42.450	1.00	73.45
ATOM	2858	CA	THR	B	169	34.456	25.464	41.869	1.00	70.91
ATOM	2859	C	THR	B	169	33.895	26.446	42.888	1.00	69.65
ATOM	2860	O	THR	B	169	33.469	26.067	43.984	1.00	67.35
ATOM	2861	CB	THR	B	169	33.295	24.779	41.163	1.00	70.00
ATOM	2862	OG1	THR	B	169	33.810	23.935	40.132	1.00	72.63
ATOM	2863	CG2	THR	B	169	32.376	25.803	40.543	1.00	70.84
ATOM	2864	N	VAL	B	170	33.891	27.717	42.502	1.00	68.34
ATOM	2865	CA	VAL	B	170	33.404	28.780	43.367	1.00	66.34
ATOM	2866	C	VAL	B	170	31.896	28.953	43.201	1.00	65.47
ATOM	2867	O	VAL	B	170	31.431	29.740	42.372	1.00	65.86
ATOM	2868	CB	VAL	B	170	34.123	30.118	43.051	1.00	65.17
ATOM	2869	CG1	VAL	B	170	34.150	30.990	44.282	1.00	64.11
ATOM	2870	CG2	VAL	B	170	35.541	29.853	42.570	1.00	65.68
ATOM	2871	N	THR	B	171	31.136	28.198	43.990	1.00	63.59
ATOM	2872	CA	THR	B	171	29.681	28.263	43.944	1.00	63.37
ATOM	2873	C	THR	B	171	29.259	29.566	44.588	1.00	64.76
ATOM	2874	O	THR	B	171	28.115	29.725	45.002	1.00	66.58
ATOM	2875	CB	THR	B	171	29.034	27.077	44.715	1.00	61.55
ATOM	2876	OG1	THR	B	171	27.617	27.260	44.812	1.00	57.48
ATOM	2877	CG2	THR	B	171	29.587	26.986	46.101	1.00	61.80
ATOM	2878	N	LEU	B	172	30.194	30.507	44.659	1.00	66.40
ATOM	2879	CA	LEU	B	172	29.931	31.802	45.274	1.00	67.44
ATOM	2880	C	LEU	B	172	28.579	32.404	44.897	1.00	65.61
ATOM	2881	O	LEU	B	172	27.857	32.872	45.788	1.00	65.90
ATOM	2882	CB	LEU	B	172	31.063	32.799	44.946	1.00	72.45
ATOM	2883	CG	LEU	B	172	31.028	34.253	45.470	1.00	76.01
ATOM	2884	CD1	LEU	B	172	32.430	34.864	45.383	1.00	77.18
ATOM	2885	CD2	LEU	B	172	30.036	35.099	44.664	1.00	75.97
ATOM	2886	N	PRO	B	173	28.208	32.382	43.591	1.00	61.19
ATOM	2887	CA	PRO	B	173	26.915	32.967	43.235	1.00	58.96
ATOM	2888	C	PRO	B	173	25.994	32.997	44.443	1.00	59.45
ATOM	2889	O	PRO	B	173	25.319	32.020	44.750	1.00	60.21
ATOM	2890	CB	PRO	B	173	26.418	32.061	42.101	1.00	56.40
ATOM	2891	CG	PRO	B	173	27.365	30.898	42.092	1.00	56.07
ATOM	2892	CD	PRO	B	173	28.655	31.492	42.513	1.00	56.79
ATOM	2893	N	ASP	B	174	26.030	34.124	45.148	1.00	58.88
ATOM	2894	CA	ASP	B	174	25.246	34.338	46.348	1.00	59.20
ATOM	2895	C	ASP	B	174	24.023	33.436	46.379	1.00	58.80
ATOM	2896	O	ASP	B	174	23.276	33.352	45.400	1.00	55.62
ATOM	2897	CB	ASP	B	174	24.852	35.810	46.434	1.00	63.06
ATOM	2898	CG	ASP	B	174	26.062	36.728	46.525	1.00	62.78
ATOM	2899	OD1	ASP	B	174	26.934	36.664	45.631	1.00	58.73
ATOM	2900	OD2	ASP	B	174	26.137	37.511	47.495	1.00	67.30
ATOM	2901	N	TYR	B	175	23.838	32.768	47.517	1.00	58.33
ATOM	2902	CA	TYR	B	175	22.757	31.805	47.728	1.00	57.86
ATOM	2903	C	TYR	B	175	21.838	31.466	46.572	1.00	58.80
ATOM	2904	O	TYR	B	175	21.758	30.304	46.173	1.00	63.62
ATOM	2905	CB	TYR	B	175	21.869	32.183	48.903	1.00	56.55
ATOM	2906	CG	TYR	B	175	20.569	31.396	48.915	1.00	55.53
ATOM	2907	CD1	TYR	B	175	20.566	30.002	48.800	1.00	55.86
ATOM	2908	CD2	TYR	B	175	19.345	32.042	49.044	1.00	56.49
ATOM	2909	CE1	TYR	B	175	19.374	29.284	48.817	1.00	56.52
ATOM	2910	CE2	TYR	B	175	18.154	31.331	49.067	1.00	55.90
ATOM	2911	CZ	TYR	B	175	18.175	29.962	48.955	1.00	55.86
ATOM	2912	OH	TYR	B	175	16.990	29.280	49.011	1.00	60.65

ATOM	2913	N	PRO B 176	21.096	32.451	46.040	1.00	54.81
ATOM	2914	CA	PRO B 176	20.216	32.071	44.929	1.00	52.02
ATOM	2915	C	PRO B 176	20.948	31.591	43.660	1.00	50.39
ATOM	2916	O	PRO B 176	20.519	30.621	43.014	1.00	47.83
ATOM	2917	CB	PRO B 176	19.396	33.337	44.710	1.00	50.20
ATOM	2918	CG	PRO B 176	20.376	34.422	45.091	1.00	50.70
ATOM	2919	CD	PRO B 176	20.961	33.882	46.359	1.00	49.69
ATOM	2920	N	GLY B 177	22.059	32.258	43.337	1.00	47.75
ATOM	2921	CA	GLY B 177	22.850	31.952	42.148	1.00	47.16
ATOM	2922	C	GLY B 177	23.165	30.506	41.804	1.00	45.71
ATOM	2923	O	GLY B 177	22.900	29.606	42.588	1.00	47.60
ATOM	2924	N	SER B 178	23.728	30.282	40.619	1.00	43.60
ATOM	2925	CA	SER B 178	24.076	28.932	40.193	1.00	43.10
ATOM	2926	C	SER B 178	25.095	28.918	39.050	1.00	43.56
ATOM	2927	O	SER B 178	24.824	29.411	37.971	1.00	43.22
ATOM	2928	CB	SER B 178	22.826	28.183	39.747	1.00	39.51
ATOM	2929	OG	SER B 178	22.526	28.477	38.402	1.00	34.64
ATOM	2930	N	VAL B 179	26.262	28.330	39.289	1.00	45.77
ATOM	2931	CA	VAL B 179	27.306	28.264	38.270	1.00	46.02
ATOM	2932	C	VAL B 179	27.315	26.956	37.512	1.00	46.19
ATOM	2933	O	VAL B 179	26.714	25.959	37.927	1.00	44.68
ATOM	2934	CB	VAL B 179	28.746	28.400	38.859	1.00	45.47
ATOM	2935	CG1	VAL B 179	28.953	29.756	39.480	1.00	48.69
ATOM	2936	CG2	VAL B 179	28.985	27.314	39.887	1.00	46.90
ATOM	2937	N	PRO B 180	27.992	26.960	36.360	1.00	46.10
ATOM	2938	CA	PRO B 180	28.136	25.794	35.496	1.00	45.73
ATOM	2939	C	PRO B 180	29.485	25.193	35.901	1.00	44.92
ATOM	2940	O	PRO B 180	30.411	25.927	36.237	1.00	45.44
ATOM	2941	CB	PRO B 180	28.139	26.411	34.107	1.00	45.35
ATOM	2942	CG	PRO B 180	28.863	27.670	34.324	1.00	45.28
ATOM	2943	CD	PRO B 180	28.293	28.195	35.615	1.00	46.10
ATOM	2944	N	ILE B 181	29.584	23.870	35.903	1.00	43.94
ATOM	2945	CA	ILE B 181	30.816	23.202	36.311	1.00	41.06
ATOM	2946	C	ILE B 181	31.527	22.580	35.140	1.00	40.15
ATOM	2947	O	ILE B 181	31.060	21.625	34.542	1.00	43.11
ATOM	2948	CB	ILE B 181	30.559	22.077	37.347	1.00	40.50
ATOM	2949	CG1	ILE B 181	29.886	22.640	38.601	1.00	40.13
ATOM	2950	CG2	ILE B 181	31.869	21.433	37.725	1.00	35.90
ATOM	2951	CD1	ILE B 181	29.420	21.570	39.551	1.00	40.35
ATOM	2952	N	PRO B 182	32.681	23.120	34.792	1.00	39.78
ATOM	2953	CA	PRO B 182	33.465	22.601	33.680	1.00	39.44
ATOM	2954	C	PRO B 182	33.984	21.213	34.003	1.00	39.12
ATOM	2955	O	PRO B 182	34.665	21.029	34.998	1.00	38.71
ATOM	2956	CB	PRO B 182	34.591	23.607	33.576	1.00	40.65
ATOM	2957	CG	PRO B 182	33.943	24.869	34.046	1.00	39.78
ATOM	2958	CD	PRO B 182	33.226	24.399	35.259	1.00	39.48
ATOM	2959	N	LEU B 183	33.661	20.233	33.173	1.00	41.03
ATOM	2960	CA	LEU B 183	34.138	18.873	33.409	1.00	40.92
ATOM	2961	C	LEU B 183	33.935	18.049	32.143	1.00	40.44
ATOM	2962	O	LEU B 183	32.808	17.833	31.676	1.00	39.48
ATOM	2963	CB	LEU B 183	33.392	18.245	34.591	1.00	42.61
ATOM	2964	CG	LEU B 183	34.071	17.166	35.445	1.00	43.36
ATOM	2965	CD1	LEU B 183	33.224	16.910	36.676	1.00	44.84
ATOM	2966	CD2	LEU B 183	34.241	15.888	34.663	1.00	45.53
ATOM	2967	N	THR B 184	35.052	17.606	31.583	1.00	39.84
ATOM	2968	CA	THR B 184	35.047	16.821	30.354	1.00	37.74
ATOM	2969	C	THR B 184	35.917	15.583	30.518	1.00	36.34
ATOM	2970	O	THR B 184	36.727	15.502	31.442	1.00	33.66
ATOM	2971	CB	THR B 184	35.588	17.663	29.174	1.00	37.20
ATOM	2972	OG1	THR B 184	36.715	18.428	29.624	1.00	40.55
ATOM	2973	CG2	THR B 184	34.524	18.617	28.645	1.00	29.15
ATOM	2974	N	VAL B 185	35.738	14.622	29.621	1.00	35.23

ATOM	2975	CA	VAL	B	185	36.512	13.387	29.657	1.00	37.88
ATOM	2976	C	VAL	B	185	36.998	13.040	28.276	1.00	39.26
ATOM	2977	O	VAL	B	185	36.223	13.092	27.330	1.00	41.57
ATOM	2978	CB	VAL	B	185	35.674	12.184	30.130	1.00	35.11
ATOM	2979	CG1	VAL	B	185	35.465	12.255	31.599	1.00	41.98
ATOM	2980	CG2	VAL	B	185	34.344	12.165	29.424	1.00	31.94
ATOM	2981	N	TYR	B	186	38.272	12.692	28.142	1.00	40.04
ATOM	2982	CA	TYR	B	186	38.763	12.301	26.833	1.00	44.05
ATOM	2983	C	TYR	B	186	39.482	10.978	26.970	1.00	47.09
ATOM	2984	O	TYR	B	186	40.385	10.835	27.796	1.00	52.23
ATOM	2985	CB	TYR	B	186	39.669	13.377	26.219	1.00	41.71
ATOM	2986	CG	TYR	B	186	41.001	13.561	26.883	1.00	45.27
ATOM	2987	CD1	TYR	B	186	42.077	12.725	26.581	1.00	47.94
ATOM	2988	CD2	TYR	B	186	41.204	14.593	27.792	1.00	49.44
ATOM	2989	CE1	TYR	B	186	43.331	12.919	27.168	1.00	51.07
ATOM	2990	CE2	TYR	B	186	42.451	14.799	28.388	1.00	52.69
ATOM	2991	CZ	TYR	B	186	43.514	13.961	28.072	1.00	52.86
ATOM	2992	OH	TYR	B	186	44.750	14.172	28.654	1.00	51.33
ATOM	2993	N	CYS	B	187	39.039	9.995	26.191	1.00	46.48
ATOM	2994	CA	CYS	B	187	39.636	8.672	26.218	1.00	44.19
ATOM	2995	C	CYS	B	187	40.567	8.555	25.023	1.00	44.78
ATOM	2996	O	CYS	B	187	40.193	8.923	23.916	1.00	46.06
ATOM	2997	CB	CYS	B	187	38.560	7.591	26.116	1.00	40.55
ATOM	2998	SG	CYS	B	187	37.245	7.621	27.378	1.00	41.54
ATOM	2999	N	ALA	B	188	41.774	8.041	25.252	1.00	43.05
ATOM	3000	CA	ALA	B	188	42.754	7.869	24.188	1.00	39.16
ATOM	3001	C	ALA	B	188	42.197	6.919	23.145	1.00	36.75
ATOM	3002	O	ALA	B	188	42.483	7.050	21.961	1.00	39.40
ATOM	3003	CB	ALA	B	188	44.038	7.323	24.753	1.00	38.60
ATOM	3004	N	LYS	B	189	41.413	5.956	23.603	1.00	32.91
ATOM	3005	CA	LYS	B	189	40.777	4.982	22.731	1.00	33.80
ATOM	3006	C	LYS	B	189	39.302	4.986	23.112	1.00	35.79
ATOM	3007	O	LYS	B	189	38.939	4.756	24.270	1.00	35.85
ATOM	3008	CB	LYS	B	189	41.350	3.579	22.942	1.00	31.54
ATOM	3009	CG	LYS	B	189	42.841	3.474	22.737	1.00	35.07
ATOM	3010	CD	LYS	B	189	43.223	3.555	21.267	1.00	40.82
ATOM	3011	CE	LYS	B	189	42.898	2.262	20.518	1.00	43.03
ATOM	3012	NZ	LYS	B	189	42.967	2.445	19.031	1.00	44.56
ATOM	3013	N	SER	B	190	38.457	5.267	22.131	1.00	36.12
ATOM	3014	CA	SER	B	190	37.027	5.320	22.337	1.00	35.64
ATOM	3015	C	SER	B	190	36.483	4.124	23.118	1.00	38.49
ATOM	3016	O	SER	B	190	36.820	2.964	22.852	1.00	42.48
ATOM	3017	CB	SER	B	190	36.325	5.433	20.985	1.00	34.72
ATOM	3018	OG	SER	B	190	34.937	5.178	21.092	1.00	40.45
ATOM	3019	N	GLN	B	191	35.637	4.435	24.094	1.00	38.52
ATOM	3020	CA	GLN	B	191	34.992	3.450	24.946	1.00	35.42
ATOM	3021	C	GLN	B	191	33.798	4.118	25.618	1.00	34.76
ATOM	3022	O	GLN	B	191	33.727	5.349	25.724	1.00	29.77
ATOM	3023	CB	GLN	B	191	35.968	2.946	26.006	1.00	35.25
ATOM	3024	CG	GLN	B	191	36.669	4.060	26.748	1.00	38.22
ATOM	3025	CD	GLN	B	191	37.423	3.567	27.946	1.00	36.76
ATOM	3026	OE1	GLN	B	191	36.842	2.973	28.843	1.00	40.40
ATOM	3027	NE2	GLN	B	191	38.723	3.811	27.972	1.00	37.71
ATOM	3028	N	ASN	B	192	32.861	3.293	26.067	1.00	34.36
ATOM	3029	CA	ASN	B	192	31.674	3.791	26.732	1.00	35.94
ATOM	3030	C	ASN	B	192	31.902	4.125	28.206	1.00	34.26
ATOM	3031	O	ASN	B	192	32.386	3.308	28.977	1.00	37.21
ATOM	3032	CB	ASN	B	192	30.557	2.763	26.625	1.00	39.35
ATOM	3033	CG	ASN	B	192	30.209	2.439	25.192	1.00	46.64
ATOM	3034	OD1	ASN	B	192	30.122	3.338	24.346	1.00	46.61
ATOM	3035	ND2	ASN	B	192	29.988	1.152	24.908	1.00	49.91
ATOM	3036	N	LEU	B	193	31.556	5.337	28.597	1.00	31.76

ATOM	3037	CA	LEU B 193	31.707	5.727	29.976	1.00	29.59
ATOM	3038	C	LEU B 193	30.352	5.832	30.630	1.00	31.28
ATOM	3039	O	LEU B 193	29.331	5.954	29.959	1.00	36.08
ATOM	3040	CB	LEU B 193	32.417	7.069	30.088	1.00	25.77
ATOM	3041	CG	LEU B 193	33.937	7.033	30.027	1.00	26.00
ATOM	3042	CD1	LEU B 193	34.497	8.426	30.286	1.00	27.46
ATOM	3043	CD2	LEU B 193	34.453	6.054	31.066	1.00	25.81
ATOM	3044	N	GLY B 194	30.355	5.774	31.953	1.00	32.20
ATOM	3045	CA	GLY B 194	29.133	5.903	32.721	1.00	32.16
ATOM	3046	C	GLY B 194	29.530	6.494	34.059	1.00	31.51
ATOM	3047	O	GLY B 194	30.523	6.054	34.647	1.00	28.07
ATOM	3048	N	TYR B 195	28.799	7.495	34.544	1.00	30.54
ATOM	3049	CA	TYR B 195	29.167	8.057	35.840	1.00	31.07
ATOM	3050	C	TYR B 195	28.015	8.290	36.818	1.00	28.45
ATOM	3051	O	TYR B 195	26.847	8.379	36.431	1.00	24.80
ATOM	3052	CB	TYR B 195	29.925	9.359	35.660	1.00	30.93
ATOM	3053	CG	TYR B 195	29.018	10.505	35.397	1.00	35.15
ATOM	3054	CD1	TYR B 195	28.368	10.627	34.174	1.00	37.22
ATOM	3055	CD2	TYR B 195	28.760	11.449	36.391	1.00	35.11
ATOM	3056	CE1	TYR B 195	27.473	11.661	33.944	1.00	39.81
ATOM	3057	CE2	TYR B 195	27.871	12.490	36.172	1.00	40.50
ATOM	3058	CZ	TYR B 195	27.224	12.589	34.946	1.00	40.05
ATOM	3059	OH	TYR B 195	26.305	13.586	34.732	1.00	40.28
ATOM	3060	N	TYR B 196	28.371	8.338	38.101	1.00	27.25
ATOM	3061	CA	TYR B 196	27.404	8.599	39.161	1.00	24.18
ATOM	3062	C	TYR B 196	28.056	9.368	40.296	1.00	19.50
ATOM	3063	O	TYR B 196	29.255	9.247	40.533	1.00	18.13
ATOM	3064	CB	TYR B 196	26.761	7.305	39.670	1.00	22.67
ATOM	3065	CG	TYR B 196	27.648	6.384	40.456	1.00	24.25
ATOM	3066	CD1	TYR B 196	28.088	6.715	41.739	1.00	25.39
ATOM	3067	CD2	TYR B 196	28.049	5.170	39.920	1.00	24.88
ATOM	3068	CE1	TYR B 196	28.911	5.852	42.463	1.00	25.84
ATOM	3069	CE2	TYR B 196	28.875	4.302	40.636	1.00	28.10
ATOM	3070	CZ	TYR B 196	29.303	4.647	41.900	1.00	25.77
ATOM	3071	OH	TYR B 196	30.130	3.793	42.575	1.00	27.39
ATOM	3072	N	LEU B 197	27.251	10.193	40.956	1.00	17.68
ATOM	3073	CA	LEU B 197	27.693	11.021	42.073	1.00	15.78
ATOM	3074	C	LEU B 197	27.431	10.295	43.392	1.00	15.32
ATOM	3075	O	LEU B 197	26.482	9.505	43.534	1.00	14.21
ATOM	3076	CB	LEU B 197	26.933	12.344	42.064	1.00	15.47
ATOM	3077	CG	LEU B 197	26.887	13.051	40.702	1.00	19.30
ATOM	3078	CD1	LEU B 197	25.852	14.184	40.726	1.00	14.39
ATOM	3079	CD2	LEU B 197	28.290	13.578	40.352	1.00	15.14
ATOM	3080	N	SER B 198	28.299	10.558	44.350	1.00	14.87
ATOM	3081	CA	SER B 198	28.200	9.960	45.670	1.00	15.43
ATOM	3082	C	SER B 198	28.565	11.043	46.644	1.00	15.04
ATOM	3083	O	SER B 198	29.406	11.900	46.353	1.00	15.45
ATOM	3084	CB	SER B 198	29.173	8.785	45.822	1.00	11.61
ATOM	3085	OG	SER B 198	30.479	9.138	45.395	1.00	14.19
ATOM	3086	N	GLY B 199	27.923	11.003	47.797	1.00	15.18
ATOM	3087	CA	GLY B 199	28.178	11.991	48.824	1.00	18.17
ATOM	3088	C	GLY B 199	27.054	11.921	49.819	1.00	17.96
ATOM	3089	O	GLY B 199	26.065	11.246	49.577	1.00	21.18
ATOM	3090	N	THR B 200	27.202	12.589	50.950	1.00	21.84
ATOM	3091	CA	THR B 200	26.136	12.565	51.941	1.00	22.91
ATOM	3092	C	THR B 200	24.975	13.363	51.396	1.00	21.14
ATOM	3093	O	THR B 200	25.147	14.385	50.743	1.00	21.25
ATOM	3094	CB	THR B 200	26.545	13.184	53.277	1.00	22.34
ATOM	3095	OG1	THR B 200	27.883	12.794	53.598	1.00	27.07
ATOM	3096	CG2	THR B 200	25.627	12.685	54.355	1.00	19.04
ATOM	3097	N	THR B 201	23.779	12.892	51.673	1.00	20.16
ATOM	3098	CA	THR B 201	22.626	13.568	51.167	1.00	19.61

ATOM	3099	C	THR	B	201	21.783	14.083	52.307	1.00	18.66
ATOM	3100	O	THR	B	201	21.957	13.672	53.449	1.00	17.83
ATOM	3101	CB	THR	B	201	21.875	12.616	50.250	1.00	21.03
ATOM	3102	OG1	THR	B	201	22.146	13.011	48.904	1.00	24.88
ATOM	3103	CG2	THR	B	201	20.362	12.596	50.534	1.00	22.65
ATOM	3104	N	ALA	B	202	20.865	14.983	51.992	1.00	15.57
ATOM	3105	CA	ALA	B	202	20.033	15.566	53.002	1.00	13.96
ATOM	3106	C	ALA	B	202	18.533	15.521	52.730	1.00	14.05
ATOM	3107	O	ALA	B	202	17.762	16.091	53.480	1.00	17.37
ATOM	3108	CB	ALA	B	202	20.477	16.992	53.182	1.00	14.65
ATOM	3109	N	ASP	B	203	18.103	14.849	51.675	1.00	15.50
ATOM	3110	CA	ASP	B	203	16.680	14.839	51.340	1.00	13.84
ATOM	3111	C	ASP	B	203	16.181	13.464	51.000	1.00	12.78
ATOM	3112	O	ASP	B	203	16.990	12.595	50.699	1.00	14.25
ATOM	3113	CB	ASP	B	203	16.421	15.777	50.161	1.00	19.64
ATOM	3114	CG	ASP	B	203	17.121	15.333	48.865	1.00	23.83
ATOM	3115	OD1	ASP	B	203	18.368	15.152	48.855	1.00	15.39
ATOM	3116	OD2	ASP	B	203	16.398	15.184	47.851	1.00	25.52
ATOM	3117	N	ALA	B	204	14.867	13.258	51.045	1.00	9.92
ATOM	3118	CA	ALA	B	204	14.321	11.939	50.722	1.00	11.08
ATOM	3119	C	ALA	B	204	14.636	11.555	49.284	1.00	13.36
ATOM	3120	O	ALA	B	204	14.914	10.385	48.994	1.00	18.04
ATOM	3121	CB	ALA	B	204	12.840	11.897	50.934	1.00	7.45
ATOM	3122	N	GLY	B	205	14.611	12.540	48.392	1.00	10.08
ATOM	3123	CA	GLY	B	205	14.904	12.280	46.997	1.00	12.60
ATOM	3124	C	GLY	B	205	16.375	12.092	46.682	1.00	14.43
ATOM	3125	O	GLY	B	205	16.764	11.982	45.523	1.00	12.08
ATOM	3126	N	ASN	B	206	17.196	12.094	47.724	1.00	19.44
ATOM	3127	CA	ASN	B	206	18.639	11.864	47.605	1.00	21.48
ATOM	3128	C	ASN	B	206	19.408	12.727	46.614	1.00	21.84
ATOM	3129	O	ASN	B	206	20.435	12.283	46.105	1.00	20.42
ATOM	3130	CB	ASN	B	206	18.881	10.398	47.241	1.00	20.76
ATOM	3131	CG	ASN	B	206	20.284	9.941	47.549	1.00	23.76
ATOM	3132	OD1	ASN	B	206	20.757	8.945	47.003	1.00	35.36
ATOM	3133	ND2	ASN	B	206	20.953	10.642	48.441	1.00	25.61
ATOM	3134	N	SER	B	207	18.958	13.949	46.353	1.00	22.16
ATOM	3135	CA	SER	B	207	19.674	14.763	45.383	1.00	25.83
ATOM	3136	C	SER	B	207	20.291	16.056	45.873	1.00	27.32
ATOM	3137	O	SER	B	207	21.011	16.715	45.129	1.00	28.96
ATOM	3138	CB	SER	B	207	18.773	15.057	44.187	1.00	26.06
ATOM	3139	OG	SER	B	207	17.534	15.567	44.612	1.00	33.10
ATOM	3140	N	ILE	B	208	20.025	16.431	47.117	1.00	31.17
ATOM	3141	CA	ILE	B	208	20.605	17.664	47.654	1.00	30.92
ATOM	3142	C	ILE	B	208	21.732	17.309	48.623	1.00	32.20
ATOM	3143	O	ILE	B	208	21.492	16.743	49.687	1.00	35.37
ATOM	3144	CB	ILE	B	208	19.543	18.502	48.362	1.00	25.82
ATOM	3145	CG1	ILE	B	208	18.309	18.596	47.466	1.00	21.24
ATOM	3146	CG2	ILE	B	208	20.100	19.875	48.665	1.00	21.38
ATOM	3147	CD1	ILE	B	208	17.110	19.122	48.154	1.00	24.08
ATOM	3148	N	PHE	B	209	22.963	17.623	48.229	1.00	33.72
ATOM	3149	CA	PHE	B	209	24.142	17.322	49.038	1.00	35.11
ATOM	3150	C	PHE	B	209	24.364	18.293	50.195	1.00	36.97
ATOM	3151	O	PHE	B	209	24.396	19.508	50.021	1.00	38.93
ATOM	3152	CB	PHE	B	209	25.385	17.257	48.144	1.00	30.89
ATOM	3153	CG	PHE	B	209	25.367	16.105	47.174	1.00	26.28
ATOM	3154	CD1	PHE	B	209	25.810	14.847	47.562	1.00	26.14
ATOM	3155	CD2	PHE	B	209	24.900	16.268	45.884	1.00	26.12
ATOM	3156	CE1	PHE	B	209	25.788	13.778	46.678	1.00	23.28
ATOM	3157	CE2	PHE	B	209	24.877	15.193	44.991	1.00	24.37
ATOM	3158	CZ	PHE	B	209	25.320	13.956	45.391	1.00	21.56
ATOM	3159	N	THR	B	210	24.516	17.727	51.382	1.00	38.52
ATOM	3160	CA	THR	B	210	24.690	18.484	52.604	1.00	42.50

ATOM	3161	C	THR	B	210	25.783	19.527	52.572	1.00	44.09
ATOM	3162	O	THR	B	210	26.735	19.417	51.804	1.00	40.80
ATOM	3163	CB	THR	B	210	24.965	17.548	53.766	1.00	44.85
ATOM	3164	OG1	THR	B	210	23.974	16.518	53.779	1.00	48.10
ATOM	3165	CG2	THR	B	210	24.894	18.306	55.075	1.00	50.23
ATOM	3166	N	ASN	B	211	25.635	20.536	53.432	1.00	48.50
ATOM	3167	CA	ASN	B	211	26.601	21.622	53.522	1.00	51.57
ATOM	3168	C	ASN	B	211	27.680	21.272	54.517	1.00	52.32
ATOM	3169	O	ASN	B	211	27.403	21.037	55.682	1.00	50.98
ATOM	3170	CB	ASN	B	211	25.926	22.927	53.953	1.00	53.36
ATOM	3171	CG	ASN	B	211	26.817	24.148	53.727	1.00	56.17
ATOM	3172	OD1	ASN	B	211	26.388	25.287	53.934	1.00	57.50
ATOM	3173	ND2	ASN	B	211	28.061	23.914	53.297	1.00	49.87
ATOM	3174	N	THR	B	212	28.911	21.228	54.030	1.00	56.92
ATOM	3175	CA	THR	B	212	30.084	20.915	54.834	1.00	60.01
ATOM	3176	C	THR	B	212	30.857	22.211	54.975	1.00	64.39
ATOM	3177	O	THR	B	212	31.378	22.726	53.986	1.00	67.15
ATOM	3178	CB	THR	B	212	30.982	19.909	54.114	1.00	58.27
ATOM	3179	OG1	THR	B	212	30.358	18.621	54.109	1.00	51.32
ATOM	3180	CG2	THR	B	212	32.332	19.833	54.788	1.00	61.86
ATOM	3181	N	ALA	B	213	30.945	22.744	56.184	1.00	66.65
ATOM	3182	CA	ALA	B	213	31.656	23.994	56.347	1.00	70.11
ATOM	3183	C	ALA	B	213	32.117	24.252	57.773	1.00	74.18
ATOM	3184	O	ALA	B	213	31.662	23.607	58.721	1.00	75.74
ATOM	3185	CB	ALA	B	213	30.777	25.132	55.862	1.00	68.90
ATOM	3186	N	SER	B	214	33.027	25.211	57.913	1.00	77.92
ATOM	3187	CA	SER	B	214	33.559	25.574	59.215	1.00	81.70
ATOM	3188	C	SER	B	214	32.948	26.868	59.760	1.00	83.87
ATOM	3189	O	SER	B	214	32.641	26.944	60.950	1.00	84.91
ATOM	3190	CB	SER	B	214	35.084	25.713	59.134	1.00	83.93
ATOM	3191	OG	SER	B	214	35.664	25.915	60.414	1.00	85.25
ATOM	3192	N	PHE	B	215	32.751	27.874	58.905	1.00	85.81
ATOM	3193	CA	PHE	B	215	32.196	29.147	59.373	1.00	88.82
ATOM	3194	C	PHE	B	215	30.725	29.456	59.122	1.00	88.10
ATOM	3195	O	PHE	B	215	30.311	29.774	58.000	1.00	85.18
ATOM	3196	CB	PHE	B	215	33.016	30.310	58.840	1.00	93.86
ATOM	3197	CG	PHE	B	215	32.713	31.625	59.513	1.00	100.68
ATOM	3198	CD1	PHE	B	215	32.525	31.690	60.895	1.00	104.17
ATOM	3199	CD2	PHE	B	215	32.625	32.800	58.771	1.00	103.47
ATOM	3200	CE1	PHE	B	215	32.251	32.908	61.530	1.00	106.77
ATOM	3201	CE2	PHE	B	215	32.352	34.025	59.395	1.00	106.01
ATOM	3202	CZ	PHE	B	215	32.165	34.077	60.778	1.00	106.75
ATOM	3203	N	SER	B	216	29.957	29.405	60.207	1.00	88.25
ATOM	3204	CA	SER	B	216	28.529	29.675	60.180	1.00	87.39
ATOM	3205	C	SER	B	216	27.846	28.860	59.103	1.00	84.62
ATOM	3206	O	SER	B	216	27.651	29.322	57.975	1.00	85.05
ATOM	3207	CB	SER	B	216	28.266	31.161	59.936	1.00	89.91
ATOM	3208	OG	SER	B	216	26.872	31.409	59.843	1.00	93.35
ATOM	3209	N	PRO	B	217	27.474	27.624	59.436	1.00	80.99
ATOM	3210	CA	PRO	B	217	26.810	26.794	58.438	1.00	77.99
ATOM	3211	C	PRO	B	217	25.462	27.375	58.043	1.00	73.97
ATOM	3212	O	PRO	B	217	24.462	27.109	58.699	1.00	73.56
ATOM	3213	CB	PRO	B	217	26.680	25.447	59.146	1.00	80.00
ATOM	3214	CG	PRO	B	217	26.515	25.847	60.578	1.00	79.24
ATOM	3215	CD	PRO	B	217	27.564	26.926	60.729	1.00	80.28
ATOM	3216	N	ALA	B	218	25.452	28.184	56.989	1.00	69.27
ATOM	3217	CA	ALA	B	218	24.221	28.773	56.492	1.00	65.55
ATOM	3218	C	ALA	B	218	23.195	27.655	56.373	1.00	63.76
ATOM	3219	O	ALA	B	218	22.920	27.171	55.286	1.00	64.60
ATOM	3220	CB	ALA	B	218	24.464	29.387	55.134	1.00	65.00
ATOM	3221	N	GLN	B	219	22.631	27.244	57.495	1.00	63.83
ATOM	3222	CA	GLN	B	219	21.654	26.168	57.512	1.00	64.28

ATOM	3223	C	GLN	B	219	20.462	26.441	56.612	1.00	62.09
ATOM	3224	O	GLN	B	219	20.010	27.583	56.495	1.00	61.69
ATOM	3225	CB	GLN	B	219	21.156	25.941	58.942	1.00	68.03
ATOM	3226	CG	GLN	B	219	20.116	24.831	59.069	1.00	72.66
ATOM	3227	CD	GLN	B	219	19.522	24.744	60.465	1.00	76.59
ATOM	3228	OE1	GLN	B	219	18.658	23.909	60.736	1.00	77.79
ATOM	3229	NE2	GLN	B	219	19.985	25.611	61.361	1.00	79.30
ATOM	3230	N	GLY	B	220	19.957	25.384	55.978	1.00	60.07
ATOM	3231	CA	GLY	B	220	18.792	25.518	55.115	1.00	55.52
ATOM	3232	C	GLY	B	220	18.972	25.166	53.649	1.00	50.89
ATOM	3233	O	GLY	B	220	18.036	24.693	52.999	1.00	49.27
ATOM	3234	N	VAL	B	221	20.175	25.384	53.134	1.00	46.75
ATOM	3235	CA	VAL	B	221	20.461	25.119	51.739	1.00	45.35
ATOM	3236	C	VAL	B	221	21.275	23.847	51.538	1.00	42.97
ATOM	3237	O	VAL	B	221	21.560	23.131	52.474	1.00	44.52
ATOM	3238	CB	VAL	B	221	21.233	26.296	51.127	1.00	47.50
ATOM	3239	CG1	VAL	B	221	21.132	26.257	49.612	1.00	49.89
ATOM	3240	CG2	VAL	B	221	20.692	27.601	51.661	1.00	46.43
ATOM	3241	N	GLY	B	222	21.630	23.573	50.292	1.00	40.73
ATOM	3242	CA	GLY	B	222	22.423	22.408	49.960	1.00	36.54
ATOM	3243	C	GLY	B	222	22.803	22.527	48.496	1.00	34.17
ATOM	3244	O	GLY	B	222	22.238	23.351	47.770	1.00	34.38
ATOM	3245	N	VAL	B	223	23.748	21.717	48.046	1.00	28.01
ATOM	3246	CA	VAL	B	223	24.154	21.782	46.657	1.00	23.72
ATOM	3247	C	VAL	B	223	23.544	20.637	45.849	1.00	22.05
ATOM	3248	O	VAL	B	223	23.656	19.466	46.224	1.00	17.30
ATOM	3249	CB	VAL	B	223	25.691	21.732	46.530	1.00	25.04
ATOM	3250	CG1	VAL	B	223	26.086	21.914	45.084	1.00	26.68
ATOM	3251	CG2	VAL	B	223	26.332	22.805	47.405	1.00	20.57
ATOM	3252	N	GLN	B	224	22.882	20.981	44.749	1.00	19.84
ATOM	3253	CA	GLN	B	224	22.272	19.979	43.882	1.00	20.62
ATOM	3254	C	GLN	B	224	22.887	20.130	42.507	1.00	19.78
ATOM	3255	O	GLN	B	224	23.001	21.243	42.022	1.00	23.01
ATOM	3256	CB	GLN	B	224	20.760	20.187	43.799	1.00	16.99
ATOM	3257	CG	GLN	B	224	20.046	19.290	42.796	1.00	17.95
ATOM	3258	CD	GLN	B	224	18.543	19.276	43.014	1.00	25.53
ATOM	3259	OE1	GLN	B	224	18.030	18.542	43.862	1.00	33.51
ATOM	3260	NE2	GLN	B	224	17.830	20.103	42.266	1.00	24.48
ATOM	3261	N	LEU	B	225	23.302	19.029	41.884	1.00	19.29
ATOM	3262	CA	LEU	B	225	23.893	19.130	40.558	1.00	16.75
ATOM	3263	C	LEU	B	225	22.915	18.701	39.488	1.00	17.73
ATOM	3264	O	LEU	B	225	22.182	17.727	39.613	1.00	15.27
ATOM	3265	CB	LEU	B	225	25.193	18.326	40.445	1.00	15.41
ATOM	3266	CG	LEU	B	225	26.155	18.565	41.606	1.00	21.13
ATOM	3267	CD1	LEU	B	225	27.497	18.042	41.242	1.00	20.96
ATOM	3268	CD2	LEU	B	225	26.236	20.039	41.942	1.00	23.28
ATOM	3269	N	THR	B	226	22.914	19.470	38.418	1.00	22.33
ATOM	3270	CA	THR	B	226	22.028	19.224	37.307	1.00	23.19
ATOM	3271	C	THR	B	226	22.838	19.168	36.012	1.00	22.02
ATOM	3272	O	THR	B	226	23.862	19.856	35.877	1.00	18.76
ATOM	3273	CB	THR	B	226	21.019	20.350	37.250	1.00	23.21
ATOM	3274	OG1	THR	B	226	20.233	20.225	36.065	1.00	32.95
ATOM	3275	CG2	THR	B	226	21.748	21.679	37.245	1.00	26.16
ATOM	3276	N	ARG	B	227	22.403	18.321	35.083	1.00	21.99
ATOM	3277	CA	ARG	B	227	23.079	18.201	33.793	1.00	26.46
ATOM	3278	C	ARG	B	227	22.050	18.624	32.761	1.00	30.18
ATOM	3279	O	ARG	B	227	21.137	17.871	32.443	1.00	32.18
ATOM	3280	CB	ARG	B	227	23.542	16.763	33.535	1.00	20.63
ATOM	3281	CG	ARG	B	227	22.470	15.699	33.683	1.00	22.11
ATOM	3282	CD	ARG	B	227	22.996	14.323	33.291	1.00	26.93
ATOM	3283	NE	ARG	B	227	21.926	13.447	32.815	1.00	30.75
ATOM	3284	CZ	ARG	B	227	21.164	12.693	33.600	1.00	35.99

ATOM	3285	NH1	ARG	B	227	21.356	12.694	34.911	1.00	41.55
ATOM	3286	NH2	ARG	B	227	20.193	11.950	33.079	1.00	35.46
ATOM	3287	N	ASN	B	228	22.182	19.850	32.263	1.00	35.07
ATOM	3288	CA	ASN	B	228	21.229	20.386	31.290	1.00	38.86
ATOM	3289	C	ASN	B	228	19.791	20.356	31.818	1.00	38.61
ATOM	3290	O	ASN	B	228	18.895	19.787	31.179	1.00	39.28
ATOM	3291	CB	ASN	B	228	21.302	19.598	29.984	1.00	42.73
ATOM	3292	CG	ASN	B	228	22.545	19.915	29.193	1.00	47.31
ATOM	3293	OD1	ASN	B	228	22.720	21.034	28.708	1.00	49.04
ATOM	3294	ND2	ASN	B	228	23.427	18.934	29.063	1.00	51.08
ATOM	3295	N	GLY	B	229	19.578	20.955	32.988	1.00	35.98
ATOM	3296	CA	GLY	B	229	18.245	20.994	33.566	1.00	31.50
ATOM	3297	C	GLY	B	229	17.743	19.722	34.222	1.00	27.58
ATOM	3298	O	GLY	B	229	16.701	19.738	34.877	1.00	24.24
ATOM	3299	N	THR	B	230	18.472	18.624	34.040	1.00	25.70
ATOM	3300	CA	THR	B	230	18.097	17.345	34.639	1.00	23.90
ATOM	3301	C	THR	B	230	18.833	17.120	35.954	1.00	24.27
ATOM	3302	O	THR	B	230	20.068	17.260	36.023	1.00	25.25
ATOM	3303	CB	THR	B	230	18.430	16.194	33.718	1.00	20.70
ATOM	3304	OG1	THR	B	230	17.662	16.323	32.529	1.00	26.17
ATOM	3305	CG2	THR	B	230	18.101	14.882	34.362	1.00	24.10
ATOM	3306	N	ILE	B	231	18.073	16.779	36.993	1.00	19.68
ATOM	3307	CA	ILE	B	231	18.664	16.532	38.291	1.00	21.01
ATOM	3308	C	ILE	B	231	19.402	15.203	38.316	1.00	21.78
ATOM	3309	O	ILE	B	231	18.989	14.231	37.682	1.00	22.97
ATOM	3310	CB	ILE	B	231	17.616	16.503	39.409	1.00	21.75
ATOM	3311	CG1	ILE	B	231	16.914	17.860	39.510	1.00	21.42
ATOM	3312	CG2	ILE	B	231	18.290	16.150	40.739	1.00	19.84
ATOM	3313	CD1	ILE	B	231	15.931	17.957	40.669	1.00	16.65
ATOM	3314	N	ILE	B	232	20.501	15.177	39.061	1.00	21.41
ATOM	3315	CA	ILE	B	232	21.333	13.988	39.191	1.00	17.37
ATOM	3316	C	ILE	B	232	21.362	13.508	40.643	1.00	16.65
ATOM	3317	O	ILE	B	232	22.153	13.976	41.452	1.00	17.02
ATOM	3318	CB	ILE	B	232	22.791	14.276	38.767	1.00	16.48
ATOM	3319	CG1	ILE	B	232	22.823	15.041	37.443	1.00	17.81
ATOM	3320	CG2	ILE	B	232	23.553	12.979	38.619	1.00	15.06
ATOM	3321	CD1	ILE	B	232	24.227	15.320	36.945	1.00	7.94
ATOM	3322	N	PRO	B	233	20.470	12.593	41.005	1.00	16.18
ATOM	3323	CA	PRO	B	233	20.543	12.154	42.397	1.00	14.87
ATOM	3324	C	PRO	B	233	21.786	11.310	42.579	1.00	13.69
ATOM	3325	O	PRO	B	233	22.385	10.880	41.608	1.00	10.80
ATOM	3326	CB	PRO	B	233	19.269	11.339	42.571	1.00	19.63
ATOM	3327	CG	PRO	B	233	18.954	10.877	41.149	1.00	16.87
ATOM	3328	CD	PRO	B	233	19.260	12.084	40.337	1.00	14.22
ATOM	3329	N	ALA	B	234	22.170	11.077	43.831	1.00	16.42
ATOM	3330	CA	ALA	B	234	23.342	10.270	44.150	1.00	14.64
ATOM	3331	C	ALA	B	234	23.111	8.851	43.689	1.00	16.88
ATOM	3332	O	ALA	B	234	21.977	8.366	43.709	1.00	18.74
ATOM	3333	CB	ALA	B	234	23.581	10.276	45.615	1.00	7.41
ATOM	3334	N	ASN	B	235	24.174	8.197	43.234	1.00	16.15
ATOM	3335	CA	ASN	B	235	24.073	6.807	42.823	1.00	18.92
ATOM	3336	C	ASN	B	235	23.034	6.530	41.769	1.00	18.48
ATOM	3337	O	ASN	B	235	22.227	5.639	41.935	1.00	19.49
ATOM	3338	CB	ASN	B	235	23.745	5.932	44.036	1.00	18.95
ATOM	3339	CG	ASN	B	235	24.555	6.303	45.256	1.00	23.03
ATOM	3340	OD1	ASN	B	235	23.990	6.751	46.263	1.00	25.75
ATOM	3341	ND2	ASN	B	235	25.888	6.130	45.177	1.00	19.58
ATOM	3342	N	ASN	B	236	23.053	7.285	40.684	1.00	23.41
ATOM	3343	CA	ASN	B	236	22.095	7.103	39.590	1.00	25.23
ATOM	3344	C	ASN	B	236	22.950	7.267	38.353	1.00	24.87
ATOM	3345	O	ASN	B	236	23.035	8.354	37.798	1.00	22.67
ATOM	3346	CB	ASN	B	236	21.021	8.197	39.649	1.00	30.11

ATOM	3347	CG	ASN	B	236	19.949	8.041	38.588	1.00	32.91
ATOM	3348	OD1	ASN	B	236	19.197	7.070	38.586	1.00	36.72
ATOM	3349	ND2	ASN	B	236	19.866	9.013	37.684	1.00	35.28
ATOM	3350	N	THR	B	237	23.599	6.182	37.950	1.00	24.53
ATOM	3351	CA	THR	B	237	24.495	6.189	36.812	1.00	25.30
ATOM	3352	C	THR	B	237	23.914	6.895	35.594	1.00	27.73
ATOM	3353	O	THR	B	237	22.791	6.630	35.179	1.00	28.26
ATOM	3354	CB	THR	B	237	24.856	4.766	36.425	1.00	22.87
ATOM	3355	OG1	THR	B	237	25.076	3.996	37.610	1.00	25.47
ATOM	3356	CG2	THR	B	237	26.112	4.754	35.591	1.00	22.70
ATOM	3357	N	VAL	B	238	24.694	7.808	35.036	1.00	28.45
ATOM	3358	CA	VAL	B	238	24.302	8.561	33.847	1.00	30.00
ATOM	3359	C	VAL	B	238	25.158	8.083	32.668	1.00	29.88
ATOM	3360	O	VAL	B	238	26.388	8.257	32.689	1.00	27.53
ATOM	3361	CB	VAL	B	238	24.543	10.098	34.037	1.00	30.42
ATOM	3362	CG1	VAL	B	238	24.333	10.830	32.728	1.00	29.07
ATOM	3363	CG2	VAL	B	238	23.600	10.660	35.072	1.00	28.74
ATOM	3364	N	SER	B	239	24.523	7.493	31.655	1.00	27.11
ATOM	3365	CA	SER	B	239	25.270	7.003	30.497	1.00	29.21
ATOM	3366	C	SER	B	239	25.805	8.149	29.703	1.00	26.10
ATOM	3367	O	SER	B	239	25.047	8.963	29.223	1.00	27.00
ATOM	3368	CB	SER	B	239	24.392	6.164	29.589	1.00	34.06
ATOM	3369	OG	SER	B	239	23.818	5.083	30.311	1.00	47.74
ATOM	3370	N	LEU	B	240	27.119	8.209	29.561	1.00	27.91
ATOM	3371	CA	LEU	B	240	27.763	9.285	28.821	1.00	29.39
ATOM	3372	C	LEU	B	240	27.982	8.923	27.352	1.00	33.90
ATOM	3373	O	LEU	B	240	28.588	9.692	26.590	1.00	34.01
ATOM	3374	CB	LEU	B	240	29.106	9.616	29.458	1.00	23.31
ATOM	3375	CG	LEU	B	240	29.179	11.011	30.060	1.00	23.75
ATOM	3376	CD1	LEU	B	240	30.610	11.288	30.464	1.00	25.63
ATOM	3377	CD2	LEU	B	240	28.701	12.046	29.059	1.00	20.92
ATOM	3378	N	GLY	B	241	27.481	7.749	26.965	1.00	37.27
ATOM	3379	CA	GLY	B	241	27.631	7.281	25.603	1.00	37.61
ATOM	3380	C	GLY	B	241	29.001	6.655	25.448	1.00	38.58
ATOM	3381	O	GLY	B	241	29.306	5.663	26.082	1.00	41.03
ATOM	3382	N	ALA	B	242	29.831	7.231	24.599	1.00	38.16
ATOM	3383	CA	ALA	B	242	31.160	6.704	24.407	1.00	38.66
ATOM	3384	C	ALA	B	242	32.042	7.909	24.233	1.00	39.13
ATOM	3385	O	ALA	B	242	31.837	8.713	23.329	1.00	35.62
ATOM	3386	CB	ALA	B	242	31.212	5.833	23.169	1.00	40.72
ATOM	3387	N	VAL	B	243	33.014	8.045	25.118	1.00	38.94
ATOM	3388	CA	VAL	B	243	33.915	9.162	25.038	1.00	38.48
ATOM	3389	C	VAL	B	243	35.084	8.758	24.169	1.00	39.59
ATOM	3390	O	VAL	B	243	35.551	7.630	24.246	1.00	40.90
ATOM	3391	CB	VAL	B	243	34.431	9.550	26.413	1.00	38.36
ATOM	3392	CG1	VAL	B	243	35.264	10.814	26.305	1.00	37.44
ATOM	3393	CG2	VAL	B	243	33.272	9.749	27.350	1.00	37.24
ATOM	3394	N	GLY	B	244	35.548	9.690	23.344	1.00	41.47
ATOM	3395	CA	GLY	B	244	36.664	9.422	22.463	1.00	41.89
ATOM	3396	C	GLY	B	244	37.769	10.450	22.583	1.00	43.79
ATOM	3397	O	GLY	B	244	38.098	10.893	23.683	1.00	42.40
ATOM	3398	N	THR	B	245	38.338	10.835	21.442	1.00	46.20
ATOM	3399	CA	THR	B	245	39.436	11.797	21.407	1.00	48.11
ATOM	3400	C	THR	B	245	38.961	13.214	21.682	1.00	48.25
ATOM	3401	O	THR	B	245	39.773	14.082	21.994	1.00	50.71
ATOM	3402	CB	THR	B	245	40.167	11.785	20.041	1.00	48.47
ATOM	3403	OG1	THR	B	245	39.373	12.466	19.060	1.00	58.28
ATOM	3404	CG2	THR	B	245	40.390	10.367	19.578	1.00	45.64
ATOM	3405	N	SER	B	246	37.651	13.439	21.565	1.00	48.48
ATOM	3406	CA	SER	B	246	37.045	14.752	21.801	1.00	47.12
ATOM	3407	C	SER	B	246	36.363	14.779	23.159	1.00	45.34
ATOM	3408	O	SER	B	246	35.292	14.198	23.325	1.00	47.08

ATOM	3409	CB	SER	B	246	36.009	15.052	20.724	1.00	46.88
ATOM	3410	OG	SER	B	246	36.594	15.004	19.442	1.00	53.99
ATOM	3411	N	ALA	B	247	36.974	15.460	24.122	1.00	42.07
ATOM	3412	CA	ALA	B	247	36.417	15.532	25.468	1.00	40.34
ATOM	3413	C	ALA	B	247	34.935	15.923	25.506	1.00	36.84
ATOM	3414	O	ALA	B	247	34.552	16.982	25.025	1.00	37.74
ATOM	3415	CB	ALA	B	247	37.242	16.502	26.327	1.00	40.36
ATOM	3416	N	VAL	B	248	34.110	15.051	26.068	1.00	32.26
ATOM	3417	CA	VAL	B	248	32.693	15.316	26.198	1.00	31.34
ATOM	3418	C	VAL	B	248	32.523	16.068	27.496	1.00	33.29
ATOM	3419	O	VAL	B	248	33.169	15.721	28.489	1.00	35.48
ATOM	3420	CB	VAL	B	248	31.886	14.031	26.356	1.00	31.34
ATOM	3421	CG1	VAL	B	248	30.404	14.353	26.438	1.00	28.79
ATOM	3422	CG2	VAL	B	248	32.176	13.100	25.225	1.00	33.36
ATOM	3423	N	SER	B	249	31.677	17.094	27.506	1.00	32.40
ATOM	3424	CA	SER	B	249	31.430	17.820	28.752	1.00	34.23
ATOM	3425	C	SER	B	249	30.243	17.138	29.384	1.00	34.27
ATOM	3426	O	SER	B	249	29.285	16.788	28.691	1.00	34.55
ATOM	3427	CB	SER	B	249	31.076	19.288	28.515	1.00	34.21
ATOM	3428	OG	SER	B	249	30.848	19.955	29.749	1.00	31.46
ATOM	3429	N	LEU	B	250	30.301	16.936	30.692	1.00	33.34
ATOM	3430	CA	LEU	B	250	29.194	16.290	31.371	1.00	33.82
ATOM	3431	C	LEU	B	250	28.000	17.260	31.435	1.00	31.74
ATOM	3432	O	LEU	B	250	26.870	16.836	31.662	1.00	29.19
ATOM	3433	CB	LEU	B	250	29.618	15.850	32.780	1.00	37.25
ATOM	3434	CG	LEU	B	250	30.942	15.092	32.967	1.00	38.75
ATOM	3435	CD1	LEU	B	250	31.016	14.614	34.423	1.00	38.86
ATOM	3436	CD2	LEU	B	250	31.055	13.917	32.001	1.00	32.58
ATOM	3437	N	GLY	B	251	28.276	18.550	31.226	1.00	29.86
ATOM	3438	CA	GLY	B	251	27.250	19.575	31.246	1.00	26.30
ATOM	3439	C	GLY	B	251	26.627	19.742	32.605	1.00	29.98
ATOM	3440	O	GLY	B	251	25.405	19.641	32.757	1.00	33.08
ATOM	3441	N	LEU	B	252	27.453	20.034	33.602	1.00	29.15
ATOM	3442	CA	LEU	B	252	26.954	20.165	34.966	1.00	29.53
ATOM	3443	C	LEU	B	252	26.816	21.581	35.483	1.00	29.61
ATOM	3444	O	LEU	B	252	27.577	22.464	35.116	1.00	29.47
ATOM	3445	CB	LEU	B	252	27.874	19.416	35.918	1.00	25.94
ATOM	3446	CG	LEU	B	252	28.269	18.010	35.503	1.00	23.83
ATOM	3447	CD1	LEU	B	252	29.432	17.552	36.395	1.00	22.24
ATOM	3448	CD2	LEU	B	252	27.064	17.097	35.576	1.00	11.02
ATOM	3449	N	THR	B	253	25.845	21.779	36.368	1.00	31.54
ATOM	3450	CA	THR	B	253	25.625	23.076	36.992	1.00	31.20
ATOM	3451	C	THR	B	253	25.400	22.845	38.473	1.00	28.75
ATOM	3452	O	THR	B	253	24.570	22.024	38.854	1.00	24.10
ATOM	3453	CB	THR	B	253	24.385	23.784	36.443	1.00	29.75
ATOM	3454	OG1	THR	B	253	24.475	23.864	35.024	1.00	36.05
ATOM	3455	CG2	THR	B	253	24.304	25.176	36.984	1.00	32.11
ATOM	3456	N	ALA	B	254	26.165	23.554	39.295	1.00	28.77
ATOM	3457	CA	ALA	B	254	26.027	23.473	40.743	1.00	27.42
ATOM	3458	C	ALA	B	254	24.854	24.396	41.066	1.00	28.43
ATOM	3459	O	ALA	B	254	24.877	25.585	40.738	1.00	29.03
ATOM	3460	CB	ALA	B	254	27.283	23.982	41.422	1.00	22.34
ATOM	3461	N	ASN	B	255	23.821	23.846	41.688	1.00	26.77
ATOM	3462	CA	ASN	B	255	22.649	24.629	42.033	1.00	25.09
ATOM	3463	C	ASN	B	255	22.399	24.598	43.502	1.00	25.36
ATOM	3464	O	ASN	B	255	22.644	23.580	44.154	1.00	27.57
ATOM	3465	CB	ASN	B	255	21.392	24.057	41.391	1.00	20.93
ATOM	3466	CG	ASN	B	255	21.524	23.893	39.936	1.00	20.24
ATOM	3467	OD1	ASN	B	255	20.534	23.784	39.230	1.00	21.15
ATOM	3468	ND2	ASN	B	255	22.755	23.862	39.457	1.00	28.01
ATOM	3469	N	TYR	B	256	21.893	25.704	44.031	1.00	25.89
ATOM	3470	CA	TYR	B	256	21.527	25.716	45.437	1.00	25.98

ATOM	3471	C	TYR	B	256	20.103	25.173	45.457	1.00	26.27
ATOM	3472	O	TYR	B	256	19.282	25.503	44.579	1.00	26.09
ATOM	3473	CB	TYR	B	256	21.530	27.125	46.030	1.00	23.07
ATOM	3474	CG	TYR	B	256	22.890	27.717	46.253	1.00	17.47
ATOM	3475	CD1	TYR	B	256	23.497	28.478	45.275	1.00	21.42
ATOM	3476	CD2	TYR	B	256	23.533	27.573	47.464	1.00	19.80
ATOM	3477	CE1	TYR	B	256	24.708	29.096	45.492	1.00	25.82
ATOM	3478	CE2	TYR	B	256	24.740	28.180	47.702	1.00	27.09
ATOM	3479	CZ	TYR	B	256	25.329	28.949	46.708	1.00	29.68
ATOM	3480	OH	TYR	B	256	26.538	29.583	46.935	1.00	35.08
ATOM	3481	N	ALA	B	257	19.831	24.306	46.424	1.00	25.76
ATOM	3482	CA	ALA	B	257	18.503	23.739	46.590	1.00	26.97
ATOM	3483	C	ALA	B	257	18.319	23.810	48.076	1.00	29.88
ATOM	3484	O	ALA	B	257	19.304	23.843	48.824	1.00	27.79
ATOM	3485	CB	ALA	B	257	18.457	22.316	46.124	1.00	26.33
ATOM	3486	N	ARG	B	258	17.068	23.867	48.507	1.00	32.79
ATOM	3487	CA	ARG	B	258	16.783	23.955	49.923	1.00	36.95
ATOM	3488	C	ARG	B	258	16.460	22.592	50.501	1.00	41.59
ATOM	3489	O	ARG	B	258	15.880	21.734	49.824	1.00	42.97
ATOM	3490	CB	ARG	B	258	15.614	24.895	50.159	1.00	34.51
ATOM	3491	CG	ARG	B	258	15.892	26.308	49.797	1.00	34.10
ATOM	3492	CD	ARG	B	258	14.604	27.068	49.793	1.00	40.30
ATOM	3493	NE	ARG	B	258	13.900	26.944	51.062	1.00	45.54
ATOM	3494	CZ	ARG	B	258	12.673	27.405	51.275	1.00	45.83
ATOM	3495	NH1	ARG	B	258	12.020	28.016	50.296	1.00	45.05
ATOM	3496	NH2	ARG	B	258	12.101	27.256	52.462	1.00	45.39
ATOM	3497	N	THR	B	259	16.831	22.413	51.763	1.00	45.40
ATOM	3498	CA	THR	B	259	16.601	21.178	52.484	1.00	49.55
ATOM	3499	C	THR	B	259	15.451	21.400	53.445	1.00	53.27
ATOM	3500	O	THR	B	259	14.326	20.979	53.181	1.00	53.14
ATOM	3501	CB	THR	B	259	17.850	20.784	53.274	1.00	51.17
ATOM	3502	OG1	THR	B	259	18.298	21.903	54.047	1.00	53.85
ATOM	3503	CG2	THR	B	259	18.964	20.375	52.336	1.00	53.79
ATOM	3504	N	GLY	B	260	15.742	22.079	54.554	1.00	59.47
ATOM	3505	CA	GLY	B	260	14.729	22.367	55.559	1.00	63.04
ATOM	3506	C	GLY	B	260	14.131	23.748	55.386	1.00	64.81
ATOM	3507	O	GLY	B	260	14.707	24.589	54.687	1.00	67.06
ATOM	3508	N	GLY	B	261	12.984	23.982	56.022	1.00	64.97
ATOM	3509	CA	GLY	B	261	12.318	25.273	55.922	1.00	66.35
ATOM	3510	C	GLY	B	261	12.825	26.406	56.814	1.00	65.91
ATOM	3511	O	GLY	B	261	12.132	26.837	57.742	1.00	68.21
ATOM	3512	N	GLN	B	262	14.027	26.902	56.534	1.00	63.10
ATOM	3513	CA	GLN	B	262	14.601	27.998	57.300	1.00	61.65
ATOM	3514	C	GLN	B	262	15.962	28.395	56.765	1.00	59.68
ATOM	3515	O	GLN	B	262	16.959	28.368	57.490	1.00	59.99
ATOM	3516	CB	GLN	B	262	14.737	27.629	58.778	1.00	64.32
ATOM	3517	CG	GLN	B	262	15.266	28.783	59.642	1.00	70.49
ATOM	3518	CD	GLN	B	262	14.427	30.062	59.523	1.00	73.38
ATOM	3519	OE1	GLN	B	262	14.826	31.132	60.002	1.00	72.47
ATOM	3520	NE2	GLN	B	262	13.258	29.953	58.887	1.00	73.90
ATOM	3521	N	VAL	B	263	16.004	28.762	55.491	1.00	56.87
ATOM	3522	CA	VAL	B	263	17.256	29.166	54.877	1.00	53.10
ATOM	3523	C	VAL	B	263	17.867	30.198	55.803	1.00	51.60
ATOM	3524	O	VAL	B	263	17.152	31.011	56.370	1.00	52.19
ATOM	3525	CB	VAL	B	263	17.009	29.772	53.498	1.00	51.96
ATOM	3526	CG1	VAL	B	263	18.327	30.090	52.827	1.00	53.71
ATOM	3527	CG2	VAL	B	263	16.212	28.800	52.653	1.00	50.97
ATOM	3528	N	THR	B	264	19.182	30.163	55.970	1.00	50.54
ATOM	3529	CA	THR	B	264	19.832	31.100	56.871	1.00	49.40
ATOM	3530	C	THR	B	264	21.236	31.508	56.483	1.00	53.02
ATOM	3531	O	THR	B	264	22.015	30.700	55.994	1.00	55.34
ATOM	3532	CB	THR	B	264	19.890	30.515	58.247	1.00	45.34

ATOM	3533	OG1	THR	B	264	18.552	30.285	58.698	1.00	45.94
ATOM	3534	CG2	THR	B	264	20.623	31.438	59.182	1.00	37.96
ATOM	3535	N	ALA	B	265	21.553	32.775	56.726	1.00	56.45
ATOM	3536	CA	ALA	B	265	22.861	33.343	56.414	1.00	58.56
ATOM	3537	C	ALA	B	265	23.999	32.394	56.732	1.00	60.05
ATOM	3538	O	ALA	B	265	23.888	31.546	57.621	1.00	62.69
ATOM	3539	CB	ALA	B	265	23.053	34.639	57.184	1.00	60.18
ATOM	3540	N	GLY	B	266	25.099	32.547	56.006	1.00	60.63
ATOM	3541	CA	GLY	B	266	26.256	31.695	56.231	1.00	62.15
ATOM	3542	C	GLY	B	266	26.915	31.147	54.971	1.00	61.14
ATOM	3543	O	GLY	B	266	26.484	31.425	53.848	1.00	58.42
ATOM	3544	N	ASN	B	267	27.970	30.361	55.160	1.00	61.40
ATOM	3545	CA	ASN	B	267	28.664	29.780	54.025	1.00	59.87
ATOM	3546	C	ASN	B	267	28.122	28.408	53.665	1.00	57.23
ATOM	3547	O	ASN	B	267	27.661	27.654	54.524	1.00	54.66
ATOM	3548	CB	ASN	B	267	30.166	29.706	54.293	1.00	63.27
ATOM	3549	CG	ASN	B	267	30.784	31.075	54.439	1.00	65.54
ATOM	3550	OD1	ASN	B	267	31.991	31.259	54.258	1.00	66.83
ATOM	3551	ND2	ASN	B	267	29.954	32.050	54.776	1.00	65.32
ATOM	3552	N	VAL	B	268	28.187	28.115	52.371	1.00	54.18
ATOM	3553	CA	VAL	B	268	27.708	26.865	51.802	1.00	52.08
ATOM	3554	C	VAL	B	268	28.810	26.238	50.954	1.00	50.93
ATOM	3555	O	VAL	B	268	29.116	26.714	49.862	1.00	48.73
ATOM	3556	CB	VAL	B	268	26.456	27.131	50.925	1.00	52.31
ATOM	3557	CG1	VAL	B	268	26.050	25.886	50.174	1.00	50.51
ATOM	3558	CG2	VAL	B	268	25.315	27.614	51.799	1.00	52.96
ATOM	3559	N	GLN	B	269	29.418	25.180	51.477	1.00	50.42
ATOM	3560	CA	GLN	B	269	30.482	24.473	50.771	1.00	52.20
ATOM	3561	C	GLN	B	269	30.122	22.995	50.687	1.00	51.96
ATOM	3562	O	GLN	B	269	29.523	22.448	51.611	1.00	52.85
ATOM	3563	CB	GLN	B	269	31.807	24.642	51.506	1.00	53.67
ATOM	3564	CG	GLN	B	269	32.561	25.889	51.132	1.00	56.02
ATOM	3565	CD	GLN	B	269	33.668	26.194	52.112	1.00	60.82
ATOM	3566	OE1	GLN	B	269	34.444	25.312	52.493	1.00	61.80
ATOM	3567	NE2	GLN	B	269	33.754	27.451	52.529	1.00	62.70
ATOM	3568	N	SER	B	270	30.494	22.343	49.591	1.00	49.83
ATOM	3569	CA	SER	B	270	30.150	20.938	49.434	1.00	46.51
ATOM	3570	C	SER	B	270	31.248	20.088	48.789	1.00	43.35
ATOM	3571	O	SER	B	270	32.113	20.589	48.070	1.00	38.87
ATOM	3572	CB	SER	B	270	28.846	20.827	48.627	1.00	45.30
ATOM	3573	OG	SER	B	270	28.221	19.575	48.831	1.00	46.76
ATOM	3574	N	ILE	B	271	31.191	18.789	49.065	1.00	41.68
ATOM	3575	CA	ILE	B	271	32.154	17.833	48.528	1.00	41.86
ATOM	3576	C	ILE	B	271	31.439	16.651	47.886	1.00	37.78
ATOM	3577	O	ILE	B	271	30.768	15.887	48.563	1.00	35.24
ATOM	3578	CB	ILE	B	271	33.071	17.322	49.637	1.00	45.74
ATOM	3579	CG1	ILE	B	271	32.230	17.035	50.895	1.00	46.72
ATOM	3580	CG2	ILE	B	271	34.191	18.342	49.886	1.00	48.20
ATOM	3581	CD1	ILE	B	271	33.000	16.418	52.066	1.00	43.04
ATOM	3582	N	ILE	B	272	31.594	16.506	46.576	1.00	35.93
ATOM	3583	CA	ILE	B	272	30.935	15.436	45.844	1.00	33.86
ATOM	3584	C	ILE	B	272	31.892	14.540	45.098	1.00	31.77
ATOM	3585	O	ILE	B	272	32.829	15.006	44.454	1.00	29.62
ATOM	3586	CB	ILE	B	272	29.960	15.988	44.796	1.00	36.56
ATOM	3587	CG1	ILE	B	272	28.954	16.923	45.456	1.00	40.60
ATOM	3588	CG2	ILE	B	272	29.256	14.849	44.098	1.00	38.34
ATOM	3589	CD1	ILE	B	272	28.337	16.344	46.676	1.00	39.64
ATOM	3590	N	GLY	B	273	31.631	13.245	45.162	1.00	28.75
ATOM	3591	CA	GLY	B	273	32.485	12.322	44.456	1.00	29.42
ATOM	3592	C	GLY	B	273	31.841	11.949	43.145	1.00	29.19
ATOM	3593	O	GLY	B	273	30.676	11.553	43.118	1.00	32.72
ATOM	3594	N	VAL	B	274	32.577	12.106	42.051	1.00	26.49

ATOM	3595	CA	VAL B 274	32.068	11.737	40.732	1.00	23.08
ATOM	3596	C	VAL B 274	32.808	10.436	40.387	1.00	24.68
ATOM	3597	O	VAL B 274	34.046	10.377	40.399	1.00	23.89
ATOM	3598	CB	VAL B 274	32.376	12.818	39.675	1.00	20.33
ATOM	3599	CG1	VAL B 274	31.451	12.651	38.486	1.00	18.23
ATOM	3600	CG2	VAL B 274	32.237	14.193	40.277	1.00	17.00
ATOM	3601	N	THR B 275	32.050	9.380	40.118	1.00	26.16
ATOM	3602	CA	THR B 275	32.650	8.083	39.821	1.00	28.51
ATOM	3603	C	THR B 275	32.348	7.650	38.405	1.00	28.27
ATOM	3604	O	THR B 275	31.181	7.439	38.037	1.00	25.47
ATOM	3605	CB	THR B 275	32.129	6.980	40.781	1.00	31.01
ATOM	3606	OG1	THR B 275	32.414	7.345	42.135	1.00	37.87
ATOM	3607	CG2	THR B 275	32.790	5.642	40.484	1.00	33.93
ATOM	3608	N	PHE B 276	33.414	7.519	37.622	1.00	25.59
ATOM	3609	CA	PHE B 276	33.304	7.096	36.244	1.00	22.02
ATOM	3610	C	PHE B 276	33.372	5.586	36.177	1.00	21.10
ATOM	3611	O	PHE B 276	34.303	4.975	36.681	1.00	19.36
ATOM	3612	CB	PHE B 276	34.415	7.722	35.424	1.00	16.98
ATOM	3613	CG	PHE B 276	34.237	9.183	35.213	1.00	20.83
ATOM	3614	CD1	PHE B 276	34.523	10.080	36.228	1.00	23.04
ATOM	3615	CD2	PHE B 276	33.785	9.670	33.991	1.00	22.48
ATOM	3616	CE1	PHE B 276	34.368	11.454	36.031	1.00	24.65
ATOM	3617	CE2	PHE B 276	33.622	11.036	33.783	1.00	23.18
ATOM	3618	CZ	PHE B 276	33.918	11.934	34.806	1.00	22.44
ATOM	3619	N	VAL B 277	32.365	4.987	35.562	1.00	22.57
ATOM	3620	CA	VAL B 277	32.299	3.538	35.454	1.00	23.53
ATOM	3621	C	VAL B 277	32.722	3.054	34.077	1.00	22.72
ATOM	3622	O	VAL B 277	32.161	3.481	33.072	1.00	23.26
ATOM	3623	CB	VAL B 277	30.874	3.039	35.729	1.00	23.55
ATOM	3624	CG1	VAL B 277	30.910	1.562	36.021	1.00	27.63
ATOM	3625	CG2	VAL B 277	30.260	3.803	36.885	1.00	19.68
ATOM	3626	N	TYR B 278	33.695	2.146	34.042	1.00	22.73
ATOM	3627	CA	TYR B 278	34.206	1.598	32.786	1.00	20.04
ATOM	3628	C	TYR B 278	33.542	0.299	32.387	1.00	21.13
ATOM	3629	O	TYR B 278	33.160	-0.494	33.246	1.00	23.63
ATOM	3630	CB	TYR B 278	35.704	1.379	32.890	1.00	16.69
ATOM	3631	CG	TYR B 278	36.444	2.674	33.057	1.00	17.53
ATOM	3632	CD1	TYR B 278	36.364	3.388	34.248	1.00	18.92
ATOM	3633	CD2	TYR B 278	37.129	3.245	31.989	1.00	12.17
ATOM	3634	CE1	TYR B 278	36.935	4.649	34.364	1.00	20.83
ATOM	3635	CE2	TYR B 278	37.703	4.496	32.088	1.00	16.81
ATOM	3636	CZ	TYR B 278	37.600	5.201	33.272	1.00	19.90
ATOM	3637	OH	TYR B 278	38.116	6.475	33.344	1.00	24.44
ATOM	3638	N	GLN B 279	33.396	0.079	31.081	1.00	21.58
ATOM	3639	CA	GLN B 279	32.785	-1.158	30.605	1.00	20.18
ATOM	3640	C	GLN B 279	33.787	-2.272	30.387	1.00	19.46
ATOM	3641	O	GLN B 279	33.448	-3.411	30.755	1.00	18.89
ATOM	3642	CB	GLN B 279	32.026	-0.944	29.308	1.00	23.74
ATOM	3643	CG	GLN B 279	31.239	-2.184	28.923	1.00	29.24
ATOM	3644	CD	GLN B 279	30.539	-2.096	27.584	1.00	33.98
ATOM	3645	OE1	GLN B 279	29.638	-2.895	27.318	1.00	34.96
ATOM	3646	NE2	GLN B 279	30.949	-1.143	26.730	1.00	30.73
ATOM	3647	OXT	GLN B 279	34.879	-2.003	29.831	1.00	19.19
ATOM	3648	N	GLY C 1	84.570	94.770	194.894	1.00	40.23
ATOM	3649	CA	GLY C 1	83.968	95.026	196.238	1.00	37.13
ATOM	3650	C	GLY C 1	82.762	94.162	196.546	1.00	34.01
ATOM	3651	O	GLY C 1	82.772	92.958	196.306	1.00	33.17
ATOM	3652	N	VAL C 2	81.716	94.786	197.076	1.00	30.87
ATOM	3653	CA	VAL C 2	80.494	94.072	197.430	1.00	26.56
ATOM	3654	C	VAL C 2	79.320	94.743	196.724	1.00	24.69
ATOM	3655	O	VAL C 2	79.198	95.959	196.760	1.00	26.34
ATOM	3656	CB	VAL C 2	80.300	94.076	198.973	1.00	23.07

ATOM	3657	CG1	VAL	C	2	79.019	93.396	199.351	1.00	20.73
ATOM	3658	CG2	VAL	C	2	81.460	93.357	199.634	1.00	19.64
ATOM	3659	N	ALA	C	3	78.474	93.956	196.056	1.00	25.21
ATOM	3660	CA	ALA	C	3	77.318	94.515	195.335	1.00	23.76
ATOM	3661	C	ALA	C	3	76.007	93.775	195.570	1.00	23.73
ATOM	3662	O	ALA	C	3	75.978	92.554	195.757	1.00	21.27
ATOM	3663	CB	ALA	C	3	77.598	94.579	193.847	1.00	19.79
ATOM	3664	N	LEU	C	4	74.921	94.540	195.555	1.00	23.63
ATOM	3665	CA	LEU	C	4	73.605	93.985	195.770	1.00	23.82
ATOM	3666	C	LEU	C	4	73.052	93.470	194.452	1.00	27.10
ATOM	3667	O	LEU	C	4	73.345	94.013	193.383	1.00	27.53
ATOM	3668	CB	LEU	C	4	72.689	95.046	196.358	1.00	20.91
ATOM	3669	CG	LEU	C	4	73.215	95.768	197.615	1.00	24.57
ATOM	3670	CD1	LEU	C	4	72.175	96.800	198.069	1.00	22.09
ATOM	3671	CD2	LEU	C	4	73.524	94.780	198.735	1.00	14.66
ATOM	3672	N	GLY	C	5	72.261	92.402	194.537	1.00	28.46
ATOM	3673	CA	GLY	C	5	71.672	91.803	193.352	1.00	27.42
ATOM	3674	C	GLY	C	5	70.672	92.676	192.612	1.00	27.21
ATOM	3675	O	GLY	C	5	70.474	92.495	191.417	1.00	27.80
ATOM	3676	N	ALA	C	6	70.032	93.607	193.319	1.00	27.28
ATOM	3677	CA	ALA	C	6	69.053	94.516	192.726	1.00	24.84
ATOM	3678	C	ALA	C	6	69.515	95.953	192.793	1.00	24.88
ATOM	3679	O	ALA	C	6	70.534	96.277	193.398	1.00	28.55
ATOM	3680	CB	ALA	C	6	67.752	94.400	193.437	1.00	21.63
ATOM	3681	N	THR	C	7	68.750	96.822	192.160	1.00	23.38
ATOM	3682	CA	THR	C	7	69.065	98.235	192.164	1.00	20.59
ATOM	3683	C	THR	C	7	67.925	98.914	192.880	1.00	18.94
ATOM	3684	O	THR	C	7	67.920	100.136	193.046	1.00	18.89
ATOM	3685	CB	THR	C	7	69.196	98.786	190.736	1.00	23.57
ATOM	3686	OG1	THR	C	7	68.078	98.349	189.936	1.00	25.26
ATOM	3687	CG2	THR	C	7	70.512	98.315	190.121	1.00	21.32
ATOM	3688	N	ARG	C	8	66.954	98.097	193.288	1.00	15.87
ATOM	3689	CA	ARG	C	8	65.785	98.555	194.029	1.00	14.85
ATOM	3690	C	ARG	C	8	65.055	97.324	194.532	1.00	14.43
ATOM	3691	O	ARG	C	8	65.412	96.196	194.183	1.00	11.38
ATOM	3692	CB	ARG	C	8	64.855	99.403	193.156	1.00	19.10
ATOM	3693	CG	ARG	C	8	63.831	98.621	192.332	1.00	21.38
ATOM	3694	CD	ARG	C	8	63.983	98.873	190.846	1.00	19.63
ATOM	3695	NE	ARG	C	8	63.922	100.289	190.464	1.00	18.41
ATOM	3696	CZ	ARG	C	8	64.985	101.081	190.366	1.00	14.03
ATOM	3697	NH1	ARG	C	8	66.193	100.606	190.621	1.00	16.70
ATOM	3698	NH2	ARG	C	8	64.847	102.343	190.009	1.00	11.57
ATOM	3699	N	VAL	C	9	64.036	97.536	195.358	1.00	12.99
ATOM	3700	CA	VAL	C	9	63.297	96.420	195.916	1.00	12.00
ATOM	3701	C	VAL	C	9	61.863	96.775	196.136	1.00	13.32
ATOM	3702	O	VAL	C	9	61.556	97.855	196.608	1.00	14.89
ATOM	3703	CB	VAL	C	9	63.878	95.975	197.270	1.00	13.24
ATOM	3704	CG1	VAL	C	9	62.870	95.110	198.013	1.00	11.49
ATOM	3705	CG2	VAL	C	9	65.178	95.179	197.045	1.00	11.03
ATOM	3706	N	ILE	C	10	60.984	95.840	195.799	1.00	13.75
ATOM	3707	CA	ILE	C	10	59.565	96.040	195.972	1.00	12.38
ATOM	3708	C	ILE	C	10	59.011	95.151	197.056	1.00	17.67
ATOM	3709	O	ILE	C	10	59.032	93.921	196.941	1.00	19.08
ATOM	3710	CB	ILE	C	10	58.804	95.749	194.709	1.00	4.40
ATOM	3711	CG1	ILE	C	10	59.302	96.648	193.601	1.00	6.22
ATOM	3712	CG2	ILE	C	10	57.333	96.011	194.942	1.00	10.13
ATOM	3713	CD1	ILE	C	10	59.271	98.110	193.957	1.00	8.95
ATOM	3714	N	TYR	C	11	58.506	95.780	198.113	1.00	18.91
ATOM	3715	CA	TYR	C	11	57.941	95.030	199.214	1.00	19.10
ATOM	3716	C	TYR	C	11	56.451	94.945	199.103	1.00	20.56
ATOM	3717	O	TYR	C	11	55.752	95.940	199.295	1.00	18.93
ATOM	3718	CB	TYR	C	11	58.268	95.653	200.557	1.00	16.88

ATOM	3719	CG	TYR	C	11	58.389	94.610	201.623	1.00	16.87
ATOM	3720	CD1	TYR	C	11	57.263	94.087	202.246	1.00	17.30
ATOM	3721	CD2	TYR	C	11	59.634	94.129	202.000	1.00	20.53
ATOM	3722	CE1	TYR	C	11	57.377	93.105	203.231	1.00	23.66
ATOM	3723	CE2	TYR	C	11	59.769	93.151	202.984	1.00	25.56
ATOM	3724	CZ	TYR	C	11	58.639	92.643	203.600	1.00	26.97
ATOM	3725	OH	TYR	C	11	58.787	91.709	204.601	1.00	23.86
ATOM	3726	N	PRO	C	12	55.945	93.738	198.794	1.00	22.80
ATOM	3727	CA	PRO	C	12	54.523	93.400	198.638	1.00	21.04
ATOM	3728	C	PRO	C	12	53.821	93.350	200.000	1.00	20.09
ATOM	3729	O	PRO	C	12	54.128	92.488	200.830	1.00	14.57
ATOM	3730	CB	PRO	C	12	54.557	92.020	197.976	1.00	20.12
ATOM	3731	CG	PRO	C	12	55.953	91.900	197.408	1.00	20.68
ATOM	3732	CD	PRO	C	12	56.799	92.594	198.420	1.00	22.26
ATOM	3733	N	ALA	C	13	52.881	94.265	200.219	1.00	22.43
ATOM	3734	CA	ALA	C	13	52.159	94.298	201.480	1.00	27.58
ATOM	3735	C	ALA	C	13	51.619	92.914	201.766	1.00	32.24
ATOM	3736	O	ALA	C	13	50.973	92.300	200.919	1.00	33.26
ATOM	3737	CB	ALA	C	13	51.027	95.296	201.419	1.00	30.11
ATOM	3738	N	GLY	C	14	51.898	92.424	202.967	1.00	38.06
ATOM	3739	CA	GLY	C	14	51.451	91.099	203.347	1.00	42.05
ATOM	3740	C	GLY	C	14	52.626	90.151	203.433	1.00	44.96
ATOM	3741	O	GLY	C	14	52.756	89.399	204.405	1.00	47.15
ATOM	3742	N	GLN	C	15	53.481	90.192	202.412	1.00	46.67
ATOM	3743	CA	GLN	C	15	54.672	89.346	202.341	1.00	49.38
ATOM	3744	C	GLN	C	15	55.364	89.158	203.684	1.00	48.91
ATOM	3745	O	GLN	C	15	55.766	90.129	204.324	1.00	49.13
ATOM	3746	CB	GLN	C	15	55.672	89.944	201.357	1.00	52.56
ATOM	3747	CG	GLN	C	15	55.491	89.475	199.943	1.00	59.49
ATOM	3748	CD	GLN	C	15	55.688	87.986	199.818	1.00	63.27
ATOM	3749	OE1	GLN	C	15	56.756	87.462	200.142	1.00	65.80
ATOM	3750	NE2	GLN	C	15	54.656	87.289	199.349	1.00	65.04
ATOM	3751	N	LYS	C	16	55.516	87.911	204.110	1.00	48.96
ATOM	3752	CA	LYS	C	16	56.173	87.657	205.382	1.00	48.92
ATOM	3753	C	LYS	C	16	57.603	88.162	205.315	1.00	46.51
ATOM	3754	O	LYS	C	16	58.128	88.599	206.322	1.00	47.06
ATOM	3755	CB	LYS	C	16	56.169	86.166	205.712	1.00	55.80
ATOM	3756	CG	LYS	C	16	56.318	85.848	207.208	1.00	62.66
ATOM	3757	CD	LYS	C	16	56.459	84.326	207.477	1.00	65.94
ATOM	3758	CE	LYS	C	16	55.295	83.500	206.916	1.00	63.60
ATOM	3759	NZ	LYS	C	16	53.993	83.904	207.503	1.00	64.91
ATOM	3760	N	GLN	C	17	58.229	88.094	204.137	1.00	43.50
ATOM	3761	CA	GLN	C	17	59.600	88.589	203.957	1.00	40.75
ATOM	3762	C	GLN	C	17	60.023	88.752	202.491	1.00	37.70
ATOM	3763	O	GLN	C	17	59.394	88.201	201.603	1.00	38.82
ATOM	3764	CB	GLN	C	17	60.582	87.664	204.644	1.00	40.52
ATOM	3765	CG	GLN	C	17	60.607	86.287	204.040	1.00	42.73
ATOM	3766	CD	GLN	C	17	61.917	85.573	204.312	1.00	44.48
ATOM	3767	OE1	GLN	C	17	62.365	85.482	205.470	1.00	45.27
ATOM	3768	NE2	GLN	C	17	62.547	85.063	203.250	1.00	35.33
ATOM	3769	N	VAL	C	18	61.086	89.514	202.252	1.00	34.71
ATOM	3770	CA	VAL	C	18	61.610	89.748	200.903	1.00	34.87
ATOM	3771	C	VAL	C	18	63.130	89.599	200.879	1.00	36.10
ATOM	3772	O	VAL	C	18	63.841	90.186	201.695	1.00	38.58
ATOM	3773	CB	VAL	C	18	61.264	91.150	200.388	1.00	35.61
ATOM	3774	CG1	VAL	C	18	62.003	91.416	199.098	1.00	33.31
ATOM	3775	CG2	VAL	C	18	59.773	91.271	200.161	1.00	39.12
ATOM	3776	N	GLN	C	19	63.626	88.842	199.911	1.00	34.28
ATOM	3777	CA	GLN	C	19	65.041	88.564	199.825	1.00	32.37
ATOM	3778	C	GLN	C	19	65.809	89.405	198.837	1.00	32.19
ATOM	3779	O	GLN	C	19	65.294	89.759	197.789	1.00	33.00
ATOM	3780	CB	GLN	C	19	65.214	87.083	199.519	1.00	31.09

ATOM	3781	CG	GLN	C	19	64.271	86.255	200.371	1.00	39.57
ATOM	3782	CD	GLN	C	19	64.563	84.771	200.358	1.00	46.71
ATOM	3783	OE1	GLN	C	19	64.019	84.016	201.177	1.00	49.40
ATOM	3784	NE2	GLN	C	19	65.419	84.336	199.431	1.00	48.06
ATOM	3785	N	LEU	C	20	67.046	89.736	199.201	1.00	31.36
ATOM	3786	CA	LEU	C	20	67.947	90.512	198.361	1.00	28.69
ATOM	3787	C	LEU	C	20	69.310	89.820	198.390	1.00	28.61
ATOM	3788	O	LEU	C	20	69.769	89.378	199.439	1.00	29.23
ATOM	3789	CB	LEU	C	20	68.077	91.939	198.888	1.00	28.45
ATOM	3790	CG	LEU	C	20	69.050	92.888	198.174	1.00	28.64
ATOM	3791	CD1	LEU	C	20	68.546	93.207	196.796	1.00	30.40
ATOM	3792	CD2	LEU	C	20	69.183	94.175	198.972	1.00	34.17
ATOM	3793	N	ALA	C	21	69.959	89.736	197.237	1.00	28.31
ATOM	3794	CA	ALA	C	21	71.255	89.081	197.137	1.00	26.28
ATOM	3795	C	ALA	C	21	72.435	90.034	197.336	1.00	26.93
ATOM	3796	O	ALA	C	21	72.410	91.186	196.891	1.00	28.79
ATOM	3797	CB	ALA	C	21	71.368	88.399	195.782	1.00	24.88
ATOM	3798	N	VAL	C	22	73.467	89.538	198.007	1.00	24.49
ATOM	3799	CA	VAL	C	22	74.682	90.300	198.253	1.00	22.89
ATOM	3800	C	VAL	C	22	75.845	89.411	197.875	1.00	24.89
ATOM	3801	O	VAL	C	22	75.845	88.217	198.160	1.00	21.56
ATOM	3802	CB	VAL	C	22	74.842	90.680	199.734	1.00	22.48
ATOM	3803	CG1	VAL	C	22	76.183	91.386	199.972	1.00	22.15
ATOM	3804	CG2	VAL	C	22	73.725	91.586	200.139	1.00	29.74
ATOM	3805	N	THR	C	23	76.838	89.990	197.223	1.00	27.30
ATOM	3806	CA	THR	C	23	77.986	89.210	196.836	1.00	31.32
ATOM	3807	C	THR	C	23	79.267	90.016	196.857	1.00	34.65
ATOM	3808	O	THR	C	23	79.291	91.186	196.490	1.00	34.57
ATOM	3809	CB	THR	C	23	77.800	88.577	195.452	1.00	32.38
ATOM	3810	OG1	THR	C	23	79.040	88.640	194.740	1.00	34.64
ATOM	3811	CG2	THR	C	23	76.708	89.278	194.677	1.00	32.00
ATOM	3812	N	ASN	C	24	80.325	89.347	197.305	1.00	36.96
ATOM	3813	CA	ASN	C	24	81.653	89.901	197.439	1.00	36.09
ATOM	3814	C	ASN	C	24	82.525	89.356	196.321	1.00	38.33
ATOM	3815	O	ASN	C	24	82.701	88.150	196.199	1.00	37.46
ATOM	3816	CB	ASN	C	24	82.208	89.502	198.807	1.00	33.48
ATOM	3817	CG	ASN	C	24	83.625	89.957	199.016	1.00	32.62
ATOM	3818	OD1	ASN	C	24	84.025	91.008	198.530	1.00	34.70
ATOM	3819	ND2	ASN	C	24	84.388	89.181	199.759	1.00	30.94
ATOM	3820	N	ASN	C	25	83.073	90.267	195.522	1.00	43.36
ATOM	3821	CA	ASN	C	25	83.923	89.947	194.374	1.00	47.19
ATOM	3822	C	ASN	C	25	85.383	89.780	194.697	1.00	48.59
ATOM	3823	O	ASN	C	25	86.104	89.089	193.989	1.00	50.77
ATOM	3824	CB	ASN	C	25	83.820	91.052	193.334	1.00	47.87
ATOM	3825	CG	ASN	C	25	82.409	91.297	192.906	1.00	52.01
ATOM	3826	OD1	ASN	C	25	81.472	91.011	193.651	1.00	52.29
ATOM	3827	ND2	ASN	C	25	82.235	91.843	191.705	1.00	55.98
ATOM	3828	N	ASP	C	26	85.823	90.440	195.753	1.00	50.87
ATOM	3829	CA	ASP	C	26	87.218	90.395	196.143	1.00	55.12
ATOM	3830	C	ASP	C	26	87.693	89.001	196.564	1.00	57.54
ATOM	3831	O	ASP	C	26	87.394	88.518	197.664	1.00	55.77
ATOM	3832	CB	ASP	C	26	87.441	91.438	197.235	1.00	56.11
ATOM	3833	CG	ASP	C	26	86.967	92.828	196.810	1.00	57.72
ATOM	3834	OD1	ASP	C	26	86.579	92.990	195.631	1.00	55.53
ATOM	3835	OD2	ASP	C	26	86.982	93.759	197.649	1.00	60.15
ATOM	3836	N	GLU	C	27	88.441	88.373	195.654	1.00	59.67
ATOM	3837	CA	GLU	C	27	88.985	87.028	195.832	1.00	63.30
ATOM	3838	C	GLU	C	27	89.594	86.770	197.197	1.00	61.98
ATOM	3839	O	GLU	C	27	89.805	85.619	197.579	1.00	60.90
ATOM	3840	CB	GLU	C	27	90.042	86.743	194.758	1.00	68.66
ATOM	3841	CG	GLU	C	27	89.566	85.829	193.629	1.00	78.71
ATOM	3842	CD	GLU	C	27	90.550	85.753	192.461	1.00	84.05

ATOM	3843	OE1	GLU	C	27	91.746	85.455	192.694	1.00	86.24
ATOM	3844	OE2	GLU	C	27	90.120	85.989	191.308	1.00	85.57
ATOM	3845	N	ASN	C	28	89.881	87.840	197.924	1.00	60.17
ATOM	3846	CA	ASN	C	28	90.483	87.710	199.236	1.00	59.98
ATOM	3847	C	ASN	C	28	90.485	89.040	199.988	1.00	58.97
ATOM	3848	O	ASN	C	28	91.247	89.967	199.688	1.00	58.70
ATOM	3849	CB	ASN	C	28	91.908	87.140	199.101	1.00	62.03
ATOM	3850	CG	ASN	C	28	92.744	87.856	198.036	1.00	62.38
ATOM	3851	OD1	ASN	C	28	93.823	87.387	197.673	1.00	58.82
ATOM	3852	ND2	ASN	C	28	92.253	88.993	197.542	1.00	62.76
ATOM	3853	N	SER	C	29	89.600	89.109	200.971	1.00	56.61
ATOM	3854	CA	SER	C	29	89.423	90.283	201.805	1.00	55.26
ATOM	3855	C	SER	C	29	88.045	90.137	202.444	1.00	53.13
ATOM	3856	O	SER	C	29	87.022	90.143	201.759	1.00	53.57
ATOM	3857	CB	SER	C	29	89.491	91.576	200.972	1.00	55.25
ATOM	3858	OG	SER	C	29	88.402	91.688	200.074	1.00	52.43
ATOM	3859	N	THR	C	30	88.030	89.989	203.759	1.00	48.90
ATOM	3860	CA	THR	C	30	86.790	89.827	204.482	1.00	46.54
ATOM	3861	C	THR	C	30	86.056	91.152	204.675	1.00	45.26
ATOM	3862	O	THR	C	30	86.654	92.222	204.607	1.00	45.40
ATOM	3863	CB	THR	C	30	87.069	89.182	205.841	1.00	46.08
ATOM	3864	OG1	THR	C	30	87.573	87.856	205.634	1.00	46.43
ATOM	3865	CG2	THR	C	30	85.811	89.111	206.677	1.00	49.01
ATOM	3866	N	TYR	C	31	84.745	91.069	204.878	1.00	42.91
ATOM	3867	CA	TYR	C	31	83.924	92.248	205.114	1.00	40.05
ATOM	3868	C	TYR	C	31	82.835	91.980	206.152	1.00	39.80
ATOM	3869	O	TYR	C	31	82.409	90.844	206.389	1.00	38.74
ATOM	3870	CB	TYR	C	31	83.239	92.734	203.835	1.00	39.36
ATOM	3871	CG	TYR	C	31	84.144	93.353	202.802	1.00	37.99
ATOM	3872	CD1	TYR	C	31	84.489	94.698	202.869	1.00	36.62
ATOM	3873	CD2	TYR	C	31	84.657	92.593	201.756	1.00	37.66
ATOM	3874	CE1	TYR	C	31	85.327	95.268	201.918	1.00	33.91
ATOM	3875	CE2	TYR	C	31	85.490	93.154	200.804	1.00	35.07
ATOM	3876	CZ	TYR	C	31	85.823	94.482	200.887	1.00	32.45
ATOM	3877	OH	TYR	C	31	86.656	95.005	199.931	1.00	32.03
ATOM	3878	N	LEU	C	32	82.390	93.060	206.770	1.00	37.65
ATOM	3879	CA	LEU	C	32	81.335	93.006	207.754	1.00	35.78
ATOM	3880	C	LEU	C	32	80.158	93.678	207.080	1.00	35.13
ATOM	3881	O	LEU	C	32	80.222	94.861	206.737	1.00	37.42
ATOM	3882	CB	LEU	C	32	81.748	93.780	208.995	1.00	35.66
ATOM	3883	CG	LEU	C	32	82.315	92.897	210.090	1.00	33.32
ATOM	3884	CD1	LEU	C	32	83.194	93.699	211.023	1.00	30.43
ATOM	3885	CD2	LEU	C	32	81.147	92.266	210.808	1.00	32.10
ATOM	3886	N	ILE	C	33	79.090	92.919	206.887	1.00	32.23
ATOM	3887	CA	ILE	C	33	77.906	93.420	206.220	1.00	28.53
ATOM	3888	C	ILE	C	33	76.799	93.899	207.133	1.00	29.47
ATOM	3889	O	ILE	C	33	76.064	93.093	207.703	1.00	30.21
ATOM	3890	CB	ILE	C	33	77.339	92.345	205.304	1.00	25.67
ATOM	3891	CG1	ILE	C	33	78.446	91.846	204.375	1.00	25.98
ATOM	3892	CG2	ILE	C	33	76.161	92.884	204.536	1.00	25.90
ATOM	3893	CD1	ILE	C	33	79.135	92.948	203.618	1.00	19.30
ATOM	3894	N	GLN	C	34	76.687	95.218	207.273	1.00	30.14
ATOM	3895	CA	GLN	C	34	75.625	95.813	208.079	1.00	30.99
ATOM	3896	C	GLN	C	34	74.583	96.398	207.126	1.00	30.50
ATOM	3897	O	GLN	C	34	74.915	97.081	206.160	1.00	31.49
ATOM	3898	CB	GLN	C	34	76.157	96.919	208.997	1.00	30.40
ATOM	3899	CG	GLN	C	34	76.803	96.434	210.287	1.00	28.02
ATOM	3900	CD	GLN	C	34	77.117	97.580	211.221	1.00	28.65
ATOM	3901	OE1	GLN	C	34	77.193	98.735	210.794	1.00	24.69
ATOM	3902	NE2	GLN	C	34	77.320	97.270	212.500	1.00	27.56
ATOM	3903	N	SER	C	35	73.319	96.129	207.413	1.00	29.08
ATOM	3904	CA	SER	C	35	72.240	96.596	206.570	1.00	26.33

ATOM	3905	C	SER	C	35	71.079	97.133	207.404	1.00	24.89
ATOM	3906	O	SER	C	35	70.797	96.601	208.473	1.00	21.07
ATOM	3907	CB	SER	C	35	71.788	95.424	205.705	1.00	28.18
ATOM	3908	OG	SER	C	35	72.542	94.267	206.047	1.00	28.70
ATOM	3909	N	TRP	C	36	70.426	98.190	206.914	1.00	24.11
ATOM	3910	CA	TRP	C	36	69.275	98.801	207.590	1.00	24.74
ATOM	3911	C	TRP	C	36	68.321	99.503	206.609	1.00	25.34
ATOM	3912	O	TRP	C	36	68.637	99.679	205.433	1.00	27.35
ATOM	3913	CB	TRP	C	36	69.735	99.800	208.652	1.00	21.15
ATOM	3914	CG	TRP	C	36	70.458	100.985	208.106	1.00	18.12
ATOM	3915	CD1	TRP	C	36	69.961	102.249	207.934	1.00	15.92
ATOM	3916	CD2	TRP	C	36	71.817	101.022	207.672	1.00	12.24
ATOM	3917	NE1	TRP	C	36	70.933	103.073	207.421	1.00	14.56
ATOM	3918	CE2	TRP	C	36	72.084	102.347	207.248	1.00	12.73
ATOM	3919	CE3	TRP	C	36	72.837	100.067	207.600	1.00	8.42
ATOM	3920	CZ2	TRP	C	36	73.339	102.741	206.753	1.00	8.42
ATOM	3921	CZ3	TRP	C	36	74.092	100.458	207.105	1.00	12.79
ATOM	3922	CH2	TRP	C	36	74.329	101.787	206.688	1.00	9.12
ATOM	3923	N	VAL	C	37	67.154	99.906	207.094	1.00	22.71
ATOM	3924	CA	VAL	C	37	66.197	100.559	206.228	1.00	21.07
ATOM	3925	C	VAL	C	37	65.730	101.916	206.751	1.00	22.78
ATOM	3926	O	VAL	C	37	65.019	102.006	207.753	1.00	28.65
ATOM	3927	CB	VAL	C	37	64.975	99.657	205.999	1.00	20.51
ATOM	3928	CG1	VAL	C	37	63.895	100.427	205.256	1.00	21.75
ATOM	3929	CG2	VAL	C	37	65.378	98.432	205.215	1.00	14.91
ATOM	3930	N	GLU	C	38	66.123	102.977	206.066	1.00	20.35
ATOM	3931	CA	GLU	C	38	65.719	104.307	206.470	1.00	20.46
ATOM	3932	C	GLU	C	38	64.407	104.623	205.767	1.00	21.87
ATOM	3933	O	GLU	C	38	64.033	103.937	204.815	1.00	23.74
ATOM	3934	CB	GLU	C	38	66.798	105.310	206.085	1.00	20.29
ATOM	3935	CG	GLU	C	38	68.132	105.017	206.729	1.00	18.11
ATOM	3936	CD	GLU	C	38	69.214	105.941	206.235	1.00	21.73
ATOM	3937	OE1	GLU	C	38	68.868	107.084	205.872	1.00	24.80
ATOM	3938	OE2	GLU	C	38	70.404	105.543	206.216	1.00	20.34
ATOM	3939	N	ASN	C	39	63.691	105.628	206.249	1.00	19.05
ATOM	3940	CA	ASN	C	39	62.441	105.975	205.611	1.00	23.23
ATOM	3941	C	ASN	C	39	62.683	107.151	204.655	1.00	26.82
ATOM	3942	O	ASN	C	39	63.813	107.614	204.509	1.00	22.47
ATOM	3943	CB	ASN	C	39	61.366	106.313	206.653	1.00	19.25
ATOM	3944	CG	ASN	C	39	61.638	107.611	207.382	1.00	16.67
ATOM	3945	OD1	ASN	C	39	62.683	108.213	207.219	1.00	24.93
ATOM	3946	ND2	ASN	C	39	60.696	108.043	208.195	1.00	16.03
ATOM	3947	N	ALA	C	40	61.624	107.609	203.994	1.00	30.25
ATOM	3948	CA	ALA	C	40	61.740	108.702	203.052	1.00	33.63
ATOM	3949	C	ALA	C	40	62.519	109.876	203.637	1.00	34.84
ATOM	3950	O	ALA	C	40	63.329	110.493	202.947	1.00	35.87
ATOM	3951	CB	ALA	C	40	60.355	109.152	202.617	1.00	35.55
ATOM	3952	N	ASP	C	41	62.283	110.193	204.903	1.00	34.98
ATOM	3953	CA	ASP	C	41	63.001	111.301	205.503	1.00	36.79
ATOM	3954	C	ASP	C	41	64.370	110.872	206.017	1.00	36.10
ATOM	3955	O	ASP	C	41	65.000	111.593	206.771	1.00	38.70
ATOM	3956	CB	ASP	C	41	62.192	111.919	206.644	1.00	39.95
ATOM	3957	CG	ASP	C	41	60.861	112.496	206.182	1.00	40.62
ATOM	3958	OD1	ASP	C	41	60.845	113.309	205.230	1.00	41.45
ATOM	3959	OD2	ASP	C	41	59.828	112.142	206.789	1.00	39.63
ATOM	3960	N	GLY	C	42	64.824	109.694	205.610	1.00	36.16
ATOM	3961	CA	GLY	C	42	66.131	109.208	206.028	1.00	34.42
ATOM	3962	C	GLY	C	42	66.307	108.934	207.512	1.00	34.58
ATOM	3963	O	GLY	C	42	67.428	108.926	208.031	1.00	36.02
ATOM	3964	N	VAL	C	43	65.209	108.709	208.213	1.00	32.14
ATOM	3965	CA	VAL	C	43	65.303	108.435	209.629	1.00	31.67
ATOM	3966	C	VAL	C	43	65.228	106.932	209.859	1.00	33.23

ATOM	3967	O	VAL	C	43	64.316	106.255	209.377	1.00	35.35
ATOM	3968	CB	VAL	C	43	64.178	109.144	210.413	1.00	29.27
ATOM	3969	CG1	VAL	C	43	63.970	110.546	209.866	1.00	25.85
ATOM	3970	CG2	VAL	C	43	62.903	108.348	210.339	1.00	33.13
ATOM	3971	N	LYS	C	44	66.210	106.408	210.583	1.00	34.40
ATOM	3972	CA	LYS	C	44	66.244	104.988	210.884	1.00	33.16
ATOM	3973	C	LYS	C	44	65.128	104.623	211.856	1.00	34.40
ATOM	3974	O	LYS	C	44	65.366	104.550	213.061	1.00	34.11
ATOM	3975	CB	LYS	C	44	67.575	104.602	211.525	1.00	30.34
ATOM	3976	CG	LYS	C	44	68.798	104.972	210.736	1.00	30.54
ATOM	3977	CD	LYS	C	44	69.985	104.149	211.197	1.00	32.93
ATOM	3978	CE	LYS	C	44	71.251	104.616	210.527	1.00	35.63
ATOM	3979	NZ	LYS	C	44	71.543	106.046	210.850	1.00	39.10
ATOM	3980	N	ASP	C	45	63.907	104.444	211.360	1.00	34.33
ATOM	3981	CA	ASP	C	45	62.825	104.031	212.244	1.00	33.37
ATOM	3982	C	ASP	C	45	62.808	102.535	212.110	1.00	36.22
ATOM	3983	O	ASP	C	45	63.723	101.952	211.514	1.00	39.94
ATOM	3984	CB	ASP	C	45	61.482	104.593	211.818	1.00	32.76
ATOM	3985	CG	ASP	C	45	61.313	104.611	210.336	1.00	29.90
ATOM	3986	OD1	ASP	C	45	61.567	103.573	209.686	1.00	32.40
ATOM	3987	OD2	ASP	C	45	60.921	105.675	209.828	1.00	28.70
ATOM	3988	N	GLY	C	46	61.774	101.890	212.613	1.00	34.86
ATOM	3989	CA	GLY	C	46	61.805	100.447	212.528	1.00	38.99
ATOM	3990	C	GLY	C	46	61.023	99.769	211.436	1.00	41.83
ATOM	3991	O	GLY	C	46	61.168	98.562	211.260	1.00	44.98
ATOM	3992	N	ARG	C	47	60.206	100.524	210.706	1.00	41.28
ATOM	3993	CA	ARG	C	47	59.374	99.954	209.661	1.00	36.11
ATOM	3994	C	ARG	C	47	59.901	98.678	209.040	1.00	31.18
ATOM	3995	O	ARG	C	47	59.148	97.743	208.816	1.00	33.85
ATOM	3996	CB	ARG	C	47	59.111	100.983	208.580	1.00	41.94
ATOM	3997	CG	ARG	C	47	57.881	101.819	208.844	1.00	52.31
ATOM	3998	CD	ARG	C	47	58.107	102.902	209.880	1.00	60.31
ATOM	3999	NE	ARG	C	47	56.832	103.494	210.275	1.00	66.91
ATOM	4000	CZ	ARG	C	47	55.854	102.802	210.847	1.00	70.37
ATOM	4001	NH1	ARG	C	47	56.018	101.509	211.081	1.00	73.77
ATOM	4002	NH2	ARG	C	47	54.720	103.395	211.193	1.00	72.57
ATOM	4003	N	PHE	C	48	61.190	98.616	208.764	1.00	26.20
ATOM	4004	CA	PHE	C	48	61.739	97.412	208.167	1.00	25.16
ATOM	4005	C	PHE	C	48	63.035	96.986	208.823	1.00	26.42
ATOM	4006	O	PHE	C	48	63.917	97.806	209.074	1.00	28.97
ATOM	4007	CB	PHE	C	48	61.976	97.616	206.659	1.00	24.45
ATOM	4008	CG	PHE	C	48	60.716	97.752	205.871	1.00	20.32
ATOM	4009	CD1	PHE	C	48	60.016	98.957	205.863	1.00	18.00
ATOM	4010	CD2	PHE	C	48	60.162	96.638	205.241	1.00	18.63
ATOM	4011	CE1	PHE	C	48	58.780	99.060	205.260	1.00	18.87
ATOM	4012	CE2	PHE	C	48	58.924	96.720	204.631	1.00	21.88
ATOM	4013	CZ	PHE	C	48	58.222	97.939	204.642	1.00	23.30
ATOM	4014	N	ILE	C	49	63.154	95.693	209.088	1.00	26.90
ATOM	4015	CA	ILE	C	49	64.358	95.159	209.693	1.00	28.54
ATOM	4016	C	ILE	C	49	64.961	94.068	208.815	1.00	29.19
ATOM	4017	O	ILE	C	49	64.254	93.170	208.346	1.00	32.25
ATOM	4018	CB	ILE	C	49	64.050	94.651	211.078	1.00	30.36
ATOM	4019	CG1	ILE	C	49	63.856	95.857	211.990	1.00	32.69
ATOM	4020	CG2	ILE	C	49	65.167	93.782	211.583	1.00	31.85
ATOM	4021	CD1	ILE	C	49	63.253	95.514	213.323	1.00	42.94
ATOM	4022	N	VAL	C	50	66.271	94.163	208.599	1.00	26.73
ATOM	4023	CA	VAL	C	50	67.010	93.242	207.742	1.00	25.02
ATOM	4024	C	VAL	C	50	67.836	92.237	208.509	1.00	27.24
ATOM	4025	O	VAL	C	50	68.511	92.594	209.468	1.00	30.34
ATOM	4026	CB	VAL	C	50	68.016	94.014	206.848	1.00	23.68
ATOM	4027	CG1	VAL	C	50	68.651	93.091	205.842	1.00	20.20
ATOM	4028	CG2	VAL	C	50	67.335	95.187	206.170	1.00	27.21

ATOM	4029	N	THR	C	51	67.797	90.982	208.079	1.00	30.21
ATOM	4030	CA	THR	C	51	68.624	89.942	208.693	1.00	29.42
ATOM	4031	C	THR	C	51	69.389	89.215	207.592	1.00	29.79
ATOM	4032	O	THR	C	51	68.894	89.040	206.476	1.00	27.63
ATOM	4033	CB	THR	C	51	67.818	88.872	209.473	1.00	28.74
ATOM	4034	OG1	THR	C	51	66.914	88.205	208.588	1.00	33.31
ATOM	4035	CG2	THR	C	51	67.055	89.490	210.610	1.00	28.87
ATOM	4036	N	PRO	C	52	70.621	88.794	207.897	1.00	31.69
ATOM	4037	CA	PRO	C	52	71.188	89.038	209.227	1.00	31.23
ATOM	4038	C	PRO	C	52	71.635	90.488	209.454	1.00	31.63
ATOM	4039	O	PRO	C	52	72.201	91.125	208.564	1.00	33.15
ATOM	4040	CB	PRO	C	52	72.330	88.025	209.302	1.00	29.83
ATOM	4041	CG	PRO	C	52	72.674	87.759	207.878	1.00	28.79
ATOM	4042	CD	PRO	C	52	71.358	87.728	207.193	1.00	28.71
ATOM	4043	N	PRO	C	53	71.375	91.030	210.656	1.00	31.48
ATOM	4044	CA	PRO	C	53	71.755	92.408	210.983	1.00	30.37
ATOM	4045	C	PRO	C	53	73.261	92.674	210.896	1.00	30.16
ATOM	4046	O	PRO	C	53	73.684	93.801	210.653	1.00	28.94
ATOM	4047	CB	PRO	C	53	71.201	92.584	212.394	1.00	28.24
ATOM	4048	CG	PRO	C	53	71.290	91.222	212.960	1.00	25.34
ATOM	4049	CD	PRO	C	53	70.796	90.363	211.835	1.00	29.03
ATOM	4050	N	LEU	C	54	74.064	91.631	211.087	1.00	30.49
ATOM	4051	CA	LEU	C	54	75.525	91.761	211.018	1.00	31.96
ATOM	4052	C	LEU	C	54	76.200	90.425	210.684	1.00	29.46
ATOM	4053	O	LEU	C	54	75.935	89.426	211.351	1.00	32.15
ATOM	4054	CB	LEU	C	54	76.075	92.267	212.359	1.00	31.36
ATOM	4055	CG	LEU	C	54	77.603	92.305	212.456	1.00	26.05
ATOM	4056	CD1	LEU	C	54	78.122	93.566	211.782	1.00	30.82
ATOM	4057	CD2	LEU	C	54	78.023	92.267	213.904	1.00	21.60
ATOM	4058	N	PHE	C	55	77.061	90.399	209.669	1.00	23.85
ATOM	4059	CA	PHE	C	55	77.754	89.159	209.322	1.00	24.11
ATOM	4060	C	PHE	C	55	78.983	89.379	208.468	1.00	26.66
ATOM	4061	O	PHE	C	55	79.207	90.470	207.961	1.00	31.25
ATOM	4062	CB	PHE	C	55	76.803	88.174	208.636	1.00	22.39
ATOM	4063	CG	PHE	C	55	76.294	88.631	207.301	1.00	23.54
ATOM	4064	CD1	PHE	C	55	75.196	89.481	207.212	1.00	23.87
ATOM	4065	CD2	PHE	C	55	76.928	88.231	206.127	1.00	24.83
ATOM	4066	CE1	PHE	C	55	74.736	89.930	205.975	1.00	22.10
ATOM	4067	CE2	PHE	C	55	76.478	88.673	204.880	1.00	24.98
ATOM	4068	CZ	PHE	C	55	75.377	89.529	204.806	1.00	22.96
ATOM	4069	N	ALA	C	56	79.802	88.350	208.308	1.00	30.53
ATOM	4070	CA	ALA	C	56	81.019	88.512	207.507	1.00	32.24
ATOM	4071	C	ALA	C	56	81.039	87.686	206.228	1.00	32.49
ATOM	4072	O	ALA	C	56	80.498	86.581	206.162	1.00	33.10
ATOM	4073	CB	ALA	C	56	82.257	88.190	208.353	1.00	28.20
ATOM	4074	N	MET	C	57	81.655	88.245	205.197	1.00	33.67
ATOM	4075	CA	MET	C	57	81.778	87.556	203.929	1.00	34.02
ATOM	4076	C	MET	C	57	83.249	87.514	203.637	1.00	35.78
ATOM	4077	O	MET	C	57	83.831	88.490	203.166	1.00	34.21
ATOM	4078	CB	MET	C	57	81.034	88.299	202.829	1.00	31.94
ATOM	4079	CG	MET	C	57	79.547	88.285	203.039	1.00	36.46
ATOM	4080	SD	MET	C	57	78.660	89.267	201.856	1.00	43.14
ATOM	4081	CE	MET	C	57	78.594	88.122	200.506	1.00	39.99
ATOM	4082	N	LYS	C	58	83.849	86.381	203.970	1.00	38.93
ATOM	4083	CA	LYS	C	58	85.268	86.178	203.751	1.00	44.54
ATOM	4084	C	LYS	C	58	85.439	85.872	202.283	1.00	43.21
ATOM	4085	O	LYS	C	58	85.034	84.813	201.828	1.00	45.14
ATOM	4086	CB	LYS	C	58	85.771	84.999	204.594	1.00	49.90
ATOM	4087	CG	LYS	C	58	85.527	85.164	206.099	1.00	56.25
ATOM	4088	CD	LYS	C	58	85.849	83.885	206.885	1.00	62.20
ATOM	4089	CE	LYS	C	58	87.353	83.591	206.932	1.00	64.60
ATOM	4090	NZ	LYS	C	58	87.679	82.378	207.751	1.00	63.82

ATOM	4091	N	GLY	C	59	86.021	86.810	201.548	1.00	42.97
ATOM	4092	CA	GLY	C	59	86.234	86.613	200.126	1.00	45.93
ATOM	4093	C	GLY	C	59	84.948	86.404	199.355	1.00	47.94
ATOM	4094	O	GLY	C	59	83.867	86.695	199.859	1.00	50.22
ATOM	4095	N	LYS	C	60	85.062	85.899	198.130	1.00	48.97
ATOM	4096	CA	LYS	C	60	83.897	85.656	197.286	1.00	49.23
ATOM	4097	C	LYS	C	60	82.880	84.760	197.975	1.00	50.37
ATOM	4098	O	LYS	C	60	83.188	83.619	198.334	1.00	51.88
ATOM	4099	CB	LYS	C	60	84.324	85.016	195.963	1.00	49.92
ATOM	4100	CG	LYS	C	60	85.070	85.966	195.023	1.00	51.78
ATOM	4101	CD	LYS	C	60	85.411	85.292	193.706	1.00	51.16
ATOM	4102	CE	LYS	C	60	85.736	86.304	192.621	1.00	54.39
ATOM	4103	NZ	LYS	C	60	87.019	87.020	192.840	1.00	57.61
ATOM	4104	N	LYS	C	61	81.680	85.303	198.172	1.00	48.20
ATOM	4105	CA	LYS	C	61	80.554	84.603	198.796	1.00	46.04
ATOM	4106	C	LYS	C	61	79.336	85.158	198.065	1.00	46.29
ATOM	4107	O	LYS	C	61	79.480	85.988	197.156	1.00	44.68
ATOM	4108	CB	LYS	C	61	80.423	84.949	200.289	1.00	44.89
ATOM	4109	CG	LYS	C	61	81.543	84.482	201.178	1.00	47.62
ATOM	4110	CD	LYS	C	61	81.564	82.965	201.303	1.00	54.26
ATOM	4111	CE	LYS	C	61	80.285	82.430	201.931	1.00	53.49
ATOM	4112	NZ	LYS	C	61	80.204	80.948	201.776	1.00	58.39
ATOM	4113	N	GLU	C	62	78.143	84.725	198.468	1.00	43.39
ATOM	4114	CA	GLU	C	62	76.928	85.219	197.840	1.00	42.61
ATOM	4115	C	GLU	C	62	75.768	84.902	198.778	1.00	41.82
ATOM	4116	O	GLU	C	62	75.005	83.975	198.525	1.00	45.64
ATOM	4117	CB	GLU	C	62	76.743	84.527	196.485	1.00	43.81
ATOM	4118	CG	GLU	C	62	75.826	85.225	195.482	1.00	51.07
ATOM	4119	CD	GLU	C	62	74.433	85.497	196.029	1.00	54.47
ATOM	4120	OE1	GLU	C	62	74.284	86.517	196.741	1.00	58.02
ATOM	4121	OE2	GLU	C	62	73.499	84.697	195.755	1.00	48.83
ATOM	4122	N	ASN	C	63	75.624	85.664	199.860	1.00	39.28
ATOM	4123	CA	ASN	C	63	74.546	85.378	200.804	1.00	37.72
ATOM	4124	C	ASN	C	63	73.247	86.100	200.495	1.00	35.28
ATOM	4125	O	ASN	C	63	73.152	86.834	199.520	1.00	34.01
ATOM	4126	CB	ASN	C	63	74.966	85.698	202.248	1.00	37.38
ATOM	4127	CG	ASN	C	63	76.402	85.371	202.519	1.00	35.02
ATOM	4128	OD1	ASN	C	63	77.258	86.240	202.427	1.00	34.54
ATOM	4129	ND2	ASN	C	63	76.683	84.110	202.839	1.00	34.32
ATOM	4130	N	THR	C	64	72.255	85.901	201.353	1.00	32.68
ATOM	4131	CA	THR	C	64	70.967	86.519	201.148	1.00	33.65
ATOM	4132	C	THR	C	64	70.511	87.437	202.270	1.00	33.17
ATOM	4133	O	THR	C	64	70.653	87.131	203.438	1.00	36.76
ATOM	4134	CB	THR	C	64	69.895	85.447	200.954	1.00	35.25
ATOM	4135	OG1	THR	C	64	70.331	84.516	199.957	1.00	34.24
ATOM	4136	CG2	THR	C	64	68.576	86.085	200.520	1.00	36.41
ATOM	4137	N	LEU	C	65	69.941	88.567	201.905	1.00	32.25
ATOM	4138	CA	LEU	C	65	69.447	89.484	202.899	1.00	33.52
ATOM	4139	C	LEU	C	65	67.944	89.343	203.016	1.00	35.11
ATOM	4140	O	LEU	C	65	67.265	89.193	202.005	1.00	37.13
ATOM	4141	CB	LEU	C	65	69.818	90.909	202.508	1.00	31.25
ATOM	4142	CG	LEU	C	65	71.309	91.153	202.684	1.00	28.01
ATOM	4143	CD1	LEU	C	65	71.646	92.622	202.505	1.00	23.91
ATOM	4144	CD2	LEU	C	65	71.690	90.697	204.076	1.00	30.50
ATOM	4145	N	ARG	C	66	67.418	89.385	204.240	1.00	35.71
ATOM	4146	CA	ARG	C	66	65.971	89.268	204.431	1.00	36.32
ATOM	4147	C	ARG	C	66	65.329	90.511	205.041	1.00	35.59
ATOM	4148	O	ARG	C	66	65.519	90.822	206.224	1.00	34.33
ATOM	4149	CB	ARG	C	66	65.624	88.044	205.286	1.00	38.22
ATOM	4150	CG	ARG	C	66	65.839	86.720	204.574	1.00	40.47
ATOM	4151	CD	ARG	C	66	66.972	85.933	205.208	1.00	46.60
ATOM	4152	NE	ARG	C	66	67.337	84.771	204.409	1.00	47.33

ATOM	4153	CZ	ARG	C	66	66.488	83.821	204.040	1.00	46.28
ATOM	4154	NH1	ARG	C	66	65.214	83.892	204.397	1.00	46.70
ATOM	4155	NH2	ARG	C	66	66.920	82.802	203.312	1.00	48.91
ATOM	4156	N	ILE	C	67	64.569	91.218	204.213	1.00	32.87
ATOM	4157	CA	ILE	C	67	63.881	92.410	204.651	1.00	34.18
ATOM	4158	C	ILE	C	67	62.596	91.985	205.346	1.00	35.33
ATOM	4159	O	ILE	C	67	61.786	91.257	204.778	1.00	35.97
ATOM	4160	CB	ILE	C	67	63.517	93.316	203.479	1.00	32.97
ATOM	4161	CG1	ILE	C	67	64.778	93.881	202.820	1.00	30.84
ATOM	4162	CG2	ILE	C	67	62.631	94.440	203.978	1.00	38.65
ATOM	4163	CD1	ILE	C	67	65.445	92.942	201.892	1.00	32.03
ATOM	4164	N	LEU	C	68	62.400	92.441	206.573	1.00	34.37
ATOM	4165	CA	LEU	C	68	61.216	92.042	207.293	1.00	36.39
ATOM	4166	C	LEU	C	68	60.248	93.185	207.556	1.00	39.68
ATOM	4167	O	LEU	C	68	60.637	94.246	208.062	1.00	40.96
ATOM	4168	CB	LEU	C	68	61.609	91.381	208.618	1.00	36.50
ATOM	4169	CG	LEU	C	68	62.533	90.162	208.601	1.00	36.38
ATOM	4170	CD1	LEU	C	68	62.514	89.539	209.970	1.00	35.10
ATOM	4171	CD2	LEU	C	68	62.076	89.137	207.566	1.00	39.99
ATOM	4172	N	ASP	C	69	58.982	92.955	207.212	1.00	39.91
ATOM	4173	CA	ASP	C	69	57.939	93.944	207.418	1.00	39.96
ATOM	4174	C	ASP	C	69	57.784	94.101	208.922	1.00	38.07
ATOM	4175	O	ASP	C	69	57.633	93.113	209.621	1.00	37.62
ATOM	4176	CB	ASP	C	69	56.644	93.446	206.779	1.00	42.54
ATOM	4177	CG	ASP	C	69	55.502	94.444	206.900	1.00	49.16
ATOM	4178	OD1	ASP	C	69	55.640	95.449	207.641	1.00	49.24
ATOM	4179	OD2	ASP	C	69	54.456	94.210	206.248	1.00	53.48
ATOM	4180	N	ALA	C	70	57.840	95.326	209.426	1.00	37.89
ATOM	4181	CA	ALA	C	70	57.705	95.531	210.860	1.00	42.77
ATOM	4182	C	ALA	C	70	56.559	96.452	211.181	1.00	46.12
ATOM	4183	O	ALA	C	70	56.127	96.528	212.327	1.00	46.75
ATOM	4184	CB	ALA	C	70	58.984	96.092	211.453	1.00	42.67
ATOM	4185	N	THR	C	71	56.068	97.164	210.178	1.00	50.07
ATOM	4186	CA	THR	C	71	54.949	98.064	210.415	1.00	56.27
ATOM	4187	C	THR	C	71	53.627	97.322	210.269	1.00	61.59
ATOM	4188	O	THR	C	71	53.062	97.258	209.170	1.00	63.62
ATOM	4189	CB	THR	C	71	54.950	99.245	209.437	1.00	55.20
ATOM	4190	OG1	THR	C	71	53.753	100.015	209.637	1.00	52.69
ATOM	4191	CG2	THR	C	71	55.046	98.749	207.988	1.00	50.49
ATOM	4192	N	ASN	C	72	53.137	96.755	211.369	1.00	64.77
ATOM	4193	CA	ASN	C	72	51.883	96.014	211.327	1.00	69.68
ATOM	4194	C	ASN	C	72	50.791	96.849	210.689	1.00	69.93
ATOM	4195	O	ASN	C	72	50.047	97.534	211.380	1.00	69.22
ATOM	4196	CB	ASN	C	72	51.463	95.578	212.736	1.00	75.36
ATOM	4197	CG	ASN	C	72	52.138	94.275	213.170	1.00	80.44
ATOM	4198	OD1	ASN	C	72	51.816	93.703	214.222	1.00	79.61
ATOM	4199	ND2	ASN	C	72	53.082	93.800	212.354	1.00	82.34
ATOM	4200	N	ASN	C	73	50.705	96.773	209.363	1.00	71.66
ATOM	4201	CA	ASN	C	73	49.727	97.531	208.586	1.00	73.33
ATOM	4202	C	ASN	C	73	49.467	98.916	209.167	1.00	72.94
ATOM	4203	O	ASN	C	73	48.321	99.369	209.241	1.00	73.03
ATOM	4204	CB	ASN	C	73	48.412	96.758	208.475	1.00	75.69
ATOM	4205	CG	ASN	C	73	48.405	95.792	207.308	1.00	77.75
ATOM	4206	OD1	ASN	C	73	49.200	94.852	207.257	1.00	79.06
ATOM	4207	ND2	ASN	C	73	47.504	96.024	206.357	1.00	77.80
ATOM	4208	N	GLN	C	74	50.540	99.581	209.579	1.00	70.66
ATOM	4209	CA	GLN	C	74	50.431	100.905	210.151	1.00	69.32
ATOM	4210	C	GLN	C	74	50.764	101.928	209.076	1.00	66.73
ATOM	4211	O	GLN	C	74	50.901	103.116	209.359	1.00	68.20
ATOM	4212	CB	GLN	C	74	51.377	101.022	211.351	1.00	74.55
ATOM	4213	CG	GLN	C	74	51.053	99.997	212.462	1.00	83.42
ATOM	4214	CD	GLN	C	74	52.034	99.994	213.642	1.00	87.65

ATOM	4215	OE1	GLN	C	74	51.973	99.111	214.512	1.00	85.10
ATOM	4216	NE2	GLN	C	74	52.934	100.979	213.678	1.00	89.84
ATOM	4217	N	LEU	C	75	50.866	101.454	207.835	1.00	62.84
ATOM	4218	CA	LEU	C	75	51.190	102.303	206.686	1.00	58.91
ATOM	4219	C	LEU	C	75	50.043	102.495	205.704	1.00	58.51
ATOM	4220	O	LEU	C	75	49.065	101.747	205.711	1.00	59.50
ATOM	4221	CB	LEU	C	75	52.357	101.709	205.895	1.00	55.77
ATOM	4222	CG	LEU	C	75	53.811	102.072	206.196	1.00	54.57
ATOM	4223	CD1	LEU	C	75	54.683	101.248	205.275	1.00	53.04
ATOM	4224	CD2	LEU	C	75	54.075	103.554	205.987	1.00	51.10
ATOM	4225	N	PRO	C	76	50.163	103.508	204.830	1.00	56.67
ATOM	4226	CA	PRO	C	76	49.163	103.826	203.810	1.00	54.88
ATOM	4227	C	PRO	C	76	48.909	102.614	202.923	1.00	54.32
ATOM	4228	O	PRO	C	76	49.849	102.068	202.355	1.00	56.64
ATOM	4229	CB	PRO	C	76	49.822	104.960	203.041	1.00	52.03
ATOM	4230	CG	PRO	C	76	50.523	105.695	204.114	1.00	53.03
ATOM	4231	CD	PRO	C	76	51.171	104.579	204.906	1.00	57.47
ATOM	4232	N	GLN	C	77	47.647	102.205	202.799	1.00	53.64
ATOM	4233	CA	GLN	C	77	47.288	101.050	201.979	1.00	53.31
ATOM	4234	C	GLN	C	77	46.767	101.402	200.597	1.00	50.66
ATOM	4235	O	GLN	C	77	46.421	100.512	199.825	1.00	51.70
ATOM	4236	CB	GLN	C	77	46.233	100.194	202.682	1.00	56.86
ATOM	4237	CG	GLN	C	77	46.717	99.518	203.942	1.00	64.64
ATOM	4238	CD	GLN	C	77	47.863	98.559	203.693	1.00	69.43
ATOM	4239	OE1	GLN	C	77	48.440	98.014	204.636	1.00	74.63
ATOM	4240	NE2	GLN	C	77	48.199	98.344	202.422	1.00	70.90
ATOM	4241	N	ASP	C	78	46.706	102.686	200.275	1.00	47.83
ATOM	4242	CA	ASP	C	78	46.201	103.089	198.968	1.00	45.67
ATOM	4243	C	ASP	C	78	47.308	103.507	198.015	1.00	43.40
ATOM	4244	O	ASP	C	78	47.036	104.048	196.938	1.00	38.05
ATOM	4245	CB	ASP	C	78	45.206	104.247	199.107	1.00	46.95
ATOM	4246	CG	ASP	C	78	45.886	105.584	199.372	1.00	50.86
ATOM	4247	OD1	ASP	C	78	46.975	105.603	199.990	1.00	55.00
ATOM	4248	OD2	ASP	C	78	45.322	106.625	198.965	1.00	50.16
ATOM	4249	N	ARG	C	79	48.554	103.254	198.406	1.00	43.04
ATOM	4250	CA	ARG	C	79	49.679	103.658	197.575	1.00	41.62
ATOM	4251	C	ARG	C	79	50.979	103.219	198.199	1.00	38.40
ATOM	4252	O	ARG	C	79	51.004	102.776	199.340	1.00	38.69
ATOM	4253	CB	ARG	C	79	49.705	105.176	197.463	1.00	41.64
ATOM	4254	CG	ARG	C	79	50.102	105.814	198.776	1.00	38.50
ATOM	4255	CD	ARG	C	79	49.761	107.272	198.812	1.00	42.08
ATOM	4256	NE	ARG	C	79	48.383	107.469	199.221	1.00	37.90
ATOM	4257	CZ	ARG	C	79	47.754	108.633	199.161	1.00	40.55
ATOM	4258	NH1	ARG	C	79	48.388	109.709	198.706	1.00	38.34
ATOM	4259	NH2	ARG	C	79	46.489	108.720	199.551	1.00	41.48
ATOM	4260	N	GLU	C	80	52.056	103.397	197.442	1.00	36.01
ATOM	4261	CA	GLU	C	80	53.409	103.054	197.874	1.00	34.49
ATOM	4262	C	GLU	C	80	54.031	104.076	198.844	1.00	31.41
ATOM	4263	O	GLU	C	80	53.728	105.265	198.815	1.00	29.00
ATOM	4264	CB	GLU	C	80	54.336	102.941	196.652	1.00	33.97
ATOM	4265	CG	GLU	C	80	54.233	101.672	195.827	1.00	30.17
ATOM	4266	CD	GLU	C	80	55.124	101.727	194.599	1.00	28.39
ATOM	4267	OE1	GLU	C	80	55.590	102.833	194.252	1.00	23.94
ATOM	4268	OE2	GLU	C	80	55.350	100.669	193.973	1.00	28.55
ATOM	4269	N	SER	C	81	54.912	103.591	199.703	1.00	30.21
ATOM	4270	CA	SER	C	81	55.614	104.454	200.634	1.00	28.76
ATOM	4271	C	SER	C	81	57.087	104.272	200.295	1.00	27.57
ATOM	4272	O	SER	C	81	57.534	103.147	200.054	1.00	29.87
ATOM	4273	CB	SER	C	81	55.322	104.020	202.064	1.00	30.30
ATOM	4274	OG	SER	C	81	53.945	104.189	202.368	1.00	32.53
ATOM	4275	N	LEU	C	82	57.843	105.364	200.247	1.00	24.38
ATOM	4276	CA	LEU	C	82	59.264	105.260	199.894	1.00	20.07

ATOM	4277	C	LEU	C	82	60.163	105.039	201.092	1.00	20.47
ATOM	4278	O	LEU	C	82	60.051	105.716	202.131	1.00	20.69
ATOM	4279	CB	LEU	C	82	59.728	106.513	199.139	1.00	17.47
ATOM	4280	CG	LEU	C	82	61.232	106.793	199.154	1.00	19.17
ATOM	4281	CD1	LEU	C	82	61.994	105.694	198.450	1.00	15.73
ATOM	4282	CD2	LEU	C	82	61.504	108.107	198.489	1.00	20.87
ATOM	4283	N	PHE	C	83	61.050	104.068	200.953	1.00	18.74
ATOM	4284	CA	PHE	C	83	61.997	103.767	202.006	1.00	21.10
ATOM	4285	C	PHE	C	83	63.359	103.604	201.366	1.00	21.36
ATOM	4286	O	PHE	C	83	63.453	103.429	200.160	1.00	22.38
ATOM	4287	CB	PHE	C	83	61.613	102.478	202.722	1.00	21.14
ATOM	4288	CG	PHE	C	83	60.402	102.598	203.588	1.00	21.27
ATOM	4289	CD1	PHE	C	83	59.202	103.051	203.078	1.00	23.11
ATOM	4290	CD2	PHE	C	83	60.444	102.205	204.910	1.00	26.65
ATOM	4291	CE1	PHE	C	83	58.056	103.105	203.871	1.00	18.79
ATOM	4292	CE2	PHE	C	83	59.297	102.257	205.704	1.00	22.42
ATOM	4293	CZ	PHE	C	83	58.111	102.705	205.176	1.00	18.22
ATOM	4294	N	TRP	C	84	64.415	103.671	202.167	1.00	23.05
ATOM	4295	CA	TRP	C	84	65.761	103.505	201.637	1.00	23.91
ATOM	4296	C	TRP	C	84	66.525	102.410	202.345	1.00	25.22
ATOM	4297	O	TRP	C	84	66.689	102.467	203.562	1.00	26.66
ATOM	4298	CB	TRP	C	84	66.528	104.813	201.732	1.00	22.07
ATOM	4299	CG	TRP	C	84	65.911	105.856	200.878	1.00	23.80
ATOM	4300	CD1	TRP	C	84	64.961	106.748	201.243	1.00	25.12
ATOM	4301	CD2	TRP	C	84	66.168	106.088	199.488	1.00	24.83
ATOM	4302	NE1	TRP	C	84	64.602	107.530	200.171	1.00	26.03
ATOM	4303	CE2	TRP	C	84	65.333	107.143	199.081	1.00	25.30
ATOM	4304	CE3	TRP	C	84	67.031	105.507	198.549	1.00	25.16
ATOM	4305	CZ2	TRP	C	84	65.329	107.633	197.779	1.00	28.30
ATOM	4306	CZ3	TRP	C	84	67.033	105.990	197.267	1.00	26.87
ATOM	4307	CH2	TRP	C	84	66.184	107.050	196.887	1.00	30.05
ATOM	4308	N	MET	C	85	66.978	101.411	201.584	1.00	25.06
ATOM	4309	CA	MET	C	85	67.731	100.310	202.172	1.00	27.14
ATOM	4310	C	MET	C	85	69.214	100.514	201.961	1.00	29.38
ATOM	4311	O	MET	C	85	69.672	100.746	200.837	1.00	32.52
ATOM	4312	CB	MET	C	85	67.335	98.956	201.588	1.00	24.94
ATOM	4313	CG	MET	C	85	67.867	97.838	202.454	1.00	29.91
ATOM	4314	SD	MET	C	85	67.470	96.178	201.952	1.00	38.02
ATOM	4315	CE	MET	C	85	68.922	95.333	202.446	1.00	37.31
ATOM	4316	N	ASN	C	86	69.968	100.430	203.053	1.00	29.12
ATOM	4317	CA	ASN	C	86	71.406	100.626	203.004	1.00	25.77
ATOM	4318	C	ASN	C	86	72.157	99.364	203.397	1.00	23.97
ATOM	4319	O	ASN	C	86	71.850	98.751	204.409	1.00	21.85
ATOM	4320	CB	ASN	C	86	71.812	101.754	203.956	1.00	24.38
ATOM	4321	CG	ASN	C	86	71.051	103.051	203.706	1.00	26.58
ATOM	4322	OD1	ASN	C	86	69.851	103.142	203.960	1.00	28.45
ATOM	4323	ND2	ASN	C	86	71.757	104.066	203.218	1.00	26.29
ATOM	4324	N	VAL	C	87	73.132	98.974	202.587	1.00	23.12
ATOM	4325	CA	VAL	C	87	73.952	97.811	202.896	1.00	24.44
ATOM	4326	C	VAL	C	87	75.393	98.317	202.921	1.00	26.48
ATOM	4327	O	VAL	C	87	75.959	98.740	201.903	1.00	26.49
ATOM	4328	CB	VAL	C	87	73.783	96.678	201.849	1.00	25.24
ATOM	4329	CG1	VAL	C	87	74.707	95.508	202.176	1.00	17.33
ATOM	4330	CG2	VAL	C	87	72.334	96.205	201.837	1.00	24.13
ATOM	4331	N	LYS	C	88	75.966	98.310	204.116	1.00	28.37
ATOM	4332	CA	LYS	C	88	77.323	98.786	204.319	1.00	28.60
ATOM	4333	C	LYS	C	88	78.272	97.620	204.460	1.00	28.71
ATOM	4334	O	LYS	C	88	77.958	96.648	205.148	1.00	28.13
ATOM	4335	CB	LYS	C	88	77.394	99.663	205.577	1.00	28.34
ATOM	4336	CG	LYS	C	88	78.727	99.565	206.305	1.00	30.29
ATOM	4337	CD	LYS	C	88	78.774	100.357	207.599	1.00	32.82
ATOM	4338	CE	LYS	C	88	78.956	101.844	207.342	1.00	39.73

ATOM	4339	NZ	LYS	C	88	79.223	102.641	208.581	1.00	39.96
ATOM	4340	N	ALA	C	89	79.425	97.724	203.796	1.00	28.73
ATOM	4341	CA	ALA	C	89	80.455	96.695	203.856	1.00	28.20
ATOM	4342	C	ALA	C	89	81.626	97.264	204.645	1.00	30.63
ATOM	4343	O	ALA	C	89	82.332	98.172	204.190	1.00	31.42
ATOM	4344	CB	ALA	C	89	80.899	96.299	202.461	1.00	24.35
ATOM	4345	N	ILE	C	90	81.823	96.727	205.840	1.00	31.80
ATOM	4346	CA	ILE	C	90	82.891	97.187	206.700	1.00	35.03
ATOM	4347	C	ILE	C	90	84.149	96.339	206.549	1.00	37.33
ATOM	4348	O	ILE	C	90	84.131	95.135	206.766	1.00	39.39
ATOM	4349	CB	ILE	C	90	82.437	97.162	208.177	1.00	34.40
ATOM	4350	CG1	ILE	C	90	81.058	97.805	208.298	1.00	33.54
ATOM	4351	CG2	ILE	C	90	83.419	97.922	209.049	1.00	32.26
ATOM	4352	CD1	ILE	C	90	80.590	97.979	209.721	1.00	31.89
ATOM	4353	N	PRO	C	91	85.260	96.964	206.158	1.00	40.12
ATOM	4354	CA	PRO	C	91	86.540	96.276	205.981	1.00	44.42
ATOM	4355	C	PRO	C	91	87.240	96.111	207.326	1.00	48.29
ATOM	4356	O	PRO	C	91	87.186	97.016	208.167	1.00	50.19
ATOM	4357	CB	PRO	C	91	87.298	97.226	205.082	1.00	43.95
ATOM	4358	CG	PRO	C	91	86.856	98.555	205.608	1.00	41.04
ATOM	4359	CD	PRO	C	91	85.360	98.361	205.709	1.00	41.77
ATOM	4360	N	SER	C	92	87.904	94.976	207.535	1.00	51.01
ATOM	4361	CA	SER	C	92	88.610	94.756	208.799	1.00	54.43
ATOM	4362	C	SER	C	92	89.800	95.695	208.874	1.00	55.51
ATOM	4363	O	SER	C	92	90.225	96.226	207.854	1.00	56.04
ATOM	4364	CB	SER	C	92	89.081	93.307	208.909	1.00	54.36
ATOM	4365	OG	SER	C	92	87.978	92.423	209.036	1.00	59.05
ATOM	4366	N	MET	C	93	90.333	95.917	210.072	1.00	59.62
ATOM	4367	CA	MET	C	93	91.483	96.811	210.220	1.00	64.28
ATOM	4368	C	MET	C	93	92.792	96.067	209.986	1.00	65.42
ATOM	4369	O	MET	C	93	92.945	94.908	210.384	1.00	64.87
ATOM	4370	CB	MET	C	93	91.510	97.459	211.608	1.00	67.33
ATOM	4371	CG	MET	C	93	92.588	98.533	211.741	1.00	73.91
ATOM	4372	SD	MET	C	93	93.765	98.270	213.097	1.00	79.03
ATOM	4373	CE	MET	C	93	93.331	99.644	214.207	1.00	76.48
ATOM	4374	N	ASP	C	94	93.734	96.740	209.335	1.00	66.95
ATOM	4375	CA	ASP	C	94	95.025	96.140	209.027	1.00	70.10
ATOM	4376	C	ASP	C	94	96.011	96.310	210.177	1.00	70.64
ATOM	4377	O	ASP	C	94	96.675	97.346	210.292	1.00	71.36
ATOM	4378	CB	ASP	C	94	95.590	96.768	207.754	1.00	74.00
ATOM	4379	CG	ASP	C	94	96.904	96.153	207.341	1.00	75.55
ATOM	4380	OD1	ASP	C	94	97.444	95.350	208.127	1.00	76.02
ATOM	4381	OD2	ASP	C	94	97.395	96.474	206.237	1.00	77.79
ATOM	4382	N	LYS	C	95	96.118	95.281	211.013	1.00	68.78
ATOM	4383	CA	LYS	C	95	96.999	95.325	212.171	1.00	66.84
ATOM	4384	C	LYS	C	95	98.453	95.668	211.855	1.00	66.91
ATOM	4385	O	LYS	C	95	99.253	95.881	212.762	1.00	65.42
ATOM	4386	CB	LYS	C	95	96.949	93.996	212.921	1.00	66.04
ATOM	4387	CG	LYS	C	95	95.616	93.682	213.588	1.00	67.72
ATOM	4388	CD	LYS	C	95	94.704	92.887	212.664	1.00	72.50
ATOM	4389	CE	LYS	C	95	93.463	92.365	213.384	1.00	69.15
ATOM	4390	NZ	LYS	C	95	92.605	91.587	212.450	1.00	68.22
ATOM	4391	N	SER	C	96	98.796	95.732	210.573	1.00	67.63
ATOM	4392	CA	SER	C	96	100.167	96.039	210.174	1.00	67.65
ATOM	4393	C	SER	C	96	100.431	97.544	210.061	1.00	70.15
ATOM	4394	O	SER	C	96	101.476	98.032	210.494	1.00	71.99
ATOM	4395	CB	SER	C	96	100.502	95.346	208.837	1.00	64.70
ATOM	4396	OG	SER	C	96	99.771	95.875	207.750	1.00	57.13
ATOM	4397	N	LYS	C	97	99.471	98.272	209.494	1.00	71.23
ATOM	4398	CA	LYS	C	97	99.581	99.718	209.288	1.00	71.11
ATOM	4399	C	LYS	C	97	99.164	100.526	210.523	1.00	70.67
ATOM	4400	O	LYS	C	97	98.461	101.530	210.420	1.00	70.78

ATOM	4401	CB	LYS	C	97	98.722	100.110	208.081	1.00	71.37
ATOM	4402	CG	LYS	C	97	99.032	99.309	206.817	1.00	73.27
ATOM	4403	CD	LYS	C	97	99.747	100.149	205.773	1.00	74.66
ATOM	4404	CE	LYS	C	97	100.402	99.277	204.709	1.00	78.32
ATOM	4405	NZ	LYS	C	97	101.381	98.306	205.304	1.00	78.40
ATOM	4406	N	LEU	C	98	99.636	100.089	211.684	1.00	70.41
ATOM	4407	CA	LEU	C	98	99.318	100.704	212.975	1.00	69.78
ATOM	4408	C	LEU	C	98	99.948	102.091	213.228	1.00	68.39
ATOM	4409	O	LEU	C	98	99.249	103.036	213.590	1.00	65.64
ATOM	4410	CB	LEU	C	98	99.730	99.714	214.088	1.00	72.17
ATOM	4411	CG	LEU	C	98	98.811	99.256	215.235	1.00	72.05
ATOM	4412	CD1	LEU	C	98	99.007	100.149	216.437	1.00	73.67
ATOM	4413	CD2	LEU	C	98	97.363	99.238	214.785	1.00	71.32
ATOM	4414	N	THR	C	99	101.263	102.206	213.050	1.00	67.41
ATOM	4415	CA	THR	C	99	101.970	103.468	213.278	1.00	65.88
ATOM	4416	C	THR	C	99	101.868	104.356	212.065	1.00	65.12
ATOM	4417	O	THR	C	99	102.615	105.330	211.932	1.00	62.99
ATOM	4418	CB	THR	C	99	103.459	103.251	213.514	1.00	67.40
ATOM	4419	OG1	THR	C	99	104.021	102.566	212.384	1.00	69.76
ATOM	4420	CG2	THR	C	99	103.684	102.445	214.771	1.00	67.97
ATOM	4421	N	GLU	C	100	100.948	104.007	211.177	1.00	64.78
ATOM	4422	CA	GLU	C	100	100.756	104.758	209.951	1.00	63.89
ATOM	4423	C	GLU	C	100	99.506	105.626	209.949	1.00	60.62
ATOM	4424	O	GLU	C	100	98.544	105.366	210.672	1.00	59.60
ATOM	4425	CB	GLU	C	100	100.682	103.795	208.764	1.00	67.02
ATOM	4426	CG	GLU	C	100	101.928	102.966	208.535	1.00	73.76
ATOM	4427	CD	GLU	C	100	101.759	101.969	207.398	1.00	77.80
ATOM	4428	OE1	GLU	C	100	101.410	102.400	206.277	1.00	79.19
ATOM	4429	OE2	GLU	C	100	101.976	100.757	207.626	1.00	80.33
ATOM	4430	N	ASN	C	101	99.545	106.675	209.137	1.00	56.43
ATOM	4431	CA	ASN	C	101	98.398	107.537	208.969	1.00	52.58
ATOM	4432	C	ASN	C	101	97.629	106.805	207.905	1.00	52.33
ATOM	4433	O	ASN	C	101	98.199	106.443	206.875	1.00	52.97
ATOM	4434	CB	ASN	C	101	98.803	108.893	208.436	1.00	49.14
ATOM	4435	CG	ASN	C	101	99.264	109.804	209.517	1.00	50.28
ATOM	4436	OD1	ASN	C	101	99.115	109.502	210.701	1.00	51.29
ATOM	4437	ND2	ASN	C	101	99.823	110.935	209.132	1.00	48.18
ATOM	4438	N	THR	C	102	96.344	106.572	208.145	1.00	51.33
ATOM	4439	CA	THR	C	102	95.530	105.854	207.179	1.00	48.81
ATOM	4440	C	THR	C	102	94.152	106.477	206.994	1.00	47.38
ATOM	4441	O	THR	C	102	93.728	107.342	207.755	1.00	45.76
ATOM	4442	CB	THR	C	102	95.327	104.389	207.614	1.00	50.70
ATOM	4443	OG1	THR	C	102	94.209	104.308	208.508	1.00	56.26
ATOM	4444	CG2	THR	C	102	96.564	103.867	208.336	1.00	50.16
ATOM	4445	N	LEU	C	103	93.473	106.027	205.949	1.00	47.04
ATOM	4446	CA	LEU	C	103	92.118	106.453	205.641	1.00	47.31
ATOM	4447	C	LEU	C	103	91.416	105.224	205.083	1.00	48.90
ATOM	4448	O	LEU	C	103	91.611	104.880	203.911	1.00	52.50
ATOM	4449	CB	LEU	C	103	92.087	107.542	204.574	1.00	42.65
ATOM	4450	CG	LEU	C	103	90.644	107.781	204.107	1.00	42.93
ATOM	4451	CD1	LEU	C	103	89.859	108.437	205.240	1.00	42.45
ATOM	4452	CD2	LEU	C	103	90.610	108.628	202.856	1.00	38.73
ATOM	4453	N	GLN	C	104	90.614	104.553	205.904	1.00	46.72
ATOM	4454	CA	GLN	C	104	89.906	103.370	205.422	1.00	43.74
ATOM	4455	C	GLN	C	104	88.505	103.735	204.978	1.00	38.89
ATOM	4456	O	GLN	C	104	87.746	104.344	205.744	1.00	35.30
ATOM	4457	CB	GLN	C	104	89.816	102.301	206.512	1.00	46.63
ATOM	4458	CG	GLN	C	104	90.268	100.923	206.065	1.00	51.26
ATOM	4459	CD	GLN	C	104	90.155	99.889	207.172	1.00	58.25
ATOM	4460	OE1	GLN	C	104	90.848	98.871	207.156	1.00	61.58
ATOM	4461	NE2	GLN	C	104	89.269	100.141	208.136	1.00	60.33
ATOM	4462	N	LEU	C	105	88.174	103.370	203.741	1.00	32.52

ATOM	4463	CA	LEU	C	105	86.849	103.637	203.215	1.00	29.34
ATOM	4464	C	LEU	C	105	85.893	102.464	203.482	1.00	28.40
ATOM	4465	O	LEU	C	105	86.322	101.348	203.811	1.00	25.31
ATOM	4466	CB	LEU	C	105	86.924	103.929	201.723	1.00	28.33
ATOM	4467	CG	LEU	C	105	87.551	105.263	201.329	1.00	28.14
ATOM	4468	CD1	LEU	C	105	87.382	105.473	199.829	1.00	25.83
ATOM	4469	CD2	LEU	C	105	86.873	106.393	202.101	1.00	28.13
ATOM	4470	N	ALA	C	106	84.596	102.735	203.349	1.00	26.93
ATOM	4471	CA	ALA	C	106	83.551	101.741	203.584	1.00	26.25
ATOM	4472	C	ALA	C	106	82.402	101.971	202.596	1.00	23.94
ATOM	4473	O	ALA	C	106	81.597	102.903	202.753	1.00	21.74
ATOM	4474	CB	ALA	C	106	83.042	101.853	205.027	1.00	26.77
ATOM	4475	N	ILE	C	107	82.323	101.116	201.584	1.00	20.13
ATOM	4476	CA	ILE	C	107	81.291	101.267	200.582	1.00	18.49
ATOM	4477	C	ILE	C	107	79.922	100.854	201.106	1.00	20.37
ATOM	4478	O	ILE	C	107	79.792	99.910	201.892	1.00	19.44
ATOM	4479	CB	ILE	C	107	81.631	100.470	199.294	1.00	13.96
ATOM	4480	CG1	ILE	C	107	82.760	101.153	198.534	1.00	11.14
ATOM	4481	CG2	ILE	C	107	80.455	100.461	198.358	1.00	10.37
ATOM	4482	CD1	ILE	C	107	84.000	101.350	199.321	1.00	11.80
ATOM	4483	N	ILE	C	108	78.906	101.596	200.671	1.00	19.94
ATOM	4484	CA	ILE	C	108	77.531	101.337	201.056	1.00	20.61
ATOM	4485	C	ILE	C	108	76.654	101.549	199.826	1.00	21.79
ATOM	4486	O	ILE	C	108	76.758	102.576	199.131	1.00	17.33
ATOM	4487	CB	ILE	C	108	77.057	102.313	202.172	1.00	23.32
ATOM	4488	CG1	ILE	C	108	77.943	102.168	203.399	1.00	19.73
ATOM	4489	CG2	ILE	C	108	75.595	102.035	202.562	1.00	19.41
ATOM	4490	CD1	ILE	C	108	77.873	103.347	204.279	1.00	19.45
ATOM	4491	N	SER	C	109	75.800	100.565	199.562	1.00	21.54
ATOM	4492	CA	SER	C	109	74.873	100.632	198.446	1.00	20.36
ATOM	4493	C	SER	C	109	73.551	101.080	199.067	1.00	20.85
ATOM	4494	O	SER	C	109	73.123	100.541	200.100	1.00	20.93
ATOM	4495	CB	SER	C	109	74.700	99.252	197.793	1.00	17.72
ATOM	4496	OG	SER	C	109	75.947	98.668	197.460	1.00	23.21
ATOM	4497	N	ARG	C	110	72.931	102.087	198.462	1.00	18.63
ATOM	4498	CA	ARG	C	110	71.655	102.589	198.937	1.00	19.33
ATOM	4499	C	ARG	C	110	70.639	102.511	197.783	1.00	20.60
ATOM	4500	O	ARG	C	110	70.705	103.253	196.793	1.00	17.83
ATOM	4501	CB	ARG	C	110	71.802	104.023	199.448	1.00	16.58
ATOM	4502	CG	ARG	C	110	70.540	104.824	199.297	1.00	26.22
ATOM	4503	CD	ARG	C	110	70.567	106.139	200.049	1.00	31.01
ATOM	4504	NE	ARG	C	110	70.476	105.910	201.486	1.00	34.58
ATOM	4505	CZ	ARG	C	110	69.676	106.571	202.310	1.00	28.68
ATOM	4506	NH1	ARG	C	110	68.879	107.521	201.853	1.00	28.31
ATOM	4507	NH2	ARG	C	110	69.673	106.260	203.594	1.00	30.16
ATOM	4508	N	ILE	C	111	69.703	101.579	197.924	1.00	20.99
ATOM	4509	CA	ILE	C	111	68.671	101.349	196.931	1.00	18.74
ATOM	4510	C	ILE	C	111	67.257	101.594	197.479	1.00	20.68
ATOM	4511	O	ILE	C	111	66.979	101.366	198.661	1.00	19.90
ATOM	4512	CB	ILE	C	111	68.791	99.937	196.417	1.00	14.40
ATOM	4513	CG1	ILE	C	111	68.379	98.950	197.498	1.00	13.17
ATOM	4514	CG2	ILE	C	111	70.226	99.685	196.011	1.00	13.38
ATOM	4515	CD1	ILE	C	111	68.738	97.514	197.187	1.00	18.44
ATOM	4516	N	LYS	C	112	66.372	102.081	196.613	1.00	19.74
ATOM	4517	CA	LYS	C	112	65.013	102.373	197.015	1.00	18.29
ATOM	4518	C	LYS	C	112	64.271	101.093	197.297	1.00	21.43
ATOM	4519	O	LYS	C	112	64.532	100.060	196.679	1.00	25.95
ATOM	4520	CB	LYS	C	112	64.267	103.118	195.921	1.00	14.99
ATOM	4521	CG	LYS	C	112	65.063	104.178	195.194	1.00	19.00
ATOM	4522	CD	LYS	C	112	64.117	105.069	194.394	1.00	22.65
ATOM	4523	CE	LYS	C	112	64.821	105.691	193.202	1.00	30.03
ATOM	4524	NZ	LYS	C	112	63.900	106.255	192.152	1.00	32.18

ATOM	4525	N	LEU	C	113	63.339	101.175	198.233	1.00	21.60
ATOM	4526	CA	LEU	C	113	62.504	100.055	198.617	1.00	24.20
ATOM	4527	C	LEU	C	113	61.092	100.590	198.618	1.00	24.47
ATOM	4528	O	LEU	C	113	60.782	101.500	199.370	1.00	27.85
ATOM	4529	CB	LEU	C	113	62.844	99.561	200.028	1.00	28.86
ATOM	4530	CG	LEU	C	113	61.753	98.656	200.638	1.00	31.69
ATOM	4531	CD1	LEU	C	113	61.506	97.536	199.658	1.00	40.95
ATOM	4532	CD2	LEU	C	113	62.144	98.061	201.976	1.00	23.88
ATOM	4533	N	TYR	C	114	60.228	100.046	197.778	1.00	25.79
ATOM	4534	CA	TYR	C	114	58.860	100.532	197.769	1.00	27.53
ATOM	4535	C	TYR	C	114	57.935	99.555	198.452	1.00	28.96
ATOM	4536	O	TYR	C	114	58.026	98.348	198.239	1.00	31.26
ATOM	4537	CB	TYR	C	114	58.365	100.766	196.351	1.00	23.82
ATOM	4538	CG	TYR	C	114	59.137	101.804	195.605	1.00	16.67
ATOM	4539	CD1	TYR	C	114	58.953	103.156	195.853	1.00	14.34
ATOM	4540	CD2	TYR	C	114	60.032	101.434	194.629	1.00	16.96
ATOM	4541	CE1	TYR	C	114	59.645	104.111	195.131	1.00	14.03
ATOM	4542	CE2	TYR	C	114	60.728	102.384	193.901	1.00	17.49
ATOM	4543	CZ	TYR	C	114	60.524	103.712	194.153	1.00	14.21
ATOM	4544	OH	TYR	C	114	61.172	104.620	193.374	1.00	21.11
ATOM	4545	N	TYR	C	115	57.054	100.088	199.285	1.00	29.85
ATOM	4546	CA	TYR	C	115	56.094	99.271	199.997	1.00	31.61
ATOM	4547	C	TYR	C	115	54.848	99.291	199.119	1.00	33.95
ATOM	4548	O	TYR	C	115	54.244	100.353	198.903	1.00	32.60
ATOM	4549	CB	TYR	C	115	55.798	99.890	201.356	1.00	29.86
ATOM	4550	CG	TYR	C	115	54.801	99.105	202.152	1.00	30.94
ATOM	4551	CD1	TYR	C	115	55.158	97.920	202.776	1.00	33.31
ATOM	4552	CD2	TYR	C	115	53.491	99.531	202.260	1.00	31.54
ATOM	4553	CE1	TYR	C	115	54.227	97.171	203.494	1.00	31.38
ATOM	4554	CE2	TYR	C	115	52.554	98.792	202.967	1.00	34.81
ATOM	4555	CZ	TYR	C	115	52.924	97.612	203.584	1.00	32.84
ATOM	4556	OH	TYR	C	115	51.984	96.865	204.272	1.00	33.90
ATOM	4557	N	ARG	C	116	54.463	98.128	198.602	1.00	34.99
ATOM	4558	CA	ARG	C	116	53.304	98.084	197.729	1.00	36.28
ATOM	4559	C	ARG	C	116	52.067	97.401	198.283	1.00	37.62
ATOM	4560	O	ARG	C	116	51.943	96.164	198.264	1.00	33.96
ATOM	4561	CB	ARG	C	116	53.682	97.460	196.387	1.00	36.69
ATOM	4562	CG	ARG	C	116	52.631	97.702	195.312	1.00	37.09
ATOM	4563	CD	ARG	C	116	53.169	97.317	193.979	1.00	36.61
ATOM	4564	NE	ARG	C	116	54.302	98.152	193.617	1.00	38.85
ATOM	4565	CZ	ARG	C	116	55.118	97.885	192.606	1.00	42.93
ATOM	4566	NH1	ARG	C	116	54.922	96.797	191.871	1.00	45.10
ATOM	4567	NH2	ARG	C	116	56.111	98.713	192.317	1.00	42.14
ATOM	4568	N	PRO	C	117	51.118	98.211	198.769	1.00	40.18
ATOM	4569	CA	PRO	C	117	49.856	97.736	199.340	1.00	45.95
ATOM	4570	C	PRO	C	117	49.291	96.646	198.439	1.00	50.72
ATOM	4571	O	PRO	C	117	49.045	96.883	197.254	1.00	51.99
ATOM	4572	CB	PRO	C	117	48.995	98.989	199.348	1.00	45.50
ATOM	4573	CG	PRO	C	117	49.999	100.071	199.571	1.00	44.47
ATOM	4574	CD	PRO	C	117	51.133	99.679	198.668	1.00	39.72
ATOM	4575	N	ALA	C	118	49.092	95.459	199.011	1.00	53.86
ATOM	4576	CA	ALA	C	118	48.601	94.286	198.281	1.00	56.34
ATOM	4577	C	ALA	C	118	47.426	94.489	197.314	1.00	55.72
ATOM	4578	O	ALA	C	118	47.286	93.764	196.324	1.00	54.96
ATOM	4579	CB	ALA	C	118	48.274	93.172	199.273	1.00	56.35
ATOM	4580	N	LYS	C	119	46.579	95.465	197.589	1.00	56.21
ATOM	4581	CA	LYS	C	119	45.454	95.698	196.708	1.00	58.25
ATOM	4582	C	LYS	C	119	45.539	97.075	196.110	1.00	59.15
ATOM	4583	O	LYS	C	119	45.424	98.080	196.814	1.00	61.86
ATOM	4584	CB	LYS	C	119	44.137	95.524	197.465	1.00	59.73
ATOM	4585	CG	LYS	C	119	43.859	94.080	197.830	1.00	59.77
ATOM	4586	CD	LYS	C	119	42.674	93.937	198.752	1.00	63.59

ATOM	4587	CE	LYS	C	119	42.590	92.503	199.258	1.00	68.26
ATOM	4588	NZ	LYS	C	119	41.485	92.275	200.234	1.00	72.19
ATOM	4589	N	LEU	C	120	45.766	97.111	194.805	1.00	57.60
ATOM	4590	CA	LEU	C	120	45.862	98.361	194.073	1.00	57.38
ATOM	4591	C	LEU	C	120	45.179	98.143	192.736	1.00	58.77
ATOM	4592	O	LEU	C	120	45.293	97.073	192.142	1.00	60.91
ATOM	4593	CB	LEU	C	120	47.326	98.741	193.855	1.00	55.87
ATOM	4594	CG	LEU	C	120	48.180	99.080	195.080	1.00	55.24
ATOM	4595	CD1	LEU	C	120	49.640	99.177	194.649	1.00	54.02
ATOM	4596	CD2	LEU	C	120	47.706	100.381	195.725	1.00	50.21
ATOM	4597	N	ALA	C	121	44.469	99.155	192.260	1.00	59.27
ATOM	4598	CA	ALA	C	121	43.767	99.037	190.997	1.00	58.49
ATOM	4599	C	ALA	C	121	44.728	99.036	189.825	1.00	58.36
ATOM	4600	O	ALA	C	121	45.139	97.982	189.339	1.00	58.63
ATOM	4601	CB	ALA	C	121	42.779	100.172	190.862	1.00	60.03
ATOM	4602	N	LEU	C	122	45.088	100.234	189.386	1.00	58.74
ATOM	4603	CA	LEU	C	122	45.989	100.418	188.259	1.00	60.88
ATOM	4604	C	LEU	C	122	47.224	99.539	188.356	1.00	60.67
ATOM	4605	O	LEU	C	122	48.040	99.720	189.253	1.00	63.89
ATOM	4606	CB	LEU	C	122	46.432	101.877	188.191	1.00	62.24
ATOM	4607	CG	LEU	C	122	46.877	102.410	186.831	1.00	66.20
ATOM	4608	CD1	LEU	C	122	45.758	103.303	186.276	1.00	68.97
ATOM	4609	CD2	LEU	C	122	48.173	103.204	186.968	1.00	65.95
ATOM	4610	N	PRO	C	123	47.375	98.569	187.441	1.00	59.36
ATOM	4611	CA	PRO	C	123	48.553	97.689	187.473	1.00	59.13
ATOM	4612	C	PRO	C	123	49.856	98.445	187.124	1.00	55.13
ATOM	4613	O	PRO	C	123	49.903	99.213	186.164	1.00	51.49
ATOM	4614	CB	PRO	C	123	48.198	96.596	186.459	1.00	60.99
ATOM	4615	CG	PRO	C	123	47.285	97.310	185.499	1.00	62.53
ATOM	4616	CD	PRO	C	123	46.413	98.131	186.419	1.00	58.75
ATOM	4617	N	PRO	C	124	50.926	98.214	187.905	1.00	53.20
ATOM	4618	CA	PRO	C	124	52.244	98.832	187.755	1.00	53.60
ATOM	4619	C	PRO	C	124	52.790	98.992	186.352	1.00	55.10
ATOM	4620	O	PRO	C	124	53.359	100.030	186.029	1.00	55.42
ATOM	4621	CB	PRO	C	124	53.144	97.961	188.632	1.00	52.49
ATOM	4622	CG	PRO	C	124	52.429	96.664	188.688	1.00	51.44
ATOM	4623	CD	PRO	C	124	51.007	97.091	188.852	1.00	52.15
ATOM	4624	N	ASP	C	125	52.635	97.984	185.509	1.00	57.70
ATOM	4625	CA	ASP	C	125	53.157	98.116	184.158	1.00	61.31
ATOM	4626	C	ASP	C	125	52.380	99.154	183.366	1.00	61.48
ATOM	4627	O	ASP	C	125	52.832	99.609	182.327	1.00	61.28
ATOM	4628	CB	ASP	C	125	53.140	96.767	183.437	1.00	66.99
ATOM	4629	CG	ASP	C	125	51.787	96.092	183.486	1.00	71.89
ATOM	4630	OD1	ASP	C	125	51.071	96.262	184.505	1.00	73.60
ATOM	4631	OD2	ASP	C	125	51.455	95.376	182.511	1.00	72.03
ATOM	4632	N	GLN	C	126	51.221	99.552	183.875	1.00	62.52
ATOM	4633	CA	GLN	C	126	50.404	100.544	183.195	1.00	63.33
ATOM	4634	C	GLN	C	126	50.381	101.883	183.930	1.00	62.23
ATOM	4635	O	GLN	C	126	49.334	102.518	184.022	1.00	63.66
ATOM	4636	CB	GLN	C	126	48.969	100.017	183.052	1.00	68.26
ATOM	4637	CG	GLN	C	126	48.014	100.961	182.310	1.00	75.97
ATOM	4638	CD	GLN	C	126	46.552	100.587	182.484	1.00	79.81
ATOM	4639	OE1	GLN	C	126	45.653	101.403	182.240	1.00	80.91
ATOM	4640	NE2	GLN	C	126	46.306	99.346	182.902	1.00	82.55
ATOM	4641	N	ALA	C	127	51.516	102.333	184.453	1.00	60.39
ATOM	4642	CA	ALA	C	127	51.504	103.603	185.173	1.00	59.04
ATOM	4643	C	ALA	C	127	52.385	104.677	184.555	1.00	60.03
ATOM	4644	O	ALA	C	127	52.039	105.854	184.581	1.00	59.38
ATOM	4645	CB	ALA	C	127	51.883	103.386	186.629	1.00	53.91
ATOM	4646	N	ALA	C	128	53.514	104.286	183.979	1.00	61.06
ATOM	4647	CA	ALA	C	128	54.408	105.272	183.383	1.00	63.22
ATOM	4648	C	ALA	C	128	53.764	106.036	182.227	1.00	65.36

ATOM	4649	O	ALA	C	128	54.422	106.836	181.570	1.00	67.54
ATOM	4650	CB	ALA	C	128	55.685	104.598	182.913	1.00	62.35
ATOM	4651	N	GLU	C	129	52.482	105.787	181.983	1.00	67.35
ATOM	4652	CA	GLU	C	129	51.750	106.447	180.902	1.00	67.49
ATOM	4653	C	GLU	C	129	50.812	107.497	181.454	1.00	65.86
ATOM	4654	O	GLU	C	129	50.467	108.449	180.765	1.00	66.31
ATOM	4655	CB	GLU	C	129	50.907	105.441	180.138	1.00	72.02
ATOM	4656	CG	GLU	C	129	49.870	104.771	181.029	1.00	80.76
ATOM	4657	CD	GLU	C	129	48.766	104.094	180.246	1.00	84.69
ATOM	4658	OE1	GLU	C	129	49.085	103.428	179.235	1.00	85.73
ATOM	4659	OE2	GLU	C	129	47.583	104.221	180.650	1.00	85.03
ATOM	4660	N	LYS	C	130	50.378	107.294	182.692	1.00	64.14
ATOM	4661	CA	LYS	C	130	49.465	108.213	183.354	1.00	63.32
ATOM	4662	C	LYS	C	130	50.199	109.495	183.722	1.00	61.78
ATOM	4663	O	LYS	C	130	49.635	110.387	184.341	1.00	60.57
ATOM	4664	CB	LYS	C	130	48.913	107.569	184.625	1.00	66.08
ATOM	4665	CG	LYS	C	130	48.526	106.098	184.475	1.00	71.31
ATOM	4666	CD	LYS	C	130	47.212	105.910	183.732	1.00	77.28
ATOM	4667	CE	LYS	C	130	46.927	104.432	183.491	1.00	79.10
ATOM	4668	NZ	LYS	C	130	45.629	104.188	182.790	1.00	82.47
ATOM	4669	N	LEU	C	131	51.464	109.581	183.332	1.00	61.60
ATOM	4670	CA	LEU	C	131	52.285	110.742	183.638	1.00	63.16
ATOM	4671	C	LEU	C	131	51.932	111.977	182.829	1.00	65.92
ATOM	4672	O	LEU	C	131	52.310	112.088	181.663	1.00	68.61
ATOM	4673	CB	LEU	C	131	53.759	110.410	183.416	1.00	60.38
ATOM	4674	CG	LEU	C	131	54.743	111.519	183.788	1.00	57.78
ATOM	4675	CD1	LEU	C	131	54.490	111.988	185.214	1.00	54.31
ATOM	4676	CD2	LEU	C	131	56.155	110.996	183.640	1.00	56.05
ATOM	4677	N	ARG	C	132	51.221	112.914	183.447	1.00	68.57
ATOM	4678	CA	ARG	C	132	50.845	114.145	182.756	1.00	71.24
ATOM	4679	C	ARG	C	132	51.807	115.273	183.087	1.00	71.71
ATOM	4680	O	ARG	C	132	52.712	115.110	183.905	1.00	70.60
ATOM	4681	CB	ARG	C	132	49.416	114.557	183.121	1.00	72.54
ATOM	4682	CG	ARG	C	132	48.360	113.729	182.417	1.00	76.90
ATOM	4683	CD	ARG	C	132	46.957	114.273	182.621	1.00	80.85
ATOM	4684	NE	ARG	C	132	46.453	114.043	183.971	1.00	85.00
ATOM	4685	CZ	ARG	C	132	45.228	114.366	184.374	1.00	88.08
ATOM	4686	NH1	ARG	C	132	44.374	114.938	183.530	1.00	87.69
ATOM	4687	NH2	ARG	C	132	44.856	114.116	185.622	1.00	91.33
ATOM	4688	N	PHE	C	133	51.614	116.418	182.439	1.00	72.48
ATOM	4689	CA	PHE	C	133	52.476	117.563	182.674	1.00	73.65
ATOM	4690	C	PHE	C	133	51.762	118.901	182.833	1.00	75.91
ATOM	4691	O	PHE	C	133	50.531	118.983	182.845	1.00	76.14
ATOM	4692	CB	PHE	C	133	53.509	117.669	181.563	1.00	70.55
ATOM	4693	CG	PHE	C	133	54.397	116.481	181.467	1.00	69.33
ATOM	4694	CD1	PHE	C	133	53.918	115.285	180.953	1.00	69.10
ATOM	4695	CD2	PHE	C	133	55.709	116.545	181.919	1.00	69.86
ATOM	4696	CE1	PHE	C	133	54.735	114.163	180.894	1.00	73.26
ATOM	4697	CE2	PHE	C	133	56.545	115.433	181.868	1.00	70.59
ATOM	4698	CZ	PHE	C	133	56.059	114.236	181.355	1.00	73.37
ATOM	4699	N	ARG	C	134	52.575	119.944	182.962	1.00	78.82
ATOM	4700	CA	ARG	C	134	52.119	121.317	183.143	1.00	81.55
ATOM	4701	C	ARG	C	134	53.376	122.200	183.087	1.00	83.30
ATOM	4702	O	ARG	C	134	54.245	122.131	183.963	1.00	83.02
ATOM	4703	CB	ARG	C	134	51.413	121.439	184.493	1.00	80.11
ATOM	4704	CG	ARG	C	134	51.189	122.846	184.978	1.00	82.82
ATOM	4705	CD	ARG	C	134	50.787	122.814	186.447	1.00	87.32
ATOM	4706	NE	ARG	C	134	49.490	122.170	186.651	1.00	89.68
ATOM	4707	CZ	ARG	C	134	49.023	121.783	187.835	1.00	91.34
ATOM	4708	NH1	ARG	C	134	49.747	121.966	188.934	1.00	91.14
ATOM	4709	NH2	ARG	C	134	47.826	121.220	187.920	1.00	92.37
ATOM	4710	N	ARG	C	135	53.472	123.021	182.044	1.00	84.99

ATOM	4711	CA	ARG C 135	54.639	123.877	181.851	1.00	86.28
ATOM	4712	C	ARG C 135	54.512	125.365	182.182	1.00	87.47
ATOM	4713	O	ARG C 135	53.478	125.841	182.672	1.00	88.46
ATOM	4714	CB	ARG C 135	55.135	123.733	180.413	1.00	83.85
ATOM	4715	CG	ARG C 135	54.021	123.557	179.419	1.00	84.44
ATOM	4716	CD	ARG C 135	54.506	123.671	177.988	1.00	87.07
ATOM	4717	NE	ARG C 135	55.685	122.857	177.715	1.00	89.73
ATOM	4718	CZ	ARG C 135	56.932	123.247	177.956	1.00	92.25
ATOM	4719	NH1	ARG C 135	57.164	124.448	178.471	1.00	93.10
ATOM	4720	NH2	ARG C 135	57.950	122.440	177.675	1.00	92.24
ATOM	4721	N	SER C 136	55.604	126.075	181.901	1.00	87.21
ATOM	4722	CA	SER C 136	55.743	127.513	182.120	1.00	87.51
ATOM	4723	C	SER C 136	57.131	127.893	181.592	1.00	88.80
ATOM	4724	O	SER C 136	57.906	127.018	181.197	1.00	88.45
ATOM	4725	CB	SER C 136	55.652	127.856	183.619	1.00	86.42
ATOM	4726	OG	SER C 136	54.342	127.695	184.139	1.00	81.80
ATOM	4727	N	ALA C 137	57.440	129.190	181.577	1.00	89.82
ATOM	4728	CA	ALA C 137	58.748	129.675	181.117	1.00	89.55
ATOM	4729	C	ALA C 137	59.726	129.463	182.274	1.00	88.83
ATOM	4730	O	ALA C 137	60.754	130.143	182.396	1.00	87.74
ATOM	4731	CB	ALA C 137	58.663	131.166	180.758	1.00	90.76
ATOM	4732	N	ASN C 138	59.386	128.493	183.115	1.00	86.82
ATOM	4733	CA	ASN C 138	60.167	128.177	184.290	1.00	83.49
ATOM	4734	C	ASN C 138	59.884	126.763	184.796	1.00	81.89
ATOM	4735	O	ASN C 138	60.769	125.915	184.794	1.00	80.08
ATOM	4736	CB	ASN C 138	59.840	129.207	185.368	1.00	83.73
ATOM	4737	CG	ASN C 138	58.357	129.542	185.418	1.00	83.86
ATOM	4738	OD1	ASN C 138	57.533	128.705	185.787	1.00	86.22
ATOM	4739	ND2	ASN C 138	58.010	130.766	185.032	1.00	83.04
ATOM	4740	N	SER C 139	58.647	126.511	185.216	1.00	80.39
ATOM	4741	CA	SER C 139	58.266	125.205	185.747	1.00	78.70
ATOM	4742	C	SER C 139	57.674	124.212	184.747	1.00	76.59
ATOM	4743	O	SER C 139	57.005	124.585	183.785	1.00	76.97
ATOM	4744	CB	SER C 139	57.284	125.376	186.912	1.00	80.35
ATOM	4745	OG	SER C 139	57.914	125.960	188.039	1.00	81.48
ATOM	4746	N	LEU C 140	57.927	122.936	185.015	1.00	73.64
ATOM	4747	CA	LEU C 140	57.451	121.825	184.205	1.00	69.79
ATOM	4748	C	LEU C 140	57.065	120.778	185.243	1.00	67.26
ATOM	4749	O	LEU C 140	57.715	119.746	185.375	1.00	66.55
ATOM	4750	CB	LEU C 140	58.588	121.299	183.322	1.00	69.85
ATOM	4751	CG	LEU C 140	58.215	120.422	182.125	1.00	70.07
ATOM	4752	CD1	LEU C 140	59.472	119.876	181.474	1.00	66.54
ATOM	4753	CD2	LEU C 140	57.325	119.284	182.579	1.00	72.74
ATOM	4754	N	THR C 141	56.008	121.075	185.986	1.00	64.32
ATOM	4755	CA	THR C 141	55.515	120.215	187.055	1.00	61.56
ATOM	4756	C	THR C 141	55.020	118.831	186.645	1.00	59.92
ATOM	4757	O	THR C 141	53.969	118.707	186.021	1.00	58.21
ATOM	4758	CB	THR C 141	54.365	120.898	187.783	1.00	61.84
ATOM	4759	OG1	THR C 141	54.640	122.300	187.886	1.00	63.43
ATOM	4760	CG2	THR C 141	54.188	120.301	189.173	1.00	63.90
ATOM	4761	N	LEU C 142	55.770	117.793	187.015	1.00	58.22
ATOM	4762	CA	LEU C 142	55.385	116.413	186.715	1.00	54.69
ATOM	4763	C	LEU C 142	54.179	116.118	187.606	1.00	56.39
ATOM	4764	O	LEU C 142	53.989	116.780	188.625	1.00	57.07
ATOM	4765	CB	LEU C 142	56.511	115.450	187.073	1.00	47.92
ATOM	4766	CG	LEU C 142	57.862	115.495	186.367	1.00	45.53
ATOM	4767	CD1	LEU C 142	57.964	114.383	185.336	1.00	41.72
ATOM	4768	CD2	LEU C 142	58.063	116.856	185.758	1.00	47.51
ATOM	4769	N	ILE C 143	53.363	115.136	187.240	1.00	56.60
ATOM	4770	CA	ILE C 143	52.194	114.823	188.055	1.00	56.20
ATOM	4771	C	ILE C 143	51.687	113.390	187.900	1.00	56.39
ATOM	4772	O	ILE C 143	50.944	113.057	186.980	1.00	56.81

ATOM	4773	CB	ILE	C	143	51.052	115.832	187.779	1.00	54.81
ATOM	4774	CG1	ILE	C	143	49.748	115.308	188.374	1.00	53.82
ATOM	4775	CG2	ILE	C	143	50.942	116.105	186.297	1.00	52.80
ATOM	4776	CD1	ILE	C	143	48.623	116.301	188.318	1.00	58.72
ATOM	4777	N	ASN	C	144	52.101	112.554	188.843	1.00	55.85
ATOM	4778	CA	ASN	C	144	51.759	111.140	188.866	1.00	55.28
ATOM	4779	C	ASN	C	144	50.522	110.893	189.715	1.00	54.73
ATOM	4780	O	ASN	C	144	50.558	111.027	190.932	1.00	55.80
ATOM	4781	CB	ASN	C	144	52.965	110.360	189.403	1.00	55.95
ATOM	4782	CG	ASN	C	144	52.639	108.930	189.754	1.00	56.00
ATOM	4783	OD1	ASN	C	144	51.707	108.332	189.215	1.00	56.88
ATOM	4784	ND2	ASN	C	144	53.428	108.360	190.655	1.00	56.61
ATOM	4785	N	PRO	C	145	49.404	110.531	189.070	1.00	53.67
ATOM	4786	CA	PRO	C	145	48.120	110.256	189.716	1.00	51.13
ATOM	4787	C	PRO	C	145	47.962	108.807	190.157	1.00	50.39
ATOM	4788	O	PRO	C	145	46.975	108.449	190.802	1.00	51.37
ATOM	4789	CB	PRO	C	145	47.129	110.619	188.629	1.00	51.10
ATOM	4790	CG	PRO	C	145	47.817	110.052	187.422	1.00	52.67
ATOM	4791	CD	PRO	C	145	49.248	110.539	187.604	1.00	53.00
ATOM	4792	N	THR	C	146	48.929	107.973	189.796	1.00	48.21
ATOM	4793	CA	THR	C	146	48.889	106.562	190.145	1.00	46.31
ATOM	4794	C	THR	C	146	49.387	106.331	191.566	1.00	47.71
ATOM	4795	O	THR	C	146	49.886	107.248	192.225	1.00	49.95
ATOM	4796	CB	THR	C	146	49.772	105.775	189.223	1.00	45.16
ATOM	4797	OG1	THR	C	146	51.140	105.952	189.605	1.00	48.52
ATOM	4798	CG2	THR	C	146	49.610	106.284	187.820	1.00	50.45
ATOM	4799	N	PRO	C	147	49.248	105.100	192.067	1.00	45.72
ATOM	4800	CA	PRO	C	147	49.718	104.831	193.426	1.00	43.79
ATOM	4801	C	PRO	C	147	51.178	104.391	193.504	1.00	43.04
ATOM	4802	O	PRO	C	147	51.641	103.989	194.572	1.00	43.63
ATOM	4803	CB	PRO	C	147	48.765	103.748	193.901	1.00	45.47
ATOM	4804	CG	PRO	C	147	48.494	102.982	192.646	1.00	43.41
ATOM	4805	CD	PRO	C	147	48.289	104.073	191.629	1.00	43.88
ATOM	4806	N	TYR	C	148	51.902	104.466	192.387	1.00	40.49
ATOM	4807	CA	TYR	C	148	53.313	104.065	192.369	1.00	39.61
ATOM	4808	C	TYR	C	148	54.281	105.228	192.243	1.00	39.11
ATOM	4809	O	TYR	C	148	53.915	106.311	191.794	1.00	38.41
ATOM	4810	CB	TYR	C	148	53.597	103.088	191.226	1.00	35.94
ATOM	4811	CG	TYR	C	148	52.617	101.956	191.151	1.00	32.76
ATOM	4812	CD1	TYR	C	148	51.303	102.179	190.748	1.00	31.23
ATOM	4813	CD2	TYR	C	148	52.989	100.668	191.506	1.00	30.49
ATOM	4814	CE1	TYR	C	148	50.387	101.150	190.699	1.00	28.02
ATOM	4815	CE2	TYR	C	148	52.075	99.633	191.468	1.00	31.71
ATOM	4816	CZ	TYR	C	148	50.777	99.884	191.064	1.00	29.92
ATOM	4817	OH	TYR	C	148	49.867	98.862	191.044	1.00	34.66
ATOM	4818	N	TYR	C	149	55.526	104.984	192.635	1.00	37.95
ATOM	4819	CA	TYR	C	149	56.559	106.002	192.563	1.00	37.44
ATOM	4820	C	TYR	C	149	57.192	106.020	191.172	1.00	37.71
ATOM	4821	O	TYR	C	149	57.905	105.089	190.789	1.00	37.31
ATOM	4822	CB	TYR	C	149	57.650	105.735	193.603	1.00	35.58
ATOM	4823	CG	TYR	C	149	57.507	106.482	194.910	1.00	36.64
ATOM	4824	CD1	TYR	C	149	56.721	105.986	195.942	1.00	36.98
ATOM	4825	CD2	TYR	C	149	58.160	107.699	195.110	1.00	41.18
ATOM	4826	CE1	TYR	C	149	56.586	106.682	197.147	1.00	37.17
ATOM	4827	CE2	TYR	C	149	58.029	108.403	196.309	1.00	41.34
ATOM	4828	CZ	TYR	C	149	57.243	107.890	197.321	1.00	38.62
ATOM	4829	OH	TYR	C	149	57.117	108.593	198.498	1.00	39.60
ATOM	4830	N	LEU	C	150	56.950	107.084	190.417	1.00	36.27
ATOM	4831	CA	LEU	C	150	57.531	107.157	189.088	1.00	35.25
ATOM	4832	C	LEU	C	150	58.943	107.709	189.146	1.00	35.28
ATOM	4833	O	LEU	C	150	59.165	108.827	189.629	1.00	33.88
ATOM	4834	CB	LEU	C	150	56.696	108.048	188.172	1.00	35.86

ATOM	4835	CG	LEU	C	150	55.194	107.826	188.030	1.00	37.82
ATOM	4836	CD1	LEU	C	150	54.701	108.741	186.912	1.00	36.04
ATOM	4837	CD2	LEU	C	150	54.874	106.365	187.720	1.00	37.66
ATOM	4838	N	THR	C	151	59.897	106.923	188.656	1.00	33.75
ATOM	4839	CA	THR	C	151	61.287	107.350	188.624	1.00	32.52
ATOM	4840	C	THR	C	151	61.533	107.848	187.212	1.00	32.48
ATOM	4841	O	THR	C	151	62.087	107.136	186.393	1.00	33.99
ATOM	4842	CB	THR	C	151	62.262	106.180	188.949	1.00	32.42
ATOM	4843	OG1	THR	C	151	62.104	105.771	190.314	1.00	33.70
ATOM	4844	CG2	THR	C	151	63.698	106.605	188.748	1.00	34.45
ATOM	4845	N	VAL	C	152	61.089	109.074	186.942	1.00	34.68
ATOM	4846	CA	VAL	C	152	61.218	109.733	185.637	1.00	34.05
ATOM	4847	C	VAL	C	152	62.663	110.033	185.271	1.00	36.30
ATOM	4848	O	VAL	C	152	63.389	110.614	186.053	1.00	39.31
ATOM	4849	CB	VAL	C	152	60.449	111.058	185.632	1.00	30.71
ATOM	4850	CG1	VAL	C	152	60.756	111.827	184.373	1.00	33.77
ATOM	4851	CG2	VAL	C	152	58.962	110.792	185.761	1.00	30.87
ATOM	4852	N	THR	C	153	63.072	109.659	184.071	1.00	39.42
ATOM	4853	CA	THR	C	153	64.434	109.897	183.635	1.00	43.64
ATOM	4854	C	THR	C	153	64.503	110.142	182.123	1.00	50.16
ATOM	4855	O	THR	C	153	63.579	109.786	181.381	1.00	50.73
ATOM	4856	CB	THR	C	153	65.304	108.709	183.994	1.00	42.71
ATOM	4857	OG1	THR	C	153	66.589	108.836	183.375	1.00	43.77
ATOM	4858	CG2	THR	C	153	64.641	107.433	183.527	1.00	46.19
ATOM	4859	N	GLU	C	154	65.607	110.736	181.667	1.00	54.98
ATOM	4860	CA	GLU	C	154	65.777	111.061	180.252	1.00	58.73
ATOM	4861	C	GLU	C	154	64.646	112.012	179.839	1.00	61.72
ATOM	4862	O	GLU	C	154	64.224	112.028	178.684	1.00	63.87
ATOM	4863	CB	GLU	C	154	65.744	109.791	179.382	1.00	57.22
ATOM	4864	CG	GLU	C	154	66.980	108.902	179.505	1.00	56.68
ATOM	4865	CD	GLU	C	154	67.181	107.978	178.305	1.00	57.74
ATOM	4866	OE1	GLU	C	154	66.440	108.125	177.310	1.00	59.17
ATOM	4867	OE2	GLU	C	154	68.086	107.111	178.347	1.00	54.16
ATOM	4868	N	LEU	C	155	64.161	112.797	180.799	1.00	64.66
ATOM	4869	CA	LEU	C	155	63.078	113.754	180.572	1.00	67.21
ATOM	4870	C	LEU	C	155	63.610	114.981	179.848	1.00	69.74
ATOM	4871	O	LEU	C	155	64.385	115.746	180.418	1.00	70.78
ATOM	4872	CB	LEU	C	155	62.471	114.190	181.910	1.00	66.18
ATOM	4873	CG	LEU	C	155	61.298	115.176	181.902	1.00	65.32
ATOM	4874	CD1	LEU	C	155	60.023	114.450	181.498	1.00	66.97
ATOM	4875	CD2	LEU	C	155	61.119	115.774	183.282	1.00	64.82
ATOM	4876	N	ASN	C	156	63.195	115.166	178.595	1.00	72.87
ATOM	4877	CA	ASN	C	156	63.631	116.317	177.801	1.00	74.04
ATOM	4878	C	ASN	C	156	62.429	117.178	177.442	1.00	75.89
ATOM	4879	O	ASN	C	156	61.319	116.671	177.254	1.00	74.59
ATOM	4880	CB	ASN	C	156	64.297	115.853	176.511	1.00	70.12
ATOM	4881	CG	ASN	C	156	65.073	114.583	176.697	1.00	72.02
ATOM	4882	OD1	ASN	C	156	66.128	114.568	177.335	1.00	69.78
ATOM	4883	ND2	ASN	C	156	64.540	113.489	176.158	1.00	70.27
ATOM	4884	N	ALA	C	157	62.648	118.486	177.364	1.00	78.06
ATOM	4885	CA	ALA	C	157	61.584	119.402	176.986	1.00	79.85
ATOM	4886	C	ALA	C	157	61.650	119.387	175.466	1.00	81.70
ATOM	4887	O	ALA	C	157	61.337	120.372	174.794	1.00	81.67
ATOM	4888	CB	ALA	C	157	61.871	120.795	177.522	1.00	80.10
ATOM	4889	N	GLY	C	158	62.070	118.236	174.942	1.00	84.12
ATOM	4890	CA	GLY	C	158	62.224	118.059	173.512	1.00	84.28
ATOM	4891	C	GLY	C	158	63.496	118.776	173.126	1.00	84.84
ATOM	4892	O	GLY	C	158	64.521	118.159	172.830	1.00	83.92
ATOM	4893	N	THR	C	159	63.422	120.100	173.142	1.00	85.35
ATOM	4894	CA	THR	C	159	64.569	120.918	172.816	1.00	86.20
ATOM	4895	C	THR	C	159	65.647	120.542	173.834	1.00	86.44
ATOM	4896	O	THR	C	159	66.441	119.622	173.623	1.00	85.68

ATOM	4897	CB	THR	C	159	64.228	122.425	172.957	1.00	86.22
ATOM	4898	OG1	THR	C	159	62.899	122.669	172.481	1.00	83.66
ATOM	4899	CG2	THR	C	159	65.207	123.269	172.146	1.00	86.28
ATOM	4900	N	ARG	C	160	65.631	121.249	174.954	1.00	86.43
ATOM	4901	CA	ARG	C	160	66.582	121.051	176.033	1.00	87.39
ATOM	4902	C	ARG	C	160	66.294	119.745	176.790	1.00	86.82
ATOM	4903	O	ARG	C	160	65.162	119.246	176.776	1.00	86.85
ATOM	4904	CB	ARG	C	160	66.477	122.253	176.982	1.00	89.82
ATOM	4905	CG	ARG	C	160	67.669	122.505	177.898	1.00	94.94
ATOM	4906	CD	ARG	C	160	68.870	123.058	177.139	1.00	97.64
ATOM	4907	NE	ARG	C	160	69.911	123.547	178.044	1.00	101.12
ATOM	4908	CZ	ARG	C	160	70.545	122.801	178.947	1.00	101.07
ATOM	4909	NH1	ARG	C	160	70.252	121.513	179.078	1.00	99.93
ATOM	4910	NH2	ARG	C	160	71.471	123.349	179.727	1.00	101.03
ATOM	4911	N	VAL	C	161	67.326	119.191	177.431	1.00	84.86
ATOM	4912	CA	VAL	C	161	67.182	117.973	178.236	1.00	82.07
ATOM	4913	C	VAL	C	161	66.699	118.463	179.607	1.00	79.87
ATOM	4914	O	VAL	C	161	66.334	119.629	179.743	1.00	80.41
ATOM	4915	CB	VAL	C	161	68.539	117.234	178.400	1.00	81.21
ATOM	4916	CG1	VAL	C	161	69.493	118.062	179.249	1.00	80.15
ATOM	4917	CG2	VAL	C	161	68.315	115.865	179.023	1.00	80.21
ATOM	4918	N	LEU	C	162	66.694	117.607	180.623	1.00	76.93
ATOM	4919	CA	LEU	C	162	66.242	118.053	181.938	1.00	73.18
ATOM	4920	C	LEU	C	162	66.721	117.244	183.133	1.00	69.90
ATOM	4921	O	LEU	C	162	67.497	116.295	183.005	1.00	70.48
ATOM	4922	CB	LEU	C	162	64.718	118.139	181.972	1.00	75.11
ATOM	4923	CG	LEU	C	162	64.109	119.307	181.196	1.00	76.43
ATOM	4924	CD1	LEU	C	162	62.593	119.211	181.205	1.00	77.47
ATOM	4925	CD2	LEU	C	162	64.577	120.614	181.820	1.00	77.16
ATOM	4926	N	GLU	C	163	66.235	117.637	184.302	1.00	65.26
ATOM	4927	CA	GLU	C	163	66.605	116.999	185.555	1.00	59.12
ATOM	4928	C	GLU	C	163	65.721	115.804	185.860	1.00	54.46
ATOM	4929	O	GLU	C	163	64.495	115.933	185.881	1.00	55.72
ATOM	4930	CB	GLU	C	163	66.491	118.016	186.693	1.00	59.70
ATOM	4931	CG	GLU	C	163	67.386	117.732	187.869	1.00	61.28
ATOM	4932	CD	GLU	C	163	68.842	117.664	187.465	1.00	64.16
ATOM	4933	OE1	GLU	C	163	69.195	116.774	186.655	1.00	67.75
ATOM	4934	OE2	GLU	C	163	69.634	118.500	187.952	1.00	64.39
ATOM	4935	N	ASN	C	164	66.333	114.645	186.098	1.00	48.12
ATOM	4936	CA	ASN	C	164	65.565	113.445	186.427	1.00	44.13
ATOM	4937	C	ASN	C	164	64.581	113.774	187.549	1.00	43.14
ATOM	4938	O	ASN	C	164	64.667	114.826	188.164	1.00	46.86
ATOM	4939	CB	ASN	C	164	66.482	112.324	186.898	1.00	42.44
ATOM	4940	CG	ASN	C	164	67.279	111.713	185.781	1.00	40.51
ATOM	4941	OD1	ASN	C	164	66.723	111.269	184.781	1.00	43.76
ATOM	4942	ND2	ASN	C	164	68.590	111.668	185.950	1.00	41.34
ATOM	4943	N	ALA	C	165	63.653	112.879	187.840	1.00	39.66
ATOM	4944	CA	ALA	C	165	62.696	113.169	188.891	1.00	36.51
ATOM	4945	C	ALA	C	165	62.129	111.910	189.513	1.00	35.55
ATOM	4946	O	ALA	C	165	62.115	110.844	188.896	1.00	36.19
ATOM	4947	CB	ALA	C	165	61.571	114.023	188.340	1.00	34.00
ATOM	4948	N	LEU	C	166	61.691	112.030	190.755	1.00	30.90
ATOM	4949	CA	LEU	C	166	61.091	110.912	191.430	1.00	31.58
ATOM	4950	C	LEU	C	166	59.734	111.461	191.818	1.00	34.26
ATOM	4951	O	LEU	C	166	59.579	112.139	192.828	1.00	36.57
ATOM	4952	CB	LEU	C	166	61.914	110.519	192.655	1.00	31.00
ATOM	4953	CG	LEU	C	166	61.277	109.446	193.548	1.00	34.03
ATOM	4954	CD1	LEU	C	166	60.827	108.227	192.741	1.00	29.40
ATOM	4955	CD2	LEU	C	166	62.282	109.060	194.604	1.00	38.67
ATOM	4956	N	VAL	C	167	58.736	111.196	190.993	1.00	36.58
ATOM	4957	CA	VAL	C	167	57.426	111.740	191.279	1.00	37.60
ATOM	4958	C	VAL	C	167	56.601	110.815	192.123	1.00	38.44

ATOM	4959	O	VAL C 167	56.137	109.763	191.665	1.00	37.76
ATOM	4960	CB	VAL C 167	56.645	112.073	189.992	1.00	38.22
ATOM	4961	CG1	VAL C 167	55.436	112.932	190.340	1.00	41.92
ATOM	4962	CG2	VAL C 167	57.551	112.797	189.002	1.00	35.81
ATOM	4963	N	PRO C 168	56.401	111.208	193.382	1.00	40.02
ATOM	4964	CA	PRO C 168	55.624	110.456	194.372	1.00	41.18
ATOM	4965	C	PRO C 168	54.193	110.137	193.912	1.00	42.28
ATOM	4966	O	PRO C 168	53.592	110.870	193.113	1.00	42.34
ATOM	4967	CB	PRO C 168	55.659	111.371	195.595	1.00	40.76
ATOM	4968	CG	PRO C 168	55.792	112.752	194.992	1.00	40.93
ATOM	4969	CD	PRO C 168	56.813	112.517	193.916	1.00	38.13
ATOM	4970	N	PRO C 169	53.629	109.033	194.418	1.00	41.71
ATOM	4971	CA	PRO C 169	52.272	108.620	194.061	1.00	41.77
ATOM	4972	C	PRO C 169	51.243	109.720	194.293	1.00	39.98
ATOM	4973	O	PRO C 169	51.264	110.391	195.307	1.00	41.04
ATOM	4974	CB	PRO C 169	52.031	107.420	194.973	1.00	42.28
ATOM	4975	CG	PRO C 169	53.394	106.849	195.122	1.00	41.71
ATOM	4976	CD	PRO C 169	54.222	108.081	195.368	1.00	41.15
ATOM	4977	N	MET C 170	50.341	109.902	193.346	1.00	40.82
ATOM	4978	CA	MET C 170	49.307	110.902	193.502	1.00	41.62
ATOM	4979	C	MET C 170	49.869	112.235	193.973	1.00	40.40
ATOM	4980	O	MET C 170	49.286	112.915	194.805	1.00	37.10
ATOM	4981	CB	MET C 170	48.284	110.379	194.491	1.00	41.97
ATOM	4982	CG	MET C 170	47.869	108.973	194.166	1.00	45.75
ATOM	4983	SD	MET C 170	46.456	108.460	195.123	1.00	60.52
ATOM	4984	CE	MET C 170	47.229	107.312	196.293	1.00	59.28
ATOM	4985	N	GLY C 171	51.015	112.604	193.431	1.00	41.97
ATOM	4986	CA	GLY C 171	51.622	113.859	193.815	1.00	45.69
ATOM	4987	C	GLY C 171	52.399	114.391	192.642	1.00	49.08
ATOM	4988	O	GLY C 171	52.454	113.753	191.589	1.00	50.86
ATOM	4989	N	GLU C 172	53.011	115.553	192.819	1.00	51.13
ATOM	4990	CA	GLU C 172	53.775	116.168	191.748	1.00	53.45
ATOM	4991	C	GLU C 172	55.248	116.277	192.104	1.00	53.30
ATOM	4992	O	GLU C 172	55.687	115.816	193.151	1.00	55.33
ATOM	4993	CB	GLU C 172	53.224	117.565	191.455	1.00	56.30
ATOM	4994	CG	GLU C 172	51.697	117.664	191.508	1.00	61.07
ATOM	4995	CD	GLU C 172	51.203	119.077	191.265	1.00	63.36
ATOM	4996	OE1	GLU C 172	51.842	120.013	191.800	1.00	65.03
ATOM	4997	OE2	GLU C 172	50.181	119.250	190.556	1.00	61.82
ATOM	4998	N	SER C 173	55.999	116.897	191.209	1.00	53.09
ATOM	4999	CA	SER C 173	57.421	117.120	191.377	1.00	54.10
ATOM	5000	C	SER C 173	57.766	118.137	190.307	1.00	56.31
ATOM	5001	O	SER C 173	57.661	117.860	189.111	1.00	55.87
ATOM	5002	CB	SER C 173	58.212	115.835	191.141	1.00	54.38
ATOM	5003	OG	SER C 173	57.792	114.802	192.010	1.00	57.42
ATOM	5004	N	THR C 174	58.158	119.327	190.731	1.00	20.00
ATOM	5005	CG2	THR C 174	57.045	122.039	191.035	1.00	20.00
ATOM	5006	OG1	THR C 174	59.367	121.829	191.487	1.00	20.00
ATOM	5007	CB	THR C 174	58.419	121.745	190.437	1.00	20.00
ATOM	5008	CA	THR C 174	58.499	120.365	189.779	1.00	20.00
ATOM	5009	C	THR C 174	59.914	120.153	189.251	1.00	20.00
ATOM	5010	O	THR C 174	60.728	119.492	189.887	1.00	20.00
ATOM	5011	N	VAL C 175	60.188	120.710	188.078	1.00	65.32
ATOM	5012	CA	VAL C 175	61.498	120.616	187.444	1.00	71.15
ATOM	5013	C	VAL C 175	61.700	121.930	186.701	1.00	74.36
ATOM	5014	O	VAL C 175	60.752	122.443	186.106	1.00	77.42
ATOM	5015	CB	VAL C 175	61.540	119.477	186.415	1.00	71.61
ATOM	5016	CG1	VAL C 175	62.954	119.321	185.859	1.00	73.69
ATOM	5017	CG2	VAL C 175	61.058	118.196	187.052	1.00	73.66
ATOM	5018	N	LYS C 176	62.911	122.481	186.718	1.00	76.02
ATOM	5019	CA	LYS C 176	63.138	123.744	186.021	1.00	78.14
ATOM	5020	C	LYS C 176	62.894	123.563	184.526	1.00	79.94

ATOM	5021	O	LYS	C	176	63.097	122.474	183.982	1.00	79.65
ATOM	5022	CB	LYS	C	176	64.556	124.262	186.276	1.00	77.78
ATOM	5023	CG	LYS	C	176	64.823	124.643	187.725	1.00	78.76
ATOM	5024	CD	LYS	C	176	64.816	123.413	188.640	1.00	80.71
ATOM	5025	CE	LYS	C	176	63.801	123.540	189.781	1.00	79.75
ATOM	5026	NZ	LYS	C	176	64.122	124.656	190.717	1.00	77.47
ATOM	5027	N	LEU	C	177	62.450	124.632	183.871	1.00	81.45
ATOM	5028	CA	LEU	C	177	62.157	124.603	182.441	1.00	84.18
ATOM	5029	C	LEU	C	177	62.927	125.728	181.744	1.00	86.22
ATOM	5030	O	LEU	C	177	62.456	126.866	181.673	1.00	86.78
ATOM	5031	CB	LEU	C	177	60.646	124.760	182.232	1.00	82.84
ATOM	5032	CG	LEU	C	177	60.003	124.259	180.937	1.00	80.90
ATOM	5033	CD1	LEU	C	177	60.475	122.850	180.615	1.00	79.55
ATOM	5034	CD2	LEU	C	177	58.497	124.290	181.098	1.00	78.30
ATOM	5035	N	PRO	C	178	64.128	125.413	181.222	1.00	88.46
ATOM	5036	CA	PRO	C	178	65.054	126.312	180.519	1.00	91.36
ATOM	5037	C	PRO	C	178	64.734	126.698	179.073	1.00	94.03
ATOM	5038	O	PRO	C	178	65.444	126.285	178.154	1.00	93.49
ATOM	5039	CB	PRO	C	178	66.375	125.566	180.614	1.00	90.34
ATOM	5040	CG	PRO	C	178	65.935	124.161	180.446	1.00	89.91
ATOM	5041	CD	PRO	C	178	64.738	124.080	181.373	1.00	87.74
ATOM	5042	N	SER	C	179	63.685	127.504	178.892	1.00	97.61
ATOM	5043	CA	SER	C	179	63.237	127.998	177.580	1.00	100.13
ATOM	5044	C	SER	C	179	63.178	126.967	176.446	1.00	100.96
ATOM	5045	O	SER	C	179	62.096	126.663	175.934	1.00	100.62
ATOM	5046	CB	SER	C	179	64.100	129.192	177.150	1.00	100.12
ATOM	5047	OG	SER	C	179	63.934	130.289	178.039	1.00	100.23
ATOM	5048	N	ASP	C	180	64.339	126.454	176.045	1.00	102.00
ATOM	5049	CA	ASP	C	180	64.428	125.450	174.989	1.00	102.92
ATOM	5050	C	ASP	C	180	63.456	124.337	175.350	1.00	102.32
ATOM	5051	O	ASP	C	180	63.850	123.344	175.962	1.00	102.49
ATOM	5052	CB	ASP	C	180	65.839	124.855	174.924	1.00	105.40
ATOM	5053	CG	ASP	C	180	66.934	125.898	175.088	1.00	108.24
ATOM	5054	OD1	ASP	C	180	66.620	127.108	175.129	1.00	109.87
ATOM	5055	OD2	ASP	C	180	68.116	125.498	175.176	1.00	108.17
ATOM	5056	N	ALA	C	181	62.193	124.493	174.973	1.00	101.77
ATOM	5057	CA	ALA	C	181	61.192	123.489	175.296	1.00	101.48
ATOM	5058	C	ALA	C	181	60.239	123.227	174.146	1.00	100.79
ATOM	5059	O	ALA	C	181	60.282	122.173	173.510	1.00	99.51
ATOM	5060	CB	ALA	C	181	60.407	123.924	176.528	1.00	101.73
ATOM	5061	N	GLY	C	182	59.376	124.201	173.889	1.00	101.23
ATOM	5062	CA	GLY	C	182	58.400	124.058	172.828	1.00	101.55
ATOM	5063	C	GLY	C	182	57.180	123.320	173.346	1.00	100.62
ATOM	5064	O	GLY	C	182	56.160	123.936	173.661	1.00	100.35
ATOM	5065	N	SER	C	183	57.295	121.997	173.448	1.00	99.36
ATOM	5066	CA	SER	C	183	56.203	121.160	173.928	1.00	97.40
ATOM	5067	C	SER	C	183	56.502	119.685	173.707	1.00	96.04
ATOM	5068	O	SER	C	183	55.789	118.816	174.214	1.00	95.94
ATOM	5069	CB	SER	C	183	54.908	121.510	173.198	1.00	97.99
ATOM	5070	OG	SER	C	183	53.907	120.545	173.458	1.00	99.46
ATOM	5071	N	ASN	C	184	57.559	119.403	172.954	1.00	93.56
ATOM	5072	CA	ASN	C	184	57.909	118.022	172.656	1.00	91.67
ATOM	5073	C	ASN	C	184	58.514	117.254	173.828	1.00	90.06
ATOM	5074	O	ASN	C	184	59.732	117.069	173.903	1.00	90.06
ATOM	5075	CB	ASN	C	184	58.860	117.962	171.456	1.00	91.31
ATOM	5076	CG	ASN	C	184	59.028	116.548	170.923	1.00	91.14
ATOM	5077	OD1	ASN	C	184	58.043	115.847	170.674	1.00	89.90
ATOM	5078	ND2	ASN	C	184	60.274	116.124	170.741	1.00	89.51
ATOM	5079	N	ILE	C	185	57.659	116.784	174.730	1.00	86.87
ATOM	5080	CA	ILE	C	185	58.140	116.033	175.881	1.00	83.79
ATOM	5081	C	ILE	C	185	58.530	114.600	175.537	1.00	80.97
ATOM	5082	O	ILE	C	185	57.787	113.871	174.876	1.00	79.68

ATOM	5083	CB	ILE	C	185	57.102	116.001	177.018	1.00	83.49
ATOM	5084	CG1	ILE	C	185	56.888	117.416	177.572	1.00	83.02
ATOM	5085	CG2	ILE	C	185	57.558	115.039	178.102	1.00	82.39
ATOM	5086	CD1	ILE	C	185	58.174	118.217	177.776	1.00	83.61
ATOM	5087	N	THR	C	186	59.706	114.210	176.017	1.00	78.43
ATOM	5088	CA	THR	C	186	60.247	112.881	175.782	1.00	73.65
ATOM	5089	C	THR	C	186	60.887	112.368	177.069	1.00	69.83
ATOM	5090	O	THR	C	186	61.945	112.848	177.472	1.00	70.07
ATOM	5091	CB	THR	C	186	61.312	112.944	174.697	1.00	73.77
ATOM	5092	OG1	THR	C	186	61.000	114.022	173.807	1.00	74.50
ATOM	5093	CG2	THR	C	186	61.359	111.640	173.919	1.00	72.07
ATOM	5094	N	TYR	C	187	60.248	111.394	177.707	1.00	64.92
ATOM	5095	CA	TYR	C	187	60.771	110.842	178.949	1.00	61.67
ATOM	5096	C	TYR	C	187	60.723	109.315	178.963	1.00	59.90
ATOM	5097	O	TYR	C	187	60.040	108.693	178.149	1.00	59.17
ATOM	5098	CB	TYR	C	187	59.965	111.378	180.124	1.00	59.61
ATOM	5099	CG	TYR	C	187	58.604	110.741	180.229	1.00	59.20
ATOM	5100	CD1	TYR	C	187	57.523	111.235	179.508	1.00	58.47
ATOM	5101	CD2	TYR	C	187	58.396	109.632	181.041	1.00	59.65
ATOM	5102	CE1	TYR	C	187	56.271	110.642	179.597	1.00	58.58
ATOM	5103	CE2	TYR	C	187	57.146	109.034	181.138	1.00	58.31
ATOM	5104	CZ	TYR	C	187	56.092	109.545	180.418	1.00	58.62
ATOM	5105	OH	TYR	C	187	54.852	108.975	180.544	1.00	60.83
ATOM	5106	N	ARG	C	188	61.454	108.728	179.909	1.00	58.38
ATOM	5107	CA	ARG	C	188	61.532	107.275	180.099	1.00	53.57
ATOM	5108	C	ARG	C	188	61.547	107.009	181.602	1.00	47.79
ATOM	5109	O	ARG	C	188	62.094	107.804	182.353	1.00	47.71
ATOM	5110	CB	ARG	C	188	62.826	106.726	179.490	1.00	55.50
ATOM	5111	CG	ARG	C	188	63.017	107.037	178.018	1.00	59.28
ATOM	5112	CD	ARG	C	188	64.360	106.531	177.507	1.00	58.45
ATOM	5113	NE	ARG	C	188	64.468	105.079	177.574	1.00	60.89
ATOM	5114	CZ	ARG	C	188	63.657	104.244	176.934	1.00	60.97
ATOM	5115	NH1	ARG	C	188	62.681	104.721	176.179	1.00	60.80
ATOM	5116	NH2	ARG	C	188	63.814	102.935	177.050	1.00	60.54
ATOM	5117	N	THR	C	189	60.955	105.909	182.050	1.00	41.10
ATOM	5118	CA	THR	C	189	60.970	105.623	183.478	1.00	37.09
ATOM	5119	C	THR	C	189	61.698	104.338	183.808	1.00	38.12
ATOM	5120	O	THR	C	189	61.890	103.488	182.937	1.00	40.72
ATOM	5121	CB	THR	C	189	59.595	105.488	184.041	1.00	33.05
ATOM	5122	OG1	THR	C	189	58.974	104.330	183.474	1.00	33.83
ATOM	5123	CG2	THR	C	189	58.792	106.731	183.749	1.00	33.49
ATOM	5124	N	ILE	C	190	62.103	104.195	185.071	1.00	34.92
ATOM	5125	CA	ILE	C	190	62.809	103.003	185.502	1.00	33.25
ATOM	5126	C	ILE	C	190	61.813	102.056	186.150	1.00	35.06
ATOM	5127	O	ILE	C	190	61.160	102.424	187.120	1.00	36.90
ATOM	5128	CB	ILE	C	190	63.941	103.374	186.463	1.00	30.73
ATOM	5129	CG1	ILE	C	190	64.968	104.219	185.708	1.00	28.57
ATOM	5130	CG2	ILE	C	190	64.616	102.133	186.995	1.00	27.84
ATOM	5131	CD1	ILE	C	190	66.158	104.627	186.532	1.00	27.76
ATOM	5132	N	ASN	C	191	61.687	100.845	185.601	1.00	34.92
ATOM	5133	CA	ASN	C	191	60.725	99.865	186.117	1.00	35.27
ATOM	5134	C	ASN	C	191	61.189	98.973	187.269	1.00	33.76
ATOM	5135	O	ASN	C	191	62.372	98.935	187.612	1.00	33.41
ATOM	5136	CB	ASN	C	191	60.217	98.965	184.979	1.00	40.30
ATOM	5137	CG	ASN	C	191	61.270	97.981	184.493	1.00	41.74
ATOM	5138	OD1	ASN	C	191	61.824	97.212	185.272	1.00	41.77
ATOM	5139	ND2	ASN	C	191	61.542	98.000	183.200	1.00	45.80
ATOM	5140	N	ASP	C	192	60.229	98.233	187.827	1.00	30.69
ATOM	5141	CA	ASP	C	192	60.449	97.324	188.949	1.00	28.66
ATOM	5142	C	ASP	C	192	61.692	96.458	188.856	1.00	28.78
ATOM	5143	O	ASP	C	192	62.135	95.896	189.852	1.00	30.90
ATOM	5144	CB	ASP	C	192	59.235	96.420	189.132	1.00	30.64

ATOM	5145	CG	ASP	C	192	58.055	97.135	189.776	1.00	35.83
ATOM	5146	OD1	ASP	C	192	58.231	98.275	190.260	1.00	42.61
ATOM	5147	OD2	ASP	C	192	56.949	96.556	189.812	1.00	34.23
ATOM	5148	N	TYR	C	193	62.274	96.354	187.670	1.00	29.97
ATOM	5149	CA	TYR	C	193	63.457	95.523	187.497	1.00	29.61
ATOM	5150	C	TYR	C	193	64.690	96.346	187.183	1.00	32.19
ATOM	5151	O	TYR	C	193	65.725	95.808	186.754	1.00	31.59
ATOM	5152	CB	TYR	C	193	63.193	94.492	186.411	1.00	25.39
ATOM	5153	CG	TYR	C	193	61.903	93.773	186.664	1.00	23.96
ATOM	5154	CD1	TYR	C	193	61.764	92.936	187.759	1.00	24.93
ATOM	5155	CD2	TYR	C	193	60.800	93.977	185.855	1.00	23.71
ATOM	5156	CE1	TYR	C	193	60.560	92.322	188.039	1.00	27.61
ATOM	5157	CE2	TYR	C	193	59.582	93.363	186.127	1.00	22.51
ATOM	5158	CZ	TYR	C	193	59.466	92.535	187.217	1.00	23.74
ATOM	5159	OH	TYR	C	193	58.272	91.897	187.489	1.00	23.44
ATOM	5160	N	GLY	C	194	64.564	97.654	187.413	1.00	31.68
ATOM	5161	CA	GLY	C	194	65.669	98.570	187.208	1.00	34.08
ATOM	5162	C	GLY	C	194	66.012	98.732	185.754	1.00	36.27
ATOM	5163	O	GLY	C	194	67.143	99.103	185.402	1.00	34.89
ATOM	5164	N	ALA	C	195	65.018	98.449	184.915	1.00	38.40
ATOM	5165	CA	ALA	C	195	65.163	98.544	183.469	1.00	38.48
ATOM	5166	C	ALA	C	195	64.332	99.702	182.929	1.00	38.01
ATOM	5167	O	ALA	C	195	63.224	99.972	183.415	1.00	33.52
ATOM	5168	CB	ALA	C	195	64.725	97.229	182.820	1.00	40.96
ATOM	5169	N	LEU	C	196	64.892	100.383	181.932	1.00	38.03
ATOM	5170	CA	LEU	C	196	64.248	101.515	181.277	1.00	40.42
ATOM	5171	C	LEU	C	196	63.019	101.090	180.508	1.00	44.11
ATOM	5172	O	LEU	C	196	62.993	100.015	179.910	1.00	45.93
ATOM	5173	CB	LEU	C	196	65.198	102.154	180.281	1.00	37.42
ATOM	5174	CG	LEU	C	196	66.213	103.166	180.782	1.00	38.38
ATOM	5175	CD1	LEU	C	196	67.539	102.969	180.074	1.00	35.95
ATOM	5176	CD2	LEU	C	196	65.664	104.556	180.552	1.00	38.34
ATOM	5177	N	THR	C	197	62.000	101.938	180.520	1.00	46.90
ATOM	5178	CA	THR	C	197	60.792	101.654	179.769	1.00	49.66
ATOM	5179	C	THR	C	197	60.915	102.507	178.500	1.00	52.63
ATOM	5180	O	THR	C	197	61.719	103.446	178.447	1.00	51.46
ATOM	5181	CB	THR	C	197	59.495	102.019	180.565	1.00	49.04
ATOM	5182	OG1	THR	C	197	59.341	103.445	180.668	1.00	48.16
ATOM	5183	CG2	THR	C	197	59.556	101.415	181.942	1.00	49.44
ATOM	5184	N	PRO	C	198	60.130	102.181	177.462	1.00	53.58
ATOM	5185	CA	PRO	C	198	60.114	102.877	176.171	1.00	54.38
ATOM	5186	C	PRO	C	198	59.834	104.377	176.228	1.00	54.45
ATOM	5187	O	PRO	C	198	59.053	104.835	177.074	1.00	53.23
ATOM	5188	CB	PRO	C	198	59.030	102.129	175.400	1.00	58.98
ATOM	5189	CG	PRO	C	198	58.092	101.664	176.521	1.00	57.83
ATOM	5190	CD	PRO	C	198	59.081	101.146	177.512	1.00	53.07
ATOM	5191	N	LYS	C	199	60.458	105.127	175.309	1.00	53.70
ATOM	5192	CA	LYS	C	199	60.278	106.574	175.235	1.00	51.99
ATOM	5193	C	LYS	C	199	58.801	106.837	175.254	1.00	50.92
ATOM	5194	O	LYS	C	199	58.008	105.933	175.035	1.00	51.43
ATOM	5195	CB	LYS	C	199	60.869	107.151	173.951	1.00	50.31
ATOM	5196	CG	LYS	C	199	62.386	107.197	173.946	1.00	57.50
ATOM	5197	CD	LYS	C	199	62.936	108.088	172.828	1.00	60.17
ATOM	5198	CE	LYS	C	199	64.446	108.308	172.974	1.00	61.19
ATOM	5199	NZ	LYS	C	199	64.982	109.267	171.964	1.00	59.96
ATOM	5200	N	MET	C	200	58.425	108.071	175.536	1.00	51.04
ATOM	5201	CA	MET	C	200	57.018	108.426	175.569	1.00	52.76
ATOM	5202	C	MET	C	200	56.911	109.911	175.349	1.00	53.31
ATOM	5203	O	MET	C	200	57.873	110.643	175.588	1.00	54.04
ATOM	5204	CB	MET	C	200	56.389	108.011	176.904	1.00	52.04
ATOM	5205	CG	MET	C	200	56.157	106.505	176.994	1.00	52.52
ATOM	5206	SD	MET	C	200	55.724	105.889	178.617	1.00	56.73

ATOM	5207	CE	MET	C	200	53.992	106.238	178.655	1.00	56.28
ATOM	5208	N	THR	C	201	55.757	110.357	174.867	1.00	53.70
ATOM	5209	CA	THR	C	201	55.571	111.774	174.614	1.00	53.69
ATOM	5210	C	THR	C	201	54.666	112.415	175.651	1.00	55.26
ATOM	5211	O	THR	C	201	53.549	111.958	175.897	1.00	54.38
ATOM	5212	CB	THR	C	201	55.008	112.002	173.215	1.00	51.69
ATOM	5213	OG1	THR	C	201	55.859	111.347	172.265	1.00	46.28
ATOM	5214	CG2	THR	C	201	54.950	113.498	172.899	1.00	49.27
ATOM	5215	N	GLY	C	202	55.174	113.479	176.260	1.00	56.74
ATOM	5216	CA	GLY	C	202	54.426	114.177	177.285	1.00	62.01
ATOM	5217	C	GLY	C	202	53.025	114.612	176.906	1.00	64.37
ATOM	5218	O	GLY	C	202	52.816	115.293	175.903	1.00	65.68
ATOM	5219	N	VAL	C	203	52.066	114.216	177.735	1.00	66.84
ATOM	5220	CA	VAL	C	203	50.658	114.545	177.547	1.00	68.27
ATOM	5221	C	VAL	C	203	50.223	115.521	178.638	1.00	69.86
ATOM	5222	O	VAL	C	203	49.892	115.093	179.753	1.00	69.68
ATOM	5223	CB	VAL	C	203	49.784	113.275	177.664	1.00	69.06
ATOM	5224	CG1	VAL	C	203	48.302	113.635	177.544	1.00	66.70
ATOM	5225	CG2	VAL	C	203	50.200	112.266	176.607	1.00	66.96
ATOM	5226	N	MET	C	204	50.226	116.820	178.330	1.00	71.03
ATOM	5227	CA	MET	C	204	49.823	117.826	179.315	1.00	73.57
ATOM	5228	C	MET	C	204	48.414	117.534	179.795	1.00	74.49
ATOM	5229	O	MET	C	204	47.639	116.872	179.108	1.00	76.23
ATOM	5230	CB	MET	C	204	49.866	119.235	178.725	1.00	73.45
ATOM	5231	CG	MET	C	204	51.258	119.760	178.460	1.00	78.56
ATOM	5232	SD	MET	C	204	52.193	118.690	177.349	1.00	86.15
ATOM	5233	CE	MET	C	204	51.544	119.184	175.747	1.00	85.49
ATOM	5234	N	GLU	C	205	48.088	118.017	180.983	1.00	75.24
ATOM	5235	CA	GLU	C	205	46.763	117.805	181.536	1.00	76.99
ATOM	5236	C	GLU	C	205	45.864	118.954	181.096	1.00	77.92
ATOM	5237	O	GLU	C	205	44.834	118.685	180.442	1.00	77.88
ATOM	5238	CB	GLU	C	205	46.842	117.761	183.054	1.00	78.51
ATOM	5239	CG	GLU	C	205	47.584	118.940	183.629	1.00	82.11
ATOM	5240	CD	GLU	C	205	47.568	118.947	185.131	1.00	86.47
ATOM	5241	OE1	GLU	C	205	46.964	118.018	185.724	1.00	86.62
ATOM	5242	OE2	GLU	C	205	48.159	119.885	185.714	1.00	87.89
ATOM	5243	OXT	GLU	C	205	46.207	120.116	181.405	1.00	78.63
ATOM	5244	N	PHE	D	1	55.986	54.843	165.777	1.00	24.85
ATOM	5245	CA	PHE	D	1	56.409	55.806	166.830	1.00	19.68
ATOM	5246	C	PHE	D	1	55.722	57.152	166.571	1.00	17.87
ATOM	5247	O	PHE	D	1	55.683	57.656	165.447	1.00	13.96
ATOM	5248	CB	PHE	D	1	57.945	55.916	166.807	1.00	19.54
ATOM	5249	CG	PHE	D	1	58.506	56.941	167.753	1.00	19.73
ATOM	5250	CD1	PHE	D	1	58.582	58.279	167.383	1.00	19.71
ATOM	5251	CD2	PHE	D	1	58.930	56.568	169.024	1.00	17.19
ATOM	5252	CE1	PHE	D	1	59.059	59.215	168.253	1.00	19.42
ATOM	5253	CE2	PHE	D	1	59.409	57.490	169.903	1.00	13.91
ATOM	5254	CZ	PHE	D	1	59.476	58.823	169.523	1.00	24.62
ATOM	5255	N	ALA	D	2	55.149	57.725	167.616	1.00	18.36
ATOM	5256	CA	ALA	D	2	54.472	59.008	167.473	1.00	22.74
ATOM	5257	C	ALA	D	2	54.605	59.875	168.725	1.00	25.12
ATOM	5258	O	ALA	D	2	54.888	59.373	169.825	1.00	26.63
ATOM	5259	CB	ALA	D	2	53.015	58.784	167.160	1.00	21.95
ATOM	5260	N	CYS	D	3	54.407	61.177	168.566	1.00	22.30
ATOM	5261	CA	CYS	D	3	54.500	62.045	169.708	1.00	24.82
ATOM	5262	C	CYS	D	3	53.386	63.061	169.640	1.00	27.70
ATOM	5263	O	CYS	D	3	52.916	63.400	168.554	1.00	30.31
ATOM	5264	CB	CYS	D	3	55.834	62.763	169.720	1.00	27.78
ATOM	5265	SG	CYS	D	3	57.314	61.725	169.546	1.00	34.05
ATOM	5266	N	LYS	D	4	52.948	63.533	170.799	1.00	26.28
ATOM	5267	CA	LYS	D	4	51.908	64.527	170.836	1.00	28.84
ATOM	5268	C	LYS	D	4	52.318	65.577	171.852	1.00	30.64

ATOM	5269	O	LYS	D	4	53.102	65.327	172.773	1.00	31.43
ATOM	5270	CB	LYS	D	4	50.552	63.908	171.202	1.00	32.55
ATOM	5271	CG	LYS	D	4	50.269	63.788	172.704	1.00	41.26
ATOM	5272	CD	LYS	D	4	48.905	63.131	173.024	1.00	48.35
ATOM	5273	CE	LYS	D	4	47.678	63.843	172.379	1.00	56.28
ATOM	5274	NZ	LYS	D	4	47.388	63.487	170.933	1.00	56.46
ATOM	5275	N	THR	D	5	51.770	66.763	171.662	1.00	30.44
ATOM	5276	CA	THR	D	5	52.055	67.907	172.487	1.00	28.04
ATOM	5277	C	THR	D	5	51.038	67.967	173.614	1.00	31.60
ATOM	5278	O	THR	D	5	49.887	67.580	173.441	1.00	32.34
ATOM	5279	CB	THR	D	5	51.996	69.178	171.594	1.00	22.21
ATOM	5280	OG1	THR	D	5	53.227	69.895	171.692	1.00	21.66
ATOM	5281	CG2	THR	D	5	50.859	70.060	171.974	1.00	17.01
ATOM	5282	N	ALA	D	6	51.465	68.443	174.776	1.00	34.46
ATOM	5283	CA	ALA	D	6	50.567	68.559	175.912	1.00	33.67
ATOM	5284	C	ALA	D	6	49.304	69.270	175.480	1.00	35.02
ATOM	5285	O	ALA	D	6	48.227	68.929	175.934	1.00	35.41
ATOM	5286	CB	ALA	D	6	51.234	69.320	177.016	1.00	37.96
ATOM	5287	N	ASN	D	7	49.441	70.261	174.602	1.00	39.58
ATOM	5288	CA	ASN	D	7	48.289	71.012	174.093	1.00	43.85
ATOM	5289	C	ASN	D	7	47.442	70.147	173.174	1.00	45.69
ATOM	5290	O	ASN	D	7	46.386	70.574	172.704	1.00	48.99
ATOM	5291	CB	ASN	D	7	48.741	72.228	173.297	1.00	47.12
ATOM	5292	CG	ASN	D	7	49.199	73.359	174.168	1.00	54.52
ATOM	5293	OD1	ASN	D	7	48.400	73.954	174.897	1.00	59.96
ATOM	5294	ND2	ASN	D	7	50.498	73.676	174.101	1.00	57.20
ATOM	5295	N	GLY	D	8	47.921	68.941	172.894	1.00	44.90
ATOM	5296	CA	GLY	D	8	47.180	68.044	172.029	1.00	43.81
ATOM	5297	C	GLY	D	8	47.733	67.866	170.623	1.00	42.96
ATOM	5298	O	GLY	D	8	47.410	66.876	169.969	1.00	45.03
ATOM	5299	N	THR	D	9	48.561	68.801	170.149	1.00	41.11
ATOM	5300	CA	THR	D	9	49.127	68.721	168.795	1.00	36.02
ATOM	5301	C	THR	D	9	50.061	67.551	168.578	1.00	35.44
ATOM	5302	O	THR	D	9	50.967	67.327	169.383	1.00	36.85
ATOM	5303	CB	THR	D	9	49.868	69.982	168.449	1.00	30.83
ATOM	5304	OG1	THR	D	9	48.918	71.032	168.271	1.00	39.60
ATOM	5305	CG2	THR	D	9	50.643	69.805	167.188	1.00	25.98
ATOM	5306	N	ALA	D	10	49.864	66.824	167.475	1.00	31.48
ATOM	5307	CA	ALA	D	10	50.687	65.655	167.201	1.00	27.30
ATOM	5308	C	ALA	D	10	51.515	65.674	165.938	1.00	26.05
ATOM	5309	O	ALA	D	10	51.281	66.457	165.027	1.00	26.29
ATOM	5310	CB	ALA	D	10	49.825	64.431	167.195	1.00	26.53
ATOM	5311	N	ILE	D	11	52.505	64.794	165.914	1.00	24.42
ATOM	5312	CA	ILE	D	11	53.382	64.620	164.767	1.00	24.52
ATOM	5313	C	ILE	D	11	53.319	63.123	164.566	1.00	24.71
ATOM	5314	O	ILE	D	11	53.789	62.367	165.398	1.00	31.60
ATOM	5315	CB	ILE	D	11	54.829	65.018	165.065	1.00	22.32
ATOM	5316	CG1	ILE	D	11	54.897	66.499	165.436	1.00	26.43
ATOM	5317	CG2	ILE	D	11	55.685	64.749	163.852	1.00	23.44
ATOM	5318	CD1	ILE	D	11	56.304	67.018	165.681	1.00	23.32
ATOM	5319	N	PRO	D	12	52.720	62.673	163.466	1.00	22.34
ATOM	5320	CA	PRO	D	12	52.576	61.245	163.158	1.00	20.38
ATOM	5321	C	PRO	D	12	53.867	60.536	162.826	1.00	19.38
ATOM	5322	O	PRO	D	12	54.903	61.183	162.807	1.00	18.41
ATOM	5323	CB	PRO	D	12	51.601	61.261	161.992	1.00	23.03
ATOM	5324	CG	PRO	D	12	51.935	62.568	161.300	1.00	19.78
ATOM	5325	CD	PRO	D	12	52.081	63.515	162.437	1.00	20.15
ATOM	5326	N	ILE	D	13	53.800	59.221	162.577	1.00	18.49
ATOM	5327	CA	ILE	D	13	54.987	58.442	162.201	1.00	24.50
ATOM	5328	C	ILE	D	13	55.592	59.104	160.992	1.00	25.60
ATOM	5329	O	ILE	D	13	54.872	59.665	160.176	1.00	28.95
ATOM	5330	CB	ILE	D	13	54.682	56.987	161.767	1.00	27.56

ATOM	5331	CG1	ILE	D	13	53.409	56.962	160.946	1.00	30.75
ATOM	5332	CG2	ILE	D	13	54.650	56.043	162.966	1.00	31.16
ATOM	5333	CD1	ILE	D	13	52.843	55.575	160.789	1.00	35.22
ATOM	5334	N	GLY	D	14	56.908	59.017	160.862	1.00	26.94
ATOM	5335	CA	GLY	D	14	57.577	59.664	159.747	1.00	28.81
ATOM	5336	C	GLY	D	14	58.141	60.997	160.212	1.00	26.94
ATOM	5337	O	GLY	D	14	59.101	61.519	159.644	1.00	25.81
ATOM	5338	N	GLY	D	15	57.531	61.541	161.261	1.00	26.42
ATOM	5339	CA	GLY	D	15	57.977	62.802	161.812	1.00	27.28
ATOM	5340	C	GLY	D	15	57.333	64.025	161.193	1.00	28.06
ATOM	5341	O	GLY	D	15	56.392	63.937	160.406	1.00	33.24
ATOM	5342	N	GLY	D	16	57.865	65.182	161.545	1.00	24.11
ATOM	5343	CA	GLY	D	16	57.324	66.424	161.052	1.00	16.65
ATOM	5344	C	GLY	D	16	57.661	67.424	162.132	1.00	18.34
ATOM	5345	O	GLY	D	16	58.711	67.307	162.762	1.00	21.50
ATOM	5346	N	SER	D	17	56.786	68.388	162.382	1.00	13.14
ATOM	5347	CA	SER	D	17	57.100	69.358	163.397	1.00	11.19
ATOM	5348	C	SER	D	17	55.893	69.923	164.105	1.00	9.79
ATOM	5349	O	SER	D	17	54.770	69.678	163.720	1.00	9.52
ATOM	5350	CB	SER	D	17	57.923	70.468	162.779	1.00	11.57
ATOM	5351	OG	SER	D	17	57.164	71.124	161.792	1.00	17.32
ATOM	5352	N	ALA	D	18	56.134	70.665	165.179	1.00	12.65
ATOM	5353	CA	ALA	D	18	55.051	71.249	165.962	1.00	13.82
ATOM	5354	C	ALA	D	18	55.605	72.287	166.885	1.00	14.70
ATOM	5355	O	ALA	D	18	56.782	72.264	167.224	1.00	17.69
ATOM	5356	CB	ALA	D	18	54.346	70.180	166.796	1.00	10.27
ATOM	5357	N	ASN	D	19	54.729	73.189	167.296	1.00	17.13
ATOM	5358	CA	ASN	D	19	55.081	74.251	168.211	1.00	15.32
ATOM	5359	C	ASN	D	19	54.756	73.809	169.606	1.00	18.13
ATOM	5360	O	ASN	D	19	53.715	73.215	169.886	1.00	19.19
ATOM	5361	CB	ASN	D	19	54.277	75.511	167.926	1.00	14.17
ATOM	5362	CG	ASN	D	19	54.780	76.260	166.725	1.00	17.84
ATOM	5363	OD1	ASN	D	19	55.775	75.867	166.086	1.00	14.45
ATOM	5364	ND2	ASN	D	19	54.103	77.361	166.406	1.00	13.37
ATOM	5365	N	VAL	D	20	55.665	74.131	170.493	1.00	21.41
ATOM	5366	CA	VAL	D	20	55.514	73.820	171.891	1.00	23.55
ATOM	5367	C	VAL	D	20	55.608	75.161	172.597	1.00	23.05
ATOM	5368	O	VAL	D	20	56.687	75.748	172.672	1.00	23.66
ATOM	5369	CB	VAL	D	20	56.651	72.911	172.321	1.00	25.95
ATOM	5370	CG1	VAL	D	20	56.601	72.660	173.816	1.00	20.77
ATOM	5371	CG2	VAL	D	20	56.570	71.625	171.507	1.00	27.92
ATOM	5372	N	TYR	D	21	54.480	75.663	173.083	1.00	22.08
ATOM	5373	CA	TYR	D	21	54.480	76.953	173.780	1.00	21.82
ATOM	5374	C	TYR	D	21	54.745	76.794	175.292	1.00	21.77
ATOM	5375	O	TYR	D	21	54.218	75.881	175.934	1.00	19.07
ATOM	5376	CB	TYR	D	21	53.149	77.666	173.541	1.00	20.99
ATOM	5377	CG	TYR	D	21	52.742	77.679	172.082	1.00	18.95
ATOM	5378	CD1	TYR	D	21	52.056	76.615	171.521	1.00	17.81
ATOM	5379	CD2	TYR	D	21	53.091	78.742	171.258	1.00	20.05
ATOM	5380	CE1	TYR	D	21	51.734	76.606	170.184	1.00	20.31
ATOM	5381	CE2	TYR	D	21	52.776	78.743	169.918	1.00	22.06
ATOM	5382	CZ	TYR	D	21	52.100	77.674	169.382	1.00	22.53
ATOM	5383	OH	TYR	D	21	51.813	77.675	168.036	1.00	24.38
ATOM	5384	N	VAL	D	22	55.568	77.682	175.849	1.00	19.69
ATOM	5385	CA	VAL	D	22	55.912	77.621	177.263	1.00	17.57
ATOM	5386	C	VAL	D	22	55.790	78.924	178.013	1.00	19.37
ATOM	5387	O	VAL	D	22	56.046	79.994	177.468	1.00	20.30
ATOM	5388	CB	VAL	D	22	57.331	77.170	177.456	1.00	14.29
ATOM	5389	CG1	VAL	D	22	57.531	75.813	176.855	1.00	19.47
ATOM	5390	CG2	VAL	D	22	58.251	78.153	176.813	1.00	21.70
ATOM	5391	N	ASN	D	23	55.398	78.817	179.280	1.00	23.80
ATOM	5392	CA	ASN	D	23	55.283	79.966	180.172	1.00	24.63

ATOM	5393	C	ASN	D	23	56.513	79.838	181.078	1.00	27.56
ATOM	5394	O	ASN	D	23	56.547	78.980	181.966	1.00	30.26
ATOM	5395	CB	ASN	D	23	54.025	79.858	181.012	1.00	26.34
ATOM	5396	CG	ASN	D	23	52.812	79.534	180.196	1.00	29.65
ATOM	5397	OD1	ASN	D	23	52.363	80.332	179.381	1.00	37.39
ATOM	5398	ND2	ASN	D	23	52.268	78.349	180.405	1.00	34.92
ATOM	5399	N	LEU	D	24	57.530	80.667	180.834	1.00	26.97
ATOM	5400	CA	LEU	D	24	58.777	80.637	181.603	1.00	23.31
ATOM	5401	C	LEU	D	24	58.684	81.540	182.818	1.00	25.70
ATOM	5402	O	LEU	D	24	57.843	82.460	182.872	1.00	25.80
ATOM	5403	CB	LEU	D	24	59.935	81.092	180.727	1.00	19.60
ATOM	5404	CG	LEU	D	24	60.015	80.390	179.362	1.00	18.75
ATOM	5405	CD1	LEU	D	24	60.560	81.351	178.334	1.00	21.71
ATOM	5406	CD2	LEU	D	24	60.890	79.149	179.441	1.00	18.19
ATOM	5407	N	ALA	D	25	59.540	81.273	183.801	1.00	25.39
ATOM	5408	CA	ALA	D	25	59.554	82.074	185.027	1.00	23.22
ATOM	5409	C	ALA	D	25	59.751	83.530	184.625	1.00	24.12
ATOM	5410	O	ALA	D	25	60.729	83.894	183.946	1.00	25.70
ATOM	5411	CB	ALA	D	25	60.665	81.620	185.933	1.00	27.10
ATOM	5412	N	PRO	D	26	58.833	84.390	185.056	1.00	21.10
ATOM	5413	CA	PRO	D	26	58.839	85.827	184.762	1.00	23.65
ATOM	5414	C	PRO	D	26	60.149	86.556	185.044	1.00	24.68
ATOM	5415	O	PRO	D	26	60.571	87.426	184.289	1.00	24.35
ATOM	5416	CB	PRO	D	26	57.709	86.372	185.634	1.00	19.74
ATOM	5417	CG	PRO	D	26	56.875	85.180	185.930	1.00	24.93
ATOM	5418	CD	PRO	D	26	57.886	84.090	186.131	1.00	19.24
ATOM	5419	N	VAL	D	27	60.780	86.192	186.150	1.00	26.90
ATOM	5420	CA	VAL	D	27	62.008	86.826	186.578	1.00	25.64
ATOM	5421	C	VAL	D	27	63.106	85.828	186.883	1.00	25.87
ATOM	5422	O	VAL	D	27	62.878	84.810	187.514	1.00	24.73
ATOM	5423	CB	VAL	D	27	61.734	87.673	187.833	1.00	24.24
ATOM	5424	CG1	VAL	D	27	62.988	88.405	188.271	1.00	24.61
ATOM	5425	CG2	VAL	D	27	60.616	88.650	187.547	1.00	24.54
ATOM	5426	N	VAL	D	28	64.304	86.144	186.425	1.00	28.79
ATOM	5427	CA	VAL	D	28	65.461	85.303	186.644	1.00	32.10
ATOM	5428	C	VAL	D	28	66.651	86.245	186.806	1.00	35.80
ATOM	5429	O	VAL	D	28	66.892	87.115	185.966	1.00	37.07
ATOM	5430	CB	VAL	D	28	65.675	84.360	185.447	1.00	30.34
ATOM	5431	CG1	VAL	D	28	66.942	83.554	185.613	1.00	29.46
ATOM	5432	CG2	VAL	D	28	64.502	83.431	185.343	1.00	33.39
ATOM	5433	N	ASN	D	29	67.376	86.080	187.906	1.00	37.86
ATOM	5434	CA	ASN	D	29	68.531	86.916	188.207	1.00	36.81
ATOM	5435	C	ASN	D	29	69.787	86.294	187.635	1.00	35.14
ATOM	5436	O	ASN	D	29	69.822	85.094	187.368	1.00	33.84
ATOM	5437	CB	ASN	D	29	68.660	87.088	189.724	1.00	38.88
ATOM	5438	CG	ASN	D	29	67.498	87.887	190.322	1.00	46.13
ATOM	5439	OD1	ASN	D	29	67.362	89.090	190.073	1.00	48.62
ATOM	5440	ND2	ASN	D	29	66.652	87.216	191.104	1.00	47.12
ATOM	5441	N	VAL	D	30	70.814	87.112	187.430	1.00	33.09
ATOM	5442	CA	VAL	D	30	72.068	86.607	186.892	1.00	33.71
ATOM	5443	C	VAL	D	30	72.558	85.483	187.805	1.00	35.86
ATOM	5444	O	VAL	D	30	72.300	85.499	189.002	1.00	36.18
ATOM	5445	CB	VAL	D	30	73.125	87.722	186.816	1.00	28.94
ATOM	5446	CG1	VAL	D	30	74.386	87.219	186.141	1.00	30.26
ATOM	5447	CG2	VAL	D	30	72.568	88.886	186.048	1.00	31.02
ATOM	5448	N	GLY	D	31	73.236	84.489	187.240	1.00	38.85
ATOM	5449	CA	GLY	D	31	73.732	83.401	188.065	1.00	41.61
ATOM	5450	C	GLY	D	31	72.644	82.418	188.443	1.00	42.65
ATOM	5451	O	GLY	D	31	72.933	81.272	188.787	1.00	43.50
ATOM	5452	N	GLN	D	32	71.392	82.865	188.377	1.00	42.46
ATOM	5453	CA	GLN	D	32	70.246	82.019	188.702	1.00	43.14
ATOM	5454	C	GLN	D	32	69.893	81.166	187.474	1.00	43.63

ATOM	5455	O	GLN	D	32	70.505	81.295	186.411	1.00	44.95
ATOM	5456	CB	GLN	D	32	69.063	82.903	189.098	1.00	44.30
ATOM	5457	CG	GLN	D	32	67.965	82.223	189.880	1.00	48.24
ATOM	5458	CD	GLN	D	32	67.005	83.228	190.522	1.00	55.16
ATOM	5459	OE1	GLN	D	32	66.214	83.883	189.837	1.00	55.59
ATOM	5460	NE2	GLN	D	32	67.087	83.362	191.844	1.00	56.30
ATOM	5461	N	ASN	D	33	68.895	80.304	187.599	1.00	42.34
ATOM	5462	CA	ASN	D	33	68.537	79.453	186.475	1.00	39.92
ATOM	5463	C	ASN	D	33	67.129	79.523	185.902	1.00	41.43
ATOM	5464	O	ASN	D	33	66.126	79.703	186.607	1.00	39.74
ATOM	5465	CB	ASN	D	33	68.829	77.998	186.816	1.00	34.96
ATOM	5466	CG	ASN	D	33	70.106	77.516	186.202	1.00	34.93
ATOM	5467	OD1	ASN	D	33	70.539	76.387	186.436	1.00	29.41
ATOM	5468	ND2	ASN	D	33	70.725	78.369	185.399	1.00	36.25
ATOM	5469	N	LEU	D	34	67.081	79.374	184.587	1.00	41.69
ATOM	5470	CA	LEU	D	34	65.830	79.345	183.869	1.00	41.39
ATOM	5471	C	LEU	D	34	65.772	77.901	183.404	1.00	40.79
ATOM	5472	O	LEU	D	34	66.699	77.407	182.741	1.00	38.85
ATOM	5473	CB	LEU	D	34	65.851	80.286	182.667	1.00	40.48
ATOM	5474	CG	LEU	D	34	64.474	80.476	182.027	1.00	40.42
ATOM	5475	CD1	LEU	D	34	63.489	81.024	183.058	1.00	36.16
ATOM	5476	CD2	LEU	D	34	64.588	81.424	180.849	1.00	41.17
ATOM	5477	N	VAL	D	35	64.700	77.219	183.791	1.00	37.67
ATOM	5478	CA	VAL	D	35	64.532	75.836	183.424	1.00	36.23
ATOM	5479	C	VAL	D	35	63.262	75.700	182.607	1.00	36.08
ATOM	5480	O	VAL	D	35	62.200	76.202	182.992	1.00	35.80
ATOM	5481	CB	VAL	D	35	64.439	74.927	184.680	1.00	35.87
ATOM	5482	CG1	VAL	D	35	64.491	73.468	184.265	1.00	35.89
ATOM	5483	CG2	VAL	D	35	65.570	75.227	185.633	1.00	31.76
ATOM	5484	N	VAL	D	36	63.383	75.043	181.459	1.00	35.03
ATOM	5485	CA	VAL	D	36	62.230	74.822	180.601	1.00	33.30
ATOM	5486	C	VAL	D	36	62.120	73.322	180.561	1.00	33.70
ATOM	5487	O	VAL	D	36	62.825	72.668	179.798	1.00	33.47
ATOM	5488	CB	VAL	D	36	62.453	75.326	179.166	1.00	30.46
ATOM	5489	CG1	VAL	D	36	61.126	75.751	178.569	1.00	25.67
ATOM	5490	CG2	VAL	D	36	63.437	76.468	179.148	1.00	29.74
ATOM	5491	N	ASP	D	37	61.255	72.772	181.399	1.00	32.66
ATOM	5492	CA	ASP	D	37	61.113	71.334	181.441	1.00	35.51
ATOM	5493	C	ASP	D	37	60.121	70.888	180.401	1.00	36.79
ATOM	5494	O	ASP	D	37	58.912	71.032	180.591	1.00	39.24
ATOM	5495	CB	ASP	D	37	60.658	70.888	182.821	1.00	36.03
ATOM	5496	CG	ASP	D	37	60.929	69.426	183.063	1.00	41.83
ATOM	5497	OD1	ASP	D	37	61.758	68.848	182.301	1.00	37.39
ATOM	5498	OD2	ASP	D	37	60.326	68.870	184.019	1.00	44.67
ATOM	5499	N	LEU	D	38	60.633	70.336	179.304	1.00	35.78
ATOM	5500	CA	LEU	D	38	59.783	69.890	178.209	1.00	36.12
ATOM	5501	C	LEU	D	38	59.148	68.525	178.416	1.00	38.21
ATOM	5502	O	LEU	D	38	58.169	68.169	177.731	1.00	39.44
ATOM	5503	CB	LEU	D	38	60.578	69.920	176.911	1.00	32.78
ATOM	5504	CG	LEU	D	38	60.812	71.369	176.500	1.00	27.74
ATOM	5505	CD1	LEU	D	38	62.028	71.465	175.624	1.00	26.86
ATOM	5506	CD2	LEU	D	38	59.574	71.899	175.818	1.00	18.56
ATOM	5507	N	SER	D	39	59.703	67.782	179.375	1.00	38.57
ATOM	5508	CA	SER	D	39	59.226	66.453	179.746	1.00	34.97
ATOM	5509	C	SER	D	39	57.815	66.597	180.292	1.00	34.29
ATOM	5510	O	SER	D	39	57.235	65.646	180.811	1.00	35.11
ATOM	5511	CB	SER	D	39	60.121	65.868	180.829	1.00	32.64
ATOM	5512	OG	SER	D	39	60.013	66.640	182.010	1.00	30.75
ATOM	5513	N	THR	D	40	57.278	67.806	180.171	1.00	33.78
ATOM	5514	CA	THR	D	40	55.940	68.119	180.637	1.00	34.52
ATOM	5515	C	THR	D	40	55.039	68.434	179.468	1.00	36.12
ATOM	5516	O	THR	D	40	53.811	68.456	179.610	1.00	37.85

ATOM	5517	CB	THR	D	40	55.929	69.351	181.525	1.00	30.92
ATOM	5518	OG1	THR	D	40	56.958	69.244	182.503	1.00	31.74
ATOM	5519	CG2	THR	D	40	54.616	69.455	182.223	1.00	34.45
ATOM	5520	N	GLN	D	41	55.643	68.679	178.308	1.00	35.00
ATOM	5521	CA	GLN	D	41	54.848	69.025	177.153	1.00	32.99
ATOM	5522	C	GLN	D	41	55.091	68.230	175.891	1.00	33.14
ATOM	5523	O	GLN	D	41	54.466	68.489	174.862	1.00	35.18
ATOM	5524	CB	GLN	D	41	55.013	70.496	176.883	1.00	28.96
ATOM	5525	CG	GLN	D	41	54.684	71.289	178.086	1.00	25.98
ATOM	5526	CD	GLN	D	41	54.135	72.617	177.720	1.00	31.27
ATOM	5527	OE1	GLN	D	41	54.853	73.472	177.199	1.00	34.06
ATOM	5528	NE2	GLN	D	41	52.841	72.812	177.970	1.00	31.80
ATOM	5529	N	ILE	D	42	55.987	67.258	175.956	1.00	29.62
ATOM	5530	CA	ILE	D	42	56.236	66.443	174.785	1.00	29.14
ATOM	5531	C	ILE	D	42	56.206	64.962	175.129	1.00	30.33
ATOM	5532	O	ILE	D	42	57.053	64.463	175.868	1.00	28.83
ATOM	5533	CB	ILE	D	42	57.588	66.773	174.151	1.00	27.78
ATOM	5534	CG1	ILE	D	42	57.633	68.244	173.775	1.00	28.05
ATOM	5535	CG2	ILE	D	42	57.812	65.923	172.911	1.00	26.09
ATOM	5536	CD1	ILE	D	42	58.955	68.657	173.203	1.00	27.14
ATOM	5537	N	PHE	D	43	55.224	64.258	174.586	1.00	32.01
ATOM	5538	CA	PHE	D	43	55.125	62.838	174.827	1.00	35.11
ATOM	5539	C	PHE	D	43	55.201	62.015	173.554	1.00	36.64
ATOM	5540	O	PHE	D	43	54.712	62.419	172.501	1.00	38.94
ATOM	5541	CB	PHE	D	43	53.838	62.553	175.576	1.00	38.28
ATOM	5542	CG	PHE	D	43	53.742	63.298	176.853	1.00	41.39
ATOM	5543	CD1	PHE	D	43	53.320	64.622	176.860	1.00	41.29
ATOM	5544	CD2	PHE	D	43	54.201	62.724	178.038	1.00	39.33
ATOM	5545	CE1	PHE	D	43	53.365	65.369	178.030	1.00	43.92
ATOM	5546	CE2	PHE	D	43	54.251	63.460	179.211	1.00	39.73
ATOM	5547	CZ	PHE	D	43	53.837	64.786	179.211	1.00	40.36
ATOM	5548	N	CYS	D	44	55.829	60.854	173.660	1.00	37.53
ATOM	5549	CA	CYS	D	44	55.963	59.942	172.531	1.00	38.57
ATOM	5550	C	CYS	D	44	55.612	58.538	172.998	1.00	38.88
ATOM	5551	O	CYS	D	44	55.640	58.247	174.201	1.00	41.10
ATOM	5552	CB	CYS	D	44	57.393	59.944	172.010	1.00	39.57
ATOM	5553	SG	CYS	D	44	58.026	61.550	171.440	1.00	40.28
ATOM	5554	N	HIS	D	45	55.282	57.666	172.053	1.00	36.84
ATOM	5555	CA	HIS	D	45	54.935	56.293	172.400	1.00	35.65
ATOM	5556	C	HIS	D	45	55.415	55.383	171.312	1.00	33.73
ATOM	5557	O	HIS	D	45	55.622	55.811	170.186	1.00	37.25
ATOM	5558	CB	HIS	D	45	53.417	56.110	172.555	1.00	34.81
ATOM	5559	CG	HIS	D	45	52.657	56.254	171.276	1.00	35.85
ATOM	5560	ND1	HIS	D	45	51.927	57.382	170.964	1.00	38.86
ATOM	5561	CD2	HIS	D	45	52.582	55.448	170.192	1.00	38.82
ATOM	5562	CE1	HIS	D	45	51.444	57.268	169.740	1.00	38.38
ATOM	5563	NE2	HIS	D	45	51.829	56.105	169.249	1.00	40.54
ATOM	5564	N	ASN	D	46	55.583	54.119	171.660	1.00	33.04
ATOM	5565	CA	ASN	D	46	56.015	53.094	170.728	1.00	33.38
ATOM	5566	C	ASN	D	46	54.738	52.470	170.141	1.00	34.65
ATOM	5567	O	ASN	D	46	53.808	52.180	170.876	1.00	35.41
ATOM	5568	CB	ASN	D	46	56.812	52.061	171.497	1.00	32.18
ATOM	5569	CG	ASN	D	46	57.443	51.049	170.607	1.00	34.44
ATOM	5570	OD1	ASN	D	46	56.781	50.436	169.777	1.00	32.82
ATOM	5571	ND2	ASN	D	46	58.737	50.858	170.770	1.00	38.90
ATOM	5572	N	ASP	D	47	54.688	52.258	168.829	1.00	37.93
ATOM	5573	CA	ASP	D	47	53.481	51.715	168.186	1.00	43.34
ATOM	5574	C	ASP	D	47	53.272	50.195	168.180	1.00	45.85
ATOM	5575	O	ASP	D	47	52.154	49.711	168.360	1.00	46.78
ATOM	5576	CB	ASP	D	47	53.372	52.232	166.741	1.00	43.00
ATOM	5577	CG	ASP	D	47	52.790	53.637	166.661	1.00	44.13
ATOM	5578	OD1	ASP	D	47	51.784	53.903	167.354	1.00	42.68

ATOM	5579	OD2	ASP	D	47	53.325	54.471	165.897	1.00	44.15
ATOM	5580	N	TYR	D	48	54.331	49.439	167.943	1.00	48.31
ATOM	5581	CA	TYR	D	48	54.218	47.993	167.933	1.00	49.89
ATOM	5582	C	TYR	D	48	55.269	47.502	168.909	1.00	51.95
ATOM	5583	O	TYR	D	48	56.199	46.777	168.530	1.00	52.63
ATOM	5584	CB	TYR	D	48	54.478	47.460	166.529	1.00	51.28
ATOM	5585	CG	TYR	D	48	53.566	48.066	165.478	1.00	56.20
ATOM	5586	CD1	TYR	D	48	52.229	47.677	165.375	1.00	57.17
ATOM	5587	CD2	TYR	D	48	54.040	49.032	164.583	1.00	58.10
ATOM	5588	CE1	TYR	D	48	51.385	48.235	164.402	1.00	58.43
ATOM	5589	CE2	TYR	D	48	53.208	49.595	163.608	1.00	56.82
ATOM	5590	CZ	TYR	D	48	51.883	49.194	163.523	1.00	58.05
ATOM	5591	OH	TYR	D	48	51.055	49.759	162.577	1.00	55.80
ATOM	5592	N	PRO	D	49	55.123	47.895	170.195	1.00	53.15
ATOM	5593	CA	PRO	D	49	56.022	47.551	171.301	1.00	53.96
ATOM	5594	C	PRO	D	49	56.349	46.074	171.468	1.00	56.60
ATOM	5595	O	PRO	D	49	57.510	45.734	171.662	1.00	57.70
ATOM	5596	CB	PRO	D	49	55.310	48.133	172.519	1.00	50.29
ATOM	5597	CG	PRO	D	49	53.894	48.052	172.147	1.00	50.32
ATOM	5598	CD	PRO	D	49	53.905	48.534	170.724	1.00	51.09
ATOM	5599	N	GLU	D	50	55.341	45.204	171.386	1.00	58.58
ATOM	5600	CA	GLU	D	50	55.548	43.759	171.551	1.00	59.27
ATOM	5601	C	GLU	D	50	56.647	43.142	170.690	1.00	58.23
ATOM	5602	O	GLU	D	50	57.232	42.131	171.075	1.00	57.58
ATOM	5603	CB	GLU	D	50	54.257	42.983	171.286	1.00	61.53
ATOM	5604	CG	GLU	D	50	53.141	43.260	172.254	1.00	65.58
ATOM	5605	CD	GLU	D	50	52.547	44.630	172.053	1.00	69.28
ATOM	5606	OE1	GLU	D	50	52.206	44.960	170.900	1.00	70.49
ATOM	5607	OE2	GLU	D	50	52.415	45.376	173.045	1.00	75.64
ATOM	5608	N	THR	D	51	56.925	43.730	169.530	1.00	56.19
ATOM	5609	CA	THR	D	51	57.961	43.186	168.657	1.00	57.02
ATOM	5610	C	THR	D	51	59.023	44.180	168.210	1.00	54.32
ATOM	5611	O	THR	D	51	60.074	43.786	167.698	1.00	55.43
ATOM	5612	CB	THR	D	51	57.350	42.550	167.380	1.00	59.97
ATOM	5613	OG1	THR	D	51	56.309	43.393	166.861	1.00	59.40
ATOM	5614	CG2	THR	D	51	56.802	41.176	167.693	1.00	62.69
ATOM	5615	N	ILE	D	52	58.758	45.464	168.407	1.00	49.33
ATOM	5616	CA	ILE	D	52	59.698	46.478	167.973	1.00	43.04
ATOM	5617	C	ILE	D	52	60.169	47.381	169.088	1.00	39.60
ATOM	5618	O	ILE	D	52	59.374	47.833	169.905	1.00	37.11
ATOM	5619	CB	ILE	D	52	59.057	47.338	166.870	1.00	43.38
ATOM	5620	CG1	ILE	D	52	58.530	46.419	165.769	1.00	42.15
ATOM	5621	CG2	ILE	D	52	60.059	48.349	166.326	1.00	40.54
ATOM	5622	CD1	ILE	D	52	58.077	47.140	164.549	1.00	47.11
ATOM	5623	N	THR	D	53	61.470	47.640	169.121	1.00	39.00
ATOM	5624	CA	THR	D	53	62.037	48.528	170.130	1.00	39.69
ATOM	5625	C	THR	D	53	62.410	49.869	169.515	1.00	37.83
ATOM	5626	O	THR	D	53	63.031	49.925	168.449	1.00	37.47
ATOM	5627	CB	THR	D	53	63.293	47.942	170.775	1.00	42.21
ATOM	5628	OG1	THR	D	53	62.954	46.762	171.515	1.00	45.26
ATOM	5629	CG2	THR	D	53	63.911	48.965	171.713	1.00	44.97
ATOM	5630	N	ASP	D	54	62.038	50.943	170.205	1.00	36.32
ATOM	5631	CA	ASP	D	54	62.306	52.297	169.735	1.00	35.61
ATOM	5632	C	ASP	D	54	63.425	53.051	170.457	1.00	34.15
ATOM	5633	O	ASP	D	54	63.456	53.126	171.687	1.00	33.09
ATOM	5634	CB	ASP	D	54	61.029	53.132	169.819	1.00	35.75
ATOM	5635	CG	ASP	D	54	60.242	53.116	168.536	1.00	36.12
ATOM	5636	OD1	ASP	D	54	60.875	53.169	167.468	1.00	34.73
ATOM	5637	OD2	ASP	D	54	58.996	53.075	168.594	1.00	39.52
ATOM	5638	N	TYR	D	55	64.328	53.630	169.672	1.00	32.54
ATOM	5639	CA	TYR	D	55	65.445	54.411	170.200	1.00	32.86
ATOM	5640	C	TYR	D	55	65.267	55.898	169.884	1.00	30.12

ATOM	5641	O	TYR	D	55	65.260	56.295	168.723	1.00	32.15
ATOM	5642	CB	TYR	D	55	66.762	53.918	169.612	1.00	32.94
ATOM	5643	CG	TYR	D	55	66.962	52.430	169.761	1.00	35.70
ATOM	5644	CD1	TYR	D	55	67.135	51.851	171.022	1.00	33.58
ATOM	5645	CD2	TYR	D	55	66.962	51.595	168.637	1.00	35.34
ATOM	5646	CE1	TYR	D	55	67.305	50.477	171.158	1.00	36.63
ATOM	5647	CE2	TYR	D	55	67.127	50.223	168.758	1.00	35.50
ATOM	5648	CZ	TYR	D	55	67.299	49.670	170.016	1.00	37.68
ATOM	5649	OH	TYR	D	55	67.472	48.314	170.119	1.00	36.38
ATOM	5650	N	VAL	D	56	65.130	56.707	170.932	1.00	26.01
ATOM	5651	CA	VAL	D	56	64.940	58.136	170.801	1.00	21.79
ATOM	5652	C	VAL	D	56	66.122	58.962	171.303	1.00	21.97
ATOM	5653	O	VAL	D	56	66.595	58.754	172.406	1.00	19.68
ATOM	5654	CB	VAL	D	56	63.720	58.546	171.576	1.00	20.33
ATOM	5655	CG1	VAL	D	56	63.536	60.045	171.511	1.00	18.66
ATOM	5656	CG2	VAL	D	56	62.536	57.827	171.026	1.00	21.45
ATOM	5657	N	THR	D	57	66.581	59.911	170.490	1.00	22.56
ATOM	5658	CA	THR	D	57	67.691	60.787	170.864	1.00	23.58
ATOM	5659	C	THR	D	57	67.400	62.287	170.695	1.00	23.98
ATOM	5660	O	THR	D	57	66.392	62.686	170.106	1.00	21.64
ATOM	5661	CB	THR	D	57	68.925	60.530	170.002	1.00	23.17
ATOM	5662	OG1	THR	D	57	68.632	60.886	168.650	1.00	25.17
ATOM	5663	CG2	THR	D	57	69.316	59.097	170.049	1.00	26.19
ATOM	5664	N	LEU	D	58	68.304	63.107	171.227	1.00	23.34
ATOM	5665	CA	LEU	D	58	68.226	64.546	171.051	1.00	23.72
ATOM	5666	C	LEU	D	58	69.266	64.792	169.930	1.00	26.44
ATOM	5667	O	LEU	D	58	70.465	64.959	170.171	1.00	23.50
ATOM	5668	CB	LEU	D	58	68.605	65.283	172.331	1.00	21.52
ATOM	5669	CG	LEU	D	58	68.583	66.811	172.191	1.00	25.58
ATOM	5670	CD1	LEU	D	58	67.175	67.268	171.835	1.00	25.39
ATOM	5671	CD2	LEU	D	58	69.058	67.480	173.477	1.00	25.08
ATOM	5672	N	GLN	D	59	68.777	64.763	168.691	1.00	28.85
ATOM	5673	CA	GLN	D	59	69.587	64.925	167.493	1.00	29.02
ATOM	5674	C	GLN	D	59	70.347	66.239	167.496	1.00	31.02
ATOM	5675	O	GLN	D	59	71.562	66.267	167.275	1.00	30.42
ATOM	5676	CB	GLN	D	59	68.676	64.858	166.273	1.00	33.79
ATOM	5677	CG	GLN	D	59	69.148	63.960	165.155	1.00	39.41
ATOM	5678	CD	GLN	D	59	70.276	64.568	164.368	1.00	47.20
ATOM	5679	OE1	GLN	D	59	71.238	65.081	164.937	1.00	50.63
ATOM	5680	NE2	GLN	D	59	70.174	64.509	163.044	1.00	51.75
ATOM	5681	N	ARG	D	60	69.629	67.331	167.747	1.00	30.96
ATOM	5682	CA	ARG	D	60	70.236	68.661	167.778	1.00	32.02
ATOM	5683	C	ARG	D	60	69.434	69.502	168.754	1.00	32.24
ATOM	5684	O	ARG	D	60	68.324	69.122	169.128	1.00	33.03
ATOM	5685	CB	ARG	D	60	70.183	69.298	166.384	1.00	33.42
ATOM	5686	CG	ARG	D	60	71.152	70.447	166.139	1.00	36.72
ATOM	5687	CD	ARG	D	60	71.049	70.990	164.704	1.00	42.60
ATOM	5688	NE	ARG	D	60	70.642	69.975	163.720	1.00	53.43
ATOM	5689	CZ	ARG	D	60	71.363	68.913	163.344	1.00	56.42
ATOM	5690	NH1	ARG	D	60	72.571	68.685	163.855	1.00	58.74
ATOM	5691	NH2	ARG	D	60	70.864	68.059	162.454	1.00	55.19
ATOM	5692	N	GLY	D	61	69.997	70.636	169.164	1.00	31.67
ATOM	5693	CA	GLY	D	61	69.314	71.528	170.088	1.00	29.25
ATOM	5694	C	GLY	D	61	69.838	72.909	169.795	1.00	28.97
ATOM	5695	O	GLY	D	61	70.988	73.194	170.078	1.00	30.95
ATOM	5696	N	SER	D	62	69.003	73.772	169.233	1.00	29.06
ATOM	5697	CA	SER	D	62	69.441	75.114	168.867	1.00	28.99
ATOM	5698	C	SER	D	62	68.778	76.242	169.621	1.00	26.67
ATOM	5699	O	SER	D	62	67.613	76.145	169.976	1.00	25.80
ATOM	5700	CB	SER	D	62	69.217	75.339	167.372	1.00	28.85
ATOM	5701	OG	SER	D	62	69.876	74.345	166.621	1.00	26.87
ATOM	5702	N	ALA	D	63	69.528	77.325	169.815	1.00	26.68

ATOM	5703	CA	ALA	D	63	69.036	78.510	170.525	1.00	27.10
ATOM	5704	C	ALA	D	63	68.655	79.612	169.564	1.00	25.74
ATOM	5705	O	ALA	D	63	69.220	79.736	168.477	1.00	24.68
ATOM	5706	CB	ALA	D	63	70.096	79.032	171.488	1.00	33.36
ATOM	5707	N	TYR	D	64	67.711	80.434	169.987	1.00	25.67
ATOM	5708	CA	TYR	D	64	67.221	81.514	169.153	1.00	27.52
ATOM	5709	C	TYR	D	64	66.891	82.727	169.976	1.00	27.44
ATOM	5710	O	TYR	D	64	66.609	82.619	171.168	1.00	29.01
ATOM	5711	CB	TYR	D	64	65.947	81.084	168.410	1.00	31.50
ATOM	5712	CG	TYR	D	64	66.184	80.029	167.366	1.00	30.35
ATOM	5713	CD1	TYR	D	64	66.331	78.698	167.721	1.00	34.21
ATOM	5714	CD2	TYR	D	64	66.372	80.379	166.040	1.00	26.62
ATOM	5715	CE1	TYR	D	64	66.677	77.744	166.780	1.00	33.30
ATOM	5716	CE2	TYR	D	64	66.708	79.443	165.102	1.00	30.25
ATOM	5717	CZ	TYR	D	64	66.868	78.128	165.476	1.00	33.33
ATOM	5718	OH	TYR	D	64	67.265	77.200	164.547	1.00	44.03
ATOM	5719	N	GLY	D	65	66.913	83.881	169.320	1.00	26.84
ATOM	5720	CA	GLY	D	65	66.584	85.129	169.979	1.00	25.65
ATOM	5721	C	GLY	D	65	67.241	85.316	171.326	1.00	26.43
ATOM	5722	O	GLY	D	65	68.430	85.008	171.516	1.00	26.05
ATOM	5723	N	GLY	D	66	66.458	85.827	172.269	1.00	24.81
ATOM	5724	CA	GLY	D	66	66.976	86.063	173.600	1.00	22.69
ATOM	5725	C	GLY	D	66	67.916	84.985	174.087	1.00	21.89
ATOM	5726	O	GLY	D	66	69.095	85.221	174.269	1.00	22.13
ATOM	5727	N	VAL	D	67	67.395	83.788	174.293	1.00	22.99
ATOM	5728	CA	VAL	D	67	68.204	82.692	174.799	1.00	25.64
ATOM	5729	C	VAL	D	67	69.595	82.601	174.195	1.00	26.33
ATOM	5730	O	VAL	D	67	70.550	82.194	174.862	1.00	26.03
ATOM	5731	CB	VAL	D	67	67.488	81.356	174.574	1.00	27.86
ATOM	5732	CG1	VAL	D	67	68.460	80.184	174.798	1.00	25.05
ATOM	5733	CG2	VAL	D	67	66.294	81.261	175.520	1.00	28.34
ATOM	5734	N	LEU	D	68	69.698	83.010	172.941	1.00	24.28
ATOM	5735	CA	LEU	D	68	70.937	82.925	172.194	1.00	25.02
ATOM	5736	C	LEU	D	68	71.981	84.000	172.481	1.00	28.30
ATOM	5737	O	LEU	D	68	73.173	83.850	172.163	1.00	28.23
ATOM	5738	CB	LEU	D	68	70.582	82.929	170.712	1.00	23.37
ATOM	5739	CG	LEU	D	68	71.692	82.656	169.718	1.00	16.44
ATOM	5740	CD1	LEU	D	68	72.401	81.342	170.069	1.00	15.08
ATOM	5741	CD2	LEU	D	68	71.080	82.632	168.358	1.00	7.02
ATOM	5742	N	SER	D	69	71.535	85.093	173.075	1.00	30.23
ATOM	5743	CA	SER	D	69	72.439	86.182	173.381	1.00	31.09
ATOM	5744	C	SER	D	69	72.553	86.423	174.863	1.00	31.42
ATOM	5745	O	SER	D	69	73.614	86.785	175.347	1.00	35.19
ATOM	5746	CB	SER	D	69	71.959	87.467	172.723	1.00	30.86
ATOM	5747	OG	SER	D	69	70.745	87.902	173.297	1.00	33.81
ATOM	5748	N	ASN	D	70	71.459	86.215	175.582	1.00	31.15
ATOM	5749	CA	ASN	D	70	71.441	86.460	177.009	1.00	29.61
ATOM	5750	C	ASN	D	70	71.666	85.244	177.885	1.00	28.72
ATOM	5751	O	ASN	D	70	71.626	85.355	179.105	1.00	26.21
ATOM	5752	CB	ASN	D	70	70.119	87.120	177.387	1.00	34.28
ATOM	5753	CG	ASN	D	70	69.874	88.409	176.625	1.00	36.61
ATOM	5754	OD1	ASN	D	70	70.788	89.195	176.432	1.00	44.91
ATOM	5755	ND2	ASN	D	70	68.634	88.639	176.207	1.00	39.61
ATOM	5756	N	PHE	D	71	71.897	84.081	177.289	1.00	28.23
ATOM	5757	CA	PHE	D	71	72.107	82.900	178.113	1.00	28.00
ATOM	5758	C	PHE	D	71	73.226	81.939	177.728	1.00	29.07
ATOM	5759	O	PHE	D	71	73.735	81.920	176.617	1.00	30.13
ATOM	5760	CB	PHE	D	71	70.810	82.101	178.244	1.00	26.61
ATOM	5761	CG	PHE	D	71	69.687	82.859	178.877	1.00	27.62
ATOM	5762	CD1	PHE	D	71	69.049	83.896	178.190	1.00	30.29
ATOM	5763	CD2	PHE	D	71	69.243	82.522	180.149	1.00	26.07
ATOM	5764	CE1	PHE	D	71	67.976	84.585	178.761	1.00	31.20

ATOM	5765	CE2	PHE	D	71	68.164	83.201	180.741	1.00	28.56
ATOM	5766	CZ	PHE	D	71	67.530	84.235	180.047	1.00	31.94
ATOM	5767	N	SER	D	72	73.591	81.130	178.703	1.00	31.37
ATOM	5768	CA	SER	D	72	74.618	80.123	178.573	1.00	33.48
ATOM	5769	C	SER	D	72	74.025	78.949	179.342	1.00	34.66
ATOM	5770	O	SER	D	72	73.690	79.083	180.525	1.00	33.75
ATOM	5771	CB	SER	D	72	75.901	80.610	179.247	1.00	35.16
ATOM	5772	OG	SER	D	72	76.795	79.535	179.504	1.00	40.64
ATOM	5773	N	GLY	D	73	73.876	77.803	178.690	1.00	34.16
ATOM	5774	CA	GLY	D	73	73.291	76.691	179.406	1.00	33.98
ATOM	5775	C	GLY	D	73	73.621	75.285	178.976	1.00	35.30
ATOM	5776	O	GLY	D	73	74.502	75.032	178.152	1.00	34.74
ATOM	5777	N	THR	D	74	72.881	74.357	179.569	1.00	36.51
ATOM	5778	CA	THR	D	74	73.052	72.943	179.290	1.00	36.57
ATOM	5779	C	THR	D	74	71.699	72.343	178.957	1.00	37.71
ATOM	5780	O	THR	D	74	70.648	72.930	179.247	1.00	34.42
ATOM	5781	CB	THR	D	74	73.603	72.168	180.530	1.00	36.43
ATOM	5782	OG1	THR	D	74	72.680	72.295	181.631	1.00	27.52
ATOM	5783	CG2	THR	D	74	74.982	72.690	180.931	1.00	30.01
ATOM	5784	N	VAL	D	75	71.744	71.171	178.335	1.00	38.43
ATOM	5785	CA	VAL	D	75	70.538	70.431	178.006	1.00	37.08
ATOM	5786	C	VAL	D	75	70.675	69.115	178.776	1.00	38.91
ATOM	5787	O	VAL	D	75	71.599	68.321	178.537	1.00	37.35
ATOM	5788	CB	VAL	D	75	70.393	70.164	176.464	1.00	34.79
ATOM	5789	CG1	VAL	D	75	71.545	69.311	175.935	1.00	26.71
ATOM	5790	CG2	VAL	D	75	69.048	69.491	176.189	1.00	30.18
ATOM	5791	N	LYS	D	76	69.783	68.914	179.739	1.00	38.03
ATOM	5792	CA	LYS	D	76	69.809	67.703	180.527	1.00	39.01
ATOM	5793	C	LYS	D	76	68.915	66.667	179.840	1.00	38.07
ATOM	5794	O	LYS	D	76	67.689	66.770	179.886	1.00	37.07
ATOM	5795	CB	LYS	D	76	69.305	68.004	181.937	1.00	42.25
ATOM	5796	CG	LYS	D	76	69.448	66.837	182.906	1.00	50.47
ATOM	5797	CD	LYS	D	76	68.690	67.101	184.212	1.00	55.10
ATOM	5798	CE	LYS	D	76	68.879	65.968	185.222	1.00	59.32
ATOM	5799	NZ	LYS	D	76	68.169	66.258	186.505	1.00	58.76
ATOM	5800	N	TYR	D	77	69.527	65.680	179.194	1.00	36.86
ATOM	5801	CA	TYR	D	77	68.762	64.643	178.502	1.00	39.77
ATOM	5802	C	TYR	D	77	68.793	63.296	179.197	1.00	40.67
ATOM	5803	O	TYR	D	77	69.732	62.516	178.999	1.00	39.42
ATOM	5804	CB	TYR	D	77	69.268	64.452	177.060	1.00	39.74
ATOM	5805	CG	TYR	D	77	68.437	63.484	176.228	1.00	38.94
ATOM	5806	CD1	TYR	D	77	67.048	63.630	176.125	1.00	39.68
ATOM	5807	CD2	TYR	D	77	69.043	62.463	175.496	1.00	39.35
ATOM	5808	CE1	TYR	D	77	66.292	62.791	175.307	1.00	40.59
ATOM	5809	CE2	TYR	D	77	68.296	61.611	174.671	1.00	38.07
ATOM	5810	CZ	TYR	D	77	66.919	61.784	174.577	1.00	41.09
ATOM	5811	OH	TYR	D	77	66.165	60.984	173.733	1.00	38.79
ATOM	5812	N	SER	D	78	67.768	63.025	180.001	1.00	41.35
ATOM	5813	CA	SER	D	78	67.663	61.751	180.698	1.00	44.62
ATOM	5814	C	SER	D	78	68.790	61.547	181.717	1.00	45.17
ATOM	5815	O	SER	D	78	69.623	60.646	181.587	1.00	45.61
ATOM	5816	CB	SER	D	78	67.651	60.617	179.657	1.00	46.92
ATOM	5817	OG	SER	D	78	67.337	59.363	180.223	1.00	50.31
ATOM	5818	N	GLY	D	79	68.827	62.408	182.723	1.00	46.28
ATOM	5819	CA	GLY	D	79	69.832	62.278	183.762	1.00	50.34
ATOM	5820	C	GLY	D	79	71.259	62.616	183.382	1.00	52.64
ATOM	5821	O	GLY	D	79	72.193	62.356	184.143	1.00	53.98
ATOM	5822	N	SER	D	80	71.443	63.190	182.204	1.00	53.40
ATOM	5823	CA	SER	D	80	72.776	63.578	181.773	1.00	52.83
ATOM	5824	C	SER	D	80	72.675	64.947	181.126	1.00	52.36
ATOM	5825	O	SER	D	80	71.679	65.271	180.470	1.00	53.47
ATOM	5826	CB	SER	D	80	73.319	62.552	180.794	1.00	51.63

ATOM	5827	OG	SER	D	80	73.082	61.259	181.314	1.00	55.65
ATOM	5828	N	SER	D	81	73.690	65.771	181.331	1.00	49.51
ATOM	5829	CA	SER	D	81	73.656	67.092	180.747	1.00	46.51
ATOM	5830	C	SER	D	81	74.740	67.243	179.714	1.00	44.10
ATOM	5831	O	SER	D	81	75.759	66.563	179.761	1.00	41.98
ATOM	5832	CB	SER	D	81	73.780	68.175	181.828	1.00	45.76
ATOM	5833	OG	SER	D	81	72.538	68.376	182.499	1.00	47.34
ATOM	5834	N	TYR	D	82	74.473	68.114	178.750	1.00	43.16
ATOM	5835	CA	TYR	D	82	75.400	68.406	177.672	1.00	40.51
ATOM	5836	C	TYR	D	82	75.224	69.883	177.357	1.00	39.64
ATOM	5837	O	TYR	D	82	74.271	70.524	177.808	1.00	39.35
ATOM	5838	CB	TYR	D	82	75.069	67.595	176.424	1.00	39.88
ATOM	5839	CG	TYR	D	82	74.753	66.144	176.667	1.00	42.19
ATOM	5840	CD1	TYR	D	82	73.607	65.768	177.363	1.00	41.17
ATOM	5841	CD2	TYR	D	82	75.565	65.141	176.144	1.00	44.55
ATOM	5842	CE1	TYR	D	82	73.270	64.434	177.523	1.00	43.32
ATOM	5843	CE2	TYR	D	82	75.236	63.799	176.296	1.00	47.02
ATOM	5844	CZ	TYR	D	82	74.084	63.453	176.982	1.00	46.62
ATOM	5845	OH	TYR	D	82	73.725	62.130	177.090	1.00	49.57
ATOM	5846	N	PRO	D	83	76.143	70.442	176.577	1.00	38.28
ATOM	5847	CA	PRO	D	83	76.115	71.852	176.184	1.00	39.73
ATOM	5848	C	PRO	D	83	74.878	72.228	175.363	1.00	41.03
ATOM	5849	O	PRO	D	83	74.367	71.411	174.602	1.00	45.38
ATOM	5850	CB	PRO	D	83	77.390	72.002	175.363	1.00	41.53
ATOM	5851	CG	PRO	D	83	78.289	70.920	175.906	1.00	41.49
ATOM	5852	CD	PRO	D	83	77.362	69.774	176.091	1.00	40.19
ATOM	5853	N	PHE	D	84	74.401	73.460	175.514	1.00	40.54
ATOM	5854	CA	PHE	D	84	73.253	73.935	174.747	1.00	38.40
ATOM	5855	C	PHE	D	84	73.467	75.396	174.359	1.00	39.04
ATOM	5856	O	PHE	D	84	73.574	76.252	175.234	1.00	40.83
ATOM	5857	CB	PHE	D	84	71.965	73.823	175.555	1.00	36.34
ATOM	5858	CG	PHE	D	84	70.748	74.283	174.805	1.00	36.04
ATOM	5859	CD1	PHE	D	84	70.229	73.522	173.767	1.00	36.07
ATOM	5860	CD2	PHE	D	84	70.149	75.502	175.097	1.00	35.63
ATOM	5861	CE1	PHE	D	84	69.130	73.971	173.023	1.00	34.17
ATOM	5862	CE2	PHE	D	84	69.048	75.957	174.355	1.00	32.88
ATOM	5863	CZ	PHE	D	84	68.544	75.185	173.319	1.00	29.79
ATOM	5864	N	PRO	D	85	73.523	75.709	173.045	1.00	38.84
ATOM	5865	CA	PRO	D	85	73.400	74.832	171.874	1.00	38.72
ATOM	5866	C	PRO	D	85	74.184	73.542	171.954	1.00	38.71
ATOM	5867	O	PRO	D	85	75.234	73.473	172.581	1.00	38.27
ATOM	5868	CB	PRO	D	85	73.851	75.724	170.735	1.00	33.89
ATOM	5869	CG	PRO	D	85	73.226	77.000	171.135	1.00	36.32
ATOM	5870	CD	PRO	D	85	73.583	77.111	172.604	1.00	34.73
ATOM	5871	N	THR	D	86	73.640	72.522	171.312	1.00	38.77
ATOM	5872	CA	THR	D	86	74.220	71.205	171.304	1.00	38.95
ATOM	5873	C	THR	D	86	75.312	71.096	170.271	1.00	41.17
ATOM	5874	O	THR	D	86	75.264	71.765	169.246	1.00	42.99
ATOM	5875	CB	THR	D	86	73.145	70.176	170.977	1.00	41.86
ATOM	5876	OG1	THR	D	86	72.696	70.365	169.626	1.00	36.20
ATOM	5877	CG2	THR	D	86	71.965	70.334	171.933	1.00	38.58
ATOM	5878	N	THR	D	87	76.293	70.242	170.537	1.00	43.33
ATOM	5879	CA	THR	D	87	77.381	70.046	169.596	1.00	46.29
ATOM	5880	C	THR	D	87	77.508	68.605	169.115	1.00	49.00
ATOM	5881	O	THR	D	87	78.255	68.336	168.170	1.00	50.25
ATOM	5882	CB	THR	D	87	78.699	70.484	170.192	1.00	44.50
ATOM	5883	OG1	THR	D	87	78.622	70.390	171.614	1.00	51.37
ATOM	5884	CG2	THR	D	87	79.001	71.902	169.793	1.00	45.97
ATOM	5885	N	SER	D	88	76.779	67.685	169.756	1.00	49.85
ATOM	5886	CA	SER	D	88	76.801	66.271	169.365	1.00	48.01
ATOM	5887	C	SER	D	88	75.479	65.596	169.704	1.00	47.47
ATOM	5888	O	SER	D	88	74.830	65.973	170.691	1.00	47.81

ATOM	5889	CB	SER	D	88	77.916	65.531	170.099	1.00	48.76
ATOM	5890	OG	SER	D	88	77.489	65.163	171.398	1.00	51.44
ATOM	5891	N	GLU	D	89	75.092	64.598	168.903	1.00	44.94
ATOM	5892	CA	GLU	D	89	73.851	63.851	169.146	1.00	43.73
ATOM	5893	C	GLU	D	89	74.042	63.072	170.438	1.00	42.28
ATOM	5894	O	GLU	D	89	75.124	62.558	170.711	1.00	41.64
ATOM	5895	CB	GLU	D	89	73.554	62.869	168.011	1.00	44.69
ATOM	5896	CG	GLU	D	89	72.118	62.352	168.009	1.00	45.18
ATOM	5897	CD	GLU	D	89	71.849	61.335	166.903	1.00	46.30
ATOM	5898	OE1	GLU	D	89	72.513	61.407	165.841	1.00	45.66
ATOM	5899	OE2	GLU	D	89	70.959	60.472	167.093	1.00	43.88
ATOM	5900	N	THR	D	90	72.987	62.978	171.233	1.00	41.93
ATOM	5901	CA	THR	D	90	73.073	62.296	172.514	1.00	40.62
ATOM	5902	C	THR	D	90	72.797	60.820	172.441	1.00	41.32
ATOM	5903	O	THR	D	90	72.339	60.305	171.426	1.00	40.82
ATOM	5904	CB	THR	D	90	72.078	62.855	173.515	1.00	37.74
ATOM	5905	OG1	THR	D	90	70.756	62.658	173.004	1.00	36.61
ATOM	5906	CG2	THR	D	90	72.341	64.319	173.775	1.00	37.49
ATOM	5907	N	PRO	D	91	73.079	60.114	173.542	1.00	43.46
ATOM	5908	CA	PRO	D	91	72.854	58.674	173.623	1.00	42.39
ATOM	5909	C	PRO	D	91	71.382	58.444	173.341	1.00	39.39
ATOM	5910	O	PRO	D	91	70.597	59.391	173.349	1.00	37.24
ATOM	5911	CB	PRO	D	91	73.210	58.360	175.068	1.00	44.96
ATOM	5912	CG	PRO	D	91	74.283	59.359	175.363	1.00	47.58
ATOM	5913	CD	PRO	D	91	73.722	60.614	174.771	1.00	44.80
ATOM	5914	N	ARG	D	92	71.010	57.196	173.098	1.00	38.40
ATOM	5915	CA	ARG	D	92	69.620	56.880	172.818	1.00	39.54
ATOM	5916	C	ARG	D	92	68.854	56.380	174.042	1.00	36.23
ATOM	5917	O	ARG	D	92	69.402	55.734	174.925	1.00	35.51
ATOM	5918	CB	ARG	D	92	69.516	55.870	171.649	1.00	42.02
ATOM	5919	CG	ARG	D	92	70.432	54.660	171.741	1.00	53.93
ATOM	5920	CD	ARG	D	92	70.313	53.766	170.508	1.00	59.91
ATOM	5921	NE	ARG	D	92	70.963	52.456	170.670	1.00	69.35
ATOM	5922	CZ	ARG	D	92	70.711	51.589	171.658	1.00	71.90
ATOM	5923	NH1	ARG	D	92	69.820	51.880	172.599	1.00	72.46
ATOM	5924	NH2	ARG	D	92	71.337	50.414	171.698	1.00	73.25
ATOM	5925	N	VAL	D	93	67.583	56.740	174.092	1.00	34.34
ATOM	5926	CA	VAL	D	93	66.689	56.333	175.157	1.00	34.99
ATOM	5927	C	VAL	D	93	65.719	55.379	174.487	1.00	36.06
ATOM	5928	O	VAL	D	93	65.436	55.536	173.306	1.00	37.84
ATOM	5929	CB	VAL	D	93	65.887	57.519	175.688	1.00	34.22
ATOM	5930	CG1	VAL	D	93	64.863	57.034	176.703	1.00	27.21
ATOM	5931	CG2	VAL	D	93	66.830	58.555	176.276	1.00	33.36
ATOM	5932	N	VAL	D	94	65.199	54.398	175.211	1.00	34.89
ATOM	5933	CA	VAL	D	94	64.285	53.489	174.555	1.00	35.56
ATOM	5934	C	VAL	D	94	62.849	53.703	174.926	1.00	34.99
ATOM	5935	O	VAL	D	94	62.520	54.084	176.046	1.00	33.66
ATOM	5936	CB	VAL	D	94	64.614	52.009	174.821	1.00	37.32
ATOM	5937	CG1	VAL	D	94	65.979	51.674	174.246	1.00	40.04
ATOM	5938	CG2	VAL	D	94	64.552	51.719	176.300	1.00	38.97
ATOM	5939	N	TYR	D	95	61.999	53.473	173.940	1.00	35.31
ATOM	5940	CA	TYR	D	95	60.568	53.584	174.107	1.00	33.38
ATOM	5941	C	TYR	D	95	60.068	52.207	173.698	1.00	33.86
ATOM	5942	O	TYR	D	95	60.339	51.740	172.586	1.00	33.96
ATOM	5943	CB	TYR	D	95	60.007	54.692	173.210	1.00	29.80
ATOM	5944	CG	TYR	D	95	60.237	56.079	173.770	1.00	25.72
ATOM	5945	CD1	TYR	D	95	61.485	56.665	173.725	1.00	24.72
ATOM	5946	CD2	TYR	D	95	59.203	56.783	174.389	1.00	31.05
ATOM	5947	CE1	TYR	D	95	61.710	57.915	174.281	1.00	29.90
ATOM	5948	CE2	TYR	D	95	59.410	58.038	174.955	1.00	30.26
ATOM	5949	CZ	TYR	D	95	60.674	58.605	174.898	1.00	33.82
ATOM	5950	OH	TYR	D	95	60.916	59.861	175.450	1.00	33.38

ATOM	5951	N	ASN	D	96	59.376	51.553	174.626	1.00	32.26
ATOM	5952	CA	ASN	D	96	58.847	50.214	174.418	1.00	31.07
ATOM	5953	C	ASN	D	96	57.454	50.055	175.017	1.00	30.70
ATOM	5954	O	ASN	D	96	57.231	49.196	175.872	1.00	30.94
ATOM	5955	CB	ASN	D	96	59.791	49.196	175.052	1.00	34.95
ATOM	5956	CG	ASN	D	96	60.115	49.517	176.516	1.00	41.17
ATOM	5957	OD1	ASN	D	96	61.017	48.917	177.102	1.00	48.26
ATOM	5958	ND2	ASN	D	96	59.383	50.456	177.106	1.00	46.84
ATOM	5959	N	SER	D	97	56.521	50.879	174.563	1.00	28.66
ATOM	5960	CA	SER	D	97	55.158	50.827	175.058	1.00	29.23
ATOM	5961	C	SER	D	97	54.274	51.730	174.207	1.00	31.17
ATOM	5962	O	SER	D	97	54.764	52.681	173.614	1.00	33.69
ATOM	5963	CB	SER	D	97	55.138	51.284	176.511	1.00	24.41
ATOM	5964	OG	SER	D	97	53.852	51.724	176.889	1.00	26.66
ATOM	5965	N	ARG	D	98	52.982	51.435	174.125	1.00	33.96
ATOM	5966	CA	ARG	D	98	52.091	52.280	173.340	1.00	37.62
ATOM	5967	C	ARG	D	98	51.593	53.436	174.175	1.00	39.91
ATOM	5968	O	ARG	D	98	50.940	54.331	173.650	1.00	43.45
ATOM	5969	CB	ARG	D	98	50.884	51.501	172.836	1.00	40.02
ATOM	5970	CG	ARG	D	98	51.233	50.348	171.931	1.00	49.91
ATOM	5971	CD	ARG	D	98	50.000	49.804	171.230	1.00	55.78
ATOM	5972	NE	ARG	D	98	50.372	48.823	170.214	1.00	64.16
ATOM	5973	CZ	ARG	D	98	50.877	47.623	170.483	1.00	68.74
ATOM	5974	NH1	ARG	D	98	51.070	47.241	171.743	1.00	70.31
ATOM	5975	NH2	ARG	D	98	51.197	46.806	169.487	1.00	72.14
ATOM	5976	N	THR	D	99	51.889	53.406	175.475	1.00	39.58
ATOM	5977	CA	THR	D	99	51.460	54.459	176.386	1.00	39.26
ATOM	5978	C	THR	D	99	52.390	55.648	176.240	1.00	41.04
ATOM	5979	O	THR	D	99	53.608	55.487	176.239	1.00	41.76
ATOM	5980	CB	THR	D	99	51.510	53.995	177.844	1.00	39.64
ATOM	5981	OG1	THR	D	99	50.694	52.828	178.015	1.00	36.50
ATOM	5982	CG2	THR	D	99	51.005	55.101	178.754	1.00	39.70
ATOM	5983	N	ASP	D	100	51.826	56.844	176.117	1.00	41.49
ATOM	5984	CA	ASP	D	100	52.664	58.027	175.961	1.00	40.38
ATOM	5985	C	ASP	D	100	53.509	58.267	177.204	1.00	39.38
ATOM	5986	O	ASP	D	100	52.991	58.516	178.288	1.00	39.79
ATOM	5987	CB	ASP	D	100	51.811	59.271	175.700	1.00	42.73
ATOM	5988	CG	ASP	D	100	51.073	59.217	174.376	1.00	45.53
ATOM	5989	OD1	ASP	D	100	51.725	59.054	173.323	1.00	44.76
ATOM	5990	OD2	ASP	D	100	49.830	59.350	174.388	1.00	51.93
ATOM	5991	N	LYS	D	101	54.816	58.178	177.039	1.00	39.87
ATOM	5992	CA	LYS	D	101	55.752	58.422	178.126	1.00	39.41
ATOM	5993	C	LYS	D	101	56.404	59.761	177.752	1.00	39.42
ATOM	5994	O	LYS	D	101	56.320	60.183	176.599	1.00	38.28
ATOM	5995	CB	LYS	D	101	56.781	57.286	178.180	1.00	39.89
ATOM	5996	CG	LYS	D	101	58.187	57.689	178.638	1.00	45.48
ATOM	5997	CD	LYS	D	101	59.217	56.557	178.435	1.00	40.86
ATOM	5998	CE	LYS	D	101	60.646	57.051	178.604	1.00	36.36
ATOM	5999	NZ	LYS	D	101	61.567	55.945	178.290	1.00	36.27
ATOM	6000	N	PRO	D	102	57.023	60.461	178.723	1.00	38.89
ATOM	6001	CA	PRO	D	102	57.669	61.749	178.447	1.00	38.63
ATOM	6002	C	PRO	D	102	58.962	61.692	177.628	1.00	37.49
ATOM	6003	O	PRO	D	102	59.547	60.634	177.423	1.00	39.20
ATOM	6004	CB	PRO	D	102	57.922	62.313	179.849	1.00	35.53
ATOM	6005	CG	PRO	D	102	56.826	61.769	180.620	1.00	37.68
ATOM	6006	CD	PRO	D	102	56.818	60.321	180.172	1.00	39.83
ATOM	6007	N	TRP	D	103	59.378	62.852	177.140	1.00	35.19
ATOM	6008	CA	TRP	D	103	60.621	62.984	176.406	1.00	33.57
ATOM	6009	C	TRP	D	103	61.396	63.889	177.366	1.00	34.50
ATOM	6010	O	TRP	D	103	61.204	65.101	177.395	1.00	34.78
ATOM	6011	CB	TRP	D	103	60.381	63.664	175.068	1.00	31.13
ATOM	6012	CG	TRP	D	103	61.584	63.674	174.211	1.00	25.61

ATOM	6013	CD1	TRP	D	103	62.478	62.666	174.054	1.00	25.54
ATOM	6014	CD2	TRP	D	103	62.053	64.759	173.411	1.00	21.73
ATOM	6015	NE1	TRP	D	103	63.486	63.054	173.209	1.00	24.50
ATOM	6016	CE2	TRP	D	103	63.250	64.338	172.802	1.00	17.15
ATOM	6017	CE3	TRP	D	103	61.581	66.049	173.158	1.00	18.40
ATOM	6018	CZ2	TRP	D	103	63.988	65.156	171.961	1.00	13.53
ATOM	6019	CZ3	TRP	D	103	62.318	66.863	172.321	1.00	21.85
ATOM	6020	CH2	TRP	D	103	63.515	66.410	171.731	1.00	17.52
ATOM	6021	N	PRO	D	104	62.262	63.284	178.187	1.00	33.78
ATOM	6022	CA	PRO	D	104	63.128	63.845	179.220	1.00	32.54
ATOM	6023	C	PRO	D	104	64.123	64.887	178.779	1.00	32.07
ATOM	6024	O	PRO	D	104	65.324	64.711	178.979	1.00	34.12
ATOM	6025	CB	PRO	D	104	63.828	62.617	179.749	1.00	33.11
ATOM	6026	CG	PRO	D	104	64.110	61.904	178.506	1.00	31.59
ATOM	6027	CD	PRO	D	104	62.748	61.941	177.833	1.00	34.30
ATOM	6028	N	VAL	D	105	63.636	65.963	178.179	1.00	30.64
ATOM	6029	CA	VAL	D	105	64.517	67.032	177.735	1.00	28.66
ATOM	6030	C	VAL	D	105	64.206	68.255	178.569	1.00	30.55
ATOM	6031	O	VAL	D	105	63.033	68.619	178.753	1.00	31.08
ATOM	6032	CB	VAL	D	105	64.310	67.375	176.243	1.00	25.03
ATOM	6033	CG1	VAL	D	105	65.233	68.489	175.845	1.00	23.37
ATOM	6034	CG2	VAL	D	105	64.594	66.163	175.386	1.00	27.63
ATOM	6035	N	ALA	D	106	65.253	68.873	179.102	1.00	30.55
ATOM	6036	CA	ALA	D	106	65.071	70.064	179.911	1.00	32.35
ATOM	6037	C	ALA	D	106	66.219	71.029	179.711	1.00	34.64
ATOM	6038	O	ALA	D	106	67.387	70.651	179.714	1.00	37.45
ATOM	6039	CB	ALA	D	106	64.939	69.700	181.380	1.00	29.73
ATOM	6040	N	LEU	D	107	65.859	72.289	179.524	1.00	37.53
ATOM	6041	CA	LEU	D	107	66.815	73.365	179.334	1.00	38.88
ATOM	6042	C	LEU	D	107	67.137	74.049	180.669	1.00	40.06
ATOM	6043	O	LEU	D	107	66.240	74.324	181.479	1.00	38.60
ATOM	6044	CB	LEU	D	107	66.237	74.398	178.359	1.00	36.19
ATOM	6045	CG	LEU	D	107	66.575	74.343	176.866	1.00	34.09
ATOM	6046	CD1	LEU	D	107	67.063	72.969	176.432	1.00	32.93
ATOM	6047	CD2	LEU	D	107	65.336	74.777	176.109	1.00	26.86
ATOM	6048	N	TYR	D	108	68.424	74.307	180.887	1.00	40.70
ATOM	6049	CA	TYR	D	108	68.910	74.986	182.083	1.00	39.97
ATOM	6050	C	TYR	D	108	69.617	76.217	181.588	1.00	40.13
ATOM	6051	O	TYR	D	108	70.792	76.156	181.220	1.00	43.83
ATOM	6052	CB	TYR	D	108	69.875	74.093	182.840	1.00	37.24
ATOM	6053	CG	TYR	D	108	69.146	72.992	183.524	1.00	36.93
ATOM	6054	CD1	TYR	D	108	68.226	73.279	184.516	1.00	36.06
ATOM	6055	CD2	TYR	D	108	69.328	71.673	183.152	1.00	43.41
ATOM	6056	CE1	TYR	D	108	67.503	72.292	185.123	1.00	40.95
ATOM	6057	CE2	TYR	D	108	68.604	70.664	183.756	1.00	48.07
ATOM	6058	CZ	TYR	D	108	67.688	70.984	184.745	1.00	46.27
ATOM	6059	OH	TYR	D	108	66.949	69.991	185.355	1.00	55.71
ATOM	6060	N	LEU	D	109	68.889	77.329	181.570	1.00	38.32
ATOM	6061	CA	LEU	D	109	69.422	78.586	181.063	1.00	37.33
ATOM	6062	C	LEU	D	109	69.800	79.574	182.159	1.00	37.02
ATOM	6063	O	LEU	D	109	69.052	79.762	183.117	1.00	37.43
ATOM	6064	CB	LEU	D	109	68.400	79.218	180.110	1.00	32.80
ATOM	6065	CG	LEU	D	109	67.940	78.302	178.984	1.00	27.70
ATOM	6066	CD1	LEU	D	109	67.004	79.039	178.080	1.00	29.46
ATOM	6067	CD2	LEU	D	109	69.122	77.828	178.213	1.00	20.50
ATOM	6068	N	THR	D	110	70.959	80.210	182.007	1.00	36.06
ATOM	6069	CA	THR	D	110	71.427	81.176	182.998	1.00	35.57
ATOM	6070	C	THR	D	110	71.730	82.547	182.394	1.00	34.62
ATOM	6071	O	THR	D	110	72.595	82.689	181.528	1.00	30.47
ATOM	6072	CB	THR	D	110	72.702	80.681	183.703	1.00	36.43
ATOM	6073	OG1	THR	D	110	72.590	79.276	183.962	1.00	39.45
ATOM	6074	CG2	THR	D	110	72.902	81.421	185.013	1.00	32.02

ATOM	6075	N	PRO	D	111	71.018	83.581	182.860	1.00	34.61
ATOM	6076	CA	PRO	D	111	71.222	84.937	182.360	1.00	36.45
ATOM	6077	C	PRO	D	111	72.651	85.334	182.609	1.00	39.29
ATOM	6078	O	PRO	D	111	73.217	85.003	183.652	1.00	42.20
ATOM	6079	CB	PRO	D	111	70.262	85.766	183.198	1.00	35.66
ATOM	6080	CG	PRO	D	111	69.173	84.801	183.513	1.00	38.59
ATOM	6081	CD	PRO	D	111	69.945	83.555	183.865	1.00	35.39
ATOM	6082	N	VAL	D	112	73.244	86.035	181.653	1.00	41.57
ATOM	6083	CA	VAL	D	112	74.618	86.469	181.815	1.00	42.07
ATOM	6084	C	VAL	D	112	74.683	87.836	182.458	1.00	44.60
ATOM	6085	O	VAL	D	112	73.679	88.553	182.587	1.00	42.58
ATOM	6086	CB	VAL	D	112	75.366	86.569	180.484	1.00	39.32
ATOM	6087	CG1	VAL	D	112	75.641	85.205	179.932	1.00	35.34
ATOM	6088	CG2	VAL	D	112	74.558	87.399	179.519	1.00	42.27
ATOM	6089	N	SER	D	113	75.902	88.167	182.864	1.00	46.39
ATOM	6090	CA	SER	D	113	76.241	89.432	183.477	1.00	45.75
ATOM	6091	C	SER	D	113	75.593	90.543	182.645	1.00	46.43
ATOM	6092	O	SER	D	113	74.875	91.400	183.166	1.00	45.64
ATOM	6093	CB	SER	D	113	77.760	89.551	183.457	1.00	42.32
ATOM	6094	OG	SER	D	113	78.218	90.626	184.232	1.00	49.94
ATOM	6095	N	SER	D	114	75.827	90.485	181.337	1.00	47.18
ATOM	6096	CA	SER	D	114	75.300	91.462	180.393	1.00	48.77
ATOM	6097	C	SER	D	114	73.822	91.322	179.991	1.00	50.67
ATOM	6098	O	SER	D	114	73.296	92.174	179.273	1.00	53.09
ATOM	6099	CB	SER	D	114	76.164	91.457	179.124	1.00	49.64
ATOM	6100	OG	SER	D	114	76.204	90.178	178.507	1.00	45.90
ATOM	6101	N	ALA	D	115	73.147	90.263	180.426	1.00	50.27
ATOM	6102	CA	ALA	D	115	71.742	90.094	180.066	1.00	49.38
ATOM	6103	C	ALA	D	115	70.982	91.407	180.269	1.00	48.81
ATOM	6104	O	ALA	D	115	71.106	92.042	181.327	1.00	47.33
ATOM	6105	CB	ALA	D	115	71.115	88.992	180.905	1.00	51.05
ATOM	6106	N	GLY	D	116	70.206	91.806	179.256	1.00	46.22
ATOM	6107	CA	GLY	D	116	69.433	93.043	179.325	1.00	43.00
ATOM	6108	C	GLY	D	116	68.377	93.137	180.424	1.00	41.94
ATOM	6109	O	GLY	D	116	68.635	92.861	181.605	1.00	40.38
ATOM	6110	N	GLY	D	117	67.182	93.566	180.032	1.00	40.58
ATOM	6111	CA	GLY	D	117	66.071	93.675	180.970	1.00	37.94
ATOM	6112	C	GLY	D	117	65.059	92.592	180.620	1.00	35.32
ATOM	6113	O	GLY	D	117	64.578	91.854	181.484	1.00	34.11
ATOM	6114	N	VAL	D	118	64.742	92.523	179.329	1.00	32.41
ATOM	6115	CA	VAL	D	118	63.847	91.523	178.774	1.00	28.12
ATOM	6116	C	VAL	D	118	64.777	90.588	178.031	1.00	27.53
ATOM	6117	O	VAL	D	118	65.019	90.780	176.849	1.00	29.51
ATOM	6118	CB	VAL	D	118	62.883	92.137	177.773	1.00	22.31
ATOM	6119	CG1	VAL	D	118	62.097	91.044	177.069	1.00	25.02
ATOM	6120	CG2	VAL	D	118	61.960	93.074	178.484	1.00	14.68
ATOM	6121	N	ALA	D	119	65.318	89.594	178.726	1.00	29.01
ATOM	6122	CA	ALA	D	119	66.252	88.654	178.100	1.00	30.61
ATOM	6123	C	ALA	D	119	65.557	87.718	177.141	1.00	29.32
ATOM	6124	O	ALA	D	119	66.198	87.041	176.341	1.00	27.93
ATOM	6125	CB	ALA	D	119	66.991	87.838	179.159	1.00	34.87
ATOM	6126	N	ILE	D	120	64.239	87.670	177.239	1.00	26.08
ATOM	6127	CA	ILE	D	120	63.469	86.828	176.358	1.00	25.15
ATOM	6128	C	ILE	D	120	62.171	87.535	176.069	1.00	26.82
ATOM	6129	O	ILE	D	120	61.421	87.844	176.983	1.00	29.98
ATOM	6130	CB	ILE	D	120	63.211	85.462	177.002	1.00	23.10
ATOM	6131	CG1	ILE	D	120	64.468	84.601	176.867	1.00	21.82
ATOM	6132	CG2	ILE	D	120	62.018	84.794	176.360	1.00	24.09
ATOM	6133	CD1	ILE	D	120	64.259	83.138	177.176	1.00	26.90
ATOM	6134	N	LYS	D	121	61.907	87.823	174.802	1.00	28.42
ATOM	6135	CA	LYS	D	121	60.664	88.505	174.473	1.00	27.70
ATOM	6136	C	LYS	D	121	59.542	87.501	174.381	1.00	25.44

ATOM	6137	O	LYS	D	121	59.738	86.366	173.951	1.00	23.44
ATOM	6138	CB	LYS	D	121	60.780	89.268	173.153	1.00	32.17
ATOM	6139	CG	LYS	D	121	61.010	90.766	173.317	1.00	43.13
ATOM	6140	CD	LYS	D	121	62.335	91.238	172.696	1.00	46.65
ATOM	6141	CE	LYS	D	121	63.083	92.170	173.660	1.00	49.98
ATOM	6142	NZ	LYS	D	121	62.198	93.239	174.241	1.00	48.53
ATOM	6143	N	ALA	D	122	58.366	87.930	174.809	1.00	24.90
ATOM	6144	CA	ALA	D	122	57.181	87.098	174.774	1.00	25.59
ATOM	6145	C	ALA	D	122	56.789	86.759	173.312	1.00	26.89
ATOM	6146	O	ALA	D	122	56.758	87.621	172.421	1.00	29.17
ATOM	6147	CB	ALA	D	122	56.039	87.819	175.502	1.00	21.37
ATOM	6148	N	GLY	D	123	56.509	85.491	173.061	1.00	25.83
ATOM	6149	CA	GLY	D	123	56.131	85.098	171.725	1.00	27.03
ATOM	6150	C	GLY	D	123	57.311	84.737	170.838	1.00	28.59
ATOM	6151	O	GLY	D	123	57.108	84.239	169.715	1.00	31.64
ATOM	6152	N	SER	D	124	58.535	84.950	171.326	1.00	22.81
ATOM	6153	CA	SER	D	124	59.718	84.649	170.524	1.00	20.76
ATOM	6154	C	SER	D	124	60.186	83.196	170.518	1.00	22.62
ATOM	6155	O	SER	D	124	59.930	82.426	171.441	1.00	27.11
ATOM	6156	CB	SER	D	124	60.882	85.542	170.935	1.00	17.22
ATOM	6157	OG	SER	D	124	61.292	85.309	172.263	1.00	24.41
ATOM	6158	N	LEU	D	125	60.875	82.815	169.457	1.00	21.46
ATOM	6159	CA	LEU	D	125	61.366	81.464	169.361	1.00	21.27
ATOM	6160	C	LEU	D	125	62.545	81.393	170.314	1.00	23.82
ATOM	6161	O	LEU	D	125	63.506	82.152	170.201	1.00	24.70
ATOM	6162	CB	LEU	D	125	61.803	81.172	167.925	1.00	20.57
ATOM	6163	CG	LEU	D	125	62.265	79.765	167.548	1.00	17.61
ATOM	6164	CD1	LEU	D	125	61.067	78.842	167.462	1.00	10.54
ATOM	6165	CD2	LEU	D	125	63.001	79.818	166.230	1.00	12.26
ATOM	6166	N	ILE	D	126	62.443	80.481	171.268	1.00	26.07
ATOM	6167	CA	ILE	D	126	63.463	80.273	172.287	1.00	27.19
ATOM	6168	C	ILE	D	126	64.453	79.207	171.872	1.00	28.23
ATOM	6169	O	ILE	D	126	65.646	79.322	172.108	1.00	28.65
ATOM	6170	CB	ILE	D	126	62.811	79.816	173.599	1.00	27.55
ATOM	6171	CG1	ILE	D	126	61.855	80.891	174.107	1.00	33.64
ATOM	6172	CG2	ILE	D	126	63.846	79.530	174.624	1.00	30.64
ATOM	6173	CD1	ILE	D	126	62.512	82.224	174.368	1.00	35.31
ATOM	6174	N	ALA	D	127	63.941	78.157	171.247	1.00	30.99
ATOM	6175	CA	ALA	D	127	64.776	77.041	170.835	1.00	27.22
ATOM	6176	C	ALA	D	127	64.061	76.078	169.872	1.00	25.41
ATOM	6177	O	ALA	D	127	62.827	76.054	169.765	1.00	23.25
ATOM	6178	CB	ALA	D	127	65.228	76.278	172.089	1.00	23.84
ATOM	6179	N	VAL	D	128	64.856	75.285	169.166	1.00	19.81
ATOM	6180	CA	VAL	D	128	64.304	74.299	168.268	1.00	18.02
ATOM	6181	C	VAL	D	128	65.056	73.029	168.599	1.00	19.15
ATOM	6182	O	VAL	D	128	66.261	72.978	168.412	1.00	20.82
ATOM	6183	CB	VAL	D	128	64.542	74.642	166.779	1.00	15.12
ATOM	6184	CG1	VAL	D	128	64.043	73.511	165.921	1.00	17.44
ATOM	6185	CG2	VAL	D	128	63.813	75.904	166.388	1.00	13.99
ATOM	6186	N	LEU	D	129	64.349	72.016	169.098	1.00	17.93
ATOM	6187	CA	LEU	D	129	64.959	70.738	169.460	1.00	18.70
ATOM	6188	C	LEU	D	129	64.539	69.600	168.536	1.00	17.95
ATOM	6189	O	LEU	D	129	63.346	69.365	168.360	1.00	19.65
ATOM	6190	CB	LEU	D	129	64.549	70.365	170.875	1.00	24.03
ATOM	6191	CG	LEU	D	129	64.799	71.387	171.971	1.00	24.65
ATOM	6192	CD1	LEU	D	129	64.225	70.845	173.244	1.00	30.01
ATOM	6193	CD2	LEU	D	129	66.279	71.639	172.137	1.00	28.94
ATOM	6194	N	ILE	D	130	65.502	68.875	167.973	1.00	15.96
ATOM	6195	CA	ILE	D	130	65.180	67.758	167.071	1.00	15.18
ATOM	6196	C	ILE	D	130	65.295	66.378	167.731	1.00	18.52
ATOM	6197	O	ILE	D	130	66.379	65.941	168.144	1.00	19.16
ATOM	6198	CB	ILE	D	130	66.066	67.752	165.801	1.00	9.80

ATOM	6199	CG1	ILE	D	130	65.941	69.072	165.055	1.00	9.22
ATOM	6200	CG2	ILE	D	130	65.628	66.670	164.881	1.00	4.82
ATOM	6201	CD1	ILE	D	130	66.916	69.187	163.905	1.00	9.37
ATOM	6202	N	LEU	D	131	64.149	65.710	167.814	1.00	21.07
ATOM	6203	CA	LEU	D	131	64.008	64.385	168.396	1.00	22.17
ATOM	6204	C	LEU	D	131	64.202	63.375	167.290	1.00	24.38
ATOM	6205	O	LEU	D	131	63.478	63.412	166.308	1.00	26.46
ATOM	6206	CB	LEU	D	131	62.607	64.237	168.981	1.00	20.69
ATOM	6207	CG	LEU	D	131	62.215	62.898	169.607	1.00	22.31
ATOM	6208	CD1	LEU	D	131	60.964	63.076	170.480	1.00	13.80
ATOM	6209	CD2	LEU	D	131	62.001	61.873	168.500	1.00	19.73
ATOM	6210	N	ARG	D	132	65.168	62.475	167.450	1.00	27.28
ATOM	6211	CA	ARG	D	132	65.448	61.467	166.436	1.00	29.06
ATOM	6212	C	ARG	D	132	64.911	60.095	166.833	1.00	31.43
ATOM	6213	O	ARG	D	132	65.001	59.693	167.990	1.00	31.72
ATOM	6214	CB	ARG	D	132	66.945	61.379	166.192	1.00	30.50
ATOM	6215	CG	ARG	D	132	67.308	60.610	164.935	1.00	34.03
ATOM	6216	CD	ARG	D	132	68.777	60.800	164.587	1.00	29.24
ATOM	6217	NE	ARG	D	132	69.021	60.416	163.209	1.00	32.00
ATOM	6218	CZ	ARG	D	132	69.990	60.922	162.460	1.00	35.40
ATOM	6219	NH1	ARG	D	132	70.802	61.835	162.978	1.00	34.55
ATOM	6220	NH2	ARG	D	132	70.130	60.532	161.192	1.00	33.44
ATOM	6221	N	ASN	D	133	64.369	59.374	165.855	1.00	32.46
ATOM	6222	CA	ASN	D	133	63.784	58.064	166.099	1.00	31.62
ATOM	6223	C	ASN	D	133	64.205	56.996	165.113	1.00	31.58
ATOM	6224	O	ASN	D	133	64.203	57.191	163.904	1.00	31.64
ATOM	6225	CB	ASN	D	133	62.248	58.189	166.125	1.00	33.33
ATOM	6226	CG	ASN	D	133	61.528	56.909	165.709	1.00	32.50
ATOM	6227	OD1	ASN	D	133	61.410	56.606	164.523	1.00	31.59
ATOM	6228	ND2	ASN	D	133	61.040	56.161	166.685	1.00	29.32
ATOM	6229	N	THR	D	134	64.568	55.852	165.659	1.00	31.25
ATOM	6230	CA	THR	D	134	64.982	54.720	164.860	1.00	33.84
ATOM	6231	C	THR	D	134	64.411	53.511	165.568	1.00	36.09
ATOM	6232	O	THR	D	134	63.739	53.664	166.584	1.00	38.67
ATOM	6233	CB	THR	D	134	66.498	54.608	164.817	1.00	31.80
ATOM	6234	OG1	THR	D	134	67.016	54.899	166.117	1.00	31.48
ATOM	6235	CG2	THR	D	134	67.075	55.561	163.801	1.00	23.98
ATOM	6236	N	ASN	D	135	64.665	52.316	165.046	1.00	36.94
ATOM	6237	CA	ASN	D	135	64.133	51.118	165.679	1.00	39.12
ATOM	6238	C	ASN	D	135	64.961	49.906	165.335	1.00	41.17
ATOM	6239	O	ASN	D	135	65.721	49.921	164.363	1.00	43.64
ATOM	6240	CB	ASN	D	135	62.704	50.874	165.230	1.00	37.22
ATOM	6241	CG	ASN	D	135	62.605	50.683	163.748	1.00	35.96
ATOM	6242	OD1	ASN	D	135	62.945	51.571	162.977	1.00	37.38
ATOM	6243	ND2	ASN	D	135	62.151	49.517	163.337	1.00	39.19
ATOM	6244	N	ASN	D	136	64.795	48.848	166.124	1.00	40.21
ATOM	6245	CA	ASN	D	136	65.546	47.627	165.908	1.00	40.14
ATOM	6246	C	ASN	D	136	64.924	46.728	164.857	1.00	41.17
ATOM	6247	O	ASN	D	136	65.434	45.644	164.596	1.00	41.32
ATOM	6248	CB	ASN	D	136	65.670	46.873	167.223	1.00	39.03
ATOM	6249	CG	ASN	D	136	64.342	46.363	167.726	1.00	39.12
ATOM	6250	OD1	ASN	D	136	64.200	46.031	168.908	1.00	36.19
ATOM	6251	ND2	ASN	D	136	63.361	46.270	166.829	1.00	36.23
ATOM	6252	N	TYR	D	137	63.823	47.176	164.253	1.00	44.45
ATOM	6253	CA	TYR	D	137	63.143	46.374	163.239	1.00	44.95
ATOM	6254	C	TYR	D	137	63.501	46.681	161.810	1.00	43.78
ATOM	6255	O	TYR	D	137	63.625	45.757	161.017	1.00	45.93
ATOM	6256	CB	TYR	D	137	61.623	46.469	163.332	1.00	48.93
ATOM	6257	CG	TYR	D	137	60.972	45.723	162.182	1.00	55.92
ATOM	6258	CD1	TYR	D	137	61.114	44.338	162.060	1.00	58.22
ATOM	6259	CD2	TYR	D	137	60.268	46.401	161.181	1.00	57.33
ATOM	6260	CE1	TYR	D	137	60.575	43.648	160.973	1.00	59.88

ATOM	6261	CE2	TYR	D	137	59.724	45.721	160.088	1.00	57.32
ATOM	6262	CZ	TYR	D	137	59.882	44.343	159.991	1.00	60.11
ATOM	6263	OH	TYR	D	137	59.360	43.653	158.917	1.00	56.87
ATOM	6264	N	ASN	D	138	63.630	47.957	161.464	1.00	41.38
ATOM	6265	CA	ASN	D	138	63.969	48.313	160.095	1.00	42.11
ATOM	6266	C	ASN	D	138	64.956	49.458	160.047	1.00	44.70
ATOM	6267	O	ASN	D	138	65.488	49.858	161.080	1.00	50.16
ATOM	6268	CB	ASN	D	138	62.714	48.674	159.312	1.00	40.01
ATOM	6269	CG	ASN	D	138	62.077	49.945	159.795	1.00	38.21
ATOM	6270	OD1	ASN	D	138	60.942	50.246	159.454	1.00	36.05
ATOM	6271	ND2	ASN	D	138	62.807	50.709	160.589	1.00	38.84
ATOM	6272	N	SER	D	139	65.180	49.999	158.854	1.00	44.77
ATOM	6273	CA	SER	D	139	66.138	51.087	158.666	1.00	44.78
ATOM	6274	C	SER	D	139	65.527	52.490	158.574	1.00	44.77
ATOM	6275	O	SER	D	139	66.083	53.383	157.922	1.00	43.44
ATOM	6276	CB	SER	D	139	66.952	50.797	157.419	1.00	43.56
ATOM	6277	OG	SER	D	139	66.100	50.237	156.440	1.00	46.36
ATOM	6278	N	ASP	D	140	64.388	52.681	159.228	1.00	43.35
ATOM	6279	CA	ASP	D	140	63.723	53.972	159.219	1.00	42.84
ATOM	6280	C	ASP	D	140	64.441	54.931	160.162	1.00	42.88
ATOM	6281	O	ASP	D	140	64.876	54.543	161.249	1.00	43.96
ATOM	6282	CB	ASP	D	140	62.267	53.835	159.674	1.00	42.88
ATOM	6283	CG	ASP	D	140	61.406	53.064	158.693	1.00	43.92
ATOM	6284	OD1	ASP	D	140	61.874	52.769	157.572	1.00	42.66
ATOM	6285	OD2	ASP	D	140	60.247	52.761	159.058	1.00	44.75
ATOM	6286	N	ASP	D	141	64.555	56.182	159.733	1.00	41.79
ATOM	6287	CA	ASP	D	141	65.184	57.229	160.517	1.00	39.19
ATOM	6288	C	ASP	D	141	64.356	58.497	160.324	1.00	39.11
ATOM	6289	O	ASP	D	141	64.490	59.175	159.304	1.00	40.69
ATOM	6290	CB	ASP	D	141	66.605	57.448	160.032	1.00	37.64
ATOM	6291	CG	ASP	D	141	67.257	58.626	160.684	1.00	43.30
ATOM	6292	OD1	ASP	D	141	67.035	59.763	160.222	1.00	51.89
ATOM	6293	OD2	ASP	D	141	67.984	58.420	161.671	1.00	47.55
ATOM	6294	N	PHE	D	142	63.498	58.805	161.299	1.00	36.56
ATOM	6295	CA	PHE	D	142	62.620	59.973	161.231	1.00	36.40
ATOM	6296	C	PHE	D	142	62.962	61.042	162.248	1.00	36.41
ATOM	6297	O	PHE	D	142	63.400	60.729	163.360	1.00	36.83
ATOM	6298	CB	PHE	D	142	61.176	59.550	161.452	1.00	38.69
ATOM	6299	CG	PHE	D	142	60.709	58.503	160.504	1.00	36.86
ATOM	6300	CD1	PHE	D	142	60.799	58.701	159.143	1.00	35.18
ATOM	6301	CD2	PHE	D	142	60.171	57.316	160.977	1.00	37.50
ATOM	6302	CE1	PHE	D	142	60.363	57.737	158.274	1.00	36.89
ATOM	6303	CE2	PHE	D	142	59.732	56.346	160.111	1.00	31.73
ATOM	6304	CZ	PHE	D	142	59.827	56.557	158.758	1.00	36.09
ATOM	6305	N	GLN	D	143	62.724	62.301	161.873	1.00	32.44
ATOM	6306	CA	GLN	D	143	63.029	63.421	162.748	1.00	28.37
ATOM	6307	C	GLN	D	143	61.814	64.224	163.153	1.00	28.59
ATOM	6308	O	GLN	D	143	61.023	64.667	162.319	1.00	27.48
ATOM	6309	CB	GLN	D	143	64.032	64.352	162.089	1.00	26.34
ATOM	6310	CG	GLN	D	143	65.356	63.713	161.769	1.00	34.13
ATOM	6311	CD	GLN	D	143	66.475	64.734	161.785	1.00	44.24
ATOM	6312	OE1	GLN	D	143	66.427	65.730	161.062	1.00	48.12
ATOM	6313	NE2	GLN	D	143	67.490	64.502	162.624	1.00	47.17
ATOM	6314	N	PHE	D	144	61.677	64.407	164.456	1.00	28.07
ATOM	6315	CA	PHE	D	144	60.581	65.170	165.010	1.00	26.39
ATOM	6316	C	PHE	D	144	61.159	66.505	165.418	1.00	26.90
ATOM	6317	O	PHE	D	144	62.014	66.584	166.288	1.00	30.24
ATOM	6318	CB	PHE	D	144	59.988	64.431	166.207	1.00	23.01
ATOM	6319	CG	PHE	D	144	59.218	63.204	165.821	1.00	22.28
ATOM	6320	CD1	PHE	D	144	59.871	62.098	165.267	1.00	16.49
ATOM	6321	CD2	PHE	D	144	57.825	63.169	165.962	1.00	19.67
ATOM	6322	CE1	PHE	D	144	59.145	60.974	164.858	1.00	15.84

ATOM	6323	CE2	PHE	D	144	57.093	62.051	165.558	1.00	17.21
ATOM	6324	CZ	PHE	D	144	57.753	60.952	165.004	1.00	17.62
ATOM	6325	N	VAL	D	145	60.696	67.560	164.772	1.00	25.53
ATOM	6326	CA	VAL	D	145	61.194	68.885	165.055	1.00	22.04
ATOM	6327	C	VAL	D	145	60.309	69.748	165.968	1.00	22.69
ATOM	6328	O	VAL	D	145	59.247	70.236	165.564	1.00	22.76
ATOM	6329	CB	VAL	D	145	61.465	69.597	163.737	1.00	20.20
ATOM	6330	CG1	VAL	D	145	61.696	71.073	163.972	1.00	23.61
ATOM	6331	CG2	VAL	D	145	62.681	68.979	163.084	1.00	15.21
ATOM	6332	N	TRP	D	146	60.771	69.944	167.204	1.00	20.01
ATOM	6333	CA	TRP	D	146	60.042	70.748	168.179	1.00	17.10
ATOM	6334	C	TRP	D	146	60.537	72.182	168.195	1.00	17.31
ATOM	6335	O	TRP	D	146	61.728	72.436	168.341	1.00	18.79
ATOM	6336	CB	TRP	D	146	60.190	70.151	169.578	1.00	14.24
ATOM	6337	CG	TRP	D	146	59.927	68.702	169.594	1.00	11.33
ATOM	6338	CD1	TRP	D	146	60.843	67.702	169.459	1.00	10.91
ATOM	6339	CD2	TRP	D	146	58.648	68.082	169.567	1.00	4.06
ATOM	6340	NE1	TRP	D	146	60.210	66.493	169.337	1.00	6.84
ATOM	6341	CE2	TRP	D	146	58.859	66.699	169.404	1.00	5.42
ATOM	6342	CE3	TRP	D	146	57.343	68.562	169.662	1.00	6.11
ATOM	6343	CZ2	TRP	D	146	57.814	65.791	169.326	1.00	4.70
ATOM	6344	CZ3	TRP	D	146	56.296	67.662	169.582	1.00	10.02
ATOM	6345	CH2	TRP	D	146	56.541	66.286	169.419	1.00	11.80
ATOM	6346	N	ASN	D	147	59.607	73.113	168.040	1.00	15.86
ATOM	6347	CA	ASN	D	147	59.914	74.533	168.055	1.00	18.62
ATOM	6348	C	ASN	D	147	59.425	75.134	169.374	1.00	21.65
ATOM	6349	O	ASN	D	147	58.225	75.205	169.627	1.00	22.62
ATOM	6350	CB	ASN	D	147	59.231	75.252	166.881	1.00	16.25
ATOM	6351	CG	ASN	D	147	59.603	74.669	165.536	1.00	13.94
ATOM	6352	OD1	ASN	D	147	60.764	74.458	165.226	1.00	5.81
ATOM	6353	ND2	ASN	D	147	58.600	74.424	164.720	1.00	21.51
ATOM	6354	N	ILE	D	148	60.355	75.575	170.213	1.00	23.55
ATOM	6355	CA	ILE	D	148	59.981	76.147	171.501	1.00	24.56
ATOM	6356	C	ILE	D	148	59.738	77.660	171.460	1.00	23.69
ATOM	6357	O	ILE	D	148	60.648	78.440	171.195	1.00	23.47
ATOM	6358	CB	ILE	D	148	61.056	75.835	172.580	1.00	26.69
ATOM	6359	CG1	ILE	D	148	60.941	74.378	173.043	1.00	25.85
ATOM	6360	CG2	ILE	D	148	60.863	76.748	173.797	1.00	33.20
ATOM	6361	CD1	ILE	D	148	61.078	73.347	171.958	1.00	27.99
ATOM	6362	N	TYR	D	149	58.499	78.059	171.726	1.00	20.00
ATOM	6363	CA	TYR	D	149	58.131	79.464	171.742	1.00	18.70
ATOM	6364	C	TYR	D	149	57.838	79.940	173.148	1.00	20.93
ATOM	6365	O	TYR	D	149	57.087	79.304	173.881	1.00	25.80
ATOM	6366	CB	TYR	D	149	56.889	79.717	170.891	1.00	15.57
ATOM	6367	CG	TYR	D	149	57.162	79.820	169.415	1.00	20.01
ATOM	6368	CD1	TYR	D	149	57.412	78.680	168.641	1.00	12.96
ATOM	6369	CD2	TYR	D	149	57.179	81.066	168.782	1.00	18.68
ATOM	6370	CE1	TYR	D	149	57.666	78.780	167.278	1.00	10.92
ATOM	6371	CE2	TYR	D	149	57.435	81.167	167.411	1.00	18.07
ATOM	6372	CZ	TYR	D	149	57.674	80.026	166.670	1.00	12.96
ATOM	6373	OH	TYR	D	149	57.909	80.155	165.320	1.00	21.22
ATOM	6374	N	ALA	D	150	58.407	81.073	173.526	1.00	20.65
ATOM	6375	CA	ALA	D	150	58.158	81.604	174.854	1.00	20.45
ATOM	6376	C	ALA	D	150	56.843	82.385	174.881	1.00	18.12
ATOM	6377	O	ALA	D	150	56.605	83.245	174.042	1.00	15.63
ATOM	6378	CB	ALA	D	150	59.315	82.496	175.271	1.00	26.54
ATOM	6379	N	ASN	D	151	55.999	82.084	175.857	1.00	15.75
ATOM	6380	CA	ASN	D	151	54.708	82.744	175.979	1.00	17.76
ATOM	6381	C	ASN	D	151	54.760	84.083	176.675	1.00	18.67
ATOM	6382	O	ASN	D	151	53.848	84.901	176.529	1.00	20.20
ATOM	6383	CB	ASN	D	151	53.707	81.860	176.736	1.00	20.85
ATOM	6384	CG	ASN	D	151	53.070	80.802	175.859	1.00	25.77

ATOM	6385	OD1	ASN	D	151	52.787	81.037	174.685	1.00	30.73
ATOM	6386	ND2	ASN	D	151	52.820	79.633	176.432	1.00	31.40
ATOM	6387	N	ASN	D	152	55.809	84.305	177.459	1.00	21.91
ATOM	6388	CA	ASN	D	152	55.960	85.563	178.195	1.00	20.14
ATOM	6389	C	ASN	D	152	57.393	86.064	178.163	1.00	22.06
ATOM	6390	O	ASN	D	152	58.316	85.362	177.727	1.00	17.50
ATOM	6391	CB	ASN	D	152	55.577	85.357	179.639	1.00	13.18
ATOM	6392	CG	ASN	D	152	56.280	84.175	180.235	1.00	20.44
ATOM	6393	OD1	ASN	D	152	55.976	83.029	179.887	1.00	26.09
ATOM	6394	ND2	ASN	D	152	57.248	84.428	181.122	1.00	21.67
ATOM	6395	N	ASP	D	153	57.564	87.290	178.645	1.00	25.68
ATOM	6396	CA	ASP	D	153	58.880	87.911	178.724	1.00	27.80
ATOM	6397	C	ASP	D	153	59.616	87.298	179.894	1.00	26.81
ATOM	6398	O	ASP	D	153	59.018	87.038	180.926	1.00	29.74
ATOM	6399	CB	ASP	D	153	58.769	89.419	179.002	1.00	29.13
ATOM	6400	CG	ASP	D	153	58.320	90.218	177.795	1.00	35.37
ATOM	6401	OD1	ASP	D	153	58.935	90.084	176.715	1.00	44.93
ATOM	6402	OD2	ASP	D	153	57.361	91.001	177.924	1.00	37.12
ATOM	6403	N	VAL	D	154	60.904	87.051	179.735	1.00	26.88
ATOM	6404	CA	VAL	D	154	61.708	86.556	180.841	1.00	28.47
ATOM	6405	C	VAL	D	154	62.670	87.693	181.182	1.00	29.01
ATOM	6406	O	VAL	D	154	63.648	87.955	180.470	1.00	27.25
ATOM	6407	CB	VAL	D	154	62.500	85.305	180.472	1.00	30.83
ATOM	6408	CG1	VAL	D	154	63.645	85.098	181.464	1.00	28.43
ATOM	6409	CG2	VAL	D	154	61.570	84.101	180.487	1.00	34.23
ATOM	6410	N	VAL	D	155	62.356	88.379	182.273	1.00	30.33
ATOM	6411	CA	VAL	D	155	63.135	89.512	182.760	1.00	30.70
ATOM	6412	C	VAL	D	155	64.273	89.142	183.723	1.00	32.34
ATOM	6413	O	VAL	D	155	64.096	88.351	184.655	1.00	30.56
ATOM	6414	CB	VAL	D	155	62.197	90.540	183.449	1.00	30.08
ATOM	6415	CG1	VAL	D	155	62.937	91.285	184.533	1.00	28.46
ATOM	6416	CG2	VAL	D	155	61.631	91.509	182.412	1.00	24.21
ATOM	6417	N	VAL	D	156	65.444	89.719	183.465	1.00	32.92
ATOM	6418	CA	VAL	D	156	66.633	89.521	184.291	1.00	34.34
ATOM	6419	C	VAL	D	156	66.909	90.870	184.945	1.00	33.85
ATOM	6420	O	VAL	D	156	67.487	91.753	184.321	1.00	38.23
ATOM	6421	CB	VAL	D	156	67.849	89.134	183.433	1.00	36.44
ATOM	6422	CG1	VAL	D	156	69.108	89.170	184.273	1.00	33.91
ATOM	6423	CG2	VAL	D	156	67.641	87.751	182.842	1.00	38.73
ATOM	6424	N	PRO	D	157	66.511	91.041	186.213	1.00	32.37
ATOM	6425	CA	PRO	D	157	66.702	92.291	186.951	1.00	30.53
ATOM	6426	C	PRO	D	157	68.118	92.822	186.871	1.00	29.86
ATOM	6427	O	PRO	D	157	69.081	92.061	186.902	1.00	29.49
ATOM	6428	CB	PRO	D	157	66.325	91.909	188.371	1.00	28.78
ATOM	6429	CG	PRO	D	157	65.379	90.796	188.175	1.00	31.79
ATOM	6430	CD	PRO	D	157	66.073	89.987	187.134	1.00	31.63
ATOM	6431	N	THR	D	158	68.245	94.136	186.761	1.00	28.28
ATOM	6432	CA	THR	D	158	69.566	94.731	186.691	1.00	28.46
ATOM	6433	C	THR	D	158	70.142	94.778	188.101	1.00	28.60
ATOM	6434	O	THR	D	158	69.462	95.197	189.047	1.00	28.36
ATOM	6435	CB	THR	D	158	69.508	96.148	186.065	1.00	26.48
ATOM	6436	OG1	THR	D	158	70.618	96.929	186.520	1.00	18.71
ATOM	6437	CG2	THR	D	158	68.239	96.825	186.428	1.00	24.22
ATOM	6438	N	GLY	D	159	71.391	94.333	188.229	1.00	27.42
ATOM	6439	CA	GLY	D	159	72.054	94.305	189.520	1.00	30.05
ATOM	6440	C	GLY	D	159	72.739	95.587	189.957	1.00	31.19
ATOM	6441	O	GLY	D	159	72.686	96.611	189.276	1.00	35.40
ATOM	6442	N	GLY	D	160	73.388	95.542	191.110	1.00	29.78
ATOM	6443	CA	GLY	D	160	74.063	96.731	191.583	1.00	29.21
ATOM	6444	C	GLY	D	160	75.413	96.815	190.931	1.00	27.58
ATOM	6445	O	GLY	D	160	75.914	95.803	190.444	1.00	27.72
ATOM	6446	N	CYS	D	161	76.012	97.997	190.924	1.00	27.53

ATOM	6447	CA	CYS	D	161	77.317	98.152	190.305	1.00	34.12
ATOM	6448	C	CYS	D	161	78.463	97.658	191.198	1.00	36.58
ATOM	6449	O	CYS	D	161	78.245	97.299	192.353	1.00	39.48
ATOM	6450	CB	CYS	D	161	77.502	99.606	189.932	1.00	35.16
ATOM	6451	SG	CYS	D	161	76.075	100.236	188.982	1.00	45.40
ATOM	6452	N	ASP	D	162	79.682	97.609	190.668	1.00	39.18
ATOM	6453	CA	ASP	D	162	80.802	97.145	191.478	1.00	40.88
ATOM	6454	C	ASP	D	162	81.810	98.239	191.752	1.00	42.24
ATOM	6455	O	ASP	D	162	82.339	98.859	190.832	1.00	42.12
ATOM	6456	CB	ASP	D	162	81.508	95.957	190.827	1.00	41.34
ATOM	6457	CG	ASP	D	162	82.694	95.474	191.644	1.00	45.81
ATOM	6458	OD1	ASP	D	162	82.625	95.544	192.893	1.00	47.73
ATOM	6459	OD2	ASP	D	162	83.691	95.014	191.050	1.00	47.56
ATOM	6460	N	VAL	D	163	82.068	98.464	193.033	1.00	44.46
ATOM	6461	CA	VAL	D	163	82.998	99.485	193.457	1.00	49.74
ATOM	6462	C	VAL	D	163	84.378	98.920	193.713	1.00	55.65
ATOM	6463	O	VAL	D	163	84.704	98.521	194.825	1.00	56.97
ATOM	6464	CB	VAL	D	163	82.499	100.184	194.723	1.00	46.74
ATOM	6465	CG1	VAL	D	163	83.549	101.163	195.224	1.00	47.61
ATOM	6466	CG2	VAL	D	163	81.199	100.914	194.422	1.00	43.25
ATOM	6467	N	SER	D	164	85.190	98.890	192.667	1.00	62.99
ATOM	6468	CA	SER	D	164	86.546	98.383	192.779	1.00	70.13
ATOM	6469	C	SER	D	164	87.387	99.445	193.471	1.00	73.20
ATOM	6470	O	SER	D	164	87.300	100.633	193.144	1.00	73.21
ATOM	6471	CB	SER	D	164	87.134	98.089	191.389	1.00	73.11
ATOM	6472	OG	SER	D	164	86.362	97.136	190.674	1.00	77.43
ATOM	6473	N	ALA	D	165	88.202	99.011	194.425	1.00	77.11
ATOM	6474	CA	ALA	D	165	89.064	99.922	195.158	1.00	79.13
ATOM	6475	C	ALA	D	165	90.216	99.174	195.829	1.00	80.90
ATOM	6476	O	ALA	D	165	90.093	97.995	196.176	1.00	81.64
ATOM	6477	CB	ALA	D	165	88.240	100.677	196.200	1.00	77.35
ATOM	6478	N	ARG	D	166	91.342	99.863	195.989	1.00	83.20
ATOM	6479	CA	ARG	D	166	92.514	99.289	196.650	1.00	84.19
ATOM	6480	C	ARG	D	166	92.334	99.553	198.156	1.00	83.24
ATOM	6481	O	ARG	D	166	92.143	100.696	198.593	1.00	81.97
ATOM	6482	CB	ARG	D	166	93.789	99.938	196.096	1.00	85.27
ATOM	6483	CG	ARG	D	166	93.855	99.853	194.571	1.00	85.67
ATOM	6484	CD	ARG	D	166	95.038	100.596	193.974	1.00	86.02
ATOM	6485	NE	ARG	D	166	94.883	100.725	192.524	1.00	88.57
ATOM	6486	CZ	ARG	D	166	95.601	101.539	191.753	1.00	88.58
ATOM	6487	NH1	ARG	D	166	96.545	102.311	192.282	1.00	86.46
ATOM	6488	NH2	ARG	D	166	95.357	101.597	190.452	1.00	87.36
ATOM	6489	N	ASP	D	167	92.377	98.475	198.932	1.00	81.72
ATOM	6490	CA	ASP	D	167	92.157	98.527	200.372	1.00	80.66
ATOM	6491	C	ASP	D	167	92.858	99.639	201.124	1.00	79.67
ATOM	6492	O	ASP	D	167	93.756	100.289	200.593	1.00	79.28
ATOM	6493	CB	ASP	D	167	92.530	97.193	201.009	1.00	80.74
ATOM	6494	CG	ASP	D	167	91.829	96.974	202.323	1.00	80.99
ATOM	6495	OD1	ASP	D	167	90.960	97.800	202.673	1.00	81.08
ATOM	6496	OD2	ASP	D	167	92.137	95.976	203.002	1.00	83.15
ATOM	6497	N	VAL	D	168	92.426	99.830	202.373	1.00	78.67
ATOM	6498	CA	VAL	D	168	92.956	100.845	203.291	1.00	77.48
ATOM	6499	C	VAL	D	168	94.093	101.688	202.702	1.00	75.88
ATOM	6500	O	VAL	D	168	95.222	101.217	202.548	1.00	75.13
ATOM	6501	CB	VAL	D	168	93.418	100.187	204.636	1.00	77.22
ATOM	6502	CG1	VAL	D	168	94.303	98.983	204.353	1.00	78.70
ATOM	6503	CG2	VAL	D	168	94.156	101.199	205.503	1.00	74.77
ATOM	6504	N	THR	D	169	93.779	102.940	202.374	1.00	73.25
ATOM	6505	CA	THR	D	169	94.756	103.848	201.789	1.00	70.74
ATOM	6506	C	THR	D	169	95.733	104.409	202.809	1.00	69.11
ATOM	6507	O	THR	D	169	95.344	104.831	203.906	1.00	67.19
ATOM	6508	CB	THR	D	169	94.067	105.015	201.084	1.00	71.17

ATOM	6509	OG1	THR	D	169	93.215	104.502	200.054	1.00	74.87
ATOM	6510	CG2	THR	D	169	95.094	105.944	200.464	1.00	69.19
ATOM	6511	N	VAL	D	170	97.007	104.416	202.426	1.00	66.85
ATOM	6512	CA	VAL	D	170	98.074	104.910	203.287	1.00	63.51
ATOM	6513	C	VAL	D	170	98.252	106.422	203.120	1.00	62.47
ATOM	6514	O	VAL	D	170	99.042	106.890	202.294	1.00	60.47
ATOM	6515	CB	VAL	D	170	99.402	104.195	202.975	1.00	61.01
ATOM	6516	CG1	VAL	D	170	100.268	104.172	204.210	1.00	59.41
ATOM	6517	CG2	VAL	D	170	99.131	102.779	202.485	1.00	61.14
ATOM	6518	N	THR	D	171	97.493	107.178	203.907	1.00	60.63
ATOM	6519	CA	THR	D	171	97.555	108.628	203.865	1.00	61.15
ATOM	6520	C	THR	D	171	98.857	109.048	204.509	1.00	62.78
ATOM	6521	O	THR	D	171	99.017	110.194	204.923	1.00	65.10
ATOM	6522	CB	THR	D	171	96.366	109.272	204.635	1.00	59.22
ATOM	6523	OG1	THR	D	171	96.557	110.686	204.742	1.00	57.06
ATOM	6524	CG2	THR	D	171	96.270	108.722	206.020	1.00	60.82
ATOM	6525	N	LEU	D	172	99.798	108.113	204.580	1.00	64.23
ATOM	6526	CA	LEU	D	172	101.095	108.382	205.194	1.00	65.58
ATOM	6527	C	LEU	D	172	101.696	109.737	204.811	1.00	63.76
ATOM	6528	O	LEU	D	172	102.153	110.465	205.694	1.00	64.04
ATOM	6529	CB	LEU	D	172	102.092	107.249	204.873	1.00	69.45
ATOM	6530	CG	LEU	D	172	103.547	107.286	205.396	1.00	73.02
ATOM	6531	CD1	LEU	D	172	104.162	105.882	205.309	1.00	73.37
ATOM	6532	CD2	LEU	D	172	104.391	108.284	204.588	1.00	73.30
ATOM	6533	N	PRO	D	173	101.682	110.102	203.507	1.00	60.77
ATOM	6534	CA	PRO	D	173	102.265	111.396	203.153	1.00	60.10
ATOM	6535	C	PRO	D	173	102.300	112.309	204.359	1.00	60.47
ATOM	6536	O	PRO	D	173	101.327	112.980	204.664	1.00	63.65
ATOM	6537	CB	PRO	D	173	101.350	111.904	202.029	1.00	57.55
ATOM	6538	CG	PRO	D	173	100.193	110.949	202.008	1.00	59.37
ATOM	6539	CD	PRO	D	173	100.798	109.653	202.424	1.00	59.23
ATOM	6540	N	ASP	D	174	103.427	112.279	205.060	1.00	60.16
ATOM	6541	CA	ASP	D	174	103.635	113.065	206.262	1.00	61.66
ATOM	6542	C	ASP	D	174	102.731	114.288	206.294	1.00	61.25
ATOM	6543	O	ASP	D	174	102.650	115.034	205.312	1.00	57.85
ATOM	6544	CB	ASP	D	174	105.105	113.463	206.353	1.00	67.46
ATOM	6545	CG	ASP	D	174	106.026	112.255	206.446	1.00	69.01
ATOM	6546	OD1	ASP	D	174	105.951	111.380	205.553	1.00	68.85
ATOM	6547	OD2	ASP	D	174	106.820	112.182	207.412	1.00	71.25
ATOM	6548	N	TYR	D	175	102.062	114.475	207.435	1.00	59.89
ATOM	6549	CA	TYR	D	175	101.096	115.555	207.646	1.00	58.66
ATOM	6550	C	TYR	D	175	100.753	116.472	206.488	1.00	58.23
ATOM	6551	O	TYR	D	175	99.591	116.551	206.091	1.00	61.98
ATOM	6552	CB	TYR	D	175	101.474	116.444	208.824	1.00	58.43
ATOM	6553	CG	TYR	D	175	100.682	117.746	208.840	1.00	55.03
ATOM	6554	CD1	TYR	D	175	99.285	117.749	208.733	1.00	52.82
ATOM	6555	CD2	TYR	D	175	101.329	118.969	208.970	1.00	53.76
ATOM	6556	CE1	TYR	D	175	98.567	118.937	208.757	1.00	52.03
ATOM	6557	CE2	TYR	D	175	100.615	120.158	208.999	1.00	53.57
ATOM	6558	CZ	TYR	D	175	99.243	120.135	208.894	1.00	51.78
ATOM	6559	OH	TYR	D	175	98.561	121.321	208.951	1.00	52.17
ATOM	6560	N	PRO	D	176	101.735	117.217	205.958	1.00	54.90
ATOM	6561	CA	PRO	D	176	101.358	118.094	204.846	1.00	53.15
ATOM	6562	C	PRO	D	176	100.885	117.357	203.572	1.00	51.44
ATOM	6563	O	PRO	D	176	99.921	117.779	202.922	1.00	48.09
ATOM	6564	CB	PRO	D	176	102.625	118.920	204.632	1.00	51.53
ATOM	6565	CG	PRO	D	176	103.708	117.951	205.017	1.00	52.04
ATOM	6566	CD	PRO	D	176	103.163	117.364	206.284	1.00	51.25
ATOM	6567	N	GLY	D	177	101.557	116.252	203.247	1.00	49.34
ATOM	6568	CA	GLY	D	177	101.250	115.466	202.058	1.00	49.99
ATOM	6569	C	GLY	D	177	99.803	115.146	201.725	1.00	50.42
ATOM	6570	O	GLY	D	177	98.903	115.406	202.521	1.00	54.27

ATOM	6571	N	SER	D	178	99.574	114.579	200.541	1.00	47.86
ATOM	6572	CA	SER	D	178	98.223	114.232	200.122	1.00	44.63
ATOM	6573	C	SER	D	178	98.217	113.223	198.982	1.00	44.67
ATOM	6574	O	SER	D	178	98.731	113.503	197.914	1.00	42.55
ATOM	6575	CB	SER	D	178	97.476	115.482	199.679	1.00	39.67
ATOM	6576	OG	SER	D	178	97.753	115.758	198.327	1.00	32.65
ATOM	6577	N	VAL	D	179	97.620	112.055	199.214	1.00	47.85
ATOM	6578	CA	VAL	D	179	97.555	111.002	198.197	1.00	48.21
ATOM	6579	C	VAL	D	179	96.249	110.987	197.437	1.00	48.21
ATOM	6580	O	VAL	D	179	95.249	111.580	197.857	1.00	48.59
ATOM	6581	CB	VAL	D	179	97.688	109.568	198.791	1.00	45.98
ATOM	6582	CG1	VAL	D	179	99.039	109.365	199.416	1.00	47.32
ATOM	6583	CG2	VAL	D	179	96.602	109.336	199.811	1.00	48.79
ATOM	6584	N	PRO	D	180	96.257	110.316	196.282	1.00	48.01
ATOM	6585	CA	PRO	D	180	95.087	110.167	195.417	1.00	47.08
ATOM	6586	C	PRO	D	180	94.477	108.822	195.826	1.00	44.90
ATOM	6587	O	PRO	D	180	95.203	107.896	196.171	1.00	45.21
ATOM	6588	CB	PRO	D	180	95.698	110.163	194.023	1.00	45.64
ATOM	6589	CG	PRO	D	180	96.974	109.462	194.238	1.00	47.28
ATOM	6590	CD	PRO	D	180	97.496	110.035	195.534	1.00	45.80
ATOM	6591	N	ILE	D	181	93.155	108.725	195.825	1.00	43.49
ATOM	6592	CA	ILE	D	181	92.488	107.495	196.240	1.00	39.37
ATOM	6593	C	ILE	D	181	91.867	106.784	195.070	1.00	36.72
ATOM	6594	O	ILE	D	181	90.915	107.254	194.469	1.00	38.13
ATOM	6595	CB	ILE	D	181	91.357	107.763	197.268	1.00	40.22
ATOM	6596	CG1	ILE	D	181	91.916	108.436	198.524	1.00	38.68
ATOM	6597	CG2	ILE	D	181	90.696	106.455	197.653	1.00	40.79
ATOM	6598	CD1	ILE	D	181	90.841	108.879	199.477	1.00	31.29
ATOM	6599	N	PRO	D	182	92.406	105.629	194.726	1.00	36.10
ATOM	6600	CA	PRO	D	182	91.889	104.845	193.611	1.00	35.30
ATOM	6601	C	PRO	D	182	90.506	104.329	193.931	1.00	34.63
ATOM	6602	O	PRO	D	182	90.325	103.647	194.924	1.00	37.00
ATOM	6603	CB	PRO	D	182	92.891	103.716	193.515	1.00	37.05
ATOM	6604	CG	PRO	D	182	94.160	104.370	193.983	1.00	36.12
ATOM	6605	CD	PRO	D	182	93.687	105.088	195.196	1.00	35.43
ATOM	6606	N	LEU	D	183	89.525	104.651	193.101	1.00	35.76
ATOM	6607	CA	LEU	D	183	88.167	104.170	193.334	1.00	35.53
ATOM	6608	C	LEU	D	183	87.344	104.371	192.069	1.00	36.42
ATOM	6609	O	LEU	D	183	87.132	105.499	191.603	1.00	36.41
ATOM	6610	CB	LEU	D	183	87.538	104.911	194.518	1.00	36.94
ATOM	6611	CG	LEU	D	183	86.462	104.232	195.376	1.00	37.57
ATOM	6612	CD1	LEU	D	183	86.210	105.084	196.606	1.00	38.52
ATOM	6613	CD2	LEU	D	183	85.179	104.060	194.598	1.00	37.64
ATOM	6614	N	THR	D	184	86.902	103.251	191.509	1.00	36.21
ATOM	6615	CA	THR	D	184	86.112	103.254	190.287	1.00	35.13
ATOM	6616	C	THR	D	184	84.867	102.390	190.455	1.00	35.05
ATOM	6617	O	THR	D	184	84.780	101.583	191.378	1.00	33.97
ATOM	6618	CB	THR	D	184	86.947	102.709	189.117	1.00	35.00
ATOM	6619	OG1	THR	D	184	87.712	101.585	189.575	1.00	35.04
ATOM	6620	CG2	THR	D	184	87.893	103.772	188.581	1.00	33.50
ATOM	6621	N	VAL	D	185	83.903	102.564	189.561	1.00	35.52
ATOM	6622	CA	VAL	D	185	82.674	101.787	189.605	1.00	36.59
ATOM	6623	C	VAL	D	185	82.333	101.300	188.224	1.00	39.73
ATOM	6624	O	VAL	D	185	82.397	102.079	187.273	1.00	42.43
ATOM	6625	CB	VAL	D	185	81.481	102.627	190.068	1.00	35.55
ATOM	6626	CG1	VAL	D	185	81.549	102.838	191.534	1.00	40.13
ATOM	6627	CG2	VAL	D	185	81.467	103.958	189.353	1.00	30.81
ATOM	6628	N	TYR	D	186	81.980	100.027	188.089	1.00	40.22
ATOM	6629	CA	TYR	D	186	81.589	99.542	186.777	1.00	45.06
ATOM	6630	C	TYR	D	186	80.264	98.821	186.912	1.00	46.73
ATOM	6631	O	TYR	D	186	80.117	97.917	187.736	1.00	48.63
ATOM	6632	CB	TYR	D	186	82.666	98.641	186.154	1.00	44.11

ATOM	6633	CG	TYR	D	186	82.855	97.307	186.810	1.00	51.25
ATOM	6634	CD1	TYR	D	186	82.018	96.232	186.506	1.00	55.95
ATOM	6635	CD2	TYR	D	186	83.887	97.102	187.721	1.00	54.51
ATOM	6636	CE1	TYR	D	186	82.211	94.978	187.093	1.00	60.61
ATOM	6637	CE2	TYR	D	186	84.089	95.859	188.317	1.00	58.68
ATOM	6638	CZ	TYR	D	186	83.250	94.799	187.999	1.00	61.35
ATOM	6639	OH	TYR	D	186	83.454	93.562	188.582	1.00	66.04
ATOM	6640	N	CYS	D	187	79.281	99.267	186.132	1.00	45.80
ATOM	6641	CA	CYS	D	187	77.964	98.664	186.152	1.00	41.67
ATOM	6642	C	CYS	D	187	77.853	97.742	184.952	1.00	39.54
ATOM	6643	O	CYS	D	187	78.217	98.122	183.853	1.00	35.76
ATOM	6644	CB	CYS	D	187	76.881	99.735	186.055	1.00	42.94
ATOM	6645	SG	CYS	D	187	76.922	101.056	187.313	1.00	44.30
ATOM	6646	N	ALA	D	188	77.345	96.532	185.174	1.00	39.97
ATOM	6647	CA	ALA	D	188	77.164	95.549	184.108	1.00	36.99
ATOM	6648	C	ALA	D	188	76.211	96.106	183.069	1.00	34.67
ATOM	6649	O	ALA	D	188	76.345	95.831	181.888	1.00	35.49
ATOM	6650	CB	ALA	D	188	76.614	94.268	184.682	1.00	37.80
ATOM	6651	N	LYS	D	189	75.244	96.884	183.529	1.00	33.06
ATOM	6652	CA	LYS	D	189	74.267	97.519	182.662	1.00	35.01
ATOM	6653	C	LYS	D	189	74.266	98.987	183.043	1.00	35.69
ATOM	6654	O	LYS	D	189	74.015	99.344	184.197	1.00	33.92
ATOM	6655	CB	LYS	D	189	72.861	96.945	182.882	1.00	36.17
ATOM	6656	CG	LYS	D	189	72.746	95.440	182.679	1.00	39.30
ATOM	6657	CD	LYS	D	189	72.830	95.048	181.202	1.00	42.62
ATOM	6658	CE	LYS	D	189	71.556	95.409	180.451	1.00	43.07
ATOM	6659	NZ	LYS	D	189	71.733	95.352	178.971	1.00	43.87
ATOM	6660	N	SER	D	190	74.557	99.833	182.063	1.00	37.49
ATOM	6661	CA	SER	D	190	74.611	101.271	182.267	1.00	36.67
ATOM	6662	C	SER	D	190	73.416	101.814	183.051	1.00	36.80
ATOM	6663	O	SER	D	190	72.256	101.460	182.792	1.00	37.99
ATOM	6664	CB	SER	D	190	74.726	101.976	180.915	1.00	35.67
ATOM	6665	OG	SER	D	190	74.474	103.364	181.029	1.00	40.87
ATOM	6666	N	GLN	D	191	73.732	102.662	184.027	1.00	35.36
ATOM	6667	CA	GLN	D	191	72.748	103.307	184.882	1.00	34.55
ATOM	6668	C	GLN	D	191	73.415	104.499	185.541	1.00	35.16
ATOM	6669	O	GLN	D	191	74.649	104.577	185.621	1.00	32.20
ATOM	6670	CB	GLN	D	191	72.243	102.345	185.955	1.00	31.60
ATOM	6671	CG	GLN	D	191	73.346	101.634	186.679	1.00	33.07
ATOM	6672	CD	GLN	D	191	72.848	100.865	187.864	1.00	33.49
ATOM	6673	OE1	GLN	D	191	72.247	101.432	188.763	1.00	39.68
ATOM	6674	NE2	GLN	D	191	73.100	99.568	187.880	1.00	37.46
ATOM	6675	N	ASN	D	192	72.586	105.430	186.000	1.00	35.53
ATOM	6676	CA	ASN	D	192	73.079	106.624	186.661	1.00	35.50
ATOM	6677	C	ASN	D	192	73.411	106.396	188.139	1.00	34.61
ATOM	6678	O	ASN	D	192	72.588	105.923	188.913	1.00	36.32
ATOM	6679	CB	ASN	D	192	72.048	107.739	186.549	1.00	34.86
ATOM	6680	CG	ASN	D	192	71.716	108.078	185.119	1.00	40.29
ATOM	6681	OD1	ASN	D	192	72.608	108.164	184.271	1.00	41.36
ATOM	6682	ND2	ASN	D	192	70.428	108.296	184.839	1.00	44.26
ATOM	6683	N	LEU	D	193	74.631	106.725	188.525	1.00	34.34
ATOM	6684	CA	LEU	D	193	75.022	106.593	189.908	1.00	32.78
ATOM	6685	C	LEU	D	193	75.136	107.964	190.556	1.00	34.40
ATOM	6686	O	LEU	D	193	75.275	108.990	189.885	1.00	36.12
ATOM	6687	CB	LEU	D	193	76.358	105.879	190.021	1.00	30.83
ATOM	6688	CG	LEU	D	193	76.318	104.357	189.963	1.00	33.31
ATOM	6689	CD1	LEU	D	193	77.719	103.793	190.218	1.00	33.14
ATOM	6690	CD2	LEU	D	193	75.341	103.842	191.004	1.00	27.69
ATOM	6691	N	GLY	D	194	75.064	107.963	191.878	1.00	34.97
ATOM	6692	CA	GLY	D	194	75.191	109.183	192.654	1.00	34.25
ATOM	6693	C	GLY	D	194	75.779	108.779	193.995	1.00	34.09
ATOM	6694	O	GLY	D	194	75.345	107.780	194.576	1.00	31.84

ATOM	6695	N	TYR	D	195	76.777	109.506	194.491	1.00	32.47
ATOM	6696	CA	TYR	D	195	77.336	109.122	195.781	1.00	32.24
ATOM	6697	C	TYR	D	195	77.574	110.274	196.744	1.00	30.88
ATOM	6698	O	TYR	D	195	77.670	111.429	196.342	1.00	28.99
ATOM	6699	CB	TYR	D	195	78.640	108.366	195.593	1.00	32.37
ATOM	6700	CG	TYR	D	195	79.793	109.279	195.322	1.00	34.89
ATOM	6701	CD1	TYR	D	195	79.912	109.932	194.097	1.00	32.54
ATOM	6702	CD2	TYR	D	195	80.739	109.538	196.314	1.00	33.02
ATOM	6703	CE1	TYR	D	195	80.940	110.827	193.867	1.00	38.46
ATOM	6704	CE2	TYR	D	195	81.778	110.432	196.094	1.00	39.59
ATOM	6705	CZ	TYR	D	195	81.874	111.082	194.869	1.00	39.75
ATOM	6706	OH	TYR	D	195	82.868	112.013	194.657	1.00	37.18
ATOM	6707	N	TYR	D	196	77.633	109.931	198.030	1.00	31.05
ATOM	6708	CA	TYR	D	196	77.898	110.903	199.092	1.00	29.24
ATOM	6709	C	TYR	D	196	78.663	110.251	200.233	1.00	26.05
ATOM	6710	O	TYR	D	196	78.534	109.048	200.485	1.00	25.35
ATOM	6711	CB	TYR	D	196	76.606	111.551	199.613	1.00	27.32
ATOM	6712	CG	TYR	D	196	75.681	110.655	200.396	1.00	26.76
ATOM	6713	CD1	TYR	D	196	76.009	110.214	201.673	1.00	27.24
ATOM	6714	CD2	TYR	D	196	74.462	110.251	199.856	1.00	29.71
ATOM	6715	CE1	TYR	D	196	75.140	109.389	202.395	1.00	28.97
ATOM	6716	CE2	TYR	D	196	73.589	109.426	200.567	1.00	28.14
ATOM	6717	CZ	TYR	D	196	73.932	108.999	201.830	1.00	27.72
ATOM	6718	OH	TYR	D	196	73.077	108.165	202.502	1.00	29.31
ATOM	6719	N	LEU	D	197	79.482	111.060	200.895	1.00	23.73
ATOM	6720	CA	LEU	D	197	80.308	110.613	202.007	1.00	19.70
ATOM	6721	C	LEU	D	197	79.578	110.883	203.315	1.00	19.65
ATOM	6722	O	LEU	D	197	78.795	111.839	203.446	1.00	18.19
ATOM	6723	CB	LEU	D	197	81.637	111.366	202.002	1.00	15.47
ATOM	6724	CG	LEU	D	197	82.338	111.424	200.639	1.00	16.37
ATOM	6725	CD1	LEU	D	197	83.465	112.452	200.667	1.00	15.91
ATOM	6726	CD2	LEU	D	197	82.852	110.040	200.274	1.00	16.25
ATOM	6727	N	SER	D	198	79.831	110.012	204.276	1.00	19.47
ATOM	6728	CA	SER	D	198	79.243	110.107	205.599	1.00	18.09
ATOM	6729	C	SER	D	198	80.337	109.739	206.574	1.00	18.78
ATOM	6730	O	SER	D	198	81.200	108.904	206.282	1.00	18.99
ATOM	6731	CB	SER	D	198	78.084	109.128	205.752	1.00	16.48
ATOM	6732	OG	SER	D	198	78.469	107.814	205.376	1.00	14.04
ATOM	6733	N	GLY	D	199	80.299	110.370	207.734	1.00	19.74
ATOM	6734	CA	GLY	D	199	81.295	110.115	208.751	1.00	19.46
ATOM	6735	C	GLY	D	199	81.215	111.243	209.740	1.00	20.37
ATOM	6736	O	GLY	D	199	80.526	112.237	209.491	1.00	19.38
ATOM	6737	N	THR	D	200	81.899	111.103	210.868	1.00	24.07
ATOM	6738	CA	THR	D	200	81.865	112.169	211.860	1.00	26.40
ATOM	6739	C	THR	D	200	82.659	113.334	211.317	1.00	25.23
ATOM	6740	O	THR	D	200	83.675	113.165	210.657	1.00	27.07
ATOM	6741	CB	THR	D	200	82.468	111.764	213.186	1.00	25.13
ATOM	6742	OG1	THR	D	200	82.070	110.429	213.506	1.00	30.09
ATOM	6743	CG2	THR	D	200	81.962	112.684	214.253	1.00	24.33
ATOM	6744	N	THR	D	201	82.188	114.530	211.592	1.00	22.86
ATOM	6745	CA	THR	D	201	82.868	115.681	211.088	1.00	20.38
ATOM	6746	C	THR	D	201	83.382	116.521	212.230	1.00	18.98
ATOM	6747	O	THR	D	201	82.986	116.335	213.370	1.00	19.16
ATOM	6748	CB	THR	D	201	81.933	116.442	210.161	1.00	21.53
ATOM	6749	OG1	THR	D	201	82.336	116.175	208.817	1.00	22.50
ATOM	6750	CG2	THR	D	201	81.929	117.948	210.445	1.00	23.95
ATOM	6751	N	ALA	D	202	84.267	117.452	211.915	1.00	15.60
ATOM	6752	CA	ALA	D	202	84.859	118.274	212.925	1.00	13.16
ATOM	6753	C	ALA	D	202	84.822	119.777	212.645	1.00	13.98
ATOM	6754	O	ALA	D	202	85.426	120.546	213.377	1.00	16.27
ATOM	6755	CB	ALA	D	202	86.280	117.819	213.093	1.00	11.87
ATOM	6756	N	ASP	D	203	84.117	120.215	211.610	1.00	14.42

ATOM	6757	CA	ASP	D	203	84.118	121.637	211.273	1.00	11.60
ATOM	6758	C	ASP	D	203	82.745	122.136	210.938	1.00	12.66
ATOM	6759	O	ASP	D	203	81.870	121.337	210.657	1.00	18.03
ATOM	6760	CB	ASP	D	203	85.061	121.891	210.093	1.00	16.22
ATOM	6761	CG	ASP	D	203	84.613	121.204	208.798	1.00	18.60
ATOM	6762	OD1	ASP	D	203	84.407	119.965	208.789	1.00	17.87
ATOM	6763	OD2	ASP	D	203	84.483	121.921	207.783	1.00	20.20
ATOM	6764	N	ALA	D	204	82.541	123.449	210.965	1.00	12.14
ATOM	6765	CA	ALA	D	204	81.222	123.987	210.649	1.00	14.34
ATOM	6766	C	ALA	D	204	80.835	123.678	209.219	1.00	17.51
ATOM	6767	O	ALA	D	204	79.665	123.420	208.938	1.00	22.81
ATOM	6768	CB	ALA	D	204	81.173	125.467	210.864	1.00	12.39
ATOM	6769	N	GLY	D	205	81.814	123.701	208.319	1.00	16.75
ATOM	6770	CA	GLY	D	205	81.548	123.411	206.922	1.00	15.87
ATOM	6771	C	GLY	D	205	81.378	121.934	206.608	1.00	16.52
ATOM	6772	O	GLY	D	205	81.290	121.544	205.445	1.00	16.07
ATOM	6773	N	ASN	D	206	81.375	121.110	207.649	1.00	16.94
ATOM	6774	CA	ASN	D	206	81.157	119.666	207.529	1.00	19.26
ATOM	6775	C	ASN	D	206	82.028	118.888	206.549	1.00	18.76
ATOM	6776	O	ASN	D	206	81.603	117.848	206.061	1.00	16.69
ATOM	6777	CB	ASN	D	206	79.687	119.421	207.167	1.00	20.30
ATOM	6778	CG	ASN	D	206	79.216	118.021	207.505	1.00	22.54
ATOM	6779	OD1	ASN	D	206	78.231	117.548	206.957	1.00	36.02
ATOM	6780	ND2	ASN	D	206	79.895	117.365	208.422	1.00	19.56
ATOM	6781	N	SER	D	207	83.243	119.345	206.274	1.00	20.56
ATOM	6782	CA	SER	D	207	84.062	118.626	205.305	1.00	24.61
ATOM	6783	C	SER	D	207	85.358	118.010	205.790	1.00	25.61
ATOM	6784	O	SER	D	207	86.017	117.294	205.045	1.00	27.10
ATOM	6785	CB	SER	D	207	84.353	119.532	204.113	1.00	26.24
ATOM	6786	OG	SER	D	207	84.813	120.789	204.557	1.00	34.50
ATOM	6787	N	ILE	D	208	85.738	118.281	207.031	1.00	28.31
ATOM	6788	CA	ILE	D	208	86.968	117.705	207.575	1.00	26.95
ATOM	6789	C	ILE	D	208	86.613	116.580	208.553	1.00	29.09
ATOM	6790	O	ILE	D	208	86.068	116.827	209.630	1.00	29.69
ATOM	6791	CB	ILE	D	208	87.796	118.775	208.283	1.00	23.36
ATOM	6792	CG1	ILE	D	208	87.877	120.012	207.385	1.00	20.98
ATOM	6793	CG2	ILE	D	208	89.181	118.235	208.587	1.00	17.05
ATOM	6794	CD1	ILE	D	208	88.402	121.222	208.057	1.00	23.03
ATOM	6795	N	PHE	D	209	86.912	115.343	208.156	1.00	31.42
ATOM	6796	CA	PHE	D	209	86.610	114.165	208.967	1.00	30.22
ATOM	6797	C	PHE	D	209	87.580	113.945	210.113	1.00	32.18
ATOM	6798	O	PHE	D	209	88.794	113.910	209.934	1.00	33.51
ATOM	6799	CB	PHE	D	209	86.544	112.928	208.077	1.00	26.77
ATOM	6800	CG	PHE	D	209	85.390	112.947	207.107	1.00	25.51
ATOM	6801	CD1	PHE	D	209	84.131	112.491	207.494	1.00	23.43
ATOM	6802	CD2	PHE	D	209	85.555	113.428	205.812	1.00	25.78
ATOM	6803	CE1	PHE	D	209	83.059	112.509	206.610	1.00	20.78
ATOM	6804	CE2	PHE	D	209	84.483	113.450	204.915	1.00	23.02
ATOM	6805	CZ	PHE	D	209	83.234	112.989	205.316	1.00	23.23
ATOM	6806	N	THR	D	210	87.013	113.793	211.300	1.00	34.79
ATOM	6807	CA	THR	D	210	87.773	113.614	212.524	1.00	39.73
ATOM	6808	C	THR	D	210	88.833	112.529	212.494	1.00	41.91
ATOM	6809	O	THR	D	210	88.745	111.583	211.719	1.00	40.77
ATOM	6810	CB	THR	D	210	86.828	113.335	213.679	1.00	39.50
ATOM	6811	OG1	THR	D	210	85.803	114.333	213.681	1.00	39.85
ATOM	6812	CG2	THR	D	210	87.577	113.384	215.000	1.00	44.17
ATOM	6813	N	ASN	D	211	89.837	112.680	213.356	1.00	46.29
ATOM	6814	CA	ASN	D	211	90.921	111.714	213.445	1.00	51.94
ATOM	6815	C	ASN	D	211	90.571	110.628	214.441	1.00	55.88
ATOM	6816	O	ASN	D	211	90.343	110.899	215.616	1.00	57.81
ATOM	6817	CB	ASN	D	211	92.228	112.384	213.874	1.00	50.37
ATOM	6818	CG	ASN	D	211	93.448	111.487	213.645	1.00	52.83

ATOM	6819	OD1	ASN	D	211	94.588	111.914	213.842	1.00	54.50
ATOM	6820	ND2	ASN	D	211	93.210	110.241	213.227	1.00	44.79
ATOM	6821	N	THR	D	212	90.521	109.397	213.947	1.00	60.29
ATOM	6822	CA	THR	D	212	90.210	108.226	214.753	1.00	64.24
ATOM	6823	C	THR	D	212	91.511	107.461	214.899	1.00	68.36
ATOM	6824	O	THR	D	212	92.032	106.940	213.913	1.00	70.31
ATOM	6825	CB	THR	D	212	89.210	107.325	214.032	1.00	62.76
ATOM	6826	OG1	THR	D	212	87.929	107.953	214.018	1.00	59.57
ATOM	6827	CG2	THR	D	212	89.114	105.979	214.718	1.00	67.93
ATOM	6828	N	ALA	D	213	92.042	107.379	216.111	1.00	70.68
ATOM	6829	CA	ALA	D	213	93.295	106.671	216.279	1.00	73.69
ATOM	6830	C	ALA	D	213	93.551	106.196	217.701	1.00	76.91
ATOM	6831	O	ALA	D	213	92.902	106.642	218.647	1.00	78.44
ATOM	6832	CB	ALA	D	213	94.431	107.556	215.808	1.00	70.77
ATOM	6833	N	SER	D	214	94.508	105.286	217.840	1.00	79.40
ATOM	6834	CA	SER	D	214	94.866	104.749	219.141	1.00	82.28
ATOM	6835	C	SER	D	214	96.159	105.361	219.690	1.00	85.03
ATOM	6836	O	SER	D	214	96.232	105.670	220.879	1.00	86.36
ATOM	6837	CB	SER	D	214	95.008	103.226	219.057	1.00	83.06
ATOM	6838	OG	SER	D	214	95.210	102.643	220.336	1.00	82.92
ATOM	6839	N	PHE	D	215	97.169	105.557	218.839	1.00	87.28
ATOM	6840	CA	PHE	D	215	98.443	106.113	219.304	1.00	88.69
ATOM	6841	C	PHE	D	215	98.750	107.585	219.052	1.00	87.67
ATOM	6842	O	PHE	D	215	99.070	107.997	217.931	1.00	84.96
ATOM	6843	CB	PHE	D	215	99.604	105.294	218.768	1.00	93.14
ATOM	6844	CG	PHE	D	215	100.921	105.602	219.437	1.00	101.05
ATOM	6845	CD1	PHE	D	215	100.989	105.785	220.820	1.00	104.20
ATOM	6846	CD2	PHE	D	215	102.097	105.693	218.692	1.00	103.75
ATOM	6847	CE1	PHE	D	215	102.208	106.058	221.454	1.00	106.01
ATOM	6848	CE2	PHE	D	215	103.323	105.965	219.316	1.00	105.41
ATOM	6849	CZ	PHE	D	215	103.376	106.148	220.700	1.00	106.63
ATOM	6850	N	SER	D	216	98.695	108.355	220.136	1.00	87.82
ATOM	6851	CA	SER	D	216	98.965	109.783	220.108	1.00	87.67
ATOM	6852	C	SER	D	216	98.155	110.462	219.031	1.00	86.08
ATOM	6853	O	SER	D	216	98.624	110.656	217.907	1.00	87.48
ATOM	6854	CB	SER	D	216	100.449	110.050	219.861	1.00	90.00
ATOM	6855	OG	SER	D	216	100.693	111.444	219.764	1.00	91.57
ATOM	6856	N	PRO	D	217	96.916	110.835	219.357	1.00	83.87
ATOM	6857	CA	PRO	D	217	96.085	111.498	218.356	1.00	81.74
ATOM	6858	C	PRO	D	217	96.672	112.848	217.966	1.00	78.88
ATOM	6859	O	PRO	D	217	96.424	113.848	218.636	1.00	78.43
ATOM	6860	CB	PRO	D	217	94.739	111.626	219.061	1.00	82.54
ATOM	6861	CG	PRO	D	217	95.144	111.797	220.497	1.00	82.90
ATOM	6862	CD	PRO	D	217	96.221	110.750	220.651	1.00	83.78
ATOM	6863	N	ALA	D	218	97.471	112.859	216.903	1.00	74.48
ATOM	6864	CA	ALA	D	218	98.069	114.089	216.412	1.00	71.10
ATOM	6865	C	ALA	D	218	96.947	115.116	216.294	1.00	69.30
ATOM	6866	O	ALA	D	218	96.450	115.384	215.206	1.00	69.64
ATOM	6867	CB	ALA	D	218	98.690	113.847	215.055	1.00	70.99
ATOM	6868	N	GLN	D	219	96.546	115.686	217.419	1.00	67.34
ATOM	6869	CA	GLN	D	219	95.466	116.655	217.437	1.00	67.10
ATOM	6870	C	GLN	D	219	95.737	117.843	216.531	1.00	64.80
ATOM	6871	O	GLN	D	219	96.879	118.283	216.402	1.00	65.98
ATOM	6872	CB	GLN	D	219	95.237	117.153	218.868	1.00	69.69
ATOM	6873	CG	GLN	D	219	94.119	118.184	218.997	1.00	72.57
ATOM	6874	CD	GLN	D	219	94.038	118.782	220.389	1.00	74.80
ATOM	6875	OE1	GLN	D	219	93.210	119.652	220.660	1.00	76.11
ATOM	6876	NE2	GLN	D	219	94.904	118.319	221.280	1.00	78.20
ATOM	6877	N	GLY	D	220	94.680	118.354	215.903	1.00	61.51
ATOM	6878	CA	GLY	D	220	94.815	119.516	215.040	1.00	56.16
ATOM	6879	C	GLY	D	220	94.456	119.331	213.579	1.00	51.16
ATOM	6880	O	GLY	D	220	93.965	120.262	212.936	1.00	49.33

ATOM	6881	N	VAL	D	221	94.688	118.131	213.062	1.00	46.21
ATOM	6882	CA	VAL	D	221	94.414	117.840	211.667	1.00	43.94
ATOM	6883	C	VAL	D	221	93.136	117.027	211.467	1.00	40.36
ATOM	6884	O	VAL	D	221	92.423	116.741	212.409	1.00	39.94
ATOM	6885	CB	VAL	D	221	95.589	117.068	211.048	1.00	44.79
ATOM	6886	CG1	VAL	D	221	95.543	117.160	209.527	1.00	45.87
ATOM	6887	CG2	VAL	D	221	96.886	117.618	211.573	1.00	45.57
ATOM	6888	N	GLY	D	222	92.861	116.676	210.218	1.00	36.91
ATOM	6889	CA	GLY	D	222	91.696	115.890	209.880	1.00	34.21
ATOM	6890	C	GLY	D	222	91.826	115.499	208.420	1.00	32.09
ATOM	6891	O	GLY	D	222	92.671	116.040	207.710	1.00	33.23
ATOM	6892	N	VAL	D	223	91.005	114.568	207.957	1.00	26.97
ATOM	6893	CA	VAL	D	223	91.080	114.163	206.567	1.00	22.80
ATOM	6894	C	VAL	D	223	89.926	114.772	205.765	1.00	23.57
ATOM	6895	O	VAL	D	223	88.755	114.669	206.148	1.00	22.68
ATOM	6896	CB	VAL	D	223	91.035	112.627	206.435	1.00	23.16
ATOM	6897	CG1	VAL	D	223	91.239	112.240	204.988	1.00	21.15
ATOM	6898	CG2	VAL	D	223	92.093	111.982	207.318	1.00	16.89
ATOM	6899	N	GLN	D	224	90.260	115.428	204.660	1.00	20.26
ATOM	6900	CA	GLN	D	224	89.247	116.037	203.807	1.00	19.49
ATOM	6901	C	GLN	D	224	89.414	115.438	202.433	1.00	21.03
ATOM	6902	O	GLN	D	224	90.529	115.348	201.946	1.00	26.29
ATOM	6903	CB	GLN	D	224	89.442	117.545	203.726	1.00	14.23
ATOM	6904	CG	GLN	D	224	88.550	118.256	202.720	1.00	14.41
ATOM	6905	CD	GLN	D	224	88.541	119.758	202.919	1.00	18.87
ATOM	6906	OE1	GLN	D	224	87.819	120.279	203.758	1.00	30.64
ATOM	6907	NE2	GLN	D	224	89.357	120.459	202.161	1.00	22.68
ATOM	6908	N	LEU	D	225	88.320	115.014	201.806	1.00	21.44
ATOM	6909	CA	LEU	D	225	88.412	114.421	200.476	1.00	19.33
ATOM	6910	C	LEU	D	225	87.993	115.407	199.414	1.00	18.00
ATOM	6911	O	LEU	D	225	87.045	116.171	199.562	1.00	15.92
ATOM	6912	CB	LEU	D	225	87.589	113.121	200.374	1.00	16.93
ATOM	6913	CG	LEU	D	225	87.847	112.158	201.542	1.00	22.11
ATOM	6914	CD1	LEU	D	225	87.332	110.805	201.184	1.00	21.09
ATOM	6915	CD2	LEU	D	225	89.336	112.089	201.885	1.00	19.49
ATOM	6916	N	THR	D	226	88.744	115.385	198.332	1.00	21.82
ATOM	6917	CA	THR	D	226	88.506	116.275	197.222	1.00	23.48
ATOM	6918	C	THR	D	226	88.459	115.470	195.928	1.00	23.14
ATOM	6919	O	THR	D	226	89.162	114.469	195.783	1.00	24.62
ATOM	6920	CB	THR	D	226	89.637	117.291	197.159	1.00	25.54
ATOM	6921	OG1	THR	D	226	89.515	118.072	195.971	1.00	33.33
ATOM	6922	CG2	THR	D	226	90.974	116.567	197.168	1.00	27.66
ATOM	6923	N	ARG	D	227	87.607	115.891	195.004	1.00	23.40
ATOM	6924	CA	ARG	D	227	87.487	115.221	193.715	1.00	24.91
ATOM	6925	C	ARG	D	227	87.904	116.256	192.678	1.00	28.09
ATOM	6926	O	ARG	D	227	87.143	117.173	192.360	1.00	28.42
ATOM	6927	CB	ARG	D	227	86.048	114.761	193.477	1.00	19.76
ATOM	6928	CG	ARG	D	227	84.994	115.850	193.605	1.00	19.82
ATOM	6929	CD	ARG	D	227	83.611	115.323	193.242	1.00	25.16
ATOM	6930	NE	ARG	D	227	82.743	116.392	192.752	1.00	26.91
ATOM	6931	CZ	ARG	D	227	81.961	117.132	193.525	1.00	31.13
ATOM	6932	NH1	ARG	D	227	81.929	116.913	194.832	1.00	37.52
ATOM	6933	NH2	ARG	D	227	81.227	118.104	193.001	1.00	30.71
ATOM	6934	N	ASN	D	228	89.131	116.121	192.175	1.00	30.93
ATOM	6935	CA	ASN	D	228	89.678	117.075	191.208	1.00	34.29
ATOM	6936	C	ASN	D	228	89.663	118.518	191.742	1.00	34.56
ATOM	6937	O	ASN	D	228	89.119	119.423	191.104	1.00	36.72
ATOM	6938	CB	ASN	D	228	88.891	117.015	189.906	1.00	38.65
ATOM	6939	CG	ASN	D	228	89.202	115.784	189.105	1.00	45.36
ATOM	6940	OD1	ASN	D	228	90.310	115.635	188.594	1.00	46.03
ATOM	6941	ND2	ASN	D	228	88.226	114.882	188.990	1.00	50.52
ATOM	6942	N	GLY	D	229	90.247	118.725	192.918	1.00	31.70

ATOM	6943	CA	GLY	D	229	90.283	120.053	193.499	1.00	30.31
ATOM	6944	C	GLY	D	229	89.004	120.551	194.150	1.00	30.21
ATOM	6945	O	GLY	D	229	89.015	121.600	194.800	1.00	28.34
ATOM	6946	N	THR	D	230	87.908	119.813	193.977	1.00	28.38
ATOM	6947	CA	THR	D	230	86.633	120.202	194.565	1.00	29.44
ATOM	6948	C	THR	D	230	86.409	119.476	195.869	1.00	29.43
ATOM	6949	O	THR	D	230	86.550	118.253	195.931	1.00	32.53
ATOM	6950	CB	THR	D	230	85.477	119.870	193.644	1.00	31.15
ATOM	6951	OG1	THR	D	230	85.597	120.644	192.450	1.00	37.45
ATOM	6952	CG2	THR	D	230	84.157	120.193	194.306	1.00	29.45
ATOM	6953	N	ILE	D	231	86.062	120.229	196.909	1.00	27.25
ATOM	6954	CA	ILE	D	231	85.823	119.641	198.214	1.00	26.02
ATOM	6955	C	ILE	D	231	84.501	118.897	198.244	1.00	24.97
ATOM	6956	O	ILE	D	231	83.528	119.301	197.606	1.00	25.48
ATOM	6957	CB	ILE	D	231	85.798	120.701	199.323	1.00	28.19
ATOM	6958	CG1	ILE	D	231	87.167	121.384	199.428	1.00	25.82
ATOM	6959	CG2	ILE	D	231	85.412	120.048	200.660	1.00	29.82
ATOM	6960	CD1	ILE	D	231	87.271	122.373	200.586	1.00	23.76
ATOM	6961	N	ILE	D	232	84.480	117.806	199.001	1.00	23.12
ATOM	6962	CA	ILE	D	232	83.294	116.973	199.130	1.00	18.70
ATOM	6963	C	ILE	D	232	82.810	116.938	200.576	1.00	17.82
ATOM	6964	O	ILE	D	232	83.272	116.132	201.370	1.00	15.22
ATOM	6965	CB	ILE	D	232	83.581	115.514	198.702	1.00	16.18
ATOM	6966	CG1	ILE	D	232	84.306	115.480	197.358	1.00	14.86
ATOM	6967	CG2	ILE	D	232	82.296	114.746	198.579	1.00	17.19
ATOM	6968	CD1	ILE	D	232	84.608	114.077	196.892	1.00	4.93
ATOM	6969	N	PRO	D	233	81.895	117.837	200.946	1.00	17.14
ATOM	6970	CA	PRO	D	233	81.441	117.762	202.333	1.00	14.72
ATOM	6971	C	PRO	D	233	80.590	116.521	202.496	1.00	17.45
ATOM	6972	O	PRO	D	233	80.148	115.921	201.508	1.00	12.97
ATOM	6973	CB	PRO	D	233	80.620	119.028	202.507	1.00	17.36
ATOM	6974	CG	PRO	D	233	80.161	119.344	201.090	1.00	19.28
ATOM	6975	CD	PRO	D	233	81.369	119.034	200.265	1.00	15.53
ATOM	6976	N	ALA	D	234	80.364	116.140	203.750	1.00	20.90
ATOM	6977	CA	ALA	D	234	79.563	114.966	204.078	1.00	18.53
ATOM	6978	C	ALA	D	234	78.138	115.197	203.620	1.00	18.07
ATOM	6979	O	ALA	D	234	77.662	116.327	203.632	1.00	14.37
ATOM	6980	CB	ALA	D	234	79.590	114.729	205.565	1.00	13.44
ATOM	6981	N	ASN	D	235	77.478	114.131	203.176	1.00	19.41
ATOM	6982	CA	ASN	D	235	76.085	114.222	202.753	1.00	22.84
ATOM	6983	C	ASN	D	235	75.803	115.265	201.694	1.00	23.20
ATOM	6984	O	ASN	D	235	74.921	116.080	201.866	1.00	26.11
ATOM	6985	CB	ASN	D	235	75.208	114.534	203.965	1.00	23.71
ATOM	6986	CG	ASN	D	235	75.610	113.743	205.191	1.00	25.53
ATOM	6987	OD1	ASN	D	235	76.064	114.318	206.197	1.00	24.95
ATOM	6988	ND2	ASN	D	235	75.456	112.412	205.117	1.00	22.52
ATOM	6989	N	ASN	D	236	76.543	115.242	200.597	1.00	28.88
ATOM	6990	CA	ASN	D	236	76.369	116.209	199.508	1.00	28.79
ATOM	6991	C	ASN	D	236	76.542	115.364	198.272	1.00	28.19
ATOM	6992	O	ASN	D	236	77.631	115.302	197.711	1.00	27.68
ATOM	6993	CB	ASN	D	236	77.470	117.277	199.569	1.00	33.08
ATOM	6994	CG	ASN	D	236	77.316	118.342	198.507	1.00	35.99
ATOM	6995	OD1	ASN	D	236	76.346	119.095	198.504	1.00	39.12
ATOM	6996	ND2	ASN	D	236	78.279	118.414	197.596	1.00	39.84
ATOM	6997	N	THR	D	237	75.464	114.699	197.877	1.00	26.73
ATOM	6998	CA	THR	D	237	75.466	113.799	196.737	1.00	26.87
ATOM	6999	C	THR	D	237	76.164	114.378	195.519	1.00	27.14
ATOM	7000	O	THR	D	237	75.895	115.497	195.119	1.00	30.87
ATOM	7001	CB	THR	D	237	74.044	113.436	196.360	1.00	27.37
ATOM	7002	OG1	THR	D	237	73.287	113.178	197.554	1.00	32.36
ATOM	7003	CG2	THR	D	237	74.031	112.208	195.497	1.00	28.79
ATOM	7004	N	VAL	D	238	77.077	113.607	194.948	1.00	25.70

ATOM	7005	CA	VAL	D	238	77.828	114.011	193.766	1.00	26.40
ATOM	7006	C	VAL	D	238	77.351	113.139	192.598	1.00	27.96
ATOM	7007	O	VAL	D	238	77.521	111.913	192.619	1.00	28.84
ATOM	7008	CB	VAL	D	238	79.369	113.783	193.953	1.00	26.32
ATOM	7009	CG1	VAL	D	238	80.095	114.000	192.653	1.00	24.62
ATOM	7010	CG2	VAL	D	238	79.929	114.721	194.974	1.00	27.30
ATOM	7011	N	SER	D	239	76.760	113.763	191.583	1.00	27.12
ATOM	7012	CA	SER	D	239	76.275	113.019	190.425	1.00	28.11
ATOM	7013	C	SER	D	239	77.434	112.499	189.640	1.00	27.17
ATOM	7014	O	SER	D	239	78.250	113.266	189.171	1.00	28.79
ATOM	7015	CB	SER	D	239	75.446	113.907	189.520	1.00	31.36
ATOM	7016	OG	SER	D	239	74.365	114.474	190.246	1.00	44.91
ATOM	7017	N	LEU	D	240	77.498	111.188	189.487	1.00	30.04
ATOM	7018	CA	LEU	D	240	78.579	110.546	188.750	1.00	30.02
ATOM	7019	C	LEU	D	240	78.212	110.322	187.279	1.00	33.23
ATOM	7020	O	LEU	D	240	78.985	109.726	186.513	1.00	31.54
ATOM	7021	CB	LEU	D	240	78.905	109.203	189.395	1.00	27.55
ATOM	7022	CG	LEU	D	240	80.302	109.123	189.985	1.00	25.10
ATOM	7023	CD1	LEU	D	240	80.578	107.705	190.399	1.00	25.12
ATOM	7024	CD2	LEU	D	240	81.320	109.597	188.960	1.00	22.81
ATOM	7025	N	GLY	D	241	77.028	110.806	186.900	1.00	35.40
ATOM	7026	CA	GLY	D	241	76.557	110.658	185.537	1.00	36.28
ATOM	7027	C	GLY	D	241	75.933	109.294	185.375	1.00	36.83
ATOM	7028	O	GLY	D	241	74.945	108.990	186.011	1.00	40.48
ATOM	7029	N	ALA	D	242	76.500	108.469	184.517	1.00	37.51
ATOM	7030	CA	ALA	D	242	75.975	107.132	184.324	1.00	37.39
ATOM	7031	C	ALA	D	242	77.183	106.249	184.157	1.00	38.43
ATOM	7032	O	ALA	D	242	77.995	106.460	183.260	1.00	36.88
ATOM	7033	CB	ALA	D	242	75.122	107.076	183.088	1.00	39.62
ATOM	7034	N	VAL	D	243	77.316	105.272	185.037	1.00	38.22
ATOM	7035	CA	VAL	D	243	78.445	104.382	184.959	1.00	38.29
ATOM	7036	C	VAL	D	243	78.048	103.205	184.102	1.00	40.36
ATOM	7037	O	VAL	D	243	76.923	102.725	184.183	1.00	40.33
ATOM	7038	CB	VAL	D	243	78.849	103.878	186.333	1.00	39.78
ATOM	7039	CG1	VAL	D	243	80.108	103.047	186.211	1.00	39.29
ATOM	7040	CG2	VAL	D	243	79.058	105.047	187.272	1.00	36.39
ATOM	7041	N	GLY	D	244	78.982	102.744	183.281	1.00	42.35
ATOM	7042	CA	GLY	D	244	78.709	101.630	182.406	1.00	44.00
ATOM	7043	C	GLY	D	244	79.742	100.537	182.516	1.00	46.30
ATOM	7044	O	GLY	D	244	80.193	100.218	183.612	1.00	45.24
ATOM	7045	N	THR	D	245	80.121	99.970	181.372	1.00	50.38
ATOM	7046	CA	THR	D	245	81.087	98.874	181.330	1.00	54.40
ATOM	7047	C	THR	D	245	82.509	99.344	181.608	1.00	55.43
ATOM	7048	O	THR	D	245	83.382	98.529	181.914	1.00	57.86
ATOM	7049	CB	THR	D	245	81.069	98.147	179.956	1.00	55.01
ATOM	7050	OG1	THR	D	245	81.734	98.950	178.970	1.00	60.44
ATOM	7051	CG2	THR	D	245	79.645	97.914	179.503	1.00	53.19
ATOM	7052	N	SER	D	246	82.733	100.655	181.495	1.00	54.95
ATOM	7053	CA	SER	D	246	84.049	101.257	181.732	1.00	53.17
ATOM	7054	C	SER	D	246	84.083	101.944	183.088	1.00	50.22
ATOM	7055	O	SER	D	246	83.517	103.022	183.248	1.00	51.69
ATOM	7056	CB	SER	D	246	84.356	102.287	180.651	1.00	54.04
ATOM	7057	OG	SER	D	246	84.299	101.701	179.367	1.00	61.36
ATOM	7058	N	ALA	D	247	84.755	101.328	184.056	1.00	46.09
ATOM	7059	CA	ALA	D	247	84.832	101.881	185.404	1.00	44.25
ATOM	7060	C	ALA	D	247	85.218	103.358	185.441	1.00	43.25
ATOM	7061	O	ALA	D	247	86.276	103.745	184.953	1.00	45.35
ATOM	7062	CB	ALA	D	247	85.807	101.075	186.240	1.00	43.05
ATOM	7063	N	VAL	D	248	84.343	104.180	186.010	1.00	40.07
ATOM	7064	CA	VAL	D	248	84.601	105.605	186.135	1.00	37.06
ATOM	7065	C	VAL	D	248	85.358	105.776	187.432	1.00	39.36
ATOM	7066	O	VAL	D	248	85.028	105.118	188.421	1.00	42.46

ATOM	7067	CB	VAL	D	248	83.315	106.412	186.293	1.00	32.53
ATOM	7068	CG1	VAL	D	248	83.646	107.884	186.379	1.00	31.06
ATOM	7069	CG2	VAL	D	248	82.382	106.134	185.155	1.00	33.46
ATOM	7070	N	SER	D	249	86.377	106.631	187.446	1.00	37.38
ATOM	7071	CA	SER	D	249	87.101	106.865	188.689	1.00	35.58
ATOM	7072	C	SER	D	249	86.425	108.053	189.305	1.00	34.31
ATOM	7073	O	SER	D	249	86.079	109.005	188.605	1.00	34.70
ATOM	7074	CB	SER	D	249	88.569	107.208	188.455	1.00	37.23
ATOM	7075	OG	SER	D	249	89.242	107.405	189.692	1.00	33.91
ATOM	7076	N	LEU	D	250	86.224	107.999	190.611	1.00	32.26
ATOM	7077	CA	LEU	D	250	85.581	109.106	191.295	1.00	31.85
ATOM	7078	C	LEU	D	250	86.551	110.298	191.367	1.00	27.41
ATOM	7079	O	LEU	D	250	86.132	111.425	191.599	1.00	25.20
ATOM	7080	CB	LEU	D	250	85.141	108.674	192.707	1.00	35.85
ATOM	7081	CG	LEU	D	250	84.384	107.340	192.895	1.00	35.65
ATOM	7082	CD1	LEU	D	250	83.908	107.259	194.354	1.00	33.31
ATOM	7083	CD2	LEU	D	250	83.202	107.225	191.933	1.00	27.50
ATOM	7084	N	GLY	D	251	87.836	110.025	191.151	1.00	22.95
ATOM	7085	CA	GLY	D	251	88.853	111.057	191.187	1.00	21.64
ATOM	7086	C	GLY	D	251	89.026	111.687	192.552	1.00	23.38
ATOM	7087	O	GLY	D	251	88.940	112.904	192.711	1.00	25.66
ATOM	7088	N	LEU	D	252	89.309	110.864	193.546	1.00	23.87
ATOM	7089	CA	LEU	D	252	89.450	111.361	194.905	1.00	24.86
ATOM	7090	C	LEU	D	252	90.874	111.492	195.427	1.00	27.50
ATOM	7091	O	LEU	D	252	91.766	110.727	195.078	1.00	27.85
ATOM	7092	CB	LEU	D	252	88.701	110.447	195.859	1.00	22.80
ATOM	7093	CG	LEU	D	252	87.303	110.041	195.446	1.00	22.52
ATOM	7094	CD1	LEU	D	252	86.861	108.900	196.350	1.00	24.48
ATOM	7095	CD2	LEU	D	252	86.381	111.230	195.512	1.00	15.79
ATOM	7096	N	THR	D	253	91.072	112.468	196.301	1.00	29.84
ATOM	7097	CA	THR	D	253	92.371	112.680	196.915	1.00	29.08
ATOM	7098	C	THR	D	253	92.129	112.902	198.395	1.00	28.01
ATOM	7099	O	THR	D	253	91.281	113.715	198.767	1.00	24.77
ATOM	7100	CB	THR	D	253	93.073	113.925	196.362	1.00	28.22
ATOM	7101	OG1	THR	D	253	93.152	113.835	194.941	1.00	28.40
ATOM	7102	CG2	THR	D	253	94.470	114.019	196.910	1.00	27.99
ATOM	7103	N	ALA	D	254	92.850	112.148	199.223	1.00	25.71
ATOM	7104	CA	ALA	D	254	92.754	112.281	200.666	1.00	23.00
ATOM	7105	C	ALA	D	254	93.670	113.456	200.981	1.00	24.60
ATOM	7106	O	ALA	D	254	94.852	113.441	200.631	1.00	27.52
ATOM	7107	CB	ALA	D	254	93.265	111.026	201.340	1.00	15.52
ATOM	7108	N	ASN	D	255	93.124	114.484	201.615	1.00	22.18
ATOM	7109	CA	ASN	D	255	93.909	115.656	201.956	1.00	21.71
ATOM	7110	C	ASN	D	255	93.871	115.914	203.428	1.00	21.88
ATOM	7111	O	ASN	D	255	92.850	115.677	204.076	1.00	22.43
ATOM	7112	CB	ASN	D	255	93.355	116.912	201.296	1.00	20.23
ATOM	7113	CG	ASN	D	255	93.212	116.771	199.831	1.00	18.13
ATOM	7114	OD1	ASN	D	255	93.101	117.751	199.119	1.00	23.57
ATOM	7115	ND2	ASN	D	255	93.202	115.546	199.358	1.00	21.10
ATOM	7116	N	TYR	D	256	94.982	116.410	203.961	1.00	23.22
ATOM	7117	CA	TYR	D	256	95.004	116.780	205.361	1.00	22.11
ATOM	7118	C	TYR	D	256	94.456	118.207	205.368	1.00	22.52
ATOM	7119	O	TYR	D	256	94.772	119.022	204.476	1.00	20.60
ATOM	7120	CB	TYR	D	256	96.418	116.785	205.938	1.00	17.80
ATOM	7121	CG	TYR	D	256	97.010	115.433	206.162	1.00	15.81
ATOM	7122	CD1	TYR	D	256	96.864	114.787	207.384	1.00	22.12
ATOM	7123	CD2	TYR	D	256	97.773	114.827	205.183	1.00	18.02
ATOM	7124	CE1	TYR	D	256	97.473	113.572	207.631	1.00	24.18
ATOM	7125	CE2	TYR	D	256	98.394	113.611	205.407	1.00	23.58
ATOM	7126	CZ	TYR	D	256	98.246	112.982	206.638	1.00	27.68
ATOM	7127	OH	TYR	D	256	98.887	111.772	206.876	1.00	31.94
ATOM	7128	N	ALA	D	257	93.603	118.486	206.344	1.00	21.22

ATOM	7129	CA	ALA	D	257	93.038	119.807	206.505	1.00	24.77
ATOM	7130	C	ALA	D	257	93.124	119.999	207.995	1.00	28.71
ATOM	7131	O	ALA	D	257	93.185	119.028	208.746	1.00	28.20
ATOM	7132	CB	ALA	D	257	91.599	119.842	206.042	1.00	22.56
ATOM	7133	N	ARG	D	258	93.157	121.245	208.427	1.00	33.29
ATOM	7134	CA	ARG	D	258	93.248	121.515	209.843	1.00	38.62
ATOM	7135	C	ARG	D	258	91.879	121.839	210.412	1.00	44.43
ATOM	7136	O	ARG	D	258	91.027	122.409	209.722	1.00	45.48
ATOM	7137	CB	ARG	D	258	94.187	122.687	210.093	1.00	36.68
ATOM	7138	CG	ARG	D	258	95.600	122.418	209.732	1.00	35.49
ATOM	7139	CD	ARG	D	258	96.349	123.708	209.713	1.00	41.11
ATOM	7140	NE	ARG	D	258	96.226	124.410	210.981	1.00	48.38
ATOM	7141	CZ	ARG	D	258	96.691	125.635	211.197	1.00	50.14
ATOM	7142	NH1	ARG	D	258	97.310	126.290	210.217	1.00	49.19
ATOM	7143	NH2	ARG	D	258	96.541	126.200	212.390	1.00	48.96
ATOM	7144	N	THR	D	259	91.695	121.477	211.679	1.00	49.74
ATOM	7145	CA	THR	D	259	90.461	121.708	212.407	1.00	53.00
ATOM	7146	C	THR	D	259	90.688	122.859	213.373	1.00	56.89
ATOM	7147	O	THR	D	259	90.280	123.987	213.110	1.00	57.55
ATOM	7148	CB	THR	D	259	90.078	120.461	213.193	1.00	53.97
ATOM	7149	OG1	THR	D	259	91.202	120.014	213.959	1.00	54.33
ATOM	7150	CG2	THR	D	259	89.674	119.354	212.248	1.00	57.33
ATOM	7151	N	GLY	D	260	91.359	122.566	214.484	1.00	62.70
ATOM	7152	CA	GLY	D	260	91.655	123.582	215.484	1.00	66.44
ATOM	7153	C	GLY	D	260	93.045	124.177	215.313	1.00	69.52
ATOM	7154	O	GLY	D	260	93.898	123.596	214.624	1.00	71.29
ATOM	7155	N	GLY	D	261	93.277	125.328	215.944	1.00	69.43
ATOM	7156	CA	GLY	D	261	94.564	125.998	215.844	1.00	69.75
ATOM	7157	C	GLY	D	261	95.695	125.491	216.730	1.00	69.62
ATOM	7158	O	GLY	D	261	96.135	126.188	217.645	1.00	71.90
ATOM	7159	N	GLN	D	262	96.177	124.284	216.458	1.00	68.22
ATOM	7160	CA	GLN	D	262	97.278	123.707	217.224	1.00	66.52
ATOM	7161	C	GLN	D	262	97.681	122.346	216.681	1.00	63.21
ATOM	7162	O	GLN	D	262	97.653	121.342	217.399	1.00	63.17
ATOM	7163	CB	GLN	D	262	96.914	123.568	218.705	1.00	69.52
ATOM	7164	CG	GLN	D	262	98.071	123.043	219.568	1.00	76.23
ATOM	7165	CD	GLN	D	262	99.350	123.890	219.449	1.00	80.30
ATOM	7166	OE1	GLN	D	262	100.419	123.491	219.928	1.00	80.94
ATOM	7167	NE2	GLN	D	262	99.240	125.061	218.814	1.00	80.62
ATOM	7168	N	VAL	D	263	98.056	122.314	215.408	1.00	58.28
ATOM	7169	CA	VAL	D	263	98.463	121.071	214.799	1.00	55.08
ATOM	7170	C	VAL	D	263	99.493	120.454	215.733	1.00	53.30
ATOM	7171	O	VAL	D	263	100.298	121.162	216.312	1.00	53.87
ATOM	7172	CB	VAL	D	263	99.063	121.326	213.415	1.00	54.97
ATOM	7173	CG1	VAL	D	263	99.367	120.002	212.722	1.00	56.58
ATOM	7174	CG2	VAL	D	263	98.086	122.128	212.585	1.00	54.32
ATOM	7175	N	THR	D	264	99.462	119.138	215.891	1.00	51.71
ATOM	7176	CA	THR	D	264	100.393	118.487	216.787	1.00	48.91
ATOM	7177	C	THR	D	264	100.797	117.078	216.393	1.00	54.15
ATOM	7178	O	THR	D	264	99.983	116.301	215.900	1.00	55.19
ATOM	7179	CB	THR	D	264	99.801	118.432	218.150	1.00	44.18
ATOM	7180	OG1	THR	D	264	99.543	119.770	218.577	1.00	38.84
ATOM	7181	CG2	THR	D	264	100.740	117.707	219.112	1.00	40.12
ATOM	7182	N	ALA	D	265	102.067	116.758	216.634	1.00	56.65
ATOM	7183	CA	ALA	D	265	102.634	115.452	216.326	1.00	56.53
ATOM	7184	C	ALA	D	265	101.684	114.316	216.649	1.00	57.99
ATOM	7185	O	ALA	D	265	100.841	114.428	217.538	1.00	59.53
ATOM	7186	CB	ALA	D	265	103.924	115.267	217.095	1.00	57.87
ATOM	7187	N	GLY	D	266	101.830	113.216	215.922	1.00	59.95
ATOM	7188	CA	GLY	D	266	100.982	112.059	216.154	1.00	62.86
ATOM	7189	C	GLY	D	266	100.438	111.402	214.897	1.00	63.14
ATOM	7190	O	GLY	D	266	100.719	111.837	213.773	1.00	62.35

ATOM	7191	N	ASN D 267	99.653	110.345	215.089	1.00	63.62
ATOM	7192	CA	ASN D 267	99.064	109.644	213.959	1.00	62.74
ATOM	7193	C	ASN D 267	97.688	110.189	213.595	1.00	60.82
ATOM	7194	O	ASN D 267	96.931	110.658	214.451	1.00	57.45
ATOM	7195	CB	ASN D 267	98.992	108.142	214.236	1.00	64.33
ATOM	7196	CG	ASN D 267	100.361	107.524	214.374	1.00	65.75
ATOM	7197	OD1	ASN D 267	100.540	106.319	214.199	1.00	67.74
ATOM	7198	ND2	ASN D 267	101.343	108.353	214.699	1.00	66.40
ATOM	7199	N	VAL D 268	97.396	110.129	212.300	1.00	59.28
ATOM	7200	CA	VAL D 268	96.149	110.609	211.730	1.00	57.55
ATOM	7201	C	VAL D 268	95.527	109.501	210.882	1.00	57.32
ATOM	7202	O	VAL D 268	96.009	109.193	209.789	1.00	56.40
ATOM	7203	CB	VAL D 268	96.417	111.857	210.848	1.00	57.02
ATOM	7204	CG1	VAL D 268	95.176	112.262	210.097	1.00	57.36
ATOM	7205	CG2	VAL D 268	96.889	113.002	211.716	1.00	58.48
ATOM	7206	N	GLN D 269	94.469	108.888	211.403	1.00	55.82
ATOM	7207	CA	GLN D 269	93.761	107.823	210.694	1.00	55.70
ATOM	7208	C	GLN D 269	92.287	108.186	210.606	1.00	55.06
ATOM	7209	O	GLN D 269	91.740	108.784	211.532	1.00	56.69
ATOM	7210	CB	GLN D 269	93.923	106.495	211.425	1.00	54.10
ATOM	7211	CG	GLN D 269	95.178	105.750	211.059	1.00	57.64
ATOM	7212	CD	GLN D 269	95.488	104.644	212.036	1.00	61.06
ATOM	7213	OE1	GLN D 269	94.612	103.860	212.409	1.00	64.60
ATOM	7214	NE2	GLN D 269	96.744	104.569	212.460	1.00	63.92
ATOM	7215	N	SER D 270	91.638	107.823	209.504	1.00	52.76
ATOM	7216	CA	SER D 270	90.235	108.164	209.342	1.00	50.82
ATOM	7217	C	SER D 270	89.390	107.068	208.697	1.00	49.54
ATOM	7218	O	SER D 270	89.897	106.200	207.984	1.00	47.08
ATOM	7219	CB	SER D 270	90.121	109.458	208.534	1.00	48.67
ATOM	7220	OG	SER D 270	88.867	110.072	208.741	1.00	51.34
ATOM	7221	N	ILE D 271	88.090	107.124	208.971	1.00	49.37
ATOM	7222	CA	ILE D 271	87.131	106.160	208.440	1.00	49.16
ATOM	7223	C	ILE D 271	85.947	106.874	207.800	1.00	45.12
ATOM	7224	O	ILE D 271	85.173	107.542	208.474	1.00	43.26
ATOM	7225	CB	ILE D 271	86.616	105.239	209.557	1.00	53.38
ATOM	7226	CG1	ILE D 271	86.315	106.075	210.817	1.00	53.31
ATOM	7227	CG2	ILE D 271	87.637	104.115	209.801	1.00	55.49
ATOM	7228	CD1	ILE D 271	85.702	105.304	211.987	1.00	47.84
ATOM	7229	N	ILE D 272	85.808	106.720	206.494	1.00	41.84
ATOM	7230	CA	ILE D 272	84.736	107.377	205.776	1.00	40.35
ATOM	7231	C	ILE D 272	83.836	106.420	205.043	1.00	38.63
ATOM	7232	O	ILE D 272	84.302	105.476	204.410	1.00	38.75
ATOM	7233	CB	ILE D 272	85.283	108.351	204.718	1.00	44.48
ATOM	7234	CG1	ILE D 272	86.210	109.371	205.369	1.00	43.96
ATOM	7235	CG2	ILE D 272	84.134	109.052	204.012	1.00	46.42
ATOM	7236	CD1	ILE D 272	85.636	109.964	206.602	1.00	43.00
ATOM	7237	N	GLY D 273	82.542	106.684	205.101	1.00	34.99
ATOM	7238	CA	GLY D 273	81.623	105.828	204.392	1.00	35.48
ATOM	7239	C	GLY D 273	81.255	106.469	203.073	1.00	34.56
ATOM	7240	O	GLY D 273	80.871	107.639	203.040	1.00	37.16
ATOM	7241	N	VAL D 274	81.401	105.722	201.982	1.00	31.59
ATOM	7242	CA	VAL D 274	81.030	106.228	200.666	1.00	27.53
ATOM	7243	C	VAL D 274	79.734	105.486	200.328	1.00	28.89
ATOM	7244	O	VAL D 274	79.684	104.249	200.353	1.00	27.07
ATOM	7245	CB	VAL D 274	82.110	105.927	199.610	1.00	25.15
ATOM	7246	CG1	VAL D 274	81.922	106.846	198.410	1.00	20.03
ATOM	7247	CG2	VAL D 274	83.497	106.078	200.222	1.00	17.15
ATOM	7248	N	THR D 275	78.675	106.245	200.053	1.00	29.85
ATOM	7249	CA	THR D 275	77.375	105.656	199.753	1.00	29.87
ATOM	7250	C	THR D 275	76.938	105.959	198.339	1.00	28.05
ATOM	7251	O	THR D 275	76.721	107.128	197.976	1.00	21.76
ATOM	7252	CB	THR D 275	76.280	106.183	200.713	1.00	33.23

ATOM	7253	OG1	THR	D	275	76.651	105.898	202.066	1.00	38.12
ATOM	7254	CG2	THR	D	275	74.933	105.527	200.414	1.00	35.68
ATOM	7255	N	PHE	D	276	76.811	104.887	197.554	1.00	25.13
ATOM	7256	CA	PHE	D	276	76.381	104.989	196.170	1.00	23.00
ATOM	7257	C	PHE	D	276	74.872	104.926	196.101	1.00	20.07
ATOM	7258	O	PHE	D	276	74.260	104.000	196.605	1.00	21.77
ATOM	7259	CB	PHE	D	276	77.008	103.875	195.346	1.00	16.81
ATOM	7260	CG	PHE	D	276	78.469	104.053	195.133	1.00	17.80
ATOM	7261	CD1	PHE	D	276	79.368	103.770	196.143	1.00	19.83
ATOM	7262	CD2	PHE	D	276	78.952	104.520	193.917	1.00	22.24
ATOM	7263	CE1	PHE	D	276	80.738	103.939	195.952	1.00	24.43
ATOM	7264	CE2	PHE	D	276	80.321	104.698	193.711	1.00	24.02
ATOM	7265	CZ	PHE	D	276	81.219	104.404	194.733	1.00	22.44
ATOM	7266	N	VAL	D	277	74.272	105.930	195.482	1.00	21.18
ATOM	7267	CA	VAL	D	277	72.822	106.001	195.384	1.00	21.36
ATOM	7268	C	VAL	D	277	72.333	105.581	194.012	1.00	20.96
ATOM	7269	O	VAL	D	277	72.745	106.143	193.009	1.00	23.51
ATOM	7270	CB	VAL	D	277	72.321	107.429	195.650	1.00	19.27
ATOM	7271	CG1	VAL	D	277	70.846	107.392	195.942	1.00	20.61
ATOM	7272	CG2	VAL	D	277	73.084	108.060	196.803	1.00	16.87
ATOM	7273	N	TYR	D	278	71.435	104.603	193.975	1.00	22.51
ATOM	7274	CA	TYR	D	278	70.884	104.099	192.721	1.00	21.20
ATOM	7275	C	TYR	D	278	69.580	104.761	192.330	1.00	22.00
ATOM	7276	O	TYR	D	278	68.770	105.121	193.192	1.00	21.06
ATOM	7277	CB	TYR	D	278	70.671	102.595	192.827	1.00	19.66
ATOM	7278	CG	TYR	D	278	71.968	101.865	192.988	1.00	19.29
ATOM	7279	CD1	TYR	D	278	72.682	101.942	194.176	1.00	17.55
ATOM	7280	CD2	TYR	D	278	72.535	101.183	191.919	1.00	17.96
ATOM	7281	CE1	TYR	D	278	73.930	101.371	194.293	1.00	19.88
ATOM	7282	CE2	TYR	D	278	73.790	100.607	192.020	1.00	22.17
ATOM	7283	CZ	TYR	D	278	74.488	100.707	193.207	1.00	22.32
ATOM	7284	OH	TYR	D	278	75.763	100.187	193.290	1.00	25.85
ATOM	7285	N	GLN	D	279	69.370	104.921	191.026	1.00	22.62
ATOM	7286	CA	GLN	D	279	68.133	105.528	190.551	1.00	22.09
ATOM	7287	C	GLN	D	279	67.016	104.517	190.350	1.00	21.54
ATOM	7288	O	GLN	D	279	65.879	104.862	190.713	1.00	21.21
ATOM	7289	CB	GLN	D	279	68.350	106.283	189.245	1.00	25.09
ATOM	7290	CG	GLN	D	279	67.102	107.054	188.840	1.00	26.91
ATOM	7291	CD	GLN	D	279	67.206	107.759	187.502	1.00	27.86
ATOM	7292	OE1	GLN	D	279	66.411	108.664	187.230	1.00	26.92
ATOM	7293	NE2	GLN	D	279	68.170	107.347	186.654	1.00	18.24
ATOM	7294	OXT	GLN	D	279	67.279	103.415	189.813	1.00	22.98
ATOM	7295	N	GLY	E	1	53.902	43.471	88.280	1.00	37.75
ATOM	7296	CA	GLY	E	1	54.475	43.192	89.623	1.00	34.05
ATOM	7297	C	GLY	E	1	55.676	44.055	89.944	1.00	32.25
ATOM	7298	O	GLY	E	1	55.658	45.267	89.723	1.00	32.35
ATOM	7299	N	VAL	E	2	56.723	43.426	90.472	1.00	28.21
ATOM	7300	CA	VAL	E	2	57.945	44.135	90.831	1.00	22.70
ATOM	7301	C	VAL	E	2	59.121	43.475	90.125	1.00	22.84
ATOM	7302	O	VAL	E	2	59.241	42.262	90.152	1.00	25.31
ATOM	7303	CB	VAL	E	2	58.135	44.121	92.360	1.00	15.45
ATOM	7304	CG1	VAL	E	2	59.414	44.793	92.736	1.00	14.36
ATOM	7305	CG2	VAL	E	2	56.966	44.837	93.024	1.00	10.78
ATOM	7306	N	ALA	E	3	59.968	44.266	89.463	1.00	25.28
ATOM	7307	CA	ALA	E	3	61.118	43.704	88.737	1.00	26.71
ATOM	7308	C	ALA	E	3	62.430	44.441	88.965	1.00	26.16
ATOM	7309	O	ALA	E	3	62.460	45.657	89.156	1.00	25.40
ATOM	7310	CB	ALA	E	3	60.824	43.632	87.238	1.00	27.01
ATOM	7311	N	LEU	E	4	63.516	43.679	88.943	1.00	24.53
ATOM	7312	CA	LEU	E	4	64.832	44.235	89.155	1.00	22.96
ATOM	7313	C	LEU	E	4	65.378	44.745	87.833	1.00	27.55
ATOM	7314	O	LEU	E	4	65.068	44.203	86.760	1.00	27.65

ATOM	7315	CB	LEU	E	4	65.755	43.174	89.745	1.00	16.44
ATOM	7316	CG	LEU	E	4	65.227	42.438	90.994	1.00	16.69
ATOM	7317	CD1	LEU	E	4	66.270	41.415	91.449	1.00	14.27
ATOM	7318	CD2	LEU	E	4	64.913	43.399	92.123	1.00	10.59
ATOM	7319	N	GLY	E	5	66.179	45.808	87.918	1.00	29.69
ATOM	7320	CA	GLY	E	5	66.767	46.412	86.735	1.00	26.27
ATOM	7321	C	GLY	E	5	67.764	45.537	86.001	1.00	25.40
ATOM	7322	O	GLY	E	5	67.968	45.718	84.811	1.00	28.96
ATOM	7323	N	ALA	E	6	68.396	44.600	86.702	1.00	24.34
ATOM	7324	CA	ALA	E	6	69.378	43.704	86.096	1.00	22.91
ATOM	7325	C	ALA	E	6	68.920	42.268	86.167	1.00	24.12
ATOM	7326	O	ALA	E	6	67.906	41.950	86.781	1.00	29.08
ATOM	7327	CB	ALA	E	6	70.677	43.822	86.803	1.00	18.94
ATOM	7328	N	THR	E	7	69.682	41.396	85.534	1.00	23.39
ATOM	7329	CA	THR	E	7	69.373	39.982	85.546	1.00	21.88
ATOM	7330	C	THR	E	7	70.523	39.309	86.269	1.00	21.87
ATOM	7331	O	THR	E	7	70.538	38.095	86.461	1.00	21.06
ATOM	7332	CB	THR	E	7	69.247	39.425	84.127	1.00	23.31
ATOM	7333	OG1	THR	E	7	70.362	39.867	83.324	1.00	24.91
ATOM	7334	CG2	THR	E	7	67.927	39.875	83.526	1.00	20.82
ATOM	7335	N	ARG	E	8	71.497	40.128	86.653	1.00	21.55
ATOM	7336	CA	ARG	E	8	72.664	39.675	87.401	1.00	20.33
ATOM	7337	C	ARG	E	8	73.398	40.914	87.905	1.00	19.33
ATOM	7338	O	ARG	E	8	73.069	42.040	87.538	1.00	15.61
ATOM	7339	CB	ARG	E	8	73.588	38.821	86.536	1.00	16.64
ATOM	7340	CG	ARG	E	8	74.615	39.593	85.735	1.00	20.51
ATOM	7341	CD	ARG	E	8	74.485	39.344	84.238	1.00	24.75
ATOM	7342	NE	ARG	E	8	74.538	37.928	83.852	1.00	24.52
ATOM	7343	CZ	ARG	E	8	73.467	37.148	83.733	1.00	23.66
ATOM	7344	NH1	ARG	E	8	72.252	37.646	83.961	1.00	20.91
ATOM	7345	NH2	ARG	E	8	73.607	35.878	83.378	1.00	17.65
ATOM	7346	N	VAL	E	9	74.395	40.708	88.751	1.00	19.27
ATOM	7347	CA	VAL	E	9	75.132	41.827	89.304	1.00	16.21
ATOM	7348	C	VAL	E	9	76.572	41.463	89.522	1.00	18.39
ATOM	7349	O	VAL	E	9	76.886	40.369	89.990	1.00	18.96
ATOM	7350	CB	VAL	E	9	74.556	42.261	90.653	1.00	16.79
ATOM	7351	CG1	VAL	E	9	75.562	43.103	91.395	1.00	17.88
ATOM	7352	CG2	VAL	E	9	73.276	43.056	90.445	1.00	18.22
ATOM	7353	N	ILE	E	10	77.449	42.397	89.179	1.00	17.99
ATOM	7354	CA	ILE	E	10	78.872	42.202	89.351	1.00	17.57
ATOM	7355	C	ILE	E	10	79.414	43.098	90.443	1.00	20.29
ATOM	7356	O	ILE	E	10	79.369	44.317	90.330	1.00	19.83
ATOM	7357	CB	ILE	E	10	79.633	42.495	88.080	1.00	11.93
ATOM	7358	CG1	ILE	E	10	79.131	41.585	86.979	1.00	12.70
ATOM	7359	CG2	ILE	E	10	81.112	42.272	88.308	1.00	15.68
ATOM	7360	CD1	ILE	E	10	79.156	40.115	87.335	1.00	15.13
ATOM	7361	N	TYR	E	11	79.916	42.477	91.506	1.00	22.98
ATOM	7362	CA	TYR	E	11	80.483	43.221	92.610	1.00	23.08
ATOM	7363	C	TYR	E	11	81.989	43.305	92.490	1.00	25.54
ATOM	7364	O	TYR	E	11	82.696	42.311	92.674	1.00	26.11
ATOM	7365	CB	TYR	E	11	80.160	42.585	93.943	1.00	20.51
ATOM	7366	CG	TYR	E	11	80.044	43.616	95.012	1.00	22.59
ATOM	7367	CD1	TYR	E	11	81.175	44.150	95.626	1.00	25.35
ATOM	7368	CD2	TYR	E	11	78.797	44.086	95.401	1.00	25.91
ATOM	7369	CE1	TYR	E	11	81.062	45.132	96.617	1.00	24.67
ATOM	7370	CE2	TYR	E	11	78.669	45.062	96.384	1.00	30.29
ATOM	7371	CZ	TYR	E	11	79.800	45.579	96.991	1.00	29.84
ATOM	7372	OH	TYR	E	11	79.641	46.516	97.984	1.00	30.81
ATOM	7373	N	PRO	E	12	82.495	44.505	92.176	1.00	26.95
ATOM	7374	CA	PRO	E	12	83.919	44.823	92.015	1.00	24.77
ATOM	7375	C	PRO	E	12	84.613	44.864	93.385	1.00	23.96
ATOM	7376	O	PRO	E	12	84.281	45.691	94.243	1.00	17.91

ATOM	7377	CB	PRO	E	12	83.899	46.205	91.349	1.00	26.46
ATOM	7378	CG	PRO	E	12	82.485	46.351	90.810	1.00	29.48
ATOM	7379	CD	PRO	E	12	81.650	45.664	91.834	1.00	26.05
ATOM	7380	N	ALA	E	13	85.573	43.971	93.588	1.00	25.71
ATOM	7381	CA	ALA	E	13	86.279	43.937	94.853	1.00	32.48
ATOM	7382	C	ALA	E	13	86.820	45.325	95.146	1.00	38.11
ATOM	7383	O	ALA	E	13	87.476	45.940	94.302	1.00	40.34
ATOM	7384	CB	ALA	E	13	87.409	42.938	94.800	1.00	34.88
ATOM	7385	N	GLY	E	14	86.531	45.817	96.346	1.00	42.57
ATOM	7386	CA	GLY	E	14	86.980	47.139	96.736	1.00	45.74
ATOM	7387	C	GLY	E	14	85.804	48.093	96.830	1.00	48.71
ATOM	7388	O	GLY	E	14	85.673	48.838	97.805	1.00	48.77
ATOM	7389	N	GLN	E	15	84.951	48.060	95.807	1.00	51.39
ATOM	7390	CA	GLN	E	15	83.760	48.904	95.727	1.00	51.38
ATOM	7391	C	GLN	E	15	83.070	49.086	97.063	1.00	50.55
ATOM	7392	O	GLN	E	15	82.677	48.115	97.704	1.00	50.82
ATOM	7393	CB	GLN	E	15	82.761	48.302	94.742	1.00	54.11
ATOM	7394	CG	GLN	E	15	82.949	48.760	93.324	1.00	56.91
ATOM	7395	CD	GLN	E	15	82.747	50.244	93.188	1.00	59.76
ATOM	7396	OE1	GLN	E	15	81.678	50.770	93.514	1.00	59.09
ATOM	7397	NE2	GLN	E	15	83.776	50.938	92.707	1.00	63.05
ATOM	7398	N	LYS	E	16	82.909	50.333	97.482	1.00	50.82
ATOM	7399	CA	LYS	E	16	82.250	50.588	98.753	1.00	51.61
ATOM	7400	C	LYS	E	16	80.830	50.075	98.689	1.00	49.40
ATOM	7401	O	LYS	E	16	80.305	49.640	99.693	1.00	52.85
ATOM	7402	CB	LYS	E	16	82.240	52.079	99.084	1.00	54.57
ATOM	7403	CG	LYS	E	16	82.100	52.391	100.582	1.00	56.65
ATOM	7404	CD	LYS	E	16	81.974	53.907	100.859	1.00	57.32
ATOM	7405	CE	LYS	E	16	83.141	54.729	100.291	1.00	54.77
ATOM	7406	NZ	LYS	E	16	84.456	54.332	100.856	1.00	52.52
ATOM	7407	N	GLN	E	17	80.207	50.127	97.512	1.00	47.73
ATOM	7408	CA	GLN	E	17	78.833	49.630	97.343	1.00	46.10
ATOM	7409	C	GLN	E	17	78.407	49.468	95.881	1.00	42.31
ATOM	7410	O	GLN	E	17	79.030	50.028	94.988	1.00	43.72
ATOM	7411	CB	GLN	E	17	77.847	50.561	98.034	1.00	45.68
ATOM	7412	CG	GLN	E	17	77.820	51.937	97.426	1.00	49.62
ATOM	7413	CD	GLN	E	17	76.515	52.651	97.696	1.00	50.67
ATOM	7414	OE1	GLN	E	17	76.070	52.743	98.848	1.00	50.84
ATOM	7415	NE2	GLN	E	17	75.889	53.162	96.636	1.00	47.37
ATOM	7416	N	VAL	E	18	77.346	48.698	95.650	1.00	37.75
ATOM	7417	CA	VAL	E	18	76.815	48.470	94.302	1.00	35.89
ATOM	7418	C	VAL	E	18	75.292	48.619	94.279	1.00	35.41
ATOM	7419	O	VAL	E	18	74.580	48.033	95.095	1.00	33.85
ATOM	7420	CB	VAL	E	18	77.175	47.074	93.773	1.00	35.14
ATOM	7421	CG1	VAL	E	18	76.433	46.802	92.484	1.00	30.04
ATOM	7422	CG2	VAL	E	18	78.670	46.988	93.537	1.00	36.46
ATOM	7423	N	GLN	E	19	74.798	49.383	93.312	1.00	34.69
ATOM	7424	CA	GLN	E	19	73.377	49.664	93.213	1.00	33.20
ATOM	7425	C	GLN	E	19	72.612	48.826	92.213	1.00	31.17
ATOM	7426	O	GLN	E	19	73.129	48.472	91.168	1.00	30.81
ATOM	7427	CB	GLN	E	19	73.200	51.146	92.909	1.00	32.61
ATOM	7428	CG	GLN	E	19	74.143	51.974	93.771	1.00	46.22
ATOM	7429	CD	GLN	E	19	73.868	53.459	93.741	1.00	53.37
ATOM	7430	OE1	GLN	E	19	74.410	54.215	94.558	1.00	55.81
ATOM	7431	NE2	GLN	E	19	73.029	53.893	92.802	1.00	55.47
ATOM	7432	N	LEU	E	20	71.379	48.491	92.571	1.00	29.72
ATOM	7433	CA	LEU	E	20	70.496	47.717	91.724	1.00	27.85
ATOM	7434	C	LEU	E	20	69.144	48.420	91.760	1.00	29.95
ATOM	7435	O	LEU	E	20	68.718	48.911	92.813	1.00	29.11
ATOM	7436	CB	LEU	E	20	70.360	46.289	92.257	1.00	29.76
ATOM	7437	CG	LEU	E	20	69.397	45.320	91.540	1.00	28.42
ATOM	7438	CD1	LEU	E	20	69.919	44.978	90.174	1.00	26.37

ATOM	7439	CD2	LEU	E	20	69.256	44.045	92.340	1.00	28.74
ATOM	7440	N	ALA	E	21	68.471	48.468	90.614	1.00	29.53
ATOM	7441	CA	ALA	E	21	67.175	49.133	90.520	1.00	28.04
ATOM	7442	C	ALA	E	21	66.000	48.186	90.708	1.00	27.64
ATOM	7443	O	ALA	E	21	66.023	47.049	90.245	1.00	27.37
ATOM	7444	CB	ALA	E	21	67.056	49.835	89.166	1.00	31.71
ATOM	7445	N	VAL	E	22	64.972	48.678	91.389	1.00	26.44
ATOM	7446	CA	VAL	E	22	63.755	47.916	91.635	1.00	25.24
ATOM	7447	C	VAL	E	22	62.584	48.798	91.265	1.00	26.27
ATOM	7448	O	VAL	E	22	62.571	49.983	91.571	1.00	26.87
ATOM	7449	CB	VAL	E	22	63.601	47.538	93.110	1.00	23.25
ATOM	7450	CG1	VAL	E	22	62.263	46.853	93.347	1.00	24.01
ATOM	7451	CG2	VAL	E	22	64.716	46.631	93.506	1.00	25.86
ATOM	7452	N	THR	E	23	61.597	48.223	90.602	1.00	27.58
ATOM	7453	CA	THR	E	23	60.452	49.004	90.220	1.00	30.58
ATOM	7454	C	THR	E	23	59.171	48.193	90.254	1.00	33.20
ATOM	7455	O	THR	E	23	59.152	47.015	89.911	1.00	32.86
ATOM	7456	CB	THR	E	23	60.648	49.654	88.824	1.00	28.41
ATOM	7457	OG1	THR	E	23	59.414	49.604	88.102	1.00	33.33
ATOM	7458	CG2	THR	E	23	61.733	48.963	88.049	1.00	21.65
ATOM	7459	N	ASN	E	24	58.111	48.865	90.687	1.00	34.66
ATOM	7460	CA	ASN	E	24	56.789	48.304	90.823	1.00	36.10
ATOM	7461	C	ASN	E	24	55.914	48.855	89.706	1.00	39.24
ATOM	7462	O	ASN	E	24	55.736	50.066	89.589	1.00	37.26
ATOM	7463	CB	ASN	E	24	56.238	48.700	92.196	1.00	36.54
ATOM	7464	CG	ASN	E	24	54.820	48.250	92.408	1.00	38.03
ATOM	7465	OD1	ASN	E	24	54.419	47.196	91.922	1.00	41.35
ATOM	7466	ND2	ASN	E	24	54.054	49.033	93.151	1.00	36.16
ATOM	7467	N	ASN	E	25	55.367	47.946	88.902	1.00	44.17
ATOM	7468	CA	ASN	E	25	54.505	48.265	87.751	1.00	47.30
ATOM	7469	C	ASN	E	25	53.037	48.430	88.067	1.00	47.05
ATOM	7470	O	ASN	E	25	52.311	49.112	87.353	1.00	46.64
ATOM	7471	CB	ASN	E	25	54.614	47.164	86.708	1.00	47.84
ATOM	7472	CG	ASN	E	25	56.029	46.924	86.286	1.00	53.78
ATOM	7473	OD1	ASN	E	25	56.965	47.212	87.039	1.00	53.60
ATOM	7474	ND2	ASN	E	25	56.209	46.382	85.083	1.00	59.57
ATOM	7475	N	ASP	E	26	52.598	47.779	89.126	1.00	49.72
ATOM	7476	CA	ASP	E	26	51.206	47.818	89.516	1.00	53.39
ATOM	7477	C	ASP	E	26	50.739	49.209	89.942	1.00	56.01
ATOM	7478	O	ASP	E	26	51.045	49.687	91.042	1.00	54.75
ATOM	7479	CB	ASP	E	26	50.986	46.777	90.610	1.00	56.02
ATOM	7480	CG	ASP	E	26	51.477	45.385	90.191	1.00	59.22
ATOM	7481	OD1	ASP	E	26	51.862	45.220	89.013	1.00	57.95
ATOM	7482	OD2	ASP	E	26	51.481	44.455	91.030	1.00	62.06
ATOM	7483	N	GLU	E	27	49.990	49.840	89.037	1.00	58.55
ATOM	7484	CA	GLU	E	27	49.445	51.184	89.215	1.00	62.28
ATOM	7485	C	GLU	E	27	48.835	51.438	90.575	1.00	60.87
ATOM	7486	O	GLU	E	27	48.620	52.582	90.961	1.00	60.97
ATOM	7487	CB	GLU	E	27	48.390	51.470	88.138	1.00	68.13
ATOM	7488	CG	GLU	E	27	48.870	52.381	87.002	1.00	76.65
ATOM	7489	CD	GLU	E	27	47.884	52.461	85.836	1.00	80.99
ATOM	7490	OE1	GLU	E	27	46.689	52.765	86.076	1.00	81.55
ATOM	7491	OE2	GLU	E	27	48.316	52.223	84.681	1.00	81.98
ATOM	7492	N	ASN	E	28	48.548	50.370	91.298	1.00	60.93
ATOM	7493	CA	ASN	E	28	47.950	50.505	92.612	1.00	63.90
ATOM	7494	C	ASN	E	28	47.952	49.181	93.367	1.00	63.30
ATOM	7495	O	ASN	E	28	47.189	48.257	93.068	1.00	65.30
ATOM	7496	CB	ASN	E	28	46.522	51.066	92.485	1.00	68.50
ATOM	7497	CG	ASN	E	28	45.686	50.348	91.417	1.00	72.95
ATOM	7498	OD1	ASN	E	28	44.600	50.810	91.060	1.00	73.13
ATOM	7499	ND2	ASN	E	28	46.186	49.219	90.912	1.00	73.14
ATOM	7500	N	SER	E	29	48.840	49.110	94.348	1.00	60.80

ATOM	7501	CA	SER	E	29	49.010	47.937	95.184	1.00	59.03
ATOM	7502	C	SER	E	29	50.382	48.085	95.827	1.00	58.62
ATOM	7503	O	SER	E	29	51.408	48.080	95.145	1.00	61.18
ATOM	7504	CB	SER	E	29	48.945	46.644	94.352	1.00	57.16
ATOM	7505	OG	SER	E	29	50.023	46.539	93.443	1.00	51.44
ATOM	7506	N	THR	E	30	50.396	48.236	97.142	1.00	54.58
ATOM	7507	CA	THR	E	30	51.639	48.393	97.862	1.00	50.49
ATOM	7508	C	THR	E	30	52.370	47.066	98.050	1.00	47.85
ATOM	7509	O	THR	E	30	51.766	45.999	97.979	1.00	45.15
ATOM	7510	CB	THR	E	30	51.363	49.036	99.219	1.00	49.82
ATOM	7511	OG1	THR	E	30	50.849	50.353	99.006	1.00	50.94
ATOM	7512	CG2	THR	E	30	52.626	49.124	100.049	1.00	52.89
ATOM	7513	N	TYR	E	31	53.683	47.148	98.256	1.00	47.31
ATOM	7514	CA	TYR	E	31	54.517	45.971	98.491	1.00	44.49
ATOM	7515	C	TYR	E	31	55.607	46.241	99.518	1.00	43.24
ATOM	7516	O	TYR	E	31	56.040	47.377	99.734	1.00	44.51
ATOM	7517	CB	TYR	E	31	55.200	45.491	97.211	1.00	44.15
ATOM	7518	CG	TYR	E	31	54.288	44.867	96.182	1.00	43.35
ATOM	7519	CD1	TYR	E	31	53.947	43.517	96.250	1.00	41.02
ATOM	7520	CD2	TYR	E	31	53.772	45.623	95.136	1.00	41.81
ATOM	7521	CE1	TYR	E	31	53.117	42.939	95.299	1.00	37.79
ATOM	7522	CE2	TYR	E	31	52.943	45.053	94.184	1.00	41.08
ATOM	7523	CZ	TYR	E	31	52.621	43.715	94.271	1.00	38.09
ATOM	7524	OH	TYR	E	31	51.807	43.166	93.322	1.00	35.65
ATOM	7525	N	LEU	E	32	56.043	45.168	100.153	1.00	40.83
ATOM	7526	CA	LEU	E	32	57.104	45.224	101.139	1.00	36.91
ATOM	7527	C	LEU	E	32	58.280	44.554	100.464	1.00	35.99
ATOM	7528	O	LEU	E	32	58.214	43.365	100.122	1.00	36.34
ATOM	7529	CB	LEU	E	32	56.694	44.446	102.379	1.00	35.10
ATOM	7530	CG	LEU	E	32	56.135	45.322	103.483	1.00	32.36
ATOM	7531	CD1	LEU	E	32	55.253	44.521	104.415	1.00	32.04
ATOM	7532	CD2	LEU	E	32	57.301	45.933	104.203	1.00	27.85
ATOM	7533	N	ILE	E	33	59.347	45.317	100.267	1.00	31.33
ATOM	7534	CA	ILE	E	33	60.531	44.811	99.601	1.00	28.19
ATOM	7535	C	ILE	E	33	61.644	44.318	100.507	1.00	28.37
ATOM	7536	O	ILE	E	33	62.404	45.114	101.057	1.00	30.17
ATOM	7537	CB	ILE	E	33	61.102	45.881	98.689	1.00	26.13
ATOM	7538	CG1	ILE	E	33	60.003	46.373	97.758	1.00	27.66
ATOM	7539	CG2	ILE	E	33	62.275	45.333	97.907	1.00	29.14
ATOM	7540	CD1	ILE	E	33	59.331	45.266	96.991	1.00	23.20
ATOM	7541	N	GLN	E	34	61.737	43.000	100.662	1.00	27.05
ATOM	7542	CA	GLN	E	34	62.801	42.407	101.464	1.00	28.95
ATOM	7543	C	GLN	E	34	63.851	41.827	100.516	1.00	30.16
ATOM	7544	O	GLN	E	34	63.518	41.140	99.542	1.00	30.22
ATOM	7545	CB	GLN	E	34	62.271	41.303	102.375	1.00	26.16
ATOM	7546	CG	GLN	E	34	61.645	41.786	103.670	1.00	23.32
ATOM	7547	CD	GLN	E	34	61.334	40.639	104.607	1.00	22.85
ATOM	7548	OE1	GLN	E	34	61.265	39.480	104.184	1.00	19.21
ATOM	7549	NE2	GLN	E	34	61.123	40.953	105.885	1.00	22.07
ATOM	7550	N	SER	E	35	65.117	42.103	100.810	1.00	29.19
ATOM	7551	CA	SER	E	35	66.214	41.640	99.966	1.00	27.28
ATOM	7552	C	SER	E	35	67.374	41.098	100.786	1.00	23.85
ATOM	7553	O	SER	E	35	67.670	41.627	101.841	1.00	24.91
ATOM	7554	CB	SER	E	35	66.680	42.809	99.107	1.00	26.34
ATOM	7555	OG	SER	E	35	65.906	43.956	99.437	1.00	31.99
ATOM	7556	N	TRP	E	36	68.010	40.036	100.302	1.00	21.93
ATOM	7557	CA	TRP	E	36	69.159	39.428	100.980	1.00	23.58
ATOM	7558	C	TRP	E	36	70.124	38.719	100.007	1.00	24.84
ATOM	7559	O	TRP	E	36	69.818	38.529	98.828	1.00	26.72
ATOM	7560	CB	TRP	E	36	68.694	38.432	102.044	1.00	21.63
ATOM	7561	CG	TRP	E	36	67.977	37.248	101.498	1.00	18.68
ATOM	7562	CD1	TRP	E	36	68.475	35.985	101.329	1.00	18.19

ATOM	7563	CD2	TRP	E	36	66.622	37.209	101.063	1.00	15.20
ATOM	7564	NE1	TRP	E	36	67.504	35.158	100.818	1.00	15.86
ATOM	7565	CE2	TRP	E	36	66.354	35.885	100.644	1.00	15.21
ATOM	7566	CE3	TRP	E	36	65.603	38.163	100.986	1.00	15.47
ATOM	7567	CZ2	TRP	E	36	65.101	35.490	100.155	1.00	13.74
ATOM	7568	CZ3	TRP	E	36	64.353	37.772	100.497	1.00	20.41
ATOM	7569	CH2	TRP	E	36	64.114	36.442	100.088	1.00	17.10
ATOM	7570	N	VAL	E	37	71.286	38.315	100.505	1.00	21.32
ATOM	7571	CA	VAL	E	37	72.250	37.665	99.642	1.00	20.62
ATOM	7572	C	VAL	E	37	72.720	36.310	100.144	1.00	20.73
ATOM	7573	O	VAL	E	37	73.455	36.215	101.118	1.00	25.08
ATOM	7574	CB	VAL	E	37	73.489	38.573	99.413	1.00	19.59
ATOM	7575	CG1	VAL	E	37	74.572	37.806	98.672	1.00	18.20
ATOM	7576	CG2	VAL	E	37	73.092	39.805	98.623	1.00	19.90
ATOM	7577	N	GLU	E	38	72.309	35.254	99.466	1.00	19.42
ATOM	7578	CA	GLU	E	38	72.725	33.922	99.856	1.00	21.52
ATOM	7579	C	GLU	E	38	74.032	33.603	99.149	1.00	23.64
ATOM	7580	O	GLU	E	38	74.397	34.271	98.179	1.00	25.71
ATOM	7581	CB	GLU	E	38	71.651	32.914	99.475	1.00	19.37
ATOM	7582	CG	GLU	E	38	70.319	33.208	100.121	1.00	18.40
ATOM	7583	CD	GLU	E	38	69.231	32.300	99.620	1.00	20.80
ATOM	7584	OE1	GLU	E	38	69.553	31.151	99.252	1.00	19.80
ATOM	7585	OE2	GLU	E	38	68.056	32.728	99.605	1.00	22.04
ATOM	7586	N	ASN	E	39	74.755	32.605	99.635	1.00	22.60
ATOM	7587	CA	ASN	E	39	76.008	32.264	98.994	1.00	26.30
ATOM	7588	C	ASN	E	39	75.771	31.086	98.043	1.00	29.73
ATOM	7589	O	ASN	E	39	74.644	30.610	97.913	1.00	30.52
ATOM	7590	CB	ASN	E	39	77.075	31.927	100.044	1.00	23.81
ATOM	7591	CG	ASN	E	39	76.797	30.620	100.776	1.00	22.45
ATOM	7592	OD1	ASN	E	39	75.747	30.014	100.612	1.00	25.36
ATOM	7593	ND2	ASN	E	39	77.744	30.187	101.590	1.00	19.08
ATOM	7594	N	ALA	E	40	76.826	30.630	97.373	1.00	30.23
ATOM	7595	CA	ALA	E	40	76.705	29.525	96.444	1.00	32.25
ATOM	7596	C	ALA	E	40	75.921	28.354	97.038	1.00	34.33
ATOM	7597	O	ALA	E	40	75.108	27.735	96.355	1.00	37.27
ATOM	7598	CB	ALA	E	40	78.078	29.067	96.015	1.00	30.85
ATOM	7599	N	ASP	E	41	76.152	28.044	98.306	1.00	34.84
ATOM	7600	CA	ASP	E	41	75.442	26.935	98.908	1.00	34.94
ATOM	7601	C	ASP	E	41	74.084	27.362	99.413	1.00	34.65
ATOM	7602	O	ASP	E	41	73.446	26.636	100.163	1.00	39.30
ATOM	7603	CB	ASP	E	41	76.248	26.322	100.051	1.00	39.24
ATOM	7604	CG	ASP	E	41	77.572	25.732	99.589	1.00	43.17
ATOM	7605	OD1	ASP	E	41	77.581	24.916	98.639	1.00	44.57
ATOM	7606	OD2	ASP	E	41	78.607	26.081	100.192	1.00	45.28
ATOM	7607	N	GLY	E	42	73.641	28.544	99.008	1.00	32.48
ATOM	7608	CA	GLY	E	42	72.334	29.029	99.422	1.00	31.51
ATOM	7609	C	GLY	E	42	72.141	29.290	100.901	1.00	30.87
ATOM	7610	O	GLY	E	42	71.016	29.282	101.405	1.00	31.31
ATOM	7611	N	VAL	E	43	73.232	29.526	101.609	1.00	30.32
ATOM	7612	CA	VAL	E	43	73.135	29.798	103.026	1.00	30.10
ATOM	7613	C	VAL	E	43	73.215	31.306	103.254	1.00	33.23
ATOM	7614	O	VAL	E	43	74.134	31.986	102.772	1.00	34.14
ATOM	7615	CB	VAL	E	43	74.255	29.089	103.807	1.00	27.74
ATOM	7616	CG1	VAL	E	43	74.451	27.685	103.256	1.00	21.59
ATOM	7617	CG2	VAL	E	43	75.542	29.884	103.733	1.00	31.68
ATOM	7618	N	LYS	E	44	72.229	31.832	103.968	1.00	34.30
ATOM	7619	CA	LYS	E	44	72.202	33.248	104.263	1.00	34.78
ATOM	7620	C	LYS	E	44	73.316	33.598	105.245	1.00	37.17
ATOM	7621	O	LYS	E	44	73.079	33.655	106.455	1.00	38.57
ATOM	7622	CB	LYS	E	44	70.871	33.641	104.895	1.00	35.29
ATOM	7623	CG	LYS	E	44	69.647	33.262	104.119	1.00	37.73
ATOM	7624	CD	LYS	E	44	68.462	34.080	104.598	1.00	39.09

ATOM	7625	CE	LYS	E	44	67.182	33.616	103.947	1.00	41.39
ATOM	7626	NZ	LYS	E	44	66.895	32.186	104.266	1.00	44.00
ATOM	7627	N	ASP	E	45	74.537	33.788	104.751	1.00	36.92
ATOM	7628	CA	ASP	E	45	75.618	34.197	105.641	1.00	33.20
ATOM	7629	C	ASP	E	45	75.632	35.700	105.497	1.00	34.30
ATOM	7630	O	ASP	E	45	74.730	36.276	104.887	1.00	35.83
ATOM	7631	CB	ASP	E	45	76.959	33.627	105.213	1.00	33.52
ATOM	7632	CG	ASP	E	45	77.135	33.617	103.727	1.00	32.94
ATOM	7633	OD1	ASP	E	45	76.895	34.659	103.076	1.00	39.28
ATOM	7634	OD2	ASP	E	45	77.518	32.557	103.213	1.00	32.64
ATOM	7635	N	GLY	E	46	76.660	36.353	106.003	1.00	33.61
ATOM	7636	CA	GLY	E	46	76.641	37.797	105.916	1.00	34.83
ATOM	7637	C	GLY	E	46	77.433	38.473	104.833	1.00	35.46
ATOM	7638	O	GLY	E	46	77.305	39.682	104.665	1.00	38.76
ATOM	7639	N	ARG	E	47	78.240	37.713	104.100	1.00	33.46
ATOM	7640	CA	ARG	E	47	79.078	38.277	103.059	1.00	27.88
ATOM	7641	C	ARG	E	47	78.556	39.556	102.437	1.00	24.88
ATOM	7642	O	ARG	E	47	79.319	40.481	102.218	1.00	26.85
ATOM	7643	CB	ARG	E	47	79.331	37.244	101.978	1.00	33.70
ATOM	7644	CG	ARG	E	47	80.551	36.406	102.235	1.00	41.61
ATOM	7645	CD	ARG	E	47	80.328	35.335	103.272	1.00	47.71
ATOM	7646	NE	ARG	E	47	81.606	34.751	103.668	1.00	57.01
ATOM	7647	CZ	ARG	E	47	82.587	35.446	104.237	1.00	58.22
ATOM	7648	NH1	ARG	E	47	82.427	36.738	104.467	1.00	59.50
ATOM	7649	NH2	ARG	E	47	83.719	34.856	104.590	1.00	59.74
ATOM	7650	N	PHE	E	48	77.262	39.622	102.155	1.00	21.10
ATOM	7651	CA	PHE	E	48	76.690	40.818	101.557	1.00	19.09
ATOM	7652	C	PHE	E	48	75.387	41.236	102.225	1.00	18.39
ATOM	7653	O	PHE	E	48	74.525	40.411	102.511	1.00	14.18
ATOM	7654	CB	PHE	E	48	76.457	40.614	100.043	1.00	22.16
ATOM	7655	CG	PHE	E	48	77.723	40.482	99.254	1.00	21.23
ATOM	7656	CD1	PHE	E	48	78.431	39.283	99.254	1.00	23.54
ATOM	7657	CD2	PHE	E	48	78.273	41.590	98.617	1.00	22.29
ATOM	7658	CE1	PHE	E	48	79.674	39.185	98.649	1.00	23.70
ATOM	7659	CE2	PHE	E	48	79.517	41.512	98.005	1.00	22.47
ATOM	7660	CZ	PHE	E	48	80.223	40.305	98.025	1.00	25.68
ATOM	7661	N	ILE	E	49	75.250	42.533	102.464	1.00	19.06
ATOM	7662	CA	ILE	E	49	74.059	43.068	103.078	1.00	19.98
ATOM	7663	C	ILE	E	49	73.467	44.154	102.204	1.00	23.18
ATOM	7664	O	ILE	E	49	74.174	45.034	101.729	1.00	26.79
ATOM	7665	CB	ILE	E	49	74.379	43.580	104.453	1.00	21.83
ATOM	7666	CG1	ILE	E	49	74.573	42.377	105.373	1.00	23.69
ATOM	7667	CG2	ILE	E	49	73.269	44.473	104.953	1.00	24.07
ATOM	7668	CD1	ILE	E	49	75.192	42.718	106.695	1.00	34.97
ATOM	7669	N	VAL	E	50	72.157	44.073	101.999	1.00	25.17
ATOM	7670	CA	VAL	E	50	71.419	44.988	101.132	1.00	25.24
ATOM	7671	C	VAL	E	50	70.591	45.996	101.895	1.00	26.70
ATOM	7672	O	VAL	E	50	69.908	45.636	102.843	1.00	27.72
ATOM	7673	CB	VAL	E	50	70.417	44.202	100.225	1.00	25.20
ATOM	7674	CG1	VAL	E	50	69.773	45.130	99.215	1.00	25.13
ATOM	7675	CG2	VAL	E	50	71.114	43.041	99.541	1.00	23.27
ATOM	7676	N	THR	E	51	70.635	47.254	101.469	1.00	29.44
ATOM	7677	CA	THR	E	51	69.813	48.294	102.086	1.00	28.91
ATOM	7678	C	THR	E	51	69.045	49.020	100.985	1.00	28.61
ATOM	7679	O	THR	E	51	69.537	49.193	99.869	1.00	28.87
ATOM	7680	CB	THR	E	51	70.627	49.366	102.869	1.00	29.48
ATOM	7681	OG1	THR	E	51	71.544	50.025	101.994	1.00	34.04
ATOM	7682	CG2	THR	E	51	71.387	48.757	103.994	1.00	31.22
ATOM	7683	N	PRO	E	52	67.816	49.438	101.288	1.00	27.67
ATOM	7684	CA	PRO	E	52	67.247	49.197	102.614	1.00	28.97
ATOM	7685	C	PRO	E	52	66.792	47.740	102.841	1.00	30.96
ATOM	7686	O	PRO	E	52	66.216	47.102	101.957	1.00	30.41

ATOM	7687	CB	PRO	E	52	66.109	50.217	102.691	1.00	25.05
ATOM	7688	CG	PRO	E	52	65.760	50.471	101.272	1.00	27.90
ATOM	7689	CD	PRO	E	52	67.082	50.498	100.581	1.00	27.23
ATOM	7690	N	PRO	E	53	67.060	47.195	104.039	1.00	32.19
ATOM	7691	CA	PRO	E	53	66.680	45.819	104.365	1.00	31.88
ATOM	7692	C	PRO	E	53	65.179	45.554	104.286	1.00	32.51
ATOM	7693	O	PRO	E	53	64.759	44.421	104.063	1.00	34.53
ATOM	7694	CB	PRO	E	53	67.233	45.643	105.772	1.00	31.79
ATOM	7695	CG	PRO	E	53	67.124	47.025	106.339	1.00	29.82
ATOM	7696	CD	PRO	E	53	67.638	47.867	105.218	1.00	31.63
ATOM	7697	N	LEU	E	54	64.375	46.596	104.466	1.00	31.12
ATOM	7698	CA	LEU	E	54	62.916	46.461	104.402	1.00	30.76
ATOM	7699	C	LEU	E	54	62.249	47.798	104.061	1.00	29.14
ATOM	7700	O	LEU	E	54	62.534	48.801	104.717	1.00	30.83
ATOM	7701	CB	LEU	E	54	62.375	45.973	105.750	1.00	29.54
ATOM	7702	CG	LEU	E	54	60.850	45.923	105.842	1.00	28.49
ATOM	7703	CD1	LEU	E	54	60.327	44.654	105.169	1.00	32.71
ATOM	7704	CD2	LEU	E	54	60.440	45.952	107.282	1.00	27.40
ATOM	7705	N	PHE	E	55	61.385	47.824	103.046	1.00	22.96
ATOM	7706	CA	PHE	E	55	60.682	49.059	102.700	1.00	25.81
ATOM	7707	C	PHE	E	55	59.438	48.833	101.855	1.00	29.29
ATOM	7708	O	PHE	E	55	59.195	47.727	101.367	1.00	33.63
ATOM	7709	CB	PHE	E	55	61.622	50.047	102.013	1.00	23.19
ATOM	7710	CG	PHE	E	55	62.128	49.591	100.683	1.00	28.24
ATOM	7711	CD1	PHE	E	55	63.228	48.736	100.598	1.00	27.88
ATOM	7712	CD2	PHE	E	55	61.496	49.998	99.507	1.00	28.94
ATOM	7713	CE1	PHE	E	55	63.694	48.287	99.359	1.00	26.66
ATOM	7714	CE2	PHE	E	55	61.949	49.559	98.262	1.00	31.66
ATOM	7715	CZ	PHE	E	55	63.058	48.695	98.188	1.00	30.51
ATOM	7716	N	ALA	E	56	58.623	49.866	101.689	1.00	31.55
ATOM	7717	CA	ALA	E	56	57.407	49.698	100.891	1.00	32.69
ATOM	7718	C	ALA	E	56	57.381	50.522	99.612	1.00	33.65
ATOM	7719	O	ALA	E	56	57.908	51.638	99.554	1.00	36.35
ATOM	7720	CB	ALA	E	56	56.179	50.025	101.730	1.00	33.30
ATOM	7721	N	MET	E	57	56.771	49.962	98.576	1.00	32.90
ATOM	7722	CA	MET	E	57	56.654	50.665	97.313	1.00	31.99
ATOM	7723	C	MET	E	57	55.186	50.714	97.012	1.00	33.40
ATOM	7724	O	MET	E	57	54.606	49.745	96.519	1.00	32.63
ATOM	7725	CB	MET	E	57	57.405	49.937	96.207	1.00	30.64
ATOM	7726	CG	MET	E	57	58.897	49.945	96.414	1.00	29.63
ATOM	7727	SD	MET	E	57	59.778	48.965	95.214	1.00	31.92
ATOM	7728	CE	MET	E	57	59.870	50.113	93.888	1.00	33.81
ATOM	7729	N	LYS	E	58	54.583	51.846	97.356	1.00	36.59
ATOM	7730	CA	LYS	E	58	53.159	52.052	97.130	1.00	41.55
ATOM	7731	C	LYS	E	58	52.988	52.357	95.661	1.00	40.26
ATOM	7732	O	LYS	E	58	53.398	53.415	95.201	1.00	42.14
ATOM	7733	CB	LYS	E	58	52.648	53.223	97.976	1.00	44.28
ATOM	7734	CG	LYS	E	58	52.907	53.059	99.480	1.00	50.10
ATOM	7735	CD	LYS	E	58	52.587	54.330	100.276	1.00	55.37
ATOM	7736	CE	LYS	E	58	51.084	54.628	100.313	1.00	58.84
ATOM	7737	NZ	LYS	E	58	50.745	55.844	101.119	1.00	55.17
ATOM	7738	N	GLY	E	59	52.408	51.416	94.928	1.00	40.35
ATOM	7739	CA	GLY	E	59	52.195	51.612	93.505	1.00	42.71
ATOM	7740	C	GLY	E	59	53.483	51.820	92.741	1.00	43.98
ATOM	7741	O	GLY	E	59	54.561	51.536	93.257	1.00	43.50
ATOM	7742	N	LYS	E	60	53.372	52.317	91.511	1.00	46.90
ATOM	7743	CA	LYS	E	60	54.538	52.560	90.665	1.00	49.54
ATOM	7744	C	LYS	E	60	55.554	53.453	91.357	1.00	50.18
ATOM	7745	O	LYS	E	60	55.244	54.585	91.726	1.00	52.56
ATOM	7746	CB	LYS	E	60	54.115	53.201	89.341	1.00	50.79
ATOM	7747	CG	LYS	E	60	53.357	52.256	88.408	1.00	56.23
ATOM	7748	CD	LYS	E	60	53.018	52.929	87.084	1.00	59.25

ATOM	7749	CE	LYS	E	60	52.688	51.918	85.993	1.00	60.80
ATOM	7750	NZ	LYS	E	60	51.411	51.200	86.230	1.00	61.08
ATOM	7751	N	LYS	E	61	56.756	52.914	91.549	1.00	48.67
ATOM	7752	CA	LYS	E	61	57.883	53.611	92.173	1.00	47.30
ATOM	7753	C	LYS	E	61	59.099	53.043	91.450	1.00	47.98
ATOM	7754	O	LYS	E	61	58.955	52.194	90.558	1.00	47.18
ATOM	7755	CB	LYS	E	61	58.010	53.271	93.666	1.00	47.10
ATOM	7756	CG	LYS	E	61	56.879	53.743	94.552	1.00	51.79
ATOM	7757	CD	LYS	E	61	56.850	55.258	94.682	1.00	55.40
ATOM	7758	CE	LYS	E	61	58.130	55.797	95.308	1.00	56.72
ATOM	7759	NZ	LYS	E	61	58.202	57.281	95.151	1.00	59.97
ATOM	7760	N	GLU	E	62	60.291	53.480	91.844	1.00	46.14
ATOM	7761	CA	GLU	E	62	61.510	52.983	91.217	1.00	43.77
ATOM	7762	C	GLU	E	62	62.671	53.307	92.152	1.00	42.14
ATOM	7763	O	GLU	E	62	63.440	54.229	91.894	1.00	45.81
ATOM	7764	CB	GLU	E	62	61.694	53.673	89.863	1.00	46.24
ATOM	7765	CG	GLU	E	62	62.609	52.976	88.865	1.00	53.38
ATOM	7766	CD	GLU	E	62	64.001	52.718	89.412	1.00	58.00
ATOM	7767	OE1	GLU	E	62	64.160	51.711	90.133	1.00	59.88
ATOM	7768	OE2	GLU	E	62	64.930	53.519	89.132	1.00	59.31
ATOM	7769	N	ASN	E	63	62.805	52.560	93.244	1.00	38.82
ATOM	7770	CA	ASN	E	63	63.884	52.845	94.186	1.00	37.32
ATOM	7771	C	ASN	E	63	65.182	52.123	93.881	1.00	35.29
ATOM	7772	O	ASN	E	63	65.276	51.376	92.905	1.00	34.21
ATOM	7773	CB	ASN	E	63	63.462	52.521	95.619	1.00	36.41
ATOM	7774	CG	ASN	E	63	62.039	52.862	95.883	1.00	34.97
ATOM	7775	OD1	ASN	E	63	61.176	51.997	95.802	1.00	38.20
ATOM	7776	ND2	ASN	E	63	61.769	54.132	96.188	1.00	30.65
ATOM	7777	N	THR	E	64	66.179	52.337	94.738	1.00	32.08
ATOM	7778	CA	THR	E	64	67.474	51.714	94.534	1.00	32.42
ATOM	7779	C	THR	E	64	67.929	50.796	95.653	1.00	31.23
ATOM	7780	O	THR	E	64	67.778	51.102	96.826	1.00	34.81
ATOM	7781	CB	THR	E	64	68.559	52.781	94.326	1.00	31.91
ATOM	7782	OG1	THR	E	64	68.141	53.704	93.314	1.00	31.56
ATOM	7783	CG2	THR	E	64	69.849	52.136	93.886	1.00	31.09
ATOM	7784	N	LEU	E	65	68.501	49.667	95.285	1.00	29.34
ATOM	7785	CA	LEU	E	65	68.992	48.748	96.283	1.00	29.59
ATOM	7786	C	LEU	E	65	70.497	48.899	96.398	1.00	31.07
ATOM	7787	O	LEU	E	65	71.172	49.064	95.388	1.00	32.54
ATOM	7788	CB	LEU	E	65	68.632	47.318	95.895	1.00	24.60
ATOM	7789	CG	LEU	E	65	67.142	47.081	96.073	1.00	21.68
ATOM	7790	CD1	LEU	E	65	66.793	45.615	95.896	1.00	15.41
ATOM	7791	CD2	LEU	E	65	66.764	47.566	97.453	1.00	21.36
ATOM	7792	N	ARG	E	66	71.027	48.856	97.621	1.00	31.93
ATOM	7793	CA	ARG	E	66	72.479	48.976	97.810	1.00	32.60
ATOM	7794	C	ARG	E	66	73.114	47.736	98.432	1.00	32.05
ATOM	7795	O	ARG	E	66	72.915	47.440	99.618	1.00	29.53
ATOM	7796	CB	ARG	E	66	72.831	50.197	98.661	1.00	33.36
ATOM	7797	CG	ARG	E	66	72.597	51.519	97.953	1.00	38.81
ATOM	7798	CD	ARG	E	66	71.463	52.311	98.597	1.00	44.17
ATOM	7799	NE	ARG	E	66	71.091	53.477	97.803	1.00	43.65
ATOM	7800	CZ	ARG	E	66	71.936	54.429	97.429	1.00	42.92
ATOM	7801	NH1	ARG	E	66	73.210	54.360	97.777	1.00	44.76
ATOM	7802	NH2	ARG	E	66	71.502	55.452	96.708	1.00	44.86
ATOM	7803	N	ILE	E	67	73.874	47.015	97.608	1.00	28.83
ATOM	7804	CA	ILE	E	67	74.550	45.817	98.045	1.00	27.04
ATOM	7805	C	ILE	E	67	75.829	46.252	98.725	1.00	28.62
ATOM	7806	O	ILE	E	67	76.622	46.995	98.151	1.00	29.82
ATOM	7807	CB	ILE	E	67	74.905	44.910	96.871	1.00	27.01
ATOM	7808	CG1	ILE	E	67	73.638	44.351	96.213	1.00	23.88
ATOM	7809	CG2	ILE	E	67	75.788	43.783	97.359	1.00	33.10
ATOM	7810	CD1	ILE	E	67	72.962	45.302	95.299	1.00	22.07

ATOM	7811	N	LEU	E	68	76.036	45.791	99.948	1.00	28.70
ATOM	7812	CA	LEU	E	68	77.220	46.194	100.674	1.00	32.42
ATOM	7813	C	LEU	E	68	78.183	45.051	100.935	1.00	35.94
ATOM	7814	O	LEU	E	68	77.787	43.993	101.431	1.00	35.76
ATOM	7815	CB	LEU	E	68	76.826	46.852	102.004	1.00	33.08
ATOM	7816	CG	LEU	E	68	75.902	48.079	101.984	1.00	32.84
ATOM	7817	CD1	LEU	E	68	75.920	48.705	103.350	1.00	28.42
ATOM	7818	CD2	LEU	E	68	76.362	49.101	100.947	1.00	35.00
ATOM	7819	N	ASP	E	69	79.453	45.280	100.595	1.00	36.90
ATOM	7820	CA	ASP	E	69	80.499	44.294	100.800	1.00	37.16
ATOM	7821	C	ASP	E	69	80.652	44.141	102.304	1.00	35.57
ATOM	7822	O	ASP	E	69	80.801	45.127	103.000	1.00	36.32
ATOM	7823	CB	ASP	E	69	81.793	44.798	100.167	1.00	40.77
ATOM	7824	CG	ASP	E	69	82.939	43.802	100.278	1.00	45.81
ATOM	7825	OD1	ASP	E	69	82.812	42.792	101.008	1.00	48.74
ATOM	7826	OD2	ASP	E	69	83.980	44.046	99.627	1.00	48.77
ATOM	7827	N	ALA	E	70	80.600	42.917	102.809	1.00	35.55
ATOM	7828	CA	ALA	E	70	80.728	42.713	104.242	1.00	40.07
ATOM	7829	C	ALA	E	70	81.877	41.797	104.566	1.00	43.12
ATOM	7830	O	ALA	E	70	82.304	41.727	105.717	1.00	43.91
ATOM	7831	CB	ALA	E	70	79.438	42.138	104.823	1.00	41.33
ATOM	7832	N	THR	E	71	82.369	41.081	103.564	1.00	45.57
ATOM	7833	CA	THR	E	71	83.485	40.184	103.799	1.00	52.56
ATOM	7834	C	THR	E	71	84.805	40.920	103.652	1.00	58.42
ATOM	7835	O	THR	E	71	85.371	40.976	102.557	1.00	61.17
ATOM	7836	CB	THR	E	71	83.479	39.006	102.828	1.00	50.90
ATOM	7837	OG1	THR	E	71	84.676	38.241	103.023	1.00	53.56
ATOM	7838	CG2	THR	E	71	83.392	39.495	101.384	1.00	50.20
ATOM	7839	N	ASN	E	72	85.293	41.492	104.750	1.00	62.69
ATOM	7840	CA	ASN	E	72	86.549	42.228	104.711	1.00	68.26
ATOM	7841	C	ASN	E	72	87.641	41.390	104.070	1.00	68.26
ATOM	7842	O	ASN	E	72	88.384	40.700	104.760	1.00	69.37
ATOM	7843	CB	ASN	E	72	86.966	42.657	106.123	1.00	73.75
ATOM	7844	CG	ASN	E	72	86.294	43.955	106.554	1.00	79.71
ATOM	7845	OD1	ASN	E	72	86.607	44.522	107.611	1.00	81.76
ATOM	7846	ND2	ASN	E	72	85.361	44.435	105.728	1.00	81.28
ATOM	7847	N	ASN	E	73	87.731	41.472	102.745	1.00	68.53
ATOM	7848	CA	ASN	E	73	88.706	40.710	101.970	1.00	69.08
ATOM	7849	C	ASN	E	73	88.965	39.324	102.553	1.00	67.78
ATOM	7850	O	ASN	E	73	90.108	38.869	102.615	1.00	67.90
ATOM	7851	CB	ASN	E	73	90.022	41.480	101.853	1.00	70.64
ATOM	7852	CG	ASN	E	73	90.026	42.442	100.688	1.00	71.42
ATOM	7853	OD1	ASN	E	73	89.238	43.388	100.647	1.00	73.73
ATOM	7854	ND2	ASN	E	73	90.914	42.204	99.727	1.00	69.70
ATOM	7855	N	GLN	E	74	87.897	38.659	102.977	1.00	63.81
ATOM	7856	CA	GLN	E	74	88.018	37.337	103.547	1.00	61.81
ATOM	7857	C	GLN	E	74	87.698	36.310	102.477	1.00	60.22
ATOM	7858	O	GLN	E	74	87.593	35.126	102.761	1.00	61.93
ATOM	7859	CB	GLN	E	74	87.071	37.212	104.743	1.00	65.89
ATOM	7860	CG	GLN	E	74	87.378	38.251	105.844	1.00	74.63
ATOM	7861	CD	GLN	E	74	86.395	38.251	107.025	1.00	77.77
ATOM	7862	OE1	GLN	E	74	86.439	39.144	107.886	1.00	74.92
ATOM	7863	NE2	GLN	E	74	85.513	37.253	107.071	1.00	78.73
ATOM	7864	N	LEU	E	75	87.570	36.779	101.237	1.00	58.90
ATOM	7865	CA	LEU	E	75	87.250	35.931	100.083	1.00	55.54
ATOM	7866	C	LEU	E	75	88.397	35.741	99.094	1.00	56.14
ATOM	7867	O	LEU	E	75	89.377	36.494	99.086	1.00	56.40
ATOM	7868	CB	LEU	E	75	86.083	36.527	99.296	1.00	52.39
ATOM	7869	CG	LEU	E	75	84.631	36.171	99.599	1.00	50.75
ATOM	7870	CD1	LEU	E	75	83.751	37.000	98.682	1.00	47.91
ATOM	7871	CD2	LEU	E	75	84.374	34.687	99.390	1.00	49.53
ATOM	7872	N	PRO	E	76	88.274	34.729	98.226	1.00	54.54

ATOM	7873	CA	PRO	E	76	89.273	34.416	97.205	1.00	53.57
ATOM	7874	C	PRO	E	76	89.529	35.636	96.314	1.00	53.89
ATOM	7875	O	PRO	E	76	88.587	36.188	95.742	1.00	55.47
ATOM	7876	CB	PRO	E	76	88.611	33.286	96.434	1.00	51.04
ATOM	7877	CG	PRO	E	76	87.900	32.555	97.504	1.00	52.51
ATOM	7878	CD	PRO	E	76	87.258	33.667	98.295	1.00	53.58
ATOM	7879	N	GLN	E	77	90.793	36.042	96.190	1.00	51.85
ATOM	7880	CA	GLN	E	77	91.152	37.194	95.368	1.00	50.87
ATOM	7881	C	GLN	E	77	91.675	36.838	93.985	1.00	49.44
ATOM	7882	O	GLN	E	77	92.031	37.726	93.208	1.00	50.86
ATOM	7883	CB	GLN	E	77	92.202	38.053	96.074	1.00	53.47
ATOM	7884	CG	GLN	E	77	91.717	38.723	97.333	1.00	57.92
ATOM	7885	CD	GLN	E	77	90.575	39.684	97.082	1.00	62.41
ATOM	7886	OE1	GLN	E	77	89.997	40.236	98.025	1.00	65.30
ATOM	7887	NE2	GLN	E	77	90.241	39.895	95.810	1.00	63.47
ATOM	7888	N	ASP	E	78	91.726	35.551	93.664	1.00	46.57
ATOM	7889	CA	ASP	E	78	92.227	35.146	92.355	1.00	44.08
ATOM	7890	C	ASP	E	78	91.118	34.726	91.405	1.00	42.69
ATOM	7891	O	ASP	E	78	91.376	34.186	90.329	1.00	40.27
ATOM	7892	CB	ASP	E	78	93.228	33.990	92.496	1.00	43.91
ATOM	7893	CG	ASP	E	78	92.558	32.661	92.771	1.00	40.57
ATOM	7894	OD1	ASP	E	78	91.477	32.640	93.391	1.00	40.04
ATOM	7895	OD2	ASP	E	78	93.125	31.630	92.367	1.00	42.73
ATOM	7896	N	ARG	E	79	89.878	34.983	91.793	1.00	42.70
ATOM	7897	CA	ARG	E	79	88.757	34.574	90.964	1.00	41.42
ATOM	7898	C	ARG	E	79	87.454	35.007	91.592	1.00	39.52
ATOM	7899	O	ARG	E	79	87.421	35.444	92.738	1.00	41.60
ATOM	7900	CB	ARG	E	79	88.740	33.059	90.848	1.00	40.67
ATOM	7901	CG	ARG	E	79	88.334	32.418	92.157	1.00	41.55
ATOM	7902	CD	ARG	E	79	88.678	30.955	92.201	1.00	43.93
ATOM	7903	NE	ARG	E	79	90.056	30.759	92.615	1.00	43.32
ATOM	7904	CZ	ARG	E	79	90.680	29.590	92.571	1.00	46.12
ATOM	7905	NH1	ARG	E	79	90.039	28.516	92.129	1.00	45.51
ATOM	7906	NH2	ARG	E	79	91.947	29.495	92.955	1.00	47.81
ATOM	7907	N	GLU	E	80	86.380	34.843	90.832	1.00	37.92
ATOM	7908	CA	GLU	E	80	85.028	35.189	91.268	1.00	36.34
ATOM	7909	C	GLU	E	80	84.402	34.167	92.241	1.00	34.21
ATOM	7910	O	GLU	E	80	84.695	32.966	92.213	1.00	31.94
ATOM	7911	CB	GLU	E	80	84.101	35.307	90.048	1.00	35.69
ATOM	7912	CG	GLU	E	80	84.219	36.562	89.215	1.00	32.58
ATOM	7913	CD	GLU	E	80	83.327	36.503	87.981	1.00	30.91
ATOM	7914	OE1	GLU	E	80	82.862	35.394	87.647	1.00	29.03
ATOM	7915	OE2	GLU	E	80	83.102	37.552	87.339	1.00	25.24
ATOM	7916	N	SER	E	81	83.525	34.660	93.099	1.00	30.79
ATOM	7917	CA	SER	E	81	82.827	33.799	94.025	1.00	31.07
ATOM	7918	C	SER	E	81	81.349	33.973	93.682	1.00	31.81
ATOM	7919	O	SER	E	81	80.893	35.103	93.454	1.00	33.38
ATOM	7920	CB	SER	E	81	83.115	34.234	95.453	1.00	30.85
ATOM	7921	OG	SER	E	81	84.485	34.073	95.759	1.00	35.56
ATOM	7922	N	LEU	E	82	80.600	32.872	93.618	1.00	28.48
ATOM	7923	CA	LEU	E	82	79.178	32.957	93.275	1.00	24.09
ATOM	7924	C	LEU	E	82	78.270	33.181	94.465	1.00	20.52
ATOM	7925	O	LEU	E	82	78.360	32.487	95.469	1.00	20.32
ATOM	7926	CB	LEU	E	82	78.719	31.692	92.535	1.00	22.65
ATOM	7927	CG	LEU	E	82	77.200	31.424	92.573	1.00	20.15
ATOM	7928	CD1	LEU	E	82	76.415	32.530	91.891	1.00	13.14
ATOM	7929	CD2	LEU	E	82	76.924	30.112	91.910	1.00	16.02
ATOM	7930	N	PHE	E	83	77.389	34.155	94.336	1.00	19.12
ATOM	7931	CA	PHE	E	83	76.444	34.462	95.394	1.00	22.72
ATOM	7932	C	PHE	E	83	75.086	34.629	94.755	1.00	23.30
ATOM	7933	O	PHE	E	83	74.997	34.804	93.539	1.00	23.34
ATOM	7934	CB	PHE	E	83	76.825	35.754	96.116	1.00	24.81

ATOM	7935	CG	PHE	E	83	78.037	35.631	96.983	1.00	27.95
ATOM	7936	CD1	PHE	E	83	79.233	35.156	96.475	1.00	28.80
ATOM	7937	CD2	PHE	E	83	77.995	36.024	98.307	1.00	34.13
ATOM	7938	CE1	PHE	E	83	80.368	35.079	97.274	1.00	27.48
ATOM	7939	CE2	PHE	E	83	79.133	35.951	99.111	1.00	29.45
ATOM	7940	CZ	PHE	E	83	80.312	35.480	98.589	1.00	27.97
ATOM	7941	N	TRP	E	84	74.032	34.564	95.564	1.00	22.02
ATOM	7942	CA	TRP	E	84	72.688	34.731	95.036	1.00	22.50
ATOM	7943	C	TRP	E	84	71.929	35.827	95.744	1.00	22.93
ATOM	7944	O	TRP	E	84	71.771	35.770	96.959	1.00	21.66
ATOM	7945	CB	TRP	E	84	71.913	33.424	95.125	1.00	19.61
ATOM	7946	CG	TRP	E	84	72.533	32.377	94.272	1.00	21.93
ATOM	7947	CD1	TRP	E	84	73.479	31.481	94.641	1.00	21.01
ATOM	7948	CD2	TRP	E	84	72.277	32.144	92.881	1.00	21.97
ATOM	7949	NE1	TRP	E	84	73.832	30.696	93.571	1.00	25.61
ATOM	7950	CE2	TRP	E	84	73.104	31.083	92.479	1.00	23.50
ATOM	7951	CE3	TRP	E	84	71.420	32.727	91.941	1.00	22.75
ATOM	7952	CZ2	TRP	E	84	73.108	30.592	91.174	1.00	26.56
ATOM	7953	CZ3	TRP	E	84	71.422	32.241	90.652	1.00	24.04
ATOM	7954	CH2	TRP	E	84	72.262	31.179	90.278	1.00	26.61
ATOM	7955	N	MET	E	85	71.477	36.830	94.983	1.00	23.17
ATOM	7956	CA	MET	E	85	70.720	37.928	95.569	1.00	22.87
ATOM	7957	C	MET	E	85	69.243	37.720	95.344	1.00	23.37
ATOM	7958	O	MET	E	85	68.813	37.482	94.218	1.00	22.69
ATOM	7959	CB	MET	E	85	71.113	39.280	94.993	1.00	22.01
ATOM	7960	CG	MET	E	85	70.575	40.380	95.870	1.00	20.91
ATOM	7961	SD	MET	E	85	70.954	42.017	95.354	1.00	31.07
ATOM	7962	CE	MET	E	85	69.510	42.856	95.844	1.00	25.42
ATOM	7963	N	ASN	E	86	68.474	37.813	96.429	1.00	23.21
ATOM	7964	CA	ASN	E	86	67.035	37.612	96.382	1.00	21.82
ATOM	7965	C	ASN	E	86	66.295	38.862	96.773	1.00	20.45
ATOM	7966	O	ASN	E	86	66.614	39.463	97.781	1.00	23.12
ATOM	7967	CB	ASN	E	86	66.625	36.484	97.336	1.00	20.24
ATOM	7968	CG	ASN	E	86	67.388	35.192	97.083	1.00	20.57
ATOM	7969	OD1	ASN	E	86	68.589	35.108	97.336	1.00	18.59
ATOM	7970	ND2	ASN	E	86	66.688	34.178	96.583	1.00	17.54
ATOM	7971	N	VAL	E	87	65.315	39.256	95.970	1.00	20.03
ATOM	7972	CA	VAL	E	87	64.488	40.425	96.280	1.00	19.34
ATOM	7973	C	VAL	E	87	63.048	39.918	96.309	1.00	20.69
ATOM	7974	O	VAL	E	87	62.480	39.481	95.296	1.00	21.08
ATOM	7975	CB	VAL	E	87	64.656	41.566	95.226	1.00	19.37
ATOM	7976	CG1	VAL	E	87	63.739	42.726	95.549	1.00	12.92
ATOM	7977	CG2	VAL	E	87	66.099	42.047	95.211	1.00	15.93
ATOM	7978	N	LYS	E	88	62.478	39.940	97.500	1.00	21.17
ATOM	7979	CA	LYS	E	88	61.118	39.456	97.699	1.00	25.05
ATOM	7980	C	LYS	E	88	60.161	40.615	97.826	1.00	26.09
ATOM	7981	O	LYS	E	88	60.470	41.599	98.492	1.00	30.44
ATOM	7982	CB	LYS	E	88	61.039	38.580	98.966	1.00	25.13
ATOM	7983	CG	LYS	E	88	59.712	38.672	99.687	1.00	23.48
ATOM	7984	CD	LYS	E	88	59.675	37.877	100.982	1.00	31.08
ATOM	7985	CE	LYS	E	88	59.483	36.387	100.737	1.00	36.54
ATOM	7986	NZ	LYS	E	88	59.228	35.599	101.985	1.00	33.75
ATOM	7987	N	ALA	E	89	59.004	40.494	97.181	1.00	26.15
ATOM	7988	CA	ALA	E	89	57.976	41.527	97.237	1.00	24.60
ATOM	7989	C	ALA	E	89	56.802	40.967	98.026	1.00	25.32
ATOM	7990	O	ALA	E	89	56.083	40.076	97.569	1.00	23.85
ATOM	7991	CB	ALA	E	89	57.536	41.921	95.833	1.00	19.73
ATOM	7992	N	ILE	E	90	56.617	41.496	99.224	1.00	27.35
ATOM	7993	CA	ILE	E	90	55.547	41.035	100.087	1.00	32.83
ATOM	7994	C	ILE	E	90	54.279	41.879	99.942	1.00	37.35
ATOM	7995	O	ILE	E	90	54.283	43.089	100.177	1.00	42.01
ATOM	7996	CB	ILE	E	90	56.002	41.058	101.561	1.00	30.22

ATOM	7997	CG1	ILE	E	90	57.379	40.411	101.680	1.00	29.76
ATOM	7998	CG2	ILE	E	90	55.021	40.308	102.421	1.00	26.98
ATOM	7999	CD1	ILE	E	90	57.862	40.231	103.095	1.00	26.12
ATOM	8000	N	PRO	E	91	53.176	41.250	99.543	1.00	37.85
ATOM	8001	CA	PRO	E	91	51.898	41.940	99.372	1.00	41.69
ATOM	8002	C	PRO	E	91	51.207	42.113	100.721	1.00	47.19
ATOM	8003	O	PRO	E	91	51.279	41.221	101.577	1.00	49.89
ATOM	8004	CB	PRO	E	91	51.129	40.989	98.476	1.00	40.08
ATOM	8005	CG	PRO	E	91	51.584	39.659	98.979	1.00	36.77
ATOM	8006	CD	PRO	E	91	53.081	39.855	99.094	1.00	37.93
ATOM	8007	N	SER	E	92	50.535	43.243	100.923	1.00	50.34
ATOM	8008	CA	SER	E	92	49.835	43.460	102.191	1.00	52.89
ATOM	8009	C	SER	E	92	48.648	42.517	102.266	1.00	52.99
ATOM	8010	O	SER	E	92	48.230	41.978	101.251	1.00	52.58
ATOM	8011	CB	SER	E	92	49.363	44.910	102.302	1.00	54.21
ATOM	8012	OG	SER	E	92	50.473	45.788	102.401	1.00	57.39
ATOM	8013	N	MET	E	93	48.109	42.303	103.461	1.00	56.72
ATOM	8014	CA	MET	E	93	46.961	41.408	103.608	1.00	61.12
ATOM	8015	C	MET	E	93	45.647	42.157	103.370	1.00	62.29
ATOM	8016	O	MET	E	93	45.495	43.318	103.772	1.00	62.19
ATOM	8017	CB	MET	E	93	46.939	40.756	104.996	1.00	62.21
ATOM	8018	CG	MET	E	93	45.853	39.688	105.137	1.00	68.67
ATOM	8019	SD	MET	E	93	44.654	39.955	106.488	1.00	72.72
ATOM	8020	CE	MET	E	93	45.073	38.575	107.595	1.00	71.24
ATOM	8021	N	ASP	E	94	44.705	41.485	102.712	1.00	62.54
ATOM	8022	CA	ASP	E	94	43.412	42.082	102.405	1.00	64.31
ATOM	8023	C	ASP	E	94	42.427	41.913	103.556	1.00	65.39
ATOM	8024	O	ASP	E	94	41.761	40.882	103.675	1.00	65.64
ATOM	8025	CB	ASP	E	94	42.849	41.450	101.137	1.00	66.05
ATOM	8026	CG	ASP	E	94	41.538	42.065	100.721	1.00	66.63
ATOM	8027	OD1	ASP	E	94	41.000	42.872	101.509	1.00	66.83
ATOM	8028	OD2	ASP	E	94	41.051	41.740	99.616	1.00	65.47
ATOM	8029	N	LYS	E	95	42.325	42.941	104.393	1.00	65.74
ATOM	8030	CA	LYS	E	95	41.444	42.897	105.551	1.00	65.90
ATOM	8031	C	LYS	E	95	39.992	42.551	105.234	1.00	66.72
ATOM	8032	O	LYS	E	95	39.193	42.331	106.142	1.00	65.52
ATOM	8033	CB	LYS	E	95	41.492	44.228	106.302	1.00	65.40
ATOM	8034	CG	LYS	E	95	42.821	44.545	106.971	1.00	65.35
ATOM	8035	CD	LYS	E	95	43.730	45.336	106.041	1.00	70.33
ATOM	8036	CE	LYS	E	95	44.970	45.870	106.762	1.00	69.18
ATOM	8037	NZ	LYS	E	95	45.834	46.655	105.834	1.00	66.67
ATOM	8038	N	SER	E	96	39.650	42.495	103.951	1.00	68.15
ATOM	8039	CA	SER	E	96	38.276	42.182	103.554	1.00	69.93
ATOM	8040	C	SER	E	96	38.006	40.676	103.443	1.00	71.03
ATOM	8041	O	SER	E	96	36.955	40.193	103.878	1.00	72.45
ATOM	8042	CB	SER	E	96	37.937	42.872	102.219	1.00	68.46
ATOM	8043	OG	SER	E	96	38.672	42.346	101.136	1.00	66.33
ATOM	8044	N	LYS	E	97	38.964	39.946	102.876	1.00	70.41
ATOM	8045	CA	LYS	E	97	38.858	38.500	102.673	1.00	70.07
ATOM	8046	C	LYS	E	97	39.275	37.689	103.910	1.00	69.37
ATOM	8047	O	LYS	E	97	39.973	36.683	103.808	1.00	67.32
ATOM	8048	CB	LYS	E	97	39.716	38.110	101.466	1.00	71.29
ATOM	8049	CG	LYS	E	97	39.407	38.910	100.202	1.00	72.27
ATOM	8050	CD	LYS	E	97	38.691	38.067	99.155	1.00	73.79
ATOM	8051	CE	LYS	E	97	38.034	38.938	98.093	1.00	76.81
ATOM	8052	NZ	LYS	E	97	37.049	39.906	98.689	1.00	77.93
ATOM	8053	N	LEU	E	98	38.804	38.128	105.070	1.00	70.44
ATOM	8054	CA	LEU	E	98	39.117	37.516	106.365	1.00	71.50
ATOM	8055	C	LEU	E	98	38.484	36.132	106.621	1.00	71.10
ATOM	8056	O	LEU	E	98	39.178	35.188	107.000	1.00	70.75
ATOM	8057	CB	LEU	E	98	38.705	38.502	107.481	1.00	71.81
ATOM	8058	CG	LEU	E	98	39.626	38.955	108.628	1.00	69.49

ATOM	8059	CD1	LEU	E	98	39.430	38.064	109.826	1.00	68.42
ATOM	8060	CD2	LEU	E	98	41.075	38.968	108.176	1.00	67.78
ATOM	8061	N	THR	E	99	37.172	36.018	106.430	1.00	69.93
ATOM	8062	CA	THR	E	99	36.472	34.752	106.663	1.00	69.10
ATOM	8063	C	THR	E	99	36.578	33.859	105.453	1.00	67.28
ATOM	8064	O	THR	E	99	35.839	32.879	105.322	1.00	64.71
ATOM	8065	CB	THR	E	99	34.981	34.962	106.895	1.00	71.93
ATOM	8066	OG1	THR	E	99	34.423	35.648	105.765	1.00	74.98
ATOM	8067	CG2	THR	E	99	34.742	35.759	108.146	1.00	72.68
ATOM	8068	N	GLU	E	100	37.495	34.212	104.563	1.00	65.93
ATOM	8069	CA	GLU	E	100	37.687	33.461	103.338	1.00	63.97
ATOM	8070	C	GLU	E	100	38.933	32.588	103.339	1.00	60.71
ATOM	8071	O	GLU	E	100	39.886	32.834	104.077	1.00	60.06
ATOM	8072	CB	GLU	E	100	37.764	34.424	102.148	1.00	65.46
ATOM	8073	CG	GLU	E	100	36.514	35.248	101.917	1.00	71.51
ATOM	8074	CD	GLU	E	100	36.680	36.243	100.784	1.00	76.60
ATOM	8075	OE1	GLU	E	100	37.035	35.811	99.666	1.00	80.73
ATOM	8076	OE2	GLU	E	100	36.456	37.456	101.008	1.00	79.81
ATOM	8077	N	ASN	E	101	38.899	31.549	102.514	1.00	55.94
ATOM	8078	CA	ASN	E	101	40.041	30.687	102.357	1.00	52.20
ATOM	8079	C	ASN	E	101	40.807	31.414	101.296	1.00	51.30
ATOM	8080	O	ASN	E	101	40.240	31.766	100.266	1.00	50.79
ATOM	8081	CB	ASN	E	101	39.635	29.331	101.829	1.00	52.37
ATOM	8082	CG	ASN	E	101	39.173	28.422	102.915	1.00	55.18
ATOM	8083	OD1	ASN	E	101	39.329	28.726	104.098	1.00	56.13
ATOM	8084	ND2	ASN	E	101	38.610	27.286	102.533	1.00	54.82
ATOM	8085	N	THR	E	102	42.091	31.648	101.539	1.00	50.91
ATOM	8086	CA	THR	E	102	42.912	32.360	100.574	1.00	47.82
ATOM	8087	C	THR	E	102	44.298	31.741	100.387	1.00	45.35
ATOM	8088	O	THR	E	102	44.730	30.872	101.148	1.00	43.90
ATOM	8089	CB	THR	E	102	43.105	33.821	101.005	1.00	49.31
ATOM	8090	OG1	THR	E	102	44.216	33.907	101.907	1.00	56.58
ATOM	8091	CG2	THR	E	102	41.862	34.340	101.718	1.00	46.20
ATOM	8092	N	LEU	E	103	44.977	32.202	99.345	1.00	43.25
ATOM	8093	CA	LEU	E	103	46.333	31.776	99.035	1.00	41.87
ATOM	8094	C	LEU	E	103	47.023	32.998	98.479	1.00	42.79
ATOM	8095	O	LEU	E	103	46.818	33.333	97.314	1.00	46.40
ATOM	8096	CB	LEU	E	103	46.374	30.698	97.956	1.00	37.30
ATOM	8097	CG	LEU	E	103	47.818	30.437	97.497	1.00	33.55
ATOM	8098	CD1	LEU	E	103	48.594	29.761	98.632	1.00	28.95
ATOM	8099	CD2	LEU	E	103	47.843	29.587	96.243	1.00	28.39
ATOM	8100	N	GLN	E	104	47.832	33.670	99.291	1.00	41.62
ATOM	8101	CA	GLN	E	104	48.533	34.854	98.804	1.00	39.45
ATOM	8102	C	GLN	E	104	49.932	34.492	98.353	1.00	35.95
ATOM	8103	O	GLN	E	104	50.691	33.883	99.111	1.00	37.25
ATOM	8104	CB	GLN	E	104	48.627	35.919	99.892	1.00	42.46
ATOM	8105	CG	GLN	E	104	48.187	37.303	99.441	1.00	46.38
ATOM	8106	CD	GLN	E	104	48.292	38.335	100.553	1.00	52.34
ATOM	8107	OE1	GLN	E	104	47.583	39.344	100.541	1.00	54.42
ATOM	8108	NE2	GLN	E	104	49.187	38.092	101.518	1.00	53.09
ATOM	8109	N	LEU	E	105	50.269	34.860	97.121	1.00	29.55
ATOM	8110	CA	LEU	E	105	51.600	34.584	96.608	1.00	27.18
ATOM	8111	C	LEU	E	105	52.554	35.754	96.873	1.00	24.79
ATOM	8112	O	LEU	E	105	52.119	36.864	97.184	1.00	22.49
ATOM	8113	CB	LEU	E	105	51.546	34.280	95.112	1.00	29.53
ATOM	8114	CG	LEU	E	105	50.909	32.949	94.706	1.00	30.30
ATOM	8115	CD1	LEU	E	105	51.087	32.738	93.205	1.00	22.61
ATOM	8116	CD2	LEU	E	105	51.557	31.813	95.485	1.00	30.17
ATOM	8117	N	ALA	E	106	53.854	35.484	96.760	1.00	21.19
ATOM	8118	CA	ALA	E	106	54.897	36.485	96.985	1.00	20.83
ATOM	8119	C	ALA	E	106	56.039	36.254	95.989	1.00	21.63
ATOM	8120	O	ALA	E	106	56.834	35.311	96.126	1.00	22.01

ATOM	8121	CB	ALA	E	106	55.416	36.384	98.414	1.00	17.40
ATOM	8122	N	ILE	E	107	56.123	37.114	94.983	1.00	19.49
ATOM	8123	CA	ILE	E	107	57.152	36.948	93.971	1.00	17.73
ATOM	8124	C	ILE	E	107	58.517	37.357	94.493	1.00	18.57
ATOM	8125	O	ILE	E	107	58.638	38.295	95.290	1.00	17.12
ATOM	8126	CB	ILE	E	107	56.812	37.749	92.675	1.00	15.89
ATOM	8127	CG1	ILE	E	107	55.684	37.067	91.903	1.00	14.92
ATOM	8128	CG2	ILE	E	107	57.987	37.768	91.751	1.00	9.07
ATOM	8129	CD1	ILE	E	107	54.425	36.890	92.680	1.00	18.92
ATOM	8130	N	ILE	E	108	59.536	36.624	94.048	1.00	15.47
ATOM	8131	CA	ILE	E	108	60.909	36.889	94.440	1.00	16.43
ATOM	8132	C	ILE	E	108	61.798	36.693	93.222	1.00	17.78
ATOM	8133	O	ILE	E	108	61.725	35.675	92.533	1.00	16.35
ATOM	8134	CB	ILE	E	108	61.381	35.912	95.563	1.00	19.37
ATOM	8135	CG1	ILE	E	108	60.478	36.054	96.785	1.00	16.06
ATOM	8136	CG2	ILE	E	108	62.847	36.196	95.965	1.00	17.78
ATOM	8137	CD1	ILE	E	108	60.536	34.880	97.679	1.00	13.59
ATOM	8138	N	SER	E	109	62.640	37.681	92.956	1.00	18.54
ATOM	8139	CA	SER	E	109	63.565	37.596	91.836	1.00	19.19
ATOM	8140	C	SER	E	109	64.885	37.152	92.452	1.00	20.26
ATOM	8141	O	SER	E	109	65.306	37.689	93.479	1.00	21.87
ATOM	8142	CB	SER	E	109	63.731	38.964	91.160	1.00	16.94
ATOM	8143	OG	SER	E	109	62.471	39.547	90.836	1.00	20.87
ATOM	8144	N	ARG	E	110	65.510	36.148	91.854	1.00	18.43
ATOM	8145	CA	ARG	E	110	66.783	35.649	92.338	1.00	17.72
ATOM	8146	C	ARG	E	110	67.807	35.718	91.191	1.00	19.43
ATOM	8147	O	ARG	E	110	67.756	34.958	90.213	1.00	17.49
ATOM	8148	CB	ARG	E	110	66.631	34.216	92.866	1.00	17.13
ATOM	8149	CG	ARG	E	110	67.895	33.397	92.706	1.00	27.17
ATOM	8150	CD	ARG	E	110	67.857	32.076	93.452	1.00	28.53
ATOM	8151	NE	ARG	E	110	67.952	32.297	94.892	1.00	31.57
ATOM	8152	CZ	ARG	E	110	68.766	31.644	95.716	1.00	26.35
ATOM	8153	NH1	ARG	E	110	69.582	30.706	95.267	1.00	21.36
ATOM	8154	NH2	ARG	E	110	68.764	31.945	97.000	1.00	24.61
ATOM	8155	N	ILE	E	111	68.740	36.650	91.333	1.00	18.54
ATOM	8156	CA	ILE	E	111	69.763	36.869	90.337	1.00	17.96
ATOM	8157	C	ILE	E	111	71.173	36.623	90.876	1.00	20.25
ATOM	8158	O	ILE	E	111	71.452	36.859	92.058	1.00	15.73
ATOM	8159	CB	ILE	E	111	69.639	38.286	89.816	1.00	17.91
ATOM	8160	CG1	ILE	E	111	70.031	39.278	90.905	1.00	13.74
ATOM	8161	CG2	ILE	E	111	68.209	38.520	89.378	1.00	17.78
ATOM	8162	CD1	ILE	E	111	69.666	40.695	90.605	1.00	14.97
ATOM	8163	N	LYS	E	112	72.056	36.134	90.004	1.00	20.89
ATOM	8164	CA	LYS	E	112	73.418	35.851	90.408	1.00	21.77
ATOM	8165	C	LYS	E	112	74.164	37.136	90.687	1.00	24.53
ATOM	8166	O	LYS	E	112	73.905	38.169	90.068	1.00	28.08
ATOM	8167	CB	LYS	E	112	74.164	35.101	89.318	1.00	22.34
ATOM	8168	CG	LYS	E	112	73.367	34.046	88.582	1.00	23.23
ATOM	8169	CD	LYS	E	112	74.326	33.165	87.778	1.00	24.42
ATOM	8170	CE	LYS	E	112	73.628	32.522	86.594	1.00	33.04
ATOM	8171	NZ	LYS	E	112	74.545	31.932	85.571	1.00	29.32
ATOM	8172	N	LEU	E	113	75.098	37.056	91.622	1.00	26.19
ATOM	8173	CA	LEU	E	113	75.935	38.181	92.003	1.00	25.60
ATOM	8174	C	LEU	E	113	77.343	37.645	91.996	1.00	25.94
ATOM	8175	O	LEU	E	113	77.648	36.722	92.736	1.00	28.73
ATOM	8176	CB	LEU	E	113	75.604	38.670	93.415	1.00	26.70
ATOM	8177	CG	LEU	E	113	76.686	39.576	94.018	1.00	26.82
ATOM	8178	CD1	LEU	E	113	76.936	40.695	93.048	1.00	34.38
ATOM	8179	CD2	LEU	E	113	76.280	40.165	95.346	1.00	26.20
ATOM	8180	N	TYR	E	114	78.208	38.196	91.161	1.00	25.50
ATOM	8181	CA	TYR	E	114	79.573	37.701	91.160	1.00	27.74
ATOM	8182	C	TYR	E	114	80.496	38.683	91.851	1.00	27.77

ATOM	8183	O	TYR	E	114	80.388	39.892	91.653	1.00	24.89
ATOM	8184	CB	TYR	E	114	80.077	37.457	89.742	1.00	27.42
ATOM	8185	CG	TYR	E	114	79.305	36.418	88.992	1.00	22.92
ATOM	8186	CD1	TYR	E	114	79.498	35.065	89.234	1.00	23.02
ATOM	8187	CD2	TYR	E	114	78.400	36.787	88.015	1.00	22.75
ATOM	8188	CE1	TYR	E	114	78.810	34.108	88.503	1.00	22.25
ATOM	8189	CE2	TYR	E	114	77.709	35.838	87.285	1.00	21.70
ATOM	8190	CZ	TYR	E	114	77.927	34.509	87.527	1.00	20.71
ATOM	8191	OH	TYR	E	114	77.309	33.595	86.730	1.00	23.93
ATOM	8192	N	TYR	E	115	81.386	38.150	92.678	1.00	26.96
ATOM	8193	CA	TYR	E	115	82.348	38.963	93.393	1.00	29.87
ATOM	8194	C	TYR	E	115	83.602	38.949	92.517	1.00	33.12
ATOM	8195	O	TYR	E	115	84.214	37.897	92.304	1.00	35.21
ATOM	8196	CB	TYR	E	115	82.637	38.342	94.756	1.00	27.25
ATOM	8197	CG	TYR	E	115	83.636	39.117	95.557	1.00	26.39
ATOM	8198	CD1	TYR	E	115	83.281	40.308	96.175	1.00	31.90
ATOM	8199	CD2	TYR	E	115	84.949	38.692	95.659	1.00	26.01
ATOM	8200	CE1	TYR	E	115	84.215	41.062	96.881	1.00	33.12
ATOM	8201	CE2	TYR	E	115	85.892	39.433	96.356	1.00	31.23
ATOM	8202	CZ	TYR	E	115	85.524	40.617	96.964	1.00	34.01
ATOM	8203	OH	TYR	E	115	86.468	41.368	97.637	1.00	37.54
ATOM	8204	N	ARG	E	116	83.987	40.107	91.998	1.00	35.53
ATOM	8205	CA	ARG	E	116	85.141	40.136	91.119	1.00	38.70
ATOM	8206	C	ARG	E	116	86.367	40.823	91.673	1.00	40.96
ATOM	8207	O	ARG	E	116	86.472	42.056	91.656	1.00	41.57
ATOM	8208	CB	ARG	E	116	84.762	40.764	89.775	1.00	38.66
ATOM	8209	CG	ARG	E	116	85.816	40.546	88.700	1.00	37.08
ATOM	8210	CD	ARG	E	116	85.273	40.926	87.366	1.00	36.42
ATOM	8211	NE	ARG	E	116	84.144	40.086	86.995	1.00	36.57
ATOM	8212	CZ	ARG	E	116	83.329	40.353	85.984	1.00	39.01
ATOM	8213	NH1	ARG	E	116	83.516	41.439	85.250	1.00	40.59
ATOM	8214	NH2	ARG	E	116	82.336	39.531	85.696	1.00	43.96
ATOM	8215	N	PRO	E	117	87.324	40.024	92.157	1.00	42.93
ATOM	8216	CA	PRO	E	117	88.583	40.502	92.730	1.00	47.22
ATOM	8217	C	PRO	E	117	89.152	41.592	91.822	1.00	51.81
ATOM	8218	O	PRO	E	117	89.417	41.354	90.643	1.00	52.09
ATOM	8219	CB	PRO	E	117	89.445	39.251	92.744	1.00	48.10
ATOM	8220	CG	PRO	E	117	88.447	38.162	92.956	1.00	47.30
ATOM	8221	CD	PRO	E	117	87.313	38.557	92.048	1.00	43.88
ATOM	8222	N	ALA	E	118	89.334	42.785	92.386	1.00	56.34
ATOM	8223	CA	ALA	E	118	89.825	43.955	91.655	1.00	58.96
ATOM	8224	C	ALA	E	118	91.000	43.742	90.699	1.00	59.59
ATOM	8225	O	ALA	E	118	91.137	44.462	89.709	1.00	60.39
ATOM	8226	CB	ALA	E	118	90.155	45.071	92.643	1.00	61.07
ATOM	8227	N	LYS	E	119	91.852	42.769	90.982	1.00	59.30
ATOM	8228	CA	LYS	E	119	92.978	42.535	90.100	1.00	61.18
ATOM	8229	C	LYS	E	119	92.896	41.158	89.500	1.00	62.44
ATOM	8230	O	LYS	E	119	93.016	40.154	90.207	1.00	66.64
ATOM	8231	CB	LYS	E	119	94.296	42.706	90.854	1.00	61.22
ATOM	8232	CG	LYS	E	119	94.582	44.149	91.210	1.00	64.46
ATOM	8233	CD	LYS	E	119	95.774	44.293	92.136	1.00	66.67
ATOM	8234	CE	LYS	E	119	95.851	45.726	92.646	1.00	71.80
ATOM	8235	NZ	LYS	E	119	96.954	45.960	93.620	1.00	75.59
ATOM	8236	N	LEU	E	120	92.666	41.119	88.191	1.00	59.96
ATOM	8237	CA	LEU	E	120	92.570	39.866	87.454	1.00	56.86
ATOM	8238	C	LEU	E	120	93.249	40.088	86.119	1.00	57.64
ATOM	8239	O	LEU	E	120	93.132	41.160	85.527	1.00	58.07
ATOM	8240	CB	LEU	E	120	91.108	39.484	87.233	1.00	53.72
ATOM	8241	CG	LEU	E	120	90.249	39.156	88.460	1.00	50.24
ATOM	8242	CD1	LEU	E	120	88.792	39.059	88.041	1.00	44.75
ATOM	8243	CD2	LEU	E	120	90.723	37.862	89.109	1.00	47.45
ATOM	8244	N	ALA	E	121	93.960	39.077	85.641	1.00	58.67

ATOM	8245	CA	ALA	E	121	94.671	39.196	84.381	1.00	57.33
ATOM	8246	C	ALA	E	121	93.709	39.192	83.212	1.00	58.55
ATOM	8247	O	ALA	E	121	93.290	40.247	82.727	1.00	59.55
ATOM	8248	CB	ALA	E	121	95.662	38.061	84.248	1.00	56.92
ATOM	8249	N	LEU	E	122	93.354	37.993	82.772	1.00	58.68
ATOM	8250	CA	LEU	E	122	92.453	37.809	81.648	1.00	59.58
ATOM	8251	C	LEU	E	122	91.211	38.691	81.748	1.00	59.65
ATOM	8252	O	LEU	E	122	90.393	38.513	82.646	1.00	60.73
ATOM	8253	CB	LEU	E	122	92.020	36.345	81.577	1.00	60.64
ATOM	8254	CG	LEU	E	122	91.568	35.809	80.219	1.00	63.31
ATOM	8255	CD1	LEU	E	122	92.671	34.919	79.667	1.00	66.55
ATOM	8256	CD2	LEU	E	122	90.285	35.010	80.359	1.00	65.95
ATOM	8257	N	PRO	E	123	91.059	39.662	80.832	1.00	59.03
ATOM	8258	CA	PRO	E	123	89.881	40.543	80.862	1.00	57.05
ATOM	8259	C	PRO	E	123	88.584	39.782	80.514	1.00	53.40
ATOM	8260	O	PRO	E	123	88.542	39.011	79.550	1.00	50.70
ATOM	8261	CB	PRO	E	123	90.230	41.626	79.837	1.00	59.90
ATOM	8262	CG	PRO	E	123	91.146	40.907	78.868	1.00	59.90
ATOM	8263	CD	PRO	E	123	92.019	40.094	79.799	1.00	59.62
ATOM	8264	N	PRO	E	124	87.512	40.008	81.298	1.00	50.77
ATOM	8265	CA	PRO	E	124	86.196	39.386	81.149	1.00	49.13
ATOM	8266	C	PRO	E	124	85.658	39.223	79.741	1.00	49.55
ATOM	8267	O	PRO	E	124	85.119	38.175	79.406	1.00	47.36
ATOM	8268	CB	PRO	E	124	85.294	40.258	82.022	1.00	47.72
ATOM	8269	CG	PRO	E	124	86.002	41.548	82.082	1.00	50.26
ATOM	8270	CD	PRO	E	124	87.427	41.120	82.254	1.00	50.45
ATOM	8271	N	ASP	E	125	85.793	40.240	78.904	1.00	53.89
ATOM	8272	CA	ASP	E	125	85.276	40.107	77.548	1.00	59.31
ATOM	8273	C	ASP	E	125	86.061	39.068	76.761	1.00	60.39
ATOM	8274	O	ASP	E	125	85.612	38.609	75.721	1.00	61.46
ATOM	8275	CB	ASP	E	125	85.290	41.457	76.825	1.00	62.70
ATOM	8276	CG	ASP	E	125	86.641	42.123	76.865	1.00	67.90
ATOM	8277	OD1	ASP	E	125	87.354	41.950	77.885	1.00	69.63
ATOM	8278	OD2	ASP	E	125	86.977	42.833	75.887	1.00	70.55
ATOM	8279	N	GLN	E	126	87.219	38.673	77.274	1.00	61.10
ATOM	8280	CA	GLN	E	126	88.033	37.682	76.591	1.00	62.92
ATOM	8281	C	GLN	E	126	88.052	36.347	77.326	1.00	61.85
ATOM	8282	O	GLN	E	126	89.094	35.714	77.425	1.00	64.73
ATOM	8283	CB	GLN	E	126	89.469	38.209	76.446	1.00	69.98
ATOM	8284	CG	GLN	E	126	90.429	37.270	75.691	1.00	75.70
ATOM	8285	CD	GLN	E	126	91.891	37.648	75.868	1.00	79.08
ATOM	8286	OE1	GLN	E	126	92.788	36.830	75.634	1.00	81.20
ATOM	8287	NE2	GLN	E	126	92.138	38.893	76.278	1.00	79.58
ATOM	8288	N	ALA	E	127	86.917	35.897	77.846	1.00	59.68
ATOM	8289	CA	ALA	E	127	86.927	34.629	78.568	1.00	58.06
ATOM	8290	C	ALA	E	127	86.047	33.551	77.950	1.00	58.75
ATOM	8291	O	ALA	E	127	86.386	32.373	77.987	1.00	58.51
ATOM	8292	CB	ALA	E	127	86.543	34.849	80.021	1.00	51.01
ATOM	8293	N	ALA	E	128	84.923	33.942	77.368	1.00	59.64
ATOM	8294	CA	ALA	E	128	84.034	32.960	76.771	1.00	63.14
ATOM	8295	C	ALA	E	128	84.677	32.196	75.615	1.00	67.00
ATOM	8296	O	ALA	E	128	84.017	31.397	74.955	1.00	69.08
ATOM	8297	CB	ALA	E	128	82.765	33.632	76.303	1.00	61.85
ATOM	8298	N	GLU	E	129	85.960	32.445	75.373	1.00	70.31
ATOM	8299	CA	GLU	E	129	86.694	31.779	74.296	1.00	72.35
ATOM	8300	C	GLU	E	129	87.635	30.720	74.848	1.00	71.06
ATOM	8301	O	GLU	E	129	87.974	29.757	74.161	1.00	70.73
ATOM	8302	CB	GLU	E	129	87.538	32.783	73.533	1.00	77.61
ATOM	8303	CG	GLU	E	129	88.576	33.448	74.422	1.00	84.49
ATOM	8304	CD	GLU	E	129	89.679	34.116	73.635	1.00	88.74
ATOM	8305	OE1	GLU	E	129	89.365	34.774	72.615	1.00	90.42
ATOM	8306	OE2	GLU	E	129	90.856	33.992	74.045	1.00	89.79

ATOM	8307	N	LYS	E	130	88.077	30.928	76.082	1.00	68.87
ATOM	8308	CA	LYS	E	130	88.990	30.009	76.743	1.00	67.20
ATOM	8309	C	LYS	E	130	88.250	28.732	77.113	1.00	66.65
ATOM	8310	O	LYS	E	130	88.814	27.839	77.734	1.00	66.79
ATOM	8311	CB	LYS	E	130	89.549	30.653	78.012	1.00	67.94
ATOM	8312	CG	LYS	E	130	89.934	32.124	77.867	1.00	69.69
ATOM	8313	CD	LYS	E	130	91.246	32.310	77.126	1.00	71.93
ATOM	8314	CE	LYS	E	130	91.528	33.785	76.886	1.00	74.04
ATOM	8315	NZ	LYS	E	130	92.823	34.038	76.187	1.00	76.46
ATOM	8316	N	LEU	E	131	86.981	28.651	76.727	1.00	66.22
ATOM	8317	CA	LEU	E	131	86.163	27.487	77.035	1.00	66.86
ATOM	8318	C	LEU	E	131	86.523	26.247	76.224	1.00	70.16
ATOM	8319	O	LEU	E	131	86.154	26.132	75.052	1.00	72.33
ATOM	8320	CB	LEU	E	131	84.685	27.817	76.814	1.00	61.99
ATOM	8321	CG	LEU	E	131	83.702	26.703	77.180	1.00	56.75
ATOM	8322	CD1	LEU	E	131	83.954	26.226	78.603	1.00	52.27
ATOM	8323	CD2	LEU	E	131	82.293	27.225	77.029	1.00	54.79
ATOM	8324	N	ARG	E	132	87.233	25.313	76.847	1.00	72.12
ATOM	8325	CA	ARG	E	132	87.608	24.082	76.160	1.00	75.46
ATOM	8326	C	ARG	E	132	86.643	22.949	76.485	1.00	75.95
ATOM	8327	O	ARG	E	132	85.732	23.109	77.298	1.00	75.78
ATOM	8328	CB	ARG	E	132	89.036	23.671	76.531	1.00	77.08
ATOM	8329	CG	ARG	E	132	90.092	24.503	75.831	1.00	81.73
ATOM	8330	CD	ARG	E	132	91.497	23.965	76.019	1.00	85.63
ATOM	8331	NE	ARG	E	132	92.003	24.195	77.368	1.00	91.31
ATOM	8332	CZ	ARG	E	132	93.228	23.867	77.773	1.00	93.62
ATOM	8333	NH1	ARG	E	132	94.077	23.291	76.927	1.00	92.86
ATOM	8334	NH2	ARG	E	132	93.602	24.113	79.024	1.00	93.17
ATOM	8335	N	PHE	E	133	86.841	21.804	75.840	1.00	76.44
ATOM	8336	CA	PHE	E	133	85.978	20.660	76.075	1.00	77.12
ATOM	8337	C	PHE	E	133	86.692	19.321	76.234	1.00	79.43
ATOM	8338	O	PHE	E	133	87.923	19.237	76.242	1.00	79.87
ATOM	8339	CB	PHE	E	133	84.942	20.555	74.963	1.00	74.12
ATOM	8340	CG	PHE	E	133	84.051	21.745	74.868	1.00	71.16
ATOM	8341	CD1	PHE	E	133	84.524	22.941	74.351	1.00	68.60
ATOM	8342	CD2	PHE	E	133	82.742	21.679	75.326	1.00	71.67
ATOM	8343	CE1	PHE	E	133	83.708	24.057	74.292	1.00	70.01
ATOM	8344	CE2	PHE	E	133	81.910	22.792	75.274	1.00	71.46
ATOM	8345	CZ	PHE	E	133	82.394	23.985	74.755	1.00	71.51
ATOM	8346	N	ARG	E	134	85.880	18.278	76.360	1.00	81.54
ATOM	8347	CA	ARG	E	134	86.339	16.906	76.545	1.00	83.19
ATOM	8348	C	ARG	E	134	85.085	16.025	76.489	1.00	85.66
ATOM	8349	O	ARG	E	134	84.218	16.097	77.370	1.00	87.46
ATOM	8350	CB	ARG	E	134	87.032	16.787	77.899	1.00	80.31
ATOM	8351	CG	ARG	E	134	87.256	15.383	78.384	1.00	80.23
ATOM	8352	CD	ARG	E	134	87.666	15.416	79.851	1.00	83.23
ATOM	8353	NE	ARG	E	134	88.968	16.055	80.056	1.00	81.40
ATOM	8354	CZ	ARG	E	134	89.428	16.452	81.239	1.00	81.12
ATOM	8355	NH1	ARG	E	134	88.695	16.287	82.332	1.00	81.17
ATOM	8356	NH2	ARG	E	134	90.625	17.009	81.330	1.00	81.28
ATOM	8357	N	ARG	E	135	84.988	15.201	75.446	1.00	86.91
ATOM	8358	CA	ARG	E	135	83.820	14.343	75.252	1.00	87.30
ATOM	8359	C	ARG	E	135	83.948	12.853	75.583	1.00	88.79
ATOM	8360	O	ARG	E	135	84.983	12.375	76.069	1.00	88.76
ATOM	8361	CB	ARG	E	135	83.322	14.489	73.816	1.00	83.86
ATOM	8362	CG	ARG	E	135	84.436	14.667	72.820	1.00	82.86
ATOM	8363	CD	ARG	E	135	83.955	14.568	71.383	1.00	84.95
ATOM	8364	NE	ARG	E	135	82.768	15.374	71.113	1.00	85.08
ATOM	8365	CZ	ARG	E	135	81.522	14.975	71.356	1.00	87.77
ATOM	8366	NH1	ARG	E	135	81.290	13.772	71.870	1.00	87.19
ATOM	8367	NH2	ARG	E	135	80.502	15.777	71.078	1.00	88.15
ATOM	8368	N	SER	E	136	82.852	12.144	75.312	1.00	88.85

ATOM	8369	CA	SER E 136	82.713	10.707	75.532	1.00	88.53
ATOM	8370	C	SER E 136	81.326	10.327	75.005	1.00	89.86
ATOM	8371	O	SER E 136	80.551	11.202	74.609	1.00	88.83
ATOM	8372	CB	SER E 136	82.804	10.368	77.029	1.00	86.69
ATOM	8373	OG	SER E 136	84.111	10.547	77.550	1.00	81.91
ATOM	8374	N	ALA E 137	81.019	9.029	74.992	1.00	91.68
ATOM	8375	CA	ALA E 137	79.712	8.540	74.532	1.00	92.15
ATOM	8376	C	ALA E 137	78.731	8.753	75.683	1.00	92.00
ATOM	8377	O	ALA E 137	77.703	8.074	75.799	1.00	91.76
ATOM	8378	CB	ALA E 137	79.797	7.048	74.179	1.00	92.44
ATOM	8379	N	ASN E 138	79.070	9.723	76.526	1.00	90.55
ATOM	8380	CA	ASN E 138	78.288	10.041	77.701	1.00	87.05
ATOM	8381	C	ASN E 138	78.572	11.455	78.204	1.00	85.94
ATOM	8382	O	ASN E 138	77.686	12.303	78.197	1.00	85.38
ATOM	8383	CB	ASN E 138	78.618	9.018	78.782	1.00	87.53
ATOM	8384	CG	ASN E 138	80.102	8.686	78.829	1.00	88.02
ATOM	8385	OD1	ASN E 138	80.922	9.519	79.205	1.00	89.21
ATOM	8386	ND2	ASN E 138	80.452	7.467	78.431	1.00	87.58
ATOM	8387	N	SER E 139	79.810	11.709	78.627	1.00	84.51
ATOM	8388	CA	SER E 139	80.196	13.021	79.153	1.00	81.86
ATOM	8389	C	SER E 139	80.789	14.012	78.154	1.00	79.04
ATOM	8390	O	SER E 139	81.457	13.640	77.196	1.00	79.28
ATOM	8391	CB	SER E 139	81.178	12.855	80.318	1.00	83.18
ATOM	8392	OG	SER E 139	80.554	12.259	81.442	1.00	85.53
ATOM	8393	N	LEU E 140	80.537	15.287	78.418	1.00	76.26
ATOM	8394	CA	LEU E 140	81.014	16.390	77.601	1.00	73.26
ATOM	8395	C	LEU E 140	81.396	17.436	78.638	1.00	71.80
ATOM	8396	O	LEU E 140	80.742	18.469	78.773	1.00	73.34
ATOM	8397	CB	LEU E 140	79.875	16.912	76.718	1.00	73.41
ATOM	8398	CG	LEU E 140	80.242	17.797	75.523	1.00	73.53
ATOM	8399	CD1	LEU E 140	78.975	18.347	74.889	1.00	70.74
ATOM	8400	CD2	LEU E 140	81.140	18.934	75.972	1.00	74.37
ATOM	8401	N	THR E 141	82.454	17.142	79.379	1.00	68.63
ATOM	8402	CA	THR E 141	82.939	18.005	80.450	1.00	66.69
ATOM	8403	C	THR E 141	83.431	19.394	80.044	1.00	64.65
ATOM	8404	O	THR E 141	84.485	19.525	79.417	1.00	64.10
ATOM	8405	CB	THR E 141	84.085	17.321	81.190	1.00	69.19
ATOM	8406	OG1	THR E 141	83.808	15.917	81.298	1.00	69.07
ATOM	8407	CG2	THR E 141	84.260	17.932	82.581	1.00	69.68
ATOM	8408	N	LEU E 142	82.678	20.427	80.423	1.00	60.79
ATOM	8409	CA	LEU E 142	83.056	21.808	80.124	1.00	56.21
ATOM	8410	C	LEU E 142	84.261	22.110	81.006	1.00	55.94
ATOM	8411	O	LEU E 142	84.443	21.462	82.034	1.00	57.30
ATOM	8412	CB	LEU E 142	81.923	22.761	80.491	1.00	51.58
ATOM	8413	CG	LEU E 142	80.576	22.721	79.775	1.00	49.11
ATOM	8414	CD1	LEU E 142	80.497	23.826	78.737	1.00	48.46
ATOM	8415	CD2	LEU E 142	80.371	21.361	79.159	1.00	49.51
ATOM	8416	N	ILE E 143	85.083	23.082	80.625	1.00	53.81
ATOM	8417	CA	ILE E 143	86.248	23.405	81.439	1.00	52.96
ATOM	8418	C	ILE E 143	86.751	24.840	81.283	1.00	53.16
ATOM	8419	O	ILE E 143	87.493	25.169	80.365	1.00	54.01
ATOM	8420	CB	ILE E 143	87.393	22.400	81.171	1.00	51.13
ATOM	8421	CG1	ILE E 143	88.694	22.920	81.772	1.00	47.45
ATOM	8422	CG2	ILE E 143	87.505	22.124	79.689	1.00	51.08
ATOM	8423	CD1	ILE E 143	89.814	21.934	81.710	1.00	53.47
ATOM	8424	N	ASN E 144	86.338	25.680	82.223	1.00	54.26
ATOM	8425	CA	ASN E 144	86.682	27.093	82.251	1.00	54.53
ATOM	8426	C	ASN E 144	87.922	27.339	83.103	1.00	53.53
ATOM	8427	O	ASN E 144	87.892	27.196	84.319	1.00	53.94
ATOM	8428	CB	ASN E 144	85.476	27.869	82.788	1.00	57.67
ATOM	8429	CG	ASN E 144	85.802	29.293	83.139	1.00	63.63
ATOM	8430	OD1	ASN E 144	86.744	29.886	82.601	1.00	66.56

ATOM	8431	ND2	ASN	E	144	85.008	29.868	84.039	1.00	65.97
ATOM	8432	N	PRO	E	145	89.038	27.705	82.460	1.00	52.81
ATOM	8433	CA	PRO	E	145	90.321	27.976	83.111	1.00	51.24
ATOM	8434	C	PRO	E	145	90.483	29.425	83.547	1.00	49.31
ATOM	8435	O	PRO	E	145	91.484	29.790	84.168	1.00	49.39
ATOM	8436	CB	PRO	E	145	91.319	27.604	82.027	1.00	52.52
ATOM	8437	CG	PRO	E	145	90.633	28.158	80.804	1.00	53.10
ATOM	8438	CD	PRO	E	145	89.199	27.681	80.994	1.00	53.18
ATOM	8439	N	THR	E	146	89.503	30.248	83.207	1.00	46.26
ATOM	8440	CA	THR	E	146	89.547	31.659	83.549	1.00	44.61
ATOM	8441	C	THR	E	146	89.054	31.892	84.968	1.00	43.52
ATOM	8442	O	THR	E	146	88.560	30.976	85.626	1.00	44.29
ATOM	8443	CB	THR	E	146	88.657	32.451	82.616	1.00	46.96
ATOM	8444	OG1	THR	E	146	87.284	32.270	82.992	1.00	44.74
ATOM	8445	CG2	THR	E	146	88.835	31.951	81.205	1.00	51.28
ATOM	8446	N	PRO	E	147	89.194	33.125	85.468	1.00	40.91
ATOM	8447	CA	PRO	E	147	88.727	33.397	86.826	1.00	37.88
ATOM	8448	C	PRO	E	147	87.265	33.840	86.895	1.00	37.15
ATOM	8449	O	PRO	E	147	86.796	34.241	87.956	1.00	38.16
ATOM	8450	CB	PRO	E	147	89.686	34.475	87.297	1.00	37.69
ATOM	8451	CG	PRO	E	147	89.947	35.243	86.041	1.00	36.87
ATOM	8452	CD	PRO	E	147	90.144	34.159	85.021	1.00	38.19
ATOM	8453	N	TYR	E	148	86.545	33.761	85.776	1.00	36.44
ATOM	8454	CA	TYR	E	148	85.134	34.160	85.755	1.00	38.24
ATOM	8455	C	TYR	E	148	84.160	32.999	85.625	1.00	39.30
ATOM	8456	O	TYR	E	148	84.517	31.916	85.162	1.00	40.17
ATOM	8457	CB	TYR	E	148	84.853	35.137	84.613	1.00	36.00
ATOM	8458	CG	TYR	E	148	85.833	36.269	84.538	1.00	32.23
ATOM	8459	CD1	TYR	E	148	87.145	36.048	84.121	1.00	28.01
ATOM	8460	CD2	TYR	E	148	85.460	37.557	84.904	1.00	29.65
ATOM	8461	CE1	TYR	E	148	88.054	37.077	84.071	1.00	27.53
ATOM	8462	CE2	TYR	E	148	86.370	38.594	84.861	1.00	29.51
ATOM	8463	CZ	TYR	E	148	87.660	38.349	84.445	1.00	28.09
ATOM	8464	OH	TYR	E	148	88.555	39.384	84.410	1.00	30.15
ATOM	8465	N	TYR	E	149	82.919	33.242	86.027	1.00	38.42
ATOM	8466	CA	TYR	E	149	81.894	32.221	85.953	1.00	37.68
ATOM	8467	C	TYR	E	149	81.267	32.203	84.567	1.00	37.19
ATOM	8468	O	TYR	E	149	80.564	33.135	84.187	1.00	38.74
ATOM	8469	CB	TYR	E	149	80.801	32.484	86.991	1.00	38.29
ATOM	8470	CG	TYR	E	149	80.945	31.734	88.298	1.00	40.02
ATOM	8471	CD1	TYR	E	149	81.738	32.228	89.328	1.00	42.63
ATOM	8472	CD2	TYR	E	149	80.283	30.528	88.504	1.00	42.69
ATOM	8473	CE1	TYR	E	149	81.867	31.544	90.534	1.00	43.32
ATOM	8474	CE2	TYR	E	149	80.410	29.835	89.701	1.00	46.74
ATOM	8475	CZ	TYR	E	149	81.202	30.348	90.713	1.00	44.88
ATOM	8476	OH	TYR	E	149	81.323	29.662	91.901	1.00	46.17
ATOM	8477	N	LEU	E	150	81.498	31.138	83.815	1.00	34.95
ATOM	8478	CA	LEU	E	150	80.917	31.061	82.487	1.00	33.12
ATOM	8479	C	LEU	E	150	79.505	30.511	82.530	1.00	32.32
ATOM	8480	O	LEU	E	150	79.282	29.383	82.981	1.00	31.73
ATOM	8481	CB	LEU	E	150	81.752	30.168	81.576	1.00	33.66
ATOM	8482	CG	LEU	E	150	83.248	30.400	81.444	1.00	34.49
ATOM	8483	CD1	LEU	E	150	83.744	29.490	80.333	1.00	38.66
ATOM	8484	CD2	LEU	E	150	83.557	31.852	81.129	1.00	34.88
ATOM	8485	N	THR	E	151	78.554	31.305	82.054	1.00	30.75
ATOM	8486	CA	THR	E	151	77.166	30.871	82.014	1.00	30.29
ATOM	8487	C	THR	E	151	76.916	30.368	80.602	1.00	30.70
ATOM	8488	O	THR	E	151	76.348	31.075	79.782	1.00	32.86
ATOM	8489	CB	THR	E	151	76.189	32.036	82.342	1.00	31.85
ATOM	8490	OG1	THR	E	151	76.367	32.449	83.708	1.00	33.73
ATOM	8491	CG2	THR	E	151	74.742	31.611	82.132	1.00	25.95
ATOM	8492	N	VAL	E	152	77.370	29.143	80.328	1.00	31.47

ATOM	8493	CA	VAL E 152	77.232	28.480	79.023	1.00	28.09
ATOM	8494	C	VAL E 152	75.790	28.174	78.658	1.00	30.50
ATOM	8495	O	VAL E 152	75.065	27.579	79.435	1.00	32.31
ATOM	8496	CB	VAL E 152	78.000	27.158	79.016	1.00	25.64
ATOM	8497	CG1	VAL E 152	77.685	26.379	77.770	1.00	24.48
ATOM	8498	CG2	VAL E 152	79.490	27.425	79.124	1.00	24.83
ATOM	8499	N	THR E 153	75.381	28.560	77.461	1.00	34.33
ATOM	8500	CA	THR E 153	74.017	28.323	77.022	1.00	37.86
ATOM	8501	C	THR E 153	73.954	28.069	75.519	1.00	43.79
ATOM	8502	O	THR E 153	74.886	28.403	74.781	1.00	45.01
ATOM	8503	CB	THR E 153	73.147	29.519	77.376	1.00	36.63
ATOM	8504	OG1	THR E 153	71.861	29.381	76.767	1.00	36.49
ATOM	8505	CG2	THR E 153	73.808	30.795	76.905	1.00	34.64
ATOM	8506	N	GLU E 154	72.846	27.489	75.062	1.00	48.79
ATOM	8507	CA	GLU E 154	72.683	27.161	73.647	1.00	51.97
ATOM	8508	C	GLU E 154	73.821	26.211	73.235	1.00	54.47
ATOM	8509	O	GLU E 154	74.259	26.200	72.085	1.00	56.65
ATOM	8510	CB	GLU E 154	72.712	28.430	72.781	1.00	50.52
ATOM	8511	CG	GLU E 154	71.471	29.316	72.906	1.00	55.15
ATOM	8512	CD	GLU E 154	71.255	30.229	71.700	1.00	58.77
ATOM	8513	OE1	GLU E 154	71.985	30.083	70.693	1.00	64.01
ATOM	8514	OE2	GLU E 154	70.347	31.088	71.750	1.00	57.04
ATOM	8515	N	LEU E 155	74.294	25.415	74.193	1.00	54.88
ATOM	8516	CA	LEU E 155	75.369	24.454	73.964	1.00	53.82
ATOM	8517	C	LEU E 155	74.836	23.232	73.246	1.00	56.83
ATOM	8518	O	LEU E 155	74.073	22.464	73.819	1.00	57.40
ATOM	8519	CB	LEU E 155	75.972	24.008	75.297	1.00	50.86
ATOM	8520	CG	LEU E 155	77.147	23.025	75.298	1.00	45.35
ATOM	8521	CD1	LEU E 155	78.430	23.757	74.893	1.00	45.73
ATOM	8522	CD2	LEU E 155	77.313	22.430	76.682	1.00	39.74
ATOM	8523	N	ASN E 156	75.246	23.048	71.995	1.00	62.64
ATOM	8524	CA	ASN E 156	74.809	21.897	71.201	1.00	66.43
ATOM	8525	C	ASN E 156	76.010	21.037	70.843	1.00	69.27
ATOM	8526	O	ASN E 156	77.119	21.548	70.647	1.00	67.66
ATOM	8527	CB	ASN E 156	74.149	22.361	69.907	1.00	63.95
ATOM	8528	CG	ASN E 156	73.374	23.634	70.088	1.00	64.52
ATOM	8529	OD1	ASN E 156	72.313	23.651	70.719	1.00	60.36
ATOM	8530	ND2	ASN E 156	73.910	24.725	69.550	1.00	62.47
ATOM	8531	N	ALA E 157	75.790	19.729	70.769	1.00	72.36
ATOM	8532	CA	ALA E 157	76.858	18.818	70.393	1.00	76.45
ATOM	8533	C	ALA E 157	76.792	18.832	68.872	1.00	79.62
ATOM	8534	O	ALA E 157	77.107	17.846	68.200	1.00	81.66
ATOM	8535	CB	ALA E 157	76.577	17.429	70.928	1.00	76.18
ATOM	8536	N	GLY E 158	76.377	19.984	68.347	1.00	81.93
ATOM	8537	CA	GLY E 158	76.224	20.156	66.917	1.00	81.88
ATOM	8538	C	GLY E 158	74.953	19.433	66.538	1.00	82.24
ATOM	8539	O	GLY E 158	73.924	20.046	66.254	1.00	82.21
ATOM	8540	N	THR E 159	75.030	18.110	66.549	1.00	82.07
ATOM	8541	CA	THR E 159	73.884	17.295	66.222	1.00	82.60
ATOM	8542	C	THR E 159	72.813	17.676	67.237	1.00	83.29
ATOM	8543	O	THR E 159	72.029	18.605	67.029	1.00	82.82
ATOM	8544	CB	THR E 159	74.221	15.790	66.366	1.00	82.48
ATOM	8545	OG1	THR E 159	75.554	15.549	65.899	1.00	79.80
ATOM	8546	CG2	THR E 159	73.249	14.942	65.547	1.00	81.96
ATOM	8547	N	ARG E 160	72.820	16.961	68.353	1.00	84.10
ATOM	8548	CA	ARG E 160	71.867	17.164	69.432	1.00	84.81
ATOM	8549	C	ARG E 160	72.159	18.476	70.186	1.00	84.50
ATOM	8550	O	ARG E 160	73.289	18.982	70.168	1.00	84.54
ATOM	8551	CB	ARG E 160	71.970	15.962	70.385	1.00	86.28
ATOM	8552	CG	ARG E 160	70.783	15.714	71.305	1.00	88.59
ATOM	8553	CD	ARG E 160	69.587	15.159	70.548	1.00	92.10
ATOM	8554	NE	ARG E 160	68.546	14.670	71.451	1.00	94.47

ATOM	8555	CZ	ARG	E	160	67.910	15.414	72.352	1.00	93.31
ATOM	8556	NH1	ARG	E	160	68.200	16.701	72.484	1.00	90.89
ATOM	8557	NH2	ARG	E	160	66.983	14.866	73.130	1.00	93.66
ATOM	8558	N	VAL	E	161	71.130	19.029	70.827	1.00	83.12
ATOM	8559	CA	VAL	E	161	71.272	20.246	71.635	1.00	80.76
ATOM	8560	C	VAL	E	161	71.749	19.755	73.011	1.00	79.38
ATOM	8561	O	VAL	E	161	72.103	18.586	73.153	1.00	80.36
ATOM	8562	CB	VAL	E	161	69.915	20.984	71.798	1.00	79.70
ATOM	8563	CG1	VAL	E	161	68.956	20.156	72.649	1.00	77.36
ATOM	8564	CG2	VAL	E	161	70.139	22.349	72.418	1.00	78.00
ATOM	8565	N	LEU	E	162	71.758	20.612	74.026	1.00	76.21
ATOM	8566	CA	LEU	E	162	72.207	20.158	75.337	1.00	73.02
ATOM	8567	C	LEU	E	162	71.730	20.967	76.527	1.00	71.38
ATOM	8568	O	LEU	E	162	70.956	21.918	76.395	1.00	71.84
ATOM	8569	CB	LEU	E	162	73.730	20.071	75.371	1.00	73.62
ATOM	8570	CG	LEU	E	162	74.345	18.907	74.594	1.00	74.37
ATOM	8571	CD1	LEU	E	162	75.860	19.004	74.601	1.00	74.33
ATOM	8572	CD2	LEU	E	162	73.878	17.597	75.215	1.00	74.49
ATOM	8573	N	GLU	E	163	72.215	20.572	77.699	1.00	68.30
ATOM	8574	CA	GLU	E	163	71.850	21.216	78.953	1.00	64.11
ATOM	8575	C	GLU	E	163	72.737	22.416	79.254	1.00	60.48
ATOM	8576	O	GLU	E	163	73.968	22.289	79.276	1.00	58.79
ATOM	8577	CB	GLU	E	163	71.965	20.203	80.095	1.00	65.72
ATOM	8578	CG	GLU	E	163	71.069	20.498	81.275	1.00	67.87
ATOM	8579	CD	GLU	E	163	69.606	20.561	80.875	1.00	71.47
ATOM	8580	OE1	GLU	E	163	69.249	21.444	80.060	1.00	73.61
ATOM	8581	OE2	GLU	E	163	68.816	19.725	81.369	1.00	70.22
ATOM	8582	N	ASN	E	164	72.122	23.576	79.487	1.00	54.96
ATOM	8583	CA	ASN	E	164	72.890	24.773	79.814	1.00	51.78
ATOM	8584	C	ASN	E	164	73.871	24.444	80.940	1.00	50.12
ATOM	8585	O	ASN	E	164	73.777	23.395	81.562	1.00	52.46
ATOM	8586	CB	ASN	E	164	71.972	25.895	80.283	1.00	52.19
ATOM	8587	CG	ASN	E	164	71.166	26.498	79.169	1.00	49.82
ATOM	8588	OD1	ASN	E	164	71.712	26.944	78.164	1.00	52.14
ATOM	8589	ND2	ASN	E	164	69.856	26.536	79.348	1.00	52.45
ATOM	8590	N	ALA	E	165	74.803	25.338	81.227	1.00	46.63
ATOM	8591	CA	ALA	E	165	75.756	25.051	82.281	1.00	43.35
ATOM	8592	C	ALA	E	165	76.317	26.302	82.904	1.00	42.95
ATOM	8593	O	ALA	E	165	76.345	27.360	82.280	1.00	43.93
ATOM	8594	CB	ALA	E	165	76.884	24.208	81.737	1.00	40.24
ATOM	8595	N	LEU	E	166	76.741	26.184	84.153	1.00	40.17
ATOM	8596	CA	LEU	E	166	77.347	27.306	84.828	1.00	38.85
ATOM	8597	C	LEU	E	166	78.706	26.759	85.212	1.00	39.24
ATOM	8598	O	LEU	E	166	78.852	26.090	86.225	1.00	40.63
ATOM	8599	CB	LEU	E	166	76.531	27.705	86.053	1.00	35.99
ATOM	8600	CG	LEU	E	166	77.169	28.786	86.940	1.00	36.90
ATOM	8601	CD1	LEU	E	166	77.606	29.995	86.127	1.00	28.41
ATOM	8602	CD2	LEU	E	166	76.173	29.178	88.004	1.00	37.39
ATOM	8603	N	VAL	E	167	79.708	27.016	84.382	1.00	39.33
ATOM	8604	CA	VAL	E	167	81.019	26.480	84.674	1.00	39.26
ATOM	8605	C	VAL	E	167	81.848	27.412	85.518	1.00	39.47
ATOM	8606	O	VAL	E	167	82.305	28.464	85.060	1.00	37.12
ATOM	8607	CB	VAL	E	167	81.797	26.143	83.396	1.00	40.20
ATOM	8608	CG1	VAL	E	167	82.991	25.269	83.750	1.00	42.20
ATOM	8609	CG2	VAL	E	167	80.891	25.435	82.400	1.00	38.27
ATOM	8610	N	PRO	E	168	82.058	27.021	86.776	1.00	41.22
ATOM	8611	CA	PRO	E	168	82.834	27.769	87.766	1.00	44.63
ATOM	8612	C	PRO	E	168	84.258	28.094	87.310	1.00	47.19
ATOM	8613	O	PRO	E	168	84.861	27.362	86.522	1.00	49.91
ATOM	8614	CB	PRO	E	168	82.810	26.851	88.984	1.00	44.60
ATOM	8615	CG	PRO	E	168	82.681	25.473	88.376	1.00	44.33
ATOM	8616	CD	PRO	E	168	81.649	25.711	87.309	1.00	42.14

ATOM	8617	N	PRO	E	169	84.816	29.204	87.807	1.00	47.27
ATOM	8618	CA	PRO	E	169	86.172	29.613	87.440	1.00	47.19
ATOM	8619	C	PRO	E	169	87.197	28.504	87.677	1.00	46.65
ATOM	8620	O	PRO	E	169	87.157	27.812	88.683	1.00	46.66
ATOM	8621	CB	PRO	E	169	86.418	30.821	88.345	1.00	48.29
ATOM	8622	CG	PRO	E	169	85.046	31.391	88.521	1.00	47.99
ATOM	8623	CD	PRO	E	169	84.226	30.150	88.767	1.00	47.42
ATOM	8624	N	MET	E	170	88.114	28.336	86.742	1.00	47.77
ATOM	8625	CA	MET	E	170	89.148	27.330	86.891	1.00	47.44
ATOM	8626	C	MET	E	170	88.582	25.999	87.365	1.00	47.13
ATOM	8627	O	MET	E	170	89.165	25.325	88.205	1.00	45.76
ATOM	8628	CB	MET	E	170	90.178	27.845	87.874	1.00	44.62
ATOM	8629	CG	MET	E	170	90.569	29.258	87.571	1.00	48.97
ATOM	8630	SD	MET	E	170	91.972	29.783	88.540	1.00	65.57
ATOM	8631	CE	MET	E	170	91.204	30.932	89.690	1.00	60.97
ATOM	8632	N	GLY	E	171	87.439	25.623	86.817	1.00	47.39
ATOM	8633	CA	GLY	E	171	86.831	24.373	87.206	1.00	50.66
ATOM	8634	C	GLY	E	171	86.058	23.840	86.032	1.00	53.97
ATOM	8635	O	GLY	E	171	86.012	24.474	84.984	1.00	55.28
ATOM	8636	N	GLU	E	172	85.437	22.682	86.207	1.00	56.83
ATOM	8637	CA	GLU	E	172	84.680	22.068	85.134	1.00	58.29
ATOM	8638	C	GLU	E	172	83.213	21.951	85.502	1.00	58.89
ATOM	8639	O	GLU	E	172	82.785	22.402	86.558	1.00	59.72
ATOM	8640	CB	GLU	E	172	85.235	20.673	84.846	1.00	62.02
ATOM	8641	CG	GLU	E	172	86.759	20.568	84.909	1.00	65.24
ATOM	8642	CD	GLU	E	172	87.251	19.150	84.671	1.00	67.89
ATOM	8643	OE1	GLU	E	172	86.623	18.217	85.223	1.00	68.35
ATOM	8644	OE2	GLU	E	172	88.263	18.970	83.948	1.00	65.75
ATOM	8645	N	SER	E	173	82.456	21.330	84.608	1.00	59.87
ATOM	8646	CA	SER	E	173	81.033	21.098	84.779	1.00	61.58
ATOM	8647	C	SER	E	173	80.693	20.079	83.712	1.00	64.19
ATOM	8648	O	SER	E	173	80.805	20.358	82.517	1.00	66.20
ATOM	8649	CB	SER	E	173	80.227	22.378	84.540	1.00	60.49
ATOM	8650	OG	SER	E	173	80.650	23.425	85.393	1.00	66.26
ATOM	8651	N	THR	E	174	80.305	18.886	84.136	1.00	20.00
ATOM	8652	CG2	THR	E	174	81.391	16.170	84.461	1.00	20.00
ATOM	8653	OG1	THR	E	174	79.067	16.398	84.898	1.00	20.00
ATOM	8654	CB	THR	E	174	80.022	16.470	83.853	1.00	20.00
ATOM	8655	CA	THR	E	174	79.958	17.849	83.186	1.00	20.00
ATOM	8656	C	THR	E	174	78.540	18.068	82.653	1.00	20.00
ATOM	8657	O	THR	E	174	77.725	18.736	83.285	1.00	20.00
ATOM	8658	N	VAL	E	175	78.265	17.511	81.482	1.00	71.20
ATOM	8659	CA	VAL	E	175	76.955	17.605	80.844	1.00	74.45
ATOM	8660	C	VAL	E	175	76.750	16.285	80.100	1.00	77.33
ATOM	8661	O	VAL	E	175	77.692	15.773	79.495	1.00	79.92
ATOM	8662	CB	VAL	E	175	76.921	18.746	79.818	1.00	73.32
ATOM	8663	CG1	VAL	E	175	75.514	18.911	79.259	1.00	75.29
ATOM	8664	CG2	VAL	E	175	77.404	20.018	80.460	1.00	74.62
ATOM	8665	N	LYS	E	176	75.543	15.728	80.130	1.00	77.41
ATOM	8666	CA	LYS	E	176	75.320	14.469	79.429	1.00	78.14
ATOM	8667	C	LYS	E	176	75.561	14.653	77.935	1.00	80.04
ATOM	8668	O	LYS	E	176	75.355	15.739	77.392	1.00	80.63
ATOM	8669	CB	LYS	E	176	73.905	13.951	79.680	1.00	77.67
ATOM	8670	CG	LYS	E	176	73.634	13.577	81.127	1.00	80.91
ATOM	8671	CD	LYS	E	176	73.636	14.812	82.041	1.00	85.60
ATOM	8672	CE	LYS	E	176	74.653	14.694	83.181	1.00	85.02
ATOM	8673	NZ	LYS	E	176	74.330	13.587	84.129	1.00	83.40
ATOM	8674	N	LEU	E	177	76.006	13.587	77.276	1.00	81.94
ATOM	8675	CA	LEU	E	177	76.296	13.617	75.846	1.00	84.23
ATOM	8676	C	LEU	E	177	75.528	12.487	75.153	1.00	87.66
ATOM	8677	O	LEU	E	177	75.995	11.346	75.087	1.00	88.32
ATOM	8678	CB	LEU	E	177	77.804	13.462	75.639	1.00	81.22

ATOM	8679	CG	LEU	E	177	78.447	13.963	74.351	1.00	78.15
ATOM	8680	CD1	LEU	E	177	77.974	15.367	74.038	1.00	76.32
ATOM	8681	CD2	LEU	E	177	79.953	13.932	74.514	1.00	76.71
ATOM	8682	N	PRO	E	178	74.328	12.801	74.628	1.00	91.21
ATOM	8683	CA	PRO	E	178	73.403	11.898	73.929	1.00	94.43
ATOM	8684	C	PRO	E	178	73.722	11.507	72.483	1.00	96.98
ATOM	8685	O	PRO	E	178	73.006	11.910	71.562	1.00	97.40
ATOM	8686	CB	PRO	E	178	72.080	12.643	74.026	1.00	94.05
ATOM	8687	CG	PRO	E	178	72.514	14.055	73.858	1.00	94.10
ATOM	8688	CD	PRO	E	178	73.721	14.137	74.777	1.00	91.90
ATOM	8689	N	SER	E	179	74.774	10.707	72.302	1.00	99.95
ATOM	8690	CA	SER	E	179	75.220	10.214	70.987	1.00	102.57
ATOM	8691	C	SER	E	179	75.278	11.244	69.848	1.00	103.01
ATOM	8692	O	SER	E	179	76.361	11.542	69.331	1.00	103.03
ATOM	8693	CB	SER	E	179	74.356	9.020	70.562	1.00	103.31
ATOM	8694	OG	SER	E	179	74.527	7.927	71.455	1.00	104.89
ATOM	8695	N	ASP	E	180	74.116	11.759	69.449	1.00	102.83
ATOM	8696	CA	ASP	E	180	74.025	12.764	68.393	1.00	101.94
ATOM	8697	C	ASP	E	180	74.998	13.879	68.759	1.00	101.01
ATOM	8698	O	ASP	E	180	74.606	14.870	69.380	1.00	99.46
ATOM	8699	CB	ASP	E	180	72.612	13.358	68.331	1.00	103.88
ATOM	8700	CG	ASP	E	180	71.518	12.314	68.496	1.00	105.13
ATOM	8701	OD1	ASP	E	180	71.831	11.105	68.541	1.00	106.88
ATOM	8702	OD2	ASP	E	180	70.336	12.712	68.581	1.00	103.15
ATOM	8703	N	ALA	E	181	76.260	13.722	68.376	1.00	100.13
ATOM	8704	CA	ALA	E	181	77.262	14.723	68.699	1.00	99.60
ATOM	8705	C	ALA	E	181	78.216	14.985	67.551	1.00	98.72
ATOM	8706	O	ALA	E	181	78.178	16.042	66.920	1.00	98.56
ATOM	8707	CB	ALA	E	181	78.046	14.286	69.928	1.00	99.45
ATOM	8708	N	GLY	E	182	79.077	14.011	67.290	1.00	98.59
ATOM	8709	CA	GLY	E	182	80.054	14.156	66.230	1.00	97.61
ATOM	8710	C	GLY	E	182	81.272	14.896	66.751	1.00	96.11
ATOM	8711	O	GLY	E	182	82.294	14.281	67.067	1.00	95.06
ATOM	8712	N	SER	E	183	81.154	16.216	66.855	1.00	94.85
ATOM	8713	CA	SER	E	183	82.246	17.052	67.338	1.00	92.76
ATOM	8714	C	SER	E	183	81.943	18.520	67.116	1.00	91.07
ATOM	8715	O	SER	E	183	82.657	19.385	67.622	1.00	91.23
ATOM	8716	CB	SER	E	183	83.544	16.703	66.607	1.00	93.89
ATOM	8717	OG	SER	E	183	84.548	17.668	66.868	1.00	95.71
ATOM	8718	N	ASN	E	184	80.884	18.803	66.363	1.00	88.48
ATOM	8719	CA	ASN	E	184	80.534	20.185	66.064	1.00	85.76
ATOM	8720	C	ASN	E	184	79.921	20.950	67.232	1.00	82.74
ATOM	8721	O	ASN	E	184	78.705	21.122	67.308	1.00	79.97
ATOM	8722	CB	ASN	E	184	79.591	20.246	64.862	1.00	87.53
ATOM	8723	CG	ASN	E	184	79.431	21.658	64.325	1.00	89.28
ATOM	8724	OD1	ASN	E	184	80.422	22.355	64.073	1.00	89.17
ATOM	8725	ND2	ASN	E	184	78.184	22.088	64.144	1.00	89.79
ATOM	8726	N	ILE	E	185	80.775	21.430	68.132	1.00	79.56
ATOM	8727	CA	ILE	E	185	80.300	22.183	69.283	1.00	76.30
ATOM	8728	C	ILE	E	185	79.911	23.619	68.941	1.00	74.68
ATOM	8729	O	ILE	E	185	80.653	24.353	68.284	1.00	73.41
ATOM	8730	CB	ILE	E	185	81.341	22.212	70.416	1.00	74.43
ATOM	8731	CG1	ILE	E	185	81.556	20.796	70.968	1.00	73.61
ATOM	8732	CG2	ILE	E	185	80.891	23.179	71.497	1.00	74.78
ATOM	8733	CD1	ILE	E	185	80.279	19.992	71.168	1.00	71.93
ATOM	8734	N	THR	E	186	78.735	24.006	69.419	1.00	72.33
ATOM	8735	CA	THR	E	186	78.199	25.334	69.181	1.00	68.02
ATOM	8736	C	THR	E	186	77.560	25.847	70.467	1.00	65.61
ATOM	8737	O	THR	E	186	76.496	25.374	70.867	1.00	66.22
ATOM	8738	CB	THR	E	186	77.135	25.272	68.097	1.00	66.81
ATOM	8739	OG1	THR	E	186	77.452	24.201	67.203	1.00	65.91
ATOM	8740	CG2	THR	E	186	77.087	26.574	67.324	1.00	64.65

ATOM	8741	N	TYR	E	187	78.205	26.816	71.109	1.00	61.32
ATOM	8742	CA	TYR	E	187	77.680	27.369	72.348	1.00	58.52
ATOM	8743	C	TYR	E	187	77.726	28.897	72.360	1.00	56.89
ATOM	8744	O	TYR	E	187	78.413	29.517	71.542	1.00	56.96
ATOM	8745	CB	TYR	E	187	78.486	26.833	73.523	1.00	57.55
ATOM	8746	CG	TYR	E	187	79.845	27.471	73.631	1.00	56.83
ATOM	8747	CD1	TYR	E	187	80.921	26.986	72.904	1.00	57.34
ATOM	8748	CD2	TYR	E	187	80.052	28.576	74.448	1.00	57.02
ATOM	8749	CE1	TYR	E	187	82.174	27.588	72.990	1.00	56.57
ATOM	8750	CE2	TYR	E	187	81.301	29.182	74.540	1.00	55.77
ATOM	8751	CZ	TYR	E	187	82.353	28.680	73.812	1.00	54.69
ATOM	8752	OH	TYR	E	187	83.591	29.255	73.928	1.00	56.48
ATOM	8753	N	ARG	E	188	76.991	29.486	73.304	1.00	54.27
ATOM	8754	CA	ARG	E	188	76.920	30.940	73.487	1.00	50.09
ATOM	8755	C	ARG	E	188	76.897	31.211	74.988	1.00	45.49
ATOM	8756	O	ARG	E	188	76.338	30.424	75.742	1.00	46.18
ATOM	8757	CB	ARG	E	188	75.633	31.499	72.868	1.00	52.57
ATOM	8758	CG	ARG	E	188	75.442	31.185	71.399	1.00	53.61
ATOM	8759	CD	ARG	E	188	74.100	31.686	70.893	1.00	53.58
ATOM	8760	NE	ARG	E	188	73.986	33.136	70.969	1.00	54.44
ATOM	8761	CZ	ARG	E	188	74.792	33.971	70.329	1.00	52.09
ATOM	8762	NH1	ARG	E	188	75.761	33.490	69.577	1.00	52.47
ATOM	8763	NH2	ARG	E	188	74.631	35.279	70.437	1.00	51.28
ATOM	8764	N	THR	E	189	77.486	32.311	75.432	1.00	38.94
ATOM	8765	CA	THR	E	189	77.464	32.595	76.860	1.00	37.02
ATOM	8766	C	THR	E	189	76.733	33.882	77.190	1.00	37.70
ATOM	8767	O	THR	E	189	76.550	34.736	76.329	1.00	40.43
ATOM	8768	CB	THR	E	189	78.849	32.724	77.423	1.00	33.67
ATOM	8769	OG1	THR	E	189	79.465	33.880	76.847	1.00	38.19
ATOM	8770	CG2	THR	E	189	79.660	31.479	77.130	1.00	28.06
ATOM	8771	N	ILE	E	190	76.321	34.024	78.447	1.00	36.54
ATOM	8772	CA	ILE	E	190	75.618	35.220	78.878	1.00	34.82
ATOM	8773	C	ILE	E	190	76.627	36.158	79.527	1.00	36.94
ATOM	8774	O	ILE	E	190	77.298	35.772	80.486	1.00	39.45
ATOM	8775	CB	ILE	E	190	74.499	34.849	79.847	1.00	30.65
ATOM	8776	CG1	ILE	E	190	73.483	33.984	79.107	1.00	25.79
ATOM	8777	CG2	ILE	E	190	73.829	36.093	80.386	1.00	31.99
ATOM	8778	CD1	ILE	E	190	72.295	33.566	79.937	1.00	26.79
ATOM	8779	N	ASN	E	191	76.745	37.377	78.993	1.00	36.27
ATOM	8780	CA	ASN	E	191	77.717	38.352	79.504	1.00	37.00
ATOM	8781	C	ASN	E	191	77.257	39.248	80.660	1.00	35.29
ATOM	8782	O	ASN	E	191	76.074	39.287	81.007	1.00	34.56
ATOM	8783	CB	ASN	E	191	78.223	39.249	78.364	1.00	39.49
ATOM	8784	CG	ASN	E	191	77.169	40.233	77.883	1.00	41.41
ATOM	8785	OD1	ASN	E	191	76.598	40.985	78.666	1.00	41.20
ATOM	8786	ND2	ASN	E	191	76.909	40.231	76.587	1.00	46.96
ATOM	8787	N	ASP	E	192	78.220	39.979	81.222	1.00	30.96
ATOM	8788	CA	ASP	E	192	77.994	40.894	82.336	1.00	29.30
ATOM	8789	C	ASP	E	192	76.745	41.763	82.245	1.00	28.53
ATOM	8790	O	ASP	E	192	76.300	42.323	83.246	1.00	28.88
ATOM	8791	CB	ASP	E	192	79.210	41.803	82.519	1.00	30.79
ATOM	8792	CG	ASP	E	192	80.386	41.090	83.168	1.00	35.69
ATOM	8793	OD1	ASP	E	192	80.211	39.940	83.627	1.00	41.64
ATOM	8794	OD2	ASP	E	192	81.486	41.681	83.229	1.00	36.89
ATOM	8795	N	TYR	E	193	76.166	41.869	81.058	1.00	28.82
ATOM	8796	CA	TYR	E	193	74.983	42.700	80.883	1.00	29.42
ATOM	8797	C	TYR	E	193	73.753	41.880	80.571	1.00	31.19
ATOM	8798	O	TYR	E	193	72.725	42.416	80.148	1.00	33.50
ATOM	8799	CB	TYR	E	193	75.247	43.732	79.792	1.00	25.42
ATOM	8800	CG	TYR	E	193	76.537	44.451	80.044	1.00	24.16
ATOM	8801	CD1	TYR	E	193	76.681	45.274	81.149	1.00	26.26
ATOM	8802	CD2	TYR	E	193	77.638	44.260	79.224	1.00	24.96

ATOM	8803	CE1	TYR	E	193	77.886	45.887	81.432	1.00	28.70
ATOM	8804	CE2	TYR	E	193	78.859	44.872	79.498	1.00	23.63
ATOM	8805	CZ	TYR	E	193	78.976	45.687	80.604	1.00	26.21
ATOM	8806	OH	TYR	E	193	80.166	46.330	80.889	1.00	26.65
ATOM	8807	N	GLY	E	194	73.875	40.574	80.795	1.00	31.28
ATOM	8808	CA	GLY	E	194	72.766	39.662	80.583	1.00	34.25
ATOM	8809	C	GLY	E	194	72.423	39.493	79.126	1.00	35.63
ATOM	8810	O	GLY	E	194	71.306	39.102	78.770	1.00	32.74
ATOM	8811	N	ALA	E	195	73.409	39.794	78.288	1.00	37.61
ATOM	8812	CA	ALA	E	195	73.266	39.690	76.849	1.00	37.74
ATOM	8813	C	ALA	E	195	74.096	38.525	76.310	1.00	37.68
ATOM	8814	O	ALA	E	195	75.192	38.236	76.801	1.00	35.15
ATOM	8815	CB	ALA	E	195	73.699	40.992	76.210	1.00	41.15
ATOM	8816	N	LEU	E	196	73.543	37.852	75.307	1.00	37.94
ATOM	8817	CA	LEU	E	196	74.194	36.714	74.667	1.00	39.61
ATOM	8818	C	LEU	E	196	75.426	37.137	73.899	1.00	42.22
ATOM	8819	O	LEU	E	196	75.447	38.210	73.300	1.00	43.01
ATOM	8820	CB	LEU	E	196	73.245	36.061	73.672	1.00	34.83
ATOM	8821	CG	LEU	E	196	72.241	35.041	74.168	1.00	34.52
ATOM	8822	CD1	LEU	E	196	70.902	35.232	73.472	1.00	31.67
ATOM	8823	CD2	LEU	E	196	72.813	33.665	73.916	1.00	29.70
ATOM	8824	N	THR	E	197	76.451	36.293	73.915	1.00	44.91
ATOM	8825	CA	THR	E	197	77.657	36.571	73.158	1.00	47.72
ATOM	8826	C	THR	E	197	77.536	35.708	71.891	1.00	52.43
ATOM	8827	O	THR	E	197	76.740	34.759	71.844	1.00	52.16
ATOM	8828	CB	THR	E	197	78.946	36.214	73.950	1.00	45.87
ATOM	8829	OG1	THR	E	197	79.095	34.792	74.052	1.00	45.81
ATOM	8830	CG2	THR	E	197	78.881	36.812	75.330	1.00	46.19
ATOM	8831	N	PRO	E	198	78.313	36.035	70.848	1.00	54.90
ATOM	8832	CA	PRO	E	198	78.333	35.337	69.557	1.00	55.50
ATOM	8833	C	PRO	E	198	78.614	33.838	69.620	1.00	56.20
ATOM	8834	O	PRO	E	198	79.394	33.380	70.464	1.00	55.40
ATOM	8835	CB	PRO	E	198	79.413	36.090	68.782	1.00	58.67
ATOM	8836	CG	PRO	E	198	80.351	36.549	69.889	1.00	58.33
ATOM	8837	CD	PRO	E	198	79.366	37.064	70.897	1.00	56.45
ATOM	8838	N	LYS	E	199	77.988	33.086	68.708	1.00	56.68
ATOM	8839	CA	LYS	E	199	78.167	31.639	68.643	1.00	55.30
ATOM	8840	C	LYS	E	199	79.647	31.383	68.653	1.00	55.26
ATOM	8841	O	LYS	E	199	80.441	32.296	68.420	1.00	54.55
ATOM	8842	CB	LYS	E	199	77.572	31.054	67.360	1.00	54.43
ATOM	8843	CG	LYS	E	199	76.053	31.007	67.343	1.00	59.53
ATOM	8844	CD	LYS	E	199	75.505	30.116	66.216	1.00	59.63
ATOM	8845	CE	LYS	E	199	73.987	29.909	66.358	1.00	58.47
ATOM	8846	NZ	LYS	E	199	73.437	28.957	65.352	1.00	51.71
ATOM	8847	N	MET	E	200	80.024	30.149	68.938	1.00	54.19
ATOM	8848	CA	MET	E	200	81.431	29.793	68.961	1.00	56.16
ATOM	8849	C	MET	E	200	81.541	28.304	68.749	1.00	57.55
ATOM	8850	O	MET	E	200	80.585	27.567	69.004	1.00	60.12
ATOM	8851	CB	MET	E	200	82.069	30.212	70.286	1.00	54.94
ATOM	8852	CG	MET	E	200	82.291	31.710	70.379	1.00	54.08
ATOM	8853	SD	MET	E	200	82.702	32.300	72.010	1.00	58.92
ATOM	8854	CE	MET	E	200	84.454	31.975	72.060	1.00	56.87
ATOM	8855	N	THR	E	201	82.693	27.857	68.260	1.00	56.82
ATOM	8856	CA	THR	E	201	82.878	26.442	68.012	1.00	54.73
ATOM	8857	C	THR	E	201	83.780	25.816	69.053	1.00	55.68
ATOM	8858	O	THR	E	201	84.887	26.285	69.302	1.00	54.78
ATOM	8859	CB	THR	E	201	83.443	26.206	66.610	1.00	53.15
ATOM	8860	OG1	THR	E	201	82.599	26.864	65.655	1.00	49.61
ATOM	8861	CG2	THR	E	201	83.485	24.711	66.291	1.00	49.35
ATOM	8862	N	GLY	E	202	83.279	24.751	69.664	1.00	57.68
ATOM	8863	CA	GLY	E	202	84.025	24.055	70.694	1.00	60.04
ATOM	8864	C	GLY	E	202	85.419	23.611	70.309	1.00	61.70

ATOM	8865	O	GLY	E	202	85.622	22.930	69.302	1.00	61.07
ATOM	8866	N	VAL	E	203	86.379	24.004	71.139	1.00	64.67
ATOM	8867	CA	VAL	E	203	87.789	23.676	70.954	1.00	66.54
ATOM	8868	C	VAL	E	203	88.223	22.697	72.047	1.00	69.24
ATOM	8869	O	VAL	E	203	88.552	23.119	73.163	1.00	69.52
ATOM	8870	CB	VAL	E	203	88.666	24.946	71.066	1.00	64.64
ATOM	8871	CG1	VAL	E	203	90.139	24.580	70.940	1.00	63.39
ATOM	8872	CG2	VAL	E	203	88.259	25.954	70.008	1.00	62.28
ATOM	8873	N	MET	E	204	88.218	21.401	71.739	1.00	71.05
ATOM	8874	CA	MET	E	204	88.620	20.401	72.724	1.00	74.25
ATOM	8875	C	MET	E	204	90.031	20.699	73.197	1.00	75.56
ATOM	8876	O	MET	E	204	90.802	21.362	72.507	1.00	76.04
ATOM	8877	CB	MET	E	204	88.579	18.989	72.132	1.00	76.11
ATOM	8878	CG	MET	E	204	87.188	18.457	71.862	1.00	79.50
ATOM	8879	SD	MET	E	204	86.243	19.528	70.755	1.00	85.33
ATOM	8880	CE	MET	E	204	86.896	19.035	69.146	1.00	85.17
ATOM	8881	N	GLU	E	205	90.363	20.214	74.385	1.00	77.26
ATOM	8882	CA	GLU	E	205	91.691	20.422	74.936	1.00	77.93
ATOM	8883	C	GLU	E	205	92.587	19.271	74.493	1.00	78.27
ATOM	8884	O	GLU	E	205	93.621	19.540	73.847	1.00	78.00
ATOM	8885	CB	GLU	E	205	91.614	20.465	76.454	1.00	79.06
ATOM	8886	CG	GLU	E	205	90.868	19.287	77.028	1.00	82.26
ATOM	8887	CD	GLU	E	205	90.885	19.281	78.529	1.00	85.81
ATOM	8888	OE1	GLU	E	205	91.485	20.211	79.124	1.00	84.34
ATOM	8889	OE2	GLU	E	205	90.297	18.341	79.109	1.00	88.47
ATOM	8890	OXT	GLU	E	205	92.237	18.108	74.791	1.00	79.04
ATOM	8891	N	PHE	F	1	82.426	83.358	59.149	1.00	25.01
ATOM	8892	CA	PHE	F	1	82.010	82.401	60.192	1.00	21.57
ATOM	8893	C	PHE	F	1	82.695	81.063	59.928	1.00	20.52
ATOM	8894	O	PHE	F	1	82.740	80.579	58.800	1.00	19.07
ATOM	8895	CB	PHE	F	1	80.479	82.288	60.170	1.00	23.16
ATOM	8896	CG	PHE	F	1	79.926	81.262	61.119	1.00	22.39
ATOM	8897	CD1	PHE	F	1	79.841	79.926	60.745	1.00	22.30
ATOM	8898	CD2	PHE	F	1	79.509	81.635	62.392	1.00	20.33
ATOM	8899	CE1	PHE	F	1	79.357	78.985	61.613	1.00	22.51
ATOM	8900	CE2	PHE	F	1	79.024	80.714	63.274	1.00	15.57
ATOM	8901	CZ	PHE	F	1	78.945	79.380	62.892	1.00	26.61
ATOM	8902	N	ALA	F	2	83.258	80.477	60.973	1.00	21.54
ATOM	8903	CA	ALA	F	2	83.948	79.197	60.835	1.00	24.27
ATOM	8904	C	ALA	F	2	83.817	78.329	62.077	1.00	25.59
ATOM	8905	O	ALA	F	2	83.530	78.818	63.171	1.00	26.99
ATOM	8906	CB	ALA	F	2	85.408	79.426	60.539	1.00	23.11
ATOM	8907	N	CYS	F	3	84.026	77.032	61.914	1.00	24.95
ATOM	8908	CA	CYS	F	3	83.934	76.152	63.059	1.00	26.85
ATOM	8909	C	CYS	F	3	85.045	75.130	63.000	1.00	26.72
ATOM	8910	O	CYS	F	3	85.512	74.774	61.929	1.00	26.43
ATOM	8911	CB	CYS	F	3	82.598	75.433	63.086	1.00	24.85
ATOM	8912	SG	CYS	F	3	81.121	76.469	62.931	1.00	31.31
ATOM	8913	N	LYS	F	4	85.482	74.674	64.162	1.00	26.89
ATOM	8914	CA	LYS	F	4	86.522	73.682	64.209	1.00	28.89
ATOM	8915	C	LYS	F	4	86.112	72.638	65.223	1.00	28.91
ATOM	8916	O	LYS	F	4	85.320	72.889	66.132	1.00	28.63
ATOM	8917	CB	LYS	F	4	87.873	74.302	64.578	1.00	33.49
ATOM	8918	CG	LYS	F	4	88.154	74.421	66.077	1.00	43.32
ATOM	8919	CD	LYS	F	4	89.520	75.086	66.395	1.00	50.14
ATOM	8920	CE	LYS	F	4	90.750	74.379	65.747	1.00	57.20
ATOM	8921	NZ	LYS	F	4	91.042	74.737	64.301	1.00	56.59
ATOM	8922	N	THR	F	5	86.667	71.454	65.040	1.00	29.89
ATOM	8923	CA	THR	F	5	86.378	70.306	65.865	1.00	27.45
ATOM	8924	C	THR	F	5	87.396	70.230	66.980	1.00	30.61
ATOM	8925	O	THR	F	5	88.549	70.596	66.800	1.00	33.41
ATOM	8926	CB	THR	F	5	86.422	69.038	64.983	1.00	23.49

ATOM	8927	OG1	THR	F	5	85.195	68.315	65.124	1.00	24.77
ATOM	8928	CG2	THR	F	5	87.583	68.170	65.334	1.00	18.51
ATOM	8929	N	ALA	F	6	86.966	69.763	68.142	1.00	34.87
ATOM	8930	CA	ALA	F	6	87.863	69.643	69.277	1.00	34.75
ATOM	8931	C	ALA	F	6	89.127	68.942	68.846	1.00	35.85
ATOM	8932	O	ALA	F	6	90.206	69.286	69.298	1.00	36.67
ATOM	8933	CB	ALA	F	6	87.201	68.873	70.382	1.00	37.97
ATOM	8934	N	ASN	F	7	88.990	67.957	67.966	1.00	39.68
ATOM	8935	CA	ASN	F	7	90.141	67.207	67.456	1.00	43.29
ATOM	8936	C	ASN	F	7	90.984	68.073	66.540	1.00	44.80
ATOM	8937	O	ASN	F	7	92.035	67.650	66.070	1.00	47.06
ATOM	8938	CB	ASN	F	7	89.687	65.988	66.660	1.00	45.61
ATOM	8939	CG	ASN	F	7	89.224	64.858	67.532	1.00	51.38
ATOM	8940	OD1	ASN	F	7	90.023	64.260	68.259	1.00	57.26
ATOM	8941	ND2	ASN	F	7	87.926	64.549	67.472	1.00	51.17
ATOM	8942	N	GLY	F	8	90.504	69.277	66.257	1.00	45.58
ATOM	8943	CA	GLY	F	8	91.249	70.172	65.392	1.00	46.94
ATOM	8944	C	GLY	F	8	90.692	70.357	63.988	1.00	47.35
ATOM	8945	O	GLY	F	8	90.999	71.359	63.338	1.00	49.89
ATOM	8946	N	THR	F	9	89.878	69.414	63.510	1.00	45.61
ATOM	8947	CA	THR	F	9	89.304	69.499	62.157	1.00	40.94
ATOM	8948	C	THR	F	9	88.359	70.667	61.935	1.00	38.85
ATOM	8949	O	THR	F	9	87.440	70.885	62.723	1.00	39.50
ATOM	8950	CB	THR	F	9	88.569	68.230	61.807	1.00	36.82
ATOM	8951	OG1	THR	F	9	89.528	67.192	61.620	1.00	39.36
ATOM	8952	CG2	THR	F	9	87.784	68.404	60.549	1.00	32.19
ATOM	8953	N	ALA	F	10	88.564	71.395	60.839	1.00	34.29
ATOM	8954	CA	ALA	F	10	87.736	72.560	60.556	1.00	29.60
ATOM	8955	C	ALA	F	10	86.916	72.542	59.293	1.00	26.59
ATOM	8956	O	ALA	F	10	87.156	71.775	58.379	1.00	26.00
ATOM	8957	CB	ALA	F	10	88.592	73.792	60.552	1.00	27.91
ATOM	8958	N	ILE	F	11	85.926	73.415	59.274	1.00	26.12
ATOM	8959	CA	ILE	F	11	85.047	73.594	58.132	1.00	26.35
ATOM	8960	C	ILE	F	11	85.106	75.092	57.941	1.00	24.06
ATOM	8961	O	ILE	F	11	84.631	75.840	58.779	1.00	27.48
ATOM	8962	CB	ILE	F	11	83.593	73.188	58.433	1.00	24.62
ATOM	8963	CG1	ILE	F	11	83.533	71.713	58.822	1.00	25.79
ATOM	8964	CG2	ILE	F	11	82.725	73.446	57.213	1.00	24.36
ATOM	8965	CD1	ILE	F	11	82.126	71.196	59.069	1.00	28.08
ATOM	8966	N	PRO	F	12	85.701	75.548	56.841	1.00	21.66
ATOM	8967	CA	PRO	F	12	85.845	76.972	56.523	1.00	20.37
ATOM	8968	C	PRO	F	12	84.548	77.676	56.170	1.00	20.26
ATOM	8969	O	PRO	F	12	83.508	77.039	56.138	1.00	19.28
ATOM	8970	CB	PRO	F	12	86.834	76.953	55.367	1.00	23.11
ATOM	8971	CG	PRO	F	12	86.492	75.657	54.671	1.00	23.68
ATOM	8972	CD	PRO	F	12	86.310	74.698	55.804	1.00	22.17
ATOM	8973	N	ILE	F	13	84.614	78.986	55.924	1.00	21.24
ATOM	8974	CA	ILE	F	13	83.427	79.764	55.547	1.00	24.32
ATOM	8975	C	ILE	F	13	82.826	79.097	54.346	1.00	23.59
ATOM	8976	O	ILE	F	13	83.538	78.529	53.537	1.00	25.31
ATOM	8977	CB	ILE	F	13	83.741	81.218	55.122	1.00	26.90
ATOM	8978	CG1	ILE	F	13	85.022	81.236	54.311	1.00	29.58
ATOM	8979	CG2	ILE	F	13	83.778	82.156	56.325	1.00	26.31
ATOM	8980	CD1	ILE	F	13	85.586	82.625	54.143	1.00	37.59
ATOM	8981	N	GLY	F	14	81.512	79.186	54.219	1.00	25.36
ATOM	8982	CA	GLY	F	14	80.846	78.533	53.106	1.00	29.44
ATOM	8983	C	GLY	F	14	80.284	77.195	53.562	1.00	28.94
ATOM	8984	O	GLY	F	14	79.341	76.661	52.978	1.00	30.05
ATOM	8985	N	GLY	F	15	80.874	76.657	54.623	1.00	29.16
ATOM	8986	CA	GLY	F	15	80.418	75.398	55.167	1.00	26.45
ATOM	8987	C	GLY	F	15	81.070	74.187	54.548	1.00	26.49
ATOM	8988	O	GLY	F	15	81.997	74.274	53.740	1.00	28.58

ATOM	8989	N	GLY	F	16	80.557	73.033	54.932	1.00	24.98
ATOM	8990	CA	GLY	F	16	81.093	71.784	54.440	1.00	20.57
ATOM	8991	C	GLY	F	16	80.761	70.794	55.525	1.00	18.10
ATOM	8992	O	GLY	F	16	79.730	70.929	56.182	1.00	19.80
ATOM	8993	N	SER	F	17	81.622	69.814	55.745	1.00	12.60
ATOM	8994	CA	SER	F	17	81.322	68.848	56.771	1.00	10.45
ATOM	8995	C	SER	F	17	82.537	68.287	57.476	1.00	8.64
ATOM	8996	O	SER	F	17	83.671	68.516	57.081	1.00	7.85
ATOM	8997	CB	SER	F	17	80.490	67.730	56.171	1.00	10.35
ATOM	8998	OG	SER	F	17	81.227	67.057	55.171	1.00	20.73
ATOM	8999	N	ALA	F	18	82.288	67.564	58.555	1.00	11.19
ATOM	9000	CA	ALA	F	18	83.366	66.968	59.331	1.00	14.58
ATOM	9001	C	ALA	F	18	82.811	65.895	60.239	1.00	16.62
ATOM	9002	O	ALA	F	18	81.620	65.875	60.557	1.00	19.67
ATOM	9003	CB	ALA	F	18	84.062	68.029	60.185	1.00	4.86
ATOM	9004	N	ASN	F	19	83.702	65.012	60.659	1.00	18.60
ATOM	9005	CA	ASN	F	19	83.358	63.952	61.573	1.00	15.91
ATOM	9006	C	ASN	F	19	83.675	64.405	62.973	1.00	18.46
ATOM	9007	O	ASN	F	19	84.716	65.007	63.250	1.00	21.32
ATOM	9008	CB	ASN	F	19	84.174	62.702	61.282	1.00	12.82
ATOM	9009	CG	ASN	F	19	83.656	61.935	60.083	1.00	14.04
ATOM	9010	OD1	ASN	F	19	82.678	62.338	59.426	1.00	14.65
ATOM	9011	ND2	ASN	F	19	84.304	60.820	59.790	1.00	7.79
ATOM	9012	N	VAL	F	20	82.765	64.086	63.865	1.00	19.16
ATOM	9013	CA	VAL	F	20	82.916	64.405	65.261	1.00	20.47
ATOM	9014	C	VAL	F	20	82.832	63.063	65.973	1.00	21.84
ATOM	9015	O	VAL	F	20	81.751	62.466	66.045	1.00	24.21
ATOM	9016	CB	VAL	F	20	81.778	65.305	65.681	1.00	22.36
ATOM	9017	CG1	VAL	F	20	81.806	65.558	67.187	1.00	19.91
ATOM	9018	CG2	VAL	F	20	81.871	66.583	64.864	1.00	26.32
ATOM	9019	N	TYR	F	21	83.965	62.566	66.465	1.00	19.56
ATOM	9020	CA	TYR	F	21	83.960	61.280	67.160	1.00	19.70
ATOM	9021	C	TYR	F	21	83.680	61.433	68.661	1.00	19.03
ATOM	9022	O	TYR	F	21	84.170	62.357	69.297	1.00	19.18
ATOM	9023	CB	TYR	F	21	85.286	60.569	66.926	1.00	18.96
ATOM	9024	CG	TYR	F	21	85.685	60.554	65.461	1.00	19.36
ATOM	9025	CD1	TYR	F	21	86.366	61.623	64.896	1.00	16.20
ATOM	9026	CD2	TYR	F	21	85.346	59.483	64.638	1.00	18.91
ATOM	9027	CE1	TYR	F	21	86.697	61.625	63.552	1.00	17.25
ATOM	9028	CE2	TYR	F	21	85.671	59.478	63.294	1.00	18.23
ATOM	9029	CZ	TYR	F	21	86.346	60.552	62.754	1.00	18.64
ATOM	9030	OH	TYR	F	21	86.658	60.553	61.412	1.00	19.71
ATOM	9031	N	VAL	F	22	82.878	60.531	69.224	1.00	19.64
ATOM	9032	CA	VAL	F	22	82.527	60.604	70.641	1.00	17.32
ATOM	9033	C	VAL	F	22	82.648	59.301	71.389	1.00	16.60
ATOM	9034	O	VAL	F	22	82.398	58.240	70.837	1.00	16.45
ATOM	9035	CB	VAL	F	22	81.089	61.058	70.834	1.00	17.52
ATOM	9036	CG1	VAL	F	22	80.894	62.422	70.250	1.00	18.00
ATOM	9037	CG2	VAL	F	22	80.162	60.070	70.188	1.00	17.93
ATOM	9038	N	ASN	F	23	83.027	59.408	72.660	1.00	18.39
ATOM	9039	CA	ASN	F	23	83.141	58.266	73.551	1.00	20.14
ATOM	9040	C	ASN	F	23	81.915	58.399	74.453	1.00	23.72
ATOM	9041	O	ASN	F	23	81.874	59.266	75.324	1.00	26.04
ATOM	9042	CB	ASN	F	23	84.396	58.380	74.383	1.00	21.09
ATOM	9043	CG	ASN	F	23	85.617	58.698	73.555	1.00	22.78
ATOM	9044	OD1	ASN	F	23	86.065	57.897	72.742	1.00	21.90
ATOM	9045	ND2	ASN	F	23	86.166	59.882	73.765	1.00	30.63
ATOM	9046	N	LEU	F	24	80.902	57.561	74.219	1.00	26.35
ATOM	9047	CA	LEU	F	24	79.651	57.594	74.985	1.00	22.36
ATOM	9048	C	LEU	F	24	79.745	56.694	76.197	1.00	26.13
ATOM	9049	O	LEU	F	24	80.586	55.775	76.248	1.00	26.84
ATOM	9050	CB	LEU	F	24	78.501	57.132	74.109	1.00	15.46

ATOM	9051	CG	LEU	F	24	78.421	57.827	72.746	1.00	14.25
ATOM	9052	CD1	LEU	F	24	77.884	56.866	71.708	1.00	18.87
ATOM	9053	CD2	LEU	F	24	77.539	59.059	72.836	1.00	14.85
ATOM	9054	N	ALA	F	25	78.888	56.961	77.181	1.00	26.63
ATOM	9055	CA	ALA	F	25	78.875	56.157	78.402	1.00	23.45
ATOM	9056	C	ALA	F	25	78.688	54.704	77.996	1.00	23.47
ATOM	9057	O	ALA	F	25	77.729	54.345	77.307	1.00	25.04
ATOM	9058	CB	ALA	F	25	77.759	56.600	79.307	1.00	22.55
ATOM	9059	N	PRO	F	26	79.602	53.848	78.430	1.00	21.29
ATOM	9060	CA	PRO	F	26	79.593	52.415	78.129	1.00	22.95
ATOM	9061	C	PRO	F	26	78.284	51.679	78.406	1.00	21.92
ATOM	9062	O	PRO	F	26	77.883	50.804	77.652	1.00	21.53
ATOM	9063	CB	PRO	F	26	80.726	51.869	79.007	1.00	24.64
ATOM	9064	CG	PRO	F	26	81.560	53.070	79.308	1.00	23.84
ATOM	9065	CD	PRO	F	26	80.546	54.142	79.512	1.00	17.64
ATOM	9066	N	VAL	F	27	77.644	52.040	79.509	1.00	21.27
ATOM	9067	CA	VAL	F	27	76.429	51.399	79.943	1.00	22.10
ATOM	9068	C	VAL	F	27	75.328	52.395	80.262	1.00	25.51
ATOM	9069	O	VAL	F	27	75.553	53.402	80.926	1.00	27.85
ATOM	9070	CB	VAL	F	27	76.706	50.547	81.206	1.00	19.95
ATOM	9071	CG1	VAL	F	27	75.447	49.814	81.637	1.00	20.34
ATOM	9072	CG2	VAL	F	27	77.822	49.568	80.939	1.00	15.57
ATOM	9073	N	VAL	F	28	74.128	52.081	79.804	1.00	27.85
ATOM	9074	CA	VAL	F	28	72.973	52.916	80.025	1.00	30.85
ATOM	9075	C	VAL	F	28	71.788	51.975	80.191	1.00	34.69
ATOM	9076	O	VAL	F	28	71.547	51.102	79.353	1.00	35.82
ATOM	9077	CB	VAL	F	28	72.761	53.859	78.825	1.00	30.01
ATOM	9078	CG1	VAL	F	28	71.493	54.668	78.987	1.00	31.07
ATOM	9079	CG2	VAL	F	28	73.934	54.783	78.718	1.00	28.38
ATOM	9080	N	ASN	F	29	71.063	52.146	81.291	1.00	36.88
ATOM	9081	CA	ASN	F	29	69.912	51.308	81.587	1.00	36.68
ATOM	9082	C	ASN	F	29	68.651	51.930	81.014	1.00	35.81
ATOM	9083	O	ASN	F	29	68.613	53.133	80.760	1.00	34.39
ATOM	9084	CB	ASN	F	29	69.788	51.129	83.105	1.00	37.94
ATOM	9085	CG	ASN	F	29	70.957	50.328	83.701	1.00	44.09
ATOM	9086	OD1	ASN	F	29	71.091	49.121	83.469	1.00	45.65
ATOM	9087	ND2	ASN	F	29	71.805	51.003	84.471	1.00	43.03
ATOM	9088	N	VAL	F	30	67.626	51.111	80.796	1.00	32.93
ATOM	9089	CA	VAL	F	30	66.375	51.620	80.262	1.00	34.40
ATOM	9090	C	VAL	F	30	65.876	52.737	81.187	1.00	37.23
ATOM	9091	O	VAL	F	30	66.120	52.708	82.384	1.00	37.44
ATOM	9092	CB	VAL	F	30	65.318	50.505	80.181	1.00	33.39
ATOM	9093	CG1	VAL	F	30	64.043	51.018	79.512	1.00	32.73
ATOM	9094	CG2	VAL	F	30	65.879	49.331	79.413	1.00	35.51
ATOM	9095	N	GLY	F	31	65.198	53.736	80.631	1.00	40.26
ATOM	9096	CA	GLY	F	31	64.696	54.816	81.456	1.00	38.92
ATOM	9097	C	GLY	F	31	65.782	55.795	81.830	1.00	40.47
ATOM	9098	O	GLY	F	31	65.486	56.940	82.179	1.00	41.43
ATOM	9099	N	GLN	F	32	67.035	55.349	81.758	1.00	40.26
ATOM	9100	CA	GLN	F	32	68.188	56.192	82.076	1.00	41.78
ATOM	9101	C	GLN	F	32	68.549	57.048	80.846	1.00	43.28
ATOM	9102	O	GLN	F	32	67.938	56.918	79.775	1.00	43.54
ATOM	9103	CB	GLN	F	32	69.366	55.306	82.468	1.00	42.63
ATOM	9104	CG	GLN	F	32	70.464	55.996	83.247	1.00	47.25
ATOM	9105	CD	GLN	F	32	71.423	55.003	83.898	1.00	49.96
ATOM	9106	OE1	GLN	F	32	72.214	54.341	83.218	1.00	48.30
ATOM	9107	NE2	GLN	F	32	71.341	54.884	85.225	1.00	48.51
ATOM	9108	N	ASN	F	33	69.548	57.912	80.975	1.00	42.17
ATOM	9109	CA	ASN	F	33	69.903	58.763	79.850	1.00	40.02
ATOM	9110	C	ASN	F	33	71.301	58.693	79.288	1.00	40.27
ATOM	9111	O	ASN	F	33	72.292	58.513	80.001	1.00	39.82
ATOM	9112	CB	ASN	F	33	69.609	60.219	80.180	1.00	37.99

ATOM	9113	CG	ASN	F	33	68.326	60.704	79.553	1.00	40.39
ATOM	9114	OD1	ASN	F	33	67.886	61.833	79.788	1.00	38.08
ATOM	9115	ND2	ASN	F	33	67.715	59.854	78.739	1.00	38.98
ATOM	9116	N	LEU	F	34	71.353	58.847	77.974	1.00	40.28
ATOM	9117	CA	LEU	F	34	72.605	58.877	77.252	1.00	39.19
ATOM	9118	C	LEU	F	34	72.656	60.327	76.787	1.00	38.71
ATOM	9119	O	LEU	F	34	71.726	60.828	76.137	1.00	37.27
ATOM	9120	CB	LEU	F	34	72.583	57.932	76.051	1.00	38.06
ATOM	9121	CG	LEU	F	34	73.956	57.744	75.414	1.00	37.85
ATOM	9122	CD1	LEU	F	34	74.923	57.185	76.448	1.00	35.50
ATOM	9123	CD2	LEU	F	34	73.851	56.806	74.231	1.00	40.66
ATOM	9124	N	VAL	F	35	73.728	61.008	77.163	1.00	35.45
ATOM	9125	CA	VAL	F	35	73.892	62.392	76.793	1.00	31.88
ATOM	9126	C	VAL	F	35	75.160	62.526	75.972	1.00	31.59
ATOM	9127	O	VAL	F	35	76.222	62.014	76.348	1.00	30.72
ATOM	9128	CB	VAL	F	35	73.986	63.297	78.049	1.00	31.02
ATOM	9129	CG1	VAL	F	35	73.923	64.753	77.640	1.00	29.23
ATOM	9130	CG2	VAL	F	35	72.850	62.988	79.003	1.00	26.26
ATOM	9131	N	VAL	F	36	75.037	63.185	74.827	1.00	29.66
ATOM	9132	CA	VAL	F	36	76.190	63.402	73.978	1.00	28.36
ATOM	9133	C	VAL	F	36	76.297	64.896	73.939	1.00	28.18
ATOM	9134	O	VAL	F	36	75.582	65.543	73.187	1.00	27.09
ATOM	9135	CB	VAL	F	36	75.975	62.896	72.544	1.00	29.81
ATOM	9136	CG1	VAL	F	36	77.326	62.484	71.946	1.00	25.66
ATOM	9137	CG2	VAL	F	36	74.984	61.732	72.521	1.00	26.53
ATOM	9138	N	ASP	F	37	77.168	65.448	74.769	1.00	28.01
ATOM	9139	CA	ASP	F	37	77.308	66.886	74.810	1.00	32.95
ATOM	9140	C	ASP	F	37	78.310	67.327	73.773	1.00	34.77
ATOM	9141	O	ASP	F	37	79.516	67.172	73.963	1.00	36.13
ATOM	9142	CB	ASP	F	37	77.756	67.333	76.191	1.00	36.91
ATOM	9143	CG	ASP	F	37	77.489	68.797	76.433	1.00	43.01
ATOM	9144	OD1	ASP	F	37	76.668	69.379	75.675	1.00	38.69
ATOM	9145	OD2	ASP	F	37	78.085	69.353	77.387	1.00	47.38
ATOM	9146	N	LEU	F	38	77.802	67.880	72.674	1.00	36.04
ATOM	9147	CA	LEU	F	38	78.645	68.330	71.570	1.00	36.51
ATOM	9148	C	LEU	F	38	79.273	69.704	71.772	1.00	37.53
ATOM	9149	O	LEU	F	38	80.231	70.070	71.077	1.00	36.55
ATOM	9150	CB	LEU	F	38	77.841	68.290	70.274	1.00	33.84
ATOM	9151	CG	LEU	F	38	77.613	66.840	69.863	1.00	28.85
ATOM	9152	CD1	LEU	F	38	76.406	66.731	68.985	1.00	32.83
ATOM	9153	CD2	LEU	F	38	78.846	66.329	69.168	1.00	26.73
ATOM	9154	N	SER	F	39	78.726	70.442	72.738	1.00	39.40
ATOM	9155	CA	SER	F	39	79.203	71.768	73.111	1.00	36.91
ATOM	9156	C	SER	F	39	80.614	71.613	73.665	1.00	36.73
ATOM	9157	O	SER	F	39	81.192	72.559	74.197	1.00	38.80
ATOM	9158	CB	SER	F	39	78.316	72.350	74.200	1.00	35.81
ATOM	9159	OG	SER	F	39	78.437	71.580	75.380	1.00	32.81
ATOM	9160	N	THR	F	40	81.152	70.405	73.538	1.00	34.35
ATOM	9161	CA	THR	F	40	82.482	70.098	74.007	1.00	33.75
ATOM	9162	C	THR	F	40	83.383	69.795	72.838	1.00	35.74
ATOM	9163	O	THR	F	40	84.614	69.791	72.979	1.00	40.21
ATOM	9164	CB	THR	F	40	82.492	68.867	74.890	1.00	29.07
ATOM	9165	OG1	THR	F	40	81.471	68.980	75.872	1.00	33.05
ATOM	9166	CG2	THR	F	40	83.794	68.759	75.598	1.00	33.58
ATOM	9167	N	GLN	F	41	82.784	69.543	71.677	1.00	34.74
ATOM	9168	CA	GLN	F	41	83.586	69.197	70.517	1.00	31.70
ATOM	9169	C	GLN	F	41	83.349	69.993	69.256	1.00	31.88
ATOM	9170	O	GLN	F	41	83.979	69.736	68.231	1.00	34.43
ATOM	9171	CB	GLN	F	41	83.415	67.725	70.238	1.00	30.22
ATOM	9172	CG	GLN	F	41	83.723	66.915	71.447	1.00	31.15
ATOM	9173	CD	GLN	F	41	84.280	65.587	71.083	1.00	34.23
ATOM	9174	OE1	GLN	F	41	83.565	64.726	70.577	1.00	38.96

ATOM	9175	NE2	GLN	F	41	85.574	65.401	71.318	1.00	37.13
ATOM	9176	N	ILE	F	42	82.449	70.960	69.315	1.00	29.50
ATOM	9177	CA	ILE	F	42	82.195	71.773	68.148	1.00	28.95
ATOM	9178	C	ILE	F	42	82.220	73.255	68.495	1.00	31.67
ATOM	9179	O	ILE	F	42	81.360	73.756	69.227	1.00	29.24
ATOM	9180	CB	ILE	F	42	80.834	71.440	67.518	1.00	26.21
ATOM	9181	CG1	ILE	F	42	80.794	69.973	67.138	1.00	23.86
ATOM	9182	CG2	ILE	F	42	80.597	72.288	66.274	1.00	20.71
ATOM	9183	CD1	ILE	F	42	79.482	69.562	66.570	1.00	28.18
ATOM	9184	N	PHE	F	43	83.209	73.957	67.958	1.00	32.92
ATOM	9185	CA	PHE	F	43	83.307	75.378	68.192	1.00	36.63
ATOM	9186	C	PHE	F	43	83.232	76.205	66.923	1.00	37.74
ATOM	9187	O	PHE	F	43	83.716	75.804	65.869	1.00	38.06
ATOM	9188	CB	PHE	F	43	84.587	75.667	68.945	1.00	39.73
ATOM	9189	CG	PHE	F	43	84.677	74.921	70.218	1.00	44.21
ATOM	9190	CD1	PHE	F	43	85.116	73.597	70.226	1.00	45.72
ATOM	9191	CD2	PHE	F	43	84.207	75.491	71.400	1.00	42.85
ATOM	9192	CE1	PHE	F	43	85.081	72.842	71.400	1.00	48.29
ATOM	9193	CE2	PHE	F	43	84.162	74.754	72.579	1.00	45.99
ATOM	9194	CZ	PHE	F	43	84.597	73.422	72.585	1.00	47.01
ATOM	9195	N	CYS	F	44	82.604	77.367	67.035	1.00	38.95
ATOM	9196	CA	CYS	F	44	82.466	78.276	65.908	1.00	40.27
ATOM	9197	C	CYS	F	44	82.809	79.677	66.377	1.00	40.60
ATOM	9198	O	CYS	F	44	82.762	79.970	67.573	1.00	41.87
ATOM	9199	CB	CYS	F	44	81.033	78.271	65.382	1.00	38.78
ATOM	9200	SG	CYS	F	44	80.416	76.661	64.819	1.00	37.69
ATOM	9201	N	HIS	F	45	83.147	80.545	65.434	1.00	39.53
ATOM	9202	CA	HIS	F	45	83.489	81.915	65.767	1.00	37.39
ATOM	9203	C	HIS	F	45	83.006	82.828	64.666	1.00	36.31
ATOM	9204	O	HIS	F	45	82.816	82.400	63.533	1.00	37.60
ATOM	9205	CB	HIS	F	45	85.007	82.086	65.920	1.00	34.23
ATOM	9206	CG	HIS	F	45	85.755	81.950	64.637	1.00	33.05
ATOM	9207	ND1	HIS	F	45	86.494	80.830	64.324	1.00	38.42
ATOM	9208	CD2	HIS	F	45	85.809	82.753	63.551	1.00	34.64
ATOM	9209	CE1	HIS	F	45	86.965	80.944	63.096	1.00	36.78
ATOM	9210	NE2	HIS	F	45	86.562	82.101	62.604	1.00	39.15
ATOM	9211	N	ASN	F	46	82.824	84.094	65.016	1.00	35.58
ATOM	9212	CA	ASN	F	46	82.396	85.122	64.086	1.00	33.57
ATOM	9213	C	ASN	F	46	83.678	85.732	63.502	1.00	34.68
ATOM	9214	O	ASN	F	46	84.618	85.984	64.239	1.00	34.82
ATOM	9215	CB	ASN	F	46	81.612	86.154	64.859	1.00	27.63
ATOM	9216	CG	ASN	F	46	80.975	87.149	63.981	1.00	25.80
ATOM	9217	OD1	ASN	F	46	81.622	87.758	63.136	1.00	24.38
ATOM	9218	ND2	ASN	F	46	79.690	87.336	64.168	1.00	28.03
ATOM	9219	N	ASP	F	47	83.724	85.963	62.194	1.00	38.19
ATOM	9220	CA	ASP	F	47	84.935	86.500	61.543	1.00	43.94
ATOM	9221	C	ASP	F	47	85.146	88.023	61.528	1.00	45.59
ATOM	9222	O	ASP	F	47	86.261	88.510	61.686	1.00	47.25
ATOM	9223	CB	ASP	F	47	85.038	85.976	60.099	1.00	43.40
ATOM	9224	CG	ASP	F	47	85.630	84.571	60.016	1.00	44.84
ATOM	9225	OD1	ASP	F	47	86.642	84.306	60.707	1.00	42.67
ATOM	9226	OD2	ASP	F	47	85.098	83.739	59.247	1.00	43.79
ATOM	9227	N	TYR	F	48	84.085	88.776	61.304	1.00	47.23
ATOM	9228	CA	TYR	F	48	84.195	90.218	61.290	1.00	49.02
ATOM	9229	C	TYR	F	48	83.133	90.697	62.266	1.00	50.33
ATOM	9230	O	TYR	F	48	82.182	91.394	61.888	1.00	49.36
ATOM	9231	CB	TYR	F	48	83.934	90.751	59.884	1.00	51.67
ATOM	9232	CG	TYR	F	48	84.844	90.144	58.824	1.00	56.75
ATOM	9233	CD1	TYR	F	48	86.185	90.533	58.718	1.00	58.06
ATOM	9234	CD2	TYR	F	48	84.364	89.179	57.928	1.00	55.89
ATOM	9235	CE1	TYR	F	48	87.024	89.974	57.742	1.00	57.79
ATOM	9236	CE2	TYR	F	48	85.192	88.615	56.953	1.00	53.02

ATOM	9237	CZ	TYR	F	48	86.517	89.012	56.866	1.00	55.11
ATOM	9238	OH	TYR	F	48	87.331	88.427	55.924	1.00	52.01
ATOM	9239	N	PRO	F	49	83.294	90.319	63.553	1.00	50.46
ATOM	9240	CA	PRO	F	49	82.388	90.661	64.654	1.00	49.91
ATOM	9241	C	PRO	F	49	82.060	92.134	64.813	1.00	52.58
ATOM	9242	O	PRO	F	49	80.903	92.471	65.002	1.00	54.45
ATOM	9243	CB	PRO	F	49	83.096	90.086	65.879	1.00	45.37
ATOM	9244	CG	PRO	F	49	84.521	90.153	65.507	1.00	44.94
ATOM	9245	CD	PRO	F	49	84.514	89.681	64.079	1.00	45.44
ATOM	9246	N	GLU	F	50	83.067	93.006	64.732	1.00	56.15
ATOM	9247	CA	GLU	F	50	82.866	94.457	64.892	1.00	56.86
ATOM	9248	C	GLU	F	50	81.766	95.080	64.031	1.00	55.84
ATOM	9249	O	GLU	F	50	81.189	96.098	64.414	1.00	56.34
ATOM	9250	CB	GLU	F	50	84.162	95.228	64.622	1.00	58.47
ATOM	9251	CG	GLU	F	50	85.275	94.964	65.595	1.00	62.63
ATOM	9252	CD	GLU	F	50	85.875	93.600	65.404	1.00	69.01
ATOM	9253	OE1	GLU	F	50	86.222	93.266	64.250	1.00	71.36
ATOM	9254	OE2	GLU	F	50	86.003	92.862	66.405	1.00	76.99
ATOM	9255	N	THR	F	51	81.480	94.491	62.875	1.00	53.69
ATOM	9256	CA	THR	F	51	80.445	95.034	62.002	1.00	53.64
ATOM	9257	C	THR	F	51	79.382	94.042	61.551	1.00	50.60
ATOM	9258	O	THR	F	51	78.336	94.436	61.036	1.00	48.56
ATOM	9259	CB	THR	F	51	81.057	95.671	60.729	1.00	57.26
ATOM	9260	OG1	THR	F	51	82.095	94.827	60.206	1.00	58.39
ATOM	9261	CG2	THR	F	51	81.609	97.042	61.044	1.00	59.33
ATOM	9262	N	ILE	F	52	79.639	92.758	61.757	1.00	48.81
ATOM	9263	CA	ILE	F	52	78.699	91.740	61.321	1.00	44.72
ATOM	9264	C	ILE	F	52	78.230	90.838	62.435	1.00	41.27
ATOM	9265	O	ILE	F	52	79.021	90.388	63.253	1.00	42.00
ATOM	9266	CB	ILE	F	52	79.342	90.876	60.224	1.00	45.64
ATOM	9267	CG1	ILE	F	52	79.890	91.790	59.128	1.00	45.33
ATOM	9268	CG2	ILE	F	52	78.333	89.884	59.674	1.00	44.13
ATOM	9269	CD1	ILE	F	52	80.349	91.072	57.908	1.00	52.26
ATOM	9270	N	THR	F	53	76.936	90.576	62.468	1.00	39.43
ATOM	9271	CA	THR	F	53	76.383	89.684	63.481	1.00	40.82
ATOM	9272	C	THR	F	53	76.019	88.334	62.866	1.00	38.49
ATOM	9273	O	THR	F	53	75.406	88.273	61.800	1.00	39.84
ATOM	9274	CB	THR	F	53	75.124	90.270	64.133	1.00	42.77
ATOM	9275	OG1	THR	F	53	75.466	91.452	64.871	1.00	46.33
ATOM	9276	CG2	THR	F	53	74.504	89.248	65.071	1.00	43.43
ATOM	9277	N	ASP	F	54	76.389	87.258	63.552	1.00	36.24
ATOM	9278	CA	ASP	F	54	76.117	85.906	63.078	1.00	34.61
ATOM	9279	C	ASP	F	54	74.999	85.161	63.808	1.00	33.65
ATOM	9280	O	ASP	F	54	74.961	85.109	65.039	1.00	32.70
ATOM	9281	CB	ASP	F	54	77.387	85.065	63.162	1.00	37.19
ATOM	9282	CG	ASP	F	54	78.186	85.082	61.880	1.00	38.34
ATOM	9283	OD1	ASP	F	54	77.557	85.052	60.807	1.00	41.12
ATOM	9284	OD2	ASP	F	54	79.436	85.095	61.938	1.00	37.91
ATOM	9285	N	TYR	F	55	74.100	84.572	63.028	1.00	33.32
ATOM	9286	CA	TYR	F	55	72.977	83.797	63.560	1.00	33.64
ATOM	9287	C	TYR	F	55	73.145	82.305	63.241	1.00	32.00
ATOM	9288	O	TYR	F	55	73.122	81.901	62.075	1.00	34.70
ATOM	9289	CB	TYR	F	55	71.666	84.294	62.964	1.00	32.84
ATOM	9290	CG	TYR	F	55	71.473	85.780	63.111	1.00	38.87
ATOM	9291	CD1	TYR	F	55	71.286	86.361	64.372	1.00	36.27
ATOM	9292	CD2	TYR	F	55	71.487	86.612	61.988	1.00	40.89
ATOM	9293	CE1	TYR	F	55	71.116	87.730	64.509	1.00	37.93
ATOM	9294	CE2	TYR	F	55	71.320	87.984	62.110	1.00	41.48
ATOM	9295	CZ	TYR	F	55	71.135	88.538	63.369	1.00	42.54
ATOM	9296	OH	TYR	F	55	70.970	89.902	63.470	1.00	44.25
ATOM	9297	N	VAL	F	56	73.304	81.500	64.286	1.00	27.34
ATOM	9298	CA	VAL	F	56	73.488	80.069	64.157	1.00	21.89

ATOM	9299	C	VAL	F	56	72.298	79.242	64.656	1.00	22.61
ATOM	9300	O	VAL	F	56	71.801	79.454	65.757	1.00	20.07
ATOM	9301	CB	VAL	F	56	74.699	79.671	64.940	1.00	20.61
ATOM	9302	CG1	VAL	F	56	74.876	78.182	64.899	1.00	24.96
ATOM	9303	CG2	VAL	F	56	75.886	80.377	64.387	1.00	19.32
ATOM	9304	N	THR	F	57	71.851	78.283	63.851	1.00	24.63
ATOM	9305	CA	THR	F	57	70.728	77.418	64.234	1.00	25.89
ATOM	9306	C	THR	F	57	71.030	75.929	64.059	1.00	26.91
ATOM	9307	O	THR	F	57	72.065	75.541	63.478	1.00	23.98
ATOM	9308	CB	THR	F	57	69.493	77.669	63.371	1.00	23.61
ATOM	9309	OG1	THR	F	57	69.787	77.312	62.019	1.00	24.97
ATOM	9310	CG2	THR	F	57	69.091	79.103	63.420	1.00	30.98
ATOM	9311	N	LEU	F	58	70.111	75.106	64.573	1.00	24.85
ATOM	9312	CA	LEU	F	58	70.191	73.664	64.408	1.00	24.05
ATOM	9313	C	LEU	F	58	69.161	73.415	63.297	1.00	24.12
ATOM	9314	O	LEU	F	58	67.976	73.234	63.549	1.00	23.82
ATOM	9315	CB	LEU	F	58	69.808	72.926	65.693	1.00	22.83
ATOM	9316	CG	LEU	F	58	69.823	71.396	65.565	1.00	26.36
ATOM	9317	CD1	LEU	F	58	71.239	70.923	65.205	1.00	25.85
ATOM	9318	CD2	LEU	F	58	69.343	70.750	66.859	1.00	22.25
ATOM	9319	N	GLN	F	59	69.644	73.450	62.060	1.00	26.24
ATOM	9320	CA	GLN	F	59	68.833	73.282	60.866	1.00	28.75
ATOM	9321	C	GLN	F	59	68.067	71.970	60.861	1.00	30.01
ATOM	9322	O	GLN	F	59	66.863	71.945	60.619	1.00	29.42
ATOM	9323	CB	GLN	F	59	69.746	73.351	59.643	1.00	37.26
ATOM	9324	CG	GLN	F	59	69.274	74.249	58.516	1.00	42.59
ATOM	9325	CD	GLN	F	59	68.141	73.642	57.728	1.00	49.60
ATOM	9326	OE1	GLN	F	59	67.176	73.130	58.301	1.00	51.62
ATOM	9327	NE2	GLN	F	59	68.242	73.703	56.403	1.00	51.77
ATOM	9328	N	ARG	F	60	68.776	70.875	61.124	1.00	31.03
ATOM	9329	CA	ARG	F	60	68.171	69.543	61.150	1.00	30.89
ATOM	9330	C	ARG	F	60	68.976	68.706	62.129	1.00	32.13
ATOM	9331	O	ARG	F	60	70.086	69.091	62.508	1.00	36.95
ATOM	9332	CB	ARG	F	60	68.234	68.905	59.758	1.00	31.34
ATOM	9333	CG	ARG	F	60	67.276	67.753	59.509	1.00	33.64
ATOM	9334	CD	ARG	F	60	67.388	67.213	58.073	1.00	39.90
ATOM	9335	NE	ARG	F	60	67.793	68.227	57.087	1.00	50.80
ATOM	9336	CZ	ARG	F	60	67.069	69.288	56.707	1.00	54.06
ATOM	9337	NH1	ARG	F	60	65.860	69.517	57.217	1.00	54.68
ATOM	9338	NH2	ARG	F	60	67.566	70.139	55.812	1.00	49.94
ATOM	9339	N	GLY	F	61	68.418	67.570	62.540	1.00	30.92
ATOM	9340	CA	GLY	F	61	69.102	66.678	63.463	1.00	28.35
ATOM	9341	C	GLY	F	61	68.585	65.293	63.168	1.00	28.04
ATOM	9342	O	GLY	F	61	67.425	65.002	63.441	1.00	30.51
ATOM	9343	N	SER	F	62	69.430	64.433	62.614	1.00	26.45
ATOM	9344	CA	SER	F	62	68.991	63.091	62.247	1.00	26.41
ATOM	9345	C	SER	F	62	69.643	61.970	63.008	1.00	23.94
ATOM	9346	O	SER	F	62	70.809	62.067	63.366	1.00	25.10
ATOM	9347	CB	SER	F	62	69.225	62.853	60.749	1.00	25.82
ATOM	9348	OG	SER	F	62	68.525	63.803	59.978	1.00	25.79
ATOM	9349	N	ALA	F	63	68.887	60.889	63.202	1.00	22.43
ATOM	9350	CA	ALA	F	63	69.366	59.699	63.907	1.00	23.01
ATOM	9351	C	ALA	F	63	69.756	58.589	62.943	1.00	22.73
ATOM	9352	O	ALA	F	63	69.179	58.457	61.859	1.00	23.19
ATOM	9353	CB	ALA	F	63	68.309	59.195	64.842	1.00	26.38
ATOM	9354	N	TYR	F	64	70.726	57.783	63.356	1.00	20.64
ATOM	9355	CA	TYR	F	64	71.218	56.704	62.531	1.00	22.30
ATOM	9356	C	TYR	F	64	71.540	55.490	63.353	1.00	24.19
ATOM	9357	O	TYR	F	64	71.809	55.596	64.545	1.00	26.26
ATOM	9358	CB	TYR	F	64	72.488	57.128	61.792	1.00	25.45
ATOM	9359	CG	TYR	F	64	72.247	58.175	60.751	1.00	25.45
ATOM	9360	CD1	TYR	F	64	72.059	59.502	61.113	1.00	33.66

ATOM	9361	CD2	TYR	F	64	72.100	57.830	59.418	1.00	21.51
ATOM	9362	CE1	TYR	F	64	71.713	60.460	60.168	1.00	35.62
ATOM	9363	CE2	TYR	F	64	71.760	58.766	58.476	1.00	27.91
ATOM	9364	CZ	TYR	F	64	71.561	60.078	58.855	1.00	34.11
ATOM	9365	OH	TYR	F	64	71.159	61.007	57.930	1.00	45.00
ATOM	9366	N	GLY	F	65	71.531	54.336	62.693	1.00	24.44
ATOM	9367	CA	GLY	F	65	71.851	53.085	63.351	1.00	23.57
ATOM	9368	C	GLY	F	65	71.193	52.891	64.698	1.00	23.49
ATOM	9369	O	GLY	F	65	70.007	53.186	64.878	1.00	25.76
ATOM	9370	N	GLY	F	66	71.972	52.389	65.647	1.00	20.75
ATOM	9371	CA	GLY	F	66	71.454	52.150	66.974	1.00	21.01
ATOM	9372	C	GLY	F	66	70.516	53.223	67.472	1.00	22.54
ATOM	9373	O	GLY	F	66	69.341	52.977	67.677	1.00	24.07
ATOM	9374	N	VAL	F	67	71.032	54.426	67.661	1.00	25.20
ATOM	9375	CA	VAL	F	67	70.226	55.519	68.172	1.00	27.21
ATOM	9376	C	VAL	F	67	68.831	55.602	67.570	1.00	29.33
ATOM	9377	O	VAL	F	67	67.867	55.994	68.235	1.00	31.16
ATOM	9378	CB	VAL	F	67	70.947	56.845	67.944	1.00	26.38
ATOM	9379	CG1	VAL	F	67	69.984	58.020	68.167	1.00	26.75
ATOM	9380	CG2	VAL	F	67	72.132	56.934	68.893	1.00	29.28
ATOM	9381	N	LEU	F	68	68.731	55.202	66.314	1.00	27.54
ATOM	9382	CA	LEU	F	68	67.492	55.278	65.570	1.00	26.12
ATOM	9383	C	LEU	F	68	66.454	54.199	65.867	1.00	28.49
ATOM	9384	O	LEU	F	68	65.261	54.344	65.574	1.00	30.80
ATOM	9385	CB	LEU	F	68	67.854	55.275	64.091	1.00	23.61
ATOM	9386	CG	LEU	F	68	66.752	55.557	63.094	1.00	18.19
ATOM	9387	CD1	LEU	F	68	66.047	56.854	63.433	1.00	14.70
ATOM	9388	CD2	LEU	F	68	67.374	55.600	61.735	1.00	17.83
ATOM	9389	N	SER	F	69	66.905	53.105	66.447	1.00	29.83
ATOM	9390	CA	SER	F	69	66.000	52.020	66.756	1.00	30.28
ATOM	9391	C	SER	F	69	65.886	51.782	68.239	1.00	30.44
ATOM	9392	O	SER	F	69	64.825	51.423	68.725	1.00	32.62
ATOM	9393	CB	SER	F	69	66.495	50.744	66.114	1.00	32.12
ATOM	9394	OG	SER	F	69	67.723	50.359	66.700	1.00	32.25
ATOM	9395	N	ASN	F	70	66.981	51.984	68.958	1.00	30.35
ATOM	9396	CA	ASN	F	70	66.995	51.749	70.384	1.00	30.62
ATOM	9397	C	ASN	F	70	66.764	52.971	71.257	1.00	31.94
ATOM	9398	O	ASN	F	70	66.779	52.865	72.486	1.00	32.72
ATOM	9399	CB	ASN	F	70	68.313	51.091	70.771	1.00	34.50
ATOM	9400	CG	ASN	F	70	68.562	49.806	70.014	1.00	37.09
ATOM	9401	OD1	ASN	F	70	67.645	49.022	69.815	1.00	44.70
ATOM	9402	ND2	ASN	F	70	69.806	49.573	69.603	1.00	36.85
ATOM	9403	N	PHE	F	71	66.553	54.135	70.655	1.00	30.48
ATOM	9404	CA	PHE	F	71	66.336	55.310	71.483	1.00	30.11
ATOM	9405	C	PHE	F	71	65.212	56.269	71.101	1.00	30.87
ATOM	9406	O	PHE	F	71	64.704	56.281	69.992	1.00	30.75
ATOM	9407	CB	PHE	F	71	67.630	56.106	71.618	1.00	28.91
ATOM	9408	CG	PHE	F	71	68.753	55.346	72.246	1.00	26.19
ATOM	9409	CD1	PHE	F	71	69.387	54.314	71.562	1.00	28.54
ATOM	9410	CD2	PHE	F	71	69.204	55.683	73.518	1.00	28.62
ATOM	9411	CE1	PHE	F	71	70.462	53.627	72.137	1.00	28.88
ATOM	9412	CE2	PHE	F	71	70.285	55.008	74.114	1.00	23.17
ATOM	9413	CZ	PHE	F	71	70.912	53.979	73.422	1.00	27.56
ATOM	9414	N	SER	F	72	64.845	57.082	72.077	1.00	33.91
ATOM	9415	CA	SER	F	72	63.813	58.082	71.948	1.00	35.71
ATOM	9416	C	SER	F	72	64.400	59.255	72.703	1.00	36.35
ATOM	9417	O	SER	F	72	64.708	59.127	73.880	1.00	38.41
ATOM	9418	CB	SER	F	72	62.547	57.599	72.641	1.00	36.65
ATOM	9419	OG	SER	F	72	61.656	58.672	72.895	1.00	45.05
ATOM	9420	N	GLY	F	73	64.574	60.393	72.043	1.00	36.92
ATOM	9421	CA	GLY	F	73	65.153	61.516	72.754	1.00	37.80
ATOM	9422	C	GLY	F	73	64.813	62.932	72.335	1.00	37.65

ATOM	9423	O	GLY	F	73	63.934	63.194	71.514	1.00	34.23
ATOM	9424	N	THR	F	74	65.539	63.861	72.938	1.00	38.73
ATOM	9425	CA	THR	F	74	65.360	65.267	72.657	1.00	39.28
ATOM	9426	C	THR	F	74	66.712	65.871	72.318	1.00	39.97
ATOM	9427	O	THR	F	74	67.764	65.281	72.600	1.00	38.66
ATOM	9428	CB	THR	F	74	64.796	66.032	73.892	1.00	37.67
ATOM	9429	OG1	THR	F	74	65.715	65.918	74.989	1.00	37.62
ATOM	9430	CG2	THR	F	74	63.455	65.478	74.301	1.00	29.33
ATOM	9431	N	VAL	F	75	66.667	67.044	71.695	1.00	39.90
ATOM	9432	CA	VAL	F	75	67.878	67.780	71.374	1.00	39.54
ATOM	9433	C	VAL	F	75	67.743	69.091	72.147	1.00	38.65
ATOM	9434	O	VAL	F	75	66.824	69.874	71.919	1.00	36.91
ATOM	9435	CB	VAL	F	75	68.035	68.053	69.832	1.00	40.40
ATOM	9436	CG1	VAL	F	75	66.889	68.926	69.302	1.00	36.43
ATOM	9437	CG2	VAL	F	75	69.386	68.710	69.562	1.00	35.29
ATOM	9438	N	LYS	F	76	68.639	69.301	73.099	1.00	38.90
ATOM	9439	CA	LYS	F	76	68.614	70.515	73.890	1.00	41.79
ATOM	9440	C	LYS	F	76	69.516	71.550	73.209	1.00	40.49
ATOM	9441	O	LYS	F	76	70.742	71.443	73.269	1.00	39.47
ATOM	9442	CB	LYS	F	76	69.118	70.217	75.303	1.00	46.57
ATOM	9443	CG	LYS	F	76	68.983	71.388	76.269	1.00	54.38
ATOM	9444	CD	LYS	F	76	69.730	71.122	77.579	1.00	58.88
ATOM	9445	CE	LYS	F	76	69.540	72.258	78.583	1.00	59.71
ATOM	9446	NZ	LYS	F	76	70.252	71.976	79.864	1.00	60.10
ATOM	9447	N	TYR	F	77	68.906	72.538	72.555	1.00	37.75
ATOM	9448	CA	TYR	F	77	69.668	73.574	71.859	1.00	37.77
ATOM	9449	C	TYR	F	77	69.635	74.923	72.546	1.00	39.16
ATOM	9450	O	TYR	F	77	68.701	75.703	72.335	1.00	38.66
ATOM	9451	CB	TYR	F	77	69.156	73.761	70.425	1.00	36.47
ATOM	9452	CG	TYR	F	77	69.982	74.718	69.582	1.00	33.78
ATOM	9453	CD1	TYR	F	77	71.368	74.573	69.478	1.00	32.08
ATOM	9454	CD2	TYR	F	77	69.374	75.738	68.855	1.00	34.82
ATOM	9455	CE1	TYR	F	77	72.124	75.417	68.665	1.00	33.37
ATOM	9456	CE2	TYR	F	77	70.123	76.593	68.036	1.00	33.87
ATOM	9457	CZ	TYR	F	77	71.496	76.423	67.943	1.00	34.50
ATOM	9458	OH	TYR	F	77	72.240	77.235	67.108	1.00	36.07
ATOM	9459	N	SER	F	78	70.657	75.197	73.354	1.00	38.94
ATOM	9460	CA	SER	F	78	70.755	76.468	74.053	1.00	41.75
ATOM	9461	C	SER	F	78	69.620	76.664	75.074	1.00	42.04
ATOM	9462	O	SER	F	78	68.780	77.555	74.946	1.00	39.52
ATOM	9463	CB	SER	F	78	70.765	77.600	73.015	1.00	44.33
ATOM	9464	OG	SER	F	78	71.097	78.848	73.589	1.00	52.04
ATOM	9465	N	GLY	F	79	69.588	75.801	76.078	1.00	43.76
ATOM	9466	CA	GLY	F	79	68.583	75.924	77.118	1.00	48.34
ATOM	9467	C	GLY	F	79	67.157	75.590	76.738	1.00	50.38
ATOM	9468	O	GLY	F	79	66.216	75.854	77.498	1.00	51.96
ATOM	9469	N	SER	F	80	66.978	75.019	75.558	1.00	50.01
ATOM	9470	CA	SER	F	80	65.645	74.632	75.129	1.00	48.15
ATOM	9471	C	SER	F	80	65.755	73.269	74.484	1.00	46.57
ATOM	9472	O	SER	F	80	66.751	72.951	73.834	1.00	45.44
ATOM	9473	CB	SER	F	80	65.099	75.653	74.149	1.00	49.32
ATOM	9474	OG	SER	F	80	65.311	76.953	74.672	1.00	56.77
ATOM	9475	N	SER	F	81	64.745	72.440	74.691	1.00	45.18
ATOM	9476	CA	SER	F	81	64.774	71.118	74.105	1.00	42.91
ATOM	9477	C	SER	F	81	63.681	70.966	73.082	1.00	39.82
ATOM	9478	O	SER	F	81	62.655	71.632	73.138	1.00	36.60
ATOM	9479	CB	SER	F	81	64.656	70.036	75.183	1.00	45.74
ATOM	9480	OG	SER	F	81	65.903	69.840	75.846	1.00	51.29
ATOM	9481	N	TYR	F	82	63.951	70.104	72.114	1.00	40.78
ATOM	9482	CA	TYR	F	82	63.025	69.810	71.040	1.00	40.31
ATOM	9483	C	TYR	F	82	63.200	68.330	70.727	1.00	39.78
ATOM	9484	O	TYR	F	82	64.156	67.687	71.177	1.00	39.34

ATOM	9485	CB	TYR	F	82	63.355	70.619	69.788	1.00	39.33
ATOM	9486	CG	TYR	F	82	63.668	72.067	70.028	1.00	40.23
ATOM	9487	CD1	TYR	F	82	64.813	72.444	70.713	1.00	40.61
ATOM	9488	CD2	TYR	F	82	62.850	73.066	69.519	1.00	44.10
ATOM	9489	CE1	TYR	F	82	65.141	73.781	70.881	1.00	45.12
ATOM	9490	CE2	TYR	F	82	63.170	74.412	69.680	1.00	45.15
ATOM	9491	CZ	TYR	F	82	64.317	74.760	70.357	1.00	44.33
ATOM	9492	OH	TYR	F	82	64.656	76.082	70.474	1.00	46.95
ATOM	9493	N	PRO	F	83	62.280	67.772	69.947	1.00	38.39
ATOM	9494	CA	PRO	F	83	62.312	66.362	69.555	1.00	39.88
ATOM	9495	C	PRO	F	83	63.559	65.980	68.732	1.00	39.65
ATOM	9496	O	PRO	F	83	64.073	66.790	67.963	1.00	40.81
ATOM	9497	CB	PRO	F	83	61.034	66.210	68.732	1.00	42.62
ATOM	9498	CG	PRO	F	83	60.138	67.295	69.264	1.00	42.60
ATOM	9499	CD	PRO	F	83	61.063	68.440	69.457	1.00	39.66
ATOM	9500	N	PHE	F	84	64.035	64.749	68.888	1.00	36.83
ATOM	9501	CA	PHE	F	84	65.172	64.279	68.118	1.00	34.96
ATOM	9502	C	PHE	F	84	64.942	62.821	67.728	1.00	35.56
ATOM	9503	O	PHE	F	84	64.799	61.967	68.598	1.00	37.09
ATOM	9504	CB	PHE	F	84	66.462	64.380	68.930	1.00	35.05
ATOM	9505	CG	PHE	F	84	67.681	63.921	68.178	1.00	31.42
ATOM	9506	CD1	PHE	F	84	68.205	64.686	67.141	1.00	31.97
ATOM	9507	CD2	PHE	F	84	68.271	62.702	68.464	1.00	27.11
ATOM	9508	CE1	PHE	F	84	69.297	64.240	66.396	1.00	29.45
ATOM	9509	CE2	PHE	F	84	69.367	62.248	67.720	1.00	28.40
ATOM	9510	CZ	PHE	F	84	69.877	63.021	66.686	1.00	26.39
ATOM	9511	N	PRO	F	85	64.890	62.513	66.414	1.00	35.59
ATOM	9512	CA	PRO	F	85	65.036	63.379	65.241	1.00	34.18
ATOM	9513	C	PRO	F	85	64.259	64.661	65.313	1.00	35.47
ATOM	9514	O	PRO	F	85	63.210	64.738	65.934	1.00	37.90
ATOM	9515	CB	PRO	F	85	64.578	62.488	64.114	1.00	30.18
ATOM	9516	CG	PRO	F	85	65.202	61.205	64.508	1.00	32.39
ATOM	9517	CD	PRO	F	85	64.844	61.104	65.982	1.00	34.42
ATOM	9518	N	THR	F	86	64.800	65.673	64.661	1.00	36.25
ATOM	9519	CA	THR	F	86	64.209	66.991	64.653	1.00	37.79
ATOM	9520	C	THR	F	86	63.110	67.108	63.622	1.00	38.66
ATOM	9521	O	THR	F	86	63.147	66.446	62.595	1.00	41.26
ATOM	9522	CB	THR	F	86	65.277	68.027	64.338	1.00	38.76
ATOM	9523	OG1	THR	F	86	65.735	67.827	63.001	1.00	36.52
ATOM	9524	CG2	THR	F	86	66.460	67.881	65.296	1.00	40.46
ATOM	9525	N	THR	F	87	62.136	67.963	63.893	1.00	39.75
ATOM	9526	CA	THR	F	87	61.045	68.161	62.964	1.00	41.72
ATOM	9527	C	THR	F	87	60.918	69.598	62.494	1.00	41.79
ATOM	9528	O	THR	F	87	60.166	69.869	61.560	1.00	41.54
ATOM	9529	CB	THR	F	87	59.719	67.715	63.567	1.00	43.33
ATOM	9530	OG1	THR	F	87	59.798	67.791	64.990	1.00	52.80
ATOM	9531	CG2	THR	F	87	59.413	66.299	63.167	1.00	46.19
ATOM	9532	N	SER	F	88	61.649	70.514	63.132	1.00	42.52
ATOM	9533	CA	SER	F	88	61.624	71.928	62.739	1.00	44.35
ATOM	9534	C	SER	F	88	62.942	72.610	63.078	1.00	45.12
ATOM	9535	O	SER	F	88	63.584	72.242	64.067	1.00	46.20
ATOM	9536	CB	SER	F	88	60.516	72.673	63.469	1.00	46.33
ATOM	9537	OG	SER	F	88	60.963	73.063	64.754	1.00	50.75
ATOM	9538	N	GLU	F	89	63.332	73.605	62.272	1.00	44.47
ATOM	9539	CA	GLU	F	89	64.571	74.356	62.512	1.00	43.33
ATOM	9540	C	GLU	F	89	64.379	75.139	63.806	1.00	41.77
ATOM	9541	O	GLU	F	89	63.297	75.653	64.073	1.00	41.34
ATOM	9542	CB	GLU	F	89	64.865	75.335	61.369	1.00	44.48
ATOM	9543	CG	GLU	F	89	66.308	75.835	61.351	1.00	43.43
ATOM	9544	CD	GLU	F	89	66.570	76.851	60.259	1.00	43.02
ATOM	9545	OE1	GLU	F	89	65.899	76.767	59.205	1.00	42.57
ATOM	9546	OE2	GLU	F	89	67.455	77.720	60.448	1.00	41.75

ATOM	9547	N	THR	F	90	65.433	75.233	64.603	1.00	40.09
ATOM	9548	CA	THR	F	90	65.341	75.916	65.880	1.00	39.97
ATOM	9549	C	THR	F	90	65.613	77.393	65.806	1.00	41.69
ATOM	9550	O	THR	F	90	66.070	77.915	64.790	1.00	42.77
ATOM	9551	CB	THR	F	90	66.330	75.360	66.886	1.00	37.23
ATOM	9552	OG1	THR	F	90	67.657	75.548	66.382	1.00	37.35
ATOM	9553	CG2	THR	F	90	66.052	73.904	67.154	1.00	37.12
ATOM	9554	N	PRO	F	91	65.330	78.097	66.907	1.00	43.42
ATOM	9555	CA	PRO	F	91	65.553	79.538	66.983	1.00	43.26
ATOM	9556	C	PRO	F	91	67.027	79.766	66.700	1.00	42.65
ATOM	9557	O	PRO	F	91	67.809	78.820	66.705	1.00	42.71
ATOM	9558	CB	PRO	F	91	65.193	79.856	68.426	1.00	43.40
ATOM	9559	CG	PRO	F	91	64.134	78.856	68.723	1.00	43.94
ATOM	9560	CD	PRO	F	91	64.695	77.601	68.141	1.00	42.58
ATOM	9561	N	ARG	F	92	67.408	81.013	66.458	1.00	44.28
ATOM	9562	CA	ARG	F	92	68.802	81.332	66.172	1.00	44.67
ATOM	9563	C	ARG	F	92	69.573	81.840	67.389	1.00	41.36
ATOM	9564	O	ARG	F	92	69.030	82.503	68.264	1.00	42.33
ATOM	9565	CB	ARG	F	92	68.896	82.340	65.004	1.00	47.22
ATOM	9566	CG	ARG	F	92	67.986	83.561	65.103	1.00	55.74
ATOM	9567	CD	ARG	F	92	68.105	84.445	63.862	1.00	59.78
ATOM	9568	NE	ARG	F	92	67.465	85.756	64.019	1.00	68.76
ATOM	9569	CZ	ARG	F	92	67.713	86.615	65.016	1.00	72.85
ATOM	9570	NH1	ARG	F	92	68.588	86.312	65.966	1.00	72.12
ATOM	9571	NH2	ARG	F	92	67.099	87.796	65.056	1.00	75.65
ATOM	9572	N	VAL	F	93	70.842	81.474	67.444	1.00	37.93
ATOM	9573	CA	VAL	F	93	71.734	81.885	68.511	1.00	35.65
ATOM	9574	C	VAL	F	93	72.708	82.830	67.845	1.00	35.75
ATOM	9575	O	VAL	F	93	73.011	82.671	66.671	1.00	34.32
ATOM	9576	CB	VAL	F	93	72.522	80.707	69.049	1.00	34.02
ATOM	9577	CG1	VAL	F	93	73.547	81.192	70.055	1.00	30.95
ATOM	9578	CG2	VAL	F	93	71.572	79.690	69.652	1.00	34.90
ATOM	9579	N	VAL	F	94	73.214	83.814	68.567	1.00	36.75
ATOM	9580	CA	VAL	F	94	74.133	84.719	67.907	1.00	38.80
ATOM	9581	C	VAL	F	94	75.570	84.505	68.277	1.00	37.81
ATOM	9582	O	VAL	F	94	75.904	84.130	69.400	1.00	37.00
ATOM	9583	CB	VAL	F	94	73.808	86.199	68.168	1.00	38.67
ATOM	9584	CG1	VAL	F	94	72.446	86.537	67.601	1.00	40.54
ATOM	9585	CG2	VAL	F	94	73.876	86.482	69.647	1.00	45.25
ATOM	9586	N	TYR	F	95	76.415	84.728	67.284	1.00	37.38
ATOM	9587	CA	TYR	F	95	77.840	84.625	67.452	1.00	35.93
ATOM	9588	C	TYR	F	95	78.349	86.009	67.055	1.00	36.66
ATOM	9589	O	TYR	F	95	78.089	86.488	65.944	1.00	35.15
ATOM	9590	CB	TYR	F	95	78.398	83.518	66.558	1.00	31.48
ATOM	9591	CG	TYR	F	95	78.171	82.135	67.127	1.00	28.44
ATOM	9592	CD1	TYR	F	95	76.925	81.551	67.094	1.00	26.29
ATOM	9593	CD2	TYR	F	95	79.209	81.427	67.737	1.00	33.62
ATOM	9594	CE1	TYR	F	95	76.705	80.304	67.651	1.00	28.61
ATOM	9595	CE2	TYR	F	95	79.000	80.176	68.298	1.00	30.26
ATOM	9596	CZ	TYR	F	95	77.740	79.618	68.253	1.00	30.66
ATOM	9597	OH	TYR	F	95	77.500	78.370	68.811	1.00	35.15
ATOM	9598	N	ASN	F	96	79.033	86.658	67.993	1.00	35.25
ATOM	9599	CA	ASN	F	96	79.563	87.994	67.788	1.00	35.85
ATOM	9600	C	ASN	F	96	80.965	88.160	68.377	1.00	35.83
ATOM	9601	O	ASN	F	96	81.199	89.027	69.219	1.00	38.12
ATOM	9602	CB	ASN	F	96	78.611	89.005	68.420	1.00	38.33
ATOM	9603	CG	ASN	F	96	78.296	88.687	69.882	1.00	39.75
ATOM	9604	OD1	ASN	F	96	77.397	89.284	70.477	1.00	44.55
ATOM	9605	ND2	ASN	F	96	79.034	87.750	70.465	1.00	42.84
ATOM	9606	N	SER	F	97	81.898	87.335	67.923	1.00	33.53
ATOM	9607	CA	SER	F	97	83.262	87.392	68.414	1.00	33.73
ATOM	9608	C	SER	F	97	84.152	86.485	67.563	1.00	35.51

ATOM	9609	O	SER F	97	83.666	85.534	66.955	1.00	36.66
ATOM	9610	CB	SER F	97	83.285	86.945	69.873	1.00	29.55
ATOM	9611	OG	SER F	97	84.588	86.538	70.256	1.00	33.36
ATOM	9612	N	ARG F	98	85.447	86.774	67.499	1.00	36.66
ATOM	9613	CA	ARG F	98	86.332	85.928	66.706	1.00	38.88
ATOM	9614	C	ARG F	98	86.824	84.776	67.551	1.00	38.85
ATOM	9615	O	ARG F	98	87.480	83.876	67.046	1.00	42.88
ATOM	9616	CB	ARG F	98	87.541	86.710	66.198	1.00	41.62
ATOM	9617	CG	ARG F	98	87.190	87.877	65.303	1.00	51.25
ATOM	9618	CD	ARG F	98	88.420	88.422	64.591	1.00	58.33
ATOM	9619	NE	ARG F	98	88.048	89.400	63.571	1.00	65.43
ATOM	9620	CZ	ARG F	98	87.534	90.597	63.834	1.00	68.71
ATOM	9621	NH1	ARG F	98	87.334	90.971	65.094	1.00	70.16
ATOM	9622	NH2	ARG F	98	87.214	91.413	62.836	1.00	69.63
ATOM	9623	N	THR F	99	86.524	84.815	68.843	1.00	37.90
ATOM	9624	CA	THR F	99	86.950	83.762	69.755	1.00	37.85
ATOM	9625	C	THR F	99	86.025	82.566	69.609	1.00	39.08
ATOM	9626	O	THR F	99	84.805	82.718	69.612	1.00	39.70
ATOM	9627	CB	THR F	99	86.889	84.218	71.216	1.00	35.63
ATOM	9628	OG1	THR F	99	87.708	85.379	71.408	1.00	36.51
ATOM	9629	CG2	THR F	99	87.389	83.115	72.110	1.00	35.62
ATOM	9630	N	ASP F	100	86.593	81.373	69.482	1.00	39.22
ATOM	9631	CA	ASP F	100	85.760	80.193	69.325	1.00	39.50
ATOM	9632	C	ASP F	100	84.919	79.967	70.567	1.00	39.42
ATOM	9633	O	ASP F	100	85.448	79.751	71.658	1.00	41.90
ATOM	9634	CB	ASP F	100	86.608	78.941	69.071	1.00	43.32
ATOM	9635	CG	ASP F	100	87.355	78.984	67.748	1.00	48.11
ATOM	9636	OD1	ASP F	100	86.716	79.169	66.686	1.00	52.77
ATOM	9637	OD2	ASP F	100	88.593	78.817	67.770	1.00	51.98
ATOM	9638	N	LYS F	101	83.607	80.035	70.399	1.00	38.42
ATOM	9639	CA	LYS F	101	82.669	79.795	71.482	1.00	36.06
ATOM	9640	C	LYS F	101	82.027	78.454	71.109	1.00	36.77
ATOM	9641	O	LYS F	101	82.124	78.022	69.954	1.00	34.67
ATOM	9642	CB	LYS F	101	81.633	80.920	71.520	1.00	36.83
ATOM	9643	CG	LYS F	101	80.231	80.517	72.005	1.00	40.33
ATOM	9644	CD	LYS F	101	79.201	81.651	71.805	1.00	38.31
ATOM	9645	CE	LYS F	101	77.769	81.173	71.989	1.00	34.46
ATOM	9646	NZ	LYS F	101	76.837	82.260	71.638	1.00	30.51
ATOM	9647	N	PRO F	102	81.405	77.756	72.084	1.00	36.41
ATOM	9648	CA	PRO F	102	80.763	76.465	71.812	1.00	34.16
ATOM	9649	C	PRO F	102	79.472	76.528	70.998	1.00	31.63
ATOM	9650	O	PRO F	102	78.890	77.584	70.806	1.00	31.66
ATOM	9651	CB	PRO F	102	80.507	75.912	73.215	1.00	29.57
ATOM	9652	CG	PRO F	102	81.611	76.456	73.983	1.00	30.32
ATOM	9653	CD	PRO F	102	81.623	77.896	73.534	1.00	35.22
ATOM	9654	N	TRP F	103	79.054	75.371	70.503	1.00	31.63
ATOM	9655	CA	TRP F	103	77.803	75.236	69.771	1.00	30.49
ATOM	9656	C	TRP F	103	77.026	74.330	70.735	1.00	30.49
ATOM	9657	O	TRP F	103	77.211	73.109	70.769	1.00	29.57
ATOM	9658	CB	TRP F	103	78.039	74.554	68.429	1.00	31.46
ATOM	9659	CG	TRP F	103	76.832	74.541	67.576	1.00	27.24
ATOM	9660	CD1	TRP F	103	75.936	75.548	67.426	1.00	26.22
ATOM	9661	CD2	TRP F	103	76.364	73.456	66.773	1.00	22.41
ATOM	9662	NE1	TRP F	103	74.928	75.159	66.581	1.00	27.32
ATOM	9663	CE2	TRP F	103	75.164	73.876	66.168	1.00	20.83
ATOM	9664	CE3	TRP F	103	76.839	72.174	66.510	1.00	18.32
ATOM	9665	CZ2	TRP F	103	74.423	73.056	65.321	1.00	17.32
ATOM	9666	CZ3	TRP F	103	76.100	71.360	65.664	1.00	23.08
ATOM	9667	CH2	TRP F	103	74.902	71.807	65.081	1.00	16.43
ATOM	9668	N	PRO F	104	76.170	74.943	71.559	1.00	28.08
ATOM	9669	CA	PRO F	104	75.305	74.382	72.593	1.00	27.48
ATOM	9670	C	PRO F	104	74.304	73.339	72.148	1.00	27.18

ATOM	9671	O	PRO F 104	73.108	73.524	72.344	1.00	25.69
ATOM	9672	CB	PRO F 104	74.605	75.607	73.115	1.00	29.45
ATOM	9673	CG	PRO F 104	74.325	76.321	71.870	1.00	28.45
ATOM	9674	CD	PRO F 104	75.687	76.285	71.202	1.00	28.59
ATOM	9675	N	VAL F 105	74.787	72.255	71.552	1.00	27.68
ATOM	9676	CA	VAL F 105	73.909	71.181	71.098	1.00	26.49
ATOM	9677	C	VAL F 105	74.223	69.953	71.927	1.00	28.31
ATOM	9678	O	VAL F 105	75.394	69.583	72.089	1.00	26.31
ATOM	9679	CB	VAL F 105	74.117	70.840	69.601	1.00	22.31
ATOM	9680	CG1	VAL F 105	73.185	69.742	69.204	1.00	22.09
ATOM	9681	CG2	VAL F 105	73.846	72.046	68.743	1.00	20.10
ATOM	9682	N	ALA F 106	73.178	69.337	72.473	1.00	29.89
ATOM	9683	CA	ALA F 106	73.353	68.146	73.286	1.00	30.92
ATOM	9684	C	ALA F 106	72.201	67.191	73.092	1.00	33.47
ATOM	9685	O	ALA F 106	71.037	67.578	73.122	1.00	34.91
ATOM	9686	CB	ALA F 106	73.478	68.511	74.756	1.00	29.26
ATOM	9687	N	LEU F 107	72.555	65.929	72.889	1.00	36.58
ATOM	9688	CA	LEU F 107	71.596	64.853	72.704	1.00	35.52
ATOM	9689	C	LEU F 107	71.287	64.174	74.039	1.00	35.66
ATOM	9690	O	LEU F 107	72.190	63.903	74.847	1.00	32.67
ATOM	9691	CB	LEU F 107	72.168	63.821	71.727	1.00	34.42
ATOM	9692	CG	LEU F 107	71.840	63.881	70.234	1.00	33.05
ATOM	9693	CD1	LEU F 107	71.378	65.269	69.807	1.00	32.53
ATOM	9694	CD2	LEU F 107	73.073	63.429	69.466	1.00	29.85
ATOM	9695	N	TYR F 108	70.001	63.913	74.256	1.00	37.29
ATOM	9696	CA	TYR F 108	69.510	63.230	75.453	1.00	35.67
ATOM	9697	C	TYR F 108	68.805	62.000	74.949	1.00	35.19
ATOM	9698	O	TYR F 108	67.636	62.062	74.567	1.00	34.69
ATOM	9699	CB	TYR F 108	68.543	64.121	76.212	1.00	33.20
ATOM	9700	CG	TYR F 108	69.269	65.225	76.897	1.00	37.86
ATOM	9701	CD1	TYR F 108	70.205	64.942	77.884	1.00	40.23
ATOM	9702	CD2	TYR F 108	69.082	66.548	76.525	1.00	43.96
ATOM	9703	CE1	TYR F 108	70.943	65.931	78.482	1.00	42.79
ATOM	9704	CE2	TYR F 108	69.819	67.561	77.124	1.00	48.94
ATOM	9705	CZ	TYR F 108	70.754	67.241	78.105	1.00	48.22
ATOM	9706	OH	TYR F 108	71.507	68.233	78.706	1.00	52.92
ATOM	9707	N	LEU F 109	69.534	60.887	74.937	1.00	35.54
ATOM	9708	CA	LEU F 109	69.010	59.621	74.426	1.00	35.34
ATOM	9709	C	LEU F 109	68.628	58.632	75.523	1.00	35.83
ATOM	9710	O	LEU F 109	69.366	58.451	76.491	1.00	36.99
ATOM	9711	CB	LEU F 109	70.046	58.999	73.481	1.00	29.15
ATOM	9712	CG	LEU F 109	70.502	59.911	72.346	1.00	22.31
ATOM	9713	CD1	LEU F 109	71.411	59.159	71.433	1.00	26.90
ATOM	9714	CD2	LEU F 109	69.339	60.399	71.572	1.00	16.42
ATOM	9715	N	THR F 110	67.475	57.987	75.365	1.00	36.87
ATOM	9716	CA	THR F 110	67.004	57.033	76.371	1.00	38.54
ATOM	9717	C	THR F 110	66.706	55.671	75.766	1.00	40.21
ATOM	9718	O	THR F 110	65.853	55.539	74.882	1.00	38.29
ATOM	9719	CB	THR F 110	65.716	57.520	77.074	1.00	37.01
ATOM	9720	OG1	THR F 110	65.805	58.926	77.342	1.00	39.69
ATOM	9721	CG2	THR F 110	65.529	56.775	78.379	1.00	33.56
ATOM	9722	N	PRO F 111	67.406	54.632	76.246	1.00	41.04
ATOM	9723	CA	PRO F 111	67.206	53.277	75.742	1.00	40.70
ATOM	9724	C	PRO F 111	65.778	52.882	75.991	1.00	43.64
ATOM	9725	O	PRO F 111	65.209	53.214	77.035	1.00	44.65
ATOM	9726	CB	PRO F 111	68.166	52.452	76.577	1.00	38.64
ATOM	9727	CG	PRO F 111	69.259	53.416	76.886	1.00	42.24
ATOM	9728	CD	PRO F 111	68.484	54.659	77.245	1.00	41.19
ATOM	9729	N	VAL F 112	65.188	52.183	75.032	1.00	45.17
ATOM	9730	CA	VAL F 112	63.819	51.744	75.190	1.00	44.89
ATOM	9731	C	VAL F 112	63.753	50.380	75.834	1.00	46.02
ATOM	9732	O	VAL F 112	64.758	49.666	75.959	1.00	43.47

ATOM	9733	CB	VAL F 112	63.082	51.640	73.856	1.00	45.41
ATOM	9734	CG1	VAL F 112	62.811	53.016	73.307	1.00	44.55
ATOM	9735	CG2	VAL F 112	63.895	50.804	72.888	1.00	44.09
ATOM	9736	N	SER F 113	62.533	50.049	76.243	1.00	47.59
ATOM	9737	CA	SER F 113	62.195	48.781	76.859	1.00	46.16
ATOM	9738	C	SER F 113	62.839	47.665	76.028	1.00	45.14
ATOM	9739	O	SER F 113	63.547	46.800	76.548	1.00	42.54
ATOM	9740	CB	SER F 113	60.678	48.664	76.846	1.00	44.04
ATOM	9741	OG	SER F 113	60.228	47.584	77.617	1.00	54.27
ATOM	9742	N	SER F 114	62.618	47.736	74.719	1.00	46.52
ATOM	9743	CA	SER F 114	63.142	46.755	73.774	1.00	49.46
ATOM	9744	C	SER F 114	64.616	46.893	73.370	1.00	50.67
ATOM	9745	O	SER F 114	65.144	46.031	72.665	1.00	51.92
ATOM	9746	CB	SER F 114	62.276	46.750	72.507	1.00	49.97
ATOM	9747	OG	SER F 114	62.241	48.021	71.882	1.00	50.42
ATOM	9748	N	ALA F 115	65.286	47.958	73.795	1.00	51.26
ATOM	9749	CA	ALA F 115	66.691	48.125	73.440	1.00	52.04
ATOM	9750	C	ALA F 115	67.452	46.811	73.645	1.00	52.26
ATOM	9751	O	ALA F 115	67.329	46.175	74.700	1.00	51.82
ATOM	9752	CB	ALA F 115	67.316	49.227	74.282	1.00	53.71
ATOM	9753	N	GLY F 116	68.235	46.417	72.637	1.00	50.92
ATOM	9754	CA	GLY F 116	69.004	45.179	72.713	1.00	49.17
ATOM	9755	C	GLY F 116	70.057	45.089	73.814	1.00	46.90
ATOM	9756	O	GLY F 116	69.793	45.357	74.999	1.00	45.59
ATOM	9757	N	GLY F 117	71.253	44.669	73.419	1.00	44.13
ATOM	9758	CA	GLY F 117	72.363	44.558	74.351	1.00	41.43
ATOM	9759	C	GLY F 117	73.370	45.642	73.995	1.00	38.19
ATOM	9760	O	GLY F 117	73.855	46.383	74.857	1.00	38.06
ATOM	9761	N	VAL F 118	73.685	45.710	72.705	1.00	33.29
ATOM	9762	CA	VAL F 118	74.590	46.704	72.151	1.00	28.31
ATOM	9763	C	VAL F 118	73.664	47.638	71.404	1.00	27.54
ATOM	9764	O	VAL F 118	73.434	47.456	70.218	1.00	28.27
ATOM	9765	CB	VAL F 118	75.560	46.084	71.137	1.00	24.18
ATOM	9766	CG1	VAL F 118	76.342	47.172	70.434	1.00	22.86
ATOM	9767	CG2	VAL F 118	76.493	45.135	71.837	1.00	14.73
ATOM	9768	N	ALA F 119	73.109	48.619	72.103	1.00	27.48
ATOM	9769	CA	ALA F 119	72.178	49.557	71.478	1.00	28.08
ATOM	9770	C	ALA F 119	72.872	50.489	70.518	1.00	27.81
ATOM	9771	O	ALA F 119	72.228	51.175	69.726	1.00	26.78
ATOM	9772	CB	ALA F 119	71.453	50.377	72.540	1.00	32.80
ATOM	9773	N	ILE F 120	74.191	50.534	70.616	1.00	24.85
ATOM	9774	CA	ILE F 120	74.971	51.375	69.743	1.00	23.93
ATOM	9775	C	ILE F 120	76.269	50.673	69.445	1.00	24.48
ATOM	9776	O	ILE F 120	77.032	50.382	70.344	1.00	29.01
ATOM	9777	CB	ILE F 120	75.229	52.752	70.390	1.00	22.33
ATOM	9778	CG1	ILE F 120	73.966	53.615	70.253	1.00	22.17
ATOM	9779	CG2	ILE F 120	76.417	53.434	69.738	1.00	20.15
ATOM	9780	CD1	ILE F 120	74.165	55.087	70.538	1.00	21.28
ATOM	9781	N	LYS F 121	76.516	50.367	68.184	1.00	24.64
ATOM	9782	CA	LYS F 121	77.760	49.705	67.851	1.00	27.43
ATOM	9783	C	LYS F 121	78.902	50.710	67.755	1.00	26.66
ATOM	9784	O	LYS F 121	78.731	51.847	67.296	1.00	24.71
ATOM	9785	CB	LYS F 121	77.634	48.942	66.529	1.00	34.10
ATOM	9786	CG	LYS F 121	77.421	47.450	66.686	1.00	42.49
ATOM	9787	CD	LYS F 121	76.093	46.982	66.075	1.00	48.29
ATOM	9788	CE	LYS F 121	75.334	46.049	67.041	1.00	51.52
ATOM	9789	NZ	LYS F 121	76.202	44.982	67.648	1.00	56.66
ATOM	9790	N	ALA F 122	80.072	50.279	68.199	1.00	25.04
ATOM	9791	CA	ALA F 122	81.253	51.110	68.158	1.00	25.36
ATOM	9792	C	ALA F 122	81.651	51.434	66.689	1.00	27.17
ATOM	9793	O	ALA F 122	81.675	50.560	65.804	1.00	24.10
ATOM	9794	CB	ALA F 122	82.385	50.401	68.898	1.00	20.88

ATOM	9795	N	GLY	F	123	81.941	52.706	66.432	1.00	27.60
ATOM	9796	CA	GLY	F	123	82.321	53.106	65.094	1.00	25.99
ATOM	9797	C	GLY	F	123	81.139	53.477	64.210	1.00	28.16
ATOM	9798	O	GLY	F	123	81.350	53.974	63.094	1.00	29.80
ATOM	9799	N	SER	F	124	79.909	53.278	64.697	1.00	23.77
ATOM	9800	CA	SER	F	124	78.724	53.572	63.899	1.00	19.68
ATOM	9801	C	SER	F	124	78.243	55.015	63.891	1.00	18.57
ATOM	9802	O	SER	F	124	78.494	55.780	64.807	1.00	23.70
ATOM	9803	CB	SER	F	124	77.575	52.661	64.315	1.00	18.22
ATOM	9804	OG	SER	F	124	77.166	52.910	65.640	1.00	25.48
ATOM	9805	N	LEU	F	125	77.547	55.389	62.835	1.00	17.91
ATOM	9806	CA	LEU	F	125	77.037	56.738	62.730	1.00	20.94
ATOM	9807	C	LEU	F	125	75.862	56.819	63.678	1.00	23.06
ATOM	9808	O	LEU	F	125	74.890	56.078	63.552	1.00	24.44
ATOM	9809	CB	LEU	F	125	76.586	57.023	61.297	1.00	20.00
ATOM	9810	CG	LEU	F	125	76.145	58.433	60.915	1.00	15.42
ATOM	9811	CD1	LEU	F	125	77.354	59.357	60.849	1.00	11.91
ATOM	9812	CD2	LEU	F	125	75.446	58.383	59.581	1.00	7.21
ATOM	9813	N	ILE	F	126	75.976	57.718	64.642	1.00	27.43
ATOM	9814	CA	ILE	F	126	74.954	57.932	65.668	1.00	27.50
ATOM	9815	C	ILE	F	126	73.978	59.011	65.253	1.00	26.99
ATOM	9816	O	ILE	F	126	72.792	58.911	65.497	1.00	27.76
ATOM	9817	CB	ILE	F	126	75.607	58.381	66.983	1.00	28.40
ATOM	9818	CG1	ILE	F	126	76.569	57.308	67.477	1.00	32.33
ATOM	9819	CG2	ILE	F	126	74.579	58.661	68.007	1.00	27.15
ATOM	9820	CD1	ILE	F	126	75.917	55.974	67.727	1.00	35.38
ATOM	9821	N	ALA	F	127	74.491	60.057	64.622	1.00	29.49
ATOM	9822	CA	ALA	F	127	73.652	61.164	64.200	1.00	25.92
ATOM	9823	C	ALA	F	127	74.357	62.121	63.240	1.00	22.84
ATOM	9824	O	ALA	F	127	75.585	62.152	63.144	1.00	21.34
ATOM	9825	CB	ALA	F	127	73.191	61.934	65.448	1.00	28.96
ATOM	9826	N	VAL	F	128	73.561	62.900	62.523	1.00	18.31
ATOM	9827	CA	VAL	F	128	74.109	63.903	61.633	1.00	17.74
ATOM	9828	C	VAL	F	128	73.365	65.182	61.959	1.00	19.09
ATOM	9829	O	VAL	F	128	72.161	65.245	61.767	1.00	22.09
ATOM	9830	CB	VAL	F	128	73.883	63.571	60.156	1.00	14.88
ATOM	9831	CG1	VAL	F	128	74.385	64.717	59.317	1.00	15.84
ATOM	9832	CG2	VAL	F	128	74.609	62.300	59.770	1.00	10.79
ATOM	9833	N	LEU	F	129	74.074	66.188	62.471	1.00	20.46
ATOM	9834	CA	LEU	F	129	73.465	67.473	62.830	1.00	19.77
ATOM	9835	C	LEU	F	129	73.880	68.614	61.889	1.00	20.57
ATOM	9836	O	LEU	F	129	75.080	68.847	61.679	1.00	19.04
ATOM	9837	CB	LEU	F	129	73.877	67.846	64.239	1.00	21.53
ATOM	9838	CG	LEU	F	129	73.623	66.827	65.331	1.00	22.22
ATOM	9839	CD1	LEU	F	129	74.202	67.381	66.615	1.00	25.29
ATOM	9840	CD2	LEU	F	129	72.149	66.568	65.489	1.00	22.22
ATOM	9841	N	ILE	F	130	72.905	69.335	61.340	1.00	17.74
ATOM	9842	CA	ILE	F	130	73.231	70.443	60.433	1.00	20.82
ATOM	9843	C	ILE	F	130	73.121	71.828	61.080	1.00	24.85
ATOM	9844	O	ILE	F	130	72.033	72.279	61.470	1.00	23.94
ATOM	9845	CB	ILE	F	130	72.353	70.454	59.164	1.00	15.86
ATOM	9846	CG1	ILE	F	130	72.505	69.145	58.392	1.00	18.32
ATOM	9847	CG2	ILE	F	130	72.814	71.538	58.247	1.00	10.58
ATOM	9848	CD1	ILE	F	130	71.506	69.007	57.246	1.00	12.27
ATOM	9849	N	LEU	F	131	74.275	72.487	61.177	1.00	26.58
ATOM	9850	CA	LEU	F	131	74.412	73.819	61.751	1.00	26.99
ATOM	9851	C	LEU	F	131	74.213	74.828	60.643	1.00	28.29
ATOM	9852	O	LEU	F	131	74.937	74.805	59.658	1.00	27.04
ATOM	9853	CB	LEU	F	131	75.818	73.980	62.342	1.00	26.22
ATOM	9854	CG	LEU	F	131	76.220	75.325	62.959	1.00	23.55
ATOM	9855	CD1	LEU	F	131	77.459	75.154	63.831	1.00	18.25
ATOM	9856	CD2	LEU	F	131	76.457	76.337	61.860	1.00	18.24

ATOM	9857	N	ARG	F	132	73.242	75.721	60.807	1.00	31.84
ATOM	9858	CA	ARG	F	132	72.975	76.736	59.792	1.00	33.32
ATOM	9859	C	ARG	F	132	73.525	78.104	60.193	1.00	33.16
ATOM	9860	O	ARG	F	132	73.454	78.492	61.357	1.00	33.05
ATOM	9861	CB	ARG	F	132	71.475	76.836	59.540	1.00	37.51
ATOM	9862	CG	ARG	F	132	71.123	77.605	58.281	1.00	40.89
ATOM	9863	CD	ARG	F	132	69.659	77.423	57.941	1.00	42.46
ATOM	9864	NE	ARG	F	132	69.403	77.810	56.561	1.00	46.55
ATOM	9865	CZ	ARG	F	132	68.427	77.300	55.819	1.00	48.83
ATOM	9866	NH1	ARG	F	132	67.615	76.382	56.332	1.00	47.56
ATOM	9867	NH2	ARG	F	132	68.276	77.697	54.561	1.00	49.93
ATOM	9868	N	ASN	F	133	74.060	78.835	59.219	1.00	32.29
ATOM	9869	CA	ASN	F	133	74.644	80.140	59.479	1.00	29.87
ATOM	9870	C	ASN	F	133	74.223	81.202	58.496	1.00	30.46
ATOM	9871	O	ASN	F	133	74.230	80.997	57.282	1.00	33.33
ATOM	9872	CB	ASN	F	133	76.172	80.015	59.499	1.00	31.84
ATOM	9873	CG	ASN	F	133	76.894	81.292	59.071	1.00	33.40
ATOM	9874	OD1	ASN	F	133	77.011	81.588	57.881	1.00	35.75
ATOM	9875	ND2	ASN	F	133	77.389	82.042	60.040	1.00	29.37
ATOM	9876	N	THR	F	134	73.851	82.348	59.038	1.00	29.35
ATOM	9877	CA	THR	F	134	73.433	83.483	58.230	1.00	31.05
ATOM	9878	C	THR	F	134	74.002	84.693	58.930	1.00	32.54
ATOM	9879	O	THR	F	134	74.674	84.543	59.940	1.00	35.04
ATOM	9880	CB	THR	F	134	71.914	83.602	58.178	1.00	26.76
ATOM	9881	OG1	THR	F	134	71.382	83.321	59.477	1.00	29.56
ATOM	9882	CG2	THR	F	134	71.337	82.642	57.167	1.00	15.15
ATOM	9883	N	ASN	F	135	73.746	85.885	58.406	1.00	34.58
ATOM	9884	CA	ASN	F	135	74.278	87.092	59.031	1.00	38.06
ATOM	9885	C	ASN	F	135	73.455	88.309	58.680	1.00	39.39
ATOM	9886	O	ASN	F	135	72.712	88.303	57.702	1.00	42.47
ATOM	9887	CB	ASN	F	135	75.712	87.331	58.586	1.00	36.61
ATOM	9888	CG	ASN	F	135	75.820	87.517	57.105	1.00	38.25
ATOM	9889	OD1	ASN	F	135	75.499	86.620	56.330	1.00	36.88
ATOM	9890	ND2	ASN	F	135	76.264	88.694	56.695	1.00	43.91
ATOM	9891	N	ASN	F	136	73.612	89.361	59.474	1.00	39.35
ATOM	9892	CA	ASN	F	136	72.867	90.584	59.254	1.00	39.59
ATOM	9893	C	ASN	F	136	73.500	91.475	58.209	1.00	39.84
ATOM	9894	O	ASN	F	136	73.010	92.569	57.964	1.00	40.47
ATOM	9895	CB	ASN	F	136	72.746	91.350	60.560	1.00	40.24
ATOM	9896	CG	ASN	F	136	74.078	91.848	61.063	1.00	40.90
ATOM	9897	OD1	ASN	F	136	74.224	92.179	62.240	1.00	44.83
ATOM	9898	ND2	ASN	F	136	75.054	91.924	60.173	1.00	38.97
ATOM	9899	N	TYR	F	137	74.585	91.014	57.594	1.00	42.20
ATOM	9900	CA	TYR	F	137	75.263	91.823	56.588	1.00	43.52
ATOM	9901	C	TYR	F	137	74.899	91.519	55.159	1.00	42.70
ATOM	9902	O	TYR	F	137	74.773	92.438	54.355	1.00	44.60
ATOM	9903	CB	TYR	F	137	76.786	91.729	56.684	1.00	46.40
ATOM	9904	CG	TYR	F	137	77.445	92.479	55.535	1.00	49.90
ATOM	9905	CD1	TYR	F	137	77.308	93.859	55.415	1.00	50.74
ATOM	9906	CD2	TYR	F	137	78.146	91.804	54.536	1.00	50.01
ATOM	9907	CE1	TYR	F	137	77.852	94.545	54.336	1.00	53.37
ATOM	9908	CE2	TYR	F	137	78.690	92.482	53.453	1.00	51.05
ATOM	9909	CZ	TYR	F	137	78.542	93.851	53.360	1.00	52.18
ATOM	9910	OH	TYR	F	137	79.092	94.533	52.298	1.00	54.17
ATOM	9911	N	ASN	F	138	74.774	90.245	54.820	1.00	41.17
ATOM	9912	CA	ASN	F	138	74.435	89.885	53.451	1.00	42.95
ATOM	9913	C	ASN	F	138	73.443	88.739	53.412	1.00	46.04
ATOM	9914	O	ASN	F	138	72.903	88.346	54.450	1.00	48.27
ATOM	9915	CB	ASN	F	138	75.691	89.519	52.659	1.00	38.34
ATOM	9916	CG	ASN	F	138	76.336	88.258	53.147	1.00	33.89
ATOM	9917	OD1	ASN	F	138	77.465	87.971	52.807	1.00	41.13
ATOM	9918	ND2	ASN	F	138	75.624	87.492	53.941	1.00	35.92

ATOM	9919	N	SER F 139	73.223	88.192	52.219	1.00	47.21
ATOM	9920	CA	SER F 139	72.264	87.106	52.029	1.00	46.83
ATOM	9921	C	SER F 139	72.876	85.705	51.938	1.00	46.12
ATOM	9922	O	SER F 139	72.319	84.810	51.297	1.00	45.15
ATOM	9923	CB	SER F 139	71.450	87.402	50.781	1.00	46.27
ATOM	9924	OG	SER F 139	72.297	87.970	49.794	1.00	52.82
ATOM	9925	N	ASP F 140	74.020	85.518	52.584	1.00	44.51
ATOM	9926	CA	ASP F 140	74.692	84.229	52.578	1.00	42.88
ATOM	9927	C	ASP F 140	73.981	83.275	53.528	1.00	41.62
ATOM	9928	O	ASP F 140	73.557	83.668	54.615	1.00	40.65
ATOM	9929	CB	ASP F 140	76.150	84.377	53.026	1.00	45.03
ATOM	9930	CG	ASP F 140	77.000	85.148	52.036	1.00	44.43
ATOM	9931	OD1	ASP F 140	76.519	85.431	50.920	1.00	45.12
ATOM	9932	OD2	ASP F 140	78.159	85.461	52.383	1.00	40.12
ATOM	9933	N	ASP F 141	73.867	82.020	53.104	1.00	40.39
ATOM	9934	CA	ASP F 141	73.235	80.971	53.887	1.00	36.54
ATOM	9935	C	ASP F 141	74.067	79.709	53.693	1.00	35.89
ATOM	9936	O	ASP F 141	73.940	79.033	52.671	1.00	38.25
ATOM	9937	CB	ASP F 141	71.807	80.754	53.399	1.00	34.42
ATOM	9938	CG	ASP F 141	71.145	79.560	54.048	1.00	41.92
ATOM	9939	OD1	ASP F 141	71.369	78.419	53.590	1.00	49.57
ATOM	9940	OD2	ASP F 141	70.405	79.751	55.030	1.00	43.21
ATOM	9941	N	PHE F 142	74.922	79.402	54.669	1.00	33.48
ATOM	9942	CA	PHE F 142	75.801	78.235	54.598	1.00	33.55
ATOM	9943	C	PHE F 142	75.465	77.162	55.614	1.00	33.08
ATOM	9944	O	PHE F 142	75.040	77.474	56.731	1.00	33.62
ATOM	9945	CB	PHE F 142	77.240	78.664	54.821	1.00	36.25
ATOM	9946	CG	PHE F 142	77.704	79.713	53.870	1.00	35.10
ATOM	9947	CD1	PHE F 142	77.615	79.513	52.505	1.00	31.38
ATOM	9948	CD2	PHE F 142	78.250	80.900	54.344	1.00	37.01
ATOM	9949	CE1	PHE F 142	78.059	80.470	51.634	1.00	31.72
ATOM	9950	CE2	PHE F 142	78.699	81.864	53.473	1.00	30.35
ATOM	9951	CZ	PHE F 142	78.603	81.649	52.118	1.00	33.16
ATOM	9952	N	GLN F 143	75.690	75.903	55.234	1.00	28.86
ATOM	9953	CA	GLN F 143	75.388	74.785	56.114	1.00	24.19
ATOM	9954	C	GLN F 143	76.606	73.991	56.524	1.00	24.72
ATOM	9955	O	GLN F 143	77.408	73.565	55.688	1.00	27.83
ATOM	9956	CB	GLN F 143	74.384	73.850	55.461	1.00	17.97
ATOM	9957	CG	GLN F 143	73.078	74.488	55.162	1.00	29.15
ATOM	9958	CD	GLN F 143	71.960	73.476	55.168	1.00	41.72
ATOM	9959	OE1	GLN F 143	72.008	72.480	54.435	1.00	47.30
ATOM	9960	NE2	GLN F 143	70.940	73.713	56.001	1.00	41.71
ATOM	9961	N	PHE F 144	76.736	73.797	57.828	1.00	24.18
ATOM	9962	CA	PHE F 144	77.836	73.042	58.389	1.00	24.89
ATOM	9963	C	PHE F 144	77.270	71.699	58.790	1.00	25.72
ATOM	9964	O	PHE F 144	76.406	71.610	59.658	1.00	29.65
ATOM	9965	CB	PHE F 144	78.424	73.788	59.587	1.00	22.21
ATOM	9966	CG	PHE F 144	79.208	75.014	59.195	1.00	23.71
ATOM	9967	CD1	PHE F 144	78.564	76.122	58.648	1.00	20.85
ATOM	9968	CD2	PHE F 144	80.603	75.042	59.319	1.00	23.30
ATOM	9969	CE1	PHE F 144	79.292	77.234	58.229	1.00	20.98
ATOM	9970	CE2	PHE F 144	81.338	76.151	58.902	1.00	19.34
ATOM	9971	CZ	PHE F 144	80.682	77.249	58.357	1.00	20.89
ATOM	9972	N	VAL F 145	77.749	70.650	58.141	1.00	24.26
ATOM	9973	CA	VAL F 145	77.253	69.320	58.413	1.00	24.62
ATOM	9974	C	VAL F 145	78.121	68.440	59.324	1.00	25.90
ATOM	9975	O	VAL F 145	79.179	67.921	58.928	1.00	25.19
ATOM	9976	CB	VAL F 145	76.973	68.619	57.089	1.00	23.76
ATOM	9977	CG1	VAL F 145	76.735	67.140	57.309	1.00	30.17
ATOM	9978	CG2	VAL F 145	75.754	69.255	56.448	1.00	22.15
ATOM	9979	N	TRP F 146	77.647	68.257	60.555	1.00	25.08
ATOM	9980	CA	TRP F 146	78.373	67.455	61.531	1.00	23.07

ATOM	9981	C	TRP	F	146	77.881	66.018	61.563	1.00	21.17
ATOM	9982	O	TRP	F	146	76.692	65.766	61.749	1.00	19.17
ATOM	9983	CB	TRP	F	146	78.234	68.065	62.936	1.00	22.12
ATOM	9984	CG	TRP	F	146	78.503	69.507	62.954	1.00	9.29
ATOM	9985	CD1	TRP	F	146	77.589	70.505	62.842	1.00	9.50
ATOM	9986	CD2	TRP	F	146	79.778	70.119	62.922	1.00	5.90
ATOM	9987	NE1	TRP	F	146	78.217	71.711	62.723	1.00	12.21
ATOM	9988	CE2	TRP	F	146	79.569	71.506	62.769	1.00	10.05
ATOM	9989	CE3	TRP	F	146	81.084	69.633	62.998	1.00	10.10
ATOM	9990	CZ2	TRP	F	146	80.618	72.421	62.693	1.00	5.48
ATOM	9991	CZ3	TRP	F	146	82.141	70.543	62.923	1.00	12.59
ATOM	9992	CH2	TRP	F	146	81.895	71.924	62.771	1.00	11.06
ATOM	9993	N	ASN	F	147	78.815	65.088	61.389	1.00	18.00
ATOM	9994	CA	ASN	F	147	78.522	63.664	61.421	1.00	18.83
ATOM	9995	C	ASN	F	147	79.006	63.063	62.740	1.00	21.12
ATOM	9996	O	ASN	F	147	80.203	62.965	62.981	1.00	25.38
ATOM	9997	CB	ASN	F	147	79.216	62.950	60.258	1.00	13.00
ATOM	9998	CG	ASN	F	147	78.837	63.527	58.909	1.00	11.84
ATOM	9999	OD1	ASN	F	147	77.661	63.754	58.605	1.00	5.82
ATOM	10000	ND2	ASN	F	147	79.840	63.755	58.082	1.00	12.03
ATOM	10001	N	ILE	F	148	78.079	62.645	63.590	1.00	22.22
ATOM	10002	CA	ILE	F	148	78.445	62.069	64.877	1.00	21.72
ATOM	10003	C	ILE	F	148	78.682	60.561	64.832	1.00	21.36
ATOM	10004	O	ILE	F	148	77.774	59.780	64.565	1.00	16.47
ATOM	10005	CB	ILE	F	148	77.358	62.379	65.953	1.00	25.37
ATOM	10006	CG1	ILE	F	148	77.457	63.835	66.416	1.00	23.08
ATOM	10007	CG2	ILE	F	148	77.547	61.476	67.177	1.00	32.22
ATOM	10008	CD1	ILE	F	148	77.328	64.856	65.310	1.00	27.52
ATOM	10009	N	TYR	F	149	79.919	60.161	65.100	1.00	22.40
ATOM	10010	CA	TYR	F	149	80.288	58.749	65.117	1.00	22.14
ATOM	10011	C	TYR	F	149	80.579	58.291	66.534	1.00	22.25
ATOM	10012	O	TYR	F	149	81.300	58.954	67.276	1.00	24.31
ATOM	10013	CB	TYR	F	149	81.531	58.489	64.261	1.00	18.57
ATOM	10014	CG	TYR	F	149	81.259	58.391	62.787	1.00	23.33
ATOM	10015	CD1	TYR	F	149	80.987	59.532	62.020	1.00	22.73
ATOM	10016	CD2	TYR	F	149	81.262	57.151	62.149	1.00	25.14
ATOM	10017	CE1	TYR	F	149	80.722	59.442	60.648	1.00	22.26
ATOM	10018	CE2	TYR	F	149	81.000	57.050	60.777	1.00	29.63
ATOM	10019	CZ	TYR	F	149	80.733	58.198	60.035	1.00	27.80
ATOM	10020	OH	TYR	F	149	80.494	58.078	58.684	1.00	28.98
ATOM	10021	N	ALA	F	150	80.025	57.150	66.910	1.00	21.82
ATOM	10022	CA	ALA	F	150	80.262	56.623	68.238	1.00	21.12
ATOM	10023	C	ALA	F	150	81.570	55.840	68.241	1.00	20.45
ATOM	10024	O	ALA	F	150	81.779	54.981	67.390	1.00	16.68
ATOM	10025	CB	ALA	F	150	79.115	55.727	68.649	1.00	24.35
ATOM	10026	N	ASN	F	151	82.435	56.142	69.207	1.00	20.55
ATOM	10027	CA	ASN	F	151	83.730	55.482	69.340	1.00	22.02
ATOM	10028	C	ASN	F	151	83.675	54.134	70.050	1.00	23.47
ATOM	10029	O	ASN	F	151	84.589	53.316	69.913	1.00	23.35
ATOM	10030	CB	ASN	F	151	84.717	56.373	70.100	1.00	22.32
ATOM	10031	CG	ASN	F	151	85.362	57.418	69.229	1.00	24.75
ATOM	10032	OD1	ASN	F	151	85.669	57.176	68.064	1.00	28.73
ATOM	10033	ND2	ASN	F	151	85.595	58.588	69.798	1.00	29.50
ATOM	10034	N	ASN	F	152	82.620	53.910	70.825	1.00	24.55
ATOM	10035	CA	ASN	F	152	82.474	52.655	71.565	1.00	26.33
ATOM	10036	C	ASN	F	152	81.040	52.154	71.541	1.00	28.19
ATOM	10037	O	ASN	F	152	80.118	52.861	71.116	1.00	23.80
ATOM	10038	CB	ASN	F	152	82.861	52.855	73.018	1.00	20.28
ATOM	10039	CG	ASN	F	152	82.159	54.044	73.620	1.00	22.58
ATOM	10040	OD1	ASN	F	152	82.476	55.193	73.287	1.00	20.24
ATOM	10041	ND2	ASN	F	152	81.181	53.786	74.491	1.00	21.51
ATOM	10042	N	ASP	F	153	80.868	50.929	72.026	1.00	29.99

ATOM	10043	CA	ASP	F	153	79.554	50.314	72.101	1.00	31.01
ATOM	10044	C	ASP	F	153	78.829	50.935	73.274	1.00	30.85
ATOM	10045	O	ASP	F	153	79.446	51.212	74.296	1.00	32.89
ATOM	10046	CB	ASP	F	153	79.656	48.804	72.378	1.00	30.36
ATOM	10047	CG	ASP	F	153	80.104	48.010	71.182	1.00	32.61
ATOM	10048	OD1	ASP	F	153	79.485	48.159	70.109	1.00	41.75
ATOM	10049	OD2	ASP	F	153	81.061	47.222	71.310	1.00	31.59
ATOM	10050	N	VAL	F	154	77.532	51.166	73.125	1.00	30.55
ATOM	10051	CA	VAL	F	154	76.727	51.670	74.226	1.00	31.58
ATOM	10052	C	VAL	F	154	75.779	50.535	74.573	1.00	31.63
ATOM	10053	O	VAL	F	154	74.821	50.260	73.854	1.00	33.73
ATOM	10054	CB	VAL	F	154	75.923	52.914	73.847	1.00	33.82
ATOM	10055	CG1	VAL	F	154	74.784	53.117	74.841	1.00	30.87
ATOM	10056	CG2	VAL	F	154	76.834	54.127	73.853	1.00	35.86
ATOM	10057	N	VAL	F	155	76.083	49.864	75.674	1.00	32.69
ATOM	10058	CA	VAL	F	155	75.303	48.726	76.150	1.00	32.49
ATOM	10059	C	VAL	F	155	74.159	49.082	77.114	1.00	31.96
ATOM	10060	O	VAL	F	155	74.330	49.860	78.052	1.00	27.82
ATOM	10061	CB	VAL	F	155	76.236	47.689	76.824	1.00	31.51
ATOM	10062	CG1	VAL	F	155	75.492	46.939	77.900	1.00	33.02
ATOM	10063	CG2	VAL	F	155	76.795	46.720	75.774	1.00	25.55
ATOM	10064	N	VAL	F	156	72.989	48.506	76.847	1.00	31.22
ATOM	10065	CA	VAL	F	156	71.802	48.700	77.672	1.00	32.50
ATOM	10066	C	VAL	F	156	71.523	47.348	78.323	1.00	33.45
ATOM	10067	O	VAL	F	156	70.923	46.472	77.705	1.00	38.69
ATOM	10068	CB	VAL	F	156	70.595	49.089	76.820	1.00	33.01
ATOM	10069	CG1	VAL	F	156	69.342	49.057	77.664	1.00	30.91
ATOM	10070	CG2	VAL	F	156	70.804	50.462	76.228	1.00	33.15
ATOM	10071	N	PRO	F	157	71.934	47.170	79.589	1.00	31.42
ATOM	10072	CA	PRO	F	157	71.744	45.920	80.319	1.00	28.15
ATOM	10073	C	PRO	F	157	70.319	45.399	80.250	1.00	28.26
ATOM	10074	O	PRO	F	157	69.353	46.164	80.300	1.00	24.84
ATOM	10075	CB	PRO	F	157	72.150	46.292	81.735	1.00	29.29
ATOM	10076	CG	PRO	F	157	73.098	47.405	81.539	1.00	27.99
ATOM	10077	CD	PRO	F	157	72.383	48.218	80.514	1.00	30.61
ATOM	10078	N	THR	F	158	70.191	44.084	80.129	1.00	26.83
ATOM	10079	CA	THR	F	158	68.875	43.480	80.067	1.00	27.19
ATOM	10080	C	THR	F	158	68.297	43.430	81.475	1.00	27.20
ATOM	10081	O	THR	F	158	68.983	43.019	82.421	1.00	30.20
ATOM	10082	CB	THR	F	158	68.942	42.069	79.445	1.00	23.42
ATOM	10083	OG1	THR	F	158	67.827	41.297	79.887	1.00	22.62
ATOM	10084	CG2	THR	F	158	70.193	41.392	79.822	1.00	17.97
ATOM	10085	N	GLY	F	159	67.044	43.864	81.606	1.00	25.80
ATOM	10086	CA	GLY	F	159	66.389	43.896	82.903	1.00	25.88
ATOM	10087	C	GLY	F	159	65.706	42.622	83.346	1.00	25.39
ATOM	10088	O	GLY	F	159	65.760	41.596	82.669	1.00	27.18
ATOM	10089	N	GLY	F	160	65.052	42.674	84.496	1.00	22.74
ATOM	10090	CA	GLY	F	160	64.384	41.482	84.964	1.00	24.33
ATOM	10091	C	GLY	F	160	63.033	41.408	84.317	1.00	25.42
ATOM	10092	O	GLY	F	160	62.526	42.432	83.844	1.00	25.22
ATOM	10093	N	CYS	F	161	62.438	40.220	84.299	1.00	26.26
ATOM	10094	CA	CYS	F	161	61.123	40.063	83.691	1.00	31.61
ATOM	10095	C	CYS	F	161	59.971	40.561	84.584	1.00	33.31
ATOM	10096	O	CYS	F	161	60.186	40.931	85.740	1.00	35.04
ATOM	10097	CB	CYS	F	161	60.940	38.612	83.324	1.00	32.11
ATOM	10098	SG	CYS	F	161	62.356	37.993	82.369	1.00	42.24
ATOM	10099	N	ASP	F	162	58.750	40.606	84.054	1.00	34.36
ATOM	10100	CA	ASP	F	162	57.632	41.071	84.864	1.00	37.19
ATOM	10101	C	ASP	F	162	56.621	39.984	85.135	1.00	39.87
ATOM	10102	O	ASP	F	162	56.087	39.368	84.216	1.00	38.69
ATOM	10103	CB	ASP	F	162	56.928	42.256	84.217	1.00	39.27
ATOM	10104	CG	ASP	F	162	55.740	42.739	85.037	1.00	44.25

ATOM	10105	OD1	ASP	F	162	55.796	42.647	86.281	1.00	43.67
ATOM	10106	OD2	ASP	F	162	54.752	43.225	84.445	1.00	48.53
ATOM	10107	N	VAL	F	163	56.368	39.760	86.419	1.00	43.77
ATOM	10108	CA	VAL	F	163	55.440	38.740	86.851	1.00	49.06
ATOM	10109	C	VAL	F	163	54.065	39.309	87.109	1.00	54.99
ATOM	10110	O	VAL	F	163	53.751	39.716	88.218	1.00	56.01
ATOM	10111	CB	VAL	F	163	55.939	38.045	88.117	1.00	43.77
ATOM	10112	CG1	VAL	F	163	54.896	37.060	88.609	1.00	43.94
ATOM	10113	CG2	VAL	F	163	57.244	37.323	87.816	1.00	41.54
ATOM	10114	N	SER	F	164	53.248	39.337	86.065	1.00	63.35
ATOM	10115	CA	SER	F	164	51.891	39.844	86.173	1.00	70.30
ATOM	10116	C	SER	F	164	51.047	38.781	86.858	1.00	74.26
ATOM	10117	O	SER	F	164	51.126	37.592	86.521	1.00	74.65
ATOM	10118	CB	SER	F	164	51.310	40.137	84.783	1.00	73.06
ATOM	10119	OG	SER	F	164	52.084	41.087	84.069	1.00	76.63
ATOM	10120	N	ALA	F	165	50.238	39.213	87.819	1.00	78.33
ATOM	10121	CA	ALA	F	165	49.376	38.298	88.550	1.00	81.41
ATOM	10122	C	ALA	F	165	48.222	39.040	89.223	1.00	83.37
ATOM	10123	O	ALA	F	165	48.347	40.214	89.583	1.00	84.81
ATOM	10124	CB	ALA	F	165	50.198	37.541	89.596	1.00	80.40
ATOM	10125	N	ARG	F	166	47.095	38.355	89.375	1.00	85.26
ATOM	10126	CA	ARG	F	166	45.930	38.935	90.034	1.00	86.44
ATOM	10127	C	ARG	F	166	46.109	38.670	91.537	1.00	86.21
ATOM	10128	O	ARG	F	166	46.296	37.525	91.971	1.00	85.90
ATOM	10129	CB	ARG	F	166	44.656	38.289	89.479	1.00	88.48
ATOM	10130	CG	ARG	F	166	44.591	38.377	87.954	1.00	88.90
ATOM	10131	CD	ARG	F	166	43.411	37.621	87.355	1.00	90.46
ATOM	10132	NE	ARG	F	166	43.559	37.491	85.904	1.00	90.18
ATOM	10133	CZ	ARG	F	166	42.839	36.678	85.137	1.00	89.02
ATOM	10134	NH1	ARG	F	166	41.898	35.906	85.668	1.00	88.37
ATOM	10135	NH2	ARG	F	166	43.079	36.621	83.835	1.00	87.32
ATOM	10136	N	ASP	F	167	46.070	39.746	92.316	1.00	84.96
ATOM	10137	CA	ASP	F	167	46.285	39.692	93.758	1.00	83.60
ATOM	10138	C	ASP	F	167	45.585	38.582	94.509	1.00	81.52
ATOM	10139	O	ASP	F	167	44.686	37.936	93.978	1.00	81.94
ATOM	10140	CB	ASP	F	167	45.906	41.021	94.396	1.00	86.94
ATOM	10141	CG	ASP	F	167	46.609	41.243	95.715	1.00	90.13
ATOM	10142	OD1	ASP	F	167	47.484	40.418	96.056	1.00	91.38
ATOM	10143	OD2	ASP	F	167	46.298	42.240	96.402	1.00	92.14
ATOM	10144	N	VAL	F	168	46.014	38.391	95.758	1.00	79.29
ATOM	10145	CA	VAL	F	168	45.482	37.374	96.674	1.00	77.25
ATOM	10146	C	VAL	F	168	44.344	36.528	96.088	1.00	75.67
ATOM	10147	O	VAL	F	168	43.211	36.996	95.941	1.00	75.58
ATOM	10148	CB	VAL	F	168	45.021	38.029	98.019	1.00	75.79
ATOM	10149	CG1	VAL	F	168	44.147	39.236	97.737	1.00	76.43
ATOM	10150	CG2	VAL	F	168	44.278	37.015	98.880	1.00	70.57
ATOM	10151	N	THR	F	169	44.660	35.277	95.757	1.00	72.79
ATOM	10152	CA	THR	F	169	43.685	34.363	95.174	1.00	69.78
ATOM	10153	C	THR	F	169	42.710	33.799	96.196	1.00	68.49
ATOM	10154	O	THR	F	169	43.099	33.371	97.285	1.00	66.23
ATOM	10155	CB	THR	F	169	44.374	33.198	94.471	1.00	68.86
ATOM	10156	OG1	THR	F	169	45.221	33.710	93.438	1.00	71.72
ATOM	10157	CG2	THR	F	169	43.350	32.272	93.855	1.00	67.78
ATOM	10158	N	VAL	F	170	41.435	33.798	95.819	1.00	67.35
ATOM	10159	CA	VAL	F	170	40.369	33.308	96.678	1.00	65.58
ATOM	10160	C	VAL	F	170	40.195	31.799	96.511	1.00	65.18
ATOM	10161	O	VAL	F	170	39.411	31.335	95.681	1.00	65.47
ATOM	10162	CB	VAL	F	170	39.035	34.025	96.355	1.00	64.10
ATOM	10163	CG1	VAL	F	170	38.152	34.049	97.580	1.00	62.07
ATOM	10164	CG2	VAL	F	170	39.309	35.445	95.872	1.00	63.61
ATOM	10165	N	THR	F	171	40.948	31.041	97.300	1.00	64.12
ATOM	10166	CA	THR	F	171	40.891	29.588	97.259	1.00	64.01

ATOM	10167	C	THR	F	171	39.587	29.168	97.904	1.00	64.73
ATOM	10168	O	THR	F	171	39.424	28.019	98.317	1.00	66.58
ATOM	10169	CB	THR	F	171	42.082	28.947	98.035	1.00	62.65
ATOM	10170	OG1	THR	F	171	41.900	27.531	98.138	1.00	61.77
ATOM	10171	CG2	THR	F	171	42.164	29.496	99.422	1.00	61.98
ATOM	10172	N	LEU	F	172	38.650	30.106	97.972	1.00	64.35
ATOM	10173	CA	LEU	F	172	37.350	29.841	98.581	1.00	65.20
ATOM	10174	C	LEU	F	172	36.744	28.485	98.206	1.00	63.26
ATOM	10175	O	LEU	F	172	36.268	27.768	99.099	1.00	62.72
ATOM	10176	CB	LEU	F	172	36.355	30.973	98.250	1.00	66.83
ATOM	10177	CG	LEU	F	172	34.903	30.930	98.772	1.00	69.24
ATOM	10178	CD1	LEU	F	172	34.292	32.330	98.685	1.00	69.50
ATOM	10179	CD2	LEU	F	172	34.056	29.933	97.967	1.00	68.16
ATOM	10180	N	PRO	F	173	36.769	28.107	96.901	1.00	59.57
ATOM	10181	CA	PRO	F	173	36.184	26.815	96.542	1.00	59.34
ATOM	10182	C	PRO	F	173	36.144	25.888	97.744	1.00	60.62
ATOM	10183	O	PRO	F	173	37.113	25.191	98.029	1.00	63.45
ATOM	10184	CB	PRO	F	173	37.093	26.319	95.407	1.00	55.12
ATOM	10185	CG	PRO	F	173	38.249	27.266	95.396	1.00	53.10
ATOM	10186	CD	PRO	F	173	37.653	28.554	95.817	1.00	55.07
ATOM	10187	N	ASP	F	174	35.023	25.935	98.461	1.00	59.66
ATOM	10188	CA	ASP	F	174	34.811	25.148	99.662	1.00	60.54
ATOM	10189	C	ASP	F	174	35.716	23.928	99.693	1.00	60.04
ATOM	10190	O	ASP	F	174	35.806	23.192	98.707	1.00	57.93
ATOM	10191	CB	ASP	F	174	33.344	24.747	99.751	1.00	65.93
ATOM	10192	CG	ASP	F	174	32.422	25.951	99.843	1.00	68.31
ATOM	10193	OD1	ASP	F	174	32.493	26.823	98.950	1.00	67.98
ATOM	10194	OD2	ASP	F	174	31.633	26.023	100.811	1.00	70.91
ATOM	10195	N	TYR	F	175	36.379	23.735	100.836	1.00	58.33
ATOM	10196	CA	TYR	F	175	37.347	22.658	101.046	1.00	57.23
ATOM	10197	C	TYR	F	175	37.691	21.743	99.890	1.00	57.47
ATOM	10198	O	TYR	F	175	38.851	21.673	99.492	1.00	62.00
ATOM	10199	CB	TYR	F	175	36.973	21.770	102.220	1.00	55.33
ATOM	10200	CG	TYR	F	175	37.765	20.474	102.229	1.00	54.21
ATOM	10201	CD1	TYR	F	175	39.162	20.474	102.138	1.00	52.05
ATOM	10202	CD2	TYR	F	175	37.120	19.248	102.348	1.00	55.25
ATOM	10203	CE1	TYR	F	175	39.883	19.279	102.168	1.00	51.96
ATOM	10204	CE2	TYR	F	175	37.835	18.054	102.383	1.00	54.11
ATOM	10205	CZ	TYR	F	175	39.206	18.077	102.296	1.00	51.49
ATOM	10206	OH	TYR	F	175	39.882	16.889	102.364	1.00	50.13
ATOM	10207	N	PRO	F	176	36.711	20.993	99.360	1.00	54.05
ATOM	10208	CA	PRO	F	176	37.088	20.117	98.246	1.00	51.34
ATOM	10209	C	PRO	F	176	37.569	20.850	96.976	1.00	49.71
ATOM	10210	O	PRO	F	176	38.538	20.419	96.333	1.00	45.96
ATOM	10211	CB	PRO	F	176	35.822	19.297	98.024	1.00	48.83
ATOM	10212	CG	PRO	F	176	34.733	20.270	98.413	1.00	49.68
ATOM	10213	CD	PRO	F	176	35.281	20.853	99.682	1.00	50.73
ATOM	10214	N	GLY	F	177	36.902	21.961	96.650	1.00	48.18
ATOM	10215	CA	GLY	F	177	37.210	22.754	95.461	1.00	47.65
ATOM	10216	C	GLY	F	177	38.661	23.070	95.120	1.00	46.71
ATOM	10217	O	GLY	F	177	39.569	22.807	95.905	1.00	48.91
ATOM	10218	N	SER	F	178	38.887	23.632	93.934	1.00	43.24
ATOM	10219	CA	SER	F	178	40.239	23.977	93.516	1.00	40.67
ATOM	10220	C	SER	F	178	40.246	24.992	92.377	1.00	42.73
ATOM	10221	O	SER	F	178	39.733	24.719	91.304	1.00	44.08
ATOM	10222	CB	SER	F	178	40.984	22.730	93.069	1.00	36.11
ATOM	10223	OG	SER	F	178	40.705	22.440	91.716	1.00	25.51
ATOM	10224	N	VAL	F	179	40.841	26.159	92.610	1.00	44.73
ATOM	10225	CA	VAL	F	179	40.896	27.206	91.592	1.00	45.35
ATOM	10226	C	VAL	F	179	42.202	27.217	90.829	1.00	46.31
ATOM	10227	O	VAL	F	179	43.192	26.609	91.236	1.00	46.11
ATOM	10228	CB	VAL	F	179	40.761	28.640	92.183	1.00	44.27

ATOM	10229	CG1	VAL	F	179	39.400	28.847	92.798	1.00	47.33
ATOM	10230	CG2	VAL	F	179	41.848	28.879	93.208	1.00	44.27
ATOM	10231	N	PRO	F	180	42.199	27.895	89.677	1.00	47.52
ATOM	10232	CA	PRO	F	180	43.369	28.036	88.814	1.00	46.41
ATOM	10233	C	PRO	F	180	43.965	29.388	89.221	1.00	45.94
ATOM	10234	O	PRO	F	180	43.229	30.316	89.555	1.00	43.78
ATOM	10235	CB	PRO	F	180	42.760	28.039	87.419	1.00	46.15
ATOM	10236	CG	PRO	F	180	41.484	28.763	87.633	1.00	50.24
ATOM	10237	CD	PRO	F	180	40.961	28.197	88.932	1.00	49.38
ATOM	10238	N	ILE	F	181	45.290	29.486	89.232	1.00	45.89
ATOM	10239	CA	ILE	F	181	45.957	30.718	89.635	1.00	43.59
ATOM	10240	C	ILE	F	181	46.580	31.427	88.454	1.00	42.68
ATOM	10241	O	ILE	F	181	47.536	30.950	87.850	1.00	45.03
ATOM	10242	CB	ILE	F	181	47.082	30.455	90.664	1.00	43.78
ATOM	10243	CG1	ILE	F	181	46.522	29.788	91.920	1.00	43.21
ATOM	10244	CG2	ILE	F	181	47.737	31.759	91.046	1.00	42.82
ATOM	10245	CD1	ILE	F	181	47.601	29.340	92.883	1.00	39.75
ATOM	10246	N	PRO	F	182	46.037	32.584	88.101	1.00	40.41
ATOM	10247	CA	PRO	F	182	46.548	33.367	86.983	1.00	37.76
ATOM	10248	C	PRO	F	182	47.931	33.879	87.306	1.00	35.99
ATOM	10249	O	PRO	F	182	48.111	34.558	88.303	1.00	37.30
ATOM	10250	CB	PRO	F	182	45.550	34.498	86.895	1.00	37.62
ATOM	10251	CG	PRO	F	182	44.294	33.848	87.362	1.00	37.33
ATOM	10252	CD	PRO	F	182	44.760	33.130	88.572	1.00	39.12
ATOM	10253	N	LEU	F	183	48.912	33.553	86.477	1.00	36.80
ATOM	10254	CA	LEU	F	183	50.273	34.036	86.713	1.00	36.34
ATOM	10255	C	LEU	F	183	51.100	33.835	85.447	1.00	36.06
ATOM	10256	O	LEU	F	183	51.324	32.710	84.984	1.00	32.53
ATOM	10257	CB	LEU	F	183	50.907	33.299	87.904	1.00	38.11
ATOM	10258	CG	LEU	F	183	51.973	33.979	88.770	1.00	37.23
ATOM	10259	CD1	LEU	F	183	52.239	33.121	89.987	1.00	38.45
ATOM	10260	CD2	LEU	F	183	53.253	34.162	87.992	1.00	46.09
ATOM	10261	N	THR	F	184	51.536	34.954	84.885	1.00	36.87
ATOM	10262	CA	THR	F	184	52.326	34.956	83.663	1.00	36.93
ATOM	10263	C	THR	F	184	53.571	35.827	83.824	1.00	36.94
ATOM	10264	O	THR	F	184	53.659	36.642	84.739	1.00	36.82
ATOM	10265	CB	THR	F	184	51.483	35.500	82.499	1.00	37.32
ATOM	10266	OG1	THR	F	184	50.706	36.610	82.972	1.00	38.52
ATOM	10267	CG2	THR	F	184	50.540	34.436	81.957	1.00	30.65
ATOM	10268	N	VAL	F	185	54.532	35.649	82.931	1.00	37.40
ATOM	10269	CA	VAL	F	185	55.765	36.429	82.976	1.00	40.07
ATOM	10270	C	VAL	F	185	56.116	36.912	81.593	1.00	41.95
ATOM	10271	O	VAL	F	185	56.073	36.128	80.649	1.00	43.13
ATOM	10272	CB	VAL	F	185	56.971	35.592	83.446	1.00	38.37
ATOM	10273	CG1	VAL	F	185	56.907	35.385	84.916	1.00	44.32
ATOM	10274	CG2	VAL	F	185	56.989	34.256	82.734	1.00	33.98
ATOM	10275	N	TYR	F	186	56.455	38.188	81.455	1.00	41.54
ATOM	10276	CA	TYR	F	186	56.847	38.674	80.148	1.00	43.21
ATOM	10277	C	TYR	F	186	58.173	39.394	80.284	1.00	46.35
ATOM	10278	O	TYR	F	186	58.319	40.296	81.108	1.00	50.79
ATOM	10279	CB	TYR	F	186	55.772	39.575	79.538	1.00	39.18
ATOM	10280	CG	TYR	F	186	55.589	40.902	80.203	1.00	43.82
ATOM	10281	CD1	TYR	F	186	56.420	41.981	79.897	1.00	48.20
ATOM	10282	CD2	TYR	F	186	54.561	41.103	81.118	1.00	48.14
ATOM	10283	CE1	TYR	F	186	56.226	43.234	80.484	1.00	51.97
ATOM	10284	CE2	TYR	F	186	54.355	42.350	81.714	1.00	51.35
ATOM	10285	CZ	TYR	F	186	55.189	43.413	81.393	1.00	53.35
ATOM	10286	OH	TYR	F	186	54.982	44.647	81.981	1.00	56.61
ATOM	10287	N	CYS	F	187	59.157	38.954	79.507	1.00	45.02
ATOM	10288	CA	CYS	F	187	60.471	39.557	79.539	1.00	41.98
ATOM	10289	C	CYS	F	187	60.591	40.478	78.341	1.00	41.98
ATOM	10290	O	CYS	F	187	60.242	40.100	77.237	1.00	42.03

ATOM	10291	CB	CYS	F	187	61.549	38.486	79.444	1.00	42.32
ATOM	10292	SG	CYS	F	187	61.503	37.173	80.702	1.00	44.69
ATOM	10293	N	ALA	F	188	61.095	41.685	78.564	1.00	42.48
ATOM	10294	CA	ALA	F	188	61.277	42.659	77.493	1.00	38.09
ATOM	10295	C	ALA	F	188	62.223	42.100	76.456	1.00	34.88
ATOM	10296	O	ALA	F	188	62.083	42.373	75.277	1.00	38.17
ATOM	10297	CB	ALA	F	188	61.828	43.945	78.055	1.00	37.98
ATOM	10298	N	LYS	F	189	63.196	41.331	76.913	1.00	32.73
ATOM	10299	CA	LYS	F	189	64.163	40.696	76.035	1.00	35.67
ATOM	10300	C	LYS	F	189	64.164	39.227	76.425	1.00	39.36
ATOM	10301	O	LYS	F	189	64.405	38.873	77.585	1.00	41.52
ATOM	10302	CB	LYS	F	189	65.569	41.264	76.240	1.00	35.65
ATOM	10303	CG	LYS	F	189	65.679	42.760	76.051	1.00	40.41
ATOM	10304	CD	LYS	F	189	65.604	43.159	74.582	1.00	44.58
ATOM	10305	CE	LYS	F	189	66.890	42.820	73.834	1.00	45.79
ATOM	10306	NZ	LYS	F	189	66.724	42.873	72.348	1.00	46.34
ATOM	10307	N	SER	F	190	63.882	38.374	75.448	1.00	40.13
ATOM	10308	CA	SER	F	190	63.844	36.938	75.653	1.00	37.58
ATOM	10309	C	SER	F	190	65.042	36.392	76.432	1.00	37.85
ATOM	10310	O	SER	F	190	66.203	36.722	76.164	1.00	38.35
ATOM	10311	CB	SER	F	190	63.739	36.235	74.300	1.00	36.82
ATOM	10312	OG	SER	F	190	64.004	34.849	74.419	1.00	39.80
ATOM	10313	N	GLN	F	191	64.725	35.555	77.413	1.00	38.19
ATOM	10314	CA	GLN	F	191	65.706	34.905	78.271	1.00	34.99
ATOM	10315	C	GLN	F	191	65.040	33.709	78.940	1.00	32.36
ATOM	10316	O	GLN	F	191	63.815	33.635	79.046	1.00	28.58
ATOM	10317	CB	GLN	F	191	66.210	35.875	79.336	1.00	36.57
ATOM	10318	CG	GLN	F	191	65.093	36.583	80.079	1.00	39.85
ATOM	10319	CD	GLN	F	191	65.596	37.350	81.272	1.00	39.25
ATOM	10320	OE1	GLN	F	191	66.204	36.776	82.167	1.00	43.26
ATOM	10321	NE2	GLN	F	191	65.348	38.650	81.294	1.00	38.95
ATOM	10322	N	ASN	F	192	65.861	32.771	79.384	1.00	30.73
ATOM	10323	CA	ASN	F	192	65.364	31.586	80.046	1.00	33.57
ATOM	10324	C	ASN	F	192	65.029	31.817	81.526	1.00	34.07
ATOM	10325	O	ASN	F	192	65.850	32.310	82.302	1.00	36.27
ATOM	10326	CB	ASN	F	192	66.394	30.471	79.940	1.00	36.10
ATOM	10327	CG	ASN	F	192	66.713	30.116	78.512	1.00	43.86
ATOM	10328	OD1	ASN	F	192	65.813	30.024	77.674	1.00	45.85
ATOM	10329	ND2	ASN	F	192	67.999	29.892	78.222	1.00	48.99
ATOM	10330	N	LEU	F	193	63.815	31.464	81.917	1.00	30.70
ATOM	10331	CA	LEU	F	193	63.422	31.613	83.293	1.00	28.74
ATOM	10332	C	LEU	F	193	63.315	30.250	83.939	1.00	29.36
ATOM	10333	O	LEU	F	193	63.183	29.239	83.262	1.00	30.10
ATOM	10334	CB	LEU	F	193	62.077	32.327	83.400	1.00	28.00
ATOM	10335	CG	LEU	F	193	62.114	33.852	83.334	1.00	29.17
ATOM	10336	CD1	LEU	F	193	60.728	34.421	83.600	1.00	26.85
ATOM	10337	CD2	LEU	F	193	63.101	34.371	84.369	1.00	31.12
ATOM	10338	N	GLY	F	194	63.387	30.243	85.264	1.00	30.30
ATOM	10339	CA	GLY	F	194	63.260	29.028	86.046	1.00	27.16
ATOM	10340	C	GLY	F	194	62.669	29.434	87.385	1.00	26.13
ATOM	10341	O	GLY	F	194	63.105	30.429	87.973	1.00	24.03
ATOM	10342	N	TYR	F	195	61.671	28.707	87.879	1.00	25.13
ATOM	10343	CA	TYR	F	195	61.104	29.095	89.172	1.00	25.65
ATOM	10344	C	TYR	F	195	60.868	27.948	90.139	1.00	23.26
ATOM	10345	O	TYR	F	195	60.780	26.786	89.738	1.00	21.33
ATOM	10346	CB	TYR	F	195	59.795	29.854	88.986	1.00	23.54
ATOM	10347	CG	TYR	F	195	58.644	28.947	88.717	1.00	25.27
ATOM	10348	CD1	TYR	F	195	58.521	28.295	87.489	1.00	22.50
ATOM	10349	CD2	TYR	F	195	57.703	28.689	89.713	1.00	25.60
ATOM	10350	CE1	TYR	F	195	57.495	27.402	87.260	1.00	26.09
ATOM	10351	CE2	TYR	F	195	56.663	27.795	89.495	1.00	31.03
ATOM	10352	CZ	TYR	F	195	56.566	27.150	88.268	1.00	31.31

ATOM	10353	OH	TYR	F	195	55.565	26.229	88.066	1.00	33.86
ATOM	10354	N	TYR	F	196	60.811	28.300	91.423	1.00	21.91
ATOM	10355	CA	TYR	F	196	60.553	27.330	92.481	1.00	22.85
ATOM	10356	C	TYR	F	196	59.785	27.976	93.624	1.00	19.92
ATOM	10357	O	TYR	F	196	59.915	29.169	93.878	1.00	18.70
ATOM	10358	CB	TYR	F	196	61.850	26.686	92.995	1.00	24.47
ATOM	10359	CG	TYR	F	196	62.773	27.585	93.783	1.00	24.79
ATOM	10360	CD1	TYR	F	196	62.432	28.042	95.057	1.00	25.36
ATOM	10361	CD2	TYR	F	196	63.997	27.973	93.254	1.00	24.47
ATOM	10362	CE1	TYR	F	196	63.290	28.866	95.778	1.00	23.74
ATOM	10363	CE2	TYR	F	196	64.863	28.795	93.966	1.00	23.43
ATOM	10364	CZ	TYR	F	196	64.507	29.240	95.223	1.00	24.21
ATOM	10365	OH	TYR	F	196	65.366	30.067	95.906	1.00	22.44
ATOM	10366	N	LEU	F	197	58.961	27.169	94.285	1.00	19.26
ATOM	10367	CA	LEU	F	197	58.135	27.613	95.396	1.00	17.01
ATOM	10368	C	LEU	F	197	58.857	27.343	96.699	1.00	18.10
ATOM	10369	O	LEU	F	197	59.638	26.379	96.824	1.00	16.28
ATOM	10370	CB	LEU	F	197	56.816	26.855	95.391	1.00	17.56
ATOM	10371	CG	LEU	F	197	56.121	26.813	94.032	1.00	19.23
ATOM	10372	CD1	LEU	F	197	54.991	25.784	94.058	1.00	23.61
ATOM	10373	CD2	LEU	F	197	55.602	28.206	93.692	1.00	15.58
ATOM	10374	N	SER	F	198	58.597	28.214	97.662	1.00	18.30
ATOM	10375	CA	SER	F	198	59.194	28.116	98.985	1.00	17.63
ATOM	10376	C	SER	F	198	58.118	28.493	99.965	1.00	16.60
ATOM	10377	O	SER	F	198	57.274	29.340	99.684	1.00	14.48
ATOM	10378	CB	SER	F	198	60.378	29.072	99.128	1.00	15.19
ATOM	10379	OG	SER	F	198	60.004	30.395	98.790	1.00	23.33
ATOM	10380	N	GLY	F	199	58.152	27.847	101.119	1.00	18.70
ATOM	10381	CA	GLY	F	199	57.171	28.109	102.153	1.00	18.03
ATOM	10382	C	GLY	F	199	57.234	26.978	103.138	1.00	17.05
ATOM	10383	O	GLY	F	199	57.892	25.973	102.879	1.00	15.15
ATOM	10384	N	THR	F	200	56.569	27.129	104.273	1.00	19.52
ATOM	10385	CA	THR	F	200	56.593	26.059	105.264	1.00	22.21
ATOM	10386	C	THR	F	200	55.794	24.890	104.734	1.00	20.94
ATOM	10387	O	THR	F	200	54.754	25.055	104.103	1.00	21.18
ATOM	10388	CB	THR	F	200	55.997	26.472	106.594	1.00	22.82
ATOM	10389	OG1	THR	F	200	56.403	27.805	106.901	1.00	28.85
ATOM	10390	CG2	THR	F	200	56.500	25.560	107.666	1.00	20.88
ATOM	10391	N	THR	F	201	56.284	23.695	104.998	1.00	19.33
ATOM	10392	CA	THR	F	201	55.606	22.535	104.496	1.00	18.68
ATOM	10393	C	THR	F	201	55.081	21.690	105.628	1.00	17.43
ATOM	10394	O	THR	F	201	55.451	21.893	106.774	1.00	21.23
ATOM	10395	CB	THR	F	201	56.536	21.779	103.561	1.00	19.59
ATOM	10396	OG1	THR	F	201	56.110	22.038	102.216	1.00	18.74
ATOM	10397	CG2	THR	F	201	56.559	20.288	103.858	1.00	18.50
ATOM	10398	N	ALA	F	202	54.207	20.753	105.308	1.00	12.35
ATOM	10399	CA	ALA	F	202	53.613	19.947	106.323	1.00	12.18
ATOM	10400	C	ALA	F	202	53.635	18.447	106.041	1.00	13.66
ATOM	10401	O	ALA	F	202	53.003	17.674	106.758	1.00	16.79
ATOM	10402	CB	ALA	F	202	52.187	20.425	106.508	1.00	12.75
ATOM	10403	N	ASP	F	203	54.344	18.014	105.010	1.00	12.94
ATOM	10404	CA	ASP	F	203	54.339	16.594	104.674	1.00	11.37
ATOM	10405	C	ASP	F	203	55.706	16.084	104.337	1.00	10.17
ATOM	10406	O	ASP	F	203	56.575	16.872	104.032	1.00	15.07
ATOM	10407	CB	ASP	F	203	53.393	16.340	103.497	1.00	14.59
ATOM	10408	CG	ASP	F	203	53.841	17.022	102.204	1.00	19.92
ATOM	10409	OD1	ASP	F	203	54.025	18.266	102.189	1.00	17.17
ATOM	10410	OD2	ASP	F	203	53.989	16.292	101.196	1.00	19.51
ATOM	10411	N	ALA	F	204	55.916	14.776	104.387	1.00	9.17
ATOM	10412	CA	ALA	F	204	57.237	14.239	104.055	1.00	9.49
ATOM	10413	C	ALA	F	204	57.618	14.544	102.622	1.00	13.58
ATOM	10414	O	ALA	F	204	58.790	14.795	102.332	1.00	17.23

ATOM	10415	CB	ALA	F	204	57.287	12.764	104.262	1.00	7.77
ATOM	10416	N	GLY	F	205	56.629	14.526	101.728	1.00	14.32
ATOM	10417	CA	GLY	F	205	56.878	14.814	100.327	1.00	13.60
ATOM	10418	C	GLY	F	205	57.067	16.285	100.005	1.00	13.00
ATOM	10419	O	GLY	F	205	57.171	16.662	98.840	1.00	12.77
ATOM	10420	N	ASN	F	206	57.067	17.115	101.041	1.00	13.82
ATOM	10421	CA	ASN	F	206	57.294	18.558	100.922	1.00	17.41
ATOM	10422	C	ASN	F	206	56.425	19.337	99.934	1.00	18.21
ATOM	10423	O	ASN	F	206	56.852	20.372	99.429	1.00	17.35
ATOM	10424	CB	ASN	F	206	58.764	18.802	100.567	1.00	15.53
ATOM	10425	CG	ASN	F	206	59.215	20.216	100.863	1.00	17.18
ATOM	10426	OD1	ASN	F	206	60.183	20.698	100.279	1.00	26.58
ATOM	10427	ND2	ASN	F	206	58.537	20.880	101.783	1.00	10.20
ATOM	10428	N	SER	F	207	55.205	18.888	99.675	1.00	18.82
ATOM	10429	CA	SER	F	207	54.393	19.602	98.702	1.00	21.16
ATOM	10430	C	SER	F	207	53.106	20.218	99.194	1.00	22.18
ATOM	10431	O	SER	F	207	52.458	20.946	98.451	1.00	22.44
ATOM	10432	CB	SER	F	207	54.093	18.697	97.506	1.00	21.89
ATOM	10433	OG	SER	F	207	53.627	17.432	97.935	1.00	29.06
ATOM	10434	N	ILE	F	208	52.725	19.945	100.436	1.00	25.69
ATOM	10435	CA	ILE	F	208	51.491	20.522	100.974	1.00	25.75
ATOM	10436	C	ILE	F	208	51.843	21.651	101.946	1.00	29.25
ATOM	10437	O	ILE	F	208	52.401	21.410	103.025	1.00	31.30
ATOM	10438	CB	ILE	F	208	50.652	19.454	101.680	1.00	20.29
ATOM	10439	CG1	ILE	F	208	50.556	18.220	100.782	1.00	20.86
ATOM	10440	CG2	ILE	F	208	49.276	19.998	101.964	1.00	13.42
ATOM	10441	CD1	ILE	F	208	50.028	17.003	101.466	1.00	23.10
ATOM	10442	N	PHE	F	209	51.531	22.884	101.545	1.00	30.26
ATOM	10443	CA	PHE	F	209	51.831	24.060	102.355	1.00	31.64
ATOM	10444	C	PHE	F	209	50.864	24.279	103.510	1.00	35.13
ATOM	10445	O	PHE	F	209	49.645	24.300	103.336	1.00	37.23
ATOM	10446	CB	PHE	F	209	51.898	25.301	101.464	1.00	27.33
ATOM	10447	CG	PHE	F	209	53.052	25.285	100.495	1.00	22.37
ATOM	10448	CD1	PHE	F	209	54.307	25.741	100.878	1.00	22.16
ATOM	10449	CD2	PHE	F	209	52.891	24.804	99.213	1.00	23.95
ATOM	10450	CE1	PHE	F	209	55.377	25.719	99.999	1.00	22.63
ATOM	10451	CE2	PHE	F	209	53.967	24.777	98.316	1.00	25.62
ATOM	10452	CZ	PHE	F	209	55.208	25.236	98.715	1.00	24.15
ATOM	10453	N	THR	F	210	51.435	24.444	104.697	1.00	38.45
ATOM	10454	CA	THR	F	210	50.676	24.618	105.923	1.00	41.11
ATOM	10455	C	THR	F	210	49.622	25.697	105.890	1.00	42.32
ATOM	10456	O	THR	F	210	49.722	26.641	105.118	1.00	42.01
ATOM	10457	CB	THR	F	210	51.612	24.906	107.081	1.00	41.40
ATOM	10458	OG1	THR	F	210	52.649	23.924	107.093	1.00	43.91
ATOM	10459	CG2	THR	F	210	50.859	24.828	108.398	1.00	47.07
ATOM	10460	N	ASN	F	211	48.612	25.549	106.749	1.00	45.97
ATOM	10461	CA	ASN	F	211	47.525	26.514	106.837	1.00	48.17
ATOM	10462	C	ASN	F	211	47.871	27.594	107.834	1.00	49.62
ATOM	10463	O	ASN	F	211	48.095	27.319	109.006	1.00	48.62
ATOM	10464	CB	ASN	F	211	46.218	25.841	107.266	1.00	49.84
ATOM	10465	CG	ASN	F	211	44.996	26.735	107.044	1.00	51.66
ATOM	10466	OD1	ASN	F	211	43.858	26.308	107.250	1.00	51.30
ATOM	10467	ND2	ASN	F	211	45.231	27.980	106.620	1.00	47.19
ATOM	10468	N	THR	F	212	47.922	28.825	107.341	1.00	54.39
ATOM	10469	CA	THR	F	212	48.230	30.000	108.143	1.00	58.14
ATOM	10470	C	THR	F	212	46.930	30.768	108.286	1.00	62.63
ATOM	10471	O	THR	F	212	46.415	31.293	107.299	1.00	65.06
ATOM	10472	CB	THR	F	212	49.229	30.900	107.423	1.00	55.62
ATOM	10473	OG1	THR	F	212	50.513	30.271	107.401	1.00	50.72
ATOM	10474	CG2	THR	F	212	49.317	32.244	108.113	1.00	60.16
ATOM	10475	N	ALA	F	213	46.394	30.844	109.497	1.00	66.03
ATOM	10476	CA	ALA	F	213	45.139	31.550	109.672	1.00	69.34

ATOM	10477	C	ALA	F	213	44.879	32.022	111.095	1.00	72.65
ATOM	10478	O	ALA	F	213	45.517	31.572	112.047	1.00	74.94
ATOM	10479	CB	ALA	F	213	44.008	30.667	109.203	1.00	67.63
ATOM	10480	N	SER	F	214	43.929	32.938	111.229	1.00	75.20
ATOM	10481	CA	SER	F	214	43.572	33.473	112.530	1.00	78.98
ATOM	10482	C	SER	F	214	42.280	32.860	113.077	1.00	81.39
ATOM	10483	O	SER	F	214	42.209	32.549	114.263	1.00	82.80
ATOM	10484	CB	SER	F	214	43.432	34.998	112.449	1.00	80.47
ATOM	10485	OG	SER	F	214	43.233	35.582	113.729	1.00	81.47
ATOM	10486	N	PHE	F	215	41.271	32.666	112.227	1.00	83.82
ATOM	10487	CA	PHE	F	215	40.001	32.109	112.696	1.00	86.85
ATOM	10488	C	PHE	F	215	39.698	30.637	112.447	1.00	86.87
ATOM	10489	O	PHE	F	215	39.381	30.222	111.326	1.00	85.22
ATOM	10490	CB	PHE	F	215	38.838	32.920	112.154	1.00	92.70
ATOM	10491	CG	PHE	F	215	37.518	32.613	112.824	1.00	100.25
ATOM	10492	CD1	PHE	F	215	37.449	32.432	114.207	1.00	103.22
ATOM	10493	CD2	PHE	F	215	36.342	32.523	112.080	1.00	102.31
ATOM	10494	CE1	PHE	F	215	36.230	32.166	114.842	1.00	104.50
ATOM	10495	CE2	PHE	F	215	35.117	32.257	112.704	1.00	103.78
ATOM	10496	CZ	PHE	F	215	35.063	32.077	114.087	1.00	104.55
ATOM	10497	N	SER	F	216	39.749	29.869	113.532	1.00	86.58
ATOM	10498	CA	SER	F	216	39.484	28.442	113.501	1.00	86.02
ATOM	10499	C	SER	F	216	40.294	27.764	112.422	1.00	83.63
ATOM	10500	O	SER	F	216	39.827	27.570	111.297	1.00	83.66
ATOM	10501	CB	SER	F	216	38.003	28.170	113.258	1.00	89.98
ATOM	10502	OG	SER	F	216	37.773	26.772	113.155	1.00	93.65
ATOM	10503	N	PRO	F	217	41.530	27.394	112.748	1.00	81.32
ATOM	10504	CA	PRO	F	217	42.360	26.732	111.750	1.00	79.67
ATOM	10505	C	PRO	F	217	41.776	25.379	111.361	1.00	77.29
ATOM	10506	O	PRO	F	217	42.042	24.379	112.024	1.00	77.22
ATOM	10507	CB	PRO	F	217	43.704	26.602	112.458	1.00	80.72
ATOM	10508	CG	PRO	F	217	43.302	26.431	113.893	1.00	79.35
ATOM	10509	CD	PRO	F	217	42.231	27.484	114.040	1.00	81.29
ATOM	10510	N	ALA	F	218	40.967	25.363	110.305	1.00	73.45
ATOM	10511	CA	ALA	F	218	40.374	24.130	109.813	1.00	69.33
ATOM	10512	C	ALA	F	218	41.498	23.109	109.694	1.00	67.61
ATOM	10513	O	ALA	F	218	41.996	22.846	108.608	1.00	69.57
ATOM	10514	CB	ALA	F	218	39.750	24.369	108.455	1.00	67.34
ATOM	10515	N	GLN	F	219	41.903	22.539	110.816	1.00	66.21
ATOM	10516	CA	GLN	F	219	42.985	21.567	110.836	1.00	66.66
ATOM	10517	C	GLN	F	219	42.715	20.367	109.938	1.00	63.74
ATOM	10518	O	GLN	F	219	41.579	19.907	109.832	1.00	63.88
ATOM	10519	CB	GLN	F	219	43.218	21.078	112.267	1.00	70.94
ATOM	10520	CG	GLN	F	219	44.321	20.039	112.393	1.00	77.75
ATOM	10521	CD	GLN	F	219	44.401	19.446	113.783	1.00	82.65
ATOM	10522	OE1	GLN	F	219	45.229	18.572	114.059	1.00	87.05
ATOM	10523	NE2	GLN	F	219	43.534	19.917	114.672	1.00	85.81
ATOM	10524	N	GLY	F	220	43.769	19.868	109.294	1.00	60.35
ATOM	10525	CA	GLY	F	220	43.636	18.701	108.434	1.00	54.04
ATOM	10526	C	GLY	F	220	43.990	18.882	106.969	1.00	48.93
ATOM	10527	O	GLY	F	220	44.465	17.944	106.314	1.00	44.99
ATOM	10528	N	VAL	F	221	43.766	20.088	106.461	1.00	44.86
ATOM	10529	CA	VAL	F	221	44.037	20.388	105.068	1.00	43.72
ATOM	10530	C	VAL	F	221	45.318	21.194	104.862	1.00	40.12
ATOM	10531	O	VAL	F	221	46.037	21.482	105.801	1.00	41.73
ATOM	10532	CB	VAL	F	221	42.862	21.165	104.455	1.00	45.45
ATOM	10533	CG1	VAL	F	221	42.912	21.068	102.933	1.00	48.20
ATOM	10534	CG2	VAL	F	221	41.553	20.613	104.982	1.00	45.47
ATOM	10535	N	GLY	F	222	45.592	21.535	103.611	1.00	36.25
ATOM	10536	CA	GLY	F	222	46.760	22.319	103.266	1.00	31.67
ATOM	10537	C	GLY	F	222	46.630	22.717	101.810	1.00	27.78
ATOM	10538	O	GLY	F	222	45.792	22.185	101.092	1.00	27.86

ATOM	10539	N	VAL	F	223	47.442	23.654	101.359	1.00	24.49
ATOM	10540	CA	VAL	F	223	47.374	24.065	99.969	1.00	21.55
ATOM	10541	C	VAL	F	223	48.521	23.461	99.150	1.00	19.25
ATOM	10542	O	VAL	F	223	49.688	23.602	99.499	1.00	19.85
ATOM	10543	CB	VAL	F	223	47.433	25.602	99.849	1.00	21.95
ATOM	10544	CG1	VAL	F	223	47.220	26.011	98.392	1.00	21.79
ATOM	10545	CG2	VAL	F	223	46.388	26.241	100.754	1.00	18.13
ATOM	10546	N	GLN	F	224	48.187	22.777	98.070	1.00	16.74
ATOM	10547	CA	GLN	F	224	49.203	22.181	97.212	1.00	19.87
ATOM	10548	C	GLN	F	224	49.041	22.788	95.831	1.00	22.66
ATOM	10549	O	GLN	F	224	47.917	22.886	95.337	1.00	25.52
ATOM	10550	CB	GLN	F	224	49.015	20.667	97.138	1.00	18.38
ATOM	10551	CG	GLN	F	224	49.908	19.954	96.131	1.00	18.19
ATOM	10552	CD	GLN	F	224	49.902	18.446	96.340	1.00	25.87
ATOM	10553	OE1	GLN	F	224	50.632	17.919	97.174	1.00	31.78
ATOM	10554	NE2	GLN	F	224	49.057	17.748	95.599	1.00	31.90
ATOM	10555	N	LEU	F	225	50.142	23.208	95.206	1.00	22.27
ATOM	10556	CA	LEU	F	225	50.035	23.809	93.879	1.00	18.08
ATOM	10557	C	LEU	F	225	50.455	22.842	92.816	1.00	17.37
ATOM	10558	O	LEU	F	225	51.428	22.109	92.953	1.00	17.11
ATOM	10559	CB	LEU	F	225	50.853	25.099	93.780	1.00	16.92
ATOM	10560	CG	LEU	F	225	50.597	26.059	94.947	1.00	20.00
ATOM	10561	CD1	LEU	F	225	51.115	27.419	94.597	1.00	21.13
ATOM	10562	CD2	LEU	F	225	49.115	26.126	95.273	1.00	18.95
ATOM	10563	N	THR	F	226	49.691	22.847	91.741	1.00	22.32
ATOM	10564	CA	THR	F	226	49.939	21.951	90.631	1.00	25.55
ATOM	10565	C	THR	F	226	49.994	22.747	89.336	1.00	24.12
ATOM	10566	O	THR	F	226	49.290	23.752	89.191	1.00	24.61
ATOM	10567	CB	THR	F	226	48.807	20.935	90.563	1.00	28.08
ATOM	10568	OG1	THR	F	226	48.937	20.153	89.376	1.00	37.69
ATOM	10569	CG2	THR	F	226	47.465	21.661	90.562	1.00	26.05
ATOM	10570	N	ARG	F	227	50.850	22.317	88.416	1.00	22.72
ATOM	10571	CA	ARG	F	227	50.973	22.976	87.122	1.00	25.16
ATOM	10572	C	ARG	F	227	50.554	21.945	86.084	1.00	29.27
ATOM	10573	O	ARG	F	227	51.314	21.031	85.765	1.00	27.78
ATOM	10574	CB	ARG	F	227	52.410	23.437	86.877	1.00	18.97
ATOM	10575	CG	ARG	F	227	53.464	22.364	86.998	1.00	18.64
ATOM	10576	CD	ARG	F	227	54.834	22.900	86.632	1.00	24.34
ATOM	10577	NE	ARG	F	227	55.708	21.838	86.144	1.00	27.65
ATOM	10578	CZ	ARG	F	227	56.480	21.092	86.919	1.00	35.27
ATOM	10579	NH1	ARG	F	227	56.499	21.298	88.231	1.00	42.47
ATOM	10580	NH2	ARG	F	227	57.208	20.117	86.389	1.00	35.92
ATOM	10581	N	ASN	F	228	49.323	22.081	85.585	1.00	34.78
ATOM	10582	CA	ASN	F	228	48.777	21.137	84.608	1.00	37.77
ATOM	10583	C	ASN	F	228	48.804	19.704	85.144	1.00	37.00
ATOM	10584	O	ASN	F	228	49.360	18.807	84.506	1.00	39.23
ATOM	10585	CB	ASN	F	228	49.573	21.202	83.303	1.00	42.62
ATOM	10586	CG	ASN	F	228	49.260	22.438	82.497	1.00	46.13
ATOM	10587	OD1	ASN	F	228	48.154	22.596	81.997	1.00	48.13
ATOM	10588	ND2	ASN	F	228	50.236	23.327	82.370	1.00	52.28
ATOM	10589	N	GLY	F	229	48.223	19.499	86.322	1.00	34.70
ATOM	10590	CA	GLY	F	229	48.185	18.166	86.907	1.00	34.12
ATOM	10591	C	GLY	F	229	49.460	17.657	87.562	1.00	31.63
ATOM	10592	O	GLY	F	229	49.455	16.613	88.224	1.00	28.39
ATOM	10593	N	THR	F	230	50.557	18.381	87.369	1.00	30.31
ATOM	10594	CA	THR	F	230	51.831	18.003	87.966	1.00	27.76
ATOM	10595	C	THR	F	230	52.046	18.740	89.275	1.00	27.69
ATOM	10596	O	THR	F	230	51.893	19.971	89.350	1.00	24.95
ATOM	10597	CB	THR	F	230	52.979	18.339	87.050	1.00	27.34
ATOM	10598	OG1	THR	F	230	52.863	17.554	85.866	1.00	34.35
ATOM	10599	CG2	THR	F	230	54.289	18.033	87.707	1.00	27.40
ATOM	10600	N	ILE	F	231	52.392	17.980	90.311	1.00	26.53

ATOM	10601	CA	ILE F 231	52.630	18.573	91.616	1.00	24.19
ATOM	10602	C	ILE F 231	53.950	19.327	91.640	1.00	23.79
ATOM	10603	O	ILE F 231	54.935	18.926	90.993	1.00	23.11
ATOM	10604	CB	ILE F 231	52.661	17.520	92.731	1.00	22.28
ATOM	10605	CG1	ILE F 231	51.304	16.824	92.830	1.00	22.74
ATOM	10606	CG2	ILE F 231	53.000	18.186	94.065	1.00	22.17
ATOM	10607	CD1	ILE F 231	51.185	15.865	94.009	1.00	21.00
ATOM	10608	N	ILE F 232	53.955	20.428	92.389	1.00	20.81
ATOM	10609	CA	ILE F 232	55.138	21.260	92.525	1.00	19.19
ATOM	10610	C	ILE F 232	55.639	21.278	93.971	1.00	15.33
ATOM	10611	O	ILE F 232	55.182	22.071	94.778	1.00	14.54
ATOM	10612	CB	ILE F 232	54.848	22.719	92.102	1.00	19.55
ATOM	10613	CG1	ILE F 232	54.140	22.750	90.757	1.00	21.97
ATOM	10614	CG2	ILE F 232	56.139	23.489	91.950	1.00	22.32
ATOM	10615	CD1	ILE F 232	53.851	24.145	90.291	1.00	18.72
ATOM	10616	N	PRO F 233	56.570	20.384	94.324	1.00	13.57
ATOM	10617	CA	PRO F 233	57.016	20.463	95.714	1.00	13.56
ATOM	10618	C	PRO F 233	57.868	21.711	95.894	1.00	14.58
ATOM	10619	O	PRO F 233	58.325	22.311	94.921	1.00	10.92
ATOM	10620	CB	PRO F 233	57.827	19.186	95.894	1.00	13.00
ATOM	10621	CG	PRO F 233	58.282	18.879	94.486	1.00	12.51
ATOM	10622	CD	PRO F 233	57.087	19.175	93.665	1.00	9.11
ATOM	10623	N	ALA F 234	58.073	22.097	97.148	1.00	16.35
ATOM	10624	CA	ALA F 234	58.875	23.264	97.475	1.00	13.19
ATOM	10625	C	ALA F 234	60.300	23.030	97.020	1.00	14.12
ATOM	10626	O	ALA F 234	60.789	21.895	97.054	1.00	11.42
ATOM	10627	CB	ALA F 234	58.846	23.490	98.948	1.00	7.90
ATOM	10628	N	ASN F 235	60.957	24.096	96.570	1.00	14.35
ATOM	10629	CA	ASN F 235	62.351	23.997	96.150	1.00	17.70
ATOM	10630	C	ASN F 235	62.628	22.935	95.093	1.00	17.42
ATOM	10631	O	ASN F 235	63.487	22.094	95.280	1.00	17.03
ATOM	10632	CB	ASN F 235	63.225	23.692	97.369	1.00	18.91
ATOM	10633	CG	ASN F 235	62.831	24.504	98.589	1.00	20.38
ATOM	10634	OD1	ASN F 235	62.380	23.953	99.612	1.00	18.11
ATOM	10635	ND2	ASN F 235	62.991	25.827	98.488	1.00	19.83
ATOM	10636	N	ASN F 236	61.905	22.974	93.986	1.00	21.07
ATOM	10637	CA	ASN F 236	62.084	22.008	92.900	1.00	21.98
ATOM	10638	C	ASN F 236	61.914	22.856	91.664	1.00	22.61
ATOM	10639	O	ASN F 236	60.833	22.927	91.102	1.00	22.17
ATOM	10640	CB	ASN F 236	60.985	20.943	92.956	1.00	27.19
ATOM	10641	CG	ASN F 236	61.138	19.876	91.888	1.00	24.87
ATOM	10642	OD1	ASN F 236	62.089	19.106	91.894	1.00	25.60
ATOM	10643	ND2	ASN F 236	60.185	19.820	90.974	1.00	26.68
ATOM	10644	N	THR F 237	62.990	23.513	91.266	1.00	22.53
ATOM	10645	CA	THR F 237	62.980	24.412	90.134	1.00	23.09
ATOM	10646	C	THR F 237	62.276	23.841	88.930	1.00	23.30
ATOM	10647	O	THR F 237	62.545	22.723	88.531	1.00	25.19
ATOM	10648	CB	THR F 237	64.402	24.776	89.743	1.00	23.82
ATOM	10649	OG1	THR F 237	65.178	24.996	90.930	1.00	28.33
ATOM	10650	CG2	THR F 237	64.406	26.040	88.915	1.00	24.06
ATOM	10651	N	VAL F 238	61.365	24.619	88.360	1.00	24.34
ATOM	10652	CA	VAL F 238	60.615	24.218	87.171	1.00	26.23
ATOM	10653	C	VAL F 238	61.091	25.082	85.990	1.00	26.42
ATOM	10654	O	VAL F 238	60.918	26.303	86.000	1.00	26.47
ATOM	10655	CB	VAL F 238	59.076	24.446	87.356	1.00	27.48
ATOM	10656	CG1	VAL F 238	58.349	24.218	86.050	1.00	29.12
ATOM	10657	CG2	VAL F 238	58.518	23.516	88.384	1.00	27.20
ATOM	10658	N	SER F 239	61.689	24.454	84.983	1.00	24.93
ATOM	10659	CA	SER F 239	62.170	25.190	83.817	1.00	27.25
ATOM	10660	C	SER F 239	61.017	25.713	83.018	1.00	25.41
ATOM	10661	O	SER F 239	60.220	24.943	82.519	1.00	27.21
ATOM	10662	CB	SER F 239	63.001	24.298	82.916	1.00	29.80

ATOM	10663	OG	SER F 239	64.081	23.740	83.639	1.00	42.86
ATOM	10664	N	LEU F 240	60.937	27.029	82.888	1.00	27.32
ATOM	10665	CA	LEU F 240	59.860	27.670	82.142	1.00	26.47
ATOM	10666	C	LEU F 240	60.230	27.894	80.678	1.00	29.76
ATOM	10667	O	LEU F 240	59.464	28.502	79.923	1.00	29.32
ATOM	10668	CB	LEU F 240	59.527	29.013	82.769	1.00	21.73
ATOM	10669	CG	LEU F 240	58.137	29.086	83.372	1.00	20.84
ATOM	10670	CD1	LEU F 240	57.834	30.508	83.790	1.00	21.02
ATOM	10671	CD2	LEU F 240	57.139	28.606	82.366	1.00	21.23
ATOM	10672	N	GLY F 241	61.406	27.397	80.293	1.00	30.78
ATOM	10673	CA	GLY F 241	61.877	27.551	78.934	1.00	33.18
ATOM	10674	C	GLY F 241	62.507	28.916	78.770	1.00	35.55
ATOM	10675	O	GLY F 241	63.512	29.219	79.395	1.00	39.27
ATOM	10676	N	ALA F 242	61.926	29.745	77.921	1.00	35.66
ATOM	10677	CA	ALA F 242	62.452	31.074	77.726	1.00	35.70
ATOM	10678	C	ALA F 242	61.239	31.941	77.557	1.00	37.09
ATOM	10679	O	ALA F 242	60.415	31.705	76.677	1.00	34.10
ATOM	10680	CB	ALA F 242	63.319	31.134	76.486	1.00	34.48
ATOM	10681	N	VAL F 243	61.113	32.931	78.428	1.00	38.14
ATOM	10682	CA	VAL F 243	59.993	33.835	78.355	1.00	36.62
ATOM	10683	C	VAL F 243	60.401	35.004	77.493	1.00	37.84
ATOM	10684	O	VAL F 243	61.532	35.470	77.575	1.00	37.10
ATOM	10685	CB	VAL F 243	59.612	34.347	79.726	1.00	36.11
ATOM	10686	CG1	VAL F 243	58.355	35.181	79.611	1.00	36.04
ATOM	10687	CG2	VAL F 243	59.416	33.182	80.672	1.00	32.47
ATOM	10688	N	GLY F 244	59.471	35.469	76.666	1.00	40.37
ATOM	10689	CA	GLY F 244	59.743	36.581	75.783	1.00	39.38
ATOM	10690	C	GLY F 244	58.709	37.674	75.905	1.00	41.18
ATOM	10691	O	GLY F 244	58.255	37.989	77.006	1.00	38.11
ATOM	10692	N	THR F 245	58.328	38.246	74.763	1.00	45.94
ATOM	10693	CA	THR F 245	57.353	39.340	74.722	1.00	48.69
ATOM	10694	C	THR F 245	55.931	38.866	75.004	1.00	48.65
ATOM	10695	O	THR F 245	55.063	39.673	75.320	1.00	49.84
ATOM	10696	CB	THR F 245	57.370	40.054	73.352	1.00	49.26
ATOM	10697	OG1	THR F 245	56.686	39.250	72.380	1.00	55.00
ATOM	10698	CG2	THR F 245	58.802	40.268	72.890	1.00	46.91
ATOM	10699	N	SER F 246	55.707	37.557	74.884	1.00	49.80
ATOM	10700	CA	SER F 246	54.396	36.945	75.123	1.00	48.58
ATOM	10701	C	SER F 246	54.368	36.261	76.481	1.00	45.04
ATOM	10702	O	SER F 246	54.934	35.186	76.649	1.00	44.83
ATOM	10703	CB	SER F 246	54.088	35.907	74.043	1.00	48.73
ATOM	10704	OG	SER F 246	54.142	36.484	72.755	1.00	55.60
ATOM	10705	N	ALA F 247	53.694	36.879	77.440	1.00	41.48
ATOM	10706	CA	ALA F 247	53.621	36.324	78.782	1.00	41.93
ATOM	10707	C	ALA F 247	53.234	34.845	78.814	1.00	40.68
ATOM	10708	O	ALA F 247	52.178	34.460	78.323	1.00	42.76
ATOM	10709	CB	ALA F 247	52.648	37.142	79.632	1.00	40.83
ATOM	10710	N	VAL F 248	54.108	34.023	79.385	1.00	36.90
ATOM	10711	CA	VAL F 248	53.849	32.601	79.517	1.00	35.39
ATOM	10712	C	VAL F 248	53.095	32.432	80.814	1.00	37.02
ATOM	10713	O	VAL F 248	53.440	33.087	81.804	1.00	39.55
ATOM	10714	CB	VAL F 248	55.140	31.793	79.681	1.00	33.88
ATOM	10715	CG1	VAL F 248	54.813	30.319	79.783	1.00	32.05
ATOM	10716	CG2	VAL F 248	56.074	32.067	78.541	1.00	31.53
ATOM	10717	N	SER F 249	52.075	31.574	80.827	1.00	35.97
ATOM	10718	CA	SER F 249	51.339	31.329	82.071	1.00	36.53
ATOM	10719	C	SER F 249	52.020	30.145	82.698	1.00	35.42
ATOM	10720	O	SER F 249	52.377	29.199	81.999	1.00	35.16
ATOM	10721	CB	SER F 249	49.872	30.971	81.828	1.00	36.83
ATOM	10722	OG	SER F 249	49.182	30.784	83.055	1.00	35.33
ATOM	10723	N	LEU F 250	52.215	30.199	84.008	1.00	34.50
ATOM	10724	CA	LEU F 250	52.869	29.100	84.692	1.00	34.68

ATOM	10725	C	LEU F 250	51.896	27.918	84.765	1.00	32.29
ATOM	10726	O	LEU F 250	52.309	26.783	84.996	1.00	33.26
ATOM	10727	CB	LEU F 250	53.314	29.530	86.100	1.00	39.92
ATOM	10728	CG	LEU F 250	54.060	30.869	86.293	1.00	41.26
ATOM	10729	CD1	LEU F 250	54.536	30.961	87.747	1.00	35.71
ATOM	10730	CD2	LEU F 250	55.241	30.989	85.330	1.00	37.64
ATOM	10731	N	GLY F 251	50.611	28.197	84.558	1.00	26.89
ATOM	10732	CA	GLY F 251	49.606	27.157	84.584	1.00	24.94
ATOM	10733	C	GLY F 251	49.444	26.530	85.941	1.00	26.93
ATOM	10734	O	GLY F 251	49.546	25.313	86.091	1.00	28.85
ATOM	10735	N	LEU F 252	49.150	27.353	86.934	1.00	26.92
ATOM	10736	CA	LEU F 252	49.007	26.864	88.301	1.00	28.08
ATOM	10737	C	LEU F 252	47.585	26.735	88.819	1.00	29.63
ATOM	10738	O	LEU F 252	46.704	27.515	88.467	1.00	30.64
ATOM	10739	CB	LEU F 252	49.748	27.786	89.253	1.00	23.75
ATOM	10740	CG	LEU F 252	51.143	28.181	88.831	1.00	21.49
ATOM	10741	CD1	LEU F 252	51.581	29.318	89.723	1.00	23.12
ATOM	10742	CD2	LEU F 252	52.071	26.997	88.890	1.00	13.19
ATOM	10743	N	THR F 253	47.381	25.755	89.691	1.00	30.30
ATOM	10744	CA	THR F 253	46.080	25.543	90.307	1.00	29.28
ATOM	10745	C	THR F 253	46.315	25.324	91.792	1.00	26.64
ATOM	10746	O	THR F 253	47.160	24.514	92.174	1.00	26.58
ATOM	10747	CB	THR F 253	45.369	24.299	89.750	1.00	28.99
ATOM	10748	OG1	THR F 253	45.295	24.381	88.328	1.00	26.24
ATOM	10749	CG2	THR F 253	43.971	24.218	90.293	1.00	30.53
ATOM	10750	N	ALA F 254	45.595	26.077	92.614	1.00	22.03
ATOM	10751	CA	ALA F 254	45.682	25.942	94.053	1.00	21.03
ATOM	10752	C	ALA F 254	44.759	24.769	94.383	1.00	23.41
ATOM	10753	O	ALA F 254	43.572	24.797	94.059	1.00	25.03
ATOM	10754	CB	ALA F 254	45.182	27.196	94.723	1.00	15.38
ATOM	10755	N	ASN F 255	45.305	23.735	95.011	1.00	21.90
ATOM	10756	CA	ASN F 255	44.515	22.574	95.355	1.00	19.20
ATOM	10757	C	ASN F 255	44.564	22.327	96.829	1.00	20.08
ATOM	10758	O	ASN F 255	45.573	22.588	97.473	1.00	20.34
ATOM	10759	CB	ASN F 255	45.059	21.312	94.695	1.00	18.95
ATOM	10760	CG	ASN F 255	45.221	21.452	93.227	1.00	14.96
ATOM	10761	OD1	ASN F 255	45.333	20.471	92.517	1.00	20.61
ATOM	10762	ND2	ASN F 255	45.251	22.674	92.755	1.00	17.15
ATOM	10763	N	TYR F 256	43.469	21.809	97.365	1.00	22.56
ATOM	10764	CA	TYR F 256	43.452	21.445	98.767	1.00	22.20
ATOM	10765	C	TYR F 256	43.997	20.024	98.771	1.00	23.51
ATOM	10766	O	TYR F 256	43.677	19.213	97.879	1.00	22.42
ATOM	10767	CB	TYR F 256	42.040	21.433	99.346	1.00	21.54
ATOM	10768	CG	TYR F 256	41.432	22.786	99.573	1.00	21.92
ATOM	10769	CD1	TYR F 256	40.671	23.399	98.589	1.00	24.98
ATOM	10770	CD2	TYR F 256	41.566	23.425	100.795	1.00	26.30
ATOM	10771	CE1	TYR F 256	40.044	24.609	98.811	1.00	26.89
ATOM	10772	CE2	TYR F 256	40.950	24.639	101.037	1.00	30.03
ATOM	10773	CZ	TYR F 256	40.183	25.230	100.040	1.00	30.50
ATOM	10774	OH	TYR F 256	39.545	26.436	100.278	1.00	29.88
ATOM	10775	N	ALA F 257	44.852	19.739	99.746	1.00	22.87
ATOM	10776	CA	ALA F 257	45.417	18.414	99.905	1.00	24.22
ATOM	10777	C	ALA F 257	45.329	18.230	101.388	1.00	27.37
ATOM	10778	O	ALA F 257	45.243	19.208	102.123	1.00	27.93
ATOM	10779	CB	ALA F 257	46.836	18.375	99.450	1.00	24.77
ATOM	10780	N	ARG F 258	45.306	16.983	101.832	1.00	32.40
ATOM	10781	CA	ARG F 258	45.203	16.707	103.250	1.00	36.41
ATOM	10782	C	ARG F 258	46.566	16.391	103.823	1.00	41.48
ATOM	10783	O	ARG F 258	47.432	15.838	103.132	1.00	44.76
ATOM	10784	CB	ARG F 258	44.272	15.534	103.487	1.00	33.54
ATOM	10785	CG	ARG F 258	42.858	15.803	103.114	1.00	33.11
ATOM	10786	CD	ARG F 258	42.102	14.505	103.108	1.00	37.74

ATOM	10787	NE	ARG	F	258	42.211	13.804	104.385	1.00	41.06
ATOM	10788	CZ	ARG	F	258	41.763	12.571	104.599	1.00	39.15
ATOM	10789	NH1	ARG	F	258	41.176	11.896	103.621	1.00	36.36
ATOM	10790	NH2	ARG	F	258	41.900	12.017	105.792	1.00	40.37
ATOM	10791	N	THR	F	259	46.740	16.745	105.092	1.00	44.41
ATOM	10792	CA	THR	F	259	47.978	16.520	105.812	1.00	46.91
ATOM	10793	C	THR	F	259	47.760	15.367	106.776	1.00	50.99
ATOM	10794	O	THR	F	259	48.184	14.243	106.518	1.00	51.68
ATOM	10795	CB	THR	F	259	48.369	17.774	106.598	1.00	45.92
ATOM	10796	OG1	THR	F	259	47.250	18.225	107.367	1.00	44.71
ATOM	10797	CG2	THR	F	259	48.771	18.881	105.659	1.00	47.65
ATOM	10798	N	GLY	F	260	47.082	15.658	107.884	1.00	56.73
ATOM	10799	CA	GLY	F	260	46.794	14.645	108.887	1.00	59.65
ATOM	10800	C	GLY	F	260	45.406	14.052	108.712	1.00	62.74
ATOM	10801	O	GLY	F	260	44.557	14.633	108.016	1.00	63.91
ATOM	10802	N	GLY	F	261	45.173	12.901	109.343	1.00	62.95
ATOM	10803	CA	GLY	F	261	43.887	12.231	109.243	1.00	64.19
ATOM	10804	C	GLY	F	261	42.751	12.738	110.131	1.00	64.97
ATOM	10805	O	GLY	F	261	42.310	12.042	111.052	1.00	68.67
ATOM	10806	N	GLN	F	262	42.260	13.941	109.857	1.00	62.22
ATOM	10807	CA	GLN	F	262	41.158	14.509	110.622	1.00	60.02
ATOM	10808	C	GLN	F	262	40.763	15.870	110.081	1.00	57.87
ATOM	10809	O	GLN	F	262	40.799	16.872	110.800	1.00	59.52
ATOM	10810	CB	GLN	F	262	41.524	14.646	112.100	1.00	62.02
ATOM	10811	CG	GLN	F	262	40.374	15.180	112.964	1.00	67.95
ATOM	10812	CD	GLN	F	262	39.097	14.339	112.849	1.00	71.35
ATOM	10813	OE1	GLN	F	262	38.031	14.738	113.331	1.00	69.20
ATOM	10814	NE2	GLN	F	262	39.205	13.170	112.214	1.00	73.09
ATOM	10815	N	VAL	F	263	40.388	15.907	108.809	1.00	53.47
ATOM	10816	CA	VAL	F	263	39.990	17.156	108.198	1.00	49.61
ATOM	10817	C	VAL	F	263	38.956	17.776	109.120	1.00	47.64
ATOM	10818	O	VAL	F	263	38.145	17.067	109.685	1.00	49.95
ATOM	10819	CB	VAL	F	263	39.401	16.906	106.815	1.00	49.58
ATOM	10820	CG1	VAL	F	263	39.095	18.225	106.132	1.00	55.20
ATOM	10821	CG2	VAL	F	263	40.381	16.117	105.984	1.00	47.60
ATOM	10822	N	THR	F	264	38.984	19.091	109.282	1.00	45.57
ATOM	10823	CA	THR	F	264	38.050	19.735	110.181	1.00	44.56
ATOM	10824	C	THR	F	264	37.646	21.145	109.789	1.00	50.16
ATOM	10825	O	THR	F	264	38.459	21.924	109.299	1.00	52.40
ATOM	10826	CB	THR	F	264	38.639	19.790	111.559	1.00	39.99
ATOM	10827	OG1	THR	F	264	38.883	18.454	111.997	1.00	34.23
ATOM	10828	CG2	THR	F	264	37.707	20.512	112.519	1.00	34.35
ATOM	10829	N	ALA	F	265	36.381	21.464	110.034	1.00	52.91
ATOM	10830	CA	ALA	F	265	35.817	22.768	109.723	1.00	55.25
ATOM	10831	C	ALA	F	265	36.768	23.903	110.049	1.00	57.22
ATOM	10832	O	ALA	F	265	37.610	23.786	110.937	1.00	58.53
ATOM	10833	CB	ALA	F	265	34.519	22.953	110.491	1.00	59.37
ATOM	10834	N	GLY	F	266	36.619	25.009	109.329	1.00	59.55
ATOM	10835	CA	GLY	F	266	37.469	26.165	109.561	1.00	60.89
ATOM	10836	C	GLY	F	266	38.013	26.819	108.303	1.00	61.10
ATOM	10837	O	GLY	F	266	37.735	26.381	107.179	1.00	60.67
ATOM	10838	N	ASN	F	267	38.795	27.876	108.489	1.00	62.06
ATOM	10839	CA	ASN	F	267	39.377	28.571	107.352	1.00	62.78
ATOM	10840	C	ASN	F	267	40.749	28.030	106.984	1.00	60.95
ATOM	10841	O	ASN	F	267	41.511	27.568	107.841	1.00	58.88
ATOM	10842	CB	ASN	F	267	39.452	30.075	107.617	1.00	66.90
ATOM	10843	CG	ASN	F	267	38.081	30.697	107.767	1.00	71.25
ATOM	10844	OD1	ASN	F	267	37.902	31.905	107.587	1.00	75.89
ATOM	10845	ND2	ASN	F	267	37.100	29.871	108.106	1.00	72.69
ATOM	10846	N	VAL	F	268	41.036	28.091	105.688	1.00	58.55
ATOM	10847	CA	VAL	F	268	42.285	27.616	105.116	1.00	56.86
ATOM	10848	C	VAL	F	268	42.915	28.718	104.265	1.00	56.01

ATOM	10849	O	VAL	F	268	42.445	29.016	103.169	1.00	53.16
ATOM	10850	CB	VAL	F	268	42.021	26.369	104.242	1.00	56.82
ATOM	10851	CG1	VAL	F	268	43.265	25.968	103.492	1.00	58.12
ATOM	10852	CG2	VAL	F	268	41.544	25.226	105.117	1.00	57.91
ATOM	10853	N	GLN	F	269	43.969	29.335	104.793	1.00	55.36
ATOM	10854	CA	GLN	F	269	44.677	30.394	104.085	1.00	55.42
ATOM	10855	C	GLN	F	269	46.152	30.031	104.001	1.00	53.90
ATOM	10856	O	GLN	F	269	46.697	29.433	104.926	1.00	54.06
ATOM	10857	CB	GLN	F	269	44.512	31.717	104.818	1.00	57.90
ATOM	10858	CG	GLN	F	269	43.265	32.476	104.442	1.00	60.97
ATOM	10859	CD	GLN	F	269	42.962	33.581	105.429	1.00	66.10
ATOM	10860	OE1	GLN	F	269	43.844	34.356	105.810	1.00	65.92
ATOM	10861	NE2	GLN	F	269	41.705	33.663	105.854	1.00	70.42
ATOM	10862	N	SER	F	270	46.803	30.395	102.901	1.00	51.48
ATOM	10863	CA	SER	F	270	48.211	30.057	102.744	1.00	49.67
ATOM	10864	C	SER	F	270	49.065	31.155	102.093	1.00	48.37
ATOM	10865	O	SER	F	270	48.570	32.021	101.366	1.00	45.87
ATOM	10866	CB	SER	F	270	48.328	28.754	101.945	1.00	48.33
ATOM	10867	OG	SER	F	270	49.584	28.139	102.138	1.00	46.17
ATOM	10868	N	ILE	F	271	50.362	31.102	102.370	1.00	47.52
ATOM	10869	CA	ILE	F	271	51.314	32.067	101.832	1.00	46.83
ATOM	10870	C	ILE	F	271	52.494	31.346	101.188	1.00	42.50
ATOM	10871	O	ILE	F	271	53.250	30.661	101.860	1.00	41.14
ATOM	10872	CB	ILE	F	271	51.830	32.982	102.944	1.00	50.79
ATOM	10873	CG1	ILE	F	271	52.133	32.138	104.202	1.00	51.03
ATOM	10874	CG2	ILE	F	271	50.809	34.106	103.188	1.00	54.01
ATOM	10875	CD1	ILE	F	271	52.724	32.901	105.383	1.00	45.70
ATOM	10876	N	ILE	F	272	52.643	31.509	99.882	1.00	38.45
ATOM	10877	CA	ILE	F	272	53.711	30.853	99.155	1.00	36.70
ATOM	10878	C	ILE	F	272	54.608	31.812	98.418	1.00	33.95
ATOM	10879	O	ILE	F	272	54.149	32.754	97.793	1.00	34.41
ATOM	10880	CB	ILE	F	272	53.159	29.884	98.102	1.00	41.10
ATOM	10881	CG1	ILE	F	272	52.233	28.869	98.766	1.00	46.48
ATOM	10882	CG2	ILE	F	272	54.295	29.186	97.387	1.00	40.39
ATOM	10883	CD1	ILE	F	272	52.809	28.263	100.002	1.00	48.96
ATOM	10884	N	GLY	F	273	55.899	31.550	98.468	1.00	30.53
ATOM	10885	CA	GLY	F	273	56.814	32.408	97.766	1.00	28.81
ATOM	10886	C	GLY	F	273	57.188	31.757	96.463	1.00	29.69
ATOM	10887	O	GLY	F	273	57.572	30.585	96.441	1.00	32.49
ATOM	10888	N	VAL	F	274	57.043	32.495	95.369	1.00	27.63
ATOM	10889	CA	VAL	F	274	57.417	31.979	94.059	1.00	25.11
ATOM	10890	C	VAL	F	274	58.713	32.734	93.712	1.00	27.41
ATOM	10891	O	VAL	F	274	58.752	33.975	93.725	1.00	28.83
ATOM	10892	CB	VAL	F	274	56.333	32.261	93.004	1.00	21.10
ATOM	10893	CG1	VAL	F	274	56.511	31.331	91.826	1.00	15.02
ATOM	10894	CG2	VAL	F	274	54.961	32.112	93.614	1.00	17.68
ATOM	10895	N	THR	F	275	59.777	31.983	93.444	1.00	25.60
ATOM	10896	CA	THR	F	275	61.071	32.576	93.137	1.00	26.27
ATOM	10897	C	THR	F	275	61.505	32.265	91.718	1.00	25.15
ATOM	10898	O	THR	F	275	61.715	31.102	91.352	1.00	23.00
ATOM	10899	CB	THR	F	275	62.174	32.060	94.095	1.00	30.32
ATOM	10900	OG1	THR	F	275	61.815	32.352	95.451	1.00	37.14
ATOM	10901	CG2	THR	F	275	63.509	32.714	93.776	1.00	31.08
ATOM	10902	N	PHE	F	276	61.643	33.324	90.931	1.00	23.00
ATOM	10903	CA	PHE	F	276	62.058	33.212	89.552	1.00	19.13
ATOM	10904	C	PHE	F	276	63.569	33.284	89.492	1.00	18.93
ATOM	10905	O	PHE	F	276	64.177	34.222	89.990	1.00	20.59
ATOM	10906	CB	PHE	F	276	61.431	34.331	88.736	1.00	14.74
ATOM	10907	CG	PHE	F	276	59.971	34.161	88.524	1.00	17.66
ATOM	10908	CD1	PHE	F	276	59.066	34.445	89.543	1.00	18.71
ATOM	10909	CD2	PHE	F	276	59.488	33.701	87.304	1.00	19.89
ATOM	10910	CE1	PHE	F	276	57.693	34.280	89.353	1.00	17.71

ATOM	10911	CE2	PHE	F	276	58.115	33.527	87.098	1.00	19.35
ATOM	10912	CZ	PHE	F	276	57.212	33.822	88.128	1.00	17.51
ATOM	10913	N	VAL	F	277	64.175	32.279	88.879	1.00	18.06
ATOM	10914	CA	VAL	F	277	65.619	32.219	88.775	1.00	17.77
ATOM	10915	C	VAL	F	277	66.092	32.643	87.394	1.00	18.13
ATOM	10916	O	VAL	F	277	65.645	32.098	86.399	1.00	18.78
ATOM	10917	CB	VAL	F	277	66.115	30.797	89.039	1.00	16.65
ATOM	10918	CG1	VAL	F	277	67.597	30.822	89.315	1.00	20.32
ATOM	10919	CG2	VAL	F	277	65.357	30.187	90.205	1.00	16.03
ATOM	10920	N	TYR	F	278	67.013	33.604	87.345	1.00	19.02
ATOM	10921	CA	TYR	F	278	67.552	34.114	86.091	1.00	14.21
ATOM	10922	C	TYR	F	278	68.857	33.462	85.715	1.00	17.00
ATOM	10923	O	TYR	F	278	69.650	33.104	86.581	1.00	19.82
ATOM	10924	CB	TYR	F	278	67.760	35.609	86.191	1.00	9.54
ATOM	10925	CG	TYR	F	278	66.464	36.339	86.363	1.00	11.01
ATOM	10926	CD1	TYR	F	278	65.745	36.252	87.549	1.00	11.00
ATOM	10927	CD2	TYR	F	278	65.906	37.037	85.308	1.00	12.63
ATOM	10928	CE1	TYR	F	278	64.500	36.829	87.672	1.00	14.42
ATOM	10929	CE2	TYR	F	278	64.656	37.627	85.417	1.00	18.09
ATOM	10930	CZ	TYR	F	278	63.955	37.514	86.596	1.00	17.60
ATOM	10931	OH	TYR	F	278	62.695	38.056	86.680	1.00	23.47
ATOM	10932	N	GLN	F	279	69.084	33.301	84.415	1.00	19.01
ATOM	10933	CA	GLN	F	279	70.323	32.699	83.940	1.00	19.13
ATOM	10934	C	GLN	F	279	71.429	33.724	83.734	1.00	19.23
ATOM	10935	O	GLN	F	279	72.580	33.400	84.072	1.00	21.86
ATOM	10936	CB	GLN	F	279	70.111	31.950	82.632	1.00	21.70
ATOM	10937	CG	GLN	F	279	71.339	31.156	82.244	1.00	26.57
ATOM	10938	CD	GLN	F	279	71.240	30.455	80.899	1.00	33.69
ATOM	10939	OE1	GLN	F	279	72.019	29.536	80.632	1.00	37.71
ATOM	10940	NE2	GLN	F	279	70.304	30.887	80.041	1.00	27.94
ATOM	10941	OXT	GLN	F	279	71.149	34.823	83.214	1.00	18.43
ATOM	10942	N	GLY	G	1	94.859	122.937	141.625	1.00	36.59
ATOM	10943	CA	GLY	G	1	95.123	123.539	142.960	1.00	33.17
ATOM	10944	C	GLY	G	1	94.254	124.744	143.271	1.00	31.10
ATOM	10945	O	GLY	G	1	93.046	124.719	143.046	1.00	31.75
ATOM	10946	N	VAL	G	2	94.873	125.797	143.793	1.00	25.99
ATOM	10947	CA	VAL	G	2	94.157	127.014	144.154	1.00	21.27
ATOM	10948	C	VAL	G	2	94.822	128.192	143.452	1.00	23.35
ATOM	10949	O	VAL	G	2	96.045	128.324	143.494	1.00	27.60
ATOM	10950	CB	VAL	G	2	94.179	127.206	145.690	1.00	13.91
ATOM	10951	CG1	VAL	G	2	93.531	128.496	146.073	1.00	11.45
ATOM	10952	CG2	VAL	G	2	93.459	126.048	146.353	1.00	8.00
ATOM	10953	N	ALA	G	3	94.032	129.034	142.782	1.00	23.53
ATOM	10954	CA	ALA	G	3	94.600	130.186	142.066	1.00	24.34
ATOM	10955	C	ALA	G	3	93.865	131.497	142.302	1.00	23.80
ATOM	10956	O	ALA	G	3	92.658	131.524	142.520	1.00	21.66
ATOM	10957	CB	ALA	G	3	94.677	129.908	140.573	1.00	23.13
ATOM	10958	N	LEU	G	4	94.625	132.584	142.260	1.00	23.22
ATOM	10959	CA	LEU	G	4	94.074	133.893	142.481	1.00	22.23
ATOM	10960	C	LEU	G	4	93.571	134.449	141.162	1.00	26.97
ATOM	10961	O	LEU	G	4	94.140	134.169	140.099	1.00	26.09
ATOM	10962	CB	LEU	G	4	95.142	134.800	143.077	1.00	21.67
ATOM	10963	CG	LEU	G	4	95.869	134.291	144.337	1.00	19.37
ATOM	10964	CD1	LEU	G	4	96.891	135.328	144.777	1.00	14.20
ATOM	10965	CD2	LEU	G	4	94.882	134.015	145.456	1.00	14.12
ATOM	10966	N	GLY	G	5	92.490	135.231	141.241	1.00	29.38
ATOM	10967	CA	GLY	G	5	91.891	135.834	140.059	1.00	26.63
ATOM	10968	C	GLY	G	5	92.780	136.835	139.330	1.00	27.55
ATOM	10969	O	GLY	G	5	92.629	137.031	138.128	1.00	28.71
ATOM	10970	N	ALA	G	6	93.698	137.480	140.048	1.00	27.34
ATOM	10971	CA	ALA	G	6	94.616	138.449	139.445	1.00	25.27
ATOM	10972	C	ALA	G	6	96.053	137.983	139.507	1.00	23.98

ATOM	10973	O	ALA	G	6	96.374	136.960	140.101	1.00	27.36
ATOM	10974	CB	ALA	G	6	94.514	139.759	140.148	1.00	25.69
ATOM	10975	N	THR	G	7	96.922	138.747	138.880	1.00	20.33
ATOM	10976	CA	THR	G	7	98.326	138.432	138.885	1.00	19.06
ATOM	10977	C	THR	G	7	99.001	139.577	139.599	1.00	18.84
ATOM	10978	O	THR	G	7	100.218	139.578	139.795	1.00	20.32
ATOM	10979	CB	THR	G	7	98.881	138.292	137.463	1.00	23.43
ATOM	10980	OG1	THR	G	7	98.492	139.428	136.657	1.00	22.84
ATOM	10981	CG2	THR	G	7	98.392	136.981	136.857	1.00	17.52
ATOM	10982	N	ARG	G	8	98.186	140.556	139.980	1.00	16.16
ATOM	10983	CA	ARG	G	8	98.647	141.724	140.718	1.00	15.43
ATOM	10984	C	ARG	G	8	97.427	142.456	141.228	1.00	15.23
ATOM	10985	O	ARG	G	8	96.295	142.105	140.882	1.00	16.54
ATOM	10986	CB	ARG	G	8	99.490	142.643	139.844	1.00	13.89
ATOM	10987	CG	ARG	G	8	98.721	143.654	139.043	1.00	17.35
ATOM	10988	CD	ARG	G	8	98.972	143.514	137.555	1.00	19.24
ATOM	10989	NE	ARG	G	8	100.385	143.584	137.176	1.00	18.04
ATOM	10990	CZ	ARG	G	8	101.169	142.519	137.057	1.00	21.93
ATOM	10991	NH1	ARG	G	8	100.668	141.302	137.281	1.00	20.09
ATOM	10992	NH2	ARG	G	8	102.442	142.664	136.707	1.00	16.45
ATOM	10993	N	VAL	G	9	97.644	143.463	142.063	1.00	14.22
ATOM	10994	CA	VAL	G	9	96.530	144.205	142.628	1.00	12.81
ATOM	10995	C	VAL	G	9	96.870	145.642	142.846	1.00	13.51
ATOM	10996	O	VAL	G	9	97.955	145.965	143.320	1.00	11.34
ATOM	10997	CB	VAL	G	9	96.084	143.624	143.982	1.00	12.78
ATOM	10998	CG1	VAL	G	9	95.226	144.638	144.721	1.00	11.42
ATOM	10999	CG2	VAL	G	9	95.277	142.332	143.761	1.00	10.63
ATOM	11000	N	ILE	G	10	95.924	146.510	142.496	1.00	16.70
ATOM	11001	CA	ILE	G	10	96.121	147.937	142.666	1.00	16.63
ATOM	11002	C	ILE	G	10	95.234	148.491	143.751	1.00	18.91
ATOM	11003	O	ILE	G	10	94.011	148.462	143.633	1.00	17.06
ATOM	11004	CB	ILE	G	10	95.833	148.708	141.396	1.00	9.81
ATOM	11005	CG1	ILE	G	10	96.745	148.223	140.290	1.00	8.91
ATOM	11006	CG2	ILE	G	10	96.103	150.176	141.628	1.00	14.98
ATOM	11007	CD1	ILE	G	10	98.191	148.210	140.658	1.00	7.59
ATOM	11008	N	TYR	G	11	95.862	148.995	144.812	1.00	20.69
ATOM	11009	CA	TYR	G	11	95.118	149.565	145.919	1.00	21.38
ATOM	11010	C	TYR	G	11	95.031	151.062	145.796	1.00	22.67
ATOM	11011	O	TYR	G	11	96.024	151.767	145.961	1.00	23.52
ATOM	11012	CB	TYR	G	11	95.748	149.236	147.260	1.00	16.38
ATOM	11013	CG	TYR	G	11	94.709	149.119	148.330	1.00	15.24
ATOM	11014	CD1	TYR	G	11	94.183	150.243	148.945	1.00	17.91
ATOM	11015	CD2	TYR	G	11	94.237	147.876	148.723	1.00	20.13
ATOM	11016	CE1	TYR	G	11	93.208	150.128	149.941	1.00	21.54
ATOM	11017	CE2	TYR	G	11	93.270	147.747	149.707	1.00	21.89
ATOM	11018	CZ	TYR	G	11	92.760	148.872	150.315	1.00	22.96
ATOM	11019	OH	TYR	G	11	91.808	148.728	151.297	1.00	24.07
ATOM	11020	N	PRO	G	12	93.826	151.565	145.497	1.00	25.53
ATOM	11021	CA	PRO	G	12	93.500	152.989	145.334	1.00	25.79
ATOM	11022	C	PRO	G	12	93.458	153.698	146.695	1.00	25.71
ATOM	11023	O	PRO	G	12	92.604	153.396	147.539	1.00	19.62
ATOM	11024	CB	PRO	G	12	92.117	152.958	144.674	1.00	26.38
ATOM	11025	CG	PRO	G	12	91.994	151.553	144.115	1.00	24.12
ATOM	11026	CD	PRO	G	12	92.671	150.720	145.141	1.00	24.95
ATOM	11027	N	ALA	G	13	94.372	154.637	146.908	1.00	28.22
ATOM	11028	CA	ALA	G	13	94.404	155.357	148.176	1.00	34.60
ATOM	11029	C	ALA	G	13	93.017	155.902	148.468	1.00	38.25
ATOM	11030	O	ALA	G	13	92.405	156.563	147.623	1.00	41.46
ATOM	11031	CB	ALA	G	13	95.408	156.487	148.122	1.00	35.12
ATOM	11032	N	GLY	G	14	92.525	155.614	149.667	1.00	41.37
ATOM	11033	CA	GLY	G	14	91.200	156.056	150.052	1.00	44.32
ATOM	11034	C	GLY	G	14	90.249	154.880	150.145	1.00	45.88

ATOM	11035	O	GLY	G	14	89.504	154.750	151.118	1.00	44.60
ATOM	11036	N	GLN	G	15	90.289	154.022	149.128	1.00	49.51
ATOM	11037	CA	GLN	G	15	89.443	152.831	149.049	1.00	51.01
ATOM	11038	C	GLN	G	15	89.262	152.142	150.383	1.00	51.27
ATOM	11039	O	GLN	G	15	90.236	151.744	151.016	1.00	51.37
ATOM	11040	CB	GLN	G	15	90.038	151.830	148.065	1.00	53.82
ATOM	11041	CG	GLN	G	15	89.571	152.014	146.646	1.00	58.21
ATOM	11042	CD	GLN	G	15	88.088	151.810	146.517	1.00	58.35
ATOM	11043	OE1	GLN	G	15	87.565	150.742	146.849	1.00	55.11
ATOM	11044	NE2	GLN	G	15	87.391	152.837	146.035	1.00	61.11
ATOM	11045	N	LYS	G	16	88.015	151.988	150.810	1.00	52.35
ATOM	11046	CA	LYS	G	16	87.760	151.336	152.085	1.00	51.21
ATOM	11047	C	LYS	G	16	88.270	149.913	152.016	1.00	49.37
ATOM	11048	O	LYS	G	16	88.711	149.390	153.022	1.00	52.52
ATOM	11049	CB	LYS	G	16	86.268	151.333	152.413	1.00	55.46
ATOM	11050	CG	LYS	G	16	85.951	151.183	153.908	1.00	57.94
ATOM	11051	CD	LYS	G	16	84.428	151.055	154.169	1.00	57.30
ATOM	11052	CE	LYS	G	16	83.609	152.224	153.596	1.00	53.24
ATOM	11053	NZ	LYS	G	16	84.011	153.540	154.165	1.00	49.35
ATOM	11054	N	GLN	G	17	88.209	149.292	150.836	1.00	46.64
ATOM	11055	CA	GLN	G	17	88.699	147.920	150.657	1.00	44.97
ATOM	11056	C	GLN	G	17	88.854	147.497	149.192	1.00	41.84
ATOM	11057	O	GLN	G	17	88.280	148.113	148.305	1.00	42.81
ATOM	11058	CB	GLN	G	17	87.767	146.931	151.348	1.00	45.82
ATOM	11059	CG	GLN	G	17	86.388	146.904	150.744	1.00	48.57
ATOM	11060	CD	GLN	G	17	85.682	145.602	151.014	1.00	51.17
ATOM	11061	OE1	GLN	G	17	85.595	145.152	152.166	1.00	52.40
ATOM	11062	NE2	GLN	G	17	85.171	144.978	149.953	1.00	50.87
ATOM	11063	N	VAL	G	18	89.631	146.440	148.955	1.00	38.81
ATOM	11064	CA	VAL	G	18	89.861	145.901	147.611	1.00	36.14
ATOM	11065	C	VAL	G	18	89.711	144.379	147.597	1.00	36.17
ATOM	11066	O	VAL	G	18	90.304	143.674	148.415	1.00	36.41
ATOM	11067	CB	VAL	G	18	91.252	146.239	147.100	1.00	36.55
ATOM	11068	CG1	VAL	G	18	91.524	145.480	145.824	1.00	34.71
ATOM	11069	CG2	VAL	G	18	91.360	147.733	146.861	1.00	41.19
ATOM	11070	N	GLN	G	19	88.946	143.876	146.635	1.00	35.75
ATOM	11071	CA	GLN	G	19	88.662	142.454	146.551	1.00	32.12
ATOM	11072	C	GLN	G	19	89.500	141.687	145.565	1.00	29.67
ATOM	11073	O	GLN	G	19	89.854	142.203	144.521	1.00	31.88
ATOM	11074	CB	GLN	G	19	87.181	142.283	146.242	1.00	31.20
ATOM	11075	CG	GLN	G	19	86.356	143.221	147.112	1.00	38.15
ATOM	11076	CD	GLN	G	19	84.870	142.943	147.080	1.00	45.89
ATOM	11077	OE1	GLN	G	19	84.116	143.473	147.904	1.00	46.43
ATOM	11078	NE2	GLN	G	19	84.434	142.113	146.128	1.00	48.06
ATOM	11079	N	LEU	G	20	89.838	140.456	145.929	1.00	27.65
ATOM	11080	CA	LEU	G	20	90.613	139.566	145.080	1.00	28.26
ATOM	11081	C	LEU	G	20	89.921	138.198	145.103	1.00	28.52
ATOM	11082	O	LEU	G	20	89.466	137.746	146.155	1.00	29.29
ATOM	11083	CB	LEU	G	20	92.044	139.441	145.599	1.00	29.56
ATOM	11084	CG	LEU	G	20	92.994	138.462	144.883	1.00	31.11
ATOM	11085	CD1	LEU	G	20	93.322	138.958	143.502	1.00	31.87
ATOM	11086	CD2	LEU	G	20	94.277	138.321	145.679	1.00	32.45
ATOM	11087	N	ALA	G	21	89.844	137.544	143.948	1.00	26.91
ATOM	11088	CA	ALA	G	21	89.185	136.252	143.848	1.00	26.10
ATOM	11089	C	ALA	G	21	90.134	135.074	144.036	1.00	27.19
ATOM	11090	O	ALA	G	21	91.273	135.092	143.560	1.00	27.13
ATOM	11091	CB	ALA	G	21	88.494	136.136	142.497	1.00	26.30
ATOM	11092	N	VAL	G	22	89.644	134.049	144.727	1.00	24.62
ATOM	11093	CA	VAL	G	22	90.399	132.833	144.970	1.00	23.45
ATOM	11094	C	VAL	G	22	89.511	131.668	144.586	1.00	24.86
ATOM	11095	O	VAL	G	22	88.325	131.669	144.879	1.00	25.95
ATOM	11096	CB	VAL	G	22	90.774	132.680	146.458	1.00	23.37

ATOM	11097	CG1	VAL	G	22	91.473	131.336	146.708	1.00	22.17
ATOM	11098	CG2	VAL	G	22	91.671	133.804	146.863	1.00	26.89
ATOM	11099	N	THR	G	23	90.080	130.673	143.928	1.00	26.80
ATOM	11100	CA	THR	G	23	89.301	129.522	143.551	1.00	30.20
ATOM	11101	C	THR	G	23	90.114	128.238	143.584	1.00	32.82
ATOM	11102	O	THR	G	23	91.290	128.210	143.229	1.00	30.59
ATOM	11103	CB	THR	G	23	88.655	129.712	142.164	1.00	32.40
ATOM	11104	OG1	THR	G	23	88.703	128.473	141.443	1.00	35.40
ATOM	11105	CG2	THR	G	23	89.351	130.813	141.388	1.00	28.81
ATOM	11106	N	ASN	G	24	89.445	127.183	144.032	1.00	35.58
ATOM	11107	CA	ASN	G	24	90.002	125.853	144.168	1.00	35.94
ATOM	11108	C	ASN	G	24	89.454	124.979	143.049	1.00	38.99
ATOM	11109	O	ASN	G	24	88.243	124.802	142.928	1.00	39.26
ATOM	11110	CB	ASN	G	24	89.602	125.303	145.539	1.00	33.70
ATOM	11111	CG	ASN	G	24	90.057	123.894	145.758	1.00	31.97
ATOM	11112	OD1	ASN	G	24	91.110	123.490	145.275	1.00	35.43
ATOM	11113	ND2	ASN	G	24	89.278	123.137	146.504	1.00	27.24
ATOM	11114	N	ASN	G	25	90.364	124.432	142.245	1.00	43.45
ATOM	11115	CA	ASN	G	25	90.043	123.584	141.092	1.00	47.07
ATOM	11116	C	ASN	G	25	89.872	122.123	141.407	1.00	49.24
ATOM	11117	O	ASN	G	25	89.189	121.408	140.685	1.00	50.73
ATOM	11118	CB	ASN	G	25	91.148	123.683	140.057	1.00	47.46
ATOM	11119	CG	ASN	G	25	91.401	125.089	139.635	1.00	53.16
ATOM	11120	OD1	ASN	G	25	91.111	126.025	140.377	1.00	57.44
ATOM	11121	ND2	ASN	G	25	91.957	125.261	138.440	1.00	59.13
ATOM	11122	N	ASP	G	26	90.525	121.679	142.470	1.00	52.79
ATOM	11123	CA	ASP	G	26	90.487	120.284	142.865	1.00	55.86
ATOM	11124	C	ASP	G	26	89.097	119.808	143.288	1.00	57.51
ATOM	11125	O	ASP	G	26	88.625	120.109	144.389	1.00	55.51
ATOM	11126	CB	ASP	G	26	91.528	120.066	143.963	1.00	59.49
ATOM	11127	CG	ASP	G	26	92.929	120.532	143.536	1.00	62.86
ATOM	11128	OD1	ASP	G	26	93.095	120.916	142.358	1.00	62.35
ATOM	11129	OD2	ASP	G	26	93.863	120.516	144.372	1.00	64.24
ATOM	11130	N	GLU	G	27	88.465	119.057	142.382	1.00	58.62
ATOM	11131	CA	GLU	G	27	87.121	118.513	142.560	1.00	62.33
ATOM	11132	C	GLU	G	27	86.863	117.903	143.920	1.00	62.22
ATOM	11133	O	GLU	G	27	85.714	117.680	144.306	1.00	61.16
ATOM	11134	CB	GLU	G	27	86.836	117.461	141.487	1.00	67.66
ATOM	11135	CG	GLU	G	27	85.917	117.938	140.356	1.00	77.64
ATOM	11136	CD	GLU	G	27	85.841	116.954	139.184	1.00	82.66
ATOM	11137	OE1	GLU	G	27	85.537	115.761	139.420	1.00	84.54
ATOM	11138	OE2	GLU	G	27	86.086	117.382	138.030	1.00	83.60
ATOM	11139	N	ASN	G	28	87.933	117.623	144.646	1.00	62.48
ATOM	11140	CA	ASN	G	28	87.801	117.026	145.961	1.00	63.74
ATOM	11141	C	ASN	G	28	89.129	117.026	146.712	1.00	62.63
ATOM	11142	O	ASN	G	28	90.050	116.260	146.407	1.00	63.73
ATOM	11143	CB	ASN	G	28	87.231	115.602	145.834	1.00	65.84
ATOM	11144	CG	ASN	G	28	87.941	114.764	144.771	1.00	68.15
ATOM	11145	OD1	ASN	G	28	87.465	113.685	144.410	1.00	67.15
ATOM	11146	ND2	ASN	G	28	89.081	115.252	144.272	1.00	68.01
ATOM	11147	N	SER	G	29	89.206	117.913	147.693	1.00	59.58
ATOM	11148	CA	SER	G	29	90.380	118.086	148.532	1.00	56.32
ATOM	11149	C	SER	G	29	90.238	119.459	149.177	1.00	55.49
ATOM	11150	O	SER	G	29	90.255	120.489	148.498	1.00	56.83
ATOM	11151	CB	SER	G	29	91.669	118.016	147.701	1.00	54.56
ATOM	11152	OG	SER	G	29	91.767	119.083	146.779	1.00	50.50
ATOM	11153	N	THR	G	30	90.081	119.470	150.491	1.00	51.54
ATOM	11154	CA	THR	G	30	89.920	120.715	151.210	1.00	50.08
ATOM	11155	C	THR	G	30	91.241	121.453	151.402	1.00	49.48
ATOM	11156	O	THR	G	30	92.313	120.852	151.341	1.00	51.67
ATOM	11157	CB	THR	G	30	89.278	120.441	152.566	1.00	49.54
ATOM	11158	OG1	THR	G	30	87.958	119.929	152.354	1.00	52.89

ATOM	11159	CG2	THR	G	30	89.200	121.701	153.399	1.00	50.69
ATOM	11160	N	TYR	G	31	91.155	122.765	151.607	1.00	46.74
ATOM	11161	CA	TYR	G	31	92.334	123.592	151.842	1.00	42.16
ATOM	11162	C	TYR	G	31	92.070	124.687	152.875	1.00	41.12
ATOM	11163	O	TYR	G	31	90.941	125.123	153.106	1.00	39.17
ATOM	11164	CB	TYR	G	31	92.823	124.270	150.558	1.00	40.60
ATOM	11165	CG	TYR	G	31	93.445	123.357	149.530	1.00	40.34
ATOM	11166	CD1	TYR	G	31	94.793	123.016	149.596	1.00	39.19
ATOM	11167	CD2	TYR	G	31	92.688	122.842	148.483	1.00	40.72
ATOM	11168	CE1	TYR	G	31	95.367	122.188	148.646	1.00	35.51
ATOM	11169	CE2	TYR	G	31	93.256	122.017	147.532	1.00	38.68
ATOM	11170	CZ	TYR	G	31	94.591	121.694	147.619	1.00	36.44
ATOM	11171	OH	TYR	G	31	95.135	120.870	146.668	1.00	40.67
ATOM	11172	N	LEU	G	32	93.149	125.125	153.495	1.00	40.02
ATOM	11173	CA	LEU	G	32	93.104	126.184	154.476	1.00	37.86
ATOM	11174	C	LEU	G	32	93.775	127.359	153.796	1.00	36.49
ATOM	11175	O	LEU	G	32	94.953	127.294	153.440	1.00	35.60
ATOM	11176	CB	LEU	G	32	93.882	125.771	155.714	1.00	37.98
ATOM	11177	CG	LEU	G	32	93.002	125.209	156.815	1.00	37.82
ATOM	11178	CD1	LEU	G	32	93.813	124.325	157.741	1.00	35.67
ATOM	11179	CD2	LEU	G	32	92.371	126.385	157.537	1.00	33.72
ATOM	11180	N	ILE	G	33	93.015	128.429	153.611	1.00	33.86
ATOM	11181	CA	ILE	G	33	93.512	129.615	152.942	1.00	29.66
ATOM	11182	C	ILE	G	33	93.993	130.731	153.859	1.00	30.08
ATOM	11183	O	ILE	G	33	93.189	131.490	154.416	1.00	28.58
ATOM	11184	CB	ILE	G	33	92.432	130.182	152.009	1.00	26.26
ATOM	11185	CG1	ILE	G	33	91.939	129.076	151.083	1.00	27.87
ATOM	11186	CG2	ILE	G	33	92.975	131.331	151.212	1.00	22.73
ATOM	11187	CD1	ILE	G	33	93.037	128.401	150.317	1.00	26.25
ATOM	11188	N	GLN	G	34	95.313	130.826	154.009	1.00	28.73
ATOM	11189	CA	GLN	G	34	95.914	131.886	154.804	1.00	29.03
ATOM	11190	C	GLN	G	34	96.494	132.928	153.847	1.00	29.59
ATOM	11191	O	GLN	G	34	97.163	132.594	152.863	1.00	29.35
ATOM	11192	CB	GLN	G	34	97.015	131.349	155.710	1.00	27.75
ATOM	11193	CG	GLN	G	34	96.526	130.690	156.994	1.00	24.73
ATOM	11194	CD	GLN	G	34	97.671	130.389	157.935	1.00	23.10
ATOM	11195	OE1	GLN	G	34	98.835	130.332	157.514	1.00	21.75
ATOM	11196	NE2	GLN	G	34	97.355	130.183	159.211	1.00	17.68
ATOM	11197	N	SER	G	35	96.233	134.195	154.143	1.00	28.52
ATOM	11198	CA	SER	G	35	96.691	135.282	153.295	1.00	25.08
ATOM	11199	C	SER	G	35	97.237	136.442	154.127	1.00	22.49
ATOM	11200	O	SER	G	35	96.726	136.730	155.197	1.00	20.95
ATOM	11201	CB	SER	G	35	95.512	135.743	152.428	1.00	26.52
ATOM	11202	OG	SER	G	35	94.349	134.981	152.753	1.00	28.06
ATOM	11203	N	TRP	G	36	98.288	137.089	153.632	1.00	21.24
ATOM	11204	CA	TRP	G	36	98.899	138.231	154.310	1.00	22.51
ATOM	11205	C	TRP	G	36	99.601	139.182	153.332	1.00	25.12
ATOM	11206	O	TRP	G	36	99.774	138.869	152.148	1.00	27.47
ATOM	11207	CB	TRP	G	36	99.891	137.762	155.372	1.00	17.97
ATOM	11208	CG	TRP	G	36	101.080	137.042	154.824	1.00	15.89
ATOM	11209	CD1	TRP	G	36	102.347	137.545	154.642	1.00	15.66
ATOM	11210	CD2	TRP	G	36	101.123	135.684	154.397	1.00	9.48
ATOM	11211	NE1	TRP	G	36	103.171	136.576	154.129	1.00	12.19
ATOM	11212	CE2	TRP	G	36	102.445	135.422	153.968	1.00	12.69
ATOM	11213	CE3	TRP	G	36	100.174	134.660	154.332	1.00	6.40
ATOM	11214	CZ2	TRP	G	36	102.840	134.167	153.484	1.00	11.20
ATOM	11215	CZ3	TRP	G	36	100.560	133.417	153.851	1.00	7.09
ATOM	11216	CH2	TRP	G	36	101.884	133.178	153.433	1.00	11.47
ATOM	11217	N	VAL	G	37	100.004	140.347	153.826	1.00	26.03
ATOM	11218	CA	VAL	G	37	100.659	141.315	152.961	1.00	26.49
ATOM	11219	C	VAL	G	37	102.011	141.794	153.480	1.00	25.70
ATOM	11220	O	VAL	G	37	102.095	142.520	154.461	1.00	27.34

ATOM	11221	CB	VAL	G	37	99.755	142.547	152.726	1.00	25.89
ATOM	11222	CG1	VAL	G	37	100.527	143.617	151.981	1.00	29.68
ATOM	11223	CG2	VAL	G	37	98.532	142.155	151.941	1.00	22.42
ATOM	11224	N	GLU	G	38	103.071	141.385	152.805	1.00	24.94
ATOM	11225	CA	GLU	G	38	104.405	141.799	153.187	1.00	25.15
ATOM	11226	C	GLU	G	38	104.721	143.107	152.469	1.00	24.39
ATOM	11227	O	GLU	G	38	104.047	143.477	151.509	1.00	24.56
ATOM	11228	CB	GLU	G	38	105.407	140.717	152.795	1.00	26.14
ATOM	11229	CG	GLU	G	38	105.113	139.381	153.447	1.00	24.77
ATOM	11230	CD	GLU	G	38	106.017	138.295	152.944	1.00	25.62
ATOM	11231	OE1	GLU	G	38	107.167	138.630	152.588	1.00	26.43
ATOM	11232	OE2	GLU	G	38	105.587	137.116	152.915	1.00	25.20
ATOM	11233	N	ASN	G	39	105.729	143.824	152.942	1.00	23.52
ATOM	11234	CA	ASN	G	39	106.078	145.076	152.303	1.00	25.26
ATOM	11235	C	ASN	G	39	107.261	144.831	151.369	1.00	27.85
ATOM	11236	O	ASN	G	39	107.741	143.709	151.249	1.00	26.45
ATOM	11237	CB	ASN	G	39	106.414	146.147	153.344	1.00	24.01
ATOM	11238	CG	ASN	G	39	107.706	145.860	154.086	1.00	24.22
ATOM	11239	OD1	ASN	G	39	108.295	144.800	153.927	1.00	28.74
ATOM	11240	ND2	ASN	G	39	108.149	146.807	154.904	1.00	25.50
ATOM	11241	N	ALA	G	40	107.717	145.882	150.694	1.00	30.39
ATOM	11242	CA	ALA	G	40	108.821	145.763	149.757	1.00	29.31
ATOM	11243	C	ALA	G	40	109.989	144.989	150.343	1.00	30.08
ATOM	11244	O	ALA	G	40	110.620	144.197	149.656	1.00	31.59
ATOM	11245	CB	ALA	G	40	109.274	147.131	149.319	1.00	30.05
ATOM	11246	N	ASP	G	41	110.290	145.210	151.612	1.00	31.66
ATOM	11247	CA	ASP	G	41	111.401	144.499	152.217	1.00	31.62
ATOM	11248	C	ASP	G	41	110.968	143.142	152.729	1.00	30.80
ATOM	11249	O	ASP	G	41	111.684	142.513	153.486	1.00	33.21
ATOM	11250	CB	ASP	G	41	112.011	145.309	153.361	1.00	36.02
ATOM	11251	CG	ASP	G	41	112.608	146.632	152.901	1.00	39.49
ATOM	11252	OD1	ASP	G	41	113.437	146.633	151.961	1.00	37.08
ATOM	11253	OD2	ASP	G	41	112.250	147.673	153.500	1.00	43.01
ATOM	11254	N	GLY	G	42	109.791	142.693	152.319	1.00	31.17
ATOM	11255	CA	GLY	G	42	109.295	141.389	152.739	1.00	30.79
ATOM	11256	C	GLY	G	42	109.030	141.208	154.223	1.00	30.06
ATOM	11257	O	GLY	G	42	109.040	140.095	154.736	1.00	29.60
ATOM	11258	N	VAL	G	43	108.793	142.300	154.925	1.00	30.40
ATOM	11259	CA	VAL	G	43	108.529	142.203	156.346	1.00	32.79
ATOM	11260	C	VAL	G	43	107.026	142.281	156.575	1.00	35.11
ATOM	11261	O	VAL	G	43	106.342	143.190	156.085	1.00	36.10
ATOM	11262	CB	VAL	G	43	109.242	143.328	157.126	1.00	32.00
ATOM	11263	CG1	VAL	G	43	110.645	143.523	156.577	1.00	28.81
ATOM	11264	CG2	VAL	G	43	108.451	144.622	157.042	1.00	34.34
ATOM	11265	N	LYS	G	44	106.508	141.304	157.305	1.00	35.68
ATOM	11266	CA	LYS	G	44	105.093	141.268	157.595	1.00	35.25
ATOM	11267	C	LYS	G	44	104.733	142.379	158.561	1.00	36.68
ATOM	11268	O	LYS	G	44	104.667	142.132	159.765	1.00	39.41
ATOM	11269	CB	LYS	G	44	104.704	139.941	158.235	1.00	34.15
ATOM	11270	CG	LYS	G	44	105.071	138.712	157.451	1.00	37.48
ATOM	11271	CD	LYS	G	44	104.238	137.525	157.917	1.00	39.09
ATOM	11272	CE	LYS	G	44	104.701	136.252	157.263	1.00	42.11
ATOM	11273	NZ	LYS	G	44	106.144	135.979	157.578	1.00	47.57
ATOM	11274	N	ASP	G	45	104.545	143.602	158.066	1.00	35.48
ATOM	11275	CA	ASP	G	45	104.132	144.681	158.953	1.00	32.93
ATOM	11276	C	ASP	G	45	102.638	144.692	158.826	1.00	33.50
ATOM	11277	O	ASP	G	45	102.054	143.765	158.256	1.00	33.51
ATOM	11278	CB	ASP	G	45	104.693	146.025	158.531	1.00	33.34
ATOM	11279	CG	ASP	G	45	104.711	146.204	157.045	1.00	32.59
ATOM	11280	OD1	ASP	G	45	103.681	145.936	156.396	1.00	36.04
ATOM	11281	OD2	ASP	G	45	105.764	146.620	156.532	1.00	32.72
ATOM	11282	N	GLY	G	46	101.998	145.735	159.316	1.00	32.65

ATOM	11283	CA	GLY	G	46	100.554	145.719	159.236	1.00	37.92
ATOM	11284	C	GLY	G	46	99.871	146.498	158.141	1.00	38.56
ATOM	11285	O	GLY	G	46	98.665	146.350	157.964	1.00	41.49
ATOM	11286	N	ARG	G	47	100.625	147.311	157.407	1.00	37.31
ATOM	11287	CA	ARG	G	47	100.055	148.141	156.365	1.00	33.55
ATOM	11288	C	ARG	G	47	98.777	147.624	155.741	1.00	31.34
ATOM	11289	O	ARG	G	47	97.843	148.390	155.515	1.00	30.68
ATOM	11290	CB	ARG	G	47	101.083	148.403	155.289	1.00	39.98
ATOM	11291	CG	ARG	G	47	101.922	149.630	155.557	1.00	45.91
ATOM	11292	CD	ARG	G	47	102.996	149.401	156.588	1.00	49.90
ATOM	11293	NE	ARG	G	47	103.582	150.677	156.972	1.00	58.43
ATOM	11294	CZ	ARG	G	47	102.888	151.655	157.543	1.00	63.07
ATOM	11295	NH1	ARG	G	47	101.598	151.486	157.787	1.00	65.15
ATOM	11296	NH2	ARG	G	47	103.477	152.795	157.876	1.00	68.10
ATOM	11297	N	PHE	G	48	98.712	146.329	155.468	1.00	28.61
ATOM	11298	CA	PHE	G	48	97.502	145.776	154.872	1.00	26.08
ATOM	11299	C	PHE	G	48	97.079	144.490	155.539	1.00	25.10
ATOM	11300	O	PHE	G	48	97.906	143.629	155.817	1.00	28.31
ATOM	11301	CB	PHE	G	48	97.704	145.536	153.362	1.00	24.28
ATOM	11302	CG	PHE	G	48	97.844	146.799	152.576	1.00	21.32
ATOM	11303	CD1	PHE	G	48	99.047	147.503	152.571	1.00	21.00
ATOM	11304	CD2	PHE	G	48	96.740	147.357	151.945	1.00	22.81
ATOM	11305	CE1	PHE	G	48	99.151	148.746	151.965	1.00	19.00
ATOM	11306	CE2	PHE	G	48	96.826	148.598	151.334	1.00	22.44
ATOM	11307	CZ	PHE	G	48	98.038	149.298	151.346	1.00	21.92
ATOM	11308	N	ILE	G	49	95.785	144.361	155.789	1.00	24.78
ATOM	11309	CA	ILE	G	49	95.253	143.157	156.401	1.00	26.94
ATOM	11310	C	ILE	G	49	94.165	142.551	155.525	1.00	27.09
ATOM	11311	O	ILE	G	49	93.278	143.247	155.048	1.00	30.78
ATOM	11312	CB	ILE	G	49	94.743	143.467	157.789	1.00	29.06
ATOM	11313	CG1	ILE	G	49	95.948	143.638	158.710	1.00	32.71
ATOM	11314	CG2	ILE	G	49	93.861	142.363	158.287	1.00	32.53
ATOM	11315	CD1	ILE	G	49	95.606	144.246	160.041	1.00	41.70
ATOM	11316	N	VAL	G	50	94.251	141.241	155.319	1.00	26.94
ATOM	11317	CA	VAL	G	50	93.334	140.500	154.457	1.00	24.56
ATOM	11318	C	VAL	G	50	92.327	139.678	155.225	1.00	25.66
ATOM	11319	O	VAL	G	50	92.681	139.008	156.183	1.00	26.47
ATOM	11320	CB	VAL	G	50	94.116	139.486	153.559	1.00	22.91
ATOM	11321	CG1	VAL	G	50	93.194	138.851	152.547	1.00	20.60
ATOM	11322	CG2	VAL	G	50	95.284	140.168	152.878	1.00	25.20
ATOM	11323	N	THR	G	51	91.072	139.717	154.792	1.00	28.12
ATOM	11324	CA	THR	G	51	90.028	138.891	155.406	1.00	28.11
ATOM	11325	C	THR	G	51	89.297	138.117	154.308	1.00	27.54
ATOM	11326	O	THR	G	51	89.119	138.595	153.191	1.00	26.52
ATOM	11327	CB	THR	G	51	88.952	139.694	156.187	1.00	29.32
ATOM	11328	OG1	THR	G	51	88.284	140.600	155.304	1.00	32.37
ATOM	11329	CG2	THR	G	51	89.559	140.456	157.332	1.00	33.91
ATOM	11330	N	PRO	G	52	88.883	136.892	154.618	1.00	26.67
ATOM	11331	CA	PRO	G	52	89.127	136.322	155.943	1.00	27.00
ATOM	11332	C	PRO	G	52	90.583	135.879	156.171	1.00	28.54
ATOM	11333	O	PRO	G	52	91.229	135.335	155.277	1.00	29.55
ATOM	11334	CB	PRO	G	52	88.115	135.177	156.015	1.00	22.91
ATOM	11335	CG	PRO	G	52	87.849	134.836	154.605	1.00	23.59
ATOM	11336	CD	PRO	G	52	87.826	136.157	153.910	1.00	26.39
ATOM	11337	N	PRO	G	53	91.122	136.129	157.377	1.00	29.37
ATOM	11338	CA	PRO	G	53	92.500	135.755	157.707	1.00	29.22
ATOM	11339	C	PRO	G	53	92.771	134.246	157.628	1.00	31.09
ATOM	11340	O	PRO	G	53	93.910	133.819	157.408	1.00	31.57
ATOM	11341	CB	PRO	G	53	92.671	136.320	159.118	1.00	26.66
ATOM	11342	CG	PRO	G	53	91.314	136.226	159.679	1.00	22.33
ATOM	11343	CD	PRO	G	53	90.455	136.717	158.553	1.00	28.01
ATOM	11344	N	LEU	G	54	91.724	133.445	157.805	1.00	29.94

ATOM	11345	CA	LEU	G	54	91.852	131.991	157.739	1.00	29.78
ATOM	11346	C	LEU	G	54	90.513	131.325	157.416	1.00	29.27
ATOM	11347	O	LEU	G	54	89.519	131.595	158.089	1.00	28.24
ATOM	11348	CB	LEU	G	54	92.356	131.446	159.075	1.00	29.49
ATOM	11349	CG	LEU	G	54	92.395	129.917	159.177	1.00	26.38
ATOM	11350	CD1	LEU	G	54	93.646	129.399	158.505	1.00	31.45
ATOM	11351	CD2	LEU	G	54	92.382	129.496	160.622	1.00	23.85
ATOM	11352	N	PHE	G	55	90.481	130.463	156.400	1.00	27.52
ATOM	11353	CA	PHE	G	55	89.245	129.761	156.049	1.00	27.19
ATOM	11354	C	PHE	G	55	89.477	128.521	155.202	1.00	28.74
ATOM	11355	O	PHE	G	55	90.578	128.287	154.715	1.00	32.30
ATOM	11356	CB	PHE	G	55	88.266	130.707	155.349	1.00	24.62
ATOM	11357	CG	PHE	G	55	88.730	131.202	154.018	1.00	26.29
ATOM	11358	CD1	PHE	G	55	89.564	132.309	153.928	1.00	28.19
ATOM	11359	CD2	PHE	G	55	88.336	130.563	152.847	1.00	28.26
ATOM	11360	CE1	PHE	G	55	90.001	132.777	152.688	1.00	29.62
ATOM	11361	CE2	PHE	G	55	88.764	131.020	151.601	1.00	30.28
ATOM	11362	CZ	PHE	G	55	89.604	132.136	151.523	1.00	30.03
ATOM	11363	N	ALA	G	56	88.445	127.705	155.028	1.00	30.60
ATOM	11364	CA	ALA	G	56	88.609	126.486	154.227	1.00	29.72
ATOM	11365	C	ALA	G	56	87.783	126.463	152.948	1.00	28.99
ATOM	11366	O	ALA	G	56	86.678	126.988	152.889	1.00	30.54
ATOM	11367	CB	ALA	G	56	88.285	125.253	155.066	1.00	23.67
ATOM	11368	N	MET	G	57	88.342	125.859	151.912	1.00	30.08
ATOM	11369	CA	MET	G	57	87.648	125.734	150.649	1.00	29.94
ATOM	11370	C	MET	G	57	87.607	124.258	150.360	1.00	32.48
ATOM	11371	O	MET	G	57	88.584	123.673	149.893	1.00	29.98
ATOM	11372	CB	MET	G	57	88.380	126.484	149.543	1.00	28.75
ATOM	11373	CG	MET	G	57	88.363	127.976	149.757	1.00	30.08
ATOM	11374	SD	MET	G	57	89.321	128.854	148.560	1.00	38.14
ATOM	11375	CE	MET	G	57	88.204	128.910	147.223	1.00	32.83
ATOM	11376	N	LYS	G	58	86.472	123.657	150.698	1.00	35.74
ATOM	11377	CA	LYS	G	58	86.269	122.242	150.480	1.00	40.18
ATOM	11378	C	LYS	G	58	85.951	122.079	149.015	1.00	39.66
ATOM	11379	O	LYS	G	58	84.896	122.502	148.563	1.00	39.93
ATOM	11380	CB	LYS	G	58	85.100	121.742	151.327	1.00	46.52
ATOM	11381	CG	LYS	G	58	85.255	122.014	152.826	1.00	53.46
ATOM	11382	CD	LYS	G	58	83.972	121.679	153.617	1.00	60.54
ATOM	11383	CE	LYS	G	58	83.678	120.175	153.647	1.00	62.88
ATOM	11384	NZ	LYS	G	58	82.475	119.844	154.463	1.00	63.74
ATOM	11385	N	GLY	G	59	86.878	121.486	148.274	1.00	40.94
ATOM	11386	CA	GLY	G	59	86.671	121.276	146.851	1.00	42.48
ATOM	11387	C	GLY	G	59	86.472	122.564	146.084	1.00	41.90
ATOM	11388	O	GLY	G	59	86.764	123.640	146.592	1.00	42.34
ATOM	11389	N	LYS	G	60	85.976	122.451	144.858	1.00	43.47
ATOM	11390	CA	LYS	G	60	85.746	123.613	144.012	1.00	45.17
ATOM	11391	C	LYS	G	60	84.855	124.624	144.705	1.00	45.69
ATOM	11392	O	LYS	G	60	83.722	124.309	145.078	1.00	46.64
ATOM	11393	CB	LYS	G	60	85.106	123.190	142.687	1.00	47.37
ATOM	11394	CG	LYS	G	60	86.048	122.430	141.753	1.00	53.18
ATOM	11395	CD	LYS	G	60	85.370	122.084	140.430	1.00	55.94
ATOM	11396	CE	LYS	G	60	86.384	121.754	139.334	1.00	58.36
ATOM	11397	NZ	LYS	G	60	87.112	120.476	139.556	1.00	57.61
ATOM	11398	N	LYS	G	61	85.395	125.828	144.894	1.00	44.48
ATOM	11399	CA	LYS	G	61	84.701	126.962	145.520	1.00	42.03
ATOM	11400	C	LYS	G	61	85.259	128.177	144.795	1.00	42.38
ATOM	11401	O	LYS	G	61	86.104	128.037	143.897	1.00	40.53
ATOM	11402	CB	LYS	G	61	85.044	127.094	147.012	1.00	39.84
ATOM	11403	CG	LYS	G	61	84.574	125.971	147.902	1.00	44.89
ATOM	11404	CD	LYS	G	61	83.056	125.939	148.030	1.00	51.70
ATOM	11405	CE	LYS	G	61	82.515	127.224	148.646	1.00	53.85
ATOM	11406	NZ	LYS	G	61	81.028	127.313	148.483	1.00	55.75

ATOM	11407	N	GLU	G	62	84.815	129.368	145.186	1.00	40.30
ATOM	11408	CA	GLU	G	62	85.316	130.582	144.556	1.00	41.46
ATOM	11409	C	GLU	G	62	85.010	131.749	145.491	1.00	41.49
ATOM	11410	O	GLU	G	62	84.096	132.527	145.229	1.00	46.83
ATOM	11411	CB	GLU	G	62	84.629	130.764	143.199	1.00	43.10
ATOM	11412	CG	GLU	G	62	85.328	131.679	142.197	1.00	53.45
ATOM	11413	CD	GLU	G	62	85.599	133.074	142.741	1.00	57.99
ATOM	11414	OE1	GLU	G	62	86.617	133.233	143.447	1.00	60.54
ATOM	11415	OE2	GLU	G	62	84.797	134.004	142.469	1.00	59.83
ATOM	11416	N	ASN	G	63	85.763	131.882	146.583	1.00	38.80
ATOM	11417	CA	ASN	G	63	85.477	132.961	147.524	1.00	38.05
ATOM	11418	C	ASN	G	63	86.201	134.253	147.218	1.00	36.78
ATOM	11419	O	ASN	G	63	86.946	134.341	146.247	1.00	36.53
ATOM	11420	CB	ASN	G	63	85.791	132.544	148.962	1.00	37.69
ATOM	11421	CG	ASN	G	63	85.467	131.112	149.228	1.00	37.49
ATOM	11422	OD1	ASN	G	63	86.338	130.256	149.159	1.00	40.21
ATOM	11423	ND2	ASN	G	63	84.207	130.832	149.525	1.00	40.46
ATOM	11424	N	THR	G	64	85.991	135.253	148.069	1.00	34.79
ATOM	11425	CA	THR	G	64	86.611	136.544	147.863	1.00	34.66
ATOM	11426	C	THR	G	64	87.526	136.997	148.978	1.00	33.73
ATOM	11427	O	THR	G	64	87.213	136.847	150.150	1.00	37.83
ATOM	11428	CB	THR	G	64	85.547	137.617	147.679	1.00	33.04
ATOM	11429	OG1	THR	G	64	84.617	137.186	146.686	1.00	32.77
ATOM	11430	CG2	THR	G	64	86.187	138.924	147.238	1.00	33.35
ATOM	11431	N	LEU	G	65	88.654	137.575	148.608	1.00	31.74
ATOM	11432	CA	LEU	G	65	89.576	138.072	149.606	1.00	34.28
ATOM	11433	C	LEU	G	65	89.424	139.579	149.720	1.00	35.65
ATOM	11434	O	LEU	G	65	89.247	140.253	148.713	1.00	39.81
ATOM	11435	CB	LEU	G	65	91.007	137.703	149.222	1.00	31.32
ATOM	11436	CG	LEU	G	65	91.252	136.210	149.411	1.00	31.73
ATOM	11437	CD1	LEU	G	65	92.712	135.864	149.224	1.00	27.79
ATOM	11438	CD2	LEU	G	65	90.792	135.837	150.810	1.00	30.75
ATOM	11439	N	ARG	G	66	89.474	140.110	150.939	1.00	34.75
ATOM	11440	CA	ARG	G	66	89.351	141.552	151.129	1.00	34.08
ATOM	11441	C	ARG	G	66	90.589	142.189	151.750	1.00	34.98
ATOM	11442	O	ARG	G	66	90.892	141.989	152.938	1.00	34.11
ATOM	11443	CB	ARG	G	66	88.130	141.886	151.982	1.00	36.52
ATOM	11444	CG	ARG	G	66	86.810	141.656	151.267	1.00	38.35
ATOM	11445	CD	ARG	G	66	86.025	140.539	151.912	1.00	43.59
ATOM	11446	NE	ARG	G	66	84.858	140.175	151.123	1.00	47.74
ATOM	11447	CZ	ARG	G	66	83.905	141.022	150.752	1.00	49.87
ATOM	11448	NH1	ARG	G	66	83.975	142.299	151.099	1.00	50.60
ATOM	11449	NH2	ARG	G	66	82.879	140.587	150.031	1.00	52.34
ATOM	11450	N	ILE	G	67	91.305	142.952	150.926	1.00	31.89
ATOM	11451	CA	ILE	G	67	92.504	143.631	151.372	1.00	29.06
ATOM	11452	C	ILE	G	67	92.070	144.909	152.058	1.00	27.87
ATOM	11453	O	ILE	G	67	91.326	145.699	151.495	1.00	27.28
ATOM	11454	CB	ILE	G	67	93.420	143.980	150.200	1.00	29.02
ATOM	11455	CG1	ILE	G	67	93.960	142.706	149.542	1.00	23.57
ATOM	11456	CG2	ILE	G	67	94.555	144.859	150.690	1.00	32.16
ATOM	11457	CD1	ILE	G	67	93.002	142.056	148.611	1.00	17.11
ATOM	11458	N	LEU	G	68	92.530	145.116	153.280	1.00	27.81
ATOM	11459	CA	LEU	G	68	92.129	146.304	154.004	1.00	31.45
ATOM	11460	C	LEU	G	68	93.277	147.266	154.271	1.00	35.22
ATOM	11461	O	LEU	G	68	94.339	146.872	154.769	1.00	35.55
ATOM	11462	CB	LEU	G	68	91.467	145.916	155.326	1.00	30.69
ATOM	11463	CG	LEU	G	68	90.256	144.981	155.296	1.00	30.19
ATOM	11464	CD1	LEU	G	68	89.626	144.993	156.657	1.00	32.64
ATOM	11465	CD2	LEU	G	68	89.230	145.434	154.266	1.00	35.09
ATOM	11466	N	ASP	G	69	93.050	148.534	153.929	1.00	37.15
ATOM	11467	CA	ASP	G	69	94.037	149.578	154.129	1.00	37.30
ATOM	11468	C	ASP	G	69	94.188	149.732	155.633	1.00	36.42

ATOM	11469	O	ASP	G	69	93.204	149.875	156.330	1.00	35.63
ATOM	11470	CB	ASP	G	69	93.535	150.870	153.492	1.00	40.00
ATOM	11471	CG	ASP	G	69	94.538	152.006	153.586	1.00	46.52
ATOM	11472	OD1	ASP	G	69	95.548	151.868	154.319	1.00	48.77
ATOM	11473	OD2	ASP	G	69	94.305	153.046	152.920	1.00	49.99
ATOM	11474	N	ALA	G	70	95.412	149.676	156.139	1.00	38.06
ATOM	11475	CA	ALA	G	70	95.618	149.806	157.568	1.00	40.87
ATOM	11476	C	ALA	G	70	96.543	150.950	157.880	1.00	44.92
ATOM	11477	O	ALA	G	70	96.627	151.378	159.028	1.00	46.72
ATOM	11478	CB	ALA	G	70	96.179	148.523	158.147	1.00	40.13
ATOM	11479	N	THR	G	71	97.251	151.445	156.872	1.00	48.44
ATOM	11480	CA	THR	G	71	98.155	152.565	157.110	1.00	55.11
ATOM	11481	C	THR	G	71	97.428	153.892	156.969	1.00	59.97
ATOM	11482	O	THR	G	71	97.385	154.464	155.877	1.00	61.38
ATOM	11483	CB	THR	G	71	99.329	152.570	156.134	1.00	54.30
ATOM	11484	OG1	THR	G	71	100.084	153.779	156.330	1.00	53.29
ATOM	11485	CG2	THR	G	71	98.831	152.464	154.693	1.00	50.48
ATOM	11486	N	ASN	G	72	96.854	154.378	158.068	1.00	63.80
ATOM	11487	CA	ASN	G	72	96.117	155.633	158.029	1.00	69.40
ATOM	11488	C	ASN	G	72	96.950	156.728	157.388	1.00	70.89
ATOM	11489	O	ASN	G	72	97.632	157.482	158.075	1.00	71.87
ATOM	11490	CB	ASN	G	72	95.679	156.045	159.439	1.00	74.09
ATOM	11491	CG	ASN	G	72	94.378	155.364	159.869	1.00	79.46
ATOM	11492	OD1	ASN	G	72	93.809	155.678	160.925	1.00	81.26
ATOM	11493	ND2	ASN	G	72	93.902	154.427	159.045	1.00	79.31
ATOM	11494	N	ASN	G	73	96.875	156.809	156.061	1.00	73.18
ATOM	11495	CA	ASN	G	73	97.631	157.785	155.280	1.00	74.76
ATOM	11496	C	ASN	G	73	99.017	158.046	155.864	1.00	74.86
ATOM	11497	O	ASN	G	73	99.474	159.190	155.934	1.00	75.13
ATOM	11498	CB	ASN	G	73	96.856	159.099	155.168	1.00	75.65
ATOM	11499	CG	ASN	G	73	95.891	159.104	154.001	1.00	75.60
ATOM	11500	OD1	ASN	G	73	94.942	158.320	153.960	1.00	75.05
ATOM	11501	ND2	ASN	G	73	96.133	159.989	153.039	1.00	75.24
ATOM	11502	N	GLN	G	74	99.679	156.973	156.280	1.00	73.17
ATOM	11503	CA	GLN	G	74	101.004	157.080	156.853	1.00	71.28
ATOM	11504	C	GLN	G	74	102.029	156.749	155.778	1.00	68.15
ATOM	11505	O	GLN	G	74	103.216	156.620	156.059	1.00	69.27
ATOM	11506	CB	GLN	G	74	101.120	156.131	158.052	1.00	75.70
ATOM	11507	CG	GLN	G	74	100.092	156.454	159.159	1.00	83.69
ATOM	11508	CD	GLN	G	74	100.095	155.478	160.342	1.00	87.01
ATOM	11509	OE1	GLN	G	74	99.214	155.533	161.211	1.00	84.60
ATOM	11510	NE2	GLN	G	74	101.085	154.588	160.379	1.00	89.45
ATOM	11511	N	LEU	G	75	101.555	156.638	154.539	1.00	63.68
ATOM	11512	CA	LEU	G	75	102.402	156.318	153.388	1.00	58.75
ATOM	11513	C	LEU	G	75	102.595	157.466	152.398	1.00	58.73
ATOM	11514	O	LEU	G	75	101.844	158.447	152.391	1.00	59.57
ATOM	11515	CB	LEU	G	75	101.805	155.150	152.607	1.00	53.85
ATOM	11516	CG	LEU	G	75	102.166	153.703	152.905	1.00	49.94
ATOM	11517	CD1	LEU	G	75	101.337	152.827	151.997	1.00	46.55
ATOM	11518	CD2	LEU	G	75	103.645	153.449	152.677	1.00	50.09
ATOM	11519	N	PRO	G	76	103.608	157.342	151.528	1.00	56.45
ATOM	11520	CA	PRO	G	76	103.923	158.342	150.510	1.00	54.95
ATOM	11521	C	PRO	G	76	102.711	158.600	149.628	1.00	55.41
ATOM	11522	O	PRO	G	76	102.165	157.659	149.062	1.00	58.88
ATOM	11523	CB	PRO	G	76	105.048	157.678	149.737	1.00	52.36
ATOM	11524	CG	PRO	G	76	105.783	156.966	150.802	1.00	53.25
ATOM	11525	CD	PRO	G	76	104.667	156.322	151.589	1.00	56.46
ATOM	11526	N	GLN	G	77	102.301	159.862	149.506	1.00	54.20
ATOM	11527	CA	GLN	G	77	101.146	160.222	148.681	1.00	53.14
ATOM	11528	C	GLN	G	77	101.501	160.748	147.296	1.00	51.77
ATOM	11529	O	GLN	G	77	100.614	161.109	146.524	1.00	52.99
ATOM	11530	CB	GLN	G	77	100.292	161.272	149.385	1.00	54.53

ATOM	11531	CG	GLN	G	77	99.627	160.781	150.643	1.00	58.81
ATOM	11532	CD	GLN	G	77	98.661	159.645	150.390	1.00	61.63
ATOM	11533	OE1	GLN	G	77	98.096	159.084	151.331	1.00	64.94
ATOM	11534	NE2	GLN	G	77	98.460	159.298	149.120	1.00	60.78
ATOM	11535	N	ASP	G	78	102.787	160.797	146.972	1.00	49.25
ATOM	11536	CA	ASP	G	78	103.197	161.297	145.665	1.00	46.88
ATOM	11537	C	ASP	G	78	103.625	160.184	144.717	1.00	44.80
ATOM	11538	O	ASP	G	78	104.184	160.441	143.646	1.00	40.24
ATOM	11539	CB	ASP	G	78	104.349	162.292	145.813	1.00	48.28
ATOM	11540	CG	ASP	G	78	105.678	161.612	146.068	1.00	48.48
ATOM	11541	OD1	ASP	G	78	105.695	160.519	146.668	1.00	48.14
ATOM	11542	OD2	ASP	G	78	106.713	162.183	145.668	1.00	53.43
ATOM	11543	N	ARG	G	79	103.358	158.944	145.105	1.00	44.14
ATOM	11544	CA	ARG	G	79	103.765	157.822	144.280	1.00	42.88
ATOM	11545	C	ARG	G	79	103.332	156.519	144.913	1.00	41.35
ATOM	11546	O	ARG	G	79	102.912	156.486	146.068	1.00	42.36
ATOM	11547	CB	ARG	G	79	105.281	157.808	144.165	1.00	41.95
ATOM	11548	CG	ARG	G	79	105.920	157.397	145.467	1.00	39.16
ATOM	11549	CD	ARG	G	79	107.375	157.739	145.502	1.00	43.89
ATOM	11550	NE	ARG	G	79	107.577	159.118	145.915	1.00	45.82
ATOM	11551	CZ	ARG	G	79	108.748	159.743	145.858	1.00	49.18
ATOM	11552	NH1	ARG	G	79	109.820	159.099	145.401	1.00	45.95
ATOM	11553	NH2	ARG	G	79	108.849	161.010	146.252	1.00	47.87
ATOM	11554	N	GLU	G	80	103.482	155.445	144.146	1.00	39.20
ATOM	11555	CA	GLU	G	80	103.142	154.093	144.580	1.00	35.73
ATOM	11556	C	GLU	G	80	104.170	153.466	145.550	1.00	32.60
ATOM	11557	O	GLU	G	80	105.372	153.752	145.514	1.00	28.31
ATOM	11558	CB	GLU	G	80	103.027	153.176	143.355	1.00	36.43
ATOM	11559	CG	GLU	G	80	101.764	153.283	142.529	1.00	33.80
ATOM	11560	CD	GLU	G	80	101.829	152.400	141.289	1.00	33.50
ATOM	11561	OE1	GLU	G	80	102.939	151.954	140.931	1.00	29.64
ATOM	11562	OE2	GLU	G	80	100.777	152.157	140.667	1.00	31.73
ATOM	11563	N	SER	G	81	103.678	152.593	146.412	1.00	30.26
ATOM	11564	CA	SER	G	81	104.541	151.892	147.339	1.00	28.97
ATOM	11565	C	SER	G	81	104.361	150.415	147.009	1.00	27.85
ATOM	11566	O	SER	G	81	103.236	149.961	146.792	1.00	29.27
ATOM	11567	CB	SER	G	81	104.109	152.185	148.767	1.00	32.31
ATOM	11568	OG	SER	G	81	104.258	153.563	149.075	1.00	35.95
ATOM	11569	N	LEU	G	82	105.455	149.666	146.944	1.00	24.58
ATOM	11570	CA	LEU	G	82	105.373	148.247	146.609	1.00	24.12
ATOM	11571	C	LEU	G	82	105.142	147.344	147.805	1.00	23.41
ATOM	11572	O	LEU	G	82	105.819	147.451	148.836	1.00	24.80
ATOM	11573	CB	LEU	G	82	106.645	147.781	145.879	1.00	24.26
ATOM	11574	CG	LEU	G	82	106.908	146.260	145.895	1.00	25.34
ATOM	11575	CD1	LEU	G	82	105.809	145.486	145.188	1.00	24.65
ATOM	11576	CD2	LEU	G	82	108.214	145.981	145.224	1.00	27.06
ATOM	11577	N	PHE	G	83	104.169	146.459	147.663	1.00	21.14
ATOM	11578	CA	PHE	G	83	103.862	145.507	148.713	1.00	23.32
ATOM	11579	C	PHE	G	83	103.692	144.149	148.066	1.00	23.85
ATOM	11580	O	PHE	G	83	103.521	144.052	146.852	1.00	22.07
ATOM	11581	CB	PHE	G	83	102.578	145.881	149.445	1.00	22.65
ATOM	11582	CG	PHE	G	83	102.701	147.094	150.310	1.00	24.14
ATOM	11583	CD1	PHE	G	83	103.139	148.298	149.792	1.00	27.33
ATOM	11584	CD2	PHE	G	83	102.325	147.048	151.637	1.00	28.71
ATOM	11585	CE1	PHE	G	83	103.194	149.440	150.582	1.00	26.33
ATOM	11586	CE2	PHE	G	83	102.377	148.189	152.430	1.00	26.28
ATOM	11587	CZ	PHE	G	83	102.811	149.383	151.897	1.00	26.49
ATOM	11588	N	TRP	G	84	103.752	143.098	148.875	1.00	24.47
ATOM	11589	CA	TRP	G	84	103.589	141.751	148.356	1.00	23.07
ATOM	11590	C	TRP	G	84	102.496	140.992	149.070	1.00	23.65
ATOM	11591	O	TRP	G	84	102.557	140.819	150.287	1.00	21.48
ATOM	11592	CB	TRP	G	84	104.896	140.982	148.447	1.00	15.56

ATOM	11593	CG	TRP	G	84	105.933	141.603	147.596	1.00	18.13
ATOM	11594	CD1	TRP	G	84	106.834	142.549	147.967	1.00	15.13
ATOM	11595	CD2	TRP	G	84	106.169	141.344	146.205	1.00	19.02
ATOM	11596	NE1	TRP	G	84	107.624	142.898	146.894	1.00	21.04
ATOM	11597	CE2	TRP	G	84	107.233	142.173	145.801	1.00	20.56
ATOM	11598	CE3	TRP	G	84	105.585	140.491	145.264	1.00	18.51
ATOM	11599	CZ2	TRP	G	84	107.727	142.169	144.495	1.00	21.82
ATOM	11600	CZ3	TRP	G	84	106.079	140.486	143.969	1.00	16.48
ATOM	11601	CH2	TRP	G	84	107.137	141.320	143.597	1.00	17.89
ATOM	11602	N	MET	G	85	101.492	140.548	148.304	1.00	24.06
ATOM	11603	CA	MET	G	85	100.395	139.790	148.885	1.00	25.23
ATOM	11604	C	MET	G	85	100.614	138.310	148.676	1.00	25.45
ATOM	11605	O	MET	G	85	100.870	137.873	147.549	1.00	24.92
ATOM	11606	CB	MET	G	85	99.041	140.176	148.294	1.00	24.12
ATOM	11607	CG	MET	G	85	97.935	139.661	149.183	1.00	27.26
ATOM	11608	SD	MET	G	85	96.309	140.042	148.667	1.00	33.98
ATOM	11609	CE	MET	G	85	95.467	138.566	149.147	1.00	33.33
ATOM	11610	N	ASN	G	86	100.519	137.549	149.772	1.00	23.81
ATOM	11611	CA	ASN	G	86	100.721	136.106	149.733	1.00	22.26
ATOM	11612	C	ASN	G	86	99.469	135.355	150.121	1.00	21.68
ATOM	11613	O	ASN	G	86	98.866	135.661	151.132	1.00	22.13
ATOM	11614	CB	ASN	G	86	101.846	135.704	150.685	1.00	18.86
ATOM	11615	CG	ASN	G	86	103.144	136.466	150.425	1.00	22.25
ATOM	11616	OD1	ASN	G	86	103.222	137.665	150.672	1.00	22.58
ATOM	11617	ND2	ASN	G	86	104.165	135.769	149.926	1.00	17.20
ATOM	11618	N	VAL	G	87	99.071	134.381	149.305	1.00	23.34
ATOM	11619	CA	VAL	G	87	97.900	133.552	149.607	1.00	22.63
ATOM	11620	C	VAL	G	87	98.401	132.114	149.630	1.00	23.48
ATOM	11621	O	VAL	G	87	98.825	131.554	148.612	1.00	20.98
ATOM	11622	CB	VAL	G	87	96.772	133.726	148.560	1.00	21.41
ATOM	11623	CG1	VAL	G	87	95.598	132.813	148.888	1.00	16.21
ATOM	11624	CG2	VAL	G	87	96.317	135.177	148.542	1.00	19.26
ATOM	11625	N	LYS	G	88	98.390	131.542	150.824	1.00	24.21
ATOM	11626	CA	LYS	G	88	98.872	130.187	151.026	1.00	26.53
ATOM	11627	C	LYS	G	88	97.710	129.229	151.162	1.00	26.81
ATOM	11628	O	LYS	G	88	96.730	129.534	151.841	1.00	28.84
ATOM	11629	CB	LYS	G	88	99.758	130.115	152.285	1.00	24.25
ATOM	11630	CG	LYS	G	88	99.670	128.787	153.006	1.00	25.82
ATOM	11631	CD	LYS	G	88	100.452	128.738	154.304	1.00	29.06
ATOM	11632	CE	LYS	G	88	101.935	128.543	154.059	1.00	33.82
ATOM	11633	NZ	LYS	G	88	102.722	128.298	155.308	1.00	33.23
ATOM	11634	N	ALA	G	89	97.826	128.078	150.503	1.00	26.57
ATOM	11635	CA	ALA	G	89	96.801	127.047	150.561	1.00	27.47
ATOM	11636	C	ALA	G	89	97.358	125.877	151.365	1.00	30.17
ATOM	11637	O	ALA	G	89	98.263	125.165	150.923	1.00	29.34
ATOM	11638	CB	ALA	G	89	96.427	126.600	149.173	1.00	22.04
ATOM	11639	N	ILE	G	90	96.817	125.689	152.562	1.00	32.76
ATOM	11640	CA	ILE	G	90	97.279	124.623	153.434	1.00	36.35
ATOM	11641	C	ILE	G	90	96.440	123.357	153.293	1.00	39.58
ATOM	11642	O	ILE	G	90	95.240	123.366	153.532	1.00	42.19
ATOM	11643	CB	ILE	G	90	97.252	125.079	154.903	1.00	33.65
ATOM	11644	CG1	ILE	G	90	97.901	126.450	155.024	1.00	31.92
ATOM	11645	CG2	ILE	G	90	98.019	124.110	155.768	1.00	32.80
ATOM	11646	CD1	ILE	G	90	98.075	126.915	156.442	1.00	33.01
ATOM	11647	N	PRO	G	91	97.068	122.252	152.893	1.00	42.02
ATOM	11648	CA	PRO	G	91	96.375	120.973	152.724	1.00	45.48
ATOM	11649	C	PRO	G	91	96.205	120.282	154.071	1.00	50.42
ATOM	11650	O	PRO	G	91	97.098	120.349	154.924	1.00	50.95
ATOM	11651	CB	PRO	G	91	97.318	120.204	151.821	1.00	42.99
ATOM	11652	CG	PRO	G	91	98.654	120.661	152.315	1.00	42.04
ATOM	11653	CD	PRO	G	91	98.465	122.156	152.438	1.00	42.29
ATOM	11654	N	SER	G	92	95.071	119.616	154.274	1.00	53.91

ATOM	11655	CA	SER	G	92	94.854	118.915	155.535	1.00	56.25
ATOM	11656	C	SER	G	92	95.794	117.717	155.604	1.00	57.49
ATOM	11657	O	SER	G	92	96.326	117.290	154.584	1.00	56.86
ATOM	11658	CB	SER	G	92	93.400	118.456	155.645	1.00	56.83
ATOM	11659	OG	SER	G	92	92.531	119.572	155.752	1.00	55.88
ATOM	11660	N	MET	G	93	96.014	117.182	156.800	1.00	60.72
ATOM	11661	CA	MET	G	93	96.903	116.030	156.944	1.00	64.08
ATOM	11662	C	MET	G	93	96.151	114.720	156.713	1.00	65.09
ATOM	11663	O	MET	G	93	94.992	114.566	157.120	1.00	64.57
ATOM	11664	CB	MET	G	93	97.555	116.006	158.331	1.00	66.50
ATOM	11665	CG	MET	G	93	98.622	114.921	158.474	1.00	71.09
ATOM	11666	SD	MET	G	93	98.338	113.751	159.843	1.00	74.64
ATOM	11667	CE	MET	G	93	99.718	114.175	160.954	1.00	73.25
ATOM	11668	N	ASP	G	94	96.822	113.779	156.059	1.00	65.40
ATOM	11669	CA	ASP	G	94	96.227	112.488	155.755	1.00	67.56
ATOM	11670	C	ASP	G	94	96.397	111.510	156.910	1.00	69.80
ATOM	11671	O	ASP	G	94	97.435	110.852	157.034	1.00	70.59
ATOM	11672	CB	ASP	G	94	96.863	111.919	154.490	1.00	68.58
ATOM	11673	CG	ASP	G	94	96.249	110.609	154.077	1.00	68.99
ATOM	11674	OD1	ASP	G	94	95.444	110.069	154.863	1.00	70.01
ATOM	11675	OD2	ASP	G	94	96.570	110.122	152.972	1.00	69.61
ATOM	11676	N	LYS	G	95	95.367	111.405	157.745	1.00	70.78
ATOM	11677	CA	LYS	G	95	95.413	110.524	158.905	1.00	71.46
ATOM	11678	C	LYS	G	95	95.758	109.066	158.587	1.00	72.45
ATOM	11679	O	LYS	G	95	95.982	108.266	159.493	1.00	73.02
ATOM	11680	CB	LYS	G	95	94.083	110.572	159.659	1.00	70.80
ATOM	11681	CG	LYS	G	95	93.762	111.903	160.325	1.00	72.12
ATOM	11682	CD	LYS	G	95	92.979	112.816	159.396	1.00	76.72
ATOM	11683	CE	LYS	G	95	92.448	114.047	160.122	1.00	73.96
ATOM	11684	NZ	LYS	G	95	91.664	114.905	159.194	1.00	75.82
ATOM	11685	N	SER	G	96	95.811	108.721	157.306	1.00	73.43
ATOM	11686	CA	SER	G	96	96.121	107.349	156.908	1.00	74.22
ATOM	11687	C	SER	G	96	97.631	107.083	156.799	1.00	75.68
ATOM	11688	O	SER	G	96	98.120	106.040	157.240	1.00	76.71
ATOM	11689	CB	SER	G	96	95.425	107.015	155.569	1.00	73.33
ATOM	11690	OG	SER	G	96	95.943	107.753	154.481	1.00	67.99
ATOM	11691	N	LYS	G	97	98.358	108.039	156.226	1.00	74.83
ATOM	11692	CA	LYS	G	97	99.801	107.928	156.024	1.00	74.44
ATOM	11693	C	LYS	G	97	100.607	108.343	157.260	1.00	73.67
ATOM	11694	O	LYS	G	97	101.614	109.040	157.158	1.00	74.23
ATOM	11695	CB	LYS	G	97	100.192	108.786	154.820	1.00	75.19
ATOM	11696	CG	LYS	G	97	99.388	108.474	153.560	1.00	77.57
ATOM	11697	CD	LYS	G	97	100.231	107.770	152.503	1.00	79.71
ATOM	11698	CE	LYS	G	97	99.358	107.108	151.446	1.00	82.12
ATOM	11699	NZ	LYS	G	97	98.406	106.117	152.057	1.00	81.85
ATOM	11700	N	LEU	G	98	100.166	107.873	158.420	1.00	72.87
ATOM	11701	CA	LEU	G	98	100.781	108.191	159.713	1.00	71.66
ATOM	11702	C	LEU	G	98	102.167	107.558	159.965	1.00	69.97
ATOM	11703	O	LEU	G	98	103.117	108.255	160.324	1.00	70.12
ATOM	11704	CB	LEU	G	98	99.790	107.790	160.831	1.00	71.07
ATOM	11705	CG	LEU	G	98	99.336	108.714	161.976	1.00	66.08
ATOM	11706	CD1	LEU	G	98	100.226	108.521	163.173	1.00	68.33
ATOM	11707	CD2	LEU	G	98	99.329	110.157	161.533	1.00	62.73
ATOM	11708	N	THR	G	99	102.277	106.245	159.790	1.00	68.12
ATOM	11709	CA	THR	G	99	103.541	105.546	160.018	1.00	67.22
ATOM	11710	C	THR	G	99	104.434	105.652	158.809	1.00	66.94
ATOM	11711	O	THR	G	99	105.415	104.913	158.682	1.00	65.95
ATOM	11712	CB	THR	G	99	103.327	104.058	160.253	1.00	68.77
ATOM	11713	OG1	THR	G	99	102.657	103.496	159.116	1.00	69.54
ATOM	11714	CG2	THR	G	99	102.512	103.828	161.504	1.00	68.09
ATOM	11715	N	GLU	G	100	104.081	106.569	157.916	1.00	67.26
ATOM	11716	CA	GLU	G	100	104.831	106.763	156.685	1.00	65.47

ATOM	11717	C	GLU	G	100	105.699	108.011	156.676	1.00	62.21
ATOM	11718	O	GLU	G	100	105.434	108.979	157.393	1.00	60.95
ATOM	11719	CB	GLU	G	100	103.868	106.836	155.499	1.00	67.13
ATOM	11720	CG	GLU	G	100	103.049	105.587	155.270	1.00	72.22
ATOM	11721	CD	GLU	G	100	102.054	105.754	154.139	1.00	75.82
ATOM	11722	OE1	GLU	G	100	102.487	106.104	153.019	1.00	79.16
ATOM	11723	OE2	GLU	G	100	100.841	105.536	154.368	1.00	79.19
ATOM	11724	N	ASN	G	101	106.751	107.967	155.866	1.00	58.43
ATOM	11725	CA	ASN	G	101	107.615	109.113	155.705	1.00	54.71
ATOM	11726	C	ASN	G	101	106.889	109.875	154.642	1.00	53.93
ATOM	11727	O	ASN	G	101	106.536	109.305	153.609	1.00	52.04
ATOM	11728	CB	ASN	G	101	108.978	108.712	155.184	1.00	53.24
ATOM	11729	CG	ASN	G	101	109.876	108.237	156.273	1.00	53.86
ATOM	11730	OD1	ASN	G	101	109.561	108.381	157.453	1.00	52.36
ATOM	11731	ND2	ASN	G	101	111.011	107.676	155.898	1.00	53.62
ATOM	11732	N	THR	G	102	106.654	111.158	154.892	1.00	53.71
ATOM	11733	CA	THR	G	102	105.943	111.983	153.928	1.00	51.77
ATOM	11734	C	THR	G	102	106.569	113.362	153.736	1.00	49.23
ATOM	11735	O	THR	G	102	107.440	113.786	154.495	1.00	46.85
ATOM	11736	CB	THR	G	102	104.481	112.183	154.363	1.00	53.27
ATOM	11737	OG1	THR	G	102	104.394	113.302	155.258	1.00	57.41
ATOM	11738	CG2	THR	G	102	103.966	110.936	155.076	1.00	49.74
ATOM	11739	N	LEU	G	103	106.119	114.037	152.686	1.00	48.21
ATOM	11740	CA	LEU	G	103	106.539	115.396	152.369	1.00	47.00
ATOM	11741	C	LEU	G	103	105.314	116.102	151.814	1.00	47.25
ATOM	11742	O	LEU	G	103	104.969	115.912	150.641	1.00	49.11
ATOM	11743	CB	LEU	G	103	107.625	115.437	151.299	1.00	41.44
ATOM	11744	CG	LEU	G	103	107.873	116.885	150.838	1.00	39.39
ATOM	11745	CD1	LEU	G	103	108.540	117.672	151.963	1.00	33.59
ATOM	11746	CD2	LEU	G	103	108.726	116.917	149.590	1.00	35.89
ATOM	11747	N	GLN	G	104	104.649	116.904	152.641	1.00	43.96
ATOM	11748	CA	GLN	G	104	103.470	117.610	152.160	1.00	43.67
ATOM	11749	C	GLN	G	104	103.826	119.013	151.704	1.00	40.07
ATOM	11750	O	GLN	G	104	104.431	119.786	152.466	1.00	38.59
ATOM	11751	CB	GLN	G	104	102.396	117.697	153.250	1.00	47.21
ATOM	11752	CG	GLN	G	104	101.009	117.245	152.799	1.00	49.90
ATOM	11753	CD	GLN	G	104	99.978	117.354	153.910	1.00	54.39
ATOM	11754	OE1	GLN	G	104	98.966	116.648	153.906	1.00	56.32
ATOM	11755	NE2	GLN	G	104	100.226	118.250	154.864	1.00	53.64
ATOM	11756	N	LEU	G	105	103.454	119.334	150.467	1.00	32.74
ATOM	11757	CA	LEU	G	105	103.714	120.659	149.943	1.00	30.50
ATOM	11758	C	LEU	G	105	102.540	121.618	150.209	1.00	28.49
ATOM	11759	O	LEU	G	105	101.427	121.193	150.530	1.00	25.06
ATOM	11760	CB	LEU	G	105	104.011	120.589	148.451	1.00	32.89
ATOM	11761	CG	LEU	G	105	105.353	119.967	148.062	1.00	34.31
ATOM	11762	CD1	LEU	G	105	105.563	120.130	146.562	1.00	29.52
ATOM	11763	CD2	LEU	G	105	106.477	120.646	148.837	1.00	33.49
ATOM	11764	N	ALA	G	106	102.813	122.917	150.087	1.00	26.36
ATOM	11765	CA	ALA	G	106	101.822	123.963	150.320	1.00	23.71
ATOM	11766	C	ALA	G	106	102.051	125.097	149.325	1.00	23.05
ATOM	11767	O	ALA	G	106	102.990	125.892	149.477	1.00	22.85
ATOM	11768	CB	ALA	G	106	101.953	124.486	151.745	1.00	23.74
ATOM	11769	N	ILE	G	107	101.197	125.177	148.312	1.00	19.45
ATOM	11770	CA	ILE	G	107	101.364	126.205	147.303	1.00	20.40
ATOM	11771	C	ILE	G	107	100.973	127.583	147.830	1.00	20.66
ATOM	11772	O	ILE	G	107	100.051	127.716	148.648	1.00	20.71
ATOM	11773	CB	ILE	G	107	100.557	125.866	146.009	1.00	18.89
ATOM	11774	CG1	ILE	G	107	101.239	124.745	145.244	1.00	16.79
ATOM	11775	CG2	ILE	G	107	100.551	127.035	145.066	1.00	15.54
ATOM	11776	CD1	ILE	G	107	101.421	123.504	146.033	1.00	23.49
ATOM	11777	N	ILE	G	108	101.702	128.598	147.368	1.00	17.49
ATOM	11778	CA	ILE	G	108	101.442	129.968	147.761	1.00	20.24

ATOM	11779	C	ILE	G	108	101.639	130.850	146.543	1.00	21.21
ATOM	11780	O	ILE	G	108	102.666	130.767	145.859	1.00	18.53
ATOM	11781	CB	ILE	G	108	102.423	130.450	148.881	1.00	22.46
ATOM	11782	CG1	ILE	G	108	102.284	129.552	150.111	1.00	25.67
ATOM	11783	CG2	ILE	G	108	102.123	131.905	149.288	1.00	20.44
ATOM	11784	CD1	ILE	G	108	103.464	129.595	151.002	1.00	18.80
ATOM	11785	N	SER	G	109	100.646	131.691	146.277	1.00	21.44
ATOM	11786	CA	SER	G	109	100.721	132.629	145.168	1.00	20.88
ATOM	11787	C	SER	G	109	101.171	133.955	145.795	1.00	20.90
ATOM	11788	O	SER	G	109	100.648	134.377	146.832	1.00	16.99
ATOM	11789	CB	SER	G	109	99.350	132.800	144.495	1.00	20.43
ATOM	11790	OG	SER	G	109	98.751	131.553	144.166	1.00	26.44
ATOM	11791	N	ARG	G	110	102.173	134.579	145.186	1.00	20.28
ATOM	11792	CA	ARG	G	110	102.683	135.852	145.655	1.00	20.30
ATOM	11793	C	ARG	G	110	102.611	136.864	144.508	1.00	20.47
ATOM	11794	O	ARG	G	110	103.362	136.800	143.538	1.00	19.13
ATOM	11795	CB	ARG	G	110	104.117	135.703	146.155	1.00	20.24
ATOM	11796	CG	ARG	G	110	104.932	136.974	146.007	1.00	24.68
ATOM	11797	CD	ARG	G	110	106.257	136.935	146.756	1.00	23.58
ATOM	11798	NE	ARG	G	110	106.029	137.006	148.198	1.00	27.80
ATOM	11799	CZ	ARG	G	110	106.687	137.798	149.034	1.00	21.86
ATOM	11800	NH1	ARG	G	110	107.637	138.605	148.591	1.00	18.15
ATOM	11801	NH2	ARG	G	110	106.370	137.790	150.314	1.00	22.22
ATOM	11802	N	ILE	G	111	101.682	137.801	144.644	1.00	21.13
ATOM	11803	CA	ILE	G	111	101.452	138.834	143.652	1.00	17.78
ATOM	11804	C	ILE	G	111	101.692	140.248	144.196	1.00	18.62
ATOM	11805	O	ILE	G	111	101.453	140.537	145.372	1.00	13.76
ATOM	11806	CB	ILE	G	111	100.028	138.711	143.130	1.00	15.51
ATOM	11807	CG1	ILE	G	111	99.031	139.119	144.212	1.00	11.00
ATOM	11808	CG2	ILE	G	111	99.788	137.278	142.710	1.00	18.85
ATOM	11809	CD1	ILE	G	111	97.628	138.742	143.919	1.00	11.00
ATOM	11810	N	LYS	G	112	102.186	141.122	143.328	1.00	20.75
ATOM	11811	CA	LYS	G	112	102.469	142.479	143.727	1.00	21.80
ATOM	11812	C	LYS	G	112	101.176	143.214	144.012	1.00	23.72
ATOM	11813	O	LYS	G	112	100.137	142.924	143.417	1.00	24.87
ATOM	11814	CB	LYS	G	112	103.212	143.221	142.626	1.00	22.09
ATOM	11815	CG	LYS	G	112	104.266	142.419	141.890	1.00	23.69
ATOM	11816	CD	LYS	G	112	105.150	143.378	141.089	1.00	25.71
ATOM	11817	CE	LYS	G	112	105.795	142.685	139.908	1.00	32.64
ATOM	11818	NZ	LYS	G	112	106.357	143.617	138.883	1.00	30.36
ATOM	11819	N	LEU	G	113	101.259	144.168	144.930	1.00	24.83
ATOM	11820	CA	LEU	G	113	100.138	145.004	145.317	1.00	24.70
ATOM	11821	C	LEU	G	113	100.682	146.412	145.316	1.00	25.12
ATOM	11822	O	LEU	G	113	101.609	146.716	146.058	1.00	28.92
ATOM	11823	CB	LEU	G	113	99.654	144.664	146.725	1.00	27.44
ATOM	11824	CG	LEU	G	113	98.761	145.750	147.331	1.00	30.13
ATOM	11825	CD1	LEU	G	113	97.646	146.009	146.360	1.00	38.99
ATOM	11826	CD2	LEU	G	113	98.178	145.338	148.664	1.00	31.29
ATOM	11827	N	TYR	G	114	100.139	147.279	144.477	1.00	24.77
ATOM	11828	CA	TYR	G	114	100.633	148.647	144.471	1.00	25.34
ATOM	11829	C	TYR	G	114	99.649	149.570	145.156	1.00	26.98
ATOM	11830	O	TYR	G	114	98.438	149.468	144.949	1.00	27.20
ATOM	11831	CB	TYR	G	114	100.874	149.152	143.057	1.00	22.03
ATOM	11832	CG	TYR	G	114	101.909	148.380	142.300	1.00	19.11
ATOM	11833	CD1	TYR	G	114	103.271	148.569	142.541	1.00	19.69
ATOM	11834	CD2	TYR	G	114	101.535	147.472	141.322	1.00	17.70
ATOM	11835	CE1	TYR	G	114	104.229	147.872	141.813	1.00	13.95
ATOM	11836	CE2	TYR	G	114	102.481	146.774	140.593	1.00	15.48
ATOM	11837	CZ	TYR	G	114	103.816	146.986	140.838	1.00	15.03
ATOM	11838	OH	TYR	G	114	104.713	146.342	140.048	1.00	20.43
ATOM	11839	N	TYR	G	115	100.179	150.453	145.993	1.00	27.79
ATOM	11840	CA	TYR	G	115	99.365	151.420	146.708	1.00	30.06

ATOM	11841	C	TYR	G	115	99.386	152.674	145.826	1.00	33.87
ATOM	11842	O	TYR	G	115	100.447	153.285	145.600	1.00	33.40
ATOM	11843	CB	TYR	G	115	99.991	151.706	148.069	1.00	28.28
ATOM	11844	CG	TYR	G	115	99.216	152.700	148.875	1.00	26.15
ATOM	11845	CD1	TYR	G	115	98.026	152.344	149.489	1.00	30.62
ATOM	11846	CD2	TYR	G	115	99.648	154.010	148.987	1.00	26.33
ATOM	11847	CE1	TYR	G	115	97.273	153.276	150.201	1.00	34.85
ATOM	11848	CE2	TYR	G	115	98.912	154.953	149.689	1.00	30.67
ATOM	11849	CZ	TYR	G	115	97.721	154.588	150.295	1.00	34.83
ATOM	11850	OH	TYR	G	115	96.959	155.532	150.964	1.00	35.25
ATOM	11851	N	ARG	G	116	98.225	153.058	145.311	1.00	34.24
ATOM	11852	CA	ARG	G	116	98.191	154.206	144.429	1.00	35.93
ATOM	11853	C	ARG	G	116	97.512	155.441	144.987	1.00	37.93
ATOM	11854	O	ARG	G	116	96.283	155.563	144.973	1.00	40.79
ATOM	11855	CB	ARG	G	116	97.558	153.821	143.090	1.00	32.54
ATOM	11856	CG	ARG	G	116	97.794	154.869	142.017	1.00	34.78
ATOM	11857	CD	ARG	G	116	97.416	154.344	140.668	1.00	36.63
ATOM	11858	NE	ARG	G	116	98.249	153.210	140.301	1.00	39.58
ATOM	11859	CZ	ARG	G	116	97.972	152.388	139.297	1.00	38.83
ATOM	11860	NH1	ARG	G	116	96.884	152.583	138.571	1.00	39.01
ATOM	11861	NH2	ARG	G	116	98.779	151.377	139.021	1.00	39.92
ATOM	11862	N	PRO	G	117	98.315	156.385	145.480	1.00	38.14
ATOM	11863	CA	PRO	G	117	97.833	157.638	146.052	1.00	41.82
ATOM	11864	C	PRO	G	117	96.751	158.205	145.138	1.00	45.88
ATOM	11865	O	PRO	G	117	97.003	158.455	143.956	1.00	45.11
ATOM	11866	CB	PRO	G	117	99.086	158.499	146.079	1.00	43.50
ATOM	11867	CG	PRO	G	117	100.162	157.506	146.293	1.00	40.60
ATOM	11868	CD	PRO	G	117	99.780	156.377	145.381	1.00	38.61
ATOM	11869	N	ALA	G	118	95.556	158.397	145.699	1.00	51.17
ATOM	11870	CA	ALA	G	118	94.378	158.890	144.967	1.00	55.47
ATOM	11871	C	ALA	G	118	94.582	160.077	144.010	1.00	56.61
ATOM	11872	O	ALA	G	118	93.847	160.226	143.028	1.00	55.78
ATOM	11873	CB	ALA	G	118	93.252	159.205	145.956	1.00	55.01
ATOM	11874	N	LYS	G	119	95.567	160.918	144.287	1.00	56.88
ATOM	11875	CA	LYS	G	119	95.805	162.045	143.410	1.00	59.02
ATOM	11876	C	LYS	G	119	97.185	161.958	142.813	1.00	59.78
ATOM	11877	O	LYS	G	119	98.187	162.071	143.519	1.00	63.22
ATOM	11878	CB	LYS	G	119	95.632	163.362	144.170	1.00	59.84
ATOM	11879	CG	LYS	G	119	94.191	163.644	144.531	1.00	60.20
ATOM	11880	CD	LYS	G	119	94.045	164.836	145.446	1.00	61.48
ATOM	11881	CE	LYS	G	119	92.610	164.914	145.952	1.00	65.26
ATOM	11882	NZ	LYS	G	119	92.373	166.017	146.921	1.00	68.03
ATOM	11883	N	LEU	G	120	97.223	161.734	141.505	1.00	57.71
ATOM	11884	CA	LEU	G	120	98.470	161.637	140.766	1.00	54.80
ATOM	11885	C	LEU	G	120	98.250	162.318	139.428	1.00	54.67
ATOM	11886	O	LEU	G	120	97.183	162.204	138.832	1.00	54.30
ATOM	11887	CB	LEU	G	120	98.848	160.174	140.546	1.00	54.11
ATOM	11888	CG	LEU	G	120	99.175	159.326	141.775	1.00	52.45
ATOM	11889	CD1	LEU	G	120	99.281	157.870	141.354	1.00	51.98
ATOM	11890	CD2	LEU	G	120	100.464	159.808	142.426	1.00	49.14
ATOM	11891	N	ALA	G	121	99.261	163.026	138.949	1.00	55.76
ATOM	11892	CA	ALA	G	121	99.142	163.732	137.686	1.00	55.70
ATOM	11893	C	ALA	G	121	99.139	162.771	136.514	1.00	56.26
ATOM	11894	O	ALA	G	121	98.081	162.361	136.029	1.00	55.41
ATOM	11895	CB	ALA	G	121	100.281	164.719	137.546	1.00	56.66
ATOM	11896	N	LEU	G	122	100.338	162.412	136.073	1.00	56.94
ATOM	11897	CA	LEU	G	122	100.521	161.507	134.949	1.00	59.30
ATOM	11898	C	LEU	G	122	99.639	160.265	135.048	1.00	60.17
ATOM	11899	O	LEU	G	122	99.820	159.436	135.935	1.00	61.17
ATOM	11900	CB	LEU	G	122	101.980	161.068	134.880	1.00	61.01
ATOM	11901	CG	LEU	G	122	102.517	160.617	133.524	1.00	63.83
ATOM	11902	CD1	LEU	G	122	103.405	161.727	132.964	1.00	69.46

ATOM	11903	CD2	LEU	G	122	103.324	159.336	133.670	1.00	66.92
ATOM	11904	N	PRO	G	123	98.664	160.121	134.140	1.00	60.67
ATOM	11905	CA	PRO	G	123	97.786	158.942	134.175	1.00	60.11
ATOM	11906	C	PRO	G	123	98.552	157.643	133.828	1.00	58.61
ATOM	11907	O	PRO	G	123	99.335	157.600	132.869	1.00	55.29
ATOM	11908	CB	PRO	G	123	96.695	159.290	133.157	1.00	60.97
ATOM	11909	CG	PRO	G	123	97.408	160.208	132.188	1.00	61.86
ATOM	11910	CD	PRO	G	123	98.236	161.078	133.104	1.00	61.01
ATOM	11911	N	PRO	G	124	98.316	156.569	134.606	1.00	57.11
ATOM	11912	CA	PRO	G	124	98.937	155.251	134.463	1.00	56.14
ATOM	11913	C	PRO	G	124	99.098	154.707	133.057	1.00	57.20
ATOM	11914	O	PRO	G	124	100.144	154.152	132.731	1.00	57.79
ATOM	11915	CB	PRO	G	124	98.062	154.357	135.337	1.00	54.00
ATOM	11916	CG	PRO	G	124	96.763	155.068	135.372	1.00	53.36
ATOM	11917	CD	PRO	G	124	97.184	156.486	135.542	1.00	55.31
ATOM	11918	N	ASP	G	125	98.083	154.845	132.217	1.00	58.67
ATOM	11919	CA	ASP	G	125	98.216	154.327	130.863	1.00	61.73
ATOM	11920	C	ASP	G	125	99.264	155.111	130.072	1.00	61.58
ATOM	11921	O	ASP	G	125	99.732	154.658	129.035	1.00	60.57
ATOM	11922	CB	ASP	G	125	96.862	154.346	130.143	1.00	66.24
ATOM	11923	CG	ASP	G	125	96.189	155.703	130.192	1.00	70.02
ATOM	11924	OD1	ASP	G	125	96.365	156.415	131.212	1.00	70.61
ATOM	11925	OD2	ASP	G	125	95.471	156.045	129.220	1.00	70.15
ATOM	11926	N	GLN	G	126	99.656	156.273	130.580	1.00	61.31
ATOM	11927	CA	GLN	G	126	100.651	157.086	129.896	1.00	62.12
ATOM	11928	C	GLN	G	126	101.992	157.110	130.632	1.00	60.51
ATOM	11929	O	GLN	G	126	102.635	158.151	130.716	1.00	60.86
ATOM	11930	CB	GLN	G	126	100.124	158.521	129.741	1.00	68.18
ATOM	11931	CG	GLN	G	126	101.062	159.477	128.985	1.00	71.66
ATOM	11932	CD	GLN	G	126	100.692	160.939	129.177	1.00	73.56
ATOM	11933	OE1	GLN	G	126	101.508	161.836	128.940	1.00	74.09
ATOM	11934	NE2	GLN	G	126	99.455	161.186	129.600	1.00	74.13
ATOM	11935	N	ALA	G	127	102.434	155.977	131.161	1.00	57.79
ATOM	11936	CA	ALA	G	127	103.699	155.982	131.882	1.00	55.32
ATOM	11937	C	ALA	G	127	104.777	155.099	131.262	1.00	56.39
ATOM	11938	O	ALA	G	127	105.955	155.442	131.289	1.00	57.06
ATOM	11939	CB	ALA	G	127	103.472	155.599	133.330	1.00	47.43
ATOM	11940	N	ALA	G	128	104.388	153.970	130.688	1.00	57.19
ATOM	11941	CA	ALA	G	128	105.369	153.078	130.086	1.00	59.29
ATOM	11942	C	ALA	G	128	106.131	153.720	128.925	1.00	62.77
ATOM	11943	O	ALA	G	128	106.928	153.054	128.266	1.00	63.41
ATOM	11944	CB	ALA	G	128	104.692	151.810	129.618	1.00	58.33
ATOM	11945	N	GLU	G	129	105.885	155.006	128.681	1.00	65.09
ATOM	11946	CA	GLU	G	129	106.548	155.738	127.601	1.00	65.93
ATOM	11947	C	GLU	G	129	107.607	156.673	128.151	1.00	64.79
ATOM	11948	O	GLU	G	129	108.572	157.005	127.466	1.00	63.23
ATOM	11949	CB	GLU	G	129	105.544	156.585	126.842	1.00	70.65
ATOM	11950	CG	GLU	G	129	104.879	157.625	127.734	1.00	78.32
ATOM	11951	CD	GLU	G	129	104.199	158.729	126.950	1.00	81.64
ATOM	11952	OE1	GLU	G	129	103.533	158.409	125.939	1.00	83.73
ATOM	11953	OE2	GLU	G	129	104.323	159.911	127.354	1.00	80.12
ATOM	11954	N	LYS	G	130	107.396	157.117	129.386	1.00	64.21
ATOM	11955	CA	LYS	G	130	108.317	158.029	130.054	1.00	64.08
ATOM	11956	C	LYS	G	130	109.600	157.291	130.429	1.00	63.72
ATOM	11957	O	LYS	G	130	110.490	157.858	131.062	1.00	62.14
ATOM	11958	CB	LYS	G	130	107.670	158.587	131.327	1.00	64.74
ATOM	11959	CG	LYS	G	130	106.204	158.981	131.183	1.00	67.17
ATOM	11960	CD	LYS	G	130	106.023	160.295	130.440	1.00	71.28
ATOM	11961	CE	LYS	G	130	104.544	160.581	130.195	1.00	74.61
ATOM	11962	NZ	LYS	G	130	104.295	161.876	129.496	1.00	75.50
ATOM	11963	N	LEU	G	131	109.686	156.025	130.031	1.00	63.09
ATOM	11964	CA	LEU	G	131	110.846	155.202	130.340	1.00	63.62

ATOM	11965	C	LEU	G	131	112.081	155.552	129.529	1.00	65.89
ATOM	11966	O	LEU	G	131	112.191	155.168	128.366	1.00	67.87
ATOM	11967	CB	LEU	G	131	110.511	153.729	130.123	1.00	61.08
ATOM	11968	CG	LEU	G	131	111.621	152.744	130.494	1.00	57.19
ATOM	11969	CD1	LEU	G	131	112.093	152.994	131.917	1.00	55.63
ATOM	11970	CD2	LEU	G	131	111.098	151.340	130.352	1.00	53.70
ATOM	11971	N	ARG	G	132	113.017	156.269	130.144	1.00	68.41
ATOM	11972	CA	ARG	G	132	114.248	156.647	129.457	1.00	71.49
ATOM	11973	C	ARG	G	132	115.379	155.689	129.791	1.00	72.60
ATOM	11974	O	ARG	G	132	115.222	154.791	130.619	1.00	72.36
ATOM	11975	CB	ARG	G	132	114.654	158.075	129.828	1.00	73.23
ATOM	11976	CG	ARG	G	132	113.823	159.126	129.130	1.00	77.51
ATOM	11977	CD	ARG	G	132	114.362	160.532	129.323	1.00	83.36
ATOM	11978	NE	ARG	G	132	114.137	161.040	130.672	1.00	87.85
ATOM	11979	CZ	ARG	G	132	114.466	162.265	131.074	1.00	91.61
ATOM	11980	NH1	ARG	G	132	115.040	163.121	130.231	1.00	92.83
ATOM	11981	NH2	ARG	G	132	114.222	162.637	132.323	1.00	93.75
ATOM	11982	N	PHE	G	133	116.519	155.879	129.136	1.00	73.75
ATOM	11983	CA	PHE	G	133	117.665	155.016	129.378	1.00	76.02
ATOM	11984	C	PHE	G	133	119.007	155.727	129.537	1.00	78.49
ATOM	11985	O	PHE	G	133	119.094	156.960	129.552	1.00	79.08
ATOM	11986	CB	PHE	G	133	117.772	153.973	128.271	1.00	73.36
ATOM	11987	CG	PHE	G	133	116.580	153.084	128.173	1.00	69.47
ATOM	11988	CD1	PHE	G	133	115.386	153.560	127.655	1.00	68.97
ATOM	11989	CD2	PHE	G	133	116.642	151.776	128.630	1.00	69.13
ATOM	11990	CE1	PHE	G	133	114.266	152.746	127.593	1.00	70.49
ATOM	11991	CE2	PHE	G	133	115.533	150.945	128.578	1.00	69.92
ATOM	11992	CZ	PHE	G	133	114.338	151.429	128.059	1.00	72.45
ATOM	11993	N	ARG	G	134	120.050	154.911	129.662	1.00	80.45
ATOM	11994	CA	ARG	G	134	121.422	155.367	129.849	1.00	82.03
ATOM	11995	C	ARG	G	134	122.301	154.112	129.800	1.00	82.74
ATOM	11996	O	ARG	G	134	122.230	153.252	130.679	1.00	82.42
ATOM	11997	CB	ARG	G	134	121.540	156.071	131.200	1.00	80.89
ATOM	11998	CG	ARG	G	134	122.948	156.296	131.689	1.00	81.96
ATOM	11999	CD	ARG	G	134	122.915	156.700	133.158	1.00	84.14
ATOM	12000	NE	ARG	G	134	122.282	158.003	133.362	1.00	85.48
ATOM	12001	CZ	ARG	G	134	121.886	158.468	134.544	1.00	85.41
ATOM	12002	NH1	ARG	G	134	122.047	157.735	135.639	1.00	84.52
ATOM	12003	NH2	ARG	G	134	121.340	159.673	134.633	1.00	85.10
ATOM	12004	N	ARG	G	135	123.123	154.010	128.759	1.00	84.46
ATOM	12005	CA	ARG	G	135	123.980	152.845	128.563	1.00	85.32
ATOM	12006	C	ARG	G	135	125.469	152.974	128.893	1.00	86.91
ATOM	12007	O	ARG	G	135	125.947	154.010	129.375	1.00	86.41
ATOM	12008	CB	ARG	G	135	123.834	152.349	127.124	1.00	82.15
ATOM	12009	CG	ARG	G	135	123.659	153.464	126.126	1.00	81.50
ATOM	12010	CD	ARG	G	135	123.767	152.980	124.696	1.00	84.25
ATOM	12011	NE	ARG	G	135	122.957	151.796	124.426	1.00	85.22
ATOM	12012	CZ	ARG	G	135	123.350	150.548	124.664	1.00	86.39
ATOM	12013	NH1	ARG	G	135	124.553	150.315	125.176	1.00	86.40
ATOM	12014	NH2	ARG	G	135	122.545	149.531	124.382	1.00	85.89
ATOM	12015	N	SER	G	136	126.177	151.877	128.619	1.00	87.94
ATOM	12016	CA	SER	G	136	127.615	151.735	128.835	1.00	88.08
ATOM	12017	C	SER	G	136	127.997	150.349	128.308	1.00	88.05
ATOM	12018	O	SER	G	136	127.128	149.573	127.911	1.00	86.18
ATOM	12019	CB	SER	G	136	127.958	151.829	130.330	1.00	87.74
ATOM	12020	OG	SER	G	136	127.788	153.143	130.840	1.00	87.13
ATOM	12021	N	ALA	G	137	129.294	150.044	128.296	1.00	89.25
ATOM	12022	CA	ALA	G	137	129.778	148.738	127.837	1.00	88.94
ATOM	12023	C	ALA	G	137	129.562	147.763	128.990	1.00	88.49
ATOM	12024	O	ALA	G	137	130.238	146.735	129.110	1.00	87.97
ATOM	12025	CB	ALA	G	137	131.269	148.819	127.485	1.00	90.30
ATOM	12026	N	ASN	G	138	128.593	148.106	129.830	1.00	87.14

ATOM	12027	CA	ASN	G	138	128.274	147.324	131.007	1.00	84.24
ATOM	12028	C	ASN	G	138	126.861	147.611	131.511	1.00	82.62
ATOM	12029	O	ASN	G	138	126.006	146.730	131.501	1.00	81.87
ATOM	12030	CB	ASN	G	138	129.300	147.651	132.088	1.00	84.36
ATOM	12031	CG	ASN	G	138	129.634	149.130	132.134	1.00	85.98
ATOM	12032	OD1	ASN	G	138	128.798	149.950	132.508	1.00	87.26
ATOM	12033	ND2	ASN	G	138	130.856	149.481	131.737	1.00	85.75
ATOM	12034	N	SER	G	139	126.613	148.847	131.938	1.00	80.48
ATOM	12035	CA	SER	G	139	125.300	149.231	132.462	1.00	78.07
ATOM	12036	C	SER	G	139	124.309	149.817	131.457	1.00	74.85
ATOM	12037	O	SER	G	139	124.682	150.471	130.485	1.00	74.67
ATOM	12038	CB	SER	G	139	125.464	150.219	133.622	1.00	79.02
ATOM	12039	OG	SER	G	139	126.061	149.598	134.745	1.00	83.37
ATOM	12040	N	LEU	G	140	123.033	149.570	131.726	1.00	71.53
ATOM	12041	CA	LEU	G	140	121.922	150.043	130.910	1.00	67.03
ATOM	12042	C	LEU	G	140	120.874	150.419	131.947	1.00	65.23
ATOM	12043	O	LEU	G	140	119.850	149.759	132.079	1.00	63.16
ATOM	12044	CB	LEU	G	140	121.395	148.908	130.035	1.00	66.38
ATOM	12045	CG	LEU	G	140	120.524	149.280	128.835	1.00	64.74
ATOM	12046	CD1	LEU	G	140	119.971	148.020	128.187	1.00	63.11
ATOM	12047	CD2	LEU	G	140	119.400	150.171	129.283	1.00	66.02
ATOM	12048	N	THR	G	141	121.165	151.478	132.693	1.00	63.93
ATOM	12049	CA	THR	G	141	120.309	151.967	133.769	1.00	61.50
ATOM	12050	C	THR	G	141	118.929	152.463	133.360	1.00	60.35
ATOM	12051	O	THR	G	141	118.806	153.514	132.731	1.00	59.72
ATOM	12052	CB	THR	G	141	120.992	153.116	134.500	1.00	62.27
ATOM	12053	OG1	THR	G	141	122.395	152.845	134.599	1.00	63.40
ATOM	12054	CG2	THR	G	141	120.393	153.289	135.891	1.00	62.88
ATOM	12055	N	LEU	G	142	117.893	151.716	133.736	1.00	57.60
ATOM	12056	CA	LEU	G	142	116.518	152.099	133.429	1.00	55.08
ATOM	12057	C	LEU	G	142	116.221	153.300	134.307	1.00	55.77
ATOM	12058	O	LEU	G	142	116.880	153.483	135.327	1.00	57.27
ATOM	12059	CB	LEU	G	142	115.560	150.976	133.794	1.00	51.83
ATOM	12060	CG	LEU	G	142	115.601	149.632	133.068	1.00	53.15
ATOM	12061	CD1	LEU	G	142	114.498	149.562	132.016	1.00	50.33
ATOM	12062	CD2	LEU	G	142	116.967	149.415	132.469	1.00	51.42
ATOM	12063	N	ILE	G	143	115.246	154.122	133.930	1.00	56.26
ATOM	12064	CA	ILE	G	143	114.923	155.294	134.745	1.00	57.45
ATOM	12065	C	ILE	G	143	113.488	155.800	134.595	1.00	57.24
ATOM	12066	O	ILE	G	143	113.158	156.545	133.677	1.00	59.13
ATOM	12067	CB	ILE	G	143	115.923	156.442	134.469	1.00	56.42
ATOM	12068	CG1	ILE	G	143	115.407	157.744	135.081	1.00	54.04
ATOM	12069	CG2	ILE	G	143	116.187	156.549	132.986	1.00	55.56
ATOM	12070	CD1	ILE	G	143	116.409	158.863	135.031	1.00	58.48
ATOM	12071	N	ASN	G	144	112.650	155.386	135.535	1.00	56.12
ATOM	12072	CA	ASN	G	144	111.239	155.733	135.560	1.00	54.90
ATOM	12073	C	ASN	G	144	110.991	156.974	136.414	1.00	53.43
ATOM	12074	O	ASN	G	144	111.123	156.939	137.633	1.00	53.08
ATOM	12075	CB	ASN	G	144	110.456	154.530	136.091	1.00	56.64
ATOM	12076	CG	ASN	G	144	109.036	154.867	136.459	1.00	59.04
ATOM	12077	OD1	ASN	G	144	108.442	155.811	135.930	1.00	58.63
ATOM	12078	ND2	ASN	G	144	108.469	154.077	137.362	1.00	61.74
ATOM	12079	N	PRO	G	145	110.632	158.092	135.770	1.00	51.70
ATOM	12080	CA	PRO	G	145	110.360	159.375	136.420	1.00	48.96
ATOM	12081	C	PRO	G	145	108.915	159.533	136.862	1.00	48.76
ATOM	12082	O	PRO	G	145	108.555	160.527	137.503	1.00	49.75
ATOM	12083	CB	PRO	G	145	110.716	160.368	135.334	1.00	49.12
ATOM	12084	CG	PRO	G	145	110.158	159.683	134.119	1.00	50.27
ATOM	12085	CD	PRO	G	145	110.650	158.252	134.303	1.00	51.82
ATOM	12086	N	THR	G	146	108.085	158.557	136.509	1.00	47.13
ATOM	12087	CA	THR	G	146	106.670	158.598	136.856	1.00	44.70
ATOM	12088	C	THR	G	146	106.435	158.109	138.277	1.00	44.60

ATOM	12089	O	THR G 146	107.351	157.622	138.945	1.00	46.08
ATOM	12090	CB	THR G 146	105.869	157.713	135.926	1.00	42.92
ATOM	12091	OG1	THR G 146	106.037	156.348	136.312	1.00	42.19
ATOM	12092	CG2	THR G 146	106.371	157.871	134.514	1.00	47.17
ATOM	12093	N	PRO G 147	105.200	158.240	138.767	1.00	42.06
ATOM	12094	CA	PRO G 147	104.931	157.776	140.127	1.00	39.60
ATOM	12095	C	PRO G 147	104.499	156.316	140.204	1.00	38.06
ATOM	12096	O	PRO G 147	104.112	155.844	141.269	1.00	38.82
ATOM	12097	CB	PRO G 147	103.845	158.725	140.594	1.00	40.55
ATOM	12098	CG	PRO G 147	103.076	158.974	139.335	1.00	37.37
ATOM	12099	CD	PRO G 147	104.165	159.186	138.321	1.00	39.70
ATOM	12100	N	TYR G 148	104.567	155.597	139.087	1.00	36.31
ATOM	12101	CA	TYR G 148	104.170	154.187	139.080	1.00	36.56
ATOM	12102	C	TYR G 148	105.337	153.218	138.947	1.00	35.09
ATOM	12103	O	TYR G 148	106.415	153.576	138.487	1.00	32.36
ATOM	12104	CB	TYR G 148	103.185	153.902	137.945	1.00	35.48
ATOM	12105	CG	TYR G 148	102.059	154.882	137.867	1.00	35.21
ATOM	12106	CD1	TYR G 148	102.285	156.192	137.445	1.00	37.49
ATOM	12107	CD2	TYR G 148	100.770	154.514	138.230	1.00	33.83
ATOM	12108	CE1	TYR G 148	101.252	157.108	137.386	1.00	37.88
ATOM	12109	CE2	TYR G 148	99.734	155.423	138.179	1.00	37.55
ATOM	12110	CZ	TYR G 148	99.981	156.719	137.759	1.00	38.30
ATOM	12111	OH	TYR G 148	98.958	157.633	137.745	1.00	42.43
ATOM	12112	N	TYR G 149	105.095	151.977	139.345	1.00	33.96
ATOM	12113	CA	TYR G 149	106.111	150.945	139.267	1.00	34.43
ATOM	12114	C	TYR G 149	106.126	150.315	137.878	1.00	33.68
ATOM	12115	O	TYR G 149	105.198	149.603	137.499	1.00	33.31
ATOM	12116	CB	TYR G 149	105.844	149.848	140.305	1.00	36.27
ATOM	12117	CG	TYR G 149	106.586	149.985	141.618	1.00	37.57
ATOM	12118	CD1	TYR G 149	106.090	150.771	142.648	1.00	40.52
ATOM	12119	CD2	TYR G 149	107.797	149.331	141.822	1.00	41.85
ATOM	12120	CE1	TYR G 149	106.783	150.907	143.857	1.00	41.93
ATOM	12121	CE2	TYR G 149	108.498	149.463	143.022	1.00	45.28
ATOM	12122	CZ	TYR G 149	107.986	150.252	144.035	1.00	42.17
ATOM	12123	OH	TYR G 149	108.683	150.384	145.212	1.00	38.68
ATOM	12124	N	LEU G 150	107.185	150.555	137.121	1.00	32.00
ATOM	12125	CA	LEU G 150	107.263	149.970	135.795	1.00	32.27
ATOM	12126	C	LEU G 150	107.817	148.556	135.847	1.00	33.43
ATOM	12127	O	LEU G 150	108.941	148.336	136.304	1.00	33.84
ATOM	12128	CB	LEU G 150	108.161	150.800	134.889	1.00	32.01
ATOM	12129	CG	LEU G 150	107.928	152.297	134.753	1.00	30.97
ATOM	12130	CD1	LEU G 150	108.842	152.790	133.640	1.00	33.58
ATOM	12131	CD2	LEU G 150	106.473	152.608	134.433	1.00	31.42
ATOM	12132	N	THR G 151	107.030	147.600	135.370	1.00	33.76
ATOM	12133	CA	THR G 151	107.458	146.207	135.342	1.00	34.52
ATOM	12134	C	THR G 151	107.954	145.959	133.926	1.00	35.37
ATOM	12135	O	THR G 151	107.232	145.402	133.105	1.00	38.59
ATOM	12136	CB	THR G 151	106.280	145.233	135.662	1.00	35.16
ATOM	12137	OG1	THR G 151	105.875	145.391	137.028	1.00	36.91
ATOM	12138	CG2	THR G 151	106.694	143.795	135.450	1.00	35.14
ATOM	12139	N	VAL G 152	109.182	146.400	133.652	1.00	35.84
ATOM	12140	CA	VAL G 152	109.834	146.273	132.343	1.00	33.67
ATOM	12141	C	VAL G 152	110.133	144.830	131.978	1.00	34.86
ATOM	12142	O	VAL G 152	110.716	144.105	132.756	1.00	37.89
ATOM	12143	CB	VAL G 152	111.160	147.057	132.331	1.00	31.79
ATOM	12144	CG1	VAL G 152	111.939	146.756	131.079	1.00	33.33
ATOM	12145	CG2	VAL G 152	110.882	148.538	132.449	1.00	30.83
ATOM	12146	N	THR G 153	109.754	144.423	130.781	1.00	37.60
ATOM	12147	CA	THR G 153	109.992	143.061	130.350	1.00	42.20
ATOM	12148	C	THR G 153	110.238	142.992	128.839	1.00	48.93
ATOM	12149	O	THR G 153	109.893	143.923	128.101	1.00	50.50
ATOM	12150	CB	THR G 153	108.808	142.194	130.715	1.00	39.38

ATOM	12151	OG1	THR	G	153	108.941	140.913	130.095	1.00	44.33
ATOM	12152	CG2	THR	G	153	107.528	142.850	130.253	1.00	43.85
ATOM	12153	N	GLU	G	154	110.825	141.885	128.379	1.00	53.74
ATOM	12154	CA	GLU	G	154	111.151	141.720	126.965	1.00	57.19
ATOM	12155	C	GLU	G	154	112.103	142.854	126.551	1.00	60.55
ATOM	12156	O	GLU	G	154	112.111	143.289	125.400	1.00	62.01
ATOM	12157	CB	GLU	G	154	109.882	141.753	126.099	1.00	55.02
ATOM	12158	CG	GLU	G	154	108.998	140.512	126.220	1.00	57.75
ATOM	12159	CD	GLU	G	154	108.081	140.303	125.009	1.00	58.03
ATOM	12160	OE1	GLU	G	154	108.229	141.039	124.013	1.00	59.01
ATOM	12161	OE2	GLU	G	154	107.218	139.396	125.043	1.00	56.37
ATOM	12162	N	LEU	G	155	112.899	143.326	127.509	1.00	63.23
ATOM	12163	CA	LEU	G	155	113.857	144.407	127.284	1.00	63.99
ATOM	12164	C	LEU	G	155	115.082	143.873	126.561	1.00	65.53
ATOM	12165	O	LEU	G	155	115.848	143.103	127.131	1.00	65.34
ATOM	12166	CB	LEU	G	155	114.290	145.009	128.623	1.00	61.85
ATOM	12167	CG	LEU	G	155	115.273	146.182	128.621	1.00	62.70
ATOM	12168	CD1	LEU	G	155	114.551	147.463	128.209	1.00	64.35
ATOM	12169	CD2	LEU	G	155	115.867	146.353	130.006	1.00	60.50
ATOM	12170	N	ASN	G	156	115.264	144.283	125.308	1.00	69.66
ATOM	12171	CA	ASN	G	156	116.416	143.848	124.509	1.00	72.02
ATOM	12172	C	ASN	G	156	117.282	145.048	124.151	1.00	73.76
ATOM	12173	O	ASN	G	156	116.776	146.160	123.962	1.00	72.78
ATOM	12174	CB	ASN	G	156	115.950	143.186	123.217	1.00	67.03
ATOM	12175	CG	ASN	G	156	114.683	142.416	123.404	1.00	65.67
ATOM	12176	OD1	ASN	G	156	114.665	141.364	124.046	1.00	63.54
ATOM	12177	ND2	ASN	G	156	113.595	142.948	122.866	1.00	63.70
ATOM	12178	N	ALA	G	157	118.590	144.825	124.075	1.00	75.58
ATOM	12179	CA	ALA	G	157	119.505	145.889	123.700	1.00	78.67
ATOM	12180	C	ALA	G	157	119.486	145.819	122.181	1.00	81.67
ATOM	12181	O	ALA	G	157	120.469	146.133	121.504	1.00	84.28
ATOM	12182	CB	ALA	G	157	120.896	145.603	124.236	1.00	77.31
ATOM	12183	N	GLY	G	158	118.336	145.398	121.660	1.00	83.09
ATOM	12184	CA	GLY	G	158	118.163	145.246	120.230	1.00	82.28
ATOM	12185	C	GLY	G	158	118.884	143.977	119.847	1.00	81.58
ATOM	12186	O	GLY	G	158	118.273	142.947	119.555	1.00	80.28
ATOM	12187	N	THR	G	159	120.207	144.056	119.863	1.00	81.18
ATOM	12188	CA	THR	G	159	121.022	142.908	119.535	1.00	81.87
ATOM	12189	C	THR	G	159	120.642	141.829	120.547	1.00	82.90
ATOM	12190	O	THR	G	159	119.717	141.040	120.333	1.00	82.18
ATOM	12191	CB	THR	G	159	122.528	143.246	119.677	1.00	80.50
ATOM	12192	OG1	THR	G	159	122.767	144.577	119.205	1.00	75.71
ATOM	12193	CG2	THR	G	159	123.374	142.272	118.867	1.00	77.70
ATOM	12194	N	ARG	G	160	121.350	141.839	121.666	1.00	83.49
ATOM	12195	CA	ARG	G	160	121.150	140.891	122.745	1.00	84.02
ATOM	12196	C	ARG	G	160	119.848	141.189	123.504	1.00	84.00
ATOM	12197	O	ARG	G	160	119.351	142.322	123.493	1.00	84.43
ATOM	12198	CB	ARG	G	160	122.352	140.995	123.691	1.00	86.72
ATOM	12199	CG	ARG	G	160	122.599	139.809	124.610	1.00	92.28
ATOM	12200	CD	ARG	G	160	123.164	138.610	123.854	1.00	94.01
ATOM	12201	NE	ARG	G	160	123.649	137.567	124.760	1.00	93.69
ATOM	12202	CZ	ARG	G	160	122.902	136.939	125.666	1.00	92.31
ATOM	12203	NH1	ARG	G	160	121.615	137.236	125.803	1.00	89.82
ATOM	12204	NH2	ARG	G	160	123.449	136.011	126.442	1.00	92.22
ATOM	12205	N	VAL	G	161	119.291	140.162	124.147	1.00	83.01
ATOM	12206	CA	VAL	G	161	118.074	140.310	124.955	1.00	80.54
ATOM	12207	C	VAL	G	161	118.566	140.795	126.326	1.00	78.78
ATOM	12208	O	VAL	G	161	119.732	141.163	126.462	1.00	80.14
ATOM	12209	CB	VAL	G	161	117.331	138.951	125.121	1.00	80.21
ATOM	12210	CG1	VAL	G	161	118.160	137.996	125.974	1.00	77.67
ATOM	12211	CG2	VAL	G	161	115.955	139.174	125.735	1.00	78.35
ATOM	12212	N	LEU	G	162	117.711	140.798	127.343	1.00	75.01

ATOM	12213	CA	LEU	G	162	118.159	141.251	128.656	1.00	70.03
ATOM	12214	C	LEU	G	162	117.349	140.774	129.848	1.00	67.92
ATOM	12215	O	LEU	G	162	116.395	140.003	129.718	1.00	68.34
ATOM	12216	CB	LEU	G	162	118.241	142.772	128.686	1.00	70.20
ATOM	12217	CG	LEU	G	162	119.404	143.379	127.905	1.00	71.25
ATOM	12218	CD1	LEU	G	162	119.313	144.896	127.920	1.00	70.77
ATOM	12219	CD2	LEU	G	162	120.712	142.906	128.522	1.00	73.58
ATOM	12220	N	GLU	G	163	117.743	141.260	131.018	1.00	64.53
ATOM	12221	CA	GLU	G	163	117.104	140.890	132.272	1.00	59.91
ATOM	12222	C	GLU	G	163	115.908	141.774	132.573	1.00	56.19
ATOM	12223	O	GLU	G	163	116.039	143.004	132.590	1.00	55.34
ATOM	12224	CB	GLU	G	163	118.119	141.006	133.412	1.00	60.97
ATOM	12225	CG	GLU	G	163	117.825	140.113	134.585	1.00	65.61
ATOM	12226	CD	GLU	G	163	117.756	138.653	134.178	1.00	71.17
ATOM	12227	OE1	GLU	G	163	116.867	138.298	133.367	1.00	73.98
ATOM	12228	OE2	GLU	G	163	118.594	137.860	134.665	1.00	73.89
ATOM	12229	N	ASN	G	164	114.746	141.160	132.808	1.00	50.59
ATOM	12230	CA	ASN	G	164	113.545	141.929	133.134	1.00	46.71
ATOM	12231	C	ASN	G	164	113.866	142.915	134.254	1.00	43.75
ATOM	12232	O	ASN	G	164	114.914	142.829	134.876	1.00	47.66
ATOM	12233	CB	ASN	G	164	112.426	141.008	133.605	1.00	48.25
ATOM	12234	CG	ASN	G	164	111.821	140.202	132.489	1.00	47.14
ATOM	12235	OD1	ASN	G	164	111.388	140.749	131.478	1.00	51.85
ATOM	12236	ND2	ASN	G	164	111.766	138.896	132.671	1.00	49.91
ATOM	12237	N	ALA	G	165	112.972	143.843	134.538	1.00	39.95
ATOM	12238	CA	ALA	G	165	113.259	144.801	135.593	1.00	38.85
ATOM	12239	C	ALA	G	165	112.004	145.363	136.216	1.00	38.21
ATOM	12240	O	ALA	G	165	110.939	145.376	135.598	1.00	39.54
ATOM	12241	CB	ALA	G	165	114.107	145.939	135.048	1.00	36.47
ATOM	12242	N	LEU	G	166	112.127	145.802	137.460	1.00	34.56
ATOM	12243	CA	LEU	G	166	111.006	146.408	138.141	1.00	31.80
ATOM	12244	C	LEU	G	166	111.549	147.767	138.527	1.00	32.23
ATOM	12245	O	LEU	G	166	112.201	147.925	139.546	1.00	35.13
ATOM	12246	CB	LEU	G	166	110.610	145.587	139.366	1.00	27.39
ATOM	12247	CG	LEU	G	166	109.533	146.220	140.257	1.00	28.34
ATOM	12248	CD1	LEU	G	166	108.317	146.651	139.452	1.00	22.37
ATOM	12249	CD2	LEU	G	166	109.144	145.222	141.311	1.00	31.83
ATOM	12250	N	VAL	G	167	111.302	148.760	137.694	1.00	33.35
ATOM	12251	CA	VAL	G	167	111.842	150.070	137.985	1.00	36.37
ATOM	12252	C	VAL	G	167	110.916	150.896	138.828	1.00	37.45
ATOM	12253	O	VAL	G	167	109.867	151.363	138.365	1.00	34.89
ATOM	12254	CB	VAL	G	167	112.179	150.857	136.706	1.00	39.37
ATOM	12255	CG1	VAL	G	167	113.043	152.063	137.067	1.00	39.66
ATOM	12256	CG2	VAL	G	167	112.898	149.952	135.702	1.00	38.65
ATOM	12257	N	PRO	G	168	111.307	151.099	140.090	1.00	38.99
ATOM	12258	CA	PRO	G	168	110.556	151.874	141.078	1.00	39.69
ATOM	12259	C	PRO	G	168	110.232	153.303	140.615	1.00	41.73
ATOM	12260	O	PRO	G	168	110.957	153.902	139.813	1.00	43.05
ATOM	12261	CB	PRO	G	168	111.471	151.842	142.294	1.00	39.12
ATOM	12262	CG	PRO	G	168	112.857	151.727	141.680	1.00	37.63
ATOM	12263	CD	PRO	G	168	112.624	150.701	140.620	1.00	36.99
ATOM	12264	N	PRO	G	169	109.128	153.867	141.118	1.00	42.35
ATOM	12265	CA	PRO	G	169	108.721	155.223	140.752	1.00	43.78
ATOM	12266	C	PRO	G	169	109.831	156.246	140.990	1.00	44.18
ATOM	12267	O	PRO	G	169	110.519	156.206	142.004	1.00	44.60
ATOM	12268	CB	PRO	G	169	107.515	155.470	141.655	1.00	44.59
ATOM	12269	CG	PRO	G	169	106.943	154.103	141.827	1.00	44.15
ATOM	12270	CD	PRO	G	169	108.174	153.277	142.070	1.00	42.72
ATOM	12271	N	MET	G	170	110.006	157.158	140.046	1.00	44.94
ATOM	12272	CA	MET	G	170	111.008	158.196	140.189	1.00	43.36
ATOM	12273	C	MET	G	170	112.335	157.625	140.663	1.00	42.21
ATOM	12274	O	MET	G	170	113.014	158.204	141.500	1.00	41.80

ATOM	12275	CB	MET	G	170	110.490	159.229	141.172	1.00	42.39
ATOM	12276	CG	MET	G	170	109.076	159.626	140.870	1.00	43.84
ATOM	12277	SD	MET	G	170	108.566	161.011	141.864	1.00	59.00
ATOM	12278	CE	MET	G	170	107.413	160.244	142.998	1.00	52.00
ATOM	12279	N	GLY	G	171	112.701	156.479	140.120	1.00	41.76
ATOM	12280	CA	GLY	G	171	113.950	155.868	140.511	1.00	44.55
ATOM	12281	C	GLY	G	171	114.493	155.098	139.340	1.00	46.74
ATOM	12282	O	GLY	G	171	113.871	155.057	138.285	1.00	49.54
ATOM	12283	N	GLU	G	172	115.648	154.478	139.518	1.00	48.56
ATOM	12284	CA	GLU	G	172	116.261	153.720	138.442	1.00	50.10
ATOM	12285	C	GLU	G	172	116.371	152.248	138.807	1.00	50.42
ATOM	12286	O	GLU	G	172	115.904	151.811	139.852	1.00	51.27
ATOM	12287	CB	GLU	G	172	117.660	154.272	138.146	1.00	53.28
ATOM	12288	CG	GLU	G	172	117.769	155.796	138.214	1.00	58.08
ATOM	12289	CD	GLU	G	172	119.182	156.293	137.972	1.00	60.27
ATOM	12290	OE1	GLU	G	172	120.115	155.668	138.523	1.00	62.50
ATOM	12291	OE2	GLU	G	172	119.357	157.303	137.247	1.00	58.62
ATOM	12292	N	SER	G	173	117.002	151.496	137.920	1.00	51.51
ATOM	12293	CA	SER	G	173	117.226	150.072	138.090	1.00	54.23
ATOM	12294	C	SER	G	173	118.238	149.725	137.018	1.00	56.65
ATOM	12295	O	SER	G	173	117.956	149.835	135.822	1.00	57.78
ATOM	12296	CB	SER	G	173	115.941	149.278	137.858	1.00	54.85
ATOM	12297	OG	SER	G	173	114.903	149.712	138.718	1.00	59.26
ATOM	12298	N	THR	G	174	119.429	149.334	137.439	1.00	20.00
ATOM	12299	CG2	THR	G	174	122.139	150.430	137.770	1.00	20.00
ATOM	12300	OG1	THR	G	174	121.918	148.103	138.203	1.00	20.00
ATOM	12301	CB	THR	G	174	121.844	149.060	137.159	1.00	20.00
ATOM	12302	CA	THR	G	174	120.467	148.992	136.485	1.00	20.00
ATOM	12303	C	THR	G	174	120.253	147.574	135.960	1.00	20.00
ATOM	12304	O	THR	G	174	119.590	146.758	136.596	1.00	20.00
ATOM	12305	N	VAL	G	175	120.810	147.298	134.789	1.00	64.80
ATOM	12306	CA	VAL	G	175	120.717	145.986	134.161	1.00	69.26
ATOM	12307	C	VAL	G	175	122.032	145.788	133.419	1.00	73.32
ATOM	12308	O	VAL	G	175	122.545	146.738	132.822	1.00	76.18
ATOM	12309	CB	VAL	G	175	119.580	145.944	133.134	1.00	68.52
ATOM	12310	CG1	VAL	G	175	119.420	144.530	132.578	1.00	69.53
ATOM	12311	CG2	VAL	G	175	118.307	146.428	133.771	1.00	70.53
ATOM	12312	N	LYS	G	176	122.588	144.579	133.439	1.00	74.51
ATOM	12313	CA	LYS	G	176	123.849	144.356	132.739	1.00	75.96
ATOM	12314	C	LYS	G	176	123.669	144.594	131.244	1.00	77.33
ATOM	12315	O	LYS	G	176	122.584	144.382	130.698	1.00	76.82
ATOM	12316	CB	LYS	G	176	124.369	142.941	132.992	1.00	76.79
ATOM	12317	CG	LYS	G	176	124.744	142.669	134.440	1.00	81.68
ATOM	12318	CD	LYS	G	176	123.509	142.681	135.356	1.00	85.10
ATOM	12319	CE	LYS	G	176	123.631	143.701	136.495	1.00	83.57
ATOM	12320	NZ	LYS	G	176	124.737	143.377	137.441	1.00	81.41
ATOM	12321	N	LEU	G	177	124.735	145.042	130.590	1.00	79.09
ATOM	12322	CA	LEU	G	177	124.706	145.330	129.160	1.00	82.87
ATOM	12323	C	LEU	G	177	125.834	144.561	128.463	1.00	85.55
ATOM	12324	O	LEU	G	177	126.973	145.031	128.392	1.00	85.08
ATOM	12325	CB	LEU	G	177	124.860	146.839	128.955	1.00	81.86
ATOM	12326	CG	LEU	G	177	124.358	147.482	127.663	1.00	81.32
ATOM	12327	CD1	LEU	G	177	122.953	147.006	127.337	1.00	78.23
ATOM	12328	CD2	LEU	G	177	124.386	148.990	127.831	1.00	80.67
ATOM	12329	N	PRO	G	178	125.518	143.362	127.936	1.00	88.31
ATOM	12330	CA	PRO	G	178	126.416	142.437	127.234	1.00	91.73
ATOM	12331	C	PRO	G	178	126.802	142.754	125.791	1.00	94.69
ATOM	12332	O	PRO	G	178	126.393	142.041	124.874	1.00	95.61
ATOM	12333	CB	PRO	G	178	125.670	141.112	127.332	1.00	90.38
ATOM	12334	CG	PRO	G	178	124.268	141.548	127.163	1.00	90.70
ATOM	12335	CD	PRO	G	178	124.182	142.756	128.080	1.00	89.01
ATOM	12336	N	SER	G	179	127.606	143.803	125.609	1.00	98.08

ATOM	12337	CA	SER	G	179	128.099	144.247	124.293	1.00100.69
ATOM	12338	C	SER	G	179	127.070	144.304	123.156	1.00100.98
ATOM	12339	O	SER	G	179	126.771	145.382	122.640	1.00101.01
ATOM	12340	CB	SER	G	179	129.293	143.381	123.866	1.00101.31
ATOM	12341	OG	SER	G	179	130.390	143.549	124.754	1.00102.15
ATOM	12342	N	ASP	G	180	126.556	143.144	122.757	1.00101.40
ATOM	12343	CA	ASP	G	180	125.550	143.054	121.701	1.00100.71
ATOM	12344	C	ASP	G	180	124.438	144.027	122.065	1.00 99.39
ATOM	12345	O	ASP	G	180	123.448	143.638	122.681	1.00 98.70
ATOM	12346	CB	ASP	G	180	124.952	141.641	121.641	1.00102.29
ATOM	12347	CG	ASP	G	180	125.992	140.544	121.815	1.00103.66
ATOM	12348	OD1	ASP	G	180	127.205	140.851	121.856	1.00105.25
ATOM	12349	OD2	ASP	G	180	125.583	139.366	121.911	1.00101.37
ATOM	12350	N	ALA	G	181	124.594	145.288	121.688	1.00 98.46
ATOM	12351	CA	ALA	G	181	123.588	146.288	122.013	1.00 98.12
ATOM	12352	C	ALA	G	181	123.326	147.245	120.863	1.00 97.23
ATOM	12353	O	ALA	G	181	122.270	147.204	120.228	1.00 96.84
ATOM	12354	CB	ALA	G	181	124.021	147.071	123.244	1.00 98.82
ATOM	12355	N	GLY	G	182	124.301	148.110	120.606	1.00 96.56
ATOM	12356	CA	GLY	G	182	124.162	149.084	119.543	1.00 94.64
ATOM	12357	C	GLY	G	182	123.424	150.301	120.055	1.00 92.63
ATOM	12358	O	GLY	G	182	124.039	151.322	120.367	1.00 91.62
ATOM	12359	N	SER	G	183	122.103	150.183	120.159	1.00 91.31
ATOM	12360	CA	SER	G	183	121.266	151.276	120.634	1.00 89.34
ATOM	12361	C	SER	G	183	119.795	150.973	120.416	1.00 87.66
ATOM	12362	O	SER	G	183	118.923	151.686	120.920	1.00 87.64
ATOM	12363	CB	SER	G	183	121.614	152.567	119.895	1.00 90.20
ATOM	12364	OG	SER	G	183	120.649	153.572	120.148	1.00 92.31
ATOM	12365	N	ASN	G	184	119.516	149.914	119.667	1.00 85.04
ATOM	12366	CA	ASN	G	184	118.134	149.565	119.371	1.00 83.51
ATOM	12367	C	ASN	G	184	117.368	148.959	120.544	1.00 80.79
ATOM	12368	O	ASN	G	184	117.193	147.744	120.623	1.00 78.99
ATOM	12369	CB	ASN	G	184	118.072	148.619	118.168	1.00 84.39
ATOM	12370	CG	ASN	G	184	116.662	148.456	117.635	1.00 84.43
ATOM	12371	OD1	ASN	G	184	115.964	149.442	117.384	1.00 83.49
ATOM	12372	ND2	ASN	G	184	116.233	147.210	117.458	1.00 85.70
ATOM	12373	N	ILE	G	185	116.889	149.815	121.442	1.00 77.74
ATOM	12374	CA	ILE	G	185	116.137	149.337	122.594	1.00 73.93
ATOM	12375	C	ILE	G	185	114.703	148.948	122.257	1.00 70.58
ATOM	12376	O	ILE	G	185	113.967	149.692	121.607	1.00 68.30
ATOM	12377	CB	ILE	G	185	116.105	150.375	123.731	1.00 74.42
ATOM	12378	CG1	ILE	G	185	117.521	150.591	124.289	1.00 72.76
ATOM	12379	CG2	ILE	G	185	115.133	149.924	124.807	1.00 73.88
ATOM	12380	CD1	ILE	G	185	118.330	149.314	124.475	1.00 70.73
ATOM	12381	N	THR	G	186	114.320	147.769	122.729	1.00 67.94
ATOM	12382	CA	THR	G	186	112.994	147.228	122.494	1.00 63.65
ATOM	12383	C	THR	G	186	112.475	146.589	123.778	1.00 61.27
ATOM	12384	O	THR	G	186	112.947	145.524	124.176	1.00 61.22
ATOM	12385	CB	THR	G	186	113.056	146.164	121.415	1.00 61.32
ATOM	12386	OG1	THR	G	186	114.124	146.476	120.518	1.00 60.89
ATOM	12387	CG2	THR	G	186	111.755	146.120	120.645	1.00 62.28
ATOM	12388	N	TYR	G	187	111.502	147.233	124.417	1.00 57.45
ATOM	12389	CA	TYR	G	187	110.945	146.708	125.658	1.00 54.21
ATOM	12390	C	TYR	G	187	109.418	146.747	125.668	1.00 52.87
ATOM	12391	O	TYR	G	187	108.796	147.420	124.844	1.00 54.95
ATOM	12392	CB	TYR	G	187	111.474	147.521	126.833	1.00 51.97
ATOM	12393	CG	TYR	G	187	110.839	148.880	126.938	1.00 47.23
ATOM	12394	CD1	TYR	G	187	111.332	149.955	126.218	1.00 48.03
ATOM	12395	CD2	TYR	G	187	109.734	149.089	127.748	1.00 45.99
ATOM	12396	CE1	TYR	G	187	110.738	151.212	126.307	1.00 48.28
ATOM	12397	CE2	TYR	G	187	109.137	150.337	127.844	1.00 46.12
ATOM	12398	CZ	TYR	G	187	109.645	151.392	127.125	1.00 45.66

ATOM	12399	OH	TYR	G	187	109.075	152.632	127.245	1.00	46.33
ATOM	12400	N	ARG	G	188	108.831	146.023	126.618	1.00	49.67
ATOM	12401	CA	ARG	G	188	107.380	145.953	126.801	1.00	45.05
ATOM	12402	C	ARG	G	188	107.112	145.939	128.302	1.00	41.33
ATOM	12403	O	ARG	G	188	107.911	145.396	129.054	1.00	41.81
ATOM	12404	CB	ARG	G	188	106.828	144.668	126.185	1.00	45.57
ATOM	12405	CG	ARG	G	188	107.142	144.486	124.718	1.00	45.58
ATOM	12406	CD	ARG	G	188	106.637	143.144	124.201	1.00	45.59
ATOM	12407	NE	ARG	G	188	105.191	143.032	124.284	1.00	48.27
ATOM	12408	CZ	ARG	G	188	104.354	143.839	123.649	1.00	49.81
ATOM	12409	NH1	ARG	G	188	104.828	144.807	122.890	1.00	50.57
ATOM	12410	NH2	ARG	G	188	103.045	143.683	123.774	1.00	54.59
ATOM	12411	N	THR	G	189	106.010	146.527	128.751	1.00	35.42
ATOM	12412	CA	THR	G	189	105.731	146.517	130.181	1.00	33.70
ATOM	12413	C	THR	G	189	104.449	145.787	130.517	1.00	36.98
ATOM	12414	O	THR	G	189	103.591	145.601	129.646	1.00	41.44
ATOM	12415	CB	THR	G	189	105.594	147.905	130.731	1.00	30.15
ATOM	12416	OG1	THR	G	189	104.435	148.516	130.159	1.00	26.41
ATOM	12417	CG2	THR	G	189	106.838	148.718	130.425	1.00	26.59
ATOM	12418	N	ILE	G	190	104.306	145.382	131.780	1.00	34.36
ATOM	12419	CA	ILE	G	190	103.105	144.677	132.203	1.00	32.37
ATOM	12420	C	ILE	G	190	102.160	145.674	132.849	1.00	33.53
ATOM	12421	O	ILE	G	190	102.534	146.339	133.809	1.00	35.75
ATOM	12422	CB	ILE	G	190	103.468	143.546	133.160	1.00	30.97
ATOM	12423	CG1	ILE	G	190	104.324	142.525	132.412	1.00	30.05
ATOM	12424	CG2	ILE	G	190	102.217	142.872	133.687	1.00	28.17
ATOM	12425	CD1	ILE	G	190	104.741	141.333	133.239	1.00	32.30
ATOM	12426	N	ASN	G	191	100.945	145.789	132.310	1.00	33.08
ATOM	12427	CA	ASN	G	191	99.969	146.759	132.822	1.00	34.97
ATOM	12428	C	ASN	G	191	99.072	146.301	133.978	1.00	33.29
ATOM	12429	O	ASN	G	191	99.036	145.120	134.328	1.00	31.77
ATOM	12430	CB	ASN	G	191	99.077	147.274	131.677	1.00	36.69
ATOM	12431	CG	ASN	G	191	98.089	146.236	131.198	1.00	39.20
ATOM	12432	OD1	ASN	G	191	97.326	145.673	131.981	1.00	42.87
ATOM	12433	ND2	ASN	G	191	98.092	145.980	129.906	1.00	44.15
ATOM	12434	N	ASP	G	192	98.339	147.264	134.539	1.00	30.89
ATOM	12435	CA	ASP	G	192	97.430	147.045	135.658	1.00	29.86
ATOM	12436	C	ASP	G	192	96.562	145.806	135.559	1.00	30.20
ATOM	12437	O	ASP	G	192	95.993	145.364	136.551	1.00	31.54
ATOM	12438	CB	ASP	G	192	96.523	148.259	135.847	1.00	33.83
ATOM	12439	CG	ASP	G	192	97.240	149.440	136.484	1.00	37.84
ATOM	12440	OD1	ASP	G	192	98.390	149.266	136.935	1.00	43.23
ATOM	12441	OD2	ASP	G	192	96.649	150.543	136.541	1.00	39.68
ATOM	12442	N	TYR	G	193	96.455	145.231	134.371	1.00	31.09
ATOM	12443	CA	TYR	G	193	95.622	144.046	134.206	1.00	31.36
ATOM	12444	C	TYR	G	193	96.441	142.810	133.901	1.00	32.56
ATOM	12445	O	TYR	G	193	95.902	141.780	133.491	1.00	33.61
ATOM	12446	CB	TYR	G	193	94.592	144.307	133.123	1.00	25.93
ATOM	12447	CG	TYR	G	193	93.882	145.600	133.377	1.00	22.18
ATOM	12448	CD1	TYR	G	193	93.044	145.739	134.470	1.00	22.74
ATOM	12449	CD2	TYR	G	193	94.087	146.700	132.562	1.00	22.54
ATOM	12450	CE1	TYR	G	193	92.424	146.941	134.746	1.00	26.81
ATOM	12451	CE2	TYR	G	193	93.474	147.916	132.829	1.00	24.75
ATOM	12452	CZ	TYR	G	193	92.639	148.035	133.921	1.00	27.59
ATOM	12453	OH	TYR	G	193	91.999	149.239	134.182	1.00	30.18
ATOM	12454	N	GLY	G	194	97.748	142.930	134.120	1.00	31.65
ATOM	12455	CA	GLY	G	194	98.654	141.820	133.911	1.00	32.38
ATOM	12456	C	GLY	G	194	98.821	141.485	132.454	1.00	33.06
ATOM	12457	O	GLY	G	194	99.211	140.367	132.094	1.00	31.24
ATOM	12458	N	ALA	G	195	98.525	142.474	131.619	1.00	34.65
ATOM	12459	CA	ALA	G	195	98.627	142.330	130.177	1.00	35.52
ATOM	12460	C	ALA	G	195	99.791	143.144	129.634	1.00	35.28

ATOM	12461	O	ALA	G	195	100.074	144.245	130.123	1.00	36.03
ATOM	12462	CB	ALA	G	195	97.330	142.775	129.535	1.00	37.37
ATOM	12463	N	LEU	G	196	100.466	142.586	128.634	1.00	34.66
ATOM	12464	CA	LEU	G	196	101.602	143.236	127.988	1.00	36.15
ATOM	12465	C	LEU	G	196	101.181	144.473	127.219	1.00	37.98
ATOM	12466	O	LEU	G	196	100.108	144.502	126.624	1.00	37.40
ATOM	12467	CB	LEU	G	196	102.251	142.286	126.996	1.00	33.06
ATOM	12468	CG	LEU	G	196	103.268	141.276	127.498	1.00	32.98
ATOM	12469	CD1	LEU	G	196	103.079	139.946	126.798	1.00	28.57
ATOM	12470	CD2	LEU	G	196	104.653	141.831	127.253	1.00	33.06
ATOM	12471	N	THR	G	197	102.027	145.495	127.234	1.00	40.42
ATOM	12472	CA	THR	G	197	101.749	146.701	126.477	1.00	43.05
ATOM	12473	C	THR	G	197	102.608	146.578	125.210	1.00	47.90
ATOM	12474	O	THR	G	197	103.552	145.778	125.157	1.00	46.46
ATOM	12475	CB	THR	G	197	102.114	147.989	127.265	1.00	40.68
ATOM	12476	OG1	THR	G	197	103.539	148.138	127.358	1.00	39.00
ATOM	12477	CG2	THR	G	197	101.522	147.920	128.647	1.00	40.94
ATOM	12478	N	PRO	G	198	102.282	147.358	124.170	1.00	50.97
ATOM	12479	CA	PRO	G	198	102.980	147.377	122.878	1.00	51.82
ATOM	12480	C	PRO	G	198	104.483	147.654	122.936	1.00	51.80
ATOM	12481	O	PRO	G	198	104.944	148.435	123.778	1.00	50.16
ATOM	12482	CB	PRO	G	198	102.232	148.464	122.107	1.00	55.95
ATOM	12483	CG	PRO	G	198	101.774	149.400	123.220	1.00	52.77
ATOM	12484	CD	PRO	G	198	101.252	148.413	124.220	1.00	51.28
ATOM	12485	N	LYS	G	199	105.232	147.028	122.019	1.00	51.03
ATOM	12486	CA	LYS	G	199	106.676	147.206	121.952	1.00	49.57
ATOM	12487	C	LYS	G	199	106.935	148.685	121.964	1.00	50.26
ATOM	12488	O	LYS	G	199	106.025	149.478	121.731	1.00	51.00
ATOM	12489	CB	LYS	G	199	107.258	146.609	120.671	1.00	48.87
ATOM	12490	CG	LYS	G	199	107.301	145.090	120.657	1.00	53.96
ATOM	12491	CD	LYS	G	199	108.198	144.544	119.541	1.00	56.63
ATOM	12492	CE	LYS	G	199	108.413	143.027	119.684	1.00	58.87
ATOM	12493	NZ	LYS	G	199	109.364	142.477	118.673	1.00	55.02
ATOM	12494	N	MET	G	200	108.169	149.064	122.249	1.00	50.20
ATOM	12495	CA	MET	G	200	108.523	150.469	122.274	1.00	52.01
ATOM	12496	C	MET	G	200	110.009	150.575	122.054	1.00	53.92
ATOM	12497	O	MET	G	200	110.738	149.612	122.300	1.00	56.10
ATOM	12498	CB	MET	G	200	108.112	151.096	123.606	1.00	50.70
ATOM	12499	CG	MET	G	200	106.612	151.324	123.700	1.00	51.57
ATOM	12500	SD	MET	G	200	105.986	151.744	125.330	1.00	56.69
ATOM	12501	CE	MET	G	200	106.328	153.501	125.374	1.00	54.91
ATOM	12502	N	THR	G	201	110.461	151.729	121.570	1.00	54.31
ATOM	12503	CA	THR	G	201	111.878	151.913	121.317	1.00	54.40
ATOM	12504	C	THR	G	201	112.510	152.820	122.352	1.00	56.71
ATOM	12505	O	THR	G	201	112.046	153.929	122.598	1.00	55.49
ATOM	12506	CB	THR	G	201	112.113	152.474	119.918	1.00	52.96
ATOM	12507	OG1	THR	G	201	111.476	151.616	118.964	1.00	49.77
ATOM	12508	CG2	THR	G	201	113.605	152.535	119.605	1.00	52.40
ATOM	12509	N	GLY	G	202	113.578	152.318	122.959	1.00	60.14
ATOM	12510	CA	GLY	G	202	114.275	153.061	123.987	1.00	65.61
ATOM	12511	C	GLY	G	202	114.707	154.459	123.607	1.00	68.07
ATOM	12512	O	GLY	G	202	115.377	154.664	122.598	1.00	68.99
ATOM	12513	N	VAL	G	203	114.318	155.417	124.442	1.00	70.77
ATOM	12514	CA	VAL	G	203	114.649	156.823	124.256	1.00	72.74
ATOM	12515	C	VAL	G	203	115.630	157.252	125.346	1.00	75.25
ATOM	12516	O	VAL	G	203	115.209	157.573	126.465	1.00	76.28
ATOM	12517	CB	VAL	G	203	113.383	157.698	124.371	1.00	71.89
ATOM	12518	CG1	VAL	G	203	113.748	159.177	124.242	1.00	71.07
ATOM	12519	CG2	VAL	G	203	112.375	157.286	123.312	1.00	71.62
ATOM	12520	N	MET	G	204	116.927	157.253	125.035	1.00	76.73
ATOM	12521	CA	MET	G	204	117.931	157.655	126.023	1.00	79.70
ATOM	12522	C	MET	G	204	117.639	159.064	126.500	1.00	80.44

ATOM	12523	O	MET	G	204	116.977	159.837	125.810	1.00	82.08
ATOM	12524	CB	MET	G	204	119.343	157.613	125.437	1.00	80.56
ATOM	12525	CG	MET	G	204	119.865	156.222	125.168	1.00	86.11
ATOM	12526	SD	MET	G	204	118.779	155.295	124.058	1.00	94.96
ATOM	12527	CE	MET	G	204	119.285	155.932	122.443	1.00	92.69
ATOM	12528	N	GLU	G	205	118.126	159.395	127.686	1.00	80.41
ATOM	12529	CA	GLU	G	205	117.915	160.721	128.233	1.00	81.38
ATOM	12530	C	GLU	G	205	119.066	161.617	127.791	1.00	81.41
ATOM	12531	O	GLU	G	205	118.803	162.656	127.148	1.00	80.84
ATOM	12532	CB	GLU	G	205	117.866	160.646	129.752	1.00	83.27
ATOM	12533	CG	GLU	G	205	119.041	159.903	130.330	1.00	86.91
ATOM	12534	CD	GLU	G	205	119.044	159.919	131.834	1.00	90.31
ATOM	12535	OE1	GLU	G	205	118.113	160.515	132.429	1.00	89.10
ATOM	12536	OE2	GLU	G	205	119.982	159.332	132.414	1.00	92.95
ATOM	12537	OXT	GLU	G	205	120.224	161.259	128.089	1.00	81.27
ATOM	12538	N	PHE	H	1	54.957	151.521	112.472	1.00	22.08
ATOM	12539	CA	PHE	H	1	55.912	151.095	113.519	1.00	19.84
ATOM	12540	C	PHE	H	1	57.258	151.778	113.241	1.00	20.43
ATOM	12541	O	PHE	H	1	57.740	151.824	112.103	1.00	16.80
ATOM	12542	CB	PHE	H	1	56.016	149.557	113.507	1.00	20.47
ATOM	12543	CG	PHE	H	1	57.042	149.002	114.456	1.00	19.48
ATOM	12544	CD1	PHE	H	1	58.381	148.922	114.085	1.00	18.15
ATOM	12545	CD2	PHE	H	1	56.668	148.582	115.728	1.00	17.65
ATOM	12546	CE1	PHE	H	1	59.326	148.441	114.956	1.00	20.95
ATOM	12547	CE2	PHE	H	1	57.600	148.096	116.617	1.00	15.92
ATOM	12548	CZ	PHE	H	1	58.938	148.023	116.234	1.00	24.26
ATOM	12549	N	ALA	H	2	57.852	152.338	114.286	1.00	22.43
ATOM	12550	CA	ALA	H	2	59.138	153.021	114.147	1.00	22.48
ATOM	12551	C	ALA	H	2	59.994	152.891	115.397	1.00	22.56
ATOM	12552	O	ALA	H	2	59.488	152.626	116.499	1.00	24.38
ATOM	12553	CB	ALA	H	2	58.915	154.481	113.846	1.00	21.35
ATOM	12554	N	CYS	H	3	61.297	153.070	115.232	1.00	17.96
ATOM	12555	CA	CYS	H	3	62.166	152.987	116.380	1.00	19.60
ATOM	12556	C	CYS	H	3	63.190	154.104	116.319	1.00	20.39
ATOM	12557	O	CYS	H	3	63.553	154.561	115.243	1.00	19.77
ATOM	12558	CB	CYS	H	3	62.879	151.648	116.418	1.00	20.94
ATOM	12559	SG	CYS	H	3	61.854	150.159	116.245	1.00	30.58
ATOM	12560	N	LYS	H	4	63.639	154.557	117.481	1.00	20.43
ATOM	12561	CA	LYS	H	4	64.636	155.592	117.522	1.00	22.73
ATOM	12562	C	LYS	H	4	65.680	155.171	118.542	1.00	24.66
ATOM	12563	O	LYS	H	4	65.417	154.384	119.464	1.00	22.06
ATOM	12564	CB	LYS	H	4	64.026	156.945	117.896	1.00	24.80
ATOM	12565	CG	LYS	H	4	63.898	157.216	119.396	1.00	33.03
ATOM	12566	CD	LYS	H	4	63.239	158.585	119.713	1.00	41.89
ATOM	12567	CE	LYS	H	4	63.946	159.805	119.061	1.00	49.54
ATOM	12568	NZ	LYS	H	4	63.599	160.086	117.611	1.00	49.95
ATOM	12569	N	THR	H	5	66.871	155.712	118.346	1.00	23.48
ATOM	12570	CA	THR	H	5	68.014	155.436	119.179	1.00	21.77
ATOM	12571	C	THR	H	5	68.085	156.461	120.305	1.00	25.65
ATOM	12572	O	THR	H	5	67.728	157.618	120.130	1.00	26.94
ATOM	12573	CB	THR	H	5	69.285	155.479	118.294	1.00	20.31
ATOM	12574	OG1	THR	H	5	70.002	154.247	118.436	1.00	19.11
ATOM	12575	CG2	THR	H	5	70.167	156.655	118.633	1.00	12.81
ATOM	12576	N	ALA	H	6	68.540	156.032	121.471	1.00	29.67
ATOM	12577	CA	ALA	H	6	68.661	156.934	122.601	1.00	29.67
ATOM	12578	C	ALA	H	6	69.378	158.192	122.169	1.00	30.72
ATOM	12579	O	ALA	H	6	69.040	159.268	122.620	1.00	32.04
ATOM	12580	CB	ALA	H	6	69.415	156.268	123.710	1.00	35.72
ATOM	12581	N	ASN	H	7	70.372	158.056	121.297	1.00	35.19
ATOM	12582	CA	ASN	H	7	71.124	159.208	120.788	1.00	38.16
ATOM	12583	C	ASN	H	7	70.262	160.050	119.863	1.00	39.75
ATOM	12584	O	ASN	H	7	70.701	161.090	119.375	1.00	39.06

ATOM	12585	CB	ASN	H	7	72.338	158.758	119.991	1.00	42.47
ATOM	12586	CG	ASN	H	7	73.465	158.292	120.858	1.00	48.75
ATOM	12587	OD1	ASN	H	7	74.067	159.086	121.584	1.00	54.27
ATOM	12588	ND2	ASN	H	7	73.772	156.994	120.790	1.00	52.51
ATOM	12589	N	GLY	H	8	69.048	159.577	119.594	1.00	41.03
ATOM	12590	CA	GLY	H	8	68.146	160.309	118.723	1.00	42.55
ATOM	12591	C	GLY	H	8	67.968	159.758	117.309	1.00	42.29
ATOM	12592	O	GLY	H	8	66.968	160.073	116.659	1.00	44.43
ATOM	12593	N	THR	H	9	68.911	158.943	116.828	1.00	39.22
ATOM	12594	CA	THR	H	9	68.830	158.374	115.475	1.00	34.02
ATOM	12595	C	THR	H	9	67.661	157.436	115.262	1.00	33.32
ATOM	12596	O	THR	H	9	67.433	156.524	116.066	1.00	33.08
ATOM	12597	CB	THR	H	9	70.092	157.627	115.131	1.00	31.94
ATOM	12598	OG1	THR	H	9	71.150	158.573	114.951	1.00	37.59
ATOM	12599	CG2	THR	H	9	69.908	156.836	113.875	1.00	25.35
ATOM	12600	N	ALA	H	10	66.942	157.634	114.157	1.00	29.95
ATOM	12601	CA	ALA	H	10	65.768	156.813	113.884	1.00	27.80
ATOM	12602	C	ALA	H	10	65.776	155.996	112.620	1.00	25.56
ATOM	12603	O	ALA	H	10	66.534	156.254	111.702	1.00	25.76
ATOM	12604	CB	ALA	H	10	64.531	157.681	113.897	1.00	26.33
ATOM	12605	N	ILE	H	11	64.914	154.989	112.604	1.00	25.52
ATOM	12606	CA	ILE	H	11	64.734	154.116	111.455	1.00	26.92
ATOM	12607	C	ILE	H	11	63.232	154.173	111.264	1.00	26.00
ATOM	12608	O	ILE	H	11	62.477	153.690	112.104	1.00	30.81
ATOM	12609	CB	ILE	H	11	65.138	152.663	111.749	1.00	28.14
ATOM	12610	CG1	ILE	H	11	66.612	152.597	112.138	1.00	29.63
ATOM	12611	CG2	ILE	H	11	64.880	151.805	110.522	1.00	26.32
ATOM	12612	CD1	ILE	H	11	67.109	151.187	112.403	1.00	33.58
ATOM	12613	N	PRO	H	12	62.778	154.773	110.167	1.00	22.70
ATOM	12614	CA	PRO	H	12	61.354	154.921	109.844	1.00	21.49
ATOM	12615	C	PRO	H	12	60.641	153.627	109.501	1.00	22.15
ATOM	12616	O	PRO	H	12	61.281	152.586	109.475	1.00	24.73
ATOM	12617	CB	PRO	H	12	61.382	155.895	108.682	1.00	21.54
ATOM	12618	CG	PRO	H	12	62.674	155.551	108.001	1.00	22.05
ATOM	12619	CD	PRO	H	12	63.631	155.378	109.132	1.00	20.44
ATOM	12620	N	ILE	H	13	59.326	153.693	109.255	1.00	21.02
ATOM	12621	CA	ILE	H	13	58.554	152.500	108.885	1.00	24.38
ATOM	12622	C	ILE	H	13	59.222	151.887	107.679	1.00	24.74
ATOM	12623	O	ILE	H	13	59.811	152.594	106.869	1.00	28.02
ATOM	12624	CB	ILE	H	13	57.099	152.806	108.462	1.00	28.21
ATOM	12625	CG1	ILE	H	13	57.074	154.089	107.649	1.00	29.58
ATOM	12626	CG2	ILE	H	13	56.153	152.819	109.671	1.00	27.36
ATOM	12627	CD1	ILE	H	13	55.680	154.635	107.456	1.00	32.18
ATOM	12628	N	GLY	H	14	59.115	150.575	107.547	1.00	24.96
ATOM	12629	CA	GLY	H	14	59.773	149.904	106.438	1.00	27.80
ATOM	12630	C	GLY	H	14	61.111	149.339	106.901	1.00	25.70
ATOM	12631	O	GLY	H	14	61.636	148.385	106.329	1.00	24.75
ATOM	12632	N	GLY	H	15	61.654	149.943	107.954	1.00	24.54
ATOM	12633	CA	GLY	H	15	62.912	149.500	108.511	1.00	22.60
ATOM	12634	C	GLY	H	15	64.134	150.148	107.899	1.00	23.54
ATOM	12635	O	GLY	H	15	64.056	151.082	107.110	1.00	26.95
ATOM	12636	N	GLY	H	16	65.287	149.624	108.271	1.00	20.31
ATOM	12637	CA	GLY	H	16	66.524	150.158	107.775	1.00	14.73
ATOM	12638	C	GLY	H	16	67.508	149.820	108.855	1.00	13.52
ATOM	12639	O	GLY	H	16	67.348	148.807	109.512	1.00	16.00
ATOM	12640	N	SER	H	17	68.507	150.660	109.067	1.00	12.14
ATOM	12641	CA	SER	H	17	69.459	150.364	110.094	1.00	11.48
ATOM	12642	C	SER	H	17	70.013	151.582	110.802	1.00	10.37
ATOM	12643	O	SER	H	17	69.773	152.717	110.408	1.00	9.20
ATOM	12644	CB	SER	H	17	70.568	149.537	109.494	1.00	12.74
ATOM	12645	OG	SER	H	17	71.245	150.288	108.512	1.00	29.21
ATOM	12646	N	ALA	H	18	70.738	151.336	111.885	1.00	13.95

ATOM	12647	CA	ALA	H	18	71.340	152.419	112.666	1.00	16.62
ATOM	12648	C	ALA	H	18	72.407	151.876	113.587	1.00	17.09
ATOM	12649	O	ALA	H	18	72.409	150.686	113.940	1.00	17.13
ATOM	12650	CB	ALA	H	18	70.269	153.150	113.511	1.00	7.98
ATOM	12651	N	ASN	H	19	73.301	152.773	113.979	1.00	17.33
ATOM	12652	CA	ASN	H	19	74.361	152.439	114.903	1.00	16.99
ATOM	12653	C	ASN	H	19	73.903	152.760	116.301	1.00	18.23
ATOM	12654	O	ASN	H	19	73.292	153.795	116.564	1.00	18.53
ATOM	12655	CB	ASN	H	19	75.625	153.243	114.621	1.00	14.38
ATOM	12656	CG	ASN	H	19	76.390	152.732	113.411	1.00	18.83
ATOM	12657	OD1	ASN	H	19	75.992	151.742	112.764	1.00	21.69
ATOM	12658	ND2	ASN	H	19	77.497	153.406	113.093	1.00	7.87
ATOM	12659	N	VAL	H	20	74.225	151.852	117.199	1.00	20.17
ATOM	12660	CA	VAL	H	20	73.913	151.981	118.599	1.00	20.05
ATOM	12661	C	VAL	H	20	75.257	151.886	119.296	1.00	20.63
ATOM	12662	O	VAL	H	20	75.847	150.805	119.371	1.00	21.84
ATOM	12663	CB	VAL	H	20	73.022	150.825	119.015	1.00	23.39
ATOM	12664	CG1	VAL	H	20	72.762	150.853	120.510	1.00	23.21
ATOM	12665	CG2	VAL	H	20	71.738	150.900	118.205	1.00	30.94
ATOM	12666	N	TYR	H	21	75.764	153.013	119.779	1.00	20.68
ATOM	12667	CA	TYR	H	21	77.058	153.016	120.471	1.00	18.96
ATOM	12668	C	TYR	H	21	76.893	152.742	121.979	1.00	20.23
ATOM	12669	O	TYR	H	21	75.961	153.248	122.621	1.00	17.85
ATOM	12670	CB	TYR	H	21	77.756	154.351	120.243	1.00	15.59
ATOM	12671	CG	TYR	H	21	77.775	154.765	118.782	1.00	14.89
ATOM	12672	CD1	TYR	H	21	76.723	155.478	118.223	1.00	10.48
ATOM	12673	CD2	TYR	H	21	78.826	154.391	117.948	1.00	15.98
ATOM	12674	CE1	TYR	H	21	76.711	155.796	116.880	1.00	11.58
ATOM	12675	CE2	TYR	H	21	78.827	154.705	116.604	1.00	14.59
ATOM	12676	CZ	TYR	H	21	77.766	155.402	116.069	1.00	17.27
ATOM	12677	OH	TYR	H	21	77.750	155.662	114.711	1.00	18.46
ATOM	12678	N	VAL	H	22	77.791	151.930	122.537	1.00	19.19
ATOM	12679	CA	VAL	H	22	77.728	151.582	123.959	1.00	15.91
ATOM	12680	C	VAL	H	22	79.032	151.708	124.718	1.00	16.27
ATOM	12681	O	VAL	H	22	80.111	151.468	124.182	1.00	16.40
ATOM	12682	CB	VAL	H	22	77.265	150.153	124.158	1.00	10.94
ATOM	12683	CG1	VAL	H	22	75.915	149.959	123.557	1.00	13.54
ATOM	12684	CG2	VAL	H	22	78.237	149.222	123.524	1.00	13.77
ATOM	12685	N	ASN	H	23	78.912	152.088	125.983	1.00	18.98
ATOM	12686	CA	ASN	H	23	80.052	152.203	126.872	1.00	20.06
ATOM	12687	C	ASN	H	23	79.918	150.961	127.762	1.00	21.85
ATOM	12688	O	ASN	H	23	79.033	150.886	128.612	1.00	23.26
ATOM	12689	CB	ASN	H	23	79.932	153.465	127.712	1.00	21.41
ATOM	12690	CG	ASN	H	23	79.620	154.689	126.888	1.00	23.19
ATOM	12691	OD1	ASN	H	23	80.423	155.141	126.078	1.00	26.24
ATOM	12692	ND2	ASN	H	23	78.440	155.241	127.100	1.00	26.96
ATOM	12693	N	LEU	H	24	80.777	149.973	127.547	1.00	23.38
ATOM	12694	CA	LEU	H	24	80.729	148.727	128.313	1.00	23.28
ATOM	12695	C	LEU	H	24	81.629	148.824	129.526	1.00	25.81
ATOM	12696	O	LEU	H	24	82.535	149.671	129.578	1.00	27.37
ATOM	12697	CB	LEU	H	24	81.185	147.556	127.438	1.00	18.00
ATOM	12698	CG	LEU	H	24	80.495	147.473	126.070	1.00	15.81
ATOM	12699	CD1	LEU	H	24	81.477	146.933	125.041	1.00	15.74
ATOM	12700	CD2	LEU	H	24	79.236	146.619	126.146	1.00	8.74
ATOM	12701	N	ALA	H	25	81.374	147.960	130.507	1.00	25.83
ATOM	12702	CA	ALA	H	25	82.173	147.939	131.731	1.00	20.69
ATOM	12703	C	ALA	H	25	83.624	147.746	131.327	1.00	20.99
ATOM	12704	O	ALA	H	25	83.983	146.776	130.647	1.00	20.56
ATOM	12705	CB	ALA	H	25	81.720	146.823	132.632	1.00	19.41
ATOM	12706	N	PRO	H	26	84.483	148.670	131.754	1.00	19.80
ATOM	12707	CA	PRO	H	26	85.920	148.663	131.455	1.00	22.44
ATOM	12708	C	PRO	H	26	86.659	147.353	131.740	1.00	22.12

ATOM	12709	O	PRO	H	26	87.545	146.961	130.994	1.00	21.73
ATOM	12710	CB	PRO	H	26	86.463	149.807	132.320	1.00	19.82
ATOM	12711	CG	PRO	H	26	85.278	150.622	132.625	1.00	19.88
ATOM	12712	CD	PRO	H	26	84.194	149.617	132.831	1.00	14.11
ATOM	12713	N	VAL	H	27	86.291	146.704	132.838	1.00	22.79
ATOM	12714	CA	VAL	H	27	86.936	145.487	133.266	1.00	22.32
ATOM	12715	C	VAL	H	27	85.938	144.391	133.586	1.00	23.15
ATOM	12716	O	VAL	H	27	84.934	144.619	134.242	1.00	23.18
ATOM	12717	CB	VAL	H	27	87.777	145.767	134.521	1.00	23.45
ATOM	12718	CG1	VAL	H	27	88.519	144.508	134.956	1.00	25.84
ATOM	12719	CG2	VAL	H	27	88.740	146.896	134.253	1.00	19.81
ATOM	12720	N	VAL	H	28	86.240	143.192	133.123	1.00	24.85
ATOM	12721	CA	VAL	H	28	85.397	142.036	133.348	1.00	27.80
ATOM	12722	C	VAL	H	28	86.337	140.844	133.517	1.00	32.79
ATOM	12723	O	VAL	H	28	87.218	140.599	132.684	1.00	32.62
ATOM	12724	CB	VAL	H	28	84.458	141.823	132.151	1.00	25.94
ATOM	12725	CG1	VAL	H	28	83.647	140.558	132.312	1.00	26.45
ATOM	12726	CG2	VAL	H	28	83.534	142.993	132.050	1.00	27.37
ATOM	12727	N	ASN	H	29	86.159	140.119	134.615	1.00	35.56
ATOM	12728	CA	ASN	H	29	87.004	138.972	134.917	1.00	36.84
ATOM	12729	C	ASN	H	29	86.395	137.709	134.338	1.00	34.75
ATOM	12730	O	ASN	H	29	85.207	137.676	134.061	1.00	34.91
ATOM	12731	CB	ASN	H	29	87.176	138.849	136.441	1.00	39.25
ATOM	12732	CG	ASN	H	29	87.988	140.008	137.036	1.00	44.89
ATOM	12733	OD1	ASN	H	29	89.194	140.136	136.788	1.00	45.28
ATOM	12734	ND2	ASN	H	29	87.324	140.859	137.819	1.00	45.35
ATOM	12735	N	VAL	H	30	87.210	136.679	134.140	1.00	31.57
ATOM	12736	CA	VAL	H	30	86.702	135.432	133.600	1.00	33.20
ATOM	12737	C	VAL	H	30	85.592	134.931	134.519	1.00	34.84
ATOM	12738	O	VAL	H	30	85.631	135.167	135.710	1.00	36.48
ATOM	12739	CB	VAL	H	30	87.819	134.376	133.509	1.00	32.67
ATOM	12740	CG1	VAL	H	30	87.307	133.109	132.822	1.00	31.91
ATOM	12741	CG2	VAL	H	30	88.994	134.946	132.744	1.00	32.28
ATOM	12742	N	GLY	H	31	84.588	134.262	133.968	1.00	38.44
ATOM	12743	CA	GLY	H	31	83.508	133.767	134.803	1.00	39.10
ATOM	12744	C	GLY	H	31	82.518	134.853	135.170	1.00	40.66
ATOM	12745	O	GLY	H	31	81.373	134.556	135.508	1.00	41.75
ATOM	12746	N	GLN	H	32	82.959	136.107	135.102	1.00	41.08
ATOM	12747	CA	GLN	H	32	82.118	137.263	135.412	1.00	41.93
ATOM	12748	C	GLN	H	32	81.276	137.617	134.179	1.00	43.24
ATOM	12749	O	GLN	H	32	81.409	136.996	133.116	1.00	43.43
ATOM	12750	CB	GLN	H	32	83.002	138.442	135.798	1.00	43.02
ATOM	12751	CG	GLN	H	32	82.322	139.540	136.571	1.00	48.19
ATOM	12752	CD	GLN	H	32	83.330	140.499	137.216	1.00	54.09
ATOM	12753	OE1	GLN	H	32	83.992	141.288	136.530	1.00	50.32
ATOM	12754	NE2	GLN	H	32	83.463	140.415	138.543	1.00	55.01
ATOM	12755	N	ASN	H	33	80.422	138.625	134.300	1.00	43.27
ATOM	12756	CA	ASN	H	33	79.564	138.979	133.172	1.00	42.37
ATOM	12757	C	ASN	H	33	79.634	140.380	132.605	1.00	43.37
ATOM	12758	O	ASN	H	33	79.831	141.378	133.310	1.00	44.99
ATOM	12759	CB	ASN	H	33	78.101	138.694	133.502	1.00	36.86
ATOM	12760	CG	ASN	H	33	77.617	137.412	132.899	1.00	38.78
ATOM	12761	OD1	ASN	H	33	76.496	136.981	133.152	1.00	39.59
ATOM	12762	ND2	ASN	H	33	78.459	136.787	132.089	1.00	40.45
ATOM	12763	N	LEU	H	34	79.467	140.428	131.294	1.00	42.47
ATOM	12764	CA	LEU	H	34	79.439	141.675	130.572	1.00	39.91
ATOM	12765	C	LEU	H	34	77.987	141.731	130.106	1.00	40.08
ATOM	12766	O	LEU	H	34	77.485	140.806	129.447	1.00	39.14
ATOM	12767	CB	LEU	H	34	80.388	141.645	129.376	1.00	36.13
ATOM	12768	CG	LEU	H	34	80.591	143.018	128.742	1.00	36.12
ATOM	12769	CD1	LEU	H	34	81.143	143.998	129.772	1.00	29.32
ATOM	12770	CD2	LEU	H	34	81.537	142.893	127.567	1.00	36.25

ATOM	12771	N	VAL	H	35	77.307	142.800	130.494	1.00	36.09
ATOM	12772	CA	VAL	H	35	75.926	142.970	130.131	1.00	33.21
ATOM	12773	C	VAL	H	35	75.784	144.233	129.315	1.00	31.56
ATOM	12774	O	VAL	H	35	76.280	145.289	129.705	1.00	32.33
ATOM	12775	CB	VAL	H	35	75.039	143.066	131.385	1.00	33.79
ATOM	12776	CG1	VAL	H	35	73.571	143.042	130.981	1.00	35.69
ATOM	12777	CG2	VAL	H	35	75.345	141.913	132.319	1.00	28.19
ATOM	12778	N	VAL	H	36	75.128	144.113	128.164	1.00	28.60
ATOM	12779	CA	VAL	H	36	74.909	145.261	127.300	1.00	25.57
ATOM	12780	C	VAL	H	36	73.418	145.368	127.253	1.00	26.41
ATOM	12781	O	VAL	H	36	72.767	144.660	126.493	1.00	24.98
ATOM	12782	CB	VAL	H	36	75.416	145.037	125.868	1.00	22.69
ATOM	12783	CG1	VAL	H	36	75.832	146.361	125.274	1.00	24.68
ATOM	12784	CG2	VAL	H	36	76.573	144.063	125.847	1.00	21.53
ATOM	12785	N	ASP	H	37	72.867	146.234	128.088	1.00	28.73
ATOM	12786	CA	ASP	H	37	71.428	146.381	128.134	1.00	32.27
ATOM	12787	C	ASP	H	37	70.984	147.382	127.097	1.00	33.95
ATOM	12788	O	ASP	H	37	71.120	148.592	127.289	1.00	35.56
ATOM	12789	CB	ASP	H	37	70.992	146.836	129.518	1.00	35.84
ATOM	12790	CG	ASP	H	37	69.534	146.576	129.769	1.00	41.51
ATOM	12791	OD1	ASP	H	37	68.957	145.751	129.009	1.00	43.19
ATOM	12792	OD2	ASP	H	37	68.981	147.182	130.724	1.00	42.62
ATOM	12793	N	LEU	H	38	70.443	146.870	125.998	1.00	33.98
ATOM	12794	CA	LEU	H	38	69.993	147.717	124.898	1.00	35.62
ATOM	12795	C	LEU	H	38	68.620	148.352	125.104	1.00	36.67
ATOM	12796	O	LEU	H	38	68.254	149.323	124.410	1.00	34.16
ATOM	12797	CB	LEU	H	38	70.026	146.914	123.603	1.00	34.90
ATOM	12798	CG	LEU	H	38	71.472	146.673	123.195	1.00	31.52
ATOM	12799	CD1	LEU	H	38	71.569	145.465	122.316	1.00	33.84
ATOM	12800	CD2	LEU	H	38	71.994	147.911	122.511	1.00	29.31
ATOM	12801	N	SER	H	39	67.880	147.797	126.067	1.00	35.97
ATOM	12802	CA	SER	H	39	66.557	148.275	126.439	1.00	31.42
ATOM	12803	C	SER	H	39	66.715	149.683	126.995	1.00	32.61
ATOM	12804	O	SER	H	39	65.772	150.259	127.536	1.00	34.56
ATOM	12805	CB	SER	H	39	65.976	147.382	127.515	1.00	27.82
ATOM	12806	OG	SER	H	39	66.740	147.497	128.692	1.00	24.76
ATOM	12807	N	THR	H	40	67.923	150.225	126.859	1.00	31.23
ATOM	12808	CA	THR	H	40	68.234	151.563	127.329	1.00	30.11
ATOM	12809	C	THR	H	40	68.546	152.467	126.163	1.00	31.61
ATOM	12810	O	THR	H	40	68.568	153.696	126.301	1.00	32.55
ATOM	12811	CB	THR	H	40	69.459	151.574	128.205	1.00	24.79
ATOM	12812	OG1	THR	H	40	69.359	150.532	129.166	1.00	30.45
ATOM	12813	CG2	THR	H	40	69.552	152.869	128.916	1.00	25.82
ATOM	12814	N	GLN	H	41	68.787	151.865	125.007	1.00	32.32
ATOM	12815	CA	GLN	H	41	69.135	152.661	123.847	1.00	32.11
ATOM	12816	C	GLN	H	41	68.340	152.421	122.577	1.00	32.48
ATOM	12817	O	GLN	H	41	68.617	153.043	121.548	1.00	32.97
ATOM	12818	CB	GLN	H	41	70.608	152.478	123.576	1.00	31.70
ATOM	12819	CG	GLN	H	41	71.406	152.787	124.782	1.00	31.84
ATOM	12820	CD	GLN	H	41	72.721	153.355	124.410	1.00	38.09
ATOM	12821	OE1	GLN	H	41	73.574	152.653	123.869	1.00	45.45
ATOM	12822	NE2	GLN	H	41	72.906	154.645	124.668	1.00	39.05
ATOM	12823	N	ILE	H	42	67.362	151.524	122.636	1.00	29.54
ATOM	12824	CA	ILE	H	42	66.551	151.264	121.467	1.00	26.92
ATOM	12825	C	ILE	H	42	65.078	151.288	121.813	1.00	29.78
ATOM	12826	O	ILE	H	42	64.588	150.432	122.555	1.00	29.58
ATOM	12827	CB	ILE	H	42	66.878	149.909	120.854	1.00	23.03
ATOM	12828	CG1	ILE	H	42	68.338	149.863	120.458	1.00	21.21
ATOM	12829	CG2	ILE	H	42	66.025	149.668	119.639	1.00	23.30
ATOM	12830	CD1	ILE	H	42	68.722	148.556	119.869	1.00	24.31
ATOM	12831	N	PHE	H	43	64.369	152.272	121.271	1.00	31.20
ATOM	12832	CA	PHE	H	43	62.945	152.372	121.515	1.00	33.25

ATOM	12833	C	PHE	H	43	62.117	152.288	120.247	1.00	33.88
ATOM	12834	O	PHE	H	43	62.515	152.762	119.189	1.00	35.46
ATOM	12835	CB	PHE	H	43	62.655	153.664	122.263	1.00	35.55
ATOM	12836	CG	PHE	H	43	63.398	153.764	123.543	1.00	38.54
ATOM	12837	CD1	PHE	H	43	64.716	154.201	123.555	1.00	38.07
ATOM	12838	CD2	PHE	H	43	62.831	153.287	124.724	1.00	39.24
ATOM	12839	CE1	PHE	H	43	65.468	154.154	124.729	1.00	43.21
ATOM	12840	CE2	PHE	H	43	63.572	153.233	125.902	1.00	42.21
ATOM	12841	CZ	PHE	H	43	64.894	153.663	125.908	1.00	39.94
ATOM	12842	N	CYS	H	44	60.960	151.663	120.360	1.00	35.50
ATOM	12843	CA	CYS	H	44	60.052	151.529	119.231	1.00	37.53
ATOM	12844	C	CYS	H	44	58.649	151.884	119.701	1.00	38.04
ATOM	12845	O	CYS	H	44	58.360	151.850	120.905	1.00	37.83
ATOM	12846	CB	CYS	H	44	60.047	150.095	118.710	1.00	38.10
ATOM	12847	SG	CYS	H	44	61.647	149.449	118.141	1.00	37.05
ATOM	12848	N	HIS	H	45	57.779	152.226	118.756	1.00	36.52
ATOM	12849	CA	HIS	H	45	56.405	152.576	119.097	1.00	35.39
ATOM	12850	C	HIS	H	45	55.497	152.099	117.998	1.00	33.72
ATOM	12851	O	HIS	H	45	55.935	151.907	116.866	1.00	34.28
ATOM	12852	CB	HIS	H	45	56.224	154.088	119.250	1.00	31.54
ATOM	12853	CG	HIS	H	45	56.358	154.836	117.965	1.00	33.35
ATOM	12854	ND1	HIS	H	45	57.489	155.551	117.637	1.00	39.06
ATOM	12855	CD2	HIS	H	45	55.541	154.911	116.890	1.00	33.17
ATOM	12856	CE1	HIS	H	45	57.366	156.030	116.412	1.00	36.22
ATOM	12857	NE2	HIS	H	45	56.194	155.654	115.936	1.00	33.26
ATOM	12858	N	ASN	H	46	54.231	151.917	118.347	1.00	32.50
ATOM	12859	CA	ASN	H	46	53.204	151.488	117.415	1.00	31.35
ATOM	12860	C	ASN	H	46	52.596	152.768	116.828	1.00	30.88
ATOM	12861	O	ASN	H	46	52.341	153.712	117.555	1.00	30.54
ATOM	12862	CB	ASN	H	46	52.168	150.693	118.188	1.00	29.94
ATOM	12863	CG	ASN	H	46	51.161	150.058	117.301	1.00	30.12
ATOM	12864	OD1	ASN	H	46	50.571	150.714	116.463	1.00	30.36
ATOM	12865	ND2	ASN	H	46	50.953	148.766	117.476	1.00	36.63
ATOM	12866	N	ASP	H	47	52.365	152.809	115.521	1.00	34.43
ATOM	12867	CA	ASP	H	47	51.824	154.017	114.868	1.00	39.65
ATOM	12868	C	ASP	H	47	50.299	154.224	114.854	1.00	41.70
ATOM	12869	O	ASP	H	47	49.808	155.342	115.007	1.00	42.36
ATOM	12870	CB	ASP	H	47	52.341	154.113	113.426	1.00	38.69
ATOM	12871	CG	ASP	H	47	53.742	154.693	113.343	1.00	41.44
ATOM	12872	OD1	ASP	H	47	54.000	155.708	114.023	1.00	44.28
ATOM	12873	OD2	ASP	H	47	54.582	154.151	112.592	1.00	42.67
ATOM	12874	N	TYR	H	48	49.549	153.160	114.634	1.00	43.26
ATOM	12875	CA	TYR	H	48	48.110	153.269	114.622	1.00	46.43
ATOM	12876	C	TYR	H	48	47.623	152.216	115.599	1.00	47.53
ATOM	12877	O	TYR	H	48	46.915	151.273	115.217	1.00	46.46
ATOM	12878	CB	TYR	H	48	47.580	153.013	113.215	1.00	49.42
ATOM	12879	CG	TYR	H	48	48.181	153.927	112.162	1.00	52.87
ATOM	12880	CD1	TYR	H	48	47.790	155.266	112.058	1.00	54.94
ATOM	12881	CD2	TYR	H	48	49.144	153.453	111.268	1.00	54.64
ATOM	12882	CE1	TYR	H	48	48.348	156.111	111.084	1.00	54.80
ATOM	12883	CE2	TYR	H	48	49.707	154.285	110.294	1.00	53.52
ATOM	12884	CZ	TYR	H	48	49.308	155.610	110.209	1.00	53.92
ATOM	12885	OH	TYR	H	48	49.893	156.435	109.275	1.00	51.92
ATOM	12886	N	PRO	H	49	48.001	152.375	116.886	1.00	48.29
ATOM	12887	CA	PRO	H	49	47.656	151.478	117.994	1.00	49.16
ATOM	12888	C	PRO	H	49	46.184	151.151	118.157	1.00	51.13
ATOM	12889	O	PRO	H	49	45.847	149.992	118.344	1.00	54.48
ATOM	12890	CB	PRO	H	49	48.232	152.193	119.214	1.00	47.29
ATOM	12891	CG	PRO	H	49	48.153	153.612	118.839	1.00	46.31
ATOM	12892	CD	PRO	H	49	48.633	153.598	117.410	1.00	46.02
ATOM	12893	N	GLU	H	50	45.311	152.157	118.082	1.00	52.99
ATOM	12894	CA	GLU	H	50	43.862	151.953	118.234	1.00	52.69

ATOM	12895	C	GLU	H	50	43.240	150.855	117.373	1.00	51.02
ATOM	12896	O	GLU	H	50	42.227	150.278	117.757	1.00	50.51
ATOM	12897	CB	GLU	H	50	43.094	153.244	117.961	1.00	55.41
ATOM	12898	CG	GLU	H	50	43.365	154.362	118.932	1.00	63.20
ATOM	12899	CD	GLU	H	50	44.733	154.965	118.735	1.00	69.06
ATOM	12900	OE1	GLU	H	50	45.065	155.317	117.582	1.00	71.27
ATOM	12901	OE2	GLU	H	50	45.477	155.091	119.730	1.00	76.98
ATOM	12902	N	THR	H	51	43.826	150.568	116.216	1.00	49.33
ATOM	12903	CA	THR	H	51	43.283	149.531	115.345	1.00	49.09
ATOM	12904	C	THR	H	51	44.275	148.471	114.896	1.00	46.73
ATOM	12905	O	THR	H	51	43.880	147.424	114.382	1.00	46.82
ATOM	12906	CB	THR	H	51	42.658	150.139	114.075	1.00	52.10
ATOM	12907	OG1	THR	H	51	43.510	151.175	113.564	1.00	54.85
ATOM	12908	CG2	THR	H	51	41.283	150.693	114.381	1.00	55.05
ATOM	12909	N	ILE	H	52	45.561	148.731	115.097	1.00	44.50
ATOM	12910	CA	ILE	H	52	46.583	147.795	114.662	1.00	38.77
ATOM	12911	C	ILE	H	52	47.482	147.325	115.776	1.00	36.02
ATOM	12912	O	ILE	H	52	47.932	148.119	116.587	1.00	34.80
ATOM	12913	CB	ILE	H	52	47.453	148.441	113.572	1.00	38.33
ATOM	12914	CG1	ILE	H	52	46.542	148.975	112.466	1.00	39.49
ATOM	12915	CG2	ILE	H	52	48.461	147.441	113.034	1.00	34.47
ATOM	12916	CD1	ILE	H	52	47.270	149.425	111.250	1.00	44.21
ATOM	12917	N	THR	H	53	47.735	146.025	115.817	1.00	35.40
ATOM	12918	CA	THR	H	53	48.627	145.467	116.822	1.00	36.60
ATOM	12919	C	THR	H	53	49.975	145.091	116.207	1.00	36.28
ATOM	12920	O	THR	H	53	50.038	144.467	115.140	1.00	33.70
ATOM	12921	CB	THR	H	53	48.039	144.217	117.473	1.00	38.98
ATOM	12922	OG1	THR	H	53	46.864	144.571	118.214	1.00	38.19
ATOM	12923	CG2	THR	H	53	49.068	143.581	118.410	1.00	40.19
ATOM	12924	N	ASP	H	54	51.048	145.465	116.898	1.00	35.97
ATOM	12925	CA	ASP	H	54	52.404	145.189	116.433	1.00	37.81
ATOM	12926	C	ASP	H	54	53.158	144.066	117.156	1.00	36.07
ATOM	12927	O	ASP	H	54	53.241	144.031	118.381	1.00	36.15
ATOM	12928	CB	ASP	H	54	53.249	146.463	116.511	1.00	40.97
ATOM	12929	CG	ASP	H	54	53.224	147.261	115.226	1.00	42.55
ATOM	12930	OD1	ASP	H	54	53.258	146.631	114.150	1.00	45.11
ATOM	12931	OD2	ASP	H	54	53.197	148.511	115.289	1.00	42.64
ATOM	12932	N	TYR	H	55	53.733	143.164	116.371	1.00	35.53
ATOM	12933	CA	TYR	H	55	54.514	142.045	116.896	1.00	33.47
ATOM	12934	C	TYR	H	55	56.007	142.231	116.575	1.00	29.69
ATOM	12935	O	TYR	H	55	56.406	142.238	115.408	1.00	28.53
ATOM	12936	CB	TYR	H	55	54.019	140.733	116.291	1.00	33.58
ATOM	12937	CG	TYR	H	55	52.533	140.530	116.446	1.00	35.70
ATOM	12938	CD1	TYR	H	55	51.960	140.346	117.710	1.00	35.46
ATOM	12939	CD2	TYR	H	55	51.694	140.541	115.328	1.00	34.45
ATOM	12940	CE1	TYR	H	55	50.587	140.181	117.853	1.00	39.12
ATOM	12941	CE2	TYR	H	55	50.328	140.379	115.454	1.00	36.31
ATOM	12942	CZ	TYR	H	55	49.777	140.199	116.716	1.00	39.98
ATOM	12943	OH	TYR	H	55	48.418	140.043	116.832	1.00	40.69
ATOM	12944	N	VAL	H	56	56.814	142.366	117.623	1.00	23.26
ATOM	12945	CA	VAL	H	56	58.242	142.563	117.493	1.00	20.62
ATOM	12946	C	VAL	H	56	59.068	141.381	117.990	1.00	20.57
ATOM	12947	O	VAL	H	56	58.857	140.908	119.096	1.00	20.32
ATOM	12948	CB	VAL	H	56	58.648	143.778	118.286	1.00	19.95
ATOM	12949	CG1	VAL	H	56	60.145	143.960	118.230	1.00	21.65
ATOM	12950	CG2	VAL	H	56	57.932	144.974	117.751	1.00	19.82
ATOM	12951	N	THR	H	57	60.024	140.927	117.182	1.00	20.82
ATOM	12952	CA	THR	H	57	60.891	139.805	117.563	1.00	24.11
ATOM	12953	C	THR	H	57	62.383	140.093	117.385	1.00	24.97
ATOM	12954	O	THR	H	57	62.770	141.101	116.772	1.00	22.62
ATOM	12955	CB	THR	H	57	60.638	138.565	116.703	1.00	24.70
ATOM	12956	OG1	THR	H	57	60.998	138.856	115.352	1.00	26.04

ATOM	12957	CG2	THR	H	57	59.197	138.166	116.746	1.00	32.07
ATOM	12958	N	LEU	H	58	63.208	139.194	117.931	1.00	22.08
ATOM	12959	CA	LEU	H	58	64.646	139.271	117.758	1.00	20.50
ATOM	12960	C	LEU	H	58	64.912	138.241	116.632	1.00	22.89
ATOM	12961	O	LEU	H	58	65.133	137.055	116.874	1.00	20.32
ATOM	12962	CB	LEU	H	58	65.377	138.891	119.043	1.00	18.18
ATOM	12963	CG	LEU	H	58	66.910	138.903	118.911	1.00	21.25
ATOM	12964	CD1	LEU	H	58	67.386	140.323	118.548	1.00	18.73
ATOM	12965	CD2	LEU	H	58	67.556	138.407	120.193	1.00	13.14
ATOM	12966	N	GLN	H	59	64.855	138.724	115.395	1.00	24.83
ATOM	12967	CA	GLN	H	59	65.025	137.909	114.210	1.00	28.77
ATOM	12968	C	GLN	H	59	66.337	137.144	114.218	1.00	31.91
ATOM	12969	O	GLN	H	59	66.361	135.933	113.990	1.00	31.77
ATOM	12970	CB	GLN	H	59	64.962	138.816	112.984	1.00	36.33
ATOM	12971	CG	GLN	H	59	64.068	138.342	111.860	1.00	41.02
ATOM	12972	CD	GLN	H	59	64.669	137.212	111.084	1.00	45.83
ATOM	12973	OE1	GLN	H	59	65.165	136.243	111.659	1.00	47.22
ATOM	12974	NE2	GLN	H	59	64.626	137.317	109.763	1.00	51.29
ATOM	12975	N	ARG	H	60	67.434	137.857	114.463	1.00	32.84
ATOM	12976	CA	ARG	H	60	68.762	137.242	114.487	1.00	34.16
ATOM	12977	C	ARG	H	60	69.606	138.040	115.457	1.00	33.75
ATOM	12978	O	ARG	H	60	69.225	139.145	115.832	1.00	37.57
ATOM	12979	CB	ARG	H	60	69.396	137.295	113.096	1.00	37.02
ATOM	12980	CG	ARG	H	60	70.547	136.331	112.854	1.00	40.25
ATOM	12981	CD	ARG	H	60	71.085	136.439	111.415	1.00	47.47
ATOM	12982	NE	ARG	H	60	70.065	136.845	110.431	1.00	58.93
ATOM	12983	CZ	ARG	H	60	69.000	136.123	110.054	1.00	60.26
ATOM	12984	NH1	ARG	H	60	68.770	134.914	110.564	1.00	60.40
ATOM	12985	NH2	ARG	H	60	68.144	136.622	109.166	1.00	56.82
ATOM	12986	N	GLY	H	61	70.742	137.482	115.862	1.00	31.98
ATOM	12987	CA	GLY	H	61	71.630	138.166	116.789	1.00	31.12
ATOM	12988	C	GLY	H	61	73.016	137.644	116.499	1.00	30.27
ATOM	12989	O	GLY	H	61	73.294	136.483	116.767	1.00	30.39
ATOM	12990	N	SER	H	62	73.885	138.489	115.954	1.00	29.57
ATOM	12991	CA	SER	H	62	75.223	138.046	115.584	1.00	28.77
ATOM	12992	C	SER	H	62	76.345	138.705	116.328	1.00	25.74
ATOM	12993	O	SER	H	62	76.249	139.867	116.676	1.00	25.64
ATOM	12994	CB	SER	H	62	75.448	138.258	114.084	1.00	29.52
ATOM	12995	OG	SER	H	62	74.475	137.559	113.331	1.00	27.43
ATOM	12996	N	ALA	H	63	77.427	137.952	116.521	1.00	25.67
ATOM	12997	CA	ALA	H	63	78.623	138.438	117.226	1.00	25.19
ATOM	12998	C	ALA	H	63	79.732	138.824	116.268	1.00	23.39
ATOM	12999	O	ALA	H	63	79.882	138.240	115.190	1.00	22.47
ATOM	13000	CB	ALA	H	63	79.146	137.378	118.178	1.00	27.35
ATOM	13001	N	TYR	H	64	80.524	139.802	116.677	1.00	21.46
ATOM	13002	CA	TYR	H	64	81.610	140.281	115.854	1.00	20.35
ATOM	13003	C	TYR	H	64	82.817	140.600	116.688	1.00	21.81
ATOM	13004	O	TYR	H	64	82.694	140.870	117.884	1.00	19.88
ATOM	13005	CB	TYR	H	64	81.194	141.545	115.104	1.00	23.52
ATOM	13006	CG	TYR	H	64	80.135	141.308	114.072	1.00	24.35
ATOM	13007	CD1	TYR	H	64	78.799	141.145	114.437	1.00	30.04
ATOM	13008	CD2	TYR	H	64	80.478	141.130	112.741	1.00	21.78
ATOM	13009	CE1	TYR	H	64	77.838	140.791	113.493	1.00	27.40
ATOM	13010	CE2	TYR	H	64	79.539	140.783	111.803	1.00	20.74
ATOM	13011	CZ	TYR	H	64	78.225	140.608	112.183	1.00	25.35
ATOM	13012	OH	TYR	H	64	77.301	140.203	111.254	1.00	33.33
ATOM	13013	N	GLY	H	65	83.978	140.578	116.033	1.00	22.65
ATOM	13014	CA	GLY	H	65	85.236	140.896	116.681	1.00	21.89
ATOM	13015	C	GLY	H	65	85.427	140.243	118.026	1.00	22.76
ATOM	13016	O	GLY	H	65	85.123	139.059	118.205	1.00	23.86
ATOM	13017	N	GLY	H	66	85.933	141.021	118.976	1.00	22.78
ATOM	13018	CA	GLY	H	66	86.170	140.496	120.305	1.00	21.59

ATOM	13019	C	GLY	H	66	85.084	139.565	120.803	1.00	22.49
ATOM	13020	O	GLY	H	66	85.320	138.392	121.005	1.00	24.47
ATOM	13021	N	VAL	H	67	83.882	140.083	120.993	1.00	24.05
ATOM	13022	CA	VAL	H	67	82.787	139.282	121.500	1.00	24.63
ATOM	13023	C	VAL	H	67	82.700	137.891	120.898	1.00	26.97
ATOM	13024	O	VAL	H	67	82.301	136.929	121.567	1.00	29.06
ATOM	13025	CB	VAL	H	67	81.457	140.003	121.270	1.00	25.59
ATOM	13026	CG1	VAL	H	67	80.276	139.036	121.491	1.00	21.98
ATOM	13027	CG2	VAL	H	67	81.363	141.196	122.218	1.00	25.81
ATOM	13028	N	LEU	H	68	83.099	137.792	119.638	1.00	23.78
ATOM	13029	CA	LEU	H	68	83.028	136.551	118.896	1.00	21.39
ATOM	13030	C	LEU	H	68	84.097	135.505	119.196	1.00	24.87
ATOM	13031	O	LEU	H	68	83.941	134.307	118.907	1.00	25.14
ATOM	13032	CB	LEU	H	68	83.044	136.903	117.420	1.00	19.37
ATOM	13033	CG	LEU	H	68	82.766	135.797	116.418	1.00	15.91
ATOM	13034	CD1	LEU	H	68	81.444	135.102	116.752	1.00	18.88
ATOM	13035	CD2	LEU	H	68	82.730	136.412	115.057	1.00	11.65
ATOM	13036	N	SER	H	69	85.196	135.952	119.774	1.00	28.95
ATOM	13037	CA	SER	H	69	86.287	135.048	120.089	1.00	29.97
ATOM	13038	C	SER	H	69	86.530	134.942	121.573	1.00	29.88
ATOM	13039	O	SER	H	69	86.901	133.886	122.063	1.00	33.05
ATOM	13040	CB	SER	H	69	87.563	135.534	119.435	1.00	30.66
ATOM	13041	OG	SER	H	69	87.972	136.752	120.026	1.00	33.94
ATOM	13042	N	ASN	H	70	86.316	136.039	122.288	1.00	29.88
ATOM	13043	CA	ASN	H	70	86.555	136.060	123.714	1.00	30.69
ATOM	13044	C	ASN	H	70	85.334	135.819	124.589	1.00	31.47
ATOM	13045	O	ASN	H	70	85.441	135.811	125.814	1.00	32.70
ATOM	13046	CB	ASN	H	70	87.213	137.384	124.093	1.00	30.83
ATOM	13047	CG	ASN	H	70	88.497	137.625	123.333	1.00	30.14
ATOM	13048	OD1	ASN	H	70	89.277	136.709	123.137	1.00	38.57
ATOM	13049	ND2	ASN	H	70	88.729	138.861	122.915	1.00	30.03
ATOM	13050	N	PHE	H	71	84.171	135.610	123.988	1.00	31.20
ATOM	13051	CA	PHE	H	71	82.992	135.394	124.815	1.00	29.86
ATOM	13052	C	PHE	H	71	82.030	134.277	124.438	1.00	29.79
ATOM	13053	O	PHE	H	71	82.012	133.765	123.331	1.00	29.35
ATOM	13054	CB	PHE	H	71	82.195	136.689	124.947	1.00	28.20
ATOM	13055	CG	PHE	H	71	82.956	137.812	125.581	1.00	25.90
ATOM	13056	CD1	PHE	H	71	83.998	138.438	124.899	1.00	25.94
ATOM	13057	CD2	PHE	H	71	82.614	138.262	126.851	1.00	23.87
ATOM	13058	CE1	PHE	H	71	84.688	139.502	125.472	1.00	28.47
ATOM	13059	CE2	PHE	H	71	83.294	139.331	127.444	1.00	24.42
ATOM	13060	CZ	PHE	H	71	84.333	139.952	126.754	1.00	29.42
ATOM	13061	N	SER	H	72	81.223	133.916	125.415	1.00	31.89
ATOM	13062	CA	SER	H	72	80.227	132.884	125.282	1.00	36.18
ATOM	13063	C	SER	H	72	79.047	133.473	126.035	1.00	37.40
ATOM	13064	O	SER	H	72	79.169	133.790	127.220	1.00	40.25
ATOM	13065	CB	SER	H	72	80.719	131.611	125.969	1.00	37.15
ATOM	13066	OG	SER	H	72	79.651	130.711	126.223	1.00	46.15
ATOM	13067	N	GLY	H	73	77.911	133.640	125.369	1.00	36.08
ATOM	13068	CA	GLY	H	73	76.794	134.222	126.082	1.00	36.47
ATOM	13069	C	GLY	H	73	75.382	133.880	125.664	1.00	36.37
ATOM	13070	O	GLY	H	73	75.126	132.992	124.843	1.00	35.25
ATOM	13071	N	THR	H	74	74.453	134.608	126.269	1.00	35.41
ATOM	13072	CA	THR	H	74	73.041	134.434	125.994	1.00	34.76
ATOM	13073	C	THR	H	74	72.440	135.788	125.653	1.00	34.61
ATOM	13074	O	THR	H	74	73.034	136.843	125.936	1.00	34.03
ATOM	13075	CB	THR	H	74	72.269	133.873	127.235	1.00	33.24
ATOM	13076	OG1	THR	H	74	72.395	134.787	128.337	1.00	29.02
ATOM	13077	CG2	THR	H	74	72.798	132.512	127.633	1.00	27.11
ATOM	13078	N	VAL	H	75	71.267	135.746	125.027	1.00	33.64
ATOM	13079	CA	VAL	H	75	70.528	136.960	124.709	1.00	32.14
ATOM	13080	C	VAL	H	75	69.225	136.826	125.488	1.00	31.19

ATOM	13081	O	VAL	H	75	68.461	135.887	125.291	1.00	31.08
ATOM	13082	CB	VAL	H	75	70.256	137.117	123.179	1.00	31.69
ATOM	13083	CG1	VAL	H	75	69.409	135.957	122.639	1.00	28.56
ATOM	13084	CG2	VAL	H	75	69.593	138.458	122.926	1.00	24.05
ATOM	13085	N	LYS	H	76	69.009	137.735	126.425	1.00	32.03
ATOM	13086	CA	LYS	H	76	67.802	137.702	127.227	1.00	36.54
ATOM	13087	C	LYS	H	76	66.754	138.593	126.551	1.00	36.68
ATOM	13088	O	LYS	H	76	66.840	139.817	126.618	1.00	35.95
ATOM	13089	CB	LYS	H	76	68.106	138.206	128.638	1.00	37.53
ATOM	13090	CG	LYS	H	76	66.935	138.065	129.603	1.00	46.14
ATOM	13091	CD	LYS	H	76	67.195	138.813	130.912	1.00	51.95
ATOM	13092	CE	LYS	H	76	66.060	138.617	131.922	1.00	54.49
ATOM	13093	NZ	LYS	H	76	66.345	139.315	133.210	1.00	56.43
ATOM	13094	N	TYR	H	77	65.775	137.979	125.894	1.00	35.86
ATOM	13095	CA	TYR	H	77	64.738	138.739	125.200	1.00	38.63
ATOM	13096	C	TYR	H	77	63.389	138.707	125.890	1.00	41.86
ATOM	13097	O	TYR	H	77	62.604	137.775	125.685	1.00	41.33
ATOM	13098	CB	TYR	H	77	64.553	138.229	123.763	1.00	37.41
ATOM	13099	CG	TYR	H	77	63.593	139.054	122.920	1.00	33.99
ATOM	13100	CD1	TYR	H	77	63.737	140.441	122.813	1.00	36.34
ATOM	13101	CD2	TYR	H	77	62.572	138.448	122.196	1.00	33.41
ATOM	13102	CE1	TYR	H	77	62.890	141.198	121.999	1.00	36.13
ATOM	13103	CE2	TYR	H	77	61.715	139.196	121.377	1.00	33.21
ATOM	13104	CZ	TYR	H	77	61.881	140.569	121.282	1.00	34.45
ATOM	13105	OH	TYR	H	77	61.059	141.310	120.462	1.00	32.62
ATOM	13106	N	SER	H	78	63.121	139.729	126.698	1.00	44.83
ATOM	13107	CA	SER	H	78	61.849	139.834	127.400	1.00	46.56
ATOM	13108	C	SER	H	78	61.651	138.698	128.418	1.00	46.92
ATOM	13109	O	SER	H	78	60.757	137.857	128.289	1.00	45.25
ATOM	13110	CB	SER	H	78	60.711	139.857	126.368	1.00	47.35
ATOM	13111	OG	SER	H	78	59.474	140.215	126.950	1.00	50.56
ATOM	13112	N	GLY	H	79	62.515	138.666	129.422	1.00	47.56
ATOM	13113	CA	GLY	H	79	62.388	137.664	130.463	1.00	50.10
ATOM	13114	C	GLY	H	79	62.728	136.242	130.080	1.00	51.26
ATOM	13115	O	GLY	H	79	62.482	135.304	130.848	1.00	52.74
ATOM	13116	N	SER	H	80	63.286	136.063	128.895	1.00	50.44
ATOM	13117	CA	SER	H	80	63.676	134.732	128.472	1.00	49.45
ATOM	13118	C	SER	H	80	65.045	134.831	127.827	1.00	49.11
ATOM	13119	O	SER	H	80	65.374	135.824	127.170	1.00	48.55
ATOM	13120	CB	SER	H	80	62.652	134.182	127.499	1.00	48.66
ATOM	13121	OG	SER	H	80	61.361	134.401	128.031	1.00	52.54
ATOM	13122	N	SER	H	81	65.868	133.817	128.035	1.00	47.28
ATOM	13123	CA	SER	H	81	67.187	133.856	127.451	1.00	45.34
ATOM	13124	C	SER	H	81	67.333	132.765	126.420	1.00	42.20
ATOM	13125	O	SER	H	81	66.654	131.744	126.473	1.00	38.46
ATOM	13126	CB	SER	H	81	68.275	133.737	128.535	1.00	48.20
ATOM	13127	OG	SER	H	81	68.494	134.978	129.205	1.00	46.49
ATOM	13128	N	TYR	H	82	68.205	133.029	125.456	1.00	41.16
ATOM	13129	CA	TYR	H	82	68.499	132.097	124.384	1.00	40.25
ATOM	13130	C	TYR	H	82	69.981	132.274	124.072	1.00	38.43
ATOM	13131	O	TYR	H	82	70.617	133.231	124.521	1.00	39.80
ATOM	13132	CB	TYR	H	82	67.689	132.423	123.132	1.00	42.04
ATOM	13133	CG	TYR	H	82	66.238	132.748	123.369	1.00	44.71
ATOM	13134	CD1	TYR	H	82	65.865	133.898	124.058	1.00	43.03
ATOM	13135	CD2	TYR	H	82	65.234	131.933	122.857	1.00	46.40
ATOM	13136	CE1	TYR	H	82	64.533	134.231	124.224	1.00	46.20
ATOM	13137	CE2	TYR	H	82	63.893	132.258	123.016	1.00	46.78
ATOM	13138	CZ	TYR	H	82	63.548	133.410	123.698	1.00	47.99
ATOM	13139	OH	TYR	H	82	62.224	133.767	123.825	1.00	49.62
ATOM	13140	N	PRO	H	83	70.544	131.354	123.293	1.00	33.69
ATOM	13141	CA	PRO	H	83	71.950	131.378	122.898	1.00	33.06
ATOM	13142	C	PRO	H	83	72.327	132.617	122.082	1.00	33.47

ATOM	13143	O	PRO	H	83	71.514	133.129	121.323	1.00	36.77
ATOM	13144	CB	PRO	H	83	72.084	130.113	122.058	1.00	34.39
ATOM	13145	CG	PRO	H	83	71.015	129.216	122.602	1.00	35.64
ATOM	13146	CD	PRO	H	83	69.871	130.139	122.808	1.00	33.85
ATOM	13147	N	PHE	H	84	73.559	133.094	122.229	1.00	32.74
ATOM	13148	CA	PHE	H	84	74.032	134.238	121.456	1.00	31.32
ATOM	13149	C	PHE	H	84	75.491	134.011	121.068	1.00	32.94
ATOM	13150	O	PHE	H	84	76.351	133.898	121.939	1.00	35.92
ATOM	13151	CB	PHE	H	84	73.927	135.528	122.263	1.00	32.71
ATOM	13152	CG	PHE	H	84	74.385	136.742	121.512	1.00	33.61
ATOM	13153	CD1	PHE	H	84	73.610	137.275	120.488	1.00	38.40
ATOM	13154	CD2	PHE	H	84	75.611	137.329	121.790	1.00	33.93
ATOM	13155	CE1	PHE	H	84	74.054	138.378	119.742	1.00	38.74
ATOM	13156	CE2	PHE	H	84	76.063	138.430	121.051	1.00	36.84
ATOM	13157	CZ	PHE	H	84	75.280	138.954	120.026	1.00	36.47
ATOM	13158	N	PRO	H	85	75.802	133.957	119.755	1.00	32.79
ATOM	13159	CA	PRO	H	85	74.927	134.090	118.586	1.00	30.91
ATOM	13160	C	PRO	H	85	73.646	133.312	118.667	1.00	30.70
ATOM	13161	O	PRO	H	85	73.577	132.265	119.291	1.00	32.10
ATOM	13162	CB	PRO	H	85	75.818	133.644	117.448	1.00	24.63
ATOM	13163	CG	PRO	H	85	77.097	134.275	117.845	1.00	26.79
ATOM	13164	CD	PRO	H	85	77.206	133.892	119.314	1.00	29.30
ATOM	13165	N	THR	H	86	72.630	133.855	118.024	1.00	32.46
ATOM	13166	CA	THR	H	86	71.307	133.269	118.010	1.00	31.42
ATOM	13167	C	THR	H	86	71.192	132.168	116.973	1.00	33.89
ATOM	13168	O	THR	H	86	71.857	132.201	115.941	1.00	34.83
ATOM	13169	CB	THR	H	86	70.274	134.346	117.694	1.00	28.65
ATOM	13170	OG1	THR	H	86	70.463	134.799	116.349	1.00	22.12
ATOM	13171	CG2	THR	H	86	70.436	135.527	118.645	1.00	25.50
ATOM	13172	N	THR	H	87	70.335	131.195	117.242	1.00	36.14
ATOM	13173	CA	THR	H	87	70.144	130.110	116.302	1.00	39.85
ATOM	13174	C	THR	H	87	68.704	129.991	115.824	1.00	42.46
ATOM	13175	O	THR	H	87	68.432	129.244	114.875	1.00	43.04
ATOM	13176	CB	THR	H	87	70.584	128.785	116.905	1.00	40.87
ATOM	13177	OG1	THR	H	87	70.495	128.863	118.329	1.00	47.22
ATOM	13178	CG2	THR	H	87	72.003	128.481	116.508	1.00	41.98
ATOM	13179	N	SER	H	88	67.789	130.726	116.464	1.00	42.79
ATOM	13180	CA	SER	H	88	66.376	130.698	116.077	1.00	42.55
ATOM	13181	C	SER	H	88	65.692	132.013	116.411	1.00	43.71
ATOM	13182	O	SER	H	88	66.054	132.652	117.406	1.00	46.01
ATOM	13183	CB	SER	H	88	65.636	129.593	116.824	1.00	42.72
ATOM	13184	OG	SER	H	88	65.237	130.050	118.104	1.00	41.18
ATOM	13185	N	GLU	H	89	64.695	132.400	115.605	1.00	41.87
ATOM	13186	CA	GLU	H	89	63.946	133.638	115.850	1.00	39.10
ATOM	13187	C	GLU	H	89	63.165	133.448	117.140	1.00	38.40
ATOM	13188	O	GLU	H	89	62.658	132.365	117.410	1.00	37.50
ATOM	13189	CB	GLU	H	89	62.972	133.935	114.717	1.00	40.78
ATOM	13190	CG	GLU	H	89	62.467	135.383	114.697	1.00	40.46
ATOM	13191	CD	GLU	H	89	61.434	135.649	113.594	1.00	39.17
ATOM	13192	OE1	GLU	H	89	61.500	134.998	112.524	1.00	34.78
ATOM	13193	OE2	GLU	H	89	60.565	136.522	113.796	1.00	34.70
ATOM	13194	N	THR	H	90	63.071	134.505	117.936	1.00	37.95
ATOM	13195	CA	THR	H	90	62.397	134.421	119.219	1.00	36.76
ATOM	13196	C	THR	H	90	60.926	134.693	119.147	1.00	38.50
ATOM	13197	O	THR	H	90	60.417	135.150	118.130	1.00	39.65
ATOM	13198	CB	THR	H	90	62.966	135.412	120.221	1.00	31.19
ATOM	13199	OG1	THR	H	90	62.793	136.736	119.717	1.00	29.97
ATOM	13200	CG2	THR	H	90	64.414	135.135	120.469	1.00	32.92
ATOM	13201	N	PRO	H	91	60.217	134.406	120.246	1.00	41.14
ATOM	13202	CA	PRO	H	91	58.774	134.631	120.315	1.00	40.27
ATOM	13203	C	PRO	H	91	58.548	136.111	120.031	1.00	38.85
ATOM	13204	O	PRO	H	91	59.496	136.902	120.040	1.00	33.91

ATOM	13205	CB	PRO	H	91	58.447	134.267	121.760	1.00	41.67
ATOM	13206	CG	PRO	H	91	59.456	133.207	122.069	1.00	42.75
ATOM	13207	CD	PRO	H	91	60.711	133.774	121.485	1.00	40.87
ATOM	13208	N	ARG	H	92	57.300	136.485	119.779	1.00	39.38
ATOM	13209	CA	ARG	H	92	56.985	137.878	119.505	1.00	39.15
ATOM	13210	C	ARG	H	92	56.482	138.650	120.732	1.00	34.53
ATOM	13211	O	ARG	H	92	55.828	138.107	121.614	1.00	34.97
ATOM	13212	CB	ARG	H	92	55.977	137.970	118.342	1.00	42.42
ATOM	13213	CG	ARG	H	92	54.766	137.051	118.448	1.00	53.08
ATOM	13214	CD	ARG	H	92	53.864	137.178	117.217	1.00	61.23
ATOM	13215	NE	ARG	H	92	52.555	136.530	117.378	1.00	70.57
ATOM	13216	CZ	ARG	H	92	51.691	136.787	118.367	1.00	73.85
ATOM	13217	NH1	ARG	H	92	51.987	137.679	119.305	1.00	72.32
ATOM	13218	NH2	ARG	H	92	50.515	136.164	118.411	1.00	75.05
ATOM	13219	N	VAL	H	93	56.843	139.919	120.788	1.00	30.42
ATOM	13220	CA	VAL	H	93	56.430	140.806	121.856	1.00	29.91
ATOM	13221	C	VAL	H	93	55.476	141.774	121.185	1.00	31.85
ATOM	13222	O	VAL	H	93	55.623	142.056	120.000	1.00	34.64
ATOM	13223	CB	VAL	H	93	57.610	141.604	122.391	1.00	30.14
ATOM	13224	CG1	VAL	H	93	57.125	142.635	123.402	1.00	22.66
ATOM	13225	CG2	VAL	H	93	58.641	140.657	122.986	1.00	29.15
ATOM	13226	N	VAL	H	94	54.497	142.293	121.905	1.00	31.07
ATOM	13227	CA	VAL	H	94	53.592	143.209	121.243	1.00	32.68
ATOM	13228	C	VAL	H	94	53.809	144.654	121.607	1.00	33.56
ATOM	13229	O	VAL	H	94	54.187	144.995	122.726	1.00	36.53
ATOM	13230	CB	VAL	H	94	52.104	142.886	121.510	1.00	32.36
ATOM	13231	CG1	VAL	H	94	51.757	141.530	120.949	1.00	30.41
ATOM	13232	CG2	VAL	H	94	51.813	142.961	122.986	1.00	36.57
ATOM	13233	N	TYR	H	95	53.588	145.501	120.620	1.00	33.98
ATOM	13234	CA	TYR	H	95	53.694	146.925	120.795	1.00	34.47
ATOM	13235	C	TYR	H	95	52.310	147.425	120.396	1.00	35.51
ATOM	13236	O	TYR	H	95	51.829	147.140	119.290	1.00	34.50
ATOM	13237	CB	TYR	H	95	54.797	147.485	119.898	1.00	34.04
ATOM	13238	CG	TYR	H	95	56.185	147.255	120.458	1.00	32.34
ATOM	13239	CD1	TYR	H	95	56.767	146.002	120.428	1.00	32.67
ATOM	13240	CD2	TYR	H	95	56.897	148.296	121.061	1.00	36.98
ATOM	13241	CE1	TYR	H	95	58.021	145.779	120.984	1.00	34.72
ATOM	13242	CE2	TYR	H	95	58.154	148.090	121.623	1.00	34.63
ATOM	13243	CZ	TYR	H	95	58.712	146.826	121.581	1.00	36.58
ATOM	13244	OH	TYR	H	95	59.963	146.602	122.129	1.00	38.82
ATOM	13245	N	ASN	H	96	51.663	148.131	121.323	1.00	34.60
ATOM	13246	CA	ASN	H	96	50.316	148.655	121.113	1.00	33.89
ATOM	13247	C	ASN	H	96	50.145	150.047	121.698	1.00	32.39
ATOM	13248	O	ASN	H	96	49.269	150.274	122.530	1.00	33.41
ATOM	13249	CB	ASN	H	96	49.303	147.709	121.752	1.00	38.46
ATOM	13250	CG	ASN	H	96	49.619	147.403	123.227	1.00	41.96
ATOM	13251	OD1	ASN	H	96	49.006	146.521	123.825	1.00	48.36
ATOM	13252	ND2	ASN	H	96	50.568	148.130	123.808	1.00	43.88
ATOM	13253	N	SER	H	97	50.974	150.978	121.250	1.00	30.34
ATOM	13254	CA	SER	H	97	50.935	152.342	121.739	1.00	29.01
ATOM	13255	C	SER	H	97	51.838	153.221	120.890	1.00	30.62
ATOM	13256	O	SER	H	97	52.791	152.737	120.301	1.00	33.06
ATOM	13257	CB	SER	H	97	51.407	152.360	123.185	1.00	24.42
ATOM	13258	OG	SER	H	97	51.834	153.655	123.548	1.00	28.93
ATOM	13259	N	ARG	H	98	51.544	154.511	120.809	1.00	33.65
ATOM	13260	CA	ARG	H	98	52.392	155.396	120.026	1.00	36.42
ATOM	13261	C	ARG	H	98	53.549	155.890	120.869	1.00	37.42
ATOM	13262	O	ARG	H	98	54.460	156.527	120.353	1.00	40.33
ATOM	13263	CB	ARG	H	98	51.609	156.599	119.516	1.00	39.17
ATOM	13264	CG	ARG	H	98	50.446	156.250	118.626	1.00	46.20
ATOM	13265	CD	ARG	H	98	49.902	157.491	117.925	1.00	54.36
ATOM	13266	NE	ARG	H	98	48.919	157.129	116.907	1.00	62.73

ATOM	13267	CZ	ARG	H	98	47.721	156.618	117.172	1.00	66.09
ATOM	13268	NH1	ARG	H	98	47.349	156.416	118.430	1.00	66.93
ATOM	13269	NH2	ARG	H	98	46.905	156.293	116.176	1.00	67.25
ATOM	13270	N	THR	H	99	53.504	155.606	122.167	1.00	37.58
ATOM	13271	CA	THR	H	99	54.558	156.033	123.076	1.00	39.20
ATOM	13272	C	THR	H	99	55.749	155.102	122.929	1.00	41.66
ATOM	13273	O	THR	H	99	55.580	153.879	122.931	1.00	42.99
ATOM	13274	CB	THR	H	99	54.101	155.979	124.532	1.00	38.11
ATOM	13275	OG1	THR	H	99	52.938	156.794	124.711	1.00	37.71
ATOM	13276	CG2	THR	H	99	55.206	156.488	125.432	1.00	42.87
ATOM	13277	N	ASP	H	100	56.950	155.665	122.803	1.00	41.53
ATOM	13278	CA	ASP	H	100	58.137	154.831	122.646	1.00	40.27
ATOM	13279	C	ASP	H	100	58.375	153.986	123.889	1.00	39.37
ATOM	13280	O	ASP	H	100	58.611	154.508	124.976	1.00	39.56
ATOM	13281	CB	ASP	H	100	59.385	155.682	122.394	1.00	42.98
ATOM	13282	CG	ASP	H	100	59.339	156.426	121.076	1.00	45.64
ATOM	13283	OD1	ASP	H	100	59.174	155.772	120.021	1.00	48.86
ATOM	13284	OD2	ASP	H	100	59.485	157.669	121.096	1.00	47.18
ATOM	13285	N	LYS	H	101	58.296	152.676	123.723	1.00	39.07
ATOM	13286	CA	LYS	H	101	58.538	151.741	124.812	1.00	38.69
ATOM	13287	C	LYS	H	101	59.868	151.090	124.435	1.00	39.98
ATOM	13288	O	LYS	H	101	60.279	151.153	123.272	1.00	40.26
ATOM	13289	CB	LYS	H	101	57.413	150.705	124.870	1.00	40.72
ATOM	13290	CG	LYS	H	101	57.820	149.301	125.338	1.00	42.60
ATOM	13291	CD	LYS	H	101	56.680	148.281	125.137	1.00	41.14
ATOM	13292	CE	LYS	H	101	57.151	146.845	125.311	1.00	36.00
ATOM	13293	NZ	LYS	H	101	56.045	145.914	124.976	1.00	31.72
ATOM	13294	N	PRO	H	102	60.577	150.490	125.411	1.00	38.87
ATOM	13295	CA	PRO	H	102	61.864	149.842	125.138	1.00	34.91
ATOM	13296	C	PRO	H	102	61.794	148.547	124.323	1.00	32.31
ATOM	13297	O	PRO	H	102	60.732	147.969	124.122	1.00	32.49
ATOM	13298	CB	PRO	H	102	62.418	149.587	126.541	1.00	31.69
ATOM	13299	CG	PRO	H	102	61.874	150.690	127.310	1.00	34.65
ATOM	13300	CD	PRO	H	102	60.431	150.703	126.860	1.00	38.75
ATOM	13301	N	TRP	H	103	62.950	148.123	123.837	1.00	29.75
ATOM	13302	CA	TRP	H	103	63.081	146.878	123.106	1.00	26.35
ATOM	13303	C	TRP	H	103	63.988	146.104	124.071	1.00	27.80
ATOM	13304	O	TRP	H	103	65.208	146.292	124.100	1.00	26.85
ATOM	13305	CB	TRP	H	103	63.759	147.113	121.761	1.00	24.50
ATOM	13306	CG	TRP	H	103	63.774	145.904	120.914	1.00	20.37
ATOM	13307	CD1	TRP	H	103	62.771	145.005	120.766	1.00	20.19
ATOM	13308	CD2	TRP	H	103	64.860	145.434	120.111	1.00	19.20
ATOM	13309	NE1	TRP	H	103	63.160	143.992	119.920	1.00	18.73
ATOM	13310	CE2	TRP	H	103	64.440	144.232	119.506	1.00	16.13
ATOM	13311	CE3	TRP	H	103	66.147	145.910	119.847	1.00	17.09
ATOM	13312	CZ2	TRP	H	103	65.261	143.494	118.657	1.00	14.17
ATOM	13313	CZ3	TRP	H	103	66.962	145.171	119.001	1.00	19.84
ATOM	13314	CH2	TRP	H	103	66.513	143.975	118.418	1.00	14.83
ATOM	13315	N	PRO	H	104	63.382	145.243	124.892	1.00	26.50
ATOM	13316	CA	PRO	H	104	63.941	144.378	125.924	1.00	26.87
ATOM	13317	C	PRO	H	104	64.974	143.368	125.479	1.00	28.39
ATOM	13318	O	PRO	H	104	64.788	142.171	125.689	1.00	26.61
ATOM	13319	CB	PRO	H	104	62.723	143.683	126.451	1.00	29.64
ATOM	13320	CG	PRO	H	104	62.009	143.391	125.194	1.00	30.25
ATOM	13321	CD	PRO	H	104	62.048	144.749	124.519	1.00	30.52
ATOM	13322	N	VAL	H	105	66.056	143.844	124.873	1.00	29.60
ATOM	13323	CA	VAL	H	105	67.125	142.965	124.427	1.00	27.55
ATOM	13324	C	VAL	H	105	68.337	143.286	125.260	1.00	29.54
ATOM	13325	O	VAL	H	105	68.676	144.462	125.446	1.00	31.59
ATOM	13326	CB	VAL	H	105	67.473	143.180	122.940	1.00	24.71
ATOM	13327	CG1	VAL	H	105	68.573	142.256	122.543	1.00	21.55
ATOM	13328	CG2	VAL	H	105	66.268	142.912	122.077	1.00	23.22

ATOM	13329	N	ALA	H	106	68.970	142.244	125.790	1.00	30.47
ATOM	13330	CA	ALA	H	106	70.161	142.432	126.594	1.00	30.84
ATOM	13331	C	ALA	H	106	71.111	141.279	126.387	1.00	32.21
ATOM	13332	O	ALA	H	106	70.710	140.121	126.371	1.00	33.56
ATOM	13333	CB	ALA	H	106	69.799	142.565	128.063	1.00	30.18
ATOM	13334	N	LEU	H	107	72.379	141.626	126.208	1.00	35.07
ATOM	13335	CA	LEU	H	107	73.453	140.662	126.024	1.00	35.00
ATOM	13336	C	LEU	H	107	74.136	140.346	127.359	1.00	37.12
ATOM	13337	O	LEU	H	107	74.419	141.247	128.164	1.00	36.45
ATOM	13338	CB	LEU	H	107	74.486	141.239	125.061	1.00	32.99
ATOM	13339	CG	LEU	H	107	74.438	140.911	123.571	1.00	32.77
ATOM	13340	CD1	LEU	H	107	73.050	140.446	123.130	1.00	31.83
ATOM	13341	CD2	LEU	H	107	74.910	142.143	122.818	1.00	25.86
ATOM	13342	N	TYR	H	108	74.390	139.059	127.583	1.00	38.91
ATOM	13343	CA	TYR	H	108	75.079	138.576	128.781	1.00	37.73
ATOM	13344	C	TYR	H	108	76.320	137.874	128.289	1.00	35.98
ATOM	13345	O	TYR	H	108	76.271	136.702	127.918	1.00	35.89
ATOM	13346	CB	TYR	H	108	74.192	137.612	129.546	1.00	36.36
ATOM	13347	CG	TYR	H	108	73.088	138.351	130.228	1.00	40.17
ATOM	13348	CD1	TYR	H	108	73.374	139.269	131.228	1.00	39.58
ATOM	13349	CD2	TYR	H	108	71.766	138.180	129.848	1.00	44.73
ATOM	13350	CE1	TYR	H	108	72.387	140.001	131.831	1.00	42.78
ATOM	13351	CE2	TYR	H	108	70.758	138.911	130.451	1.00	47.97
ATOM	13352	CZ	TYR	H	108	71.077	139.828	131.446	1.00	47.48
ATOM	13353	OH	TYR	H	108	70.089	140.588	132.049	1.00	50.76
ATOM	13354	N	LEU	H	109	77.427	138.609	128.274	1.00	34.76
ATOM	13355	CA	LEU	H	109	78.689	138.083	127.768	1.00	35.27
ATOM	13356	C	LEU	H	109	79.678	137.702	128.862	1.00	35.57
ATOM	13357	O	LEU	H	109	79.863	138.443	129.819	1.00	36.28
ATOM	13358	CB	LEU	H	109	79.314	139.115	126.823	1.00	29.40
ATOM	13359	CG	LEU	H	109	78.392	139.571	125.694	1.00	22.82
ATOM	13360	CD1	LEU	H	109	79.134	140.503	124.778	1.00	27.44
ATOM	13361	CD2	LEU	H	109	77.910	138.393	124.920	1.00	15.24
ATOM	13362	N	THR	H	110	80.320	136.548	128.709	1.00	36.67
ATOM	13363	CA	THR	H	110	81.274	136.080	129.709	1.00	37.89
ATOM	13364	C	THR	H	110	82.633	135.776	129.101	1.00	38.35
ATOM	13365	O	THR	H	110	82.760	134.916	128.223	1.00	36.49
ATOM	13366	CB	THR	H	110	80.781	134.790	130.421	1.00	38.73
ATOM	13367	OG1	THR	H	110	79.372	134.883	130.688	1.00	40.51
ATOM	13368	CG2	THR	H	110	81.530	134.600	131.732	1.00	33.29
ATOM	13369	N	PRO	H	111	83.675	136.476	129.576	1.00	38.35
ATOM	13370	CA	PRO	H	111	85.029	136.271	129.073	1.00	37.60
ATOM	13371	C	PRO	H	111	85.424	134.836	129.324	1.00	40.91
ATOM	13372	O	PRO	H	111	85.090	134.262	130.367	1.00	41.46
ATOM	13373	CB	PRO	H	111	85.858	137.236	129.905	1.00	34.96
ATOM	13374	CG	PRO	H	111	84.902	138.319	130.223	1.00	38.19
ATOM	13375	CD	PRO	H	111	83.655	137.550	130.580	1.00	37.18
ATOM	13376	N	VAL	H	112	86.126	134.247	128.369	1.00	43.57
ATOM	13377	CA	VAL	H	112	86.565	132.876	128.533	1.00	44.61
ATOM	13378	C	VAL	H	112	87.930	132.812	129.175	1.00	44.23
ATOM	13379	O	VAL	H	112	88.646	133.811	129.297	1.00	41.64
ATOM	13380	CB	VAL	H	112	86.667	132.129	127.198	1.00	46.33
ATOM	13381	CG1	VAL	H	112	85.288	131.870	126.640	1.00	45.09
ATOM	13382	CG2	VAL	H	112	87.512	132.936	126.225	1.00	49.23
ATOM	13383	N	SER	H	113	88.260	131.596	129.585	1.00	45.15
ATOM	13384	CA	SER	H	113	89.531	131.261	130.195	1.00	43.11
ATOM	13385	C	SER	H	113	90.641	131.912	129.360	1.00	42.05
ATOM	13386	O	SER	H	113	91.499	132.635	129.875	1.00	37.70
ATOM	13387	CB	SER	H	113	89.656	129.739	130.177	1.00	41.73
ATOM	13388	OG	SER	H	113	90.740	129.280	130.946	1.00	48.29
ATOM	13389	N	SER	H	114	90.575	131.675	128.052	1.00	42.71
ATOM	13390	CA	SER	H	114	91.551	132.197	127.106	1.00	44.71

ATOM	13391	C	SER H 114	91.415	133.671	126.700	1.00	45.22
ATOM	13392	O	SER H 114	92.273	134.193	125.989	1.00	46.47
ATOM	13393	CB	SER H 114	91.557	131.323	125.845	1.00	44.28
ATOM	13394	OG	SER H 114	90.292	131.283	125.219	1.00	43.79
ATOM	13395	N	ALA H 115	90.354	134.344	127.130	1.00	45.93
ATOM	13396	CA	ALA H 115	90.187	135.750	126.769	1.00	45.64
ATOM	13397	C	ALA H 115	91.502	136.515	126.974	1.00	45.67
ATOM	13398	O	ALA H 115	92.142	136.397	128.033	1.00	43.49
ATOM	13399	CB	ALA H 115	89.078	136.380	127.604	1.00	46.23
ATOM	13400	N	GLY H 116	91.896	137.292	125.958	1.00	43.52
ATOM	13401	CA	GLY H 116	93.127	138.073	126.027	1.00	40.76
ATOM	13402	C	GLY H 116	93.219	139.120	127.132	1.00	37.93
ATOM	13403	O	GLY H 116	92.941	138.855	128.308	1.00	37.99
ATOM	13404	N	GLY H 117	93.650	140.313	126.746	1.00	35.70
ATOM	13405	CA	GLY H 117	93.767	141.423	127.680	1.00	34.76
ATOM	13406	C	GLY H 117	92.693	142.441	127.325	1.00	33.92
ATOM	13407	O	GLY H 117	91.961	142.929	128.188	1.00	34.34
ATOM	13408	N	VAL H 118	92.624	142.763	126.035	1.00	31.59
ATOM	13409	CA	VAL H 118	91.623	143.659	125.480	1.00	27.43
ATOM	13410	C	VAL H 118	90.689	142.718	124.737	1.00	26.17
ATOM	13411	O	VAL H 118	90.887	142.464	123.561	1.00	27.59
ATOM	13412	CB	VAL H 118	92.237	144.617	124.462	1.00	26.84
ATOM	13413	CG1	VAL H 118	91.140	145.407	123.761	1.00	26.58
ATOM	13414	CG2	VAL H 118	93.199	145.551	125.156	1.00	23.53
ATOM	13415	N	ALA H 119	89.688	142.184	125.424	1.00	26.99
ATOM	13416	CA	ALA H 119	88.758	141.237	124.798	1.00	26.49
ATOM	13417	C	ALA H 119	87.823	141.932	123.842	1.00	23.97
ATOM	13418	O	ALA H 119	87.135	141.293	123.049	1.00	20.49
ATOM	13419	CB	ALA H 119	87.940	140.494	125.861	1.00	30.72
ATOM	13420	N	ILE H 120	87.782	143.250	123.948	1.00	20.57
ATOM	13421	CA	ILE H 120	86.947	144.029	123.074	1.00	18.49
ATOM	13422	C	ILE H 120	87.661	145.323	122.783	1.00	19.72
ATOM	13423	O	ILE H 120	87.996	146.062	123.692	1.00	20.52
ATOM	13424	CB	ILE H 120	85.568	144.283	123.711	1.00	16.44
ATOM	13425	CG1	ILE H 120	84.713	143.012	123.573	1.00	13.52
ATOM	13426	CG2	ILE H 120	84.897	145.486	123.065	1.00	11.07
ATOM	13427	CD1	ILE H 120	83.243	143.209	123.853	1.00	19.11
ATOM	13428	N	LYS H 121	87.939	145.582	121.513	1.00	21.44
ATOM	13429	CA	LYS H 121	88.612	146.824	121.173	1.00	23.59
ATOM	13430	C	LYS H 121	87.607	147.956	121.081	1.00	21.87
ATOM	13431	O	LYS H 121	86.467	147.765	120.645	1.00	20.89
ATOM	13432	CB	LYS H 121	89.371	146.702	119.850	1.00	28.76
ATOM	13433	CG	LYS H 121	90.873	146.484	120.005	1.00	38.75
ATOM	13434	CD	LYS H 121	91.346	145.147	119.400	1.00	42.64
ATOM	13435	CE	LYS H 121	92.271	144.396	120.367	1.00	44.91
ATOM	13436	NZ	LYS H 121	93.346	145.277	120.940	1.00	44.39
ATOM	13437	N	ALA H 122	88.038	149.133	121.516	1.00	21.21
ATOM	13438	CA	ALA H 122	87.210	150.323	121.482	1.00	19.96
ATOM	13439	C	ALA H 122	86.882	150.722	120.023	1.00	20.57
ATOM	13440	O	ALA H 122	87.758	150.775	119.145	1.00	16.28
ATOM	13441	CB	ALA H 122	87.928	151.454	122.205	1.00	17.19
ATOM	13442	N	GLY H 123	85.604	150.986	119.766	1.00	21.67
ATOM	13443	CA	GLY H 123	85.194	151.360	118.429	1.00	23.42
ATOM	13444	C	GLY H 123	84.853	150.174	117.531	1.00	24.63
ATOM	13445	O	GLY H 123	84.395	150.375	116.397	1.00	25.98
ATOM	13446	N	SER H 124	85.039	148.950	118.024	1.00	20.89
ATOM	13447	CA	SER H 124	84.755	147.772	117.219	1.00	21.33
ATOM	13448	C	SER H 124	83.307	147.304	117.213	1.00	24.76
ATOM	13449	O	SER H 124	82.539	147.569	118.134	1.00	31.87
ATOM	13450	CB	SER H 124	85.648	146.623	117.646	1.00	18.28
ATOM	13451	OG	SER H 124	85.372	146.227	118.971	1.00	24.68
ATOM	13452	N	LEU H 125	82.928	146.602	116.157	1.00	24.79

ATOM	13453	CA	LEU	H	125	81.573	146.107	116.055	1.00	23.29
ATOM	13454	C	LEU	H	125	81.500	144.942	117.011	1.00	24.36
ATOM	13455	O	LEU	H	125	82.269	143.991	116.909	1.00	26.27
ATOM	13456	CB	LEU	H	125	81.286	145.660	114.619	1.00	21.95
ATOM	13457	CG	LEU	H	125	79.878	145.208	114.244	1.00	17.92
ATOM	13458	CD1	LEU	H	125	78.955	146.410	114.151	1.00	15.10
ATOM	13459	CD2	LEU	H	125	79.926	144.478	112.927	1.00	12.47
ATOM	13460	N	ILE	H	126	80.588	145.049	117.963	1.00	26.33
ATOM	13461	CA	ILE	H	126	80.379	144.031	118.991	1.00	28.36
ATOM	13462	C	ILE	H	126	79.304	143.050	118.574	1.00	29.60
ATOM	13463	O	ILE	H	126	79.416	141.854	118.805	1.00	31.00
ATOM	13464	CB	ILE	H	126	79.923	144.691	120.307	1.00	27.29
ATOM	13465	CG1	ILE	H	126	81.008	145.634	120.803	1.00	29.87
ATOM	13466	CG2	ILE	H	126	79.615	143.665	121.340	1.00	28.69
ATOM	13467	CD1	ILE	H	126	82.318	144.952	121.066	1.00	30.79
ATOM	13468	N	ALA	H	127	78.249	143.570	117.959	1.00	31.03
ATOM	13469	CA	ALA	H	127	77.141	142.732	117.547	1.00	28.48
ATOM	13470	C	ALA	H	127	76.190	143.434	116.586	1.00	25.22
ATOM	13471	O	ALA	H	127	76.193	144.657	116.475	1.00	25.00
ATOM	13472	CB	ALA	H	127	76.372	142.281	118.796	1.00	28.19
ATOM	13473	N	VAL	H	128	75.394	142.644	115.878	1.00	20.28
ATOM	13474	CA	VAL	H	128	74.396	143.190	114.984	1.00	19.00
ATOM	13475	C	VAL	H	128	73.124	142.428	115.301	1.00	21.38
ATOM	13476	O	VAL	H	128	73.065	141.220	115.110	1.00	23.47
ATOM	13477	CB	VAL	H	128	74.738	142.987	113.495	1.00	18.50
ATOM	13478	CG1	VAL	H	128	73.589	143.488	112.650	1.00	15.96
ATOM	13479	CG2	VAL	H	128	75.998	143.733	113.117	1.00	13.58
ATOM	13480	N	LEU	H	129	72.112	143.135	115.796	1.00	21.64
ATOM	13481	CA	LEU	H	129	70.833	142.522	116.155	1.00	20.47
ATOM	13482	C	LEU	H	129	69.700	142.936	115.219	1.00	18.83
ATOM	13483	O	LEU	H	129	69.468	144.125	115.018	1.00	20.21
ATOM	13484	CB	LEU	H	129	70.449	142.929	117.572	1.00	22.50
ATOM	13485	CG	LEU	H	129	71.469	142.682	118.669	1.00	25.88
ATOM	13486	CD1	LEU	H	129	70.943	143.265	119.956	1.00	27.55
ATOM	13487	CD2	LEU	H	129	71.724	141.203	118.814	1.00	27.96
ATOM	13488	N	ILE	H	130	68.976	141.969	114.668	1.00	16.93
ATOM	13489	CA	ILE	H	130	67.867	142.302	113.769	1.00	19.12
ATOM	13490	C	ILE	H	130	66.484	142.195	114.427	1.00	22.86
ATOM	13491	O	ILE	H	130	66.042	141.111	114.847	1.00	23.79
ATOM	13492	CB	ILE	H	130	67.857	141.424	112.490	1.00	15.61
ATOM	13493	CG1	ILE	H	130	69.174	141.565	111.730	1.00	14.56
ATOM	13494	CG2	ILE	H	130	66.755	141.879	111.578	1.00	2.49
ATOM	13495	CD1	ILE	H	130	69.317	140.589	110.590	1.00	14.08
ATOM	13496	N	LEU	H	131	65.823	143.347	114.502	1.00	23.67
ATOM	13497	CA	LEU	H	131	64.494	143.491	115.079	1.00	24.56
ATOM	13498	C	LEU	H	131	63.476	143.295	113.974	1.00	26.12
ATOM	13499	O	LEU	H	131	63.484	144.032	113.000	1.00	24.74
ATOM	13500	CB	LEU	H	131	64.336	144.896	115.671	1.00	22.22
ATOM	13501	CG	LEU	H	131	62.986	145.274	116.301	1.00	21.01
ATOM	13502	CD1	LEU	H	131	63.126	146.519	117.181	1.00	14.00
ATOM	13503	CD2	LEU	H	131	61.966	145.484	115.199	1.00	16.90
ATOM	13504	N	ARG	H	132	62.593	142.313	114.132	1.00	30.00
ATOM	13505	CA	ARG	H	132	61.575	142.035	113.118	1.00	31.40
ATOM	13506	C	ARG	H	132	60.201	142.578	113.510	1.00	31.69
ATOM	13507	O	ARG	H	132	59.797	142.496	114.673	1.00	35.61
ATOM	13508	CB	ARG	H	132	61.482	140.537	112.878	1.00	32.69
ATOM	13509	CG	ARG	H	132	60.721	140.179	111.630	1.00	36.49
ATOM	13510	CD	ARG	H	132	60.894	138.717	111.288	1.00	34.99
ATOM	13511	NE	ARG	H	132	60.514	138.476	109.905	1.00	39.90
ATOM	13512	CZ	ARG	H	132	61.022	137.502	109.165	1.00	43.10
ATOM	13513	NH1	ARG	H	132	61.928	136.690	109.691	1.00	42.40
ATOM	13514	NH2	ARG	H	132	60.631	137.343	107.904	1.00	44.87

ATOM	13515	N	ASN	H	133	59.481	143.119	112.534	1.00	28.54
ATOM	13516	CA	ASN	H	133	58.176	143.704	112.791	1.00	27.16
ATOM	13517	C	ASN	H	133	57.107	143.277	111.804	1.00	26.03
ATOM	13518	O	ASN	H	133	57.305	143.264	110.596	1.00	23.97
ATOM	13519	CB	ASN	H	133	58.300	145.241	112.825	1.00	28.13
ATOM	13520	CG	ASN	H	133	57.013	145.962	112.410	1.00	30.27
ATOM	13521	OD1	ASN	H	133	56.705	146.075	111.226	1.00	31.98
ATOM	13522	ND2	ASN	H	133	56.268	146.453	113.384	1.00	26.97
ATOM	13523	N	THR	H	134	55.962	142.917	112.351	1.00	26.25
ATOM	13524	CA	THR	H	134	54.826	142.504	111.559	1.00	27.44
ATOM	13525	C	THR	H	134	53.612	143.078	112.264	1.00	29.17
ATOM	13526	O	THR	H	134	53.754	143.755	113.276	1.00	31.15
ATOM	13527	CB	THR	H	134	54.722	140.994	111.519	1.00	26.52
ATOM	13528	OG1	THR	H	134	55.016	140.480	112.822	1.00	31.19
ATOM	13529	CG2	THR	H	134	55.688	140.419	110.511	1.00	21.63
ATOM	13530	N	ASN	H	135	52.422	142.824	111.742	1.00	30.64
ATOM	13531	CA	ASN	H	135	51.224	143.355	112.375	1.00	35.18
ATOM	13532	C	ASN	H	135	50.010	142.521	112.031	1.00	38.63
ATOM	13533	O	ASN	H	135	50.028	141.753	111.066	1.00	39.78
ATOM	13534	CB	ASN	H	135	50.981	144.782	111.924	1.00	31.89
ATOM	13535	CG	ASN	H	135	50.792	144.877	110.443	1.00	30.55
ATOM	13536	OD1	ASN	H	135	51.691	144.562	109.670	1.00	27.12
ATOM	13537	ND2	ASN	H	135	49.611	145.301	110.033	1.00	35.17
ATOM	13538	N	ASN	H	136	48.949	142.693	112.816	1.00	39.89
ATOM	13539	CA	ASN	H	136	47.726	141.944	112.601	1.00	39.95
ATOM	13540	C	ASN	H	136	46.836	142.581	111.555	1.00	41.27
ATOM	13541	O	ASN	H	136	45.745	142.086	111.301	1.00	43.33
ATOM	13542	CB	ASN	H	136	46.959	141.823	113.909	1.00	40.49
ATOM	13543	CG	ASN	H	136	46.448	143.155	114.406	1.00	42.84
ATOM	13544	OD1	ASN	H	136	46.089	143.296	115.578	1.00	43.10
ATOM	13545	ND2	ASN	H	136	46.390	144.140	113.514	1.00	40.08
ATOM	13546	N	TYR	H	137	47.289	143.679	110.952	1.00	43.12
ATOM	13547	CA	TYR	H	137	46.488	144.352	109.937	1.00	43.55
ATOM	13548	C	TYR	H	137	46.786	143.976	108.504	1.00	42.17
ATOM	13549	O	TYR	H	137	45.866	143.837	107.708	1.00	44.44
ATOM	13550	CB	TYR	H	137	46.594	145.873	110.021	1.00	45.56
ATOM	13551	CG	TYR	H	137	45.840	146.528	108.871	1.00	51.32
ATOM	13552	CD1	TYR	H	137	44.455	146.377	108.744	1.00	51.56
ATOM	13553	CD2	TYR	H	137	46.514	147.240	107.876	1.00	52.31
ATOM	13554	CE1	TYR	H	137	43.767	146.914	107.662	1.00	51.01
ATOM	13555	CE2	TYR	H	137	45.830	147.782	106.786	1.00	51.39
ATOM	13556	CZ	TYR	H	137	44.459	147.614	106.688	1.00	52.33
ATOM	13557	OH	TYR	H	137	43.775	148.142	105.616	1.00	50.68
ATOM	13558	N	ASN	H	138	48.058	143.857	108.158	1.00	40.25
ATOM	13559	CA	ASN	H	138	48.424	143.510	106.794	1.00	39.59
ATOM	13560	C	ASN	H	138	49.576	142.521	106.751	1.00	42.82
ATOM	13561	O	ASN	H	138	49.983	141.983	107.782	1.00	46.42
ATOM	13562	CB	ASN	H	138	48.788	144.768	106.009	1.00	34.74
ATOM	13563	CG	ASN	H	138	50.052	145.415	106.500	1.00	29.20
ATOM	13564	OD1	ASN	H	138	50.326	146.554	106.176	1.00	32.40
ATOM	13565	ND2	ASN	H	138	50.836	144.692	107.275	1.00	28.47
ATOM	13566	N	SER	H	139	50.115	142.300	105.559	1.00	44.25
ATOM	13567	CA	SER	H	139	51.201	141.346	105.369	1.00	44.85
ATOM	13568	C	SER	H	139	52.592	141.967	105.270	1.00	44.24
ATOM	13569	O	SER	H	139	53.482	141.427	104.610	1.00	44.83
ATOM	13570	CB	SER	H	139	50.910	140.531	104.119	1.00	45.71
ATOM	13571	OG	SER	H	139	50.356	141.376	103.124	1.00	51.94
ATOM	13572	N	ASP	H	140	52.778	143.103	105.926	1.00	42.85
ATOM	13573	CA	ASP	H	140	54.070	143.766	105.914	1.00	42.36
ATOM	13574	C	ASP	H	140	55.036	143.049	106.853	1.00	41.40
ATOM	13575	O	ASP	H	140	54.650	142.608	107.936	1.00	41.74
ATOM	13576	CB	ASP	H	140	53.929	145.221	106.367	1.00	43.04

ATOM	13577	CG	ASP	H	140	53.167	146.075	105.379	1.00	41.36
ATOM	13578	OD1	ASP	H	140	52.882	145.593	104.264	1.00	38.96
ATOM	13579	OD2	ASP	H	140	52.866	147.239	105.726	1.00	41.12
ATOM	13580	N	ASP	H	141	56.291	142.942	106.427	1.00	39.61
ATOM	13581	CA	ASP	H	141	57.337	142.306	107.214	1.00	36.67
ATOM	13582	C	ASP	H	141	58.608	143.129	107.023	1.00	35.22
ATOM	13583	O	ASP	H	141	59.293	142.989	106.008	1.00	35.34
ATOM	13584	CB	ASP	H	141	57.549	140.872	106.738	1.00	35.99
ATOM	13585	CG	ASP	H	141	58.736	140.218	107.391	1.00	42.23
ATOM	13586	OD1	ASP	H	141	59.871	140.432	106.923	1.00	55.81
ATOM	13587	OD2	ASP	H	141	58.551	139.500	108.385	1.00	41.36
ATOM	13588	N	PHE	H	142	58.913	143.983	108.003	1.00	32.28
ATOM	13589	CA	PHE	H	142	60.081	144.860	107.944	1.00	32.66
ATOM	13590	C	PHE	H	142	61.155	144.513	108.959	1.00	32.04
ATOM	13591	O	PHE	H	142	60.851	144.059	110.060	1.00	32.62
ATOM	13592	CB	PHE	H	142	59.654	146.305	108.165	1.00	35.01
ATOM	13593	CG	PHE	H	142	58.605	146.772	107.209	1.00	36.43
ATOM	13594	CD1	PHE	H	142	58.805	146.681	105.841	1.00	33.30
ATOM	13595	CD2	PHE	H	142	57.415	147.310	107.681	1.00	38.19
ATOM	13596	CE1	PHE	H	142	57.846	147.115	104.966	1.00	35.02
ATOM	13597	CE2	PHE	H	142	56.449	147.749	106.810	1.00	35.51
ATOM	13598	CZ	PHE	H	142	56.665	147.651	105.445	1.00	37.69
ATOM	13599	N	GLN	H	143	62.411	144.759	108.592	1.00	28.50
ATOM	13600	CA	GLN	H	143	63.523	144.449	109.464	1.00	23.91
ATOM	13601	C	GLN	H	143	64.317	145.666	109.859	1.00	26.30
ATOM	13602	O	GLN	H	143	64.748	146.463	109.019	1.00	28.36
ATOM	13603	CB	GLN	H	143	64.453	143.453	108.796	1.00	19.32
ATOM	13604	CG	GLN	H	143	63.808	142.140	108.473	1.00	32.49
ATOM	13605	CD	GLN	H	143	64.820	141.013	108.488	1.00	44.87
ATOM	13606	OE1	GLN	H	143	65.813	141.048	107.750	1.00	50.18
ATOM	13607	NE2	GLN	H	143	64.584	140.005	109.341	1.00	47.43
ATOM	13608	N	PHE	H	144	64.513	145.802	111.161	1.00	27.64
ATOM	13609	CA	PHE	H	144	65.275	146.901	111.717	1.00	26.16
ATOM	13610	C	PHE	H	144	66.613	146.327	112.122	1.00	25.64
ATOM	13611	O	PHE	H	144	66.698	145.475	113.003	1.00	28.18
ATOM	13612	CB	PHE	H	144	64.531	147.495	112.915	1.00	24.23
ATOM	13613	CG	PHE	H	144	63.305	148.274	112.523	1.00	27.15
ATOM	13614	CD1	PHE	H	144	62.201	147.629	111.973	1.00	25.49
ATOM	13615	CD2	PHE	H	144	63.274	149.664	112.648	1.00	29.15
ATOM	13616	CE1	PHE	H	144	61.084	148.358	111.551	1.00	27.28
ATOM	13617	CE2	PHE	H	144	62.163	150.399	112.229	1.00	27.51
ATOM	13618	CZ	PHE	H	144	61.067	149.746	111.681	1.00	27.84
ATOM	13619	N	VAL	H	145	67.662	146.785	111.460	1.00	24.06
ATOM	13620	CA	VAL	H	145	68.994	146.295	111.739	1.00	23.50
ATOM	13621	C	VAL	H	145	69.863	147.174	112.652	1.00	24.05
ATOM	13622	O	VAL	H	145	70.357	148.236	112.252	1.00	24.53
ATOM	13623	CB	VAL	H	145	69.699	146.032	110.427	1.00	22.31
ATOM	13624	CG1	VAL	H	145	71.169	145.783	110.666	1.00	29.07
ATOM	13625	CG2	VAL	H	145	69.064	144.829	109.757	1.00	21.04
ATOM	13626	N	TRP	H	146	70.056	146.707	113.886	1.00	22.63
ATOM	13627	CA	TRP	H	146	70.857	147.434	114.861	1.00	21.11
ATOM	13628	C	TRP	H	146	72.285	146.937	114.891	1.00	20.63
ATOM	13629	O	TRP	H	146	72.530	145.751	115.080	1.00	20.28
ATOM	13630	CB	TRP	H	146	70.256	147.296	116.261	1.00	18.38
ATOM	13631	CG	TRP	H	146	68.803	147.566	116.268	1.00	13.07
ATOM	13632	CD1	TRP	H	146	67.801	146.652	116.151	1.00	8.61
ATOM	13633	CD2	TRP	H	146	68.188	148.845	116.245	1.00	7.22
ATOM	13634	NE1	TRP	H	146	66.597	147.284	116.041	1.00	8.10
ATOM	13635	CE2	TRP	H	146	66.801	148.636	116.096	1.00	6.89
ATOM	13636	CE3	TRP	H	146	68.675	150.156	116.329	1.00	10.17
ATOM	13637	CZ2	TRP	H	146	65.884	149.689	116.028	1.00	3.90
ATOM	13638	CZ3	TRP	H	146	67.765	151.213	116.258	1.00	8.22

ATOM	13639	CH2	TRP	H	146	66.381	150.966	116.108	1.00	6.30
ATOM	13640	N	ASN	H	147	73.218	147.867	114.714	1.00	20.35
ATOM	13641	CA	ASN	H	147	74.640	147.570	114.745	1.00	18.88
ATOM	13642	C	ASN	H	147	75.232	148.056	116.055	1.00	18.78
ATOM	13643	O	ASN	H	147	75.302	149.249	116.283	1.00	22.71
ATOM	13644	CB	ASN	H	147	75.342	148.278	113.596	1.00	18.89
ATOM	13645	CG	ASN	H	147	74.782	147.903	112.266	1.00	10.25
ATOM	13646	OD1	ASN	H	147	74.560	146.737	111.981	1.00	6.49
ATOM	13647	ND2	ASN	H	147	74.561	148.896	111.433	1.00	18.88
ATOM	13648	N	ILE	H	148	75.673	147.139	116.904	1.00	18.28
ATOM	13649	CA	ILE	H	148	76.246	147.514	118.199	1.00	19.39
ATOM	13650	C	ILE	H	148	77.756	147.762	118.165	1.00	15.56
ATOM	13651	O	ILE	H	148	78.540	146.856	117.917	1.00	13.67
ATOM	13652	CB	ILE	H	148	75.938	146.427	119.285	1.00	24.84
ATOM	13653	CG1	ILE	H	148	74.479	146.518	119.737	1.00	24.27
ATOM	13654	CG2	ILE	H	148	76.844	146.623	120.514	1.00	31.04
ATOM	13655	CD1	ILE	H	148	73.457	146.419	118.633	1.00	26.95
ATOM	13656	N	TYR	H	149	78.152	149.001	118.415	1.00	13.04
ATOM	13657	CA	TYR	H	149	79.567	149.358	118.437	1.00	17.08
ATOM	13658	C	TYR	H	149	80.035	149.644	119.854	1.00	18.76
ATOM	13659	O	TYR	H	149	79.377	150.383	120.590	1.00	23.37
ATOM	13660	CB	TYR	H	149	79.843	150.597	117.586	1.00	10.51
ATOM	13661	CG	TYR	H	149	79.928	150.314	116.114	1.00	20.03
ATOM	13662	CD1	TYR	H	149	78.768	150.060	115.344	1.00	16.92
ATOM	13663	CD2	TYR	H	149	81.166	150.300	115.471	1.00	18.66
ATOM	13664	CE1	TYR	H	149	78.853	149.802	113.971	1.00	13.03
ATOM	13665	CE2	TYR	H	149	81.259	150.047	114.100	1.00	20.53
ATOM	13666	CZ	TYR	H	149	80.103	149.799	113.355	1.00	19.12
ATOM	13667	OH	TYR	H	149	80.218	149.556	111.999	1.00	22.26
ATOM	13668	N	ALA	H	150	81.168	149.071	120.236	1.00	16.71
ATOM	13669	CA	ALA	H	150	81.693	149.314	121.563	1.00	17.86
ATOM	13670	C	ALA	H	150	82.472	150.631	121.571	1.00	17.95
ATOM	13671	O	ALA	H	150	83.328	150.860	120.711	1.00	15.60
ATOM	13672	CB	ALA	H	150	82.583	148.174	121.972	1.00	22.81
ATOM	13673	N	ASN	H	151	82.171	151.487	122.545	1.00	15.27
ATOM	13674	CA	ASN	H	151	82.835	152.781	122.660	1.00	18.91
ATOM	13675	C	ASN	H	151	84.193	152.735	123.361	1.00	20.60
ATOM	13676	O	ASN	H	151	85.009	153.655	123.210	1.00	18.55
ATOM	13677	CB	ASN	H	151	81.954	153.778	123.418	1.00	19.30
ATOM	13678	CG	ASN	H	151	80.907	154.421	122.550	1.00	19.66
ATOM	13679	OD1	ASN	H	151	81.151	154.732	121.380	1.00	21.07
ATOM	13680	ND2	ASN	H	151	79.733	154.652	123.127	1.00	16.86
ATOM	13681	N	ASN	H	152	84.422	151.677	124.137	1.00	22.06
ATOM	13682	CA	ASN	H	152	85.664	151.529	124.884	1.00	23.67
ATOM	13683	C	ASN	H	152	86.166	150.105	124.854	1.00	25.81
ATOM	13684	O	ASN	H	152	85.461	149.199	124.421	1.00	23.78
ATOM	13685	CB	ASN	H	152	85.446	151.914	126.338	1.00	20.06
ATOM	13686	CG	ASN	H	152	84.261	151.200	126.936	1.00	26.04
ATOM	13687	OD1	ASN	H	152	83.111	151.515	126.614	1.00	27.37
ATOM	13688	ND2	ASN	H	152	84.525	150.212	127.795	1.00	24.36
ATOM	13689	N	ASP	H	153	87.389	149.924	125.344	1.00	27.91
ATOM	13690	CA	ASP	H	153	88.004	148.613	125.416	1.00	28.90
ATOM	13691	C	ASP	H	153	87.382	147.890	126.588	1.00	27.84
ATOM	13692	O	ASP	H	153	87.100	148.503	127.599	1.00	30.00
ATOM	13693	CB	ASP	H	153	89.511	148.719	125.698	1.00	32.24
ATOM	13694	CG	ASP	H	153	90.315	149.173	124.499	1.00	38.04
ATOM	13695	OD1	ASP	H	153	90.159	148.572	123.413	1.00	48.49
ATOM	13696	OD2	ASP	H	153	91.122	150.116	124.642	1.00	36.51
ATOM	13697	N	VAL	H	154	87.152	146.597	126.445	1.00	28.68
ATOM	13698	CA	VAL	H	154	86.652	145.790	127.546	1.00	30.52
ATOM	13699	C	VAL	H	154	87.794	144.831	127.888	1.00	31.85
ATOM	13700	O	VAL	H	154	88.068	143.858	127.165	1.00	31.78

ATOM	13701	CB	VAL	H	154	85.400	144.989	127.168	1.00	31.29
ATOM	13702	CG1	VAL	H	154	85.188	143.859	128.160	1.00	27.07
ATOM	13703	CG2	VAL	H	154	84.191	145.906	127.171	1.00	35.57
ATOM	13704	N	VAL	H	155	88.471	145.140	128.985	1.00	31.56
ATOM	13705	CA	VAL	H	155	89.606	144.360	129.474	1.00	30.21
ATOM	13706	C	VAL	H	155	89.248	143.226	130.442	1.00	30.09
ATOM	13707	O	VAL	H	155	88.476	143.416	131.393	1.00	26.45
ATOM	13708	CB	VAL	H	155	90.642	145.293	130.155	1.00	28.54
ATOM	13709	CG1	VAL	H	155	91.387	144.550	131.230	1.00	26.39
ATOM	13710	CG2	VAL	H	155	91.607	145.849	129.115	1.00	21.97
ATOM	13711	N	VAL	H	156	89.820	142.052	130.175	1.00	29.58
ATOM	13712	CA	VAL	H	156	89.625	140.858	131.001	1.00	30.82
ATOM	13713	C	VAL	H	156	90.968	140.576	131.657	1.00	31.18
ATOM	13714	O	VAL	H	156	91.841	139.964	131.050	1.00	36.58
ATOM	13715	CB	VAL	H	156	89.233	139.645	130.140	1.00	31.65
ATOM	13716	CG1	VAL	H	156	89.266	138.390	130.964	1.00	29.21
ATOM	13717	CG2	VAL	H	156	87.849	139.853	129.556	1.00	33.62
ATOM	13718	N	PRO	H	157	91.147	141.002	132.916	1.00	31.16
ATOM	13719	CA	PRO	H	157	92.397	140.805	133.653	1.00	28.22
ATOM	13720	C	PRO	H	157	92.919	139.378	133.573	1.00	27.67
ATOM	13721	O	PRO	H	157	92.153	138.410	133.594	1.00	23.85
ATOM	13722	CB	PRO	H	157	92.022	141.195	135.074	1.00	27.86
ATOM	13723	CG	PRO	H	157	90.910	142.149	134.882	1.00	29.79
ATOM	13724	CD	PRO	H	157	90.094	141.450	133.839	1.00	33.03
ATOM	13725	N	THR	H	158	94.235	139.251	133.469	1.00	25.54
ATOM	13726	CA	THR	H	158	94.837	137.934	133.403	1.00	25.35
ATOM	13727	C	THR	H	158	94.884	137.352	134.806	1.00	24.74
ATOM	13728	O	THR	H	158	95.309	138.020	135.744	1.00	24.27
ATOM	13729	CB	THR	H	158	96.253	138.001	132.792	1.00	21.49
ATOM	13730	OG1	THR	H	158	97.022	136.884	133.230	1.00	15.83
ATOM	13731	CG2	THR	H	158	96.924	139.249	133.185	1.00	16.55
ATOM	13732	N	GLY	H	159	94.426	136.109	134.940	1.00	26.13
ATOM	13733	CA	GLY	H	159	94.407	135.447	136.235	1.00	27.53
ATOM	13734	C	GLY	H	159	95.694	134.751	136.668	1.00	27.25
ATOM	13735	O	GLY	H	159	96.726	134.785	135.982	1.00	27.08
ATOM	13736	N	GLY	H	160	95.644	134.116	137.826	1.00	23.94
ATOM	13737	CA	GLY	H	160	96.833	133.442	138.294	1.00	25.63
ATOM	13738	C	GLY	H	160	96.908	132.090	137.653	1.00	24.20
ATOM	13739	O	GLY	H	160	95.888	131.581	137.203	1.00	24.42
ATOM	13740	N	CYS	H	161	98.093	131.498	137.624	1.00	25.53
ATOM	13741	CA	CYS	H	161	98.244	130.186	137.019	1.00	32.90
ATOM	13742	C	CYS	H	161	97.753	129.039	137.930	1.00	36.34
ATOM	13743	O	CYS	H	161	97.402	129.265	139.093	1.00	37.28
ATOM	13744	CB	CYS	H	161	99.697	130.002	136.634	1.00	34.06
ATOM	13745	SG	CYS	H	161	100.323	131.438	135.698	1.00	42.71
ATOM	13746	N	ASP	H	162	97.692	127.819	137.402	1.00	38.17
ATOM	13747	CA	ASP	H	162	97.237	126.699	138.212	1.00	39.16
ATOM	13748	C	ASP	H	162	98.337	125.689	138.475	1.00	41.71
ATOM	13749	O	ASP	H	162	98.955	125.157	137.554	1.00	40.07
ATOM	13750	CB	ASP	H	162	96.055	125.997	137.560	1.00	41.16
ATOM	13751	CG	ASP	H	162	95.563	124.811	138.377	1.00	44.99
ATOM	13752	OD1	ASP	H	162	95.627	124.882	139.624	1.00	45.27
ATOM	13753	OD2	ASP	H	162	95.094	123.816	137.779	1.00	47.81
ATOM	13754	N	VAL	H	163	98.571	125.433	139.755	1.00	45.24
ATOM	13755	CA	VAL	H	163	99.591	124.500	140.174	1.00	48.96
ATOM	13756	C	VAL	H	163	99.014	123.125	140.434	1.00	55.06
ATOM	13757	O	VAL	H	163	98.597	122.812	141.543	1.00	55.72
ATOM	13758	CB	VAL	H	163	100.287	124.997	141.433	1.00	45.51
ATOM	13759	CG1	VAL	H	163	101.273	123.956	141.925	1.00	45.53
ATOM	13760	CG2	VAL	H	163	101.006	126.301	141.132	1.00	42.98
ATOM	13761	N	SER	H	164	98.987	122.307	139.391	1.00	62.28
ATOM	13762	CA	SER	H	164	98.474	120.954	139.506	1.00	70.12

ATOM	13763	C	SER	H	164	99.534	120.112	140.200	1.00	74.13
ATOM	13764	O	SER	H	164	100.723	120.197	139.878	1.00	75.11
ATOM	13765	CB	SER	H	164	98.185	120.364	138.122	1.00	72.21
ATOM	13766	OG	SER	H	164	97.224	121.126	137.412	1.00	78.00
ATOM	13767	N	ALA	H	165	99.098	119.296	141.152	1.00	78.28
ATOM	13768	CA	ALA	H	165	100.010	118.436	141.890	1.00	80.82
ATOM	13769	C	ALA	H	165	99.263	117.284	142.564	1.00	82.56
ATOM	13770	O	ALA	H	165	98.085	117.406	142.911	1.00	82.47
ATOM	13771	CB	ALA	H	165	100.766	119.260	142.934	1.00	79.55
ATOM	13772	N	ARG	H	166	99.951	116.158	142.724	1.00	84.69
ATOM	13773	CA	ARG	H	166	99.374	114.990	143.383	1.00	86.04
ATOM	13774	C	ARG	H	166	99.635	115.168	144.889	1.00	85.49
ATOM	13775	O	ARG	H	166	100.777	115.353	145.329	1.00	85.58
ATOM	13776	CB	ARG	H	166	100.022	113.716	142.828	1.00	87.32
ATOM	13777	CG	ARG	H	166	99.936	113.649	141.302	1.00	87.79
ATOM	13778	CD	ARG	H	166	100.680	112.467	140.701	1.00	89.19
ATOM	13779	NE	ARG	H	166	100.804	112.616	139.250	1.00	90.86
ATOM	13780	CZ	ARG	H	166	101.623	111.900	138.483	1.00	90.81
ATOM	13781	NH1	ARG	H	166	102.403	110.967	139.018	1.00	91.03
ATOM	13782	NH2	ARG	H	166	101.683	112.135	137.182	1.00	89.11
ATOM	13783	N	ASP	H	167	98.556	115.136	145.662	1.00	83.81
ATOM	13784	CA	ASP	H	167	98.610	115.352	147.102	1.00	82.41
ATOM	13785	C	ASP	H	167	99.722	114.651	147.854	1.00	80.99
ATOM	13786	O	ASP	H	167	100.370	113.754	147.319	1.00	81.13
ATOM	13787	CB	ASP	H	167	97.277	114.973	147.738	1.00	83.75
ATOM	13788	CG	ASP	H	167	97.054	115.674	149.051	1.00	84.65
ATOM	13789	OD1	ASP	H	167	97.880	116.547	149.397	1.00	88.24
ATOM	13790	OD2	ASP	H	167	96.056	115.365	149.731	1.00	83.97
ATOM	13791	N	VAL	H	168	99.915	115.081	149.104	1.00	79.68
ATOM	13792	CA	VAL	H	168	100.930	114.554	150.023	1.00	78.20
ATOM	13793	C	VAL	H	168	101.775	113.416	149.441	1.00	77.93
ATOM	13794	O	VAL	H	168	101.306	112.280	149.304	1.00	78.39
ATOM	13795	CB	VAL	H	168	100.274	114.092	151.363	1.00	77.14
ATOM	13796	CG1	VAL	H	168	99.073	113.205	151.082	1.00	76.56
ATOM	13797	CG2	VAL	H	168	101.290	113.354	152.225	1.00	74.06
ATOM	13798	N	THR	H	169	103.025	113.732	149.102	1.00	74.97
ATOM	13799	CA	THR	H	169	103.933	112.752	148.521	1.00	72.66
ATOM	13800	C	THR	H	169	104.496	111.773	149.541	1.00	71.07
ATOM	13801	O	THR	H	169	104.918	112.158	150.633	1.00	70.14
ATOM	13802	CB	THR	H	169	105.095	113.437	147.812	1.00	73.57
ATOM	13803	OG1	THR	H	169	104.582	114.283	146.778	1.00	75.38
ATOM	13804	CG2	THR	H	169	106.020	112.405	147.199	1.00	74.00
ATOM	13805	N	VAL	H	170	104.504	110.500	149.162	1.00	69.95
ATOM	13806	CA	VAL	H	170	104.996	109.435	150.026	1.00	68.61
ATOM	13807	C	VAL	H	170	106.506	109.260	149.860	1.00	68.05
ATOM	13808	O	VAL	H	170	106.973	108.467	149.039	1.00	67.18
ATOM	13809	CB	VAL	H	170	104.280	108.094	149.711	1.00	67.59
ATOM	13810	CG1	VAL	H	170	104.259	107.216	150.940	1.00	64.15
ATOM	13811	CG2	VAL	H	170	102.859	108.359	149.224	1.00	68.91
ATOM	13812	N	THR	H	171	107.263	110.019	150.644	1.00	67.11
ATOM	13813	CA	THR	H	171	108.714	109.956	150.605	1.00	67.04
ATOM	13814	C	THR	H	171	109.130	108.651	151.257	1.00	68.21
ATOM	13815	O	THR	H	171	110.271	108.488	151.679	1.00	69.97
ATOM	13816	CB	THR	H	171	109.353	111.147	151.372	1.00	64.26
ATOM	13817	OG1	THR	H	171	110.768	110.972	151.467	1.00	62.90
ATOM	13818	CG2	THR	H	171	108.812	111.232	152.756	1.00	65.61
ATOM	13819	N	LEU	H	172	108.195	107.712	151.319	1.00	69.24
ATOM	13820	CA	LEU	H	172	108.462	106.415	151.932	1.00	70.71
ATOM	13821	C	LEU	H	172	109.820	105.817	151.557	1.00	68.86
ATOM	13822	O	LEU	H	172	110.542	105.356	152.449	1.00	69.64
ATOM	13823	CB	LEU	H	172	107.333	105.414	151.599	1.00	73.44
ATOM	13824	CG	LEU	H	172	107.368	103.963	152.124	1.00	73.35

ATOM	13825	CD1	LEU	H	172	105.968	103.356	152.041	1.00	72.71
ATOM	13826	CD2	LEU	H	172	108.359	103.120	151.314	1.00	72.26
ATOM	13827	N	PRO	H	173	110.194	105.834	150.253	1.00	64.78
ATOM	13828	CA	PRO	H	173	111.490	105.254	149.900	1.00	62.81
ATOM	13829	C	PRO	H	173	112.407	105.219	151.102	1.00	62.44
ATOM	13830	O	PRO	H	173	113.085	106.191	151.402	1.00	62.95
ATOM	13831	CB	PRO	H	173	111.995	106.165	148.772	1.00	60.27
ATOM	13832	CG	PRO	H	173	111.039	107.322	148.750	1.00	60.84
ATOM	13833	CD	PRO	H	173	109.743	106.716	149.170	1.00	62.11
ATOM	13834	N	ASP	H	174	112.367	104.092	151.808	1.00	62.80
ATOM	13835	CA	ASP	H	174	113.153	103.878	153.011	1.00	64.46
ATOM	13836	C	ASP	H	174	114.373	104.785	153.042	1.00	64.06
ATOM	13837	O	ASP	H	174	115.112	104.880	152.059	1.00	62.74
ATOM	13838	CB	ASP	H	174	113.551	102.409	153.097	1.00	68.91
ATOM	13839	CG	ASP	H	174	112.346	101.492	153.194	1.00	72.08
ATOM	13840	OD1	ASP	H	174	111.470	101.563	152.301	1.00	72.68
ATOM	13841	OD2	ASP	H	174	112.276	100.706	154.166	1.00	76.31
ATOM	13842	N	TYR	H	175	114.562	105.446	154.183	1.00	61.82
ATOM	13843	CA	TYR	H	175	115.639	106.410	154.393	1.00	59.53
ATOM	13844	C	TYR	H	175	116.554	106.750	153.243	1.00	58.19
ATOM	13845	O	TYR	H	175	116.632	107.913	152.855	1.00	63.15
ATOM	13846	CB	TYR	H	175	116.527	106.034	155.570	1.00	59.72
ATOM	13847	CG	TYR	H	175	117.826	106.828	155.582	1.00	57.62
ATOM	13848	CD1	TYR	H	175	117.827	108.223	155.470	1.00	53.54
ATOM	13849	CD2	TYR	H	175	119.055	106.182	155.707	1.00	56.77
ATOM	13850	CE1	TYR	H	175	119.024	108.941	155.485	1.00	53.53
ATOM	13851	CE2	TYR	H	175	120.249	106.895	155.726	1.00	53.00
ATOM	13852	CZ	TYR	H	175	120.226	108.264	155.617	1.00	50.90
ATOM	13853	OH	TYR	H	175	121.410	108.944	155.672	1.00	49.16
ATOM	13854	N	PRO	H	176	117.298	105.769	152.708	1.00	53.30
ATOM	13855	CA	PRO	H	176	118.178	106.146	151.596	1.00	51.10
ATOM	13856	C	PRO	H	176	117.451	106.623	150.323	1.00	49.15
ATOM	13857	O	PRO	H	176	117.884	107.590	149.681	1.00	45.57
ATOM	13858	CB	PRO	H	176	119.001	104.880	151.380	1.00	50.86
ATOM	13859	CG	PRO	H	176	118.029	103.793	151.773	1.00	50.09
ATOM	13860	CD	PRO	H	176	117.443	104.343	153.038	1.00	47.73
ATOM	13861	N	GLY	H	177	116.342	105.955	149.995	1.00	46.80
ATOM	13862	CA	GLY	H	177	115.556	106.258	148.803	1.00	47.75
ATOM	13863	C	GLY	H	177	115.236	107.706	148.465	1.00	48.21
ATOM	13864	O	GLY	H	177	115.495	108.609	149.259	1.00	50.79
ATOM	13865	N	SER	H	178	114.673	107.933	147.278	1.00	46.06
ATOM	13866	CA	SER	H	178	114.325	109.288	146.862	1.00	44.63
ATOM	13867	C	SER	H	178	113.312	109.301	145.725	1.00	44.60
ATOM	13868	O	SER	H	178	113.595	108.798	144.647	1.00	45.70
ATOM	13869	CB	SER	H	178	115.574	110.038	146.420	1.00	39.45
ATOM	13870	OG	SER	H	178	115.874	109.743	145.077	1.00	32.51
ATOM	13871	N	VAL	H	179	112.140	109.893	145.959	1.00	45.67
ATOM	13872	CA	VAL	H	179	111.087	109.952	144.937	1.00	44.68
ATOM	13873	C	VAL	H	179	111.069	111.253	144.180	1.00	45.73
ATOM	13874	O	VAL	H	179	111.654	112.251	144.604	1.00	47.64
ATOM	13875	CB	VAL	H	179	109.652	109.814	145.521	1.00	40.15
ATOM	13876	CG1	VAL	H	179	109.449	108.464	146.146	1.00	40.15
ATOM	13877	CG2	VAL	H	179	109.413	110.896	146.536	1.00	43.75
ATOM	13878	N	PRO	H	180	110.413	111.245	143.017	1.00	46.66
ATOM	13879	CA	PRO	H	180	110.269	112.419	142.156	1.00	45.68
ATOM	13880	C	PRO	H	180	108.915	113.025	142.568	1.00	45.74
ATOM	13881	O	PRO	H	180	107.983	112.296	142.914	1.00	44.87
ATOM	13882	CB	PRO	H	180	110.266	111.815	140.762	1.00	42.10
ATOM	13883	CG	PRO	H	180	109.545	110.537	140.977	1.00	45.77
ATOM	13884	CD	PRO	H	180	110.116	110.009	142.271	1.00	45.14
ATOM	13885	N	ILE	H	181	108.818	114.350	142.570	1.00	45.68
ATOM	13886	CA	ILE	H	181	107.586	115.017	142.976	1.00	43.15

ATOM	13887	C	ILE	H	181	106.875	115.635	141.794	1.00	41.64
ATOM	13888	O	ILE	H	181	107.351	116.583	141.180	1.00	41.39
ATOM	13889	CB	ILE	H	181	107.849	116.147	144.006	1.00	44.41
ATOM	13890	CG1	ILE	H	181	108.510	115.585	145.262	1.00	43.61
ATOM	13891	CG2	ILE	H	181	106.543	116.803	144.395	1.00	43.34
ATOM	13892	CD1	ILE	H	181	108.986	116.661	146.201	1.00	41.08
ATOM	13893	N	PRO	H	182	105.718	115.093	141.453	1.00	41.24
ATOM	13894	CA	PRO	H	182	104.935	115.604	140.335	1.00	41.80
ATOM	13895	C	PRO	H	182	104.419	116.992	140.661	1.00	41.37
ATOM	13896	O	PRO	H	182	103.738	117.169	141.661	1.00	42.47
ATOM	13897	CB	PRO	H	182	103.805	114.601	140.241	1.00	42.56
ATOM	13898	CG	PRO	H	182	104.458	113.340	140.708	1.00	43.05
ATOM	13899	CD	PRO	H	182	105.182	113.811	141.922	1.00	41.46
ATOM	13900	N	LEU	H	183	104.740	117.975	139.829	1.00	41.54
ATOM	13901	CA	LEU	H	183	104.267	119.335	140.066	1.00	40.01
ATOM	13902	C	LEU	H	183	104.472	120.161	138.804	1.00	38.96
ATOM	13903	O	LEU	H	183	105.600	120.380	138.344	1.00	36.00
ATOM	13904	CB	LEU	H	183	105.015	119.957	141.253	1.00	43.33
ATOM	13905	CG	LEU	H	183	104.342	121.037	142.108	1.00	44.43
ATOM	13906	CD1	LEU	H	183	105.196	121.294	143.320	1.00	43.54
ATOM	13907	CD2	LEU	H	183	104.160	122.318	141.321	1.00	49.28
ATOM	13908	N	THR	H	184	103.354	120.601	138.244	1.00	39.58
ATOM	13909	CA	THR	H	184	103.346	121.389	137.017	1.00	39.54
ATOM	13910	C	THR	H	184	102.472	122.632	137.179	1.00	38.76
ATOM	13911	O	THR	H	184	101.653	122.720	138.095	1.00	36.90
ATOM	13912	CB	THR	H	184	102.802	120.544	135.833	1.00	39.49
ATOM	13913	OG1	THR	H	184	101.691	119.756	136.287	1.00	38.46
ATOM	13914	CG2	THR	H	184	103.875	119.618	135.282	1.00	35.56
ATOM	13915	N	VAL	H	185	102.648	123.587	136.279	1.00	38.94
ATOM	13916	CA	VAL	H	185	101.878	124.817	136.314	1.00	40.14
ATOM	13917	C	VAL	H	185	101.400	125.160	134.930	1.00	41.61
ATOM	13918	O	VAL	H	185	102.186	125.107	133.987	1.00	43.05
ATOM	13919	CB	VAL	H	185	102.727	126.016	136.782	1.00	40.19
ATOM	13920	CG1	VAL	H	185	102.939	125.946	138.257	1.00	44.70
ATOM	13921	CG2	VAL	H	185	104.064	126.031	136.061	1.00	31.62
ATOM	13922	N	TYR	H	186	100.125	125.506	134.791	1.00	41.14
ATOM	13923	CA	TYR	H	186	99.634	125.903	133.485	1.00	42.73
ATOM	13924	C	TYR	H	186	98.914	127.235	133.623	1.00	44.22
ATOM	13925	O	TYR	H	186	98.014	127.388	134.449	1.00	45.73
ATOM	13926	CB	TYR	H	186	98.731	124.824	132.872	1.00	41.28
ATOM	13927	CG	TYR	H	186	97.400	124.641	133.535	1.00	45.57
ATOM	13928	CD1	TYR	H	186	96.324	125.479	133.234	1.00	50.20
ATOM	13929	CD2	TYR	H	186	97.199	123.615	134.448	1.00	47.90
ATOM	13930	CE1	TYR	H	186	95.072	125.294	133.829	1.00	53.36
ATOM	13931	CE2	TYR	H	186	95.956	123.417	135.049	1.00	53.28
ATOM	13932	CZ	TYR	H	186	94.895	124.256	134.736	1.00	54.40
ATOM	13933	OH	TYR	H	186	93.666	124.046	135.325	1.00	55.61
ATOM	13934	N	CYS	H	187	99.358	128.215	132.842	1.00	42.77
ATOM	13935	CA	CYS	H	187	98.762	129.533	132.870	1.00	40.13
ATOM	13936	C	CYS	H	187	97.836	129.646	131.675	1.00	39.40
ATOM	13937	O	CYS	H	187	98.214	129.285	130.573	1.00	36.66
ATOM	13938	CB	CYS	H	187	99.838	130.615	132.767	1.00	41.22
ATOM	13939	SG	CYS	H	187	101.165	130.617	134.027	1.00	44.36
ATOM	13940	N	ALA	H	188	96.627	130.156	131.902	1.00	39.99
ATOM	13941	CA	ALA	H	188	95.641	130.332	130.838	1.00	36.98
ATOM	13942	C	ALA	H	188	96.195	131.284	129.793	1.00	36.49
ATOM	13943	O	ALA	H	188	95.906	131.147	128.606	1.00	40.48
ATOM	13944	CB	ALA	H	188	94.366	130.881	131.403	1.00	31.22
ATOM	13945	N	LYS	H	189	96.986	132.248	130.246	1.00	33.92
ATOM	13946	CA	LYS	H	189	97.614	133.220	129.371	1.00	34.40
ATOM	13947	C	LYS	H	189	99.080	133.224	129.757	1.00	37.42
ATOM	13948	O	LYS	H	189	99.431	133.469	130.912	1.00	37.14

ATOM	13949	CB	LYS	H	189	97.040	134.619	129.587	1.00	35.00
ATOM	13950	CG	LYS	H	189	95.540	134.738	129.390	1.00	35.37
ATOM	13951	CD	LYS	H	189	95.152	134.663	127.914	1.00	39.02
ATOM	13952	CE	LYS	H	189	95.490	135.946	127.166	1.00	37.65
ATOM	13953	NZ	LYS	H	189	95.451	135.761	125.685	1.00	38.45
ATOM	13954	N	SER	H	190	99.932	132.940	128.781	1.00	39.66
ATOM	13955	CA	SER	H	190	101.370	132.891	128.987	1.00	38.77
ATOM	13956	C	SER	H	190	101.914	134.092	129.761	1.00	38.90
ATOM	13957	O	SER	H	190	101.571	135.250	129.493	1.00	39.36
ATOM	13958	CB	SER	H	190	102.076	132.771	127.636	1.00	39.62
ATOM	13959	OG	SER	H	190	103.468	133.009	127.759	1.00	44.36
ATOM	13960	N	GLN	H	191	102.762	133.780	130.739	1.00	39.18
ATOM	13961	CA	GLN	H	191	103.412	134.763	131.599	1.00	34.89
ATOM	13962	C	GLN	H	191	104.599	134.092	132.263	1.00	34.23
ATOM	13963	O	GLN	H	191	104.663	132.866	132.366	1.00	32.13
ATOM	13964	CB	GLN	H	191	102.448	135.257	132.674	1.00	31.70
ATOM	13965	CG	GLN	H	191	101.741	134.144	133.408	1.00	30.44
ATOM	13966	CD	GLN	H	191	100.974	134.640	134.597	1.00	28.65
ATOM	13967	OE1	GLN	H	191	101.539	135.253	135.491	1.00	32.99
ATOM	13968	NE2	GLN	H	191	99.679	134.376	134.622	1.00	30.29
ATOM	13969	N	ASN	H	192	105.540	134.911	132.709	1.00	34.04
ATOM	13970	CA	ASN	H	192	106.728	134.412	133.374	1.00	35.30
ATOM	13971	C	ASN	H	192	106.510	134.079	134.856	1.00	34.66
ATOM	13972	O	ASN	H	192	106.047	134.902	135.636	1.00	36.45
ATOM	13973	CB	ASN	H	192	107.844	135.437	133.263	1.00	35.69
ATOM	13974	CG	ASN	H	192	108.188	135.762	131.835	1.00	41.90
ATOM	13975	OD1	ASN	H	192	108.269	134.863	130.990	1.00	40.62
ATOM	13976	ND2	ASN	H	192	108.414	137.051	131.551	1.00	44.64
ATOM	13977	N	LEU	H	193	106.844	132.861	135.242	1.00	32.68
ATOM	13978	CA	LEU	H	193	106.703	132.472	136.621	1.00	30.29
ATOM	13979	C	LEU	H	193	108.071	132.373	137.277	1.00	31.97
ATOM	13980	O	LEU	H	193	109.093	132.268	136.613	1.00	30.96
ATOM	13981	CB	LEU	H	193	105.982	131.134	136.737	1.00	26.40
ATOM	13982	CG	LEU	H	193	104.454	131.175	136.683	1.00	29.66
ATOM	13983	CD1	LEU	H	193	103.867	129.783	136.954	1.00	26.21
ATOM	13984	CD2	LEU	H	193	103.957	132.164	137.716	1.00	25.96
ATOM	13985	N	GLY	H	194	108.071	132.432	138.600	1.00	35.11
ATOM	13986	CA	GLY	H	194	109.290	132.318	139.375	1.00	35.20
ATOM	13987	C	GLY	H	194	108.880	131.727	140.713	1.00	36.65
ATOM	13988	O	GLY	H	194	107.876	132.171	141.293	1.00	36.00
ATOM	13989	N	TYR	H	195	109.608	130.724	141.210	1.00	33.31
ATOM	13990	CA	TYR	H	195	109.220	130.155	142.499	1.00	31.08
ATOM	13991	C	TYR	H	195	110.367	129.912	143.457	1.00	29.04
ATOM	13992	O	TYR	H	195	111.518	129.811	143.044	1.00	27.80
ATOM	13993	CB	TYR	H	195	108.461	128.853	142.310	1.00	29.22
ATOM	13994	CG	TYR	H	195	109.371	127.693	142.042	1.00	32.30
ATOM	13995	CD1	TYR	H	195	110.022	127.567	140.816	1.00	31.40
ATOM	13996	CD2	TYR	H	195	109.636	126.752	143.038	1.00	30.97
ATOM	13997	CE1	TYR	H	195	110.920	126.540	140.589	1.00	31.05
ATOM	13998	CE2	TYR	H	195	110.533	125.717	142.825	1.00	33.02
ATOM	13999	CZ	TYR	H	195	111.178	125.617	141.598	1.00	33.77
ATOM	14000	OH	TYR	H	195	112.108	124.621	141.396	1.00	30.23
ATOM	14001	N	TYR	H	196	110.028	129.860	144.748	1.00	27.79
ATOM	14002	CA	TYR	H	196	110.998	129.602	145.812	1.00	26.42
ATOM	14003	C	TYR	H	196	110.349	128.828	146.947	1.00	23.02
ATOM	14004	O	TYR	H	196	109.147	128.932	147.177	1.00	24.81
ATOM	14005	CB	TYR	H	196	111.642	130.899	146.332	1.00	25.28
ATOM	14006	CG	TYR	H	196	110.752	131.826	147.117	1.00	23.25
ATOM	14007	CD1	TYR	H	196	110.318	131.500	148.401	1.00	23.98
ATOM	14008	CD2	TYR	H	196	110.339	133.035	146.570	1.00	24.56
ATOM	14009	CE1	TYR	H	196	109.484	132.362	149.119	1.00	25.79
ATOM	14010	CE2	TYR	H	196	109.507	133.905	147.277	1.00	24.89

ATOM	14011	CZ	TYR	H	196	109.082	133.564	148.543	1.00	25.84
ATOM	14012	OH	TYR	H	196	108.249	134.422	149.206	1.00	25.29
ATOM	14013	N	LEU	H	197	111.158	128.029	147.630	1.00	20.86
ATOM	14014	CA	LEU	H	197	110.701	127.198	148.731	1.00	18.67
ATOM	14015	C	LEU	H	197	110.969	127.914	150.035	1.00	18.96
ATOM	14016	O	LEU	H	197	111.932	128.685	150.163	1.00	18.95
ATOM	14017	CB	LEU	H	197	111.452	125.873	148.721	1.00	19.19
ATOM	14018	CG	LEU	H	197	111.507	125.166	147.365	1.00	20.75
ATOM	14019	CD1	LEU	H	197	112.544	124.051	147.398	1.00	16.42
ATOM	14020	CD2	LEU	H	197	110.107	124.632	147.018	1.00	19.59
ATOM	14021	N	SER	H	198	110.099	127.657	150.998	1.00	17.70
ATOM	14022	CA	SER	H	198	110.198	128.251	152.317	1.00	17.21
ATOM	14023	C	SER	H	198	109.819	127.169	153.291	1.00	18.64
ATOM	14024	O	SER	H	198	108.960	126.326	153.006	1.00	14.78
ATOM	14025	CB	SER	H	198	109.235	129.432	152.473	1.00	15.28
ATOM	14026	OG	SER	H	198	107.916	129.065	152.108	1.00	22.13
ATOM	14027	N	GLY	H	199	110.465	127.204	154.448	1.00	21.13
ATOM	14028	CA	GLY	H	199	110.204	126.223	155.481	1.00	21.22
ATOM	14029	C	GLY	H	199	111.334	126.298	156.470	1.00	21.42
ATOM	14030	O	GLY	H	199	112.331	126.971	156.207	1.00	23.61
ATOM	14031	N	THR	H	200	111.190	125.631	157.608	1.00	21.49
ATOM	14032	CA	THR	H	200	112.252	125.657	158.597	1.00	22.23
ATOM	14033	C	THR	H	200	113.415	124.854	158.054	1.00	24.75
ATOM	14034	O	THR	H	200	113.234	123.813	157.417	1.00	28.81
ATOM	14035	CB	THR	H	200	111.837	125.042	159.916	1.00	19.91
ATOM	14036	OG1	THR	H	200	110.501	125.442	160.228	1.00	23.91
ATOM	14037	CG2	THR	H	200	112.759	125.523	161.000	1.00	15.73
ATOM	14038	N	THR	H	201	114.617	125.331	158.315	1.00	22.25
ATOM	14039	CA	THR	H	201	115.769	124.649	157.810	1.00	19.82
ATOM	14040	C	THR	H	201	116.602	124.134	158.952	1.00	18.90
ATOM	14041	O	THR	H	201	116.402	124.526	160.093	1.00	20.51
ATOM	14042	CB	THR	H	201	116.528	125.597	156.885	1.00	21.95
ATOM	14043	OG1	THR	H	201	116.272	125.195	155.536	1.00	23.01
ATOM	14044	CG2	THR	H	201	118.027	125.618	157.174	1.00	22.93
ATOM	14045	N	ALA	H	202	117.542	123.257	158.640	1.00	16.04
ATOM	14046	CA	ALA	H	202	118.363	122.668	159.655	1.00	13.18
ATOM	14047	C	ALA	H	202	119.859	122.700	159.377	1.00	13.30
ATOM	14048	O	ALA	H	202	120.633	122.113	160.126	1.00	18.16
ATOM	14049	CB	ALA	H	202	117.904	121.236	159.848	1.00	16.44
ATOM	14050	N	ASP	H	203	120.289	123.371	158.320	1.00	11.26
ATOM	14051	CA	ASP	H	203	121.711	123.382	157.991	1.00	9.36
ATOM	14052	C	ASP	H	203	122.227	124.759	157.663	1.00	9.41
ATOM	14053	O	ASP	H	203	121.439	125.642	157.373	1.00	12.50
ATOM	14054	CB	ASP	H	203	121.974	122.442	156.814	1.00	13.96
ATOM	14055	CG	ASP	H	203	121.293	122.884	155.528	1.00	17.82
ATOM	14056	OD1	ASP	H	203	120.054	123.057	155.511	1.00	20.29
ATOM	14057	OD2	ASP	H	203	122.017	123.047	154.526	1.00	18.41
ATOM	14058	N	ALA	H	204	123.539	124.956	157.706	1.00	7.20
ATOM	14059	CA	ALA	H	204	124.078	126.271	157.384	1.00	10.68
ATOM	14060	C	ALA	H	204	123.771	126.676	155.946	1.00	13.58
ATOM	14061	O	ALA	H	204	123.501	127.847	155.669	1.00	17.67
ATOM	14062	CB	ALA	H	204	125.558	126.313	157.617	1.00	9.25
ATOM	14063	N	GLY	H	205	123.808	125.705	155.039	1.00	12.67
ATOM	14064	CA	GLY	H	205	123.514	125.971	153.642	1.00	13.46
ATOM	14065	C	GLY	H	205	122.032	126.131	153.323	1.00	14.97
ATOM	14066	O	GLY	H	205	121.648	126.206	152.156	1.00	12.37
ATOM	14067	N	ASN	H	206	121.203	126.135	154.365	1.00	16.15
ATOM	14068	CA	ASN	H	206	119.762	126.354	154.249	1.00	17.54
ATOM	14069	C	ASN	H	206	118.990	125.483	153.265	1.00	17.40
ATOM	14070	O	ASN	H	206	117.953	125.914	152.756	1.00	13.65
ATOM	14071	CB	ASN	H	206	119.524	127.828	153.891	1.00	19.53
ATOM	14072	CG	ASN	H	206	118.122	128.302	154.223	1.00	25.32

ATOM	14073	OD1	ASN	H	206	117.651	129.292	153.667	1.00	32.54
ATOM	14074	ND2	ASN	H	206	117.458	127.618	155.143	1.00	24.53
ATOM	14075	N	SER	H	207	119.446	124.261	153.010	1.00	17.89
ATOM	14076	CA	SER	H	207	118.727	123.442	152.040	1.00	21.68
ATOM	14077	C	SER	H	207	118.109	122.155	152.525	1.00	22.17
ATOM	14078	O	SER	H	207	117.392	121.492	151.776	1.00	23.49
ATOM	14079	CB	SER	H	207	119.627	123.141	150.844	1.00	23.97
ATOM	14080	OG	SER	H	207	120.879	122.667	151.281	1.00	32.40
ATOM	14081	N	ILE	H	208	118.372	121.792	153.772	1.00	25.67
ATOM	14082	CA	ILE	H	208	117.795	120.562	154.317	1.00	26.46
ATOM	14083	C	ILE	H	208	116.671	120.912	155.291	1.00	30.42
ATOM	14084	O	ILE	H	208	116.917	121.467	156.369	1.00	29.40
ATOM	14085	CB	ILE	H	208	118.867	119.718	155.020	1.00	20.82
ATOM	14086	CG1	ILE	H	208	120.113	119.649	154.124	1.00	13.86
ATOM	14087	CG2	ILE	H	208	118.312	118.327	155.304	1.00	10.60
ATOM	14088	CD1	ILE	H	208	121.312	119.132	154.793	1.00	12.20
ATOM	14089	N	PHE	H	209	115.436	120.600	154.889	1.00	33.73
ATOM	14090	CA	PHE	H	209	114.259	120.896	155.697	1.00	34.17
ATOM	14091	C	PHE	H	209	114.046	119.920	156.849	1.00	36.92
ATOM	14092	O	PHE	H	209	114.026	118.703	156.676	1.00	37.37
ATOM	14093	CB	PHE	H	209	113.020	120.964	154.805	1.00	30.18
ATOM	14094	CG	PHE	H	209	113.039	122.114	153.838	1.00	25.07
ATOM	14095	CD1	PHE	H	209	112.590	123.369	154.225	1.00	20.40
ATOM	14096	CD2	PHE	H	209	113.510	121.946	152.545	1.00	25.12
ATOM	14097	CE1	PHE	H	209	112.607	124.434	153.339	1.00	22.06
ATOM	14098	CE2	PHE	H	209	113.531	123.020	151.642	1.00	24.53
ATOM	14099	CZ	PHE	H	209	113.079	124.261	152.040	1.00	21.21
ATOM	14100	N	THR	H	210	113.879	120.487	158.035	1.00	41.71
ATOM	14101	CA	THR	H	210	113.704	119.729	159.261	1.00	43.89
ATOM	14102	C	THR	H	210	112.607	118.683	159.223	1.00	46.13
ATOM	14103	O	THR	H	210	111.654	118.792	158.451	1.00	43.30
ATOM	14104	CB	THR	H	210	113.434	120.674	160.423	1.00	43.28
ATOM	14105	OG1	THR	H	210	114.433	121.695	160.433	1.00	43.56
ATOM	14106	CG2	THR	H	210	113.493	119.930	161.733	1.00	46.87
ATOM	14107	N	ASN	H	211	112.755	117.672	160.080	1.00	50.19
ATOM	14108	CA	ASN	H	211	111.788	116.591	160.174	1.00	53.38
ATOM	14109	C	ASN	H	211	110.711	116.939	161.170	1.00	56.07
ATOM	14110	O	ASN	H	211	110.985	117.162	162.343	1.00	56.08
ATOM	14111	CB	ASN	H	211	112.461	115.292	160.608	1.00	54.90
ATOM	14112	CG	ASN	H	211	111.574	114.068	160.380	1.00	57.78
ATOM	14113	OD1	ASN	H	211	112.007	112.928	160.588	1.00	57.37
ATOM	14114	ND2	ASN	H	211	110.330	114.300	159.948	1.00	53.09
ATOM	14115	N	THR	H	212	109.482	116.996	160.678	1.00	61.18
ATOM	14116	CA	THR	H	212	108.311	117.307	161.486	1.00	65.91
ATOM	14117	C	THR	H	212	107.545	116.004	161.632	1.00	70.03
ATOM	14118	O	THR	H	212	107.029	115.477	160.645	1.00	71.57
ATOM	14119	CB	THR	H	212	107.408	118.310	160.764	1.00	64.79
ATOM	14120	OG1	THR	H	212	108.038	119.592	160.745	1.00	62.94
ATOM	14121	CG2	THR	H	212	106.061	118.404	161.451	1.00	68.65
ATOM	14122	N	ALA	H	213	107.460	115.479	162.847	1.00	72.45
ATOM	14123	CA	ALA	H	213	106.757	114.224	163.017	1.00	76.04
ATOM	14124	C	ALA	H	213	106.283	113.967	164.438	1.00	78.89
ATOM	14125	O	ALA	H	213	106.730	114.613	165.386	1.00	80.30
ATOM	14126	CB	ALA	H	213	107.649	113.090	162.547	1.00	74.04
ATOM	14127	N	SER	H	214	105.376	113.006	164.575	1.00	81.00
ATOM	14128	CA	SER	H	214	104.839	112.649	165.876	1.00	83.58
ATOM	14129	C	SER	H	214	105.448	111.361	166.423	1.00	85.46
ATOM	14130	O	SER	H	214	105.751	111.289	167.611	1.00	86.56
ATOM	14131	CB	SER	H	214	103.315	112.507	165.797	1.00	85.56
ATOM	14132	OG	SER	H	214	102.733	112.304	167.078	1.00	84.95
ATOM	14133	N	PHE	H	215	105.642	110.352	165.571	1.00	87.58
ATOM	14134	CA	PHE	H	215	106.198	109.078	166.038	1.00	89.41

ATOM	14135	C	PHE	H	215	107.670	108.772	165.788	1.00	88.50
ATOM	14136	O	PHE	H	215	108.082	108.452	164.666	1.00	86.01
ATOM	14137	CB	PHE	H	215	105.383	107.915	165.499	1.00	94.21
ATOM	14138	CG	PHE	H	215	105.684	106.595	166.174	1.00	101.76
ATOM	14139	CD1	PHE	H	215	105.866	106.529	167.558	1.00	104.71
ATOM	14140	CD2	PHE	H	215	105.776	105.420	165.433	1.00	103.56
ATOM	14141	CE1	PHE	H	215	106.134	105.311	168.194	1.00	104.89
ATOM	14142	CE2	PHE	H	215	106.043	104.197	166.059	1.00	104.32
ATOM	14143	CZ	PHE	H	215	106.223	104.145	167.442	1.00	105.02
ATOM	14144	N	SER	H	216	108.439	108.824	166.874	1.00	87.99
ATOM	14145	CA	SER	H	216	109.866	108.556	166.849	1.00	87.09
ATOM	14146	C	SER	H	216	110.547	109.365	165.773	1.00	85.13
ATOM	14147	O	SER	H	216	110.745	108.896	164.651	1.00	87.04
ATOM	14148	CB	SER	H	216	110.134	107.073	166.608	1.00	89.47
ATOM	14149	OG	SER	H	216	111.530	106.835	166.511	1.00	92.57
ATOM	14150	N	PRO	H	217	110.913	110.603	166.098	1.00	82.10
ATOM	14151	CA	PRO	H	217	111.578	111.427	165.097	1.00	79.98
ATOM	14152	C	PRO	H	217	112.929	110.837	164.713	1.00	77.52
ATOM	14153	O	PRO	H	217	113.926	111.083	165.389	1.00	76.22
ATOM	14154	CB	PRO	H	217	111.709	112.772	165.800	1.00	81.93
ATOM	14155	CG	PRO	H	217	111.875	112.373	167.234	1.00	81.74
ATOM	14156	CD	PRO	H	217	110.816	111.309	167.384	1.00	81.86
ATOM	14157	N	ALA	H	218	112.946	110.041	163.644	1.00	73.20
ATOM	14158	CA	ALA	H	218	114.177	109.442	163.152	1.00	68.76
ATOM	14159	C	ALA	H	218	115.203	110.558	163.031	1.00	66.46
ATOM	14160	O	ALA	H	218	115.474	111.042	161.938	1.00	67.40
ATOM	14161	CB	ALA	H	218	113.935	108.825	161.795	1.00	68.24
ATOM	14162	N	GLN	H	219	115.771	110.968	164.154	1.00	64.71
ATOM	14163	CA	GLN	H	219	116.740	112.054	164.169	1.00	65.44
ATOM	14164	C	GLN	H	219	117.937	111.784	163.273	1.00	63.79
ATOM	14165	O	GLN	H	219	118.390	110.645	163.157	1.00	64.50
ATOM	14166	CB	GLN	H	219	117.226	112.301	165.600	1.00	68.31
ATOM	14167	CG	GLN	H	219	118.261	113.407	165.732	1.00	73.62
ATOM	14168	CD	GLN	H	219	118.868	113.481	167.125	1.00	77.24
ATOM	14169	OE1	GLN	H	219	119.741	114.309	167.392	1.00	78.53
ATOM	14170	NE2	GLN	H	219	118.407	112.612	168.019	1.00	80.12
ATOM	14171	N	GLY	H	220	118.442	112.842	162.638	1.00	60.77
ATOM	14172	CA	GLY	H	220	119.608	112.712	161.780	1.00	56.17
ATOM	14173	C	GLY	H	220	119.419	113.068	160.317	1.00	52.89
ATOM	14174	O	GLY	H	220	120.352	113.554	159.662	1.00	49.76
ATOM	14175	N	VAL	H	221	118.214	112.832	159.807	1.00	49.02
ATOM	14176	CA	VAL	H	221	117.919	113.102	158.412	1.00	46.29
ATOM	14177	C	VAL	H	221	117.119	114.384	158.205	1.00	43.95
ATOM	14178	O	VAL	H	221	116.843	115.111	159.145	1.00	44.41
ATOM	14179	CB	VAL	H	221	117.144	111.931	157.799	1.00	45.21
ATOM	14180	CG1	VAL	H	221	117.241	111.980	156.279	1.00	47.14
ATOM	14181	CG2	VAL	H	221	117.693	110.629	158.332	1.00	42.14
ATOM	14182	N	GLY	H	222	116.772	114.653	156.953	1.00	40.88
ATOM	14183	CA	GLY	H	222	115.991	115.822	156.604	1.00	35.12
ATOM	14184	C	GLY	H	222	115.603	115.691	155.144	1.00	30.29
ATOM	14185	O	GLY	H	222	116.157	114.862	154.427	1.00	30.18
ATOM	14186	N	VAL	H	223	114.655	116.493	154.690	1.00	24.96
ATOM	14187	CA	VAL	H	223	114.247	116.424	153.300	1.00	20.66
ATOM	14188	C	VAL	H	223	114.853	117.575	152.490	1.00	19.78
ATOM	14189	O	VAL	H	223	114.743	118.750	152.861	1.00	17.74
ATOM	14190	CB	VAL	H	223	112.713	116.473	153.176	1.00	21.90
ATOM	14191	CG1	VAL	H	223	112.315	116.253	151.731	1.00	22.78
ATOM	14192	CG2	VAL	H	223	112.072	115.426	154.072	1.00	18.16
ATOM	14193	N	GLN	H	224	115.510	117.235	151.391	1.00	16.77
ATOM	14194	CA	GLN	H	224	116.115	118.247	150.539	1.00	21.69
ATOM	14195	C	GLN	H	224	115.504	118.089	149.168	1.00	23.21
ATOM	14196	O	GLN	H	224	115.389	116.972	148.688	1.00	28.01

ATOM	14197	CB	GLN	H	224	117.629	118.054	150.462	1.00	19.08
ATOM	14198	CG	GLN	H	224	118.348	118.941	149.459	1.00	20.05
ATOM	14199	CD	GLN	H	224	119.860	118.938	149.685	1.00	29.46
ATOM	14200	OE1	GLN	H	224	120.372	119.669	150.529	1.00	36.82
ATOM	14201	NE2	GLN	H	224	120.574	118.099	148.950	1.00	31.10
ATOM	14202	N	LEU	H	225	115.094	119.192	148.540	1.00	23.97
ATOM	14203	CA	LEU	H	225	114.500	119.096	147.211	1.00	19.34
ATOM	14204	C	LEU	H	225	115.476	119.507	146.140	1.00	18.11
ATOM	14205	O	LEU	H	225	116.223	120.474	146.264	1.00	16.97
ATOM	14206	CB	LEU	H	225	113.207	119.915	147.107	1.00	14.19
ATOM	14207	CG	LEU	H	225	112.241	119.656	148.269	1.00	19.60
ATOM	14208	CD1	LEU	H	225	110.884	120.177	147.919	1.00	12.08
ATOM	14209	CD2	LEU	H	225	112.180	118.172	148.599	1.00	17.06
ATOM	14210	N	THR	H	226	115.465	118.733	145.073	1.00	20.89
ATOM	14211	CA	THR	H	226	116.352	118.984	143.961	1.00	22.49
ATOM	14212	C	THR	H	226	115.542	119.043	142.665	1.00	21.33
ATOM	14213	O	THR	H	226	114.514	118.366	142.526	1.00	17.89
ATOM	14214	CB	THR	H	226	117.384	117.859	143.890	1.00	23.62
ATOM	14215	OG1	THR	H	226	118.152	117.991	142.698	1.00	28.41
ATOM	14216	CG2	THR	H	226	116.682	116.507	143.905	1.00	24.25
ATOM	14217	N	ARG	H	227	115.986	119.879	141.735	1.00	20.17
ATOM	14218	CA	ARG	H	227	115.316	120.003	140.447	1.00	22.48
ATOM	14219	C	ARG	H	227	116.351	119.583	139.426	1.00	25.81
ATOM	14220	O	ARG	H	227	117.267	120.346	139.116	1.00	26.09
ATOM	14221	CB	ARG	H	227	114.859	121.447	140.188	1.00	17.25
ATOM	14222	CG	ARG	H	227	115.935	122.507	140.330	1.00	17.93
ATOM	14223	CD	ARG	H	227	115.411	123.881	139.962	1.00	23.74
ATOM	14224	NE	ARG	H	227	116.482	124.747	139.473	1.00	27.57
ATOM	14225	CZ	ARG	H	227	117.234	125.513	140.252	1.00	34.19
ATOM	14226	NH1	ARG	H	227	117.024	125.532	141.562	1.00	43.18
ATOM	14227	NH2	ARG	H	227	118.221	126.233	139.737	1.00	35.88
ATOM	14228	N	ASN	H	228	116.220	118.354	138.927	1.00	29.55
ATOM	14229	CA	ASN	H	228	117.173	117.817	137.951	1.00	34.02
ATOM	14230	C	ASN	H	228	118.612	117.852	138.480	1.00	34.44
ATOM	14231	O	ASN	H	228	119.512	118.423	137.844	1.00	33.71
ATOM	14232	CB	ASN	H	228	117.110	118.606	136.639	1.00	39.95
ATOM	14233	CG	ASN	H	228	115.870	118.297	135.835	1.00	45.74
ATOM	14234	OD1	ASN	H	228	115.698	117.182	135.333	1.00	47.28
ATOM	14235	ND2	ASN	H	228	114.990	119.284	135.709	1.00	51.10
ATOM	14236	N	GLY	H	229	118.822	117.255	139.650	1.00	32.82
ATOM	14237	CA	GLY	H	229	120.156	117.217	140.224	1.00	31.91
ATOM	14238	C	GLY	H	229	120.664	118.489	140.878	1.00	30.60
ATOM	14239	O	GLY	H	229	121.710	118.474	141.529	1.00	25.85
ATOM	14240	N	THR	H	230	119.929	119.587	140.708	1.00	31.20
ATOM	14241	CA	THR	H	230	120.307	120.869	141.299	1.00	30.35
ATOM	14242	C	THR	H	230	119.574	121.083	142.608	1.00	29.84
ATOM	14243	O	THR	H	230	118.351	120.919	142.674	1.00	31.35
ATOM	14244	CB	THR	H	230	119.964	122.026	140.376	1.00	29.63
ATOM	14245	OG1	THR	H	230	120.739	121.919	139.176	1.00	32.70
ATOM	14246	CG2	THR	H	230	120.265	123.324	141.044	1.00	28.55
ATOM	14247	N	ILE	H	231	120.325	121.440	143.646	1.00	27.89
ATOM	14248	CA	ILE	H	231	119.735	121.679	144.949	1.00	25.96
ATOM	14249	C	ILE	H	231	118.994	123.015	144.972	1.00	26.88
ATOM	14250	O	ILE	H	231	119.407	124.002	144.333	1.00	23.92
ATOM	14251	CB	ILE	H	231	120.787	121.704	146.064	1.00	26.59
ATOM	14252	CG1	ILE	H	231	121.497	120.355	146.146	1.00	24.17
ATOM	14253	CG2	ILE	H	231	120.114	122.052	147.413	1.00	22.15
ATOM	14254	CD1	ILE	H	231	122.468	120.256	147.309	1.00	21.89
ATOM	14255	N	ILE	H	232	117.894	123.029	145.724	1.00	24.31
ATOM	14256	CA	ILE	H	232	117.062	124.210	145.855	1.00	19.36
ATOM	14257	C	ILE	H	232	117.030	124.693	147.299	1.00	16.92
ATOM	14258	O	ILE	H	232	116.238	124.221	148.097	1.00	15.79

ATOM	14259	CB	ILE	H	232	115.609	123.921	145.421	1.00	18.79
ATOM	14260	CG1	ILE	H	232	115.586	123.189	144.083	1.00	18.36
ATOM	14261	CG2	ILE	H	232	114.844	125.212	145.268	1.00	19.97
ATOM	14262	CD1	ILE	H	232	114.197	122.894	143.596	1.00	16.53
ATOM	14263	N	PRO	H	233	117.921	125.617	147.665	1.00	16.42
ATOM	14264	CA	PRO	H	233	117.847	126.069	149.056	1.00	15.27
ATOM	14265	C	PRO	H	233	116.602	126.913	149.223	1.00	16.60
ATOM	14266	O	PRO	H	233	115.991	127.345	148.246	1.00	11.84
ATOM	14267	CB	PRO	H	233	119.118	126.895	149.233	1.00	16.75
ATOM	14268	CG	PRO	H	233	119.443	127.343	147.824	1.00	16.46
ATOM	14269	CD	PRO	H	233	119.130	126.130	146.997	1.00	15.22
ATOM	14270	N	ALA	H	234	116.233	127.145	150.474	1.00	21.24
ATOM	14271	CA	ALA	H	234	115.058	127.942	150.801	1.00	21.30
ATOM	14272	C	ALA	H	234	115.284	129.369	150.352	1.00	21.52
ATOM	14273	O	ALA	H	234	116.412	129.856	150.381	1.00	21.32
ATOM	14274	CB	ALA	H	234	114.820	127.908	152.283	1.00	19.06
ATOM	14275	N	ASN	H	235	114.219	130.026	149.910	1.00	20.96
ATOM	14276	CA	ASN	H	235	114.313	131.410	149.486	1.00	24.32
ATOM	14277	C	ASN	H	235	115.366	131.681	148.421	1.00	25.06
ATOM	14278	O	ASN	H	235	116.196	132.562	148.590	1.00	29.66
ATOM	14279	CB	ASN	H	235	114.624	132.284	150.698	1.00	24.79
ATOM	14280	CG	ASN	H	235	113.819	131.898	151.913	1.00	25.59
ATOM	14281	OD1	ASN	H	235	114.375	131.459	152.930	1.00	25.68
ATOM	14282	ND2	ASN	H	235	112.496	132.056	151.821	1.00	22.68
ATOM	14283	N	ASN	H	236	115.335	130.938	147.327	1.00	26.94
ATOM	14284	CA	ASN	H	236	116.297	131.114	146.236	1.00	28.30
ATOM	14285	C	ASN	H	236	115.447	130.953	144.989	1.00	27.17
ATOM	14286	O	ASN	H	236	115.369	129.873	144.420	1.00	26.79
ATOM	14287	CB	ASN	H	236	117.372	130.016	146.296	1.00	31.15
ATOM	14288	CG	ASN	H	236	118.445	130.177	145.235	1.00	31.76
ATOM	14289	OD1	ASN	H	236	119.202	131.144	145.253	1.00	35.07
ATOM	14290	ND2	ASN	H	236	118.520	129.226	144.309	1.00	28.90
ATOM	14291	N	THR	H	237	114.798	132.036	144.593	1.00	26.24
ATOM	14292	CA	THR	H	237	113.896	132.036	143.460	1.00	26.78
ATOM	14293	C	THR	H	237	114.474	131.352	142.247	1.00	25.98
ATOM	14294	O	THR	H	237	115.580	131.646	141.844	1.00	26.18
ATOM	14295	CB	THR	H	237	113.510	133.462	143.079	1.00	28.46
ATOM	14296	OG1	THR	H	237	113.262	134.234	144.264	1.00	30.95
ATOM	14297	CG2	THR	H	237	112.259	133.451	142.253	1.00	30.59
ATOM	14298	N	VAL	H	238	113.703	130.434	141.677	1.00	28.18
ATOM	14299	CA	VAL	H	238	114.102	129.675	140.494	1.00	28.33
ATOM	14300	C	VAL	H	238	113.236	130.144	139.327	1.00	28.66
ATOM	14301	O	VAL	H	238	112.012	129.955	139.346	1.00	29.12
ATOM	14302	CB	VAL	H	238	113.874	128.134	140.690	1.00	27.97
ATOM	14303	CG1	VAL	H	238	114.079	127.400	139.383	1.00	28.48
ATOM	14304	CG2	VAL	H	238	114.828	127.580	141.713	1.00	24.26
ATOM	14305	N	SER	H	239	113.863	130.744	138.318	1.00	26.36
ATOM	14306	CA	SER	H	239	113.124	131.221	137.150	1.00	26.76
ATOM	14307	C	SER	H	239	112.587	130.073	136.351	1.00	23.77
ATOM	14308	O	SER	H	239	113.348	129.274	135.848	1.00	27.79
ATOM	14309	CB	SER	H	239	114.019	132.041	136.247	1.00	28.38
ATOM	14310	OG	SER	H	239	114.558	133.135	136.964	1.00	42.03
ATOM	14311	N	LEU	H	240	111.273	129.996	136.225	1.00	23.54
ATOM	14312	CA	LEU	H	240	110.632	128.922	135.479	1.00	24.99
ATOM	14313	C	LEU	H	240	110.403	129.283	134.005	1.00	28.51
ATOM	14314	O	LEU	H	240	109.798	128.511	133.241	1.00	26.53
ATOM	14315	CB	LEU	H	240	109.295	128.585	136.118	1.00	21.04
ATOM	14316	CG	LEU	H	240	109.224	127.192	136.711	1.00	21.60
ATOM	14317	CD1	LEU	H	240	107.804	126.909	137.131	1.00	24.63
ATOM	14318	CD2	LEU	H	240	109.694	126.185	135.687	1.00	20.68
ATOM	14319	N	GLY	H	241	110.900	130.453	133.618	1.00	31.18
ATOM	14320	CA	GLY	H	241	110.743	130.918	132.259	1.00	35.44

ATOM	14321	C	GLY H 241	109.379	131.548	132.107	1.00	38.50
ATOM	14322	O	GLY H 241	109.065	132.538	132.751	1.00	42.32
ATOM	14323	N	ALA H 242	108.557	130.979	131.247	1.00	39.62
ATOM	14324	CA	ALA H 242	107.226	131.506	131.054	1.00	38.31
ATOM	14325	C	ALA H 242	106.357	130.295	130.888	1.00	38.33
ATOM	14326	O	ALA H 242	106.584	129.475	130.004	1.00	35.68
ATOM	14327	CB	ALA H 242	107.169	132.369	129.813	1.00	39.55
ATOM	14328	N	VAL H 243	105.381	130.162	131.768	1.00	38.14
ATOM	14329	CA	VAL H 243	104.481	129.042	131.690	1.00	37.73
ATOM	14330	C	VAL H 243	103.305	129.451	130.824	1.00	40.09
ATOM	14331	O	VAL H 243	102.837	130.586	130.901	1.00	39.68
ATOM	14332	CB	VAL H 243	103.972	128.658	133.058	1.00	36.81
ATOM	14333	CG1	VAL H 243	103.136	127.395	132.947	1.00	36.13
ATOM	14334	CG2	VAL H 243	105.133	128.464	133.990	1.00	34.53
ATOM	14335	N	GLY H 244	102.837	128.517	129.998	1.00	41.41
ATOM	14336	CA	GLY H 244	101.727	128.785	129.116	1.00	40.56
ATOM	14337	C	GLY H 244	100.632	127.753	129.226	1.00	42.66
ATOM	14338	O	GLY H 244	100.303	127.299	130.317	1.00	43.87
ATOM	14339	N	THR H 245	100.072	127.370	128.085	1.00	46.57
ATOM	14340	CA	THR H 245	98.973	126.407	128.050	1.00	50.05
ATOM	14341	C	THR H 245	99.441	124.986	128.336	1.00	50.51
ATOM	14342	O	THR H 245	98.630	124.115	128.645	1.00	52.82
ATOM	14343	CB	THR H 245	98.249	126.430	126.674	1.00	51.48
ATOM	14344	OG1	THR H 245	99.055	125.767	125.690	1.00	59.04
ATOM	14345	CG2	THR H 245	98.026	127.859	126.214	1.00	46.91
ATOM	14346	N	SER H 246	100.750	124.761	128.227	1.00	51.42
ATOM	14347	CA	SER H 246	101.350	123.446	128.464	1.00	48.30
ATOM	14348	C	SER H 246	102.035	123.423	129.819	1.00	45.13
ATOM	14349	O	SER H 246	103.107	124.001	129.977	1.00	45.53
ATOM	14350	CB	SER H 246	102.383	123.133	127.382	1.00	48.28
ATOM	14351	OG	SER H 246	101.796	123.175	126.098	1.00	52.85
ATOM	14352	N	ALA H 247	101.423	122.744	130.785	1.00	40.80
ATOM	14353	CA	ALA H 247	101.977	122.666	132.132	1.00	39.68
ATOM	14354	C	ALA H 247	103.454	122.281	132.164	1.00	38.31
ATOM	14355	O	ALA H 247	103.839	121.221	131.675	1.00	39.98
ATOM	14356	CB	ALA H 247	101.171	121.686	132.974	1.00	37.01
ATOM	14357	N	VAL H 248	104.277	123.159	132.728	1.00	34.19
ATOM	14358	CA	VAL H 248	105.697	122.897	132.855	1.00	31.77
ATOM	14359	C	VAL H 248	105.867	122.135	134.153	1.00	34.59
ATOM	14360	O	VAL H 248	105.207	122.460	135.141	1.00	37.62
ATOM	14361	CB	VAL H 248	106.499	124.178	133.015	1.00	28.05
ATOM	14362	CG1	VAL H 248	107.972	123.846	133.116	1.00	30.22
ATOM	14363	CG2	VAL H 248	106.234	125.100	131.876	1.00	29.19
ATOM	14364	N	SER H 249	106.729	121.122	134.170	1.00	34.57
ATOM	14365	CA	SER H 249	106.969	120.393	135.417	1.00	33.93
ATOM	14366	C	SER H 249	108.163	121.071	136.036	1.00	32.91
ATOM	14367	O	SER H 249	109.111	121.429	135.333	1.00	31.63
ATOM	14368	CB	SER H 249	107.308	118.923	135.183	1.00	34.38
ATOM	14369	OG	SER H 249	107.507	118.260	136.417	1.00	32.79
ATOM	14370	N	LEU H 250	108.112	121.270	137.344	1.00	32.03
ATOM	14371	CA	LEU H 250	109.213	121.923	138.023	1.00	31.41
ATOM	14372	C	LEU H 250	110.393	120.947	138.092	1.00	30.22
ATOM	14373	O	LEU H 250	111.526	121.350	138.322	1.00	28.80
ATOM	14374	CB	LEU H 250	108.779	122.361	139.429	1.00	33.27
ATOM	14375	CG	LEU H 250	107.441	123.105	139.615	1.00	33.67
ATOM	14376	CD1	LEU H 250	107.334	123.569	141.079	1.00	29.10
ATOM	14377	CD2	LEU H 250	107.337	124.297	138.655	1.00	26.90
ATOM	14378	N	GLY H 251	110.108	119.664	137.881	1.00	27.48
ATOM	14379	CA	GLY H 251	111.138	118.647	137.914	1.00	27.56
ATOM	14380	C	GLY H 251	111.772	118.478	139.274	1.00	28.85
ATOM	14381	O	GLY H 251	112.992	118.577	139.423	1.00	31.77
ATOM	14382	N	LEU H 252	110.950	118.185	140.269	1.00	27.30

ATOM	14383	CA	LEU	H	252	111.449	118.047	141.629	1.00	27.16
ATOM	14384	C	LEU	H	252	111.572	116.622	142.143	1.00	28.78
ATOM	14385	O	LEU	H	252	110.804	115.739	141.774	1.00	27.22
ATOM	14386	CB	LEU	H	252	110.539	118.799	142.587	1.00	23.73
ATOM	14387	CG	LEU	H	252	110.129	120.196	142.171	1.00	22.56
ATOM	14388	CD1	LEU	H	252	108.986	120.628	143.089	1.00	23.99
ATOM	14389	CD2	LEU	H	252	111.310	121.131	142.219	1.00	15.65
ATOM	14390	N	THR	H	253	112.540	116.419	143.029	1.00	31.15
ATOM	14391	CA	THR	H	253	112.758	115.121	143.649	1.00	28.62
ATOM	14392	C	THR	H	253	112.990	115.370	145.128	1.00	28.89
ATOM	14393	O	THR	H	253	113.820	116.211	145.499	1.00	27.71
ATOM	14394	CB	THR	H	253	114.004	114.423	143.099	1.00	26.53
ATOM	14395	OG1	THR	H	253	113.922	114.351	141.681	1.00	27.59
ATOM	14396	CG2	THR	H	253	114.102	113.035	143.637	1.00	26.13
ATOM	14397	N	ALA	H	254	112.236	114.657	145.959	1.00	25.81
ATOM	14398	CA	ALA	H	254	112.381	114.751	147.402	1.00	24.69
ATOM	14399	C	ALA	H	254	113.550	113.828	147.720	1.00	26.32
ATOM	14400	O	ALA	H	254	113.527	112.642	147.384	1.00	30.16
ATOM	14401	CB	ALA	H	254	111.114	114.253	148.097	1.00	20.85
ATOM	14402	N	ASN	H	255	114.583	114.367	148.346	1.00	23.91
ATOM	14403	CA	ASN	H	255	115.745	113.567	148.687	1.00	21.86
ATOM	14404	C	ASN	H	255	115.990	113.609	150.152	1.00	23.08
ATOM	14405	O	ASN	H	255	115.722	114.623	150.795	1.00	27.70
ATOM	14406	CB	ASN	H	255	117.010	114.119	148.043	1.00	19.69
ATOM	14407	CG	ASN	H	255	116.871	114.312	146.585	1.00	20.42
ATOM	14408	OD1	ASN	H	255	117.859	114.440	145.882	1.00	23.76
ATOM	14409	ND2	ASN	H	255	115.640	114.343	146.105	1.00	21.27
ATOM	14410	N	TYR	H	256	116.519	112.516	150.688	1.00	24.79
ATOM	14411	CA	TYR	H	256	116.883	112.499	152.096	1.00	22.43
ATOM	14412	C	TYR	H	256	118.302	113.045	152.110	1.00	24.12
ATOM	14413	O	TYR	H	256	119.122	112.732	151.227	1.00	22.65
ATOM	14414	CB	TYR	H	256	116.879	111.091	152.680	1.00	18.57
ATOM	14415	CG	TYR	H	256	115.507	110.505	152.902	1.00	19.42
ATOM	14416	CD1	TYR	H	256	114.856	110.659	154.120	1.00	22.52
ATOM	14417	CD2	TYR	H	256	114.895	109.738	151.922	1.00	18.94
ATOM	14418	CE1	TYR	H	256	113.643	110.056	154.360	1.00	25.92
ATOM	14419	CE2	TYR	H	256	113.688	109.126	152.146	1.00	23.01
ATOM	14420	CZ	TYR	H	256	113.061	109.284	153.370	1.00	27.93
ATOM	14421	OH	TYR	H	256	111.862	108.646	153.616	1.00	32.92
ATOM	14422	N	ALA	H	257	118.574	113.903	153.082	1.00	24.21
ATOM	14423	CA	ALA	H	257	119.897	114.472	153.234	1.00	25.92
ATOM	14424	C	ALA	H	257	120.086	114.391	154.722	1.00	29.95
ATOM	14425	O	ALA	H	257	119.101	114.331	155.465	1.00	30.01
ATOM	14426	CB	ALA	H	257	119.923	115.899	152.770	1.00	22.87
ATOM	14427	N	ARG	H	258	121.336	114.361	155.160	1.00	32.87
ATOM	14428	CA	ARG	H	258	121.605	114.264	156.576	1.00	38.96
ATOM	14429	C	ARG	H	258	121.926	115.623	157.152	1.00	44.56
ATOM	14430	O	ARG	H	258	122.489	116.482	156.461	1.00	47.24
ATOM	14431	CB	ARG	H	258	122.771	113.323	156.821	1.00	39.02
ATOM	14432	CG	ARG	H	258	122.494	111.901	156.472	1.00	38.34
ATOM	14433	CD	ARG	H	258	123.790	111.149	156.455	1.00	43.31
ATOM	14434	NE	ARG	H	258	124.493	111.273	157.725	1.00	49.89
ATOM	14435	CZ	ARG	H	258	125.723	110.821	157.940	1.00	51.27
ATOM	14436	NH1	ARG	H	258	126.388	110.218	156.962	1.00	50.77
ATOM	14437	NH2	ARG	H	258	126.282	110.961	159.136	1.00	52.58
ATOM	14438	N	THR	H	259	121.569	115.800	158.423	1.00	48.64
ATOM	14439	CA	THR	H	259	121.796	117.039	159.148	1.00	52.45
ATOM	14440	C	THR	H	259	122.943	116.823	160.111	1.00	55.14
ATOM	14441	O	THR	H	259	124.068	117.252	159.856	1.00	56.27
ATOM	14442	CB	THR	H	259	120.549	117.430	159.939	1.00	54.51
ATOM	14443	OG1	THR	H	259	120.104	116.310	160.714	1.00	54.72
ATOM	14444	CG2	THR	H	259	119.432	117.840	158.996	1.00	57.40

ATOM	14445	N	GLY	H	260	122.650	116.144	161.217	1.00	60.51
ATOM	14446	CA	GLY	H	260	123.662	115.855	162.224	1.00	63.96
ATOM	14447	C	GLY	H	260	124.259	114.467	162.052	1.00	66.20
ATOM	14448	O	GLY	H	260	123.677	113.617	161.362	1.00	66.79
ATOM	14449	N	GLY	H	261	125.415	114.236	162.678	1.00	66.64
ATOM	14450	CA	GLY	H	261	126.085	112.946	162.578	1.00	67.52
ATOM	14451	C	GLY	H	261	125.579	111.810	163.469	1.00	67.44
ATOM	14452	O	GLY	H	261	126.276	111.377	164.393	1.00	69.00
ATOM	14453	N	GLN	H	262	124.376	111.316	163.190	1.00	64.81
ATOM	14454	CA	GLN	H	262	123.794	110.221	163.958	1.00	62.00
ATOM	14455	C	GLN	H	262	122.428	109.827	163.418	1.00	59.52
ATOM	14456	O	GLN	H	262	121.420	109.859	164.136	1.00	59.88
ATOM	14457	CB	GLN	H	262	123.659	110.590	165.441	1.00	65.28
ATOM	14458	CG	GLN	H	262	123.134	109.437	166.315	1.00	69.41
ATOM	14459	CD	GLN	H	262	123.970	108.153	166.187	1.00	70.82
ATOM	14460	OE1	GLN	H	262	123.574	107.087	166.669	1.00	69.05
ATOM	14461	NE2	GLN	H	262	125.133	108.258	165.541	1.00	72.55
ATOM	14462	N	VAL	H	263	122.392	109.457	162.146	1.00	55.06
ATOM	14463	CA	VAL	H	263	121.143	109.054	161.540	1.00	51.61
ATOM	14464	C	VAL	H	263	120.525	108.023	162.474	1.00	50.60
ATOM	14465	O	VAL	H	263	121.231	107.220	163.059	1.00	52.84
ATOM	14466	CB	VAL	H	263	121.394	108.454	160.163	1.00	50.30
ATOM	14467	CG1	VAL	H	263	120.082	108.132	159.482	1.00	53.42
ATOM	14468	CG2	VAL	H	263	122.188	109.430	159.329	1.00	52.12
ATOM	14469	N	THR	H	264	119.210	108.043	162.624	1.00	49.51
ATOM	14470	CA	THR	H	264	118.567	107.114	163.527	1.00	47.95
ATOM	14471	C	THR	H	264	117.160	106.710	163.137	1.00	51.50
ATOM	14472	O	THR	H	264	116.385	107.516	162.643	1.00	53.66
ATOM	14473	CB	THR	H	264	118.526	107.709	164.903	1.00	45.27
ATOM	14474	OG1	THR	H	264	119.869	107.940	165.335	1.00	37.73
ATOM	14475	CG2	THR	H	264	117.795	106.790	165.860	1.00	43.02
ATOM	14476	N	ALA	H	265	116.840	105.449	163.386	1.00	54.65
ATOM	14477	CA	ALA	H	265	115.538	104.885	163.071	1.00	57.07
ATOM	14478	C	ALA	H	265	114.402	105.833	163.396	1.00	59.40
ATOM	14479	O	ALA	H	265	114.517	106.672	164.289	1.00	60.01
ATOM	14480	CB	ALA	H	265	115.351	103.583	163.832	1.00	60.60
ATOM	14481	N	GLY	H	266	113.301	105.687	162.667	1.00	62.20
ATOM	14482	CA	GLY	H	266	112.141	106.534	162.898	1.00	64.91
ATOM	14483	C	GLY	H	266	111.481	107.077	161.639	1.00	64.89
ATOM	14484	O	GLY	H	266	111.915	106.796	160.516	1.00	63.64
ATOM	14485	N	ASN	H	267	110.424	107.862	161.826	1.00	65.28
ATOM	14486	CA	ASN	H	267	109.728	108.446	160.692	1.00	64.76
ATOM	14487	C	ASN	H	267	110.273	109.817	160.329	1.00	62.67
ATOM	14488	O	ASN	H	267	110.749	110.568	161.186	1.00	59.49
ATOM	14489	CB	ASN	H	267	108.229	108.522	160.961	1.00	65.98
ATOM	14490	CG	ASN	H	267	107.610	107.157	161.103	1.00	68.03
ATOM	14491	OD1	ASN	H	267	106.407	106.977	160.909	1.00	69.53
ATOM	14492	ND2	ASN	H	267	108.434	106.179	161.450	1.00	68.73
ATOM	14493	N	VAL	H	268	110.206	110.111	159.035	1.00	61.41
ATOM	14494	CA	VAL	H	268	110.689	111.361	158.461	1.00	59.57
ATOM	14495	C	VAL	H	268	109.590	111.987	157.608	1.00	58.43
ATOM	14496	O	VAL	H	268	109.288	111.508	156.513	1.00	55.46
ATOM	14497	CB	VAL	H	268	111.933	111.095	157.587	1.00	59.61
ATOM	14498	CG1	VAL	H	268	112.335	112.341	156.840	1.00	60.18
ATOM	14499	CG2	VAL	H	268	113.076	110.610	158.461	1.00	60.70
ATOM	14500	N	GLN	H	269	108.981	113.045	158.132	1.00	57.45
ATOM	14501	CA	GLN	H	269	107.916	113.752	157.430	1.00	57.99
ATOM	14502	C	GLN	H	269	108.283	115.223	157.345	1.00	56.79
ATOM	14503	O	GLN	H	269	108.888	115.763	158.272	1.00	57.73
ATOM	14504	CB	GLN	H	269	106.590	113.590	158.171	1.00	57.83
ATOM	14505	CG	GLN	H	269	105.834	112.337	157.797	1.00	60.53
ATOM	14506	CD	GLN	H	269	104.730	112.031	158.777	1.00	63.85

ATOM	14507	OE1	GLN	H	269	103.958	112.915	159.156	1.00	65.39
ATOM	14508	NE2	GLN	H	269	104.643	110.772	159.198	1.00	64.97
ATOM	14509	N	SER	H	270	107.919	115.876	156.245	1.00	54.05
ATOM	14510	CA	SER	H	270	108.260	117.283	156.086	1.00	51.32
ATOM	14511	C	SER	H	270	107.164	118.132	155.439	1.00	49.59
ATOM	14512	O	SER	H	270	106.295	117.628	154.715	1.00	49.37
ATOM	14513	CB	SER	H	270	109.559	117.398	155.280	1.00	51.13
ATOM	14514	OG	SER	H	270	110.183	118.652	155.483	1.00	49.56
ATOM	14515	N	ILE	H	271	107.218	119.430	155.717	1.00	46.40
ATOM	14516	CA	ILE	H	271	106.251	120.376	155.175	1.00	45.77
ATOM	14517	C	ILE	H	271	106.973	121.552	154.534	1.00	42.08
ATOM	14518	O	ILE	H	271	107.666	122.306	155.208	1.00	39.48
ATOM	14519	CB	ILE	H	271	105.325	120.897	156.282	1.00	49.15
ATOM	14520	CG1	ILE	H	271	106.163	121.205	157.541	1.00	51.45
ATOM	14521	CG2	ILE	H	271	104.194	119.889	156.519	1.00	49.38
ATOM	14522	CD1	ILE	H	271	105.392	121.816	158.716	1.00	46.85
ATOM	14523	N	ILE	H	272	106.805	121.700	153.226	1.00	39.38
ATOM	14524	CA	ILE	H	272	107.461	122.770	152.494	1.00	36.99
ATOM	14525	C	ILE	H	272	106.504	123.673	151.756	1.00	34.33
ATOM	14526	O	ILE	H	272	105.552	123.218	151.133	1.00	34.00
ATOM	14527	CB	ILE	H	272	108.432	122.218	151.443	1.00	39.83
ATOM	14528	CG1	ILE	H	272	109.435	121.288	152.104	1.00	42.83
ATOM	14529	CG2	ILE	H	272	109.147	123.356	150.746	1.00	43.40
ATOM	14530	CD1	ILE	H	272	110.051	121.877	153.328	1.00	45.07
ATOM	14531	N	GLY	H	273	106.781	124.963	151.800	1.00	32.06
ATOM	14532	CA	GLY	H	273	105.925	125.887	151.096	1.00	32.29
ATOM	14533	C	GLY	H	273	106.565	126.258	149.786	1.00	30.68
ATOM	14534	O	GLY	H	273	107.733	126.644	149.753	1.00	33.35
ATOM	14535	N	VAL	H	274	105.822	126.101	148.698	1.00	28.70
ATOM	14536	CA	VAL	H	274	106.332	126.474	147.383	1.00	25.67
ATOM	14537	C	VAL	H	274	105.582	127.772	147.038	1.00	28.93
ATOM	14538	O	VAL	H	274	104.334	127.820	147.046	1.00	27.67
ATOM	14539	CB	VAL	H	274	106.038	125.388	146.329	1.00	22.56
ATOM	14540	CG1	VAL	H	274	106.954	125.573	145.135	1.00	11.02
ATOM	14541	CG2	VAL	H	274	106.182	124.005	146.940	1.00	15.78
ATOM	14542	N	THR	H	275	106.343	128.832	146.774	1.00	28.62
ATOM	14543	CA	THR	H	275	105.753	130.131	146.475	1.00	30.76
ATOM	14544	C	THR	H	275	106.042	130.567	145.058	1.00	29.59
ATOM	14545	O	THR	H	275	107.197	130.787	144.685	1.00	28.86
ATOM	14546	CB	THR	H	275	106.287	131.230	147.426	1.00	34.15
ATOM	14547	OG1	THR	H	275	106.032	130.864	148.789	1.00	42.15
ATOM	14548	CG2	THR	H	275	105.609	132.559	147.134	1.00	39.58
ATOM	14549	N	PHE	H	276	104.976	130.701	144.278	1.00	26.92
ATOM	14550	CA	PHE	H	276	105.090	131.122	142.899	1.00	24.06
ATOM	14551	C	PHE	H	276	105.035	132.626	142.829	1.00	21.33
ATOM	14552	O	PHE	H	276	104.111	133.238	143.327	1.00	24.31
ATOM	14553	CB	PHE	H	276	103.969	130.498	142.075	1.00	21.41
ATOM	14554	CG	PHE	H	276	104.143	129.022	141.859	1.00	22.67
ATOM	14555	CD1	PHE	H	276	103.864	128.123	142.871	1.00	22.08
ATOM	14556	CD2	PHE	H	276	104.604	128.541	140.642	1.00	23.92
ATOM	14557	CE1	PHE	H	276	104.032	126.767	142.683	1.00	24.99
ATOM	14558	CE2	PHE	H	276	104.780	127.185	140.439	1.00	25.79
ATOM	14559	CZ	PHE	H	276	104.491	126.291	141.462	1.00	27.83
ATOM	14560	N	VAL	H	277	106.039	133.224	142.217	1.00	19.99
ATOM	14561	CA	VAL	H	277	106.090	134.673	142.107	1.00	20.95
ATOM	14562	C	VAL	H	277	105.663	135.158	140.723	1.00	20.44
ATOM	14563	O	VAL	H	277	106.225	134.739	139.714	1.00	22.02
ATOM	14564	CB	VAL	H	277	107.515	135.182	142.379	1.00	23.69
ATOM	14565	CG1	VAL	H	277	107.487	136.671	142.658	1.00	16.18
ATOM	14566	CG2	VAL	H	277	108.132	134.408	143.537	1.00	21.53
ATOM	14567	N	TYR	H	278	104.690	136.061	140.683	1.00	18.63
ATOM	14568	CA	TYR	H	278	104.190	136.609	139.426	1.00	16.88

ATOM	14569	C	TYR	H	278	104.852	137.912	139.034	1.00	18.58
ATOM	14570	O	TYR	H	278	105.220	138.710	139.895	1.00	19.68
ATOM	14571	CB	TYR	H	278	102.691	136.826	139.524	1.00	17.85
ATOM	14572	CG	TYR	H	278	101.948	135.534	139.699	1.00	19.62
ATOM	14573	CD1	TYR	H	278	102.026	134.822	140.888	1.00	18.26
ATOM	14574	CD2	TYR	H	278	101.260	134.965	138.635	1.00	18.11
ATOM	14575	CE1	TYR	H	278	101.452	133.574	141.004	1.00	22.40
ATOM	14576	CE2	TYR	H	278	100.683	133.713	138.739	1.00	17.91
ATOM	14577	CZ	TYR	H	278	100.785	133.016	139.918	1.00	21.06
ATOM	14578	OH	TYR	H	278	100.270	131.738	139.997	1.00	23.71
ATOM	14579	N	GLN	H	279	105.005	138.136	137.732	1.00	21.15
ATOM	14580	CA	GLN	H	279	105.623	139.371	137.261	1.00	22.67
ATOM	14581	C	GLN	H	279	104.610	140.491	137.050	1.00	23.90
ATOM	14582	O	GLN	H	279	104.942	141.640	137.403	1.00	23.87
ATOM	14583	CB	GLN	H	279	106.379	139.152	135.959	1.00	25.01
ATOM	14584	CG	GLN	H	279	107.155	140.390	135.564	1.00	32.74
ATOM	14585	CD	GLN	H	279	107.861	140.297	134.221	1.00	39.42
ATOM	14586	OE1	GLN	H	279	108.777	141.089	133.951	1.00	39.46
ATOM	14587	NE2	GLN	H	279	107.439	139.351	133.368	1.00	37.41
ATOM	14588	OXT	GLN	H	279	103.513	140.219	136.514	1.00	24.99
ATOM	14589	N	GLY	I	1	0.658	128.274	195.732	1.00	115.49
ATOM	14590	CA	GLY	I	1	1.819	128.067	194.838	1.00	115.02
ATOM	14591	C	GLY	I	1	3.130	128.404	195.515	1.00	115.71
ATOM	14592	O	GLY	I	1	3.370	129.552	195.895	1.00	114.88
ATOM	14593	N	VAL	I	2	3.979	127.392	195.675	1.00	116.72
ATOM	14594	CA	VAL	I	2	5.286	127.573	196.301	1.00	117.39
ATOM	14595	C	VAL	I	2	6.365	127.376	195.227	1.00	117.57
ATOM	14596	O	VAL	I	2	6.586	126.262	194.739	1.00	116.69
ATOM	14597	CB	VAL	I	2	5.502	126.559	197.472	1.00	117.74
ATOM	14598	CG1	VAL	I	2	6.771	126.906	198.246	1.00	116.69
ATOM	14599	CG2	VAL	I	2	4.298	126.571	198.410	1.00	116.71
ATOM	14600	N	ALA	I	3	7.021	128.470	194.854	1.00	118.26
ATOM	14601	CA	ALA	I	3	8.061	128.435	193.830	1.00	119.37
ATOM	14602	C	ALA	I	3	9.290	129.248	194.238	1.00	119.79
ATOM	14603	O	ALA	I	3	9.450	130.395	193.815	1.00	120.00
ATOM	14604	CB	ALA	I	3	7.500	128.964	192.512	1.00	118.70
ATOM	14605	N	LEU	I	4	10.156	128.654	195.054	1.00	119.99
ATOM	14606	CA	LEU	I	4	11.362	129.340	195.509	1.00	119.40
ATOM	14607	C	LEU	I	4	12.086	130.031	194.366	1.00	118.92
ATOM	14608	O	LEU	I	4	12.427	129.399	193.367	1.00	118.18
ATOM	14609	CB	LEU	I	4	12.323	128.360	196.193	1.00	119.51
ATOM	14610	CG	LEU	I	4	12.079	128.048	197.674	1.00	119.81
ATOM	14611	CD1	LEU	I	4	13.144	127.085	198.179	1.00	118.55
ATOM	14612	CD2	LEU	I	4	12.112	129.340	198.478	1.00	119.86
ATOM	14613	N	GLY	I	5	12.312	131.334	194.521	1.00	118.79
ATOM	14614	CA	GLY	I	5	13.009	132.091	193.499	1.00	118.32
ATOM	14615	C	GLY	I	5	14.299	131.378	193.160	1.00	117.79
ATOM	14616	O	GLY	I	5	14.872	131.571	192.085	1.00	117.38
ATOM	14617	N	ALA	I	6	14.748	130.546	194.096	1.00	117.03
ATOM	14618	CA	ALA	I	6	15.965	129.763	193.930	1.00	116.33
ATOM	14619	C	ALA	I	6	15.670	128.280	194.145	1.00	115.26
ATOM	14620	O	ALA	I	6	15.010	127.892	195.113	1.00	115.26
ATOM	14621	CB	ALA	I	6	17.034	130.229	194.911	1.00	116.35
ATOM	14622	N	THR	I	7	16.170	127.460	193.230	1.00	113.27
ATOM	14623	CA	THR	I	7	15.981	126.020	193.287	1.00	110.78
ATOM	14624	C	THR	I	7	17.298	125.316	193.614	1.00	109.63
ATOM	14625	O	THR	I	7	17.338	124.105	193.830	1.00	108.70
ATOM	14626	CB	THR	I	7	15.452	125.508	191.941	1.00	110.21
ATOM	14627	OG1	THR	I	7	16.193	126.118	190.875	1.00	109.54
ATOM	14628	CG2	THR	I	7	13.984	125.853	191.787	1.00	109.47
ATOM	14629	N	ARG	I	8	18.372	126.096	193.662	1.00	108.73
ATOM	14630	CA	ARG	I	8	19.701	125.572	193.939	1.00	106.85

ATOM	14631	C	ARG	I	8	20.642	126.735	194.236	1.00106.62
ATOM	14632	O	ARG	I	8	20.935	127.542	193.355	1.00107.52
ATOM	14633	CB	ARG	I	8	20.190	124.782	192.724	1.00104.87
ATOM	14634	CG	ARG	I	8	20.118	125.563	191.419	1.00103.53
ATOM	14635	CD	ARG	I	8	19.824	124.677	190.211	1.00101.71
ATOM	14636	NE	ARG	I	8	20.856	123.673	189.988	1.00100.51
ATOM	14637	CZ	ARG	I	8	20.954	122.532	190.661	1.00101.05
ATOM	14638	NH1	ARG	I	8	20.063	122.227	191.598	1.00 99.62
ATOM	14639	NH2	ARG	I	8	21.939	121.686	190.384	1.00101.54
ATOM	14640	N	VAL	I	9	21.111	126.815	195.479	1.00106.37
ATOM	14641	CA	VAL	I	9	22.009	127.888	195.908	1.00106.26
ATOM	14642	C	VAL	I	9	23.458	127.437	196.115	1.00107.08
ATOM	14643	O	VAL	I	9	23.716	126.295	196.494	1.00107.14
ATOM	14644	CB	VAL	I	9	21.508	128.521	197.227	1.00105.08
ATOM	14645	CG1	VAL	I	9	22.400	129.688	197.625	1.00103.96
ATOM	14646	CG2	VAL	I	9	20.069	128.974	197.070	1.00105.11
ATOM	14647	N	ILE	I	10	24.395	128.348	195.858	1.00108.05
ATOM	14648	CA	ILE	I	10	25.825	128.085	196.029	1.00108.78
ATOM	14649	C	ILE	I	10	26.341	128.938	197.187	1.00110.37
ATOM	14650	O	ILE	I	10	26.279	130.168	197.139	1.00110.63
ATOM	14651	CB	ILE	I	10	26.625	128.442	194.753	1.00107.53
ATOM	14652	CG1	ILE	I	10	26.232	127.502	193.611	1.00106.96
ATOM	14653	CG2	ILE	I	10	28.123	128.380	195.033	1.00105.83
ATOM	14654	CD1	ILE	I	10	26.567	126.048	193.858	1.00106.78
ATOM	14655	N	TYR	I	11	26.852	128.284	198.223	1.00111.65
ATOM	14656	CA	TYR	I	11	27.354	129.000	199.390	1.00113.92
ATOM	14657	C	TYR	I	11	28.863	129.207	199.340	1.00114.90
ATOM	14658	O	TYR	I	11	29.630	128.246	199.418	1.00114.92
ATOM	14659	CB	TYR	I	11	26.998	128.229	200.666	1.00114.68
ATOM	14660	CG	TYR	I	11	27.092	129.041	201.944	1.00114.58
ATOM	14661	CD1	TYR	I	11	26.064	129.901	202.324	1.00113.57
ATOM	14662	CD2	TYR	I	11	28.204	128.936	202.781	1.00116.15
ATOM	14663	CE1	TYR	I	11	26.137	130.636	203.506	1.00115.01
ATOM	14664	CE2	TYR	I	11	28.289	129.667	203.967	1.00116.73
ATOM	14665	CZ	TYR	I	11	27.251	130.514	204.323	1.00116.37
ATOM	14666	OH	TYR	I	11	27.320	131.225	205.499	1.00116.34
ATOM	14667	N	PRO	I	12	29.311	130.466	199.187	1.00116.44
ATOM	14668	CA	PRO	I	12	30.750	130.755	199.142	1.00118.21
ATOM	14669	C	PRO	I	12	31.406	130.427	200.497	1.00119.57
ATOM	14670	O	PRO	I	12	30.713	130.119	201.472	1.00120.07
ATOM	14671	CB	PRO	I	12	30.789	132.250	198.821	1.00117.12
ATOM	14672	CG	PRO	I	12	29.562	132.439	197.987	1.00115.90
ATOM	14673	CD	PRO	I	12	28.532	131.638	198.747	1.00116.01
ATOM	14674	N	ALA	I	13	32.734	130.488	200.559	1.00119.77
ATOM	14675	CA	ALA	I	13	33.437	130.188	201.802	1.00119.98
ATOM	14676	C	ALA	I	13	33.732	131.458	202.592	1.00120.38
ATOM	14677	O	ALA	I	13	33.907	132.532	202.015	1.00120.30
ATOM	14678	CB	ALA	I	13	34.730	129.447	201.502	1.00121.06
ATOM	14679	N	GLY	I	14	33.788	131.329	203.914	1.00120.23
ATOM	14680	CA	GLY	I	14	34.062	132.478	204.756	1.00120.30
ATOM	14681	C	GLY	I	14	32.956	133.513	204.688	1.00120.66
ATOM	14682	O	GLY	I	14	33.169	134.682	205.011	1.00120.27
ATOM	14683	N	GLN	I	15	31.772	133.081	204.262	1.00121.12
ATOM	14684	CA	GLN	I	15	30.617	133.967	204.151	1.00121.31
ATOM	14685	C	GLN	I	15	29.696	133.845	205.353	1.00121.17
ATOM	14686	O	GLN	I	15	29.630	132.797	205.993	1.00120.55
ATOM	14687	CB	GLN	I	15	29.829	133.659	202.874	1.00121.66
ATOM	14688	CG	GLN	I	15	30.217	134.522	201.689	1.00122.08
ATOM	14689	CD	GLN	I	15	29.790	135.967	201.864	1.00122.64
ATOM	14690	OE1	GLN	I	15	30.067	136.592	202.891	1.00123.08
ATOM	14691	NE2	GLN	I	15	29.116	136.509	200.856	1.00122.40
ATOM	14692	N	LYS	I	16	28.984	134.927	205.651	1.00121.48

ATOM	14693	CA	LYS	I	16	28.059	134.951	206.778	1.00121.98
ATOM	14694	C	LYS	I	16	26.663	134.518	206.343	1.00122.59
ATOM	14695	O	LYS	I	16	26.237	133.394	206.616	1.00122.85
ATOM	14696	CB	LYS	I	16	28.004	136.359	207.383	1.00121.19
ATOM	14697	CG	LYS	I	16	26.978	136.537	208.496	1.00119.48
ATOM	14698	CD	LYS	I	16	26.927	137.988	208.955	1.00118.91
ATOM	14699	CE	LYS	I	16	25.810	138.222	209.956	1.00119.23
ATOM	14700	NZ	LYS	I	16	25.763	139.640	210.413	1.00119.94
ATOM	14701	N	GLN	I	17	25.957	135.410	205.655	1.00123.06
ATOM	14702	CA	GLN	I	17	24.605	135.115	205.198	1.00123.09
ATOM	14703	C	GLN	I	17	24.454	135.130	203.681	1.00122.56
ATOM	14704	O	GLN	I	17	25.137	135.875	202.981	1.00122.65
ATOM	14705	CB	GLN	I	17	23.610	136.107	205.818	1.00123.82
ATOM	14706	CG	GLN	I	17	23.930	137.578	205.567	1.00123.58
ATOM	14707	CD	GLN	I	17	22.836	138.511	206.058	1.00123.29
ATOM	14708	OE1	GLN	I	17	22.405	138.432	207.209	1.00123.29
ATOM	14709	NE2	GLN	I	17	22.384	139.405	205.184	1.00122.66
ATOM	14710	N	VAL	I	18	23.551	134.289	203.188	1.00122.18
ATOM	14711	CA	VAL	I	18	23.256	134.189	201.764	1.00122.24
ATOM	14712	C	VAL	I	18	21.741	134.293	201.614	1.00122.91
ATOM	14713	O	VAL	I	18	21.026	133.299	201.747	1.00123.50
ATOM	14714	CB	VAL	I	18	23.738	132.839	201.180	1.00121.53
ATOM	14715	CG1	VAL	I	18	23.291	132.699	199.733	1.00120.38
ATOM	14716	CG2	VAL	I	18	25.246	132.759	201.260	1.00121.93
ATOM	14717	N	GLN	I	19	21.256	135.503	201.347	1.00122.74
ATOM	14718	CA	GLN	I	19	19.824	135.743	201.199	1.00122.08
ATOM	14719	C	GLN	I	19	19.163	134.991	200.043	1.00122.41
ATOM	14720	O	GLN	I	19	19.827	134.486	199.134	1.00122.35
ATOM	14721	CB	GLN	I	19	19.546	137.241	201.031	1.00120.99
ATOM	14722	CG	GLN	I	19	19.997	138.111	202.189	1.00120.81
ATOM	14723	CD	GLN	I	19	19.529	139.550	202.049	1.00121.05
ATOM	14724	OE1	GLN	I	19	19.900	140.418	202.844	1.00121.02
ATOM	14725	NE2	GLN	I	19	18.705	139.810	201.037	1.00120.27
ATOM	14726	N	LEU	I	20	17.837	134.930	200.099	1.00122.66
ATOM	14727	CA	LEU	I	20	17.028	134.275	199.082	1.00122.63
ATOM	14728	C	LEU	I	20	15.560	134.597	199.318	1.00122.56
ATOM	14729	O	LEU	I	20	15.059	134.482	200.435	1.00121.56
ATOM	14730	CB	LEU	I	20	17.229	132.760	199.108	1.00123.29
ATOM	14731	CG	LEU	I	20	16.237	132.001	198.220	1.00124.28
ATOM	14732	CD1	LEU	I	20	16.221	132.620	196.829	1.00124.38
ATOM	14733	CD2	LEU	I	20	16.608	130.526	198.164	1.00124.89
ATOM	14734	N	ALA	I	21	14.874	134.993	198.253	1.00123.13
ATOM	14735	CA	ALA	I	21	13.467	135.351	198.339	1.00123.73
ATOM	14736	C	ALA	I	21	12.538	134.150	198.462	1.00124.10
ATOM	14737	O	ALA	I	21	12.865	133.038	198.040	1.00123.10
ATOM	14738	CB	ALA	I	21	13.074	136.187	197.130	1.00123.87
ATOM	14739	N	VAL	I	22	11.374	134.399	199.053	1.00124.58
ATOM	14740	CA	VAL	I	22	10.349	133.382	199.242	1.00124.94
ATOM	14741	C	VAL	I	22	9.016	134.037	198.896	1.00125.59
ATOM	14742	O	VAL	I	22	8.502	134.853	199.662	1.00125.45
ATOM	14743	CB	VAL	I	22	10.303	132.888	200.706	1.00124.70
ATOM	14744	CG1	VAL	I	22	9.322	131.729	200.835	1.00124.29
ATOM	14745	CG2	VAL	I	22	11.689	132.464	201.156	1.00123.90
ATOM	14746	N	THR	I	23	8.470	133.690	197.734	1.00126.42
ATOM	14747	CA	THR	I	23	7.200	134.252	197.282	1.00127.54
ATOM	14748	C	THR	I	23	6.047	133.283	197.514	1.00129.07
ATOM	14749	O	THR	I	23	6.254	132.089	197.722	1.00129.79
ATOM	14750	CB	THR	I	23	7.241	134.591	195.778	1.00126.04
ATOM	14751	OG1	THR	I	23	8.354	135.451	195.511	1.00124.65
ATOM	14752	CG2	THR	I	23	5.959	135.290	195.355	1.00124.58
ATOM	14753	N	ASN	I	24	4.830	133.806	197.479	1.00130.74
ATOM	14754	CA	ASN	I	24	3.646	132.986	197.667	1.00133.12

ATOM	14755	C	ASN	I	24	2.700	133.255	196.509	1.00134.69
ATOM	14756	O	ASN	I	24	2.000	134.263	196.497	1.00134.39
ATOM	14757	CB	ASN	I	24	2.964	133.333	198.991	1.00133.42
ATOM	14758	CG	ASN	I	24	1.739	132.482	199.250	1.00133.93
ATOM	14759	OD1	ASN	I	24	1.804	131.251	199.218	1.00134.86
ATOM	14760	ND2	ASN	I	24	0.613	133.132	199.512	1.00133.10
ATOM	14761	N	ASN	I	25	2.685	132.354	195.531	1.00136.68
ATOM	14762	CA	ASN	I	25	1.824	132.521	194.366	1.00138.67
ATOM	14763	C	ASN	I	25	0.339	132.425	194.725	1.00140.58
ATOM	14764	O	ASN	I	25	-0.527	132.700	193.891	1.00140.86
ATOM	14765	CB	ASN	I	25	2.165	131.480	193.296	1.00136.90
ATOM	14766	CG	ASN	I	25	1.541	131.804	191.956	1.00135.22
ATOM	14767	OD1	ASN	I	25	1.882	132.807	191.330	1.00133.82
ATOM	14768	ND2	ASN	I	25	0.615	130.961	191.512	1.00134.33
ATOM	14769	N	ASP	I	26	0.052	132.027	195.964	1.00142.49
ATOM	14770	CA	ASP	I	26	-1.327	131.912	196.439	1.00143.73
ATOM	14771	C	ASP	I	26	-1.853	133.325	196.691	1.00143.96
ATOM	14772	O	ASP	I	26	-1.379	134.007	197.599	1.00144.52
ATOM	14773	CB	ASP	I	26	-1.387	131.107	197.749	1.00144.48
ATOM	14774	CG	ASP	I	26	-0.929	129.660	197.583	1.00145.18
ATOM	14775	OD1	ASP	I	26	-1.604	128.894	196.859	1.00145.44
ATOM	14776	OD2	ASP	I	26	0.106	129.287	198.181	1.00144.63
ATOM	14777	N	GLU	I	27	-2.822	133.761	195.889	1.00143.93
ATOM	14778	CA	GLU	I	27	-3.395	135.100	196.034	1.00143.76
ATOM	14779	C	GLU	I	27	-3.704	135.465	197.485	1.00143.95
ATOM	14780	O	GLU	I	27	-3.078	136.362	198.059	1.00143.92
ATOM	14781	CB	GLU	I	27	-4.674	135.231	195.196	1.00143.03
ATOM	14782	CG	GLU	I	27	-4.438	135.550	193.725	1.00142.47
ATOM	14783	CD	GLU	I	27	-3.848	136.932	193.504	1.00142.07
ATOM	14784	OE1	GLU	I	27	-2.774	137.222	194.070	1.00142.09
ATOM	14785	OE2	GLU	I	27	-4.458	137.727	192.758	1.00141.08
ATOM	14786	N	ASN	I	28	-4.669	134.767	198.074	1.00143.66
ATOM	14787	CA	ASN	I	28	-5.065	135.027	199.453	1.00143.44
ATOM	14788	C	ASN	I	28	-5.005	133.772	200.316	1.00143.25
ATOM	14789	O	ASN	I	28	-5.753	132.820	200.097	1.00143.49
ATOM	14790	CB	ASN	I	28	-6.480	135.615	199.484	1.00144.02
ATOM	14791	CG	ASN	I	28	-7.479	134.790	198.686	1.00143.78
ATOM	14792	OD1	ASN	I	28	-8.659	135.134	198.605	1.00143.28
ATOM	14793	ND2	ASN	I	28	-7.010	133.697	198.091	1.00143.34
ATOM	14794	N	SER	I	29	-4.110	133.784	201.301	1.00142.92
ATOM	14795	CA	SER	I	29	-3.934	132.654	202.211	1.00141.94
ATOM	14796	C	SER	I	29	-2.724	132.876	203.110	1.00141.31
ATOM	14797	O	SER	I	29	-1.726	133.461	202.683	1.00141.15
ATOM	14798	CB	SER	I	29	-3.749	131.356	201.417	1.00142.15
ATOM	14799	OG	SER	I	29	-2.709	131.484	200.462	1.00141.52
ATOM	14800	N	THR	I	30	-2.818	132.409	204.353	1.00140.44
ATOM	14801	CA	THR	I	30	-1.721	132.556	205.306	1.00140.01
ATOM	14802	C	THR	I	30	-1.092	131.211	205.655	1.00140.43
ATOM	14803	O	THR	I	30	-1.792	130.216	205.864	1.00140.86
ATOM	14804	CB	THR	I	30	-2.187	133.215	206.619	1.00138.67
ATOM	14805	OG1	THR	I	30	-2.882	134.430	206.325	1.00138.07
ATOM	14806	CG2	THR	I	30	-0.989	133.535	207.506	1.00137.66
ATOM	14807	N	TYR	I	31	0.238	131.193	205.710	1.00140.14
ATOM	14808	CA	TYR	I	31	0.991	129.990	206.041	1.00139.09
ATOM	14809	C	TYR	I	31	2.094	130.358	207.026	1.00139.44
ATOM	14810	O	TYR	I	31	2.887	131.265	206.764	1.00139.19
ATOM	14811	CB	TYR	I	31	1.626	129.379	204.788	1.00136.75
ATOM	14812	CG	TYR	I	31	0.685	129.229	203.620	1.00134.41
ATOM	14813	CD1	TYR	I	31	0.402	130.309	202.787	1.00133.82
ATOM	14814	CD2	TYR	I	31	0.064	128.015	203.354	1.00133.62
ATOM	14815	CE1	TYR	I	31	-0.476	130.182	201.719	1.00134.28
ATOM	14816	CE2	TYR	I	31	-0.817	127.874	202.288	1.00134.19

ATOM	14817	CZ	TYR	I	31	-1.084	128.962	201.474	1.00134.66
ATOM	14818	OH	TYR	I	31	-1.962	128.836	200.420	1.00134.71
ATOM	14819	N	LEU	I	32	2.134	129.662	208.159	1.00139.94
ATOM	14820	CA	LEU	I	32	3.151	129.907	209.176	1.00139.76
ATOM	14821	C	LEU	I	32	4.514	129.543	208.593	1.00139.98
ATOM	14822	O	LEU	I	32	5.124	128.548	208.991	1.00139.97
ATOM	14823	CB	LEU	I	32	2.872	129.057	210.422	1.00139.24
ATOM	14824	CG	LEU	I	32	1.591	129.345	211.211	1.00139.16
ATOM	14825	CD1	LEU	I	32	1.395	128.279	212.275	1.00138.80
ATOM	14826	CD2	LEU	I	32	1.675	130.726	211.848	1.00139.71
ATOM	14827	N	ILE	I	33	4.976	130.356	207.645	1.00140.11
ATOM	14828	CA	ILE	I	33	6.255	130.143	206.974	1.00139.44
ATOM	14829	C	ILE	I	33	7.324	129.651	207.942	1.00139.89
ATOM	14830	O	ILE	I	33	7.435	130.136	209.071	1.00139.89
ATOM	14831	CB	ILE	I	33	6.757	131.437	206.302	1.00138.39
ATOM	14832	CG1	ILE	I	33	5.611	132.111	205.546	1.00137.53
ATOM	14833	CG2	ILE	I	33	7.890	131.113	205.342	1.00136.58
ATOM	14834	CD1	ILE	I	33	5.002	131.253	204.460	1.00138.90
ATOM	14835	N	GLN	I	34	8.109	128.682	207.490	1.00139.83
ATOM	14836	CA	GLN	I	34	9.161	128.110	208.315	1.00139.83
ATOM	14837	C	GLN	I	34	10.316	127.682	207.421	1.00140.09
ATOM	14838	O	GLN	I	34	10.127	126.937	206.457	1.00140.11
ATOM	14839	CB	GLN	I	34	8.602	126.915	209.086	1.00139.67
ATOM	14840	CG	GLN	I	34	9.451	126.444	210.242	1.00139.37
ATOM	14841	CD	GLN	I	34	8.711	125.452	211.119	1.00139.54
ATOM	14842	OE1	GLN	I	34	8.279	124.394	210.656	1.00139.82
ATOM	14843	NE2	GLN	I	34	8.557	125.792	212.392	1.00139.14
ATOM	14844	N	SER	I	35	11.511	128.166	207.738	1.00140.30
ATOM	14845	CA	SER	I	35	12.698	127.845	206.955	1.00140.63
ATOM	14846	C	SER	I	35	13.808	127.238	207.813	1.00140.58
ATOM	14847	O	SER	I	35	13.985	127.608	208.975	1.00140.88
ATOM	14848	CB	SER	I	35	13.203	129.106	206.245	1.00140.51
ATOM	14849	OG	SER	I	35	13.329	130.194	207.147	1.00140.12
ATOM	14850	N	TRP	I	36	14.553	126.301	207.230	1.00140.21
ATOM	14851	CA	TRP	I	36	15.642	125.633	207.936	1.00139.57
ATOM	14852	C	TRP	I	36	16.486	124.795	206.973	1.00137.93
ATOM	14853	O	TRP	I	36	16.028	124.428	205.886	1.00137.32
ATOM	14854	CB	TRP	I	36	15.072	124.733	209.035	1.00142.63
ATOM	14855	CG	TRP	I	36	14.318	123.540	208.502	1.00146.26
ATOM	14856	CD1	TRP	I	36	14.852	122.366	208.043	1.00147.46
ATOM	14857	CD2	TRP	I	36	12.899	123.427	208.331	1.00147.19
ATOM	14858	NE1	TRP	I	36	13.854	121.531	207.597	1.00148.03
ATOM	14859	CE2	TRP	I	36	12.646	122.156	207.762	1.00147.70
ATOM	14860	CE3	TRP	I	36	11.816	124.275	208.602	1.00147.01
ATOM	14861	CZ2	TRP	I	36	11.355	121.714	207.459	1.00147.82
ATOM	14862	CZ3	TRP	I	36	10.532	123.834	208.300	1.00147.80
ATOM	14863	CH2	TRP	I	36	10.315	122.564	207.734	1.00148.34
ATOM	14864	N	VAL	I	37	17.715	124.496	207.384	1.00135.75
ATOM	14865	CA	VAL	I	37	18.632	123.697	206.579	1.00133.29
ATOM	14866	C	VAL	I	37	18.954	122.404	207.318	1.00131.72
ATOM	14867	O	VAL	I	37	18.993	122.379	208.546	1.00131.30
ATOM	14868	CB	VAL	I	37	19.955	124.454	206.316	1.00133.63
ATOM	14869	CG1	VAL	I	37	20.870	123.619	205.426	1.00133.93
ATOM	14870	CG2	VAL	I	37	19.664	125.799	205.671	1.00133.31
ATOM	14871	N	GLU	I	38	19.187	121.333	206.568	1.00130.37
ATOM	14872	CA	GLU	I	38	19.508	120.038	207.162	1.00128.98
ATOM	14873	C	GLU	I	38	20.996	119.720	206.948	1.00128.31
ATOM	14874	O	GLU	I	38	21.869	120.410	207.486	1.00128.85
ATOM	14875	CB	GLU	I	38	18.623	118.953	206.534	1.00128.58
ATOM	14876	CG	GLU	I	38	17.132	119.315	206.516	1.00127.67
ATOM	14877	CD	GLU	I	38	16.268	118.292	205.790	1.00126.85
ATOM	14878	OE1	GLU	I	38	16.591	117.943	204.633	1.00124.90

ATOM	14879	OE2	GLU	I	38	15.256	117.846	206.373	1.00126.67
ATOM	14880	N	ASN	I	39	21.278	118.677	206.169	1.00126.74
ATOM	14881	CA	ASN	I	39	22.651	118.267	205.862	1.00124.45
ATOM	14882	C	ASN	I	39	22.628	117.278	204.692	1.00123.63
ATOM	14883	O	ASN	I	39	21.556	116.889	204.229	1.00123.27
ATOM	14884	CB	ASN	I	39	23.320	117.644	207.102	1.00122.18
ATOM	14885	CG	ASN	I	39	23.491	116.138	206.997	1.00119.56
ATOM	14886	OD1	ASN	I	39	22.521	115.393	206.877	1.00118.85
ATOM	14887	ND2	ASN	I	39	24.735	115.684	207.052	1.00118.35
ATOM	14888	N	ALA	I	40	23.800	116.883	204.208	1.00123.02
ATOM	14889	CA	ALA	I	40	23.882	115.954	203.083	1.00123.06
ATOM	14890	C	ALA	I	40	23.014	114.716	203.288	1.00122.74
ATOM	14891	O	ALA	I	40	22.403	114.210	202.343	1.00122.74
ATOM	14892	CB	ALA	I	40	25.329	115.541	202.849	1.00123.63
ATOM	14893	N	ASP	I	41	22.967	114.231	204.526	1.00121.99
ATOM	14894	CA	ASP	I	41	22.174	113.054	204.858	1.00121.34
ATOM	14895	C	ASP	I	41	20.797	113.469	205.354	1.00122.12
ATOM	14896	O	ASP	I	41	20.152	112.749	206.119	1.00121.66
ATOM	14897	CB	ASP	I	41	22.884	112.225	205.927	1.00119.60
ATOM	14898	CG	ASP	I	41	24.251	111.757	205.482	1.00117.35
ATOM	14899	OD1	ASP	I	41	25.121	112.614	205.228	1.00116.93
ATOM	14900	OD2	ASP	I	41	24.456	110.532	205.380	1.00117.07
ATOM	14901	N	GLY	I	42	20.362	114.643	204.908	1.00123.44
ATOM	14902	CA	GLY	I	42	19.062	115.168	205.284	1.00125.00
ATOM	14903	C	GLY	I	42	18.793	115.213	206.774	1.00125.64
ATOM	14904	O	GLY	I	42	17.722	114.813	207.221	1.00126.17
ATOM	14905	N	VAL	I	43	19.756	115.703	207.546	1.00126.59
ATOM	14906	CA	VAL	I	43	19.591	115.790	208.992	1.00127.84
ATOM	14907	C	VAL	I	43	19.690	117.232	209.472	1.00128.75
ATOM	14908	O	VAL	I	43	20.697	117.903	209.245	1.00128.60
ATOM	14909	CB	VAL	I	43	20.656	114.953	209.732	1.00127.98
ATOM	14910	CG1	VAL	I	43	20.461	115.082	211.237	1.00128.50
ATOM	14911	CG2	VAL	I	43	20.568	113.496	209.300	1.00126.55
ATOM	14912	N	LYS	I	44	18.641	117.707	210.133	1.00130.19
ATOM	14913	CA	LYS	I	44	18.640	119.073	210.636	1.00131.45
ATOM	14914	C	LYS	I	44	19.481	119.126	211.898	1.00132.30
ATOM	14915	O	LYS	I	44	19.697	118.105	212.554	1.00131.17
ATOM	14916	CB	LYS	I	44	17.218	119.547	210.944	1.00131.17
ATOM	14917	CG	LYS	I	44	16.634	118.997	212.231	1.00130.47
ATOM	14918	CD	LYS	I	44	15.401	119.781	212.624	1.00130.62
ATOM	14919	CE	LYS	I	44	14.231	119.538	211.686	1.00131.17
ATOM	14920	NZ	LYS	I	44	13.594	118.216	211.937	1.00131.09
ATOM	14921	N	ASP	I	45	19.955	120.323	212.230	1.00134.19
ATOM	14922	CA	ASP	I	45	20.789	120.519	213.409	1.00136.30
ATOM	14923	C	ASP	I	45	21.123	121.993	213.662	1.00136.68
ATOM	14924	O	ASP	I	45	20.409	122.683	214.397	1.00136.39
ATOM	14925	CB	ASP	I	45	22.082	119.701	213.266	1.00138.14
ATOM	14926	CG	ASP	I	45	22.327	119.233	211.837	1.00139.45
ATOM	14927	OD1	ASP	I	45	22.521	120.089	210.945	1.00140.41
ATOM	14928	OD2	ASP	I	45	22.316	118.003	211.608	1.00140.05
ATOM	14929	N	GLY	I	46	22.209	122.470	213.056	1.00136.72
ATOM	14930	CA	GLY	I	46	22.607	123.853	213.237	1.00136.16
ATOM	14931	C	GLY	I	46	23.834	124.228	212.432	1.00136.11
ATOM	14932	O	GLY	I	46	24.389	125.312	212.614	1.00136.25
ATOM	14933	N	ARG	I	47	24.260	123.336	211.541	1.00136.29
ATOM	14934	CA	ARG	I	47	25.432	123.591	210.703	1.00136.91
ATOM	14935	C	ARG	I	47	25.136	124.683	209.681	1.00137.15
ATOM	14936	O	ARG	I	47	25.920	124.918	208.759	1.00136.95
ATOM	14937	CB	ARG	I	47	25.862	122.318	209.967	1.00136.38
ATOM	14938	CG	ARG	I	47	27.266	121.857	210.317	1.00134.77
ATOM	14939	CD	ARG	I	47	27.298	121.171	211.675	1.00133.68
ATOM	14940	NE	ARG	I	47	28.642	121.145	212.246	1.00131.36

ATOM	14941	CZ	ARG	I	47	29.196	122.162	212.899	1.00129.72
ATOM	14942	NH1	ARG	I	47	28.523	123.292	213.075	1.00127.84
ATOM	14943	NH2	ARG	I	47	30.430	122.052	213.372	1.00128.83
ATOM	14944	N	PHE	I	48	23.995	125.339	209.860	1.00136.97
ATOM	14945	CA	PHE	I	48	23.548	126.411	208.979	1.00136.61
ATOM	14946	C	PHE	I	48	22.269	127.002	209.556	1.00136.44
ATOM	14947	O	PHE	I	48	21.297	126.283	209.790	1.00137.36
ATOM	14948	CB	PHE	I	48	23.277	125.866	207.571	1.00136.62
ATOM	14949	CG	PHE	I	48	24.349	126.196	206.567	1.00135.98
ATOM	14950	CD1	PHE	I	48	25.338	127.132	206.857	1.00135.66
ATOM	14951	CD2	PHE	I	48	24.359	125.577	205.322	1.00136.53
ATOM	14952	CE1	PHE	I	48	26.323	127.443	205.923	1.00136.07
ATOM	14953	CE2	PHE	I	48	25.341	125.879	204.379	1.00136.95
ATOM	14954	CZ	PHE	I	48	26.324	126.815	204.680	1.00136.69
ATOM	14955	N	ILE	I	49	22.273	128.308	209.793	1.00135.53
ATOM	14956	CA	ILE	I	49	21.106	128.981	210.346	1.00135.27
ATOM	14957	C	ILE	I	49	20.329	129.705	209.249	1.00136.07
ATOM	14958	O	ILE	I	49	20.887	130.071	208.215	1.00134.97
ATOM	14959	CB	ILE	I	49	21.521	129.985	211.465	1.00134.11
ATOM	14960	CG1	ILE	I	49	21.877	129.226	212.748	1.00133.35
ATOM	14961	CG2	ILE	I	49	20.387	130.951	211.768	1.00133.61
ATOM	14962	CD1	ILE	I	49	23.009	128.235	212.604	1.00133.82
ATOM	14963	N	VAL	I	50	19.031	129.886	209.476	1.00137.72
ATOM	14964	CA	VAL	I	50	18.160	130.571	208.527	1.00138.82
ATOM	14965	C	VAL	I	50	17.417	131.699	209.234	1.00139.50
ATOM	14966	O	VAL	I	50	16.876	131.512	210.329	1.00139.83
ATOM	14967	CB	VAL	I	50	17.122	129.606	207.917	1.00138.60
ATOM	14968	CG1	VAL	I	50	16.278	130.341	206.889	1.00138.21
ATOM	14969	CG2	VAL	I	50	17.827	128.418	207.281	1.00138.75
ATOM	14970	N	THR	I	51	17.397	132.870	208.604	1.00139.78
ATOM	14971	CA	THR	I	51	16.731	134.037	209.169	1.00140.03
ATOM	14972	C	THR	I	51	16.166	134.922	208.060	1.00139.93
ATOM	14973	O	THR	I	51	16.872	135.267	207.116	1.00139.51
ATOM	14974	CB	THR	I	51	17.712	134.873	210.030	1.00140.59
ATOM	14975	OG1	THR	I	51	18.904	135.144	209.280	1.00141.04
ATOM	14976	CG2	THR	I	51	18.082	134.123	211.303	1.00139.91
ATOM	14977	N	PRO	I	52	14.877	135.293	208.154	1.00140.47
ATOM	14978	CA	PRO	I	52	13.911	134.953	209.208	1.00140.86
ATOM	14979	C	PRO	I	52	13.503	133.474	209.203	1.00141.43
ATOM	14980	O	PRO	I	52	13.040	132.946	208.189	1.00140.88
ATOM	14981	CB	PRO	I	52	12.740	135.884	208.909	1.00140.64
ATOM	14982	CG	PRO	I	52	12.795	136.009	207.420	1.00140.08
ATOM	14983	CD	PRO	I	52	14.266	136.195	207.161	1.00140.52
ATOM	14984	N	PRO	I	53	13.661	132.794	210.353	1.00142.05
ATOM	14985	CA	PRO	I	53	13.325	131.373	210.515	1.00142.36
ATOM	14986	C	PRO	I	53	11.846	131.032	210.339	1.00142.51
ATOM	14987	O	PRO	I	53	11.490	130.183	209.521	1.00142.21
ATOM	14988	CB	PRO	I	53	13.834	131.063	211.923	1.00142.63
ATOM	14989	CG	PRO	I	53	13.625	132.361	212.641	1.00142.59
ATOM	14990	CD	PRO	I	53	14.116	133.373	211.631	1.00142.27
ATOM	14991	N	LEU	I	54	10.994	131.694	211.116	1.00142.87
ATOM	14992	CA	LEU	I	54	9.553	131.469	211.057	1.00142.82
ATOM	14993	C	LEU	I	54	8.802	132.801	211.099	1.00143.13
ATOM	14994	O	LEU	I	54	9.064	133.648	211.956	1.00143.44
ATOM	14995	CB	LEU	I	54	9.115	130.565	212.223	1.00141.21
ATOM	14996	CG	LEU	I	54	7.623	130.287	212.445	1.00139.69
ATOM	14997	CD1	LEU	I	54	7.461	129.029	213.274	1.00138.83
ATOM	14998	CD2	LEU	I	54	6.964	131.470	213.138	1.00138.55
ATOM	14999	N	PHE	I	55	7.873	132.980	210.163	1.00142.91
ATOM	15000	CA	PHE	I	55	7.080	134.202	210.083	1.00142.40
ATOM	15001	C	PHE	I	55	5.769	133.953	209.338	1.00142.06
ATOM	15002	O	PHE	I	55	5.629	132.945	208.645	1.00142.69

ATOM	15003	CB	PHE	I	55	7.890	135.306	209.383	1.00142.13
ATOM	15004	CG	PHE	I	55	8.346	134.952	207.986	1.00141.92
ATOM	15005	CD1	PHE	I	55	7.432	134.831	206.940	1.00141.67
ATOM	15006	CD2	PHE	I	55	9.697	134.768	207.710	1.00142.04
ATOM	15007	CE1	PHE	I	55	7.859	134.540	205.643	1.00140.99
ATOM	15008	CE2	PHE	I	55	10.131	134.476	206.414	1.00141.95
ATOM	15009	CZ	PHE	I	55	9.209	134.363	205.380	1.00141.37
ATOM	15010	N	ALA	I	56	4.812	134.867	209.482	1.00141.17
ATOM	15011	CA	ALA	I	56	3.522	134.732	208.806	1.00140.05
ATOM	15012	C	ALA	I	56	3.523	135.490	207.475	1.00139.23
ATOM	15013	O	ALA	I	56	3.780	136.694	207.434	1.00138.62
ATOM	15014	CB	ALA	I	56	2.399	135.248	209.708	1.00139.57
ATOM	15015	N	MET	I	57	3.237	134.780	206.388	1.00138.36
ATOM	15016	CA	MET	I	57	3.215	135.391	205.064	1.00138.29
ATOM	15017	C	MET	I	57	1.813	135.518	204.485	1.00138.36
ATOM	15018	O	MET	I	57	1.531	135.002	203.400	1.00137.97
ATOM	15019	CB	MET	I	57	4.086	134.589	204.100	1.00138.74
ATOM	15020	CG	MET	I	57	5.380	135.281	203.716	1.00139.25
ATOM	15021	SD	MET	I	57	6.398	134.271	202.622	1.00139.48
ATOM	15022	CE	MET	I	57	5.466	134.397	201.081	1.00138.37
ATOM	15023	N	LYS	I	58	0.943	136.214	205.212	1.00138.64
ATOM	15024	CA	LYS	I	58	-0.435	136.426	204.778	1.00138.49
ATOM	15025	C	LYS	I	58	-0.514	136.786	203.299	1.00138.50
ATOM	15026	O	LYS	I	58	0.423	137.358	202.737	1.00138.39
ATOM	15027	CB	LYS	I	58	-1.087	137.538	205.607	1.00137.90
ATOM	15028	CG	LYS	I	58	-1.795	137.051	206.858	1.00137.74
ATOM	15029	CD	LYS	I	58	-3.264	137.473	206.850	1.00138.25
ATOM	15030	CE	LYS	I	58	-3.981	136.992	205.589	1.00137.81
ATOM	15031	NZ	LYS	I	58	-5.415	137.392	205.546	1.00136.95
ATOM	15032	N	GLY	I	59	-1.638	136.449	202.675	1.00138.32
ATOM	15033	CA	GLY	I	59	-1.810	136.745	201.267	1.00138.59
ATOM	15034	C	GLY	I	59	-0.686	136.150	200.446	1.00138.69
ATOM	15035	O	GLY	I	59	-0.313	134.993	200.647	1.00138.39
ATOM	15036	N	LYS	I	60	-0.130	136.947	199.536	1.00138.55
ATOM	15037	CA	LYS	I	60	0.950	136.489	198.667	1.00138.25
ATOM	15038	C	LYS	I	60	2.203	137.377	198.682	1.00138.24
ATOM	15039	O	LYS	I	60	2.791	137.650	197.633	1.00138.14
ATOM	15040	CB	LYS	I	60	0.417	136.349	197.231	1.00137.58
ATOM	15041	CG	LYS	I	60	-0.298	137.583	196.681	1.00136.09
ATOM	15042	CD	LYS	I	60	0.620	138.440	195.817	1.00134.04
ATOM	15043	CE	LYS	I	60	0.917	137.775	194.481	1.00132.04
ATOM	15044	NZ	LYS	I	60	-0.300	137.662	193.631	1.00130.20
ATOM	15045	N	LYS	I	61	2.617	137.817	199.870	1.00138.11
ATOM	15046	CA	LYS	I	61	3.803	138.664	199.995	1.00137.56
ATOM	15047	C	LYS	I	61	5.043	137.943	199.485	1.00137.58
ATOM	15048	O	LYS	I	61	5.003	136.751	199.178	1.00137.41
ATOM	15049	CB	LYS	I	61	4.040	139.085	201.455	1.00137.16
ATOM	15050	CG	LYS	I	61	3.055	140.118	202.000	1.00137.00
ATOM	15051	CD	LYS	I	61	3.776	141.279	202.690	1.00135.93
ATOM	15052	CE	LYS	I	61	4.658	140.805	203.839	1.00135.17
ATOM	15053	NZ	LYS	I	61	5.411	141.929	204.468	1.00133.20
ATOM	15054	N	GLU	I	62	6.144	138.679	199.399	1.00137.69
ATOM	15055	CA	GLU	I	62	7.409	138.127	198.934	1.00138.21
ATOM	15056	C	GLU	I	62	8.465	138.501	199.967	1.00138.77
ATOM	15057	O	GLU	I	62	9.031	139.591	199.915	1.00139.58
ATOM	15058	CB	GLU	I	62	7.775	138.723	197.570	1.00137.46
ATOM	15059	CG	GLU	I	62	8.850	137.966	196.781	1.00137.61
ATOM	15060	CD	GLU	I	62	10.195	137.889	197.492	1.00137.73
ATOM	15061	OE1	GLU	I	62	10.306	137.152	198.495	1.00137.63
ATOM	15062	OE2	GLU	I	62	11.143	138.570	197.043	1.00137.27
ATOM	15063	N	ASN	I	63	8.723	137.600	200.909	1.00139.09
ATOM	15064	CA	ASN	I	63	9.709	137.859	201.950	1.00139.49

ATOM	15065	C	ASN	I	63	10.917	136.932	201.818	1.00139.96
ATOM	15066	O	ASN	I	63	10.798	135.711	201.964	1.00140.33
ATOM	15067	CB	ASN	I	63	9.061	137.698	203.326	1.00139.40
ATOM	15068	CG	ASN	I	63	7.847	138.595	203.503	1.00139.89
ATOM	15069	OD1	ASN	I	63	6.867	138.486	202.763	1.00139.66
ATOM	15070	ND2	ASN	I	63	7.910	139.490	204.483	1.00140.62
ATOM	15071	N	THR	I	64	12.077	137.527	201.541	1.00139.54
ATOM	15072	CA	THR	I	64	13.322	136.779	201.372	1.00138.94
ATOM	15073	C	THR	I	64	13.726	136.021	202.639	1.00138.71
ATOM	15074	O	THR	I	64	12.916	135.823	203.546	1.00139.44
ATOM	15075	CB	THR	I	64	14.493	137.718	200.959	1.00138.50
ATOM	15076	OG1	THR	I	64	14.782	138.630	202.025	1.00138.19
ATOM	15077	CG2	THR	I	64	14.132	138.516	199.711	1.00138.12
ATOM	15078	N	LEU	I	65	14.985	135.595	202.684	1.00137.77
ATOM	15079	CA	LEU	I	65	15.534	134.863	203.823	1.00136.51
ATOM	15080	C	LEU	I	65	17.051	134.993	203.784	1.00135.98
ATOM	15081	O	LEU	I	65	17.611	135.455	202.793	1.00135.91
ATOM	15082	CB	LEU	I	65	15.152	133.381	203.749	1.00136.34
ATOM	15083	CG	LEU	I	65	13.684	132.976	203.887	1.00136.24
ATOM	15084	CD1	LEU	I	65	13.546	131.475	203.668	1.00136.11
ATOM	15085	CD2	LEU	I	65	13.172	133.361	205.265	1.00136.23
ATOM	15086	N	ARG	I	66	17.715	134.585	204.860	1.00135.33
ATOM	15087	CA	ARG	I	66	19.170	134.657	204.925	1.00134.63
ATOM	15088	C	ARG	I	66	19.763	133.316	205.366	1.00134.38
ATOM	15089	O	ARG	I	66	19.189	132.615	206.202	1.00133.65
ATOM	15090	CB	ARG	I	66	19.617	135.767	205.894	1.00134.47
ATOM	15091	CG	ARG	I	66	19.312	137.211	205.448	1.00134.88
ATOM	15092	CD	ARG	I	66	18.024	137.776	206.070	1.00134.01
ATOM	15093	NE	ARG	I	66	17.767	139.174	205.703	1.00132.51
ATOM	15094	CZ	ARG	I	66	18.540	140.205	206.046	1.00131.43
ATOM	15095	NH1	ARG	I	66	19.633	140.010	206.771	1.00130.89
ATOM	15096	NH2	ARG	I	66	18.223	141.435	205.661	1.00129.85
ATOM	15097	N	ILE	I	67	20.911	132.964	204.789	1.00134.60
ATOM	15098	CA	ILE	I	67	21.603	131.718	205.121	1.00134.68
ATOM	15099	C	ILE	I	67	22.818	132.005	206.012	1.00134.60
ATOM	15100	O	ILE	I	67	23.944	132.156	205.528	1.00133.67
ATOM	15101	CB	ILE	I	67	22.083	130.968	203.839	1.00134.36
ATOM	15102	CG1	ILE	I	67	20.879	130.537	202.994	1.00133.25
ATOM	15103	CG2	ILE	I	67	22.899	129.737	204.222	1.00134.87
ATOM	15104	CD1	ILE	I	67	21.247	129.737	201.755	1.00130.68
ATOM	15105	N	LEU	I	68	22.576	132.080	207.318	1.00134.76
ATOM	15106	CA	LEU	I	68	23.630	132.349	208.289	1.00135.12
ATOM	15107	C	LEU	I	68	24.445	131.081	208.566	1.00135.44
ATOM	15108	O	LEU	I	68	24.096	129.994	208.102	1.00135.34
ATOM	15109	CB	LEU	I	68	23.010	132.871	209.591	1.00135.01
ATOM	15110	CG	LEU	I	68	22.068	134.075	209.480	1.00134.91
ATOM	15111	CD1	LEU	I	68	21.451	134.364	210.838	1.00134.88
ATOM	15112	CD2	LEU	I	68	22.826	135.290	208.967	1.00134.79
ATOM	15113	N	ASP	I	69	25.530	131.226	209.323	1.00135.53
ATOM	15114	CA	ASP	I	69	26.389	130.091	209.656	1.00135.24
ATOM	15115	C	ASP	I	69	26.862	130.159	211.112	1.00134.71
ATOM	15116	O	ASP	I	69	27.353	131.192	211.568	1.00134.89
ATOM	15117	CB	ASP	I	69	27.596	130.060	208.710	1.00135.14
ATOM	15118	CG	ASP	I	69	28.432	128.802	208.869	1.00135.53
ATOM	15119	OD1	ASP	I	69	28.153	128.017	209.801	1.00135.29
ATOM	15120	OD2	ASP	I	69	29.368	128.602	208.063	1.00135.54
ATOM	15121	N	ALA	I	70	26.711	129.054	211.839	1.00133.82
ATOM	15122	CA	ALA	I	70	27.122	129.003	213.237	1.00132.97
ATOM	15123	C	ALA	I	70	28.270	128.024	213.448	1.00132.55
ATOM	15124	O	ALA	I	70	28.950	128.069	214.471	1.00131.96
ATOM	15125	CB	ALA	I	70	25.941	128.613	214.113	1.00132.73
ATOM	15126	N	THR	I	71	28.484	127.145	212.474	1.00132.43

ATOM	15127	CA	THR	I	71	29.549	126.148	212.555	1.00132.17
ATOM	15128	C	THR	I	71	30.917	126.787	212.788	1.00130.73
ATOM	15129	O	THR	I	71	31.032	128.005	212.930	1.00130.43
ATOM	15130	CB	THR	I	71	29.626	125.295	211.262	1.00133.06
ATOM	15131	OG1	THR	I	71	30.495	124.175	211.478	1.00133.99
ATOM	15132	CG2	THR	I	71	30.175	126.117	210.104	1.00133.29
ATOM	15133	N	ASN	I	72	31.948	125.950	212.831	1.00129.47
ATOM	15134	CA	ASN	I	72	33.315	126.414	213.037	1.00128.68
ATOM	15135	C	ASN	I	72	34.115	126.287	211.746	1.00127.00
ATOM	15136	O	ASN	I	72	35.345	126.197	211.772	1.00126.95
ATOM	15137	CB	ASN	I	72	34.005	125.597	214.138	1.00130.81
ATOM	15138	CG	ASN	I	72	33.437	125.870	215.518	1.00132.60
ATOM	15139	OD1	ASN	I	72	33.954	125.372	216.521	1.00133.06
ATOM	15140	ND2	ASN	I	72	32.367	126.661	215.579	1.00133.45
ATOM	15141	N	ASN	I	73	33.412	126.277	210.619	1.00124.56
ATOM	15142	CA	ASN	I	73	34.060	126.157	209.318	1.00121.79
ATOM	15143	C	ASN	I	73	34.697	124.774	209.167	1.00119.78
ATOM	15144	O	ASN	I	73	35.495	124.554	208.259	1.00119.45
ATOM	15145	CB	ASN	I	73	35.137	127.242	209.158	1.00122.08
ATOM	15146	CG	ASN	I	73	34.596	128.651	209.375	1.00122.44
ATOM	15147	OD1	ASN	I	73	34.023	128.960	210.422	1.00121.92
ATOM	15148	ND2	ASN	I	73	34.786	129.516	208.384	1.00121.83
ATOM	15149	N	GLN	I	74	34.340	123.851	210.061	1.00117.93
ATOM	15150	CA	GLN	I	74	34.875	122.487	210.034	1.00115.15
ATOM	15151	C	GLN	I	74	34.256	121.635	208.930	1.00114.06
ATOM	15152	O	GLN	I	74	33.678	120.579	209.204	1.00114.18
ATOM	15153	CB	GLN	I	74	34.651	121.782	211.380	1.00114.23
ATOM	15154	CG	GLN	I	74	35.472	122.331	212.540	1.00113.01
ATOM	15155	CD	GLN	I	74	35.373	121.472	213.794	1.00111.66
ATOM	15156	OE1	GLN	I	74	35.918	121.821	214.843	1.00109.38
ATOM	15157	NE2	GLN	I	74	34.680	120.341	213.688	1.00111.34
ATOM	15158	N	LEU	I	75	34.386	122.095	207.687	1.00112.59
ATOM	15159	CA	LEU	I	75	33.852	121.386	206.523	1.00109.68
ATOM	15160	C	LEU	I	75	34.922	121.356	205.420	1.00107.91
ATOM	15161	O	LEU	I	75	35.677	122.317	205.257	1.00107.06
ATOM	15162	CB	LEU	I	75	32.587	122.096	206.021	1.00108.15
ATOM	15163	CG	LEU	I	75	31.513	122.431	207.065	1.00105.53
ATOM	15164	CD1	LEU	I	75	30.444	123.300	206.436	1.00104.72
ATOM	15165	CD2	LEU	I	75	30.908	121.156	207.622	1.00104.12
ATOM	15166	N	PRO	I	76	35.002	120.251	204.653	1.00106.49
ATOM	15167	CA	PRO	I	76	35.987	120.113	203.575	1.00105.62
ATOM	15168	C	PRO	I	76	36.181	121.399	202.781	1.00105.58
ATOM	15169	O	PRO	I	76	35.216	122.111	202.496	1.00105.52
ATOM	15170	CB	PRO	I	76	35.408	118.985	202.732	1.00105.25
ATOM	15171	CG	PRO	I	76	34.803	118.099	203.766	1.00104.77
ATOM	15172	CD	PRO	I	76	34.092	119.090	204.673	1.00106.43
ATOM	15173	N	GLN	I	77	37.428	121.696	202.427	1.00105.41
ATOM	15174	CA	GLN	I	77	37.724	122.912	201.677	1.00105.08
ATOM	15175	C	GLN	I	77	38.306	122.659	200.287	1.00103.96
ATOM	15176	O	GLN	I	77	38.551	123.598	199.526	1.00103.55
ATOM	15177	CB	GLN	I	77	38.667	123.808	202.482	1.00106.13
ATOM	15178	CG	GLN	I	77	38.210	124.066	203.912	1.00107.08
ATOM	15179	CD	GLN	I	77	36.807	124.665	204.020	1.00108.46
ATOM	15180	OE1	GLN	I	77	36.292	124.862	205.124	1.00107.17
ATOM	15181	NE2	GLN	I	77	36.188	124.956	202.878	1.00108.55
ATOM	15182	N	ASP	I	78	38.536	121.395	199.954	1.00102.67
ATOM	15183	CA	ASP	I	78	39.053	121.060	198.637	1.00101.46
ATOM	15184	C	ASP	I	78	37.865	120.810	197.712	1.00102.30
ATOM	15185	O	ASP	I	78	37.938	121.065	196.511	1.00102.27
ATOM	15186	CB	ASP	I	78	39.944	119.817	198.702	1.00 98.39
ATOM	15187	CG	ASP	I	78	39.235	118.615	199.295	1.00 97.43
ATOM	15188	OD1	ASP	I	78	38.075	118.749	199.742	1.00 96.07

ATOM	15189	OD2	ASP	I	78	39.846	117.527	199.318	1.00	96.11
ATOM	15190	N	ARG	I	79	36.768	120.325	198.293	1.00	103.22
ATOM	15191	CA	ARG	I	79	35.543	120.030	197.553	1.00	103.68
ATOM	15192	C	ARG	I	79	34.307	120.610	198.254	1.00	104.60
ATOM	15193	O	ARG	I	79	34.423	121.315	199.256	1.00	105.02
ATOM	15194	CB	ARG	I	79	35.386	118.517	197.395	1.00	102.94
ATOM	15195	CG	ARG	I	79	35.235	117.772	198.706	1.00	103.35
ATOM	15196	CD	ARG	I	79	35.075	116.278	198.466	1.00	106.15
ATOM	15197	NE	ARG	I	79	36.317	115.643	198.029	1.00	105.14
ATOM	15198	CZ	ARG	I	79	37.414	115.557	198.775	1.00	104.53
ATOM	15199	NH1	ARG	I	79	37.425	116.071	200.000	1.00	104.21
ATOM	15200	NH2	ARG	I	79	38.496	114.949	198.304	1.00	102.29
ATOM	15201	N	GLU	I	80	33.124	120.304	197.725	1.00	104.87
ATOM	15202	CA	GLU	I	80	31.868	120.799	198.291	1.00	104.17
ATOM	15203	C	GLU	I	80	31.231	119.823	199.286	1.00	104.53
ATOM	15204	O	GLU	I	80	31.439	118.614	199.204	1.00	104.41
ATOM	15205	CB	GLU	I	80	30.871	121.080	197.164	1.00	102.40
ATOM	15206	CG	GLU	I	80	31.306	122.150	196.182	1.00	99.64
ATOM	15207	CD	GLU	I	80	30.417	122.212	194.952	1.00	98.04
ATOM	15208	OE1	GLU	I	80	29.569	121.313	194.773	1.00	96.26
ATOM	15209	OE2	GLU	I	80	30.571	123.159	194.158	1.00	96.62
ATOM	15210	N	SER	I	81	30.457	120.359	200.226	1.00	104.92
ATOM	15211	CA	SER	I	81	29.768	119.539	201.219	1.00	105.64
ATOM	15212	C	SER	I	81	28.269	119.771	201.097	1.00	107.32
ATOM	15213	O	SER	I	81	27.733	120.719	201.669	1.00	107.01
ATOM	15214	CB	SER	I	81	30.230	119.891	202.631	1.00	103.79
ATOM	15215	OG	SER	I	81	31.503	119.335	202.892	1.00	102.90
ATOM	15216	N	LEU	I	82	27.608	118.893	200.345	1.00	109.00
ATOM	15217	CA	LEU	I	82	26.169	118.969	200.091	1.00	109.88
ATOM	15218	C	LEU	I	82	25.293	119.168	201.325	1.00	110.84
ATOM	15219	O	LEU	I	82	25.482	118.520	202.352	1.00	110.32
ATOM	15220	CB	LEU	I	82	25.709	117.709	199.353	1.00	108.93
ATOM	15221	CG	LEU	I	82	24.246	117.639	198.912	1.00	108.48
ATOM	15222	CD1	LEU	I	82	23.996	118.645	197.803	1.00	107.40
ATOM	15223	CD2	LEU	I	82	23.930	116.233	198.430	1.00	107.52
ATOM	15224	N	PHE	I	83	24.333	120.079	201.199	1.00	112.80
ATOM	15225	CA	PHE	I	83	23.376	120.387	202.259	1.00	115.49
ATOM	15226	C	PHE	I	83	21.988	120.387	201.624	1.00	117.14
ATOM	15227	O	PHE	I	83	21.851	120.147	200.421	1.00	117.11
ATOM	15228	CB	PHE	I	83	23.641	121.768	202.868	1.00	115.98
ATOM	15229	CG	PHE	I	83	24.706	121.780	203.928	1.00	117.23
ATOM	15230	CD1	PHE	I	83	26.038	121.550	203.604	1.00	116.96
ATOM	15231	CD2	PHE	I	83	24.373	122.032	205.258	1.00	117.96
ATOM	15232	CE1	PHE	I	83	27.029	121.570	204.587	1.00	116.54
ATOM	15233	CE2	PHE	I	83	25.355	122.055	206.251	1.00	117.36
ATOM	15234	CZ	PHE	I	83	26.686	121.824	205.913	1.00	116.15
ATOM	15235	N	TRP	I	84	20.962	120.664	202.426	1.00	118.82
ATOM	15236	CA	TRP	I	84	19.594	120.693	201.915	1.00	119.54
ATOM	15237	C	TRP	I	84	18.711	121.768	202.546	1.00	119.90
ATOM	15238	O	TRP	I	84	18.533	121.816	203.764	1.00	118.42
ATOM	15239	CB	TRP	I	84	18.922	119.324	202.095	1.00	119.48
ATOM	15240	CG	TRP	I	84	19.497	118.233	201.233	1.00	118.67
ATOM	15241	CD1	TRP	I	84	20.267	117.183	201.642	1.00	117.78
ATOM	15242	CD2	TRP	I	84	19.344	118.089	199.814	1.00	118.84
ATOM	15243	NE1	TRP	I	84	20.602	116.391	200.568	1.00	118.35
ATOM	15244	CE2	TRP	I	84	20.049	116.925	199.433	1.00	118.68
ATOM	15245	CE3	TRP	I	84	18.679	118.831	198.826	1.00	119.20
ATOM	15246	CZ2	TRP	I	84	20.108	116.482	198.105	1.00	118.22
ATOM	15247	CZ3	TRP	I	84	18.738	118.390	197.503	1.00	119.24
ATOM	15248	CH2	TRP	I	84	19.448	117.226	197.159	1.00	118.53
ATOM	15249	N	MET	I	85	18.164	122.628	201.693	1.00	121.56
ATOM	15250	CA	MET	I	85	17.273	123.695	202.130	1.00	123.82

ATOM	15251	C	MET	I	85	15.842	123.300	201.791	1.00124.39
ATOM	15252	O	MET	I	85	15.575	122.751	200.720	1.00124.03
ATOM	15253	CB	MET	I	85	17.604	125.011	201.422	1.00124.75
ATOM	15254	CG	MET	I	85	18.831	125.727	201.942	1.00126.86
ATOM	15255	SD	MET	I	85	19.071	127.295	201.080	1.00128.73
ATOM	15256	CE	MET	I	85	17.797	128.298	201.855	1.00130.10
ATOM	15257	N	ASN	I	86	14.922	123.574	202.705	1.00125.17
ATOM	15258	CA	ASN	I	86	13.529	123.243	202.468	1.00126.35
ATOM	15259	C	ASN	I	86	12.594	124.294	203.044	1.00127.64
ATOM	15260	O	ASN	I	86	12.578	124.534	204.253	1.00128.03
ATOM	15261	CB	ASN	I	86	13.199	121.871	203.064	1.00125.77
ATOM	15262	CG	ASN	I	86	14.046	120.762	202.474	1.00124.70
ATOM	15263	OD1	ASN	I	86	15.233	120.649	202.773	1.00124.93
ATOM	15264	ND2	ASN	I	86	13.442	119.941	201.624	1.00123.31
ATOM	15265	N	VAL	I	87	11.826	124.928	202.163	1.00128.55
ATOM	15266	CA	VAL	I	87	10.868	125.944	202.576	1.00129.17
ATOM	15267	C	VAL	I	87	9.501	125.273	202.677	1.00129.29
ATOM	15268	O	VAL	I	87	8.971	124.749	201.691	1.00128.04
ATOM	15269	CB	VAL	I	87	10.806	127.118	201.559	1.00129.72
ATOM	15270	CG1	VAL	I	87	9.795	128.162	202.020	1.00129.01
ATOM	15271	CG2	VAL	I	87	12.181	127.752	201.417	1.00129.25
ATOM	15272	N	LYS	I	88	8.951	125.280	203.887	1.00129.97
ATOM	15273	CA	LYS	I	88	7.656	124.670	204.158	1.00131.24
ATOM	15274	C	LYS	I	88	6.737	125.683	204.828	1.00131.92
ATOM	15275	O	LYS	I	88	6.964	126.074	205.974	1.00132.09
ATOM	15276	CB	LYS	I	88	7.833	123.456	205.076	1.00130.92
ATOM	15277	CG	LYS	I	88	6.552	122.695	205.370	1.00130.29
ATOM	15278	CD	LYS	I	88	6.757	121.666	206.474	1.00129.65
ATOM	15279	CE	LYS	I	88	7.023	122.340	207.814	1.00129.00
ATOM	15280	NZ	LYS	I	88	7.085	121.368	208.943	1.00128.16
ATOM	15281	N	ALA	I	89	5.703	126.107	204.109	1.00132.63
ATOM	15282	CA	ALA	I	89	4.749	127.074	204.638	1.00133.42
ATOM	15283	C	ALA	I	89	3.574	126.358	205.293	1.00134.10
ATOM	15284	O	ALA	I	89	2.494	126.253	204.711	1.00134.16
ATOM	15285	CB	ALA	I	89	4.254	127.984	203.521	1.00133.06
ATOM	15286	N	ILE	I	90	3.800	125.863	206.507	1.00135.07
ATOM	15287	CA	ILE	I	90	2.774	125.152	207.263	1.00136.20
ATOM	15288	C	ILE	I	90	1.466	125.935	207.232	1.00137.21
ATOM	15289	O	ILE	I	90	1.315	126.929	207.939	1.00137.64
ATOM	15290	CB	ILE	I	90	3.195	124.972	208.737	1.00136.04
ATOM	15291	CG1	ILE	I	90	4.599	124.371	208.811	1.00136.13
ATOM	15292	CG2	ILE	I	90	2.199	124.072	209.452	1.00135.69
ATOM	15293	CD1	ILE	I	90	5.117	124.185	210.225	1.00136.80
ATOM	15294	N	PRO	I	91	0.498	125.492	206.413	1.00138.28
ATOM	15295	CA	PRO	I	91	-0.787	126.189	206.324	1.00138.85
ATOM	15296	C	PRO	I	91	-1.595	126.080	207.609	1.00139.60
ATOM	15297	O	PRO	I	91	-1.844	124.982	208.104	1.00139.59
ATOM	15298	CB	PRO	I	91	-1.469	125.494	205.152	1.00138.49
ATOM	15299	CG	PRO	I	91	-0.990	124.089	205.297	1.00138.31
ATOM	15300	CD	PRO	I	91	0.487	124.271	205.588	1.00138.64
ATOM	15301	N	SER	I	92	-1.991	127.224	208.154	1.00140.89
ATOM	15302	CA	SER	I	92	-2.784	127.241	209.374	1.00142.31
ATOM	15303	C	SER	I	92	-4.197	126.789	209.022	1.00143.69
ATOM	15304	O	SER	I	92	-4.814	127.319	208.096	1.00143.78
ATOM	15305	CB	SER	I	92	-2.816	128.651	209.969	1.00142.29
ATOM	15306	OG	SER	I	92	-1.514	129.093	210.314	1.00142.46
ATOM	15307	N	MET	I	93	-4.697	125.797	209.754	1.00144.98
ATOM	15308	CA	MET	I	93	-6.037	125.263	209.522	1.00146.05
ATOM	15309	C	MET	I	93	-7.050	126.398	209.396	1.00146.49
ATOM	15310	O	MET	I	93	-7.107	127.283	210.248	1.00146.36
ATOM	15311	CB	MET	I	93	-6.437	124.349	210.681	1.00146.88
ATOM	15312	CG	MET	I	93	-7.764	123.635	210.494	1.00147.54

ATOM	15313	SD	MET	I	93	-8.439	123.071	212.072	1.00148.61
ATOM	15314	CE	MET	I	93	-7.261	121.801	212.525	1.00147.67
ATOM	15315	N	ASP	I	94	-7.851	126.365	208.335	1.00147.32
ATOM	15316	CA	ASP	I	94	-8.859	127.399	208.102	1.00148.51
ATOM	15317	C	ASP	I	94	-9.923	127.431	209.206	1.00149.15
ATOM	15318	O	ASP	I	94	-9.662	127.034	210.343	1.00149.09
ATOM	15319	CB	ASP	I	94	-9.531	127.180	206.743	1.00148.78
ATOM	15320	CG	ASP	I	94	-8.539	127.167	205.595	1.00148.95
ATOM	15321	OD1	ASP	I	94	-7.318	127.257	205.857	1.00148.98
ATOM	15322	OD2	ASP	I	94	-8.982	127.064	204.431	1.00148.38
ATOM	15323	N	LYS	I	95	-11.120	127.910	208.871	1.00149.81
ATOM	15324	CA	LYS	I	95	-12.202	127.993	209.850	1.00150.82
ATOM	15325	C	LYS	I	95	-13.592	127.753	209.248	1.00151.55
ATOM	15326	O	LYS	I	95	-14.353	128.700	209.044	1.00152.11
ATOM	15327	CB	LYS	I	95	-12.194	129.364	210.540	1.00150.63
ATOM	15328	CG	LYS	I	95	-10.816	129.929	210.850	1.00150.97
ATOM	15329	CD	LYS	I	95	-10.203	130.580	209.617	1.00151.54
ATOM	15330	CE	LYS	I	95	-8.773	131.026	209.870	1.00152.17
ATOM	15331	NZ	LYS	I	95	-7.883	129.869	210.157	1.00152.58
ATOM	15332	N	SER	I	96	-13.916	126.490	208.971	1.00152.04
ATOM	15333	CA	SER	I	96	-15.217	126.104	208.413	1.00152.55
ATOM	15334	C	SER	I	96	-15.189	124.650	207.950	1.00153.12
ATOM	15335	O	SER	I	96	-16.153	123.906	208.134	1.00153.20
ATOM	15336	CB	SER	I	96	-15.605	126.997	207.235	1.00152.32
ATOM	15337	OG	SER	I	96	-16.909	126.676	206.784	1.00152.13
ATOM	15338	N	LYS	I	97	-14.079	124.261	207.332	1.00153.68
ATOM	15339	CA	LYS	I	97	-13.890	122.895	206.861	1.00154.23
ATOM	15340	C	LYS	I	97	-13.642	122.054	208.108	1.00154.65
ATOM	15341	O	LYS	I	97	-13.785	120.831	208.099	1.00154.64
ATOM	15342	CB	LYS	I	97	-12.665	122.818	205.947	1.00154.40
ATOM	15343	CG	LYS	I	97	-12.749	123.646	204.678	1.00154.28
ATOM	15344	CD	LYS	I	97	-13.745	123.051	203.710	1.00155.27
ATOM	15345	CE	LYS	I	97	-13.494	123.549	202.301	1.00155.75
ATOM	15346	NZ	LYS	I	97	-14.240	122.740	201.298	1.00157.00
ATOM	15347	N	LEU	I	98	-13.261	122.746	209.178	1.00155.21
ATOM	15348	CA	LEU	I	98	-12.966	122.144	210.472	1.00156.01
ATOM	15349	C	LEU	I	98	-14.014	121.123	210.910	1.00157.12
ATOM	15350	O	LEU	I	98	-13.685	120.133	211.563	1.00157.29
ATOM	15351	CB	LEU	I	98	-12.824	123.263	211.518	1.00155.22
ATOM	15352	CG	LEU	I	98	-12.625	122.994	213.015	1.00154.53
ATOM	15353	CD1	LEU	I	98	-13.965	122.781	213.696	1.00153.50
ATOM	15354	CD2	LEU	I	98	-11.699	121.808	213.205	1.00154.87
ATOM	15355	N	THR	I	99	-15.268	121.356	210.533	1.00158.37
ATOM	15356	CA	THR	I	99	-16.358	120.457	210.904	1.00159.36
ATOM	15357	C	THR	I	99	-16.609	119.362	209.872	1.00159.50
ATOM	15358	O	THR	I	99	-17.750	118.962	209.642	1.00159.42
ATOM	15359	CB	THR	I	99	-17.673	121.237	211.122	1.00159.98
ATOM	15360	OG1	THR	I	99	-18.136	121.761	209.870	1.00159.74
ATOM	15361	CG2	THR	I	99	-17.448	122.388	212.099	1.00160.23
ATOM	15362	N	GLU	I	100	-15.535	118.878	209.254	1.00159.91
ATOM	15363	CA	GLU	I	100	-15.633	117.824	208.248	1.00160.18
ATOM	15364	C	GLU	I	100	-14.331	117.027	208.184	1.00160.00
ATOM	15365	O	GLU	I	100	-13.333	117.403	208.801	1.00160.31
ATOM	15366	CB	GLU	I	100	-15.915	118.424	206.868	1.00160.85
ATOM	15367	CG	GLU	I	100	-17.171	119.275	206.764	1.00161.37
ATOM	15368	CD	GLU	I	100	-17.382	119.821	205.362	1.00161.61
ATOM	15369	OE1	GLU	I	100	-17.584	119.011	204.431	1.00161.46
ATOM	15370	OE2	GLU	I	100	-17.341	121.059	205.191	1.00161.22
ATOM	15371	N	ASN	I	101	-14.351	115.929	207.432	1.00159.43
ATOM	15372	CA	ASN	I	101	-13.174	115.079	207.269	1.00158.31
ATOM	15373	C	ASN	I	101	-12.260	115.703	206.218	1.00157.64
ATOM	15374	O	ASN	I	101	-12.203	115.246	205.077	1.00157.56

ATOM	15375	CB	ASN	I	101	-13.592	113.676	206.821	1.00158.07
ATOM	15376	CG	ASN	I	101	-14.565	113.023	207.782	1.00158.26
ATOM	15377	OD1	ASN	I	101	-15.646	113.550	208.043	1.00158.29
ATOM	15378	ND2	ASN	I	101	-14.187	111.866	208.312	1.00158.90
ATOM	15379	N	THR	I	102	-11.543	116.748	206.622	1.00156.86
ATOM	15380	CA	THR	I	102	-10.642	117.477	205.733	1.00156.06
ATOM	15381	C	THR	I	102	-9.266	116.839	205.505	1.00155.37
ATOM	15382	O	THR	I	102	-8.948	115.787	206.062	1.00155.71
ATOM	15383	CB	THR	I	102	-10.443	118.924	206.243	1.00156.14
ATOM	15384	OG1	THR	I	102	-10.081	118.903	207.631	1.00156.23
ATOM	15385	CG2	THR	I	102	-11.721	119.725	206.072	1.00155.88
ATOM	15386	N	LEU	I	103	-8.466	117.496	204.667	1.00153.90
ATOM	15387	CA	LEU	I	103	-7.113	117.054	204.324	1.00152.39
ATOM	15388	C	LEU	I	103	-6.347	118.261	203.781	1.00151.06
ATOM	15389	O	LEU	I	103	-6.413	118.553	202.587	1.00150.91
ATOM	15390	CB	LEU	I	103	-7.163	115.957	203.252	1.00152.53
ATOM	15391	CG	LEU	I	103	-5.830	115.440	202.693	1.00152.22
ATOM	15392	CD1	LEU	I	103	-5.060	114.683	203.769	1.00151.61
ATOM	15393	CD2	LEU	I	103	-6.103	114.534	201.507	1.00151.61
ATOM	15394	N	GLN	I	104	-5.627	118.961	204.657	1.00149.24
ATOM	15395	CA	GLN	I	104	-4.870	120.149	204.256	1.00146.77
ATOM	15396	C	GLN	I	104	-3.377	119.846	204.116	1.00144.62
ATOM	15397	O	GLN	I	104	-2.737	119.352	205.046	1.00144.25
ATOM	15398	CB	GLN	I	104	-5.095	121.277	205.274	1.00147.13
ATOM	15399	CG	GLN	I	104	-5.049	122.683	204.682	1.00145.98
ATOM	15400	CD	GLN	I	104	-5.600	123.737	205.630	1.00145.62
ATOM	15401	OE1	GLN	I	104	-6.737	123.638	206.094	1.00145.04
ATOM	15402	NE2	GLN	I	104	-4.798	124.757	205.917	1.00145.37
ATOM	15403	N	LEU	I	105	-2.829	120.158	202.945	1.00141.82
ATOM	15404	CA	LEU	I	105	-1.425	119.899	202.654	1.00138.85
ATOM	15405	C	LEU	I	105	-0.503	121.078	202.932	1.00137.52
ATOM	15406	O	LEU	I	105	-0.951	122.207	203.134	1.00137.17
ATOM	15407	CB	LEU	I	105	-1.269	119.481	201.191	1.00137.51
ATOM	15408	CG	LEU	I	105	-2.219	118.386	200.704	1.00136.31
ATOM	15409	CD1	LEU	I	105	-1.924	118.077	199.247	1.00136.16
ATOM	15410	CD2	LEU	I	105	-2.066	117.142	201.565	1.00134.75
ATOM	15411	N	ALA	I	106	0.795	120.790	202.936	1.00135.94
ATOM	15412	CA	ALA	I	106	1.837	121.784	203.165	1.00134.42
ATOM	15413	C	ALA	I	106	3.003	121.433	202.247	1.00133.81
ATOM	15414	O	ALA	I	106	4.032	120.929	202.704	1.00134.42
ATOM	15415	CB	ALA	I	106	2.287	121.751	204.617	1.00132.56
ATOM	15416	N	ILE	I	107	2.831	121.692	200.952	1.00132.34
ATOM	15417	CA	ILE	I	107	3.859	121.392	199.960	1.00130.74
ATOM	15418	C	ILE	I	107	5.207	122.002	200.328	1.00130.05
ATOM	15419	O	ILE	I	107	5.328	123.215	200.520	1.00129.92
ATOM	15420	CB	ILE	I	107	3.454	121.890	198.551	1.00130.09
ATOM	15421	CG1	ILE	I	107	2.198	121.156	198.072	1.00129.42
ATOM	15422	CG2	ILE	I	107	4.585	121.636	197.565	1.00130.13
ATOM	15423	CD1	ILE	I	107	0.949	121.461	198.874	1.00129.24
ATOM	15424	N	ILE	I	108	6.216	121.142	200.420	1.00128.83
ATOM	15425	CA	ILE	I	108	7.565	121.559	200.774	1.00126.92
ATOM	15426	C	ILE	I	108	8.471	121.471	199.549	1.00125.79
ATOM	15427	O	ILE	I	108	8.151	120.783	198.579	1.00125.20
ATOM	15428	CB	ILE	I	108	8.133	120.658	201.887	1.00126.90
ATOM	15429	CG1	ILE	I	108	7.089	120.490	202.995	1.00126.19
ATOM	15430	CG2	ILE	I	108	9.410	121.266	202.445	1.00127.05
ATOM	15431	CD1	ILE	I	108	7.490	119.527	204.095	1.00125.78
ATOM	15432	N	SER	I	109	9.598	122.172	199.596	1.00124.64
ATOM	15433	CA	SER	I	109	10.549	122.173	198.490	1.00123.32
ATOM	15434	C	SER	I	109	11.953	121.792	198.963	1.00121.71
ATOM	15435	O	SER	I	109	12.330	122.065	200.103	1.00121.07
ATOM	15436	CB	SER	I	109	10.565	123.554	197.830	1.00124.53

ATOM	15437	OG	SER	I	109	10.548	124.580	198.809	1.00126.34
ATOM	15438	N	ARG	I	110	12.721	121.157	198.084	1.00120.36
ATOM	15439	CA	ARG	I	110	14.077	120.728	198.420	1.00118.78
ATOM	15440	C	ARG	I	110	15.074	121.188	197.357	1.00118.37
ATOM	15441	O	ARG	I	110	15.038	120.729	196.209	1.00117.67
ATOM	15442	CB	ARG	I	110	14.130	119.203	198.543	1.00118.43
ATOM	15443	CG	ARG	I	110	15.354	118.672	199.270	1.00116.48
ATOM	15444	CD	ARG	I	110	15.489	117.166	199.098	1.00115.40
ATOM	15445	NE	ARG	I	110	16.497	116.602	199.993	1.00116.00
ATOM	15446	CZ	ARG	I	110	16.983	115.367	199.898	1.00116.93
ATOM	15447	NH1	ARG	I	110	16.559	114.552	198.939	1.00117.53
ATOM	15448	NH2	ARG	I	110	17.892	114.939	200.766	1.00117.26
ATOM	15449	N	ILE	I	111	15.965	122.093	197.751	1.00117.41
ATOM	15450	CA	ILE	I	111	16.973	122.634	196.845	1.00115.78
ATOM	15451	C	ILE	I	111	18.382	122.239	197.268	1.00114.06
ATOM	15452	O	ILE	I	111	18.602	121.746	198.374	1.00113.29
ATOM	15453	CB	ILE	I	111	16.898	124.191	196.775	1.00116.84
ATOM	15454	CG1	ILE	I	111	17.099	124.795	198.172	1.00116.51
ATOM	15455	CG2	ILE	I	111	15.557	124.625	196.199	1.00116.87
ATOM	15456	CD1	ILE	I	111	17.027	126.313	198.216	1.00113.54
ATOM	15457	N	LYS	I	112	19.333	122.471	196.373	1.00112.96
ATOM	15458	CA	LYS	I	112	20.732	122.158	196.633	1.00111.86
ATOM	15459	C	LYS	I	112	21.452	123.368	197.229	1.00110.25
ATOM	15460	O	LYS	I	112	21.378	124.468	196.684	1.00109.64
ATOM	15461	CB	LYS	I	112	21.424	121.764	195.328	1.00112.38
ATOM	15462	CG	LYS	I	112	20.841	120.548	194.622	1.00112.62
ATOM	15463	CD	LYS	I	112	21.351	119.259	195.229	1.00112.01
ATOM	15464	CE	LYS	I	112	21.014	118.078	194.343	1.00112.68
ATOM	15465	NZ	LYS	I	112	21.591	116.819	194.887	1.00114.97
ATOM	15466	N	LEU	I	113	22.141	123.163	198.349	1.00108.68
ATOM	15467	CA	LEU	I	113	22.897	124.236	198.994	1.00107.10
ATOM	15468	C	LEU	I	113	24.358	123.823	199.081	1.00107.49
ATOM	15469	O	LEU	I	113	24.815	123.315	200.105	1.00107.34
ATOM	15470	CB	LEU	I	113	22.364	124.523	200.402	1.00104.00
ATOM	15471	CG	LEU	I	113	23.148	125.540	201.241	1.00 98.71
ATOM	15472	CD1	LEU	I	113	23.196	126.877	200.540	1.00 97.83
ATOM	15473	CD2	LEU	I	113	22.490	125.686	202.594	1.00 99.36
ATOM	15474	N	TYR	I	114	25.087	124.045	197.995	1.00108.35
ATOM	15475	CA	TYR	I	114	26.495	123.689	197.939	1.00108.97
ATOM	15476	C	TYR	I	114	27.428	124.601	198.719	1.00109.79
ATOM	15477	O	TYR	I	114	27.646	125.755	198.339	1.00108.74
ATOM	15478	CB	TYR	I	114	26.979	123.645	196.491	1.00108.30
ATOM	15479	CG	TYR	I	114	26.424	122.508	195.675	1.00108.73
ATOM	15480	CD1	TYR	I	114	25.464	121.642	196.201	1.00108.95
ATOM	15481	CD2	TYR	I	114	26.853	122.304	194.367	1.00109.11
ATOM	15482	CE1	TYR	I	114	24.947	120.604	195.440	1.00109.63
ATOM	15483	CE2	TYR	I	114	26.345	121.271	193.598	1.00109.77
ATOM	15484	CZ	TYR	I	114	25.392	120.426	194.137	1.00110.36
ATOM	15485	OH	TYR	I	114	24.879	119.414	193.359	1.00112.11
ATOM	15486	N	TYR	I	115	27.968	124.079	199.817	1.00111.04
ATOM	15487	CA	TYR	I	115	28.935	124.826	200.603	1.00111.96
ATOM	15488	C	TYR	I	115	30.208	124.675	199.775	1.00112.70
ATOM	15489	O	TYR	I	115	30.950	123.698	199.922	1.00111.55
ATOM	15490	CB	TYR	I	115	29.134	124.192	201.979	1.00112.18
ATOM	15491	CG	TYR	I	115	30.372	124.693	202.697	1.00113.27
ATOM	15492	CD1	TYR	I	115	30.459	126.008	203.152	1.00112.95
ATOM	15493	CD2	TYR	I	115	31.465	123.850	202.910	1.00114.36
ATOM	15494	CE1	TYR	I	115	31.607	126.474	203.806	1.00112.72
ATOM	15495	CE2	TYR	I	115	32.616	124.306	203.559	1.00113.76
ATOM	15496	CZ	TYR	I	115	32.678	125.616	204.005	1.00112.83
ATOM	15497	OH	TYR	I	115	33.804	126.061	204.660	1.00111.22
ATOM	15498	N	ARG	I	116	30.434	125.634	198.882	1.00113.57

ATOM	15499	CA	ARG	I	116	31.594	125.609	198.004	1.00114.30
ATOM	15500	C	ARG	I	116	32.765	126.416	198.552	1.00115.44
ATOM	15501	O	ARG	I	116	32.638	127.609	198.824	1.00115.45
ATOM	15502	CB	ARG	I	116	31.210	126.132	196.622	1.00112.97
ATOM	15503	CG	ARG	I	116	32.311	126.000	195.592	1.00112.47
ATOM	15504	CD	ARG	I	116	31.814	126.448	194.239	1.00112.96
ATOM	15505	NE	ARG	I	116	30.739	125.592	193.749	1.00111.43
ATOM	15506	CZ	ARG	I	116	30.004	125.859	192.675	1.00110.54
ATOM	15507	NH1	ARG	I	116	30.224	126.965	191.975	1.00109.14
ATOM	15508	NH2	ARG	I	116	29.054	125.015	192.297	1.00110.69
ATOM	15509	N	PRO	I	117	33.927	125.763	198.717	1.00116.26
ATOM	15510	CA	PRO	I	117	35.152	126.383	199.230	1.00116.61
ATOM	15511	C	PRO	I	117	35.674	127.526	198.358	1.00117.31
ATOM	15512	O	PRO	I	117	35.662	127.441	197.129	1.00118.03
ATOM	15513	CB	PRO	I	117	36.130	125.213	199.276	1.00116.95
ATOM	15514	CG	PRO	I	117	35.237	124.040	199.512	1.00116.06
ATOM	15515	CD	PRO	I	117	34.115	124.311	198.554	1.00115.80
ATOM	15516	N	ALA	I	118	36.132	128.593	199.002	1.00117.54
ATOM	15517	CA	ALA	I	118	36.676	129.742	198.292	1.00117.87
ATOM	15518	C	ALA	I	118	38.182	129.541	198.170	1.00118.40
ATOM	15519	O	ALA	I	118	38.972	130.228	198.823	1.00118.60
ATOM	15520	CB	ALA	I	118	36.374	131.021	199.054	1.00117.02
ATOM	15521	N	LYS	I	119	38.569	128.586	197.331	1.00118.14
ATOM	15522	CA	LYS	I	119	39.973	128.265	197.120	1.00117.88
ATOM	15523	C	LYS	I	119	40.016	127.084	196.151	1.00117.20
ATOM	15524	O	LYS	I	119	40.748	126.116	196.356	1.00117.66
ATOM	15525	CB	LYS	I	119	40.621	127.885	198.463	1.00118.22
ATOM	15526	CG	LYS	I	119	42.146	127.883	198.478	1.00118.36
ATOM	15527	CD	LYS	I	119	42.715	129.292	198.380	1.00117.18
ATOM	15528	CE	LYS	I	119	44.237	129.272	198.362	1.00116.76
ATOM	15529	NZ	LYS	I	119	44.811	130.641	198.249	1.00116.22
ATOM	15530	N	LEU	I	120	39.222	127.168	195.090	1.00116.30
ATOM	15531	CA	LEU	I	120	39.170	126.090	194.113	1.00116.58
ATOM	15532	C	LEU	I	120	39.824	126.461	192.777	1.00116.85
ATOM	15533	O	LEU	I	120	39.597	127.547	192.239	1.00116.83
ATOM	15534	CB	LEU	I	120	37.711	125.663	193.895	1.00115.69
ATOM	15535	CG	LEU	I	120	36.906	125.288	195.148	1.00114.60
ATOM	15536	CD1	LEU	I	120	35.521	124.810	194.736	1.00113.46
ATOM	15537	CD2	LEU	I	120	37.626	124.203	195.937	1.00112.96
ATOM	15538	N	ALA	I	121	40.637	125.545	192.252	1.00117.23
ATOM	15539	CA	ALA	I	121	41.342	125.743	190.983	1.00117.94
ATOM	15540	C	ALA	I	121	40.397	125.705	189.789	1.00118.44
ATOM	15541	O	ALA	I	121	40.063	126.739	189.207	1.00117.30
ATOM	15542	CB	ALA	I	121	42.416	124.676	190.818	1.00117.37
ATOM	15543	N	LEU	I	122	39.984	124.496	189.429	1.00119.70
ATOM	15544	CA	LEU	I	122	39.076	124.270	188.312	1.00121.35
ATOM	15545	C	LEU	I	122	37.729	124.954	188.556	1.00122.80
ATOM	15546	O	LEU	I	122	36.906	124.448	189.318	1.00122.64
ATOM	15547	CB	LEU	I	122	38.859	122.767	188.136	1.00120.42
ATOM	15548	CG	LEU	I	122	38.058	122.306	186.924	1.00119.84
ATOM	15549	CD1	LEU	I	122	38.838	122.601	185.660	1.00119.74
ATOM	15550	CD2	LEU	I	122	37.791	120.824	187.035	1.00119.85
ATOM	15551	N	PRO	I	123	37.483	126.108	187.900	1.00124.65
ATOM	15552	CA	PRO	I	123	36.223	126.847	188.065	1.00126.11
ATOM	15553	C	PRO	I	123	34.988	126.039	187.652	1.00127.70
ATOM	15554	O	PRO	I	123	35.096	125.052	186.919	1.00127.80
ATOM	15555	CB	PRO	I	123	36.432	128.082	187.189	1.00124.74
ATOM	15556	CG	PRO	I	123	37.285	127.557	186.087	1.00123.86
ATOM	15557	CD	PRO	I	123	38.304	126.721	186.839	1.00124.60
ATOM	15558	N	PRO	I	124	33.796	126.452	188.119	1.00128.86
ATOM	15559	CA	PRO	I	124	32.550	125.751	187.787	1.00130.00
ATOM	15560	C	PRO	I	124	32.273	125.755	186.288	1.00131.50

ATOM	15561	O	PRO	I	124	31.278	125.194	185.827	1.00132.32
ATOM	15562	CB	PRO	I	124	31.500	126.529	188.574	1.00129.24
ATOM	15563	CG	PRO	I	124	32.054	127.921	188.572	1.00128.79
ATOM	15564	CD	PRO	I	124	33.514	127.682	188.881	1.00128.46
ATOM	15565	N	ASP	I	125	33.172	126.389	185.538	1.00132.93
ATOM	15566	CA	ASP	I	125	33.056	126.498	184.086	1.00133.87
ATOM	15567	C	ASP	I	125	33.614	125.267	183.362	1.00133.57
ATOM	15568	O	ASP	I	125	33.037	124.797	182.378	1.00133.08
ATOM	15569	CB	ASP	I	125	33.790	127.759	183.600	1.00134.99
ATOM	15570	CG	ASP	I	125	33.170	129.054	184.134	1.00135.39
ATOM	15571	OD1	ASP	I	125	32.914	129.143	185.355	1.00135.50
ATOM	15572	OD2	ASP	I	125	32.953	129.991	183.332	1.00134.72
ATOM	15573	N	GLN	I	126	34.736	124.750	183.857	1.00133.49
ATOM	15574	CA	GLN	I	126	35.379	123.585	183.259	1.00133.44
ATOM	15575	C	GLN	I	126	35.316	122.364	184.174	1.00133.38
ATOM	15576	O	GLN	I	126	36.162	121.470	184.105	1.00132.57
ATOM	15577	CB	GLN	I	126	36.833	123.920	182.922	1.00133.17
ATOM	15578	CG	GLN	I	126	36.981	125.029	181.887	1.00132.58
ATOM	15579	CD	GLN	I	126	37.917	126.140	182.338	1.00133.04
ATOM	15580	OE1	GLN	I	126	38.207	127.068	181.579	1.00132.20
ATOM	15581	NE2	GLN	I	126	38.390	126.053	183.579	1.00132.08
ATOM	15582	N	ALA	I	127	34.298	122.333	185.026	1.00134.55
ATOM	15583	CA	ALA	I	127	34.105	121.234	185.962	1.00135.86
ATOM	15584	C	ALA	I	127	33.096	120.226	185.423	1.00136.52
ATOM	15585	O	ALA	I	127	33.292	119.016	185.542	1.00136.85
ATOM	15586	CB	ALA	I	127	33.635	121.776	187.308	1.00136.37
ATOM	15587	N	ALA	I	128	32.015	120.733	184.833	1.00137.23
ATOM	15588	CA	ALA	I	128	30.970	119.881	184.271	1.00137.82
ATOM	15589	C	ALA	I	128	31.275	119.523	182.814	1.00138.37
ATOM	15590	O	ALA	I	128	30.442	119.726	181.928	1.00139.12
ATOM	15591	CB	ALA	I	128	29.620	120.588	184.367	1.00137.23
ATOM	15592	N	GLU	I	129	32.471	118.983	182.578	1.00138.79
ATOM	15593	CA	GLU	I	129	32.909	118.599	181.235	1.00138.26
ATOM	15594	C	GLU	I	129	34.053	117.589	181.288	1.00137.23
ATOM	15595	O	GLU	I	129	34.666	117.277	180.268	1.00136.59
ATOM	15596	CB	GLU	I	129	33.350	119.845	180.457	1.00139.78
ATOM	15597	CG	GLU	I	129	34.293	120.770	181.227	1.00141.60
ATOM	15598	CD	GLU	I	129	34.435	122.145	180.582	1.00142.80
ATOM	15599	OE1	GLU	I	129	33.406	122.832	180.395	1.00143.70
ATOM	15600	OE2	GLU	I	129	35.576	122.545	180.269	1.00143.69
ATOM	15601	N	LYS	I	130	34.322	117.076	182.483	1.00136.54
ATOM	15602	CA	LYS	I	130	35.391	116.109	182.693	1.00136.07
ATOM	15603	C	LYS	I	130	34.840	114.734	183.065	1.00135.85
ATOM	15604	O	LYS	I	130	35.601	113.791	183.281	1.00135.39
ATOM	15605	CB	LYS	I	130	36.311	116.598	183.809	1.00136.60
ATOM	15606	CG	LYS	I	130	36.844	118.009	183.615	1.00136.32
ATOM	15607	CD	LYS	I	130	37.674	118.437	184.816	1.00136.85
ATOM	15608	CE	LYS	I	130	38.837	117.478	185.064	1.00137.13
ATOM	15609	NZ	LYS	I	130	39.567	117.772	186.329	1.00137.13
ATOM	15610	N	LEU	I	131	33.516	114.636	183.145	1.00135.69
ATOM	15611	CA	LEU	I	131	32.834	113.394	183.501	1.00135.99
ATOM	15612	C	LEU	I	131	33.450	112.177	182.809	1.00137.02
ATOM	15613	O	LEU	I	131	33.268	111.982	181.609	1.00137.48
ATOM	15614	CB	LEU	I	131	31.349	113.499	183.133	1.00134.52
ATOM	15615	CG	LEU	I	131	30.406	112.391	183.613	1.00133.79
ATOM	15616	CD1	LEU	I	131	30.286	112.436	185.128	1.00133.13
ATOM	15617	CD2	LEU	I	131	29.040	112.573	182.978	1.00133.44
ATOM	15618	N	ARG	I	132	34.174	111.358	183.571	1.00137.81
ATOM	15619	CA	ARG	I	132	34.813	110.161	183.027	1.00139.01
ATOM	15620	C	ARG	I	132	33.933	108.924	183.203	1.00139.82
ATOM	15621	O	ARG	I	132	33.208	108.806	184.192	1.00139.82
ATOM	15622	CB	ARG	I	132	36.164	109.935	183.704	1.00140.47

ATOM	15623	CG	ARG	I	132	37.101	111.140	183.650	1.00142.61
ATOM	15624	CD	ARG	I	132	38.548	110.726	183.901	1.00144.37
ATOM	15625	NE	ARG	I	132	38.733	110.136	185.226	1.00144.97
ATOM	15626	CZ	ARG	I	132	39.855	109.556	185.640	1.00144.74
ATOM	15627	NH1	ARG	I	132	40.905	109.480	184.832	1.00144.56
ATOM	15628	NH2	ARG	I	132	39.927	109.055	186.866	1.00144.80
ATOM	15629	N	PHE	I	133	34.014	107.994	182.251	1.00140.93
ATOM	15630	CA	PHE	I	133	33.193	106.780	182.285	1.00141.59
ATOM	15631	C	PHE	I	133	33.939	105.452	182.454	1.00140.39
ATOM	15632	O	PHE	I	133	34.945	105.194	181.791	1.00139.24
ATOM	15633	CB	PHE	I	133	32.326	106.708	181.018	1.00144.45
ATOM	15634	CG	PHE	I	133	31.324	107.831	180.897	1.00146.77
ATOM	15635	CD1	PHE	I	133	31.744	109.154	180.767	1.00147.15
ATOM	15636	CD2	PHE	I	133	29.958	107.567	180.934	1.00147.46
ATOM	15637	CE1	PHE	I	133	30.818	110.193	180.678	1.00146.98
ATOM	15638	CE2	PHE	I	133	29.026	108.601	180.845	1.00147.86
ATOM	15639	CZ	PHE	I	133	29.459	109.917	180.718	1.00147.38
ATOM	15640	N	ARG	I	134	33.416	104.612	183.345	1.00139.72
ATOM	15641	CA	ARG	I	134	33.986	103.295	183.625	1.00139.45
ATOM	15642	C	ARG	I	134	32.862	102.269	183.542	1.00139.49
ATOM	15643	O	ARG	I	134	32.786	101.346	184.357	1.00139.30
ATOM	15644	CB	ARG	I	134	34.595	103.250	185.034	1.00138.96
ATOM	15645	CG	ARG	I	134	35.375	101.968	185.343	1.00136.21
ATOM	15646	CD	ARG	I	134	35.181	101.508	186.784	1.00133.35
ATOM	15647	NE	ARG	I	134	35.535	102.533	187.760	1.00130.40
ATOM	15648	CZ	ARG	I	134	35.400	102.386	189.073	1.00129.90
ATOM	15649	NH1	ARG	I	134	34.921	101.255	189.573	1.00128.64
ATOM	15650	NH2	ARG	I	134	35.733	103.375	189.889	1.00130.13
ATOM	15651	N	ARG	I	135	31.983	102.443	182.561	1.00139.56
ATOM	15652	CA	ARG	I	135	30.852	101.541	182.372	1.00139.61
ATOM	15653	C	ARG	I	135	31.287	100.084	182.523	1.00139.34
ATOM	15654	O	ARG	I	135	32.330	99.677	182.004	1.00139.91
ATOM	15655	CB	ARG	I	135	30.229	101.759	180.987	1.00139.44
ATOM	15656	CG	ARG	I	135	30.909	101.002	179.850	1.00138.58
ATOM	15657	CD	ARG	I	135	30.229	99.661	179.609	1.00136.67
ATOM	15658	NE	ARG	I	135	28.891	99.830	179.047	1.00134.60
ATOM	15659	CZ	ARG	I	135	28.019	98.842	178.883	1.00133.79
ATOM	15660	NH1	ARG	I	135	28.335	97.610	179.252	1.00133.31
ATOM	15661	NH2	ARG	I	135	26.825	99.088	178.360	1.00133.09
ATOM	15662	N	SER	I	136	30.484	99.307	183.242	1.00138.24
ATOM	15663	CA	SER	I	136	30.775	97.897	183.466	1.00136.36
ATOM	15664	C	SER	I	136	29.838	97.060	182.612	1.00135.22
ATOM	15665	O	SER	I	136	29.315	97.537	181.607	1.00134.23
ATOM	15666	CB	SER	I	136	30.581	97.547	184.944	1.00136.29
ATOM	15667	OG	SER	I	136	31.384	98.372	185.771	1.00136.48
ATOM	15668	N	ALA	I	137	29.631	95.810	183.009	1.00134.63
ATOM	15669	CA	ALA	I	137	28.739	94.932	182.271	1.00135.09
ATOM	15670	C	ALA	I	137	27.398	95.647	182.110	1.00135.27
ATOM	15671	O	ALA	I	137	27.146	96.276	181.082	1.00135.81
ATOM	15672	CB	ALA	I	137	28.560	93.621	183.022	1.00135.80
ATOM	15673	N	ASN	I	138	26.542	95.557	183.125	1.00134.71
ATOM	15674	CA	ASN	I	138	25.245	96.223	183.077	1.00133.83
ATOM	15675	C	ASN	I	138	25.242	97.415	184.033	1.00134.22
ATOM	15676	O	ASN	I	138	24.251	97.686	184.711	1.00134.11
ATOM	15677	CB	ASN	I	138	24.114	95.242	183.430	1.00132.17
ATOM	15678	CG	ASN	I	138	24.242	94.667	184.829	1.00130.74
ATOM	15679	OD1	ASN	I	138	24.242	95.398	185.819	1.00131.45
ATOM	15680	ND2	ASN	I	138	24.341	93.348	184.917	1.00128.77
ATOM	15681	N	SER	I	139	26.365	98.127	184.074	1.00134.60
ATOM	15682	CA	SER	I	139	26.512	99.291	184.943	1.00135.34
ATOM	15683	C	SER	I	139	27.218	100.434	184.224	1.00135.34
ATOM	15684	O	SER	I	139	27.844	100.237	183.182	1.00135.45

ATOM	15685	CB	SER	I	139	27.313	98.923	186.198	1.00136.17
ATOM	15686	OG	SER	I	139	26.661	97.923	186.962	1.00137.65
ATOM	15687	N	LEU	I	140	27.109	101.631	184.789	1.00135.36
ATOM	15688	CA	LEU	I	140	27.747	102.811	184.221	1.00135.35
ATOM	15689	C	LEU	I	140	28.440	103.601	185.322	1.00135.16
ATOM	15690	O	LEU	I	140	27.971	104.665	185.736	1.00135.08
ATOM	15691	CB	LEU	I	140	26.718	103.696	183.515	1.00135.22
ATOM	15692	CG	LEU	I	140	26.854	103.754	181.992	1.00134.90
ATOM	15693	CD1	LEU	I	140	25.810	104.697	181.428	1.00134.73
ATOM	15694	CD2	LEU	I	140	28.251	104.221	181.615	1.00133.63
ATOM	15695	N	THR	I	141	29.561	103.066	185.791	1.00134.71
ATOM	15696	CA	THR	I	141	30.335	103.700	186.847	1.00133.72
ATOM	15697	C	THR	I	141	30.881	105.052	186.385	1.00132.74
ATOM	15698	O	THR	I	141	31.975	105.140	185.822	1.00132.84
ATOM	15699	CB	THR	I	141	31.497	102.786	187.292	1.00133.96
ATOM	15700	OG1	THR	I	141	30.973	101.511	187.689	1.00134.35
ATOM	15701	CG2	THR	I	141	32.236	103.398	188.468	1.00134.56
ATOM	15702	N	LEU	I	142	30.097	106.100	186.627	1.00131.24
ATOM	15703	CA	LEU	I	142	30.461	107.466	186.259	1.00129.02
ATOM	15704	C	LEU	I	142	31.322	108.063	187.376	1.00127.60
ATOM	15705	O	LEU	I	142	31.038	107.864	188.557	1.00126.56
ATOM	15706	CB	LEU	I	142	29.193	108.309	186.082	1.00128.54
ATOM	15707	CG	LEU	I	142	28.003	107.647	185.379	1.00127.42
ATOM	15708	CD1	LEU	I	142	26.794	108.570	185.430	1.00127.20
ATOM	15709	CD2	LEU	I	142	28.372	107.318	183.948	1.00127.40
ATOM	15710	N	ILE	I	143	32.367	108.798	187.010	1.00126.20
ATOM	15711	CA	ILE	I	143	33.240	109.394	188.014	1.00124.48
ATOM	15712	C	ILE	I	143	33.561	110.870	187.775	1.00122.41
ATOM	15713	O	ILE	I	143	33.853	111.284	186.654	1.00121.61
ATOM	15714	CB	ILE	I	143	34.561	108.589	188.135	1.00125.97
ATOM	15715	CG1	ILE	I	143	35.454	109.211	189.216	1.00127.31
ATOM	15716	CG2	ILE	I	143	35.261	108.524	186.784	1.00124.68
ATOM	15717	CD1	ILE	I	143	36.669	108.371	189.584	1.00127.84
ATOM	15718	N	ASN	I	144	33.500	111.654	188.849	1.00120.42
ATOM	15719	CA	ASN	I	144	33.778	113.088	188.794	1.00117.87
ATOM	15720	C	ASN	I	144	34.889	113.485	189.763	1.00115.44
ATOM	15721	O	ASN	I	144	34.810	113.212	190.957	1.00113.41
ATOM	15722	CB	ASN	I	144	32.504	113.885	189.110	1.00118.33
ATOM	15723	CG	ASN	I	144	32.794	115.302	189.574	1.00117.68
ATOM	15724	OD1	ASN	I	144	33.561	116.031	188.947	1.00117.99
ATOM	15725	ND2	ASN	I	144	32.169	115.700	190.676	1.00117.21
ATOM	15726	N	PRO	I	145	35.945	114.132	189.246	1.00113.91
ATOM	15727	CA	PRO	I	145	37.090	114.580	190.040	1.00113.04
ATOM	15728	C	PRO	I	145	36.891	115.977	190.628	1.00112.29
ATOM	15729	O	PRO	I	145	37.197	116.224	191.790	1.00110.67
ATOM	15730	CB	PRO	I	145	38.226	114.546	189.028	1.00113.34
ATOM	15731	CG	PRO	I	145	37.542	115.035	187.782	1.00112.52
ATOM	15732	CD	PRO	I	145	36.222	114.278	187.802	1.00113.44
ATOM	15733	N	THR	I	146	36.381	116.887	189.806	1.00112.35
ATOM	15734	CA	THR	I	146	36.146	118.264	190.220	1.00111.92
ATOM	15735	C	THR	I	146	35.477	118.293	191.585	1.00112.21
ATOM	15736	O	THR	I	146	34.745	117.374	191.941	1.00112.18
ATOM	15737	CB	THR	I	146	35.228	118.990	189.231	1.00110.97
ATOM	15738	OG1	THR	I	146	33.876	118.576	189.454	1.00110.60
ATOM	15739	CG2	THR	I	146	35.610	118.648	187.801	1.00111.36
ATOM	15740	N	PRO	I	147	35.727	119.352	192.370	1.00112.97
ATOM	15741	CA	PRO	I	147	35.152	119.522	193.710	1.00112.91
ATOM	15742	C	PRO	I	147	33.693	120.011	193.756	1.00112.71
ATOM	15743	O	PRO	I	147	33.247	120.541	194.778	1.00111.42
ATOM	15744	CB	PRO	I	147	36.110	120.510	194.363	1.00113.86
ATOM	15745	CG	PRO	I	147	36.527	121.369	193.210	1.00113.54
ATOM	15746	CD	PRO	I	147	36.790	120.347	192.128	1.00112.94

ATOM	15747	N	TYR	I	148	32.961	119.832	192.654	1.00112.93
ATOM	15748	CA	TYR	I	148	31.555	120.245	192.567	1.00112.47
ATOM	15749	C	TYR	I	148	30.685	119.037	192.230	1.00112.80
ATOM	15750	O	TYR	I	148	31.162	118.065	191.644	1.00112.99
ATOM	15751	CB	TYR	I	148	31.354	121.300	191.468	1.00110.37
ATOM	15752	CG	TYR	I	148	32.432	122.358	191.394	1.00110.16
ATOM	15753	CD1	TYR	I	148	33.691	122.069	190.861	1.00109.47
ATOM	15754	CD2	TYR	I	148	32.202	123.647	191.868	1.00109.95
ATOM	15755	CE1	TYR	I	148	34.693	123.039	190.804	1.00107.82
ATOM	15756	CE2	TYR	I	148	33.196	124.622	191.816	1.00108.58
ATOM	15757	CZ	TYR	I	148	34.438	124.312	191.285	1.00107.51
ATOM	15758	OH	TYR	I	148	35.420	125.275	191.246	1.00105.19
ATOM	15759	N	TYR	I	149	29.410	119.093	192.597	1.00112.86
ATOM	15760	CA	TYR	I	149	28.507	117.993	192.285	1.00113.46
ATOM	15761	C	TYR	I	149	27.907	118.190	190.894	1.00115.62
ATOM	15762	O	TYR	I	149	26.869	118.838	190.746	1.00116.50
ATOM	15763	CB	TYR	I	149	27.367	117.911	193.295	1.00110.55
ATOM	15764	CG	TYR	I	149	27.730	117.371	194.654	1.00107.57
ATOM	15765	CD1	TYR	I	149	28.147	118.221	195.672	1.00107.02
ATOM	15766	CD2	TYR	I	149	27.601	116.013	194.940	1.00105.91
ATOM	15767	CE1	TYR	I	149	28.419	117.734	196.950	1.00106.18
ATOM	15768	CE2	TYR	I	149	27.871	115.513	196.211	1.00104.49
ATOM	15769	CZ	TYR	I	149	28.278	116.380	197.215	1.00105.22
ATOM	15770	OH	TYR	I	149	28.534	115.906	198.487	1.00102.63
ATOM	15771	N	LEU	I	150	28.557	117.632	189.879	1.00117.65
ATOM	15772	CA	LEU	I	150	28.076	117.749	188.507	1.00119.98
ATOM	15773	C	LEU	I	150	26.745	117.027	188.354	1.00121.80
ATOM	15774	O	LEU	I	150	26.715	115.851	187.985	1.00121.74
ATOM	15775	CB	LEU	I	150	29.075	117.130	187.532	1.00120.93
ATOM	15776	CG	LEU	I	150	30.545	117.521	187.667	1.00122.88
ATOM	15777	CD1	LEU	I	150	31.365	116.754	186.635	1.00122.55
ATOM	15778	CD2	LEU	I	150	30.698	119.024	187.485	1.00124.03
ATOM	15779	N	THR	I	151	25.649	117.723	188.635	1.00123.95
ATOM	15780	CA	THR	I	151	24.327	117.120	188.513	1.00125.08
ATOM	15781	C	THR	I	151	24.150	116.580	187.094	1.00126.34
ATOM	15782	O	THR	I	151	23.914	117.342	186.156	1.00126.52
ATOM	15783	CB	THR	I	151	23.218	118.147	188.805	1.00124.56
ATOM	15784	OG1	THR	I	151	23.415	118.699	190.113	1.00124.39
ATOM	15785	CG2	THR	I	151	21.851	117.484	188.740	1.00123.44
ATOM	15786	N	VAL	I	152	24.280	115.263	186.945	1.00127.28
ATOM	15787	CA	VAL	I	152	24.144	114.610	185.646	1.00128.32
ATOM	15788	C	VAL	I	152	22.682	114.501	185.226	1.00129.85
ATOM	15789	O	VAL	I	152	21.940	113.673	185.751	1.00129.67
ATOM	15790	CB	VAL	I	152	24.754	113.193	185.674	1.00127.69
ATOM	15791	CG1	VAL	I	152	24.603	112.532	184.311	1.00127.77
ATOM	15792	CG2	VAL	I	152	26.218	113.269	186.070	1.00126.74
ATOM	15793	N	THR	I	153	22.278	115.335	184.272	1.00132.04
ATOM	15794	CA	THR	I	153	20.900	115.336	183.790	1.00134.74
ATOM	15795	C	THR	I	153	20.751	114.684	182.421	1.00136.34
ATOM	15796	O	THR	I	153	21.620	114.819	181.555	1.00136.14
ATOM	15797	CB	THR	I	153	20.327	116.771	183.702	1.00134.90
ATOM	15798	OG1	THR	I	153	18.986	116.718	183.198	1.00134.81
ATOM	15799	CG2	THR	I	153	21.174	117.634	182.776	1.00134.52
ATOM	15800	N	GLU	I	154	19.636	113.977	182.242	1.00137.99
ATOM	15801	CA	GLU	I	154	19.331	113.294	180.990	1.00139.00
ATOM	15802	C	GLU	I	154	20.461	112.337	180.617	1.00139.96
ATOM	15803	O	GLU	I	154	20.952	112.359	179.486	1.00140.33
ATOM	15804	CB	GLU	I	154	19.135	114.329	179.882	1.00138.53
ATOM	15805	CG	GLU	I	154	18.352	115.552	180.332	1.00138.19
ATOM	15806	CD	GLU	I	154	18.330	116.645	179.286	1.00138.13
ATOM	15807	OE1	GLU	I	154	18.706	116.366	178.129	1.00138.38
ATOM	15808	OE2	GLU	I	154	17.933	117.781	179.621	1.00137.44

ATOM	15809	N	LEU	I	155	20.864	111.500	181.574	1.00140.46
ATOM	15810	CA	LEU	I	155	21.946	110.540	181.364	1.00140.91
ATOM	15811	C	LEU	I	155	21.605	109.538	180.269	1.00141.10
ATOM	15812	O	LEU	I	155	21.167	108.422	180.546	1.00141.44
ATOM	15813	CB	LEU	I	155	22.255	109.792	182.667	1.00141.06
ATOM	15814	CG	LEU	I	155	23.416	108.790	182.633	1.00140.63
ATOM	15815	CD1	LEU	I	155	24.701	109.501	182.232	1.00139.93
ATOM	15816	CD2	LEU	I	155	23.574	108.136	183.999	1.00139.86
ATOM	15817	N	ASN	I	156	21.818	109.946	179.024	1.00141.28
ATOM	15818	CA	ASN	I	156	21.529	109.096	177.879	1.00141.66
ATOM	15819	C	ASN	I	156	22.801	108.496	177.299	1.00141.96
ATOM	15820	O	ASN	I	156	23.911	108.794	177.744	1.00142.40
ATOM	15821	CB	ASN	I	156	20.820	109.902	176.786	1.00141.46
ATOM	15822	CG	ASN	I	156	19.499	110.477	177.248	1.00141.16
ATOM	15823	OD1	ASN	I	156	18.562	109.741	177.556	1.00141.27
ATOM	15824	ND2	ASN	I	156	19.417	111.801	177.301	1.00141.00
ATOM	15825	N	ALA	I	157	22.616	107.642	176.299	1.00141.66
ATOM	15826	CA	ALA	I	157	23.714	106.992	175.602	1.00140.96
ATOM	15827	C	ALA	I	157	23.309	107.001	174.138	1.00140.76
ATOM	15828	O	ALA	I	157	23.655	106.098	173.374	1.00140.59
ATOM	15829	CB	ALA	I	157	23.885	105.570	176.093	1.00140.41
ATOM	15830	N	GLY	I	158	22.560	108.038	173.767	1.00140.53
ATOM	15831	CA	GLY	I	158	22.080	108.173	172.405	1.00140.54
ATOM	15832	C	GLY	I	158	21.021	107.128	172.119	1.00140.29
ATOM	15833	O	GLY	I	158	20.519	107.018	170.997	1.00140.38
ATOM	15834	N	THR	I	159	20.678	106.358	173.147	1.00139.32
ATOM	15835	CA	THR	I	159	19.685	105.304	173.020	1.00137.49
ATOM	15836	C	THR	I	159	18.939	105.067	174.330	1.00136.63
ATOM	15837	O	THR	I	159	17.824	105.553	174.519	1.00135.63
ATOM	15838	CB	THR	I	159	20.344	103.972	172.580	1.00137.21
ATOM	15839	OG1	THR	I	159	21.404	103.640	173.487	1.00135.53
ATOM	15840	CG2	THR	I	159	20.905	104.088	171.163	1.00135.85
ATOM	15841	N	ARG	I	160	19.573	104.325	175.233	1.00136.35
ATOM	15842	CA	ARG	I	160	18.983	103.981	176.526	1.00136.31
ATOM	15843	C	ARG	I	160	19.155	105.086	177.574	1.00135.87
ATOM	15844	O	ARG	I	160	20.275	105.377	178.006	1.00135.64
ATOM	15845	CB	ARG	I	160	19.618	102.681	177.043	1.00136.42
ATOM	15846	CG	ARG	I	160	18.792	101.890	178.059	1.00135.86
ATOM	15847	CD	ARG	I	160	17.712	101.058	177.375	1.00135.46
ATOM	15848	NE	ARG	I	160	17.081	100.110	178.291	1.00135.46
ATOM	15849	CZ	ARG	I	160	16.193	99.191	177.922	1.00135.17
ATOM	15850	NH1	ARG	I	160	15.827	99.092	176.651	1.00135.65
ATOM	15851	NH2	ARG	I	160	15.675	98.367	178.823	1.00134.41
ATOM	15852	N	VAL	I	161	18.043	105.695	177.979	1.00135.17
ATOM	15853	CA	VAL	I	161	18.072	106.746	178.992	1.00134.83
ATOM	15854	C	VAL	I	161	18.160	106.090	180.367	1.00134.28
ATOM	15855	O	VAL	I	161	17.514	105.071	180.625	1.00134.14
ATOM	15856	CB	VAL	I	161	16.804	107.633	178.935	1.00134.93
ATOM	15857	CG1	VAL	I	161	15.566	106.790	179.187	1.00135.76
ATOM	15858	CG2	VAL	I	161	16.906	108.752	179.964	1.00134.78
ATOM	15859	N	LEU	I	162	18.960	106.678	181.250	1.00133.32
ATOM	15860	CA	LEU	I	162	19.139	106.125	182.582	1.00132.09
ATOM	15861	C	LEU	I	162	18.714	107.101	183.664	1.00131.61
ATOM	15862	O	LEU	I	162	17.972	108.048	183.406	1.00131.52
ATOM	15863	CB	LEU	I	162	20.605	105.738	182.787	1.00131.04
ATOM	15864	CG	LEU	I	162	21.262	104.985	181.627	1.00130.51
ATOM	15865	CD1	LEU	I	162	22.673	104.588	182.019	1.00129.21
ATOM	15866	CD2	LEU	I	162	20.435	103.761	181.266	1.00129.75
ATOM	15867	N	GLU	I	163	19.198	106.851	184.877	1.00131.70
ATOM	15868	CA	GLU	I	163	18.900	107.677	186.043	1.00131.64
ATOM	15869	C	GLU	I	163	19.909	108.820	186.188	1.00132.06
ATOM	15870	O	GLU	I	163	21.106	108.654	185.943	1.00132.01

ATOM	15871	CB	GLU	I	163	18.901	106.799	187.309	1.00130.09
ATOM	15872	CG	GLU	I	163	18.781	107.535	188.649	1.00127.47
ATOM	15873	CD	GLU	I	163	17.432	108.203	188.856	1.00126.37
ATOM	15874	OE1	GLU	I	163	16.394	107.549	188.614	1.00124.40
ATOM	15875	OE2	GLU	I	163	17.410	109.381	189.276	1.00125.71
ATOM	15876	N	ASN	I	164	19.407	109.987	186.573	1.00132.70
ATOM	15877	CA	ASN	I	164	20.247	111.158	186.771	1.00132.56
ATOM	15878	C	ASN	I	164	20.810	111.060	188.187	1.00132.61
ATOM	15879	O	ASN	I	164	20.067	111.171	189.167	1.00132.74
ATOM	15880	CB	ASN	I	164	19.418	112.443	186.627	1.00132.05
ATOM	15881	CG	ASN	I	164	18.611	112.483	185.338	1.00131.24
ATOM	15882	OD1	ASN	I	164	19.154	112.333	184.244	1.00130.18
ATOM	15883	ND2	ASN	I	164	17.305	112.693	185.466	1.00130.88
ATOM	15884	N	ALA	I	165	22.116	110.839	188.294	1.00132.27
ATOM	15885	CA	ALA	I	165	22.757	110.723	189.600	1.00131.55
ATOM	15886	C	ALA	I	165	23.546	111.980	189.959	1.00130.40
ATOM	15887	O	ALA	I	165	23.841	112.809	189.097	1.00130.19
ATOM	15888	CB	ALA	I	165	23.676	109.501	189.622	1.00132.35
ATOM	15889	N	LEU	I	166	23.879	112.112	191.241	1.00129.12
ATOM	15890	CA	LEU	I	166	24.640	113.254	191.737	1.00127.70
ATOM	15891	C	LEU	I	166	26.110	112.871	191.916	1.00127.31
ATOM	15892	O	LEU	I	166	26.563	112.654	193.038	1.00127.30
ATOM	15893	CB	LEU	I	166	24.062	113.728	193.080	1.00126.12
ATOM	15894	CG	LEU	I	166	24.789	114.880	193.783	1.00124.16
ATOM	15895	CD1	LEU	I	166	24.777	116.095	192.882	1.00124.05
ATOM	15896	CD2	LEU	I	166	24.132	115.199	195.114	1.00120.88
ATOM	15897	N	VAL	I	167	26.850	112.783	190.814	1.00127.72
ATOM	15898	CA	VAL	I	167	28.263	112.420	190.882	1.00128.16
ATOM	15899	C	VAL	I	167	28.966	113.409	191.807	1.00128.34
ATOM	15900	O	VAL	I	167	29.179	114.569	191.453	1.00127.79
ATOM	15901	CB	VAL	I	167	28.936	112.451	189.488	1.00128.59
ATOM	15902	CG1	VAL	I	167	30.254	111.697	189.541	1.00129.01
ATOM	15903	CG2	VAL	I	167	28.019	111.833	188.443	1.00127.99
ATOM	15904	N	PRO	I	168	29.338	112.951	193.012	1.00129.06
ATOM	15905	CA	PRO	I	168	30.013	113.755	194.034	1.00129.14
ATOM	15906	C	PRO	I	168	31.420	114.246	193.698	1.00129.26
ATOM	15907	O	PRO	I	168	32.074	113.738	192.784	1.00128.77
ATOM	15908	CB	PRO	I	168	29.997	112.833	195.251	1.00129.05
ATOM	15909	CG	PRO	I	168	30.156	111.486	194.634	1.00129.12
ATOM	15910	CD	PRO	I	168	29.201	111.552	193.460	1.00129.59
ATOM	15911	N	PRO	I	169	31.894	115.258	194.443	1.00129.51
ATOM	15912	CA	PRO	I	169	33.216	115.864	194.282	1.00130.26
ATOM	15913	C	PRO	I	169	34.337	114.834	194.377	1.00131.32
ATOM	15914	O	PRO	I	169	34.477	114.149	195.395	1.00130.89
ATOM	15915	CB	PRO	I	169	33.266	116.875	195.422	1.00129.68
ATOM	15916	CG	PRO	I	169	31.853	117.327	195.509	1.00129.00
ATOM	15917	CD	PRO	I	169	31.100	116.018	195.426	1.00129.24
ATOM	15918	N	MET	I	170	35.129	114.737	193.312	1.00132.76
ATOM	15919	CA	MET	I	170	36.248	113.802	193.248	1.00133.81
ATOM	15920	C	MET	I	170	35.764	112.356	193.295	1.00134.01
ATOM	15921	O	MET	I	170	36.390	111.460	192.725	1.00134.28
ATOM	15922	CB	MET	I	170	37.238	114.090	194.387	1.00134.17
ATOM	15923	CG	MET	I	170	38.188	115.250	194.087	1.00133.54
ATOM	15924	SD	MET	I	170	38.989	116.012	195.517	1.00134.40
ATOM	15925	CE	MET	I	170	38.250	117.651	195.486	1.00134.30
ATOM	15926	N	GLY	I	171	34.637	112.136	193.961	1.00133.89
ATOM	15927	CA	GLY	I	171	34.091	110.800	194.051	1.00134.61
ATOM	15928	C	GLY	I	171	33.479	110.378	192.731	1.00135.37
ATOM	15929	O	GLY	I	171	33.975	110.736	191.661	1.00134.92
ATOM	15930	N	GLU	I	172	32.393	109.617	192.810	1.00136.44
ATOM	15931	CA	GLU	I	172	31.700	109.136	191.624	1.00137.28
ATOM	15932	C	GLU	I	172	30.394	108.435	191.994	1.00138.47

ATOM	15933	O	GLU	I	172	30.078	108.258	193.172	1.00137.73
ATOM	15934	CB	GLU	I	172	32.604	108.173	190.847	1.00136.43
ATOM	15935	CG	GLU	I	172	32.986	106.903	191.595	1.00136.19
ATOM	15936	CD	GLU	I	172	33.935	106.020	190.804	1.00135.76
ATOM	15937	OE1	GLU	I	172	33.592	105.648	189.664	1.00135.66
ATOM	15938	OE2	GLU	I	172	35.025	105.695	191.321	1.00135.75
ATOM	15939	N	SER	I	173	29.639	108.046	190.974	1.00140.25
ATOM	15940	CA	SER	I	173	28.366	107.355	191.156	1.00142.42
ATOM	15941	C	SER	I	173	27.975	106.698	189.833	1.00143.43
ATOM	15942	O	SER	I	173	28.596	106.961	188.803	1.00144.53
ATOM	15943	CB	SER	I	173	27.284	108.343	191.596	1.00142.80
ATOM	15944	OG	SER	I	173	27.599	108.913	192.856	1.00144.12
ATOM	15945	N	THR	I	174	26.952	105.850	189.850	1.00 20.00
ATOM	15946	CG2	THR	I	174	28.805	103.959	188.539	1.00 20.00
ATOM	15947	OG1	THR	I	174	26.912	102.994	189.603	1.00 20.00
ATOM	15948	CB	THR	I	174	27.284	103.819	188.511	1.00 20.00
ATOM	15949	CA	THR	I	174	26.538	105.175	188.627	1.00 20.00
ATOM	15950	C	THR	I	174	25.047	104.905	188.543	1.00 20.00
ATOM	15951	O	THR	I	174	24.296	105.148	189.487	1.00 20.00
ATOM	15952	N	VAL	I	175	24.637	104.391	187.390	1.00144.76
ATOM	15953	CA	VAL	I	175	23.244	104.065	187.129	1.00145.83
ATOM	15954	C	VAL	I	175	23.151	102.715	186.421	1.00146.80
ATOM	15955	O	VAL	I	175	24.002	102.377	185.592	1.00146.58
ATOM	15956	CB	VAL	I	175	22.582	105.139	186.242	1.00145.55
ATOM	15957	CG1	VAL	I	175	21.139	104.756	185.951	1.00145.05
ATOM	15958	CG2	VAL	I	175	22.654	106.491	186.930	1.00144.82
ATOM	15959	N	LYS	I	176	22.115	101.949	186.758	1.00147.41
ATOM	15960	CA	LYS	I	176	21.903	100.638	186.161	1.00147.67
ATOM	15961	C	LYS	I	176	21.841	100.769	184.646	1.00147.23
ATOM	15962	O	LYS	I	176	20.843	101.232	184.093	1.00147.21
ATOM	15963	CB	LYS	I	176	20.604	100.016	186.688	1.00148.61
ATOM	15964	CG	LYS	I	176	20.292	98.630	186.120	1.00150.46
ATOM	15965	CD	LYS	I	176	21.392	97.610	186.424	1.00151.19
ATOM	15966	CE	LYS	I	176	21.489	97.285	187.911	1.00151.45
ATOM	15967	NZ	LYS	I	176	21.869	98.457	188.751	1.00151.20
ATOM	15968	N	LEU	I	177	22.923	100.366	183.988	1.00147.00
ATOM	15969	CA	LEU	I	177	23.024	100.428	182.534	1.00147.23
ATOM	15970	C	LEU	I	177	22.377	99.198	181.897	1.00147.83
ATOM	15971	O	LEU	I	177	22.976	98.121	181.864	1.00148.48
ATOM	15972	CB	LEU	I	177	24.498	100.520	182.131	1.00145.60
ATOM	15973	CG	LEU	I	177	24.882	100.476	180.653	1.00143.67
ATOM	15974	CD1	LEU	I	177	24.023	101.430	179.848	1.00142.75
ATOM	15975	CD2	LEU	I	177	26.348	100.838	180.529	1.00142.68
ATOM	15976	N	PRO	I	178	21.142	99.348	181.377	1.00147.96
ATOM	15977	CA	PRO	I	178	20.382	98.269	180.737	1.00147.82
ATOM	15978	C	PRO	I	178	21.152	97.474	179.684	1.00148.07
ATOM	15979	O	PRO	I	178	20.615	96.527	179.110	1.00148.18
ATOM	15980	CB	PRO	I	178	19.186	99.006	180.139	1.00147.57
ATOM	15981	CG	PRO	I	178	18.966	100.116	181.111	1.00147.30
ATOM	15982	CD	PRO	I	178	20.374	100.605	181.343	1.00147.76
ATOM	15983	N	SER	I	179	22.405	97.854	179.441	1.00148.21
ATOM	15984	CA	SER	I	179	23.244	97.187	178.447	1.00147.91
ATOM	15985	C	SER	I	179	22.582	97.353	177.082	1.00148.25
ATOM	15986	O	SER	I	179	22.893	96.636	176.126	1.00148.32
ATOM	15987	CB	SER	I	179	23.397	95.698	178.782	1.00147.36
ATOM	15988	OG	SER	I	179	24.025	95.514	180.040	1.00146.25
ATOM	15989	N	ASP	I	180	21.664	98.314	177.014	1.00148.13
ATOM	15990	CA	ASP	I	180	20.916	98.621	175.798	1.00147.37
ATOM	15991	C	ASP	I	180	21.276	100.033	175.331	1.00146.46
ATOM	15992	O	ASP	I	180	20.730	100.531	174.342	1.00146.29
ATOM	15993	CB	ASP	I	180	19.407	98.543	176.078	1.00147.42
ATOM	15994	CG	ASP	I	180	18.992	97.228	176.731	1.00147.15

ATOM	15995	OD1	ASP	I	180	19.833	96.311	176.824	1.00147.18
ATOM	15996	OD2	ASP	I	180	17.820	97.110	177.149	1.00146.38
ATOM	15997	N	ALA	I	181	22.196	100.668	176.054	1.00145.01
ATOM	15998	CA	ALA	I	181	22.636	102.026	175.745	1.00143.40
ATOM	15999	C	ALA	I	181	23.782	102.047	174.735	1.00141.82
ATOM	16000	O	ALA	I	181	24.276	103.114	174.361	1.00140.97
ATOM	16001	CB	ALA	I	181	23.057	102.731	177.025	1.00143.42
ATOM	16002	N	GLY	I	182	24.195	100.860	174.300	1.00140.03
ATOM	16003	CA	GLY	I	182	25.274	100.752	173.337	1.00136.92
ATOM	16004	C	GLY	I	182	26.610	101.178	173.905	1.00135.18
ATOM	16005	O	GLY	I	182	27.257	100.422	174.630	1.00134.76
ATOM	16006	N	SER	I	183	27.024	102.396	173.571	1.00133.56
ATOM	16007	CA	SER	I	183	28.291	102.937	174.045	1.00132.09
ATOM	16008	C	SER	I	183	28.374	104.448	173.808	1.00132.64
ATOM	16009	O	SER	I	183	29.330	105.098	174.239	1.00132.62
ATOM	16010	CB	SER	I	183	29.458	102.236	173.342	1.00129.78
ATOM	16011	OG	SER	I	183	29.502	100.857	173.661	1.00125.09
ATOM	16012	N	ASN	I	184	27.365	105.001	173.136	1.00132.62
ATOM	16013	CA	ASN	I	184	27.325	106.432	172.830	1.00132.55
ATOM	16014	C	ASN	I	184	27.332	107.331	174.063	1.00132.39
ATOM	16015	O	ASN	I	184	26.278	107.676	174.598	1.00132.53
ATOM	16016	CB	ASN	I	184	26.093	106.763	171.984	1.00132.70
ATOM	16017	CG	ASN	I	184	25.958	108.252	171.713	1.00133.47
ATOM	16018	OD1	ASN	I	184	26.852	108.872	171.140	1.00134.38
ATOM	16019	ND2	ASN	I	184	24.840	108.833	172.128	1.00133.39
ATOM	16020	N	ILE	I	185	28.525	107.721	174.497	1.00131.97
ATOM	16021	CA	ILE	I	185	28.670	108.580	175.664	1.00131.21
ATOM	16022	C	ILE	I	185	28.080	109.966	175.383	1.00130.85
ATOM	16023	O	ILE	I	185	28.662	110.758	174.640	1.00130.43
ATOM	16024	CB	ILE	I	185	30.160	108.745	176.050	1.00131.29
ATOM	16025	CG1	ILE	I	185	30.884	107.393	175.993	1.00129.95
ATOM	16026	CG2	ILE	I	185	30.266	109.331	177.446	1.00131.50
ATOM	16027	CD1	ILE	I	185	30.400	106.374	177.002	1.00128.18
ATOM	16028	N	THR	I	186	26.920	110.245	175.973	1.00130.62
ATOM	16029	CA	THR	I	186	26.248	111.535	175.806	1.00130.16
ATOM	16030	C	THR	I	186	25.580	111.921	177.123	1.00130.33
ATOM	16031	O	THR	I	186	24.902	111.100	177.741	1.00130.01
ATOM	16032	CB	THR	I	186	25.169	111.479	174.701	1.00129.38
ATOM	16033	OG1	THR	I	186	25.784	111.154	173.450	1.00128.61
ATOM	16034	CG2	THR	I	186	24.463	112.823	174.574	1.00128.31
ATOM	16035	N	TYR	I	187	25.773	113.166	177.552	1.00130.63
ATOM	16036	CA	TYR	I	187	25.186	113.625	178.810	1.00130.76
ATOM	16037	C	TYR	I	187	24.967	115.137	178.861	1.00130.31
ATOM	16038	O	TYR	I	187	25.309	115.864	177.925	1.00130.46
ATOM	16039	CB	TYR	I	187	26.075	113.196	179.989	1.00131.02
ATOM	16040	CG	TYR	I	187	27.422	113.895	180.053	1.00130.82
ATOM	16041	CD1	TYR	I	187	27.536	115.192	180.561	1.00130.53
ATOM	16042	CD2	TYR	I	187	28.580	113.266	179.588	1.00130.29
ATOM	16043	CE1	TYR	I	187	28.766	115.845	180.602	1.00130.05
ATOM	16044	CE2	TYR	I	187	29.815	113.911	179.626	1.00129.82
ATOM	16045	CZ	TYR	I	187	29.899	115.200	180.133	1.00129.74
ATOM	16046	OH	TYR	I	187	31.114	115.848	180.167	1.00129.20
ATOM	16047	N	ARG	I	188	24.396	115.593	179.972	1.00129.19
ATOM	16048	CA	ARG	I	188	24.119	117.007	180.201	1.00128.06
ATOM	16049	C	ARG	I	188	24.115	117.242	181.711	1.00127.54
ATOM	16050	O	ARG	I	188	23.787	116.333	182.474	1.00127.85
ATOM	16051	CB	ARG	I	188	22.761	117.377	179.597	1.00127.51
ATOM	16052	CG	ARG	I	188	22.716	117.260	178.080	1.00125.96
ATOM	16053	CD	ARG	I	188	21.308	117.416	177.545	1.00125.76
ATOM	16054	NE	ARG	I	188	20.721	118.715	177.865	1.00126.28
ATOM	16055	CZ	ARG	I	188	21.183	119.878	177.417	1.00125.66
ATOM	16056	NH1	ARG	I	188	22.246	119.908	176.627	1.00124.91

ATOM	16057	NH2	ARG	I	188	20.573	121.009	177.744	1.00124.77
ATOM	16058	N	THR	I	189	24.482	118.448	182.145	1.00126.33
ATOM	16059	CA	THR	I	189	24.517	118.751	183.577	1.00124.85
ATOM	16060	C	THR	I	189	23.916	120.103	183.952	1.00122.97
ATOM	16061	O	THR	I	189	23.921	121.050	183.169	1.00122.65
ATOM	16062	CB	THR	I	189	25.960	118.716	184.131	1.00126.27
ATOM	16063	OG1	THR	I	189	26.582	119.990	183.930	1.00127.42
ATOM	16064	CG2	THR	I	189	26.783	117.644	183.421	1.00127.49
ATOM	16065	N	ILE	I	190	23.412	120.182	185.176	1.00121.58
ATOM	16066	CA	ILE	I	190	22.806	121.400	185.688	1.00119.41
ATOM	16067	C	ILE	I	190	23.843	122.162	186.513	1.00119.46
ATOM	16068	O	ILE	I	190	24.732	121.555	187.115	1.00119.16
ATOM	16069	CB	ILE	I	190	21.582	121.061	186.555	1.00117.03
ATOM	16070	CG1	ILE	I	190	20.617	120.191	185.746	1.00113.71
ATOM	16071	CG2	ILE	I	190	20.895	122.336	187.015	1.00117.15
ATOM	16072	CD1	ILE	I	190	19.444	119.696	186.527	1.00110.89
ATOM	16073	N	ASN	I	191	23.719	123.488	186.538	1.00119.09
ATOM	16074	CA	ASN	I	191	24.655	124.349	187.261	1.00118.36
ATOM	16075	C	ASN	I	191	24.044	125.175	188.395	1.00117.67
ATOM	16076	O	ASN	I	191	22.903	124.950	188.798	1.00117.58
ATOM	16077	CB	ASN	I	191	25.345	125.283	186.269	1.00118.76
ATOM	16078	CG	ASN	I	191	24.369	125.913	185.294	1.00118.89
ATOM	16079	OD1	ASN	I	191	23.427	126.599	185.695	1.00117.68
ATOM	16080	ND2	ASN	I	191	24.587	125.679	184.003	1.00118.51
ATOM	16081	N	ASP	I	192	24.826	126.132	188.896	1.00117.35
ATOM	16082	CA	ASP	I	192	24.426	127.023	189.994	1.00117.30
ATOM	16083	C	ASP	I	192	23.098	127.725	189.734	1.00116.17
ATOM	16084	O	ASP	I	192	22.205	127.745	190.583	1.00115.60
ATOM	16085	CB	ASP	I	192	25.493	128.100	190.218	1.00117.97
ATOM	16086	CG	ASP	I	192	26.883	127.526	190.364	1.00119.03
ATOM	16087	OD1	ASP	I	192	27.009	126.284	190.442	1.00120.58
ATOM	16088	OD2	ASP	I	192	27.848	128.323	190.400	1.00118.64
ATOM	16089	N	TYR	I	193	22.999	128.317	188.552	1.00114.81
ATOM	16090	CA	TYR	I	193	21.816	129.047	188.126	1.00113.84
ATOM	16091	C	TYR	I	193	20.651	128.080	187.932	1.00115.24
ATOM	16092	O	TYR	I	193	19.565	128.267	188.490	1.00113.85
ATOM	16093	CB	TYR	I	193	22.140	129.769	186.816	1.00110.96
ATOM	16094	CG	TYR	I	193	23.443	130.547	186.875	1.00107.30
ATOM	16095	CD1	TYR	I	193	23.929	131.035	188.088	1.00105.21
ATOM	16096	CD2	TYR	I	193	24.194	130.785	185.724	1.00105.15
ATOM	16097	CE1	TYR	I	193	25.125	131.737	188.155	1.00103.74
ATOM	16098	CE2	TYR	I	193	25.396	131.487	185.782	1.00102.49
ATOM	16099	CZ	TYR	I	193	25.854	131.959	187.002	1.00103.04
ATOM	16100	OH	TYR	I	193	27.041	132.649	187.083	1.00102.58
ATOM	16101	N	GLY	I	194	20.903	127.040	187.144	1.00117.44
ATOM	16102	CA	GLY	I	194	19.891	126.039	186.862	1.00118.76
ATOM	16103	C	GLY	I	194	19.793	125.820	185.367	1.00119.27
ATOM	16104	O	GLY	I	194	18.699	125.683	184.825	1.00118.42
ATOM	16105	N	ALA	I	195	20.945	125.789	184.702	1.00121.12
ATOM	16106	CA	ALA	I	195	20.994	125.602	183.255	1.00123.50
ATOM	16107	C	ALA	I	195	21.709	124.319	182.837	1.00124.74
ATOM	16108	O	ALA	I	195	22.780	123.982	183.352	1.00124.50
ATOM	16109	CB	ALA	I	195	21.667	126.807	182.597	1.00124.00
ATOM	16110	N	LEU	I	196	21.101	123.610	181.892	1.00126.43
ATOM	16111	CA	LEU	I	196	21.662	122.366	181.380	1.00128.77
ATOM	16112	C	LEU	I	196	22.922	122.668	180.577	1.00130.04
ATOM	16113	O	LEU	I	196	22.957	123.632	179.814	1.00130.73
ATOM	16114	CB	LEU	I	196	20.655	121.663	180.462	1.00127.99
ATOM	16115	CG	LEU	I	196	19.256	121.294	180.958	1.00127.62
ATOM	16116	CD1	LEU	I	196	18.473	120.680	179.811	1.00127.07
ATOM	16117	CD2	LEU	I	196	19.346	120.319	182.119	1.00128.36
ATOM	16118	N	THR	I	197	23.955	121.850	180.749	1.00131.55

ATOM	16119	CA	THR	I	197	25.188	122.042	180.002	1.00133.31
ATOM	16120	C	THR	I	197	25.011	121.353	178.653	1.00134.96
ATOM	16121	O	THR	I	197	24.267	120.379	178.543	1.00134.67
ATOM	16122	CB	THR	I	197	26.408	121.437	180.737	1.00133.19
ATOM	16123	OG1	THR	I	197	26.232	120.022	180.894	1.00132.68
ATOM	16124	CG2	THR	I	197	26.577	122.093	182.101	1.00133.02
ATOM	16125	N	PRO	I	198	25.683	121.854	177.606	1.00137.05
ATOM	16126	CA	PRO	I	198	25.555	121.243	176.279	1.00138.77
ATOM	16127	C	PRO	I	198	25.939	119.762	176.266	1.00140.70
ATOM	16128	O	PRO	I	198	26.621	119.281	177.177	1.00140.84
ATOM	16129	CB	PRO	I	198	26.477	122.105	175.416	1.00138.58
ATOM	16130	CG	PRO	I	198	27.531	122.553	176.393	1.00137.85
ATOM	16131	CD	PRO	I	198	26.707	122.915	177.599	1.00137.31
ATOM	16132	N	LYS	I	199	25.486	119.043	175.239	1.00142.69
ATOM	16133	CA	LYS	I	199	25.784	117.616	175.100	1.00144.74
ATOM	16134	C	LYS	I	199	27.263	117.385	174.807	1.00146.16
ATOM	16135	O	LYS	I	199	27.635	116.980	173.704	1.00146.42
ATOM	16136	CB	LYS	I	199	24.954	116.990	173.974	1.00144.13
ATOM	16137	CG	LYS	I	199	23.480	116.812	174.278	1.00143.65
ATOM	16138	CD	LYS	I	199	22.796	116.070	173.142	1.00143.37
ATOM	16139	CE	LYS	I	199	21.318	115.865	173.413	1.00143.57
ATOM	16140	NZ	LYS	I	199	20.654	115.128	172.301	1.00142.75
ATOM	16141	N	MET	I	200	28.103	117.641	175.801	1.00147.63
ATOM	16142	CA	MET	I	200	29.535	117.458	175.648	1.00148.71
ATOM	16143	C	MET	I	200	29.807	115.967	175.499	1.00149.18
ATOM	16144	O	MET	I	200	28.896	115.190	175.207	1.00148.87
ATOM	16145	CB	MET	I	200	30.257	118.015	176.876	1.00150.40
ATOM	16146	CG	MET	I	200	29.726	119.374	177.315	1.00152.19
ATOM	16147	SD	MET	I	200	30.657	120.129	178.654	1.00154.61
ATOM	16148	CE	MET	I	200	31.654	121.324	177.741	1.00152.77
ATOM	16149	N	THR	I	201	31.057	115.566	175.698	1.00150.26
ATOM	16150	CA	THR	I	201	31.421	114.157	175.585	1.00151.25
ATOM	16151	C	THR	I	201	31.943	113.641	176.934	1.00151.93
ATOM	16152	O	THR	I	201	32.398	114.420	177.777	1.00152.07
ATOM	16153	CB	THR	I	201	32.506	113.941	174.494	1.00151.25
ATOM	16154	OG1	THR	I	201	32.256	114.813	173.383	1.00150.33
ATOM	16155	CG2	THR	I	201	32.479	112.497	173.994	1.00149.83
ATOM	16156	N	GLY	I	202	31.866	112.327	177.134	1.00152.19
ATOM	16157	CA	GLY	I	202	32.331	111.738	178.377	1.00152.43
ATOM	16158	C	GLY	I	202	33.825	111.481	178.398	1.00152.63
ATOM	16159	O	GLY	I	202	34.314	110.569	177.726	1.00151.96
ATOM	16160	N	VAL	I	203	34.544	112.287	179.180	1.00153.30
ATOM	16161	CA	VAL	I	203	36.000	112.185	179.313	1.00153.52
ATOM	16162	C	VAL	I	203	36.431	110.851	179.917	1.00154.48
ATOM	16163	O	VAL	I	203	36.902	110.805	181.048	1.00154.36
ATOM	16164	CB	VAL	I	203	36.563	113.328	180.206	1.00152.40
ATOM	16165	CG1	VAL	I	203	38.087	113.274	180.235	1.00150.80
ATOM	16166	CG2	VAL	I	203	36.084	114.676	179.691	1.00152.03
ATOM	16167	N	MET	I	204	36.276	109.775	179.148	1.00155.36
ATOM	16168	CA	MET	I	204	36.640	108.428	179.587	1.00155.77
ATOM	16169	C	MET	I	204	37.930	108.430	180.420	1.00156.33
ATOM	16170	O	MET	I	204	38.769	109.327	180.290	1.00156.38
ATOM	16171	CB	MET	I	204	36.811	107.518	178.366	1.00155.48
ATOM	16172	CG	MET	I	204	36.475	106.055	178.612	1.00155.23
ATOM	16173	SD	MET	I	204	34.700	105.771	178.812	1.00155.28
ATOM	16174	CE	MET	I	204	34.211	105.389	177.120	1.00153.90
ATOM	16175	N	GLU	I	205	38.083	107.420	181.272	1.00156.77
ATOM	16176	CA	GLU	I	205	39.256	107.306	182.139	1.00157.13
ATOM	16177	C	GLU	I	205	40.558	107.069	181.376	1.00156.70
ATOM	16178	O	GLU	I	205	41.468	107.918	181.489	1.00156.20
ATOM	16179	CB	GLU	I	205	39.044	106.177	183.151	1.00158.00
ATOM	16180	CG	GLU	I	205	38.683	104.841	182.519	1.00159.28

ATOM	16181	CD	GLU	I	205	38.452	103.749	183.546	1.00159.82
ATOM	16182	OE1	GLU	I	205	38.616	104.019	184.757	1.00159.63
ATOM	16183	OE2	GLU	I	205	38.108	102.618	183.139	1.00160.30
ATOM	16184	OXT	GLU	I	205	40.653	106.035	180.681	1.00156.17
ATOM	16185	N	PHE	J	1	29.615	169.463	167.395	1.00 66.53
ATOM	16186	CA	PHE	J	1	29.173	168.560	168.493	1.00 67.72
ATOM	16187	C	PHE	J	1	29.821	167.202	168.299	1.00 70.57
ATOM	16188	O	PHE	J	1	29.955	166.715	167.168	1.00 70.98
ATOM	16189	CB	PHE	J	1	27.643	168.434	168.476	1.00 65.27
ATOM	16190	CG	PHE	J	1	27.075	167.517	169.538	1.00 58.46
ATOM	16191	CD1	PHE	J	1	26.979	166.150	169.322	1.00 55.40
ATOM	16192	CD2	PHE	J	1	26.582	168.033	170.729	1.00 56.95
ATOM	16193	CE1	PHE	J	1	26.398	165.317	170.268	1.00 52.44
ATOM	16194	CE2	PHE	J	1	26.003	167.204	171.678	1.00 53.31
ATOM	16195	CZ	PHE	J	1	25.909	165.845	171.446	1.00 49.88
ATOM	16196	N	ALA	J	2	30.236	166.597	169.409	1.00 73.71
ATOM	16197	CA	ALA	J	2	30.873	165.283	169.367	1.00 74.47
ATOM	16198	C	ALA	J	2	30.749	164.525	170.692	1.00 73.29
ATOM	16199	O	ALA	J	2	30.626	165.128	171.766	1.00 68.89
ATOM	16200	CB	ALA	J	2	32.345	165.429	168.969	1.00 74.15
ATOM	16201	N	CYS	J	3	30.776	163.196	170.587	1.00 74.19
ATOM	16202	CA	CYS	J	3	30.674	162.301	171.738	1.00 74.16
ATOM	16203	C	CYS	J	3	31.791	161.268	171.720	1.00 74.55
ATOM	16204	O	CYS	J	3	32.372	160.980	170.667	1.00 72.19
ATOM	16205	CB	CYS	J	3	29.360	161.540	171.708	1.00 72.95
ATOM	16206	SG	CYS	J	3	27.886	162.548	171.436	1.00 70.86
ATOM	16207	N	LYS	J	4	32.067	160.696	172.889	1.00 75.41
ATOM	16208	CA	LYS	J	4	33.096	159.673	173.017	1.00 77.33
ATOM	16209	C	LYS	J	4	32.680	158.697	174.098	1.00 77.02
ATOM	16210	O	LYS	J	4	32.103	159.090	175.107	1.00 75.32
ATOM	16211	CB	LYS	J	4	34.467	160.306	173.349	1.00 79.33
ATOM	16212	CG	LYS	J	4	34.636	160.929	174.752	1.00 81.38
ATOM	16213	CD	LYS	J	4	35.329	159.964	175.726	1.00 81.95
ATOM	16214	CE	LYS	J	4	35.802	160.650	177.012	1.00 80.28
ATOM	16215	NZ	LYS	J	4	34.698	161.169	177.861	1.00 80.80
ATOM	16216	N	THR	J	5	32.959	157.420	173.878	1.00 79.71
ATOM	16217	CA	THR	J	5	32.611	156.400	174.853	1.00 84.95
ATOM	16218	C	THR	J	5	33.629	156.396	176.005	1.00 86.92
ATOM	16219	O	THR	J	5	34.762	156.857	175.844	1.00 88.91
ATOM	16220	CB	THR	J	5	32.568	155.003	174.194	1.00 85.93
ATOM	16221	OG1	THR	J	5	31.866	154.097	175.053	1.00 89.43
ATOM	16222	CG2	THR	J	5	33.978	154.470	173.956	1.00 84.41
ATOM	16223	N	ALA	J	6	33.224	155.880	177.163	1.00 87.94
ATOM	16224	CA	ALA	J	6	34.105	155.821	178.328	1.00 88.77
ATOM	16225	C	ALA	J	6	35.211	154.781	178.142	1.00 89.70
ATOM	16226	O	ALA	J	6	36.060	154.607	179.013	1.00 89.82
ATOM	16227	CB	ALA	J	6	33.293	155.498	179.581	1.00 86.92
ATOM	16228	N	ASN	J	7	35.196	154.095	177.005	1.00 91.48
ATOM	16229	CA	ASN	J	7	36.194	153.070	176.713	1.00 92.97
ATOM	16230	C	ASN	J	7	37.166	153.584	175.658	1.00 93.37
ATOM	16231	O	ASN	J	7	37.969	152.831	175.105	1.00 92.48
ATOM	16232	CB	ASN	J	7	35.502	151.794	176.221	1.00 94.66
ATOM	16233	CG	ASN	J	7	36.373	150.560	176.370	1.00 94.92
ATOM	16234	OD1	ASN	J	7	37.360	150.391	175.654	1.00 96.70
ATOM	16235	ND2	ASN	J	7	36.011	149.691	177.310	1.00 94.17
ATOM	16236	N	GLY	J	8	37.076	154.878	175.375	1.00 94.15
ATOM	16237	CA	GLY	J	8	37.965	155.480	174.405	1.00 95.49
ATOM	16238	C	GLY	J	8	37.378	155.704	173.029	1.00 95.68
ATOM	16239	O	GLY	J	8	37.673	156.712	172.390	1.00 96.54
ATOM	16240	N	THR	J	9	36.556	154.771	172.563	1.00 95.79
ATOM	16241	CA	THR	J	9	35.953	154.895	171.240	1.00 95.74
ATOM	16242	C	THR	J	9	35.081	156.145	171.162	1.00 95.27

ATOM	16243	O	THR	J	9	34.277	156.407	172.058	1.00	94.86
ATOM	16244	CB	THR	J	9	35.109	153.657	170.910	1.00	95.94
ATOM	16245	OG1	THR	J	9	35.869	152.479	171.211	1.00	97.39
ATOM	16246	CG2	THR	J	9	34.729	153.647	169.430	1.00	95.01
ATOM	16247	N	ALA	J	10	35.243	156.918	170.091	1.00	94.01
ATOM	16248	CA	ALA	J	10	34.474	158.146	169.936	1.00	93.19
ATOM	16249	C	ALA	J	10	33.844	158.343	168.562	1.00	93.35
ATOM	16250	O	ALA	J	10	34.231	157.710	167.574	1.00	93.39
ATOM	16251	CB	ALA	J	10	35.346	159.340	170.273	1.00	91.95
ATOM	16252	N	ILE	J	11	32.864	159.242	168.525	1.00	93.44
ATOM	16253	CA	ILE	J	11	32.136	159.574	167.308	1.00	92.82
ATOM	16254	C	ILE	J	11	32.387	161.041	166.969	1.00	91.27
ATOM	16255	O	ILE	J	11	31.929	161.944	167.678	1.00	91.24
ATOM	16256	CB	ILE	J	11	30.622	159.365	167.496	1.00	94.79
ATOM	16257	CG1	ILE	J	11	30.331	157.901	167.858	1.00	97.06
ATOM	16258	CG2	ILE	J	11	29.897	159.756	166.236	1.00	95.60
ATOM	16259	CD1	ILE	J	11	28.857	157.579	168.081	1.00	94.99
ATOM	16260	N	PRO	J	12	33.111	161.295	165.868	1.00	88.95
ATOM	16261	CA	PRO	J	12	33.446	162.646	165.406	1.00	86.53
ATOM	16262	C	PRO	J	12	32.237	163.519	165.068	1.00	84.55
ATOM	16263	O	PRO	J	12	31.091	163.099	165.198	1.00	84.04
ATOM	16264	CB	PRO	J	12	34.322	162.377	164.188	1.00	86.29
ATOM	16265	CG	PRO	J	12	33.716	161.129	163.632	1.00	87.08
ATOM	16266	CD	PRO	J	12	33.522	160.288	164.873	1.00	88.37
ATOM	16267	N	ILE	J	13	32.512	164.747	164.640	1.00	82.81
ATOM	16268	CA	ILE	J	13	31.462	165.679	164.263	1.00	79.59
ATOM	16269	C	ILE	J	13	30.760	165.069	163.059	1.00	79.88
ATOM	16270	O	ILE	J	13	31.317	164.205	162.386	1.00	79.23
ATOM	16271	CB	ILE	J	13	32.050	167.058	163.876	1.00	76.90
ATOM	16272	CG1	ILE	J	13	32.919	167.592	165.018	1.00	73.06
ATOM	16273	CG2	ILE	J	13	30.930	168.039	163.563	1.00	76.80
ATOM	16274	CD1	ILE	J	13	33.402	169.001	164.824	1.00	68.56
ATOM	16275	N	GLY	J	14	29.538	165.511	162.787	1.00	81.00
ATOM	16276	CA	GLY	J	14	28.801	164.964	161.660	1.00	80.08
ATOM	16277	C	GLY	J	14	28.152	163.648	162.035	1.00	78.03
ATOM	16278	O	GLY	J	14	27.627	162.930	161.185	1.00	75.66
ATOM	16279	N	GLY	J	15	28.185	163.341	163.327	1.00	78.28
ATOM	16280	CA	GLY	J	15	27.613	162.103	163.811	1.00	79.31
ATOM	16281	C	GLY	J	15	28.643	161.004	163.677	1.00	80.43
ATOM	16282	O	GLY	J	15	29.841	161.276	163.580	1.00	80.11
ATOM	16283	N	GLY	J	16	28.185	159.759	163.672	1.00	80.90
ATOM	16284	CA	GLY	J	16	29.106	158.654	163.534	1.00	82.67
ATOM	16285	C	GLY	J	16	28.514	157.310	163.895	1.00	83.86
ATOM	16286	O	GLY	J	16	27.384	156.992	163.516	1.00	83.80
ATOM	16287	N	SER	J	17	29.286	156.521	164.633	1.00	84.21
ATOM	16288	CA	SER	J	17	28.857	155.195	165.034	1.00	86.89
ATOM	16289	C	SER	J	17	29.914	154.572	165.929	1.00	89.00
ATOM	16290	O	SER	J	17	31.104	154.601	165.604	1.00	89.74
ATOM	16291	CB	SER	J	17	28.658	154.327	163.795	1.00	86.26
ATOM	16292	OG	SER	J	17	29.843	154.279	163.020	1.00	87.75
ATOM	16293	N	ALA	J	18	29.476	154.004	167.051	1.00	90.87
ATOM	16294	CA	ALA	J	18	30.396	153.383	167.999	1.00	91.93
ATOM	16295	C	ALA	J	18	29.783	152.215	168.763	1.00	91.98
ATOM	16296	O	ALA	J	18	28.570	152.139	168.953	1.00	91.79
ATOM	16297	CB	ALA	J	18	30.911	154.430	168.983	1.00	91.33
ATOM	16298	N	ASN	J	19	30.646	151.310	169.204	1.00	91.85
ATOM	16299	CA	ASN	J	19	30.224	150.138	169.950	1.00	92.60
ATOM	16300	C	ASN	J	19	30.407	150.367	171.441	1.00	93.33
ATOM	16301	O	ASN	J	19	31.518	150.607	171.912	1.00	94.27
ATOM	16302	CB	ASN	J	19	31.055	148.929	169.531	1.00	93.05
ATOM	16303	CG	ASN	J	19	30.588	148.310	168.234	1.00	93.35
ATOM	16304	OD1	ASN	J	19	30.268	149.005	167.266	1.00	90.72

ATOM	16305	ND2	ASN	J	19	30.567	146.983	168.202	1.00	94.35
ATOM	16306	N	VAL	J	20	29.318	150.287	172.188	1.00	93.41
ATOM	16307	CA	VAL	J	20	29.392	150.473	173.626	1.00	94.20
ATOM	16308	C	VAL	J	20	29.316	149.099	174.298	1.00	95.21
ATOM	16309	O	VAL	J	20	28.230	148.636	174.660	1.00	95.02
ATOM	16310	CB	VAL	J	20	28.230	151.350	174.118	1.00	94.45
ATOM	16311	CG1	VAL	J	20	28.511	151.859	175.523	1.00	93.76
ATOM	16312	CG2	VAL	J	20	28.020	152.498	173.153	1.00	95.23
ATOM	16313	N	TYR	J	21	30.466	148.444	174.454	1.00	94.97
ATOM	16314	CA	TYR	J	21	30.510	147.123	175.080	1.00	94.12
ATOM	16315	C	TYR	J	21	30.311	147.233	176.589	1.00	95.15
ATOM	16316	O	TYR	J	21	31.242	147.017	177.358	1.00	95.87
ATOM	16317	CB	TYR	J	21	31.852	146.443	174.809	1.00	90.71
ATOM	16318	CG	TYR	J	21	32.265	146.441	173.362	1.00	88.65
ATOM	16319	CD1	TYR	J	21	32.904	147.543	172.796	1.00	87.11
ATOM	16320	CD2	TYR	J	21	31.996	145.344	172.548	1.00	89.36
ATOM	16321	CE1	TYR	J	21	33.266	147.551	171.448	1.00	87.93
ATOM	16322	CE2	TYR	J	21	32.349	145.342	171.198	1.00	88.95
ATOM	16323	CZ	TYR	J	21	32.979	146.446	170.652	1.00	88.79
ATOM	16324	OH	TYR	J	21	33.277	146.451	169.304	1.00	88.88
ATOM	16325	N	VAL	J	22	29.099	147.566	177.016	1.00	95.89
ATOM	16326	CA	VAL	J	22	28.825	147.702	178.440	1.00	97.76
ATOM	16327	C	VAL	J	22	28.723	146.351	179.136	1.00	99.03
ATOM	16328	O	VAL	J	22	28.505	145.323	178.490	1.00	99.22
ATOM	16329	CB	VAL	J	22	27.515	148.473	178.689	1.00	98.24
ATOM	16330	CG1	VAL	J	22	27.667	149.912	178.239	1.00	98.06
ATOM	16331	CG2	VAL	J	22	26.368	147.796	177.952	1.00	97.52
ATOM	16332	N	ASN	J	23	28.890	146.365	180.457	1.00	100.16
ATOM	16333	CA	ASN	J	23	28.803	145.150	181.259	1.00	100.37
ATOM	16334	C	ASN	J	23	27.344	144.937	181.625	1.00	101.19
ATOM	16335	O	ASN	J	23	26.524	145.852	181.502	1.00	101.90
ATOM	16336	CB	ASN	J	23	29.640	145.274	182.538	1.00	99.81
ATOM	16337	CG	ASN	J	23	31.110	145.529	182.254	1.00	101.11
ATOM	16338	OD1	ASN	J	23	31.701	144.906	181.370	1.00	101.75
ATOM	16339	ND2	ASN	J	23	31.711	146.441	183.011	1.00	101.61
ATOM	16340	N	LEU	J	24	27.021	143.730	182.079	1.00	101.03
ATOM	16341	CA	LEU	J	24	25.651	143.408	182.452	1.00	99.63
ATOM	16342	C	LEU	J	24	25.593	142.562	183.721	1.00	99.58
ATOM	16343	O	LEU	J	24	26.321	141.575	183.853	1.00	98.24
ATOM	16344	CB	LEU	J	24	24.975	142.663	181.300	1.00	98.81
ATOM	16345	CG	LEU	J	24	25.047	143.359	179.941	1.00	95.99
ATOM	16346	CD1	LEU	J	24	24.518	142.440	178.854	1.00	93.79
ATOM	16347	CD2	LEU	J	24	24.252	144.649	180.009	1.00	95.41
ATOM	16348	N	ALA	J	25	24.730	142.963	184.652	1.00	99.74
ATOM	16349	CA	ALA	J	25	24.551	142.238	185.905	1.00	100.51
ATOM	16350	C	ALA	J	25	24.250	140.791	185.528	1.00	101.75
ATOM	16351	O	ALA	J	25	23.187	140.493	184.987	1.00	103.73
ATOM	16352	CB	ALA	J	25	23.388	142.831	186.689	1.00	98.92
ATOM	16353	N	PRO	J	26	25.191	139.874	185.795	1.00	101.98
ATOM	16354	CA	PRO	J	26	25.025	138.453	185.472	1.00	101.14
ATOM	16355	C	PRO	J	26	23.867	137.688	186.124	1.00	100.66
ATOM	16356	O	PRO	J	26	23.583	136.565	185.718	1.00	101.04
ATOM	16357	CB	PRO	J	26	26.382	137.859	185.843	1.00	101.68
ATOM	16358	CG	PRO	J	26	27.323	139.001	185.598	1.00	101.94
ATOM	16359	CD	PRO	J	26	26.573	140.146	186.226	1.00	102.48
ATOM	16360	N	VAL	J	27	23.198	138.265	187.121	1.00	99.84
ATOM	16361	CA	VAL	J	27	22.095	137.544	187.765	1.00	99.40
ATOM	16362	C	VAL	J	27	20.882	138.386	188.182	1.00	100.18
ATOM	16363	O	VAL	J	27	20.911	139.093	189.196	1.00	99.21
ATOM	16364	CB	VAL	J	27	22.593	136.762	189.003	1.00	98.37
ATOM	16365	CG1	VAL	J	27	21.437	136.032	189.657	1.00	97.06
ATOM	16366	CG2	VAL	J	27	23.670	135.767	188.593	1.00	98.41

ATOM	16367	N	VAL	J	28	19.807	138.274	187.398	1.00100.83
ATOM	16368	CA	VAL	J	28	18.562	139.004	187.646	1.00 99.15
ATOM	16369	C	VAL	J	28	17.396	138.025	187.813	1.00 98.99
ATOM	16370	O	VAL	J	28	17.519	136.842	187.503	1.00 97.03
ATOM	16371	CB	VAL	J	28	18.210	139.945	186.465	1.00 98.13
ATOM	16372	CG1	VAL	J	28	17.375	141.115	186.968	1.00 95.95
ATOM	16373	CG2	VAL	J	28	19.479	140.414	185.759	1.00 95.72
ATOM	16374	N	ASN	J	29	16.264	138.526	188.298	1.00100.03
ATOM	16375	CA	ASN	J	29	15.077	137.694	188.481	1.00101.63
ATOM	16376	C	ASN	J	29	13.784	138.459	188.209	1.00100.84
ATOM	16377	O	ASN	J	29	13.816	139.618	187.798	1.00101.52
ATOM	16378	CB	ASN	J	29	15.050	137.097	189.892	1.00104.58
ATOM	16379	CG	ASN	J	29	15.878	135.821	190.005	1.00107.05
ATOM	16380	OD1	ASN	J	29	15.597	134.824	189.334	1.00108.75
ATOM	16381	ND2	ASN	J	29	16.900	135.846	190.860	1.00106.68
ATOM	16382	N	VAL	J	30	12.652	137.802	188.444	1.00 99.96
ATOM	16383	CA	VAL	J	30	11.332	138.394	188.203	1.00100.05
ATOM	16384	C	VAL	J	30	11.029	139.698	188.946	1.00 99.26
ATOM	16385	O	VAL	J	30	10.934	139.727	190.176	1.00 99.00
ATOM	16386	CB	VAL	J	30	10.201	137.379	188.523	1.00100.39
ATOM	16387	CG1	VAL	J	30	8.835	138.052	188.420	1.00 99.27
ATOM	16388	CG2	VAL	J	30	10.274	136.210	187.558	1.00100.60
ATOM	16389	N	GLY	J	31	10.850	140.769	188.177	1.00 97.94
ATOM	16390	CA	GLY	J	31	10.553	142.063	188.761	1.00 95.95
ATOM	16391	C	GLY	J	31	11.814	142.877	188.932	1.00 94.66
ATOM	16392	O	GLY	J	31	11.865	144.052	188.567	1.00 93.64
ATOM	16393	N	GLN	J	32	12.838	142.235	189.485	1.00 94.17
ATOM	16394	CA	GLN	J	32	14.132	142.869	189.723	1.00 93.76
ATOM	16395	C	GLN	J	32	14.673	143.482	188.420	1.00 92.15
ATOM	16396	O	GLN	J	32	14.793	142.789	187.400	1.00 91.98
ATOM	16397	CB	GLN	J	32	15.120	141.827	190.274	1.00 94.61
ATOM	16398	CG	GLN	J	32	16.304	142.419	191.021	1.00 95.71
ATOM	16399	CD	GLN	J	32	17.314	141.371	191.437	1.00 97.15
ATOM	16400	OE1	GLN	J	32	17.938	140.720	190.597	1.00 99.29
ATOM	16401	NE2	GLN	J	32	17.483	141.201	192.742	1.00 99.01
ATOM	16402	N	ASN	J	33	15.004	144.775	188.463	1.00 88.47
ATOM	16403	CA	ASN	J	33	15.509	145.479	187.288	1.00 84.19
ATOM	16404	C	ASN	J	33	16.913	145.139	186.840	1.00 81.75
ATOM	16405	O	ASN	J	33	17.767	144.776	187.642	1.00 81.71
ATOM	16406	CB	ASN	J	33	15.406	146.982	187.486	1.00 83.56
ATOM	16407	CG	ASN	J	33	14.061	147.520	187.070	1.00 85.52
ATOM	16408	OD1	ASN	J	33	13.062	147.338	187.767	1.00 87.69
ATOM	16409	ND2	ASN	J	33	14.019	148.170	185.911	1.00 85.86
ATOM	16410	N	LEU	J	34	17.135	145.280	185.537	1.00 79.42
ATOM	16411	CA	LEU	J	34	18.417	144.992	184.908	1.00 78.97
ATOM	16412	C	LEU	J	34	19.010	146.259	184.300	1.00 80.08
ATOM	16413	O	LEU	J	34	19.600	146.226	183.219	1.00 80.65
ATOM	16414	CB	LEU	J	34	18.217	143.932	183.825	1.00 78.19
ATOM	16415	CG	LEU	J	34	19.323	143.642	182.812	1.00 79.00
ATOM	16416	CD1	LEU	J	34	20.661	143.494	183.512	1.00 81.86
ATOM	16417	CD2	LEU	J	34	18.965	142.388	182.045	1.00 78.78
ATOM	16418	N	VAL	J	35	18.858	147.372	185.016	1.00 81.02
ATOM	16419	CA	VAL	J	35	19.345	148.683	184.577	1.00 81.31
ATOM	16420	C	VAL	J	35	20.615	148.653	183.723	1.00 80.23
ATOM	16421	O	VAL	J	35	21.560	147.927	184.023	1.00 80.24
ATOM	16422	CB	VAL	J	35	19.595	149.616	185.787	1.00 82.16
ATOM	16423	CG1	VAL	J	35	19.881	151.039	185.297	1.00 83.22
ATOM	16424	CG2	VAL	J	35	18.389	149.598	186.727	1.00 81.37
ATOM	16425	N	VAL	J	36	20.617	149.451	182.657	1.00 79.47
ATOM	16426	CA	VAL	J	36	21.751	149.546	181.742	1.00 79.35
ATOM	16427	C	VAL	J	36	22.030	151.017	181.440	1.00 79.07
ATOM	16428	O	VAL	J	36	21.752	151.496	180.341	1.00 80.28

ATOM	16429	CB	VAL	J	36	21.456	148.816	180.418	1.00	79.83
ATOM	16430	CG1	VAL	J	36	22.647	148.953	179.459	1.00	78.35
ATOM	16431	CG2	VAL	J	36	21.142	147.351	180.701	1.00	79.91
ATOM	16432	N	ASP	J	37	22.585	151.723	182.422	1.00	77.72
ATOM	16433	CA	ASP	J	37	22.886	153.148	182.286	1.00	76.18
ATOM	16434	C	ASP	J	37	24.108	153.450	181.435	1.00	75.02
ATOM	16435	O	ASP	J	37	25.170	152.860	181.622	1.00	74.63
ATOM	16436	CB	ASP	J	37	23.081	153.783	183.664	1.00	74.22
ATOM	16437	CG	ASP	J	37	23.375	155.269	183.584	1.00	72.23
ATOM	16438	OD1	ASP	J	37	23.253	155.852	182.482	1.00	68.95
ATOM	16439	OD2	ASP	J	37	23.721	155.851	184.630	1.00	72.40
ATOM	16440	N	LEU	J	38	23.960	154.394	180.514	1.00	74.34
ATOM	16441	CA	LEU	J	38	25.073	154.754	179.659	1.00	75.37
ATOM	16442	C	LEU	J	38	25.569	156.187	179.885	1.00	76.06
ATOM	16443	O	LEU	J	38	26.534	156.632	179.251	1.00	75.12
ATOM	16444	CB	LEU	J	38	24.708	154.506	178.194	1.00	73.28
ATOM	16445	CG	LEU	J	38	24.249	153.064	177.972	1.00	68.25
ATOM	16446	CD1	LEU	J	38	22.756	153.022	178.182	1.00	69.27
ATOM	16447	CD2	LEU	J	38	24.607	152.574	176.579	1.00	65.65
ATOM	16448	N	SER	J	39	24.911	156.907	180.791	1.00	76.32
ATOM	16449	CA	SER	J	39	25.356	158.253	181.120	1.00	77.79
ATOM	16450	C	SER	J	39	26.529	157.957	182.044	1.00	78.34
ATOM	16451	O	SER	J	39	26.640	158.497	183.146	1.00	78.67
ATOM	16452	CB	SER	J	39	24.275	159.044	181.870	1.00	78.56
ATOM	16453	OG	SER	J	39	24.153	158.618	183.216	1.00	81.69
ATOM	16454	N	THR	J	40	27.386	157.058	181.567	1.00	79.16
ATOM	16455	CA	THR	J	40	28.572	156.599	182.275	1.00	78.88
ATOM	16456	C	THR	J	40	29.330	155.721	181.287	1.00	78.14
ATOM	16457	O	THR	J	40	30.310	155.071	181.630	1.00	79.53
ATOM	16458	CB	THR	J	40	28.192	155.749	183.515	1.00	78.05
ATOM	16459	OG1	THR	J	40	27.411	156.539	184.422	1.00	76.53
ATOM	16460	CG2	THR	J	40	29.440	155.255	184.228	1.00	77.61
ATOM	16461	N	GLN	J	41	28.857	155.705	180.050	1.00	77.42
ATOM	16462	CA	GLN	J	41	29.484	154.907	179.012	1.00	79.15
ATOM	16463	C	GLN	J	41	29.604	155.717	177.743	1.00	79.42
ATOM	16464	O	GLN	J	41	30.260	155.296	176.787	1.00	77.95
ATOM	16465	CB	GLN	J	41	28.666	153.648	178.745	1.00	81.75
ATOM	16466	CG	GLN	J	41	28.735	152.630	179.867	1.00	84.28
ATOM	16467	CD	GLN	J	41	30.109	152.005	179.987	1.00	86.21
ATOM	16468	OE1	GLN	J	41	30.334	151.135	180.829	1.00	86.43
ATOM	16469	NE2	GLN	J	41	31.040	152.443	179.137	1.00	86.57
ATOM	16470	N	ILE	J	42	28.957	156.881	177.744	1.00	79.51
ATOM	16471	CA	ILE	J	42	28.990	157.790	176.604	1.00	78.65
ATOM	16472	C	ILE	J	42	28.823	159.236	177.054	1.00	78.43
ATOM	16473	O	ILE	J	42	27.931	159.553	177.842	1.00	77.40
ATOM	16474	CB	ILE	J	42	27.868	157.494	175.595	1.00	79.54
ATOM	16475	CG1	ILE	J	42	27.995	156.069	175.053	1.00	78.75
ATOM	16476	CG2	ILE	J	42	27.931	158.501	174.458	1.00	77.04
ATOM	16477	CD1	ILE	J	42	26.813	155.635	174.213	1.00	76.79
ATOM	16478	N	PHE	J	43	29.688	160.108	176.546	1.00	79.24
ATOM	16479	CA	PHE	J	43	29.631	161.525	176.874	1.00	78.30
ATOM	16480	C	PHE	J	43	29.752	162.356	175.608	1.00	77.89
ATOM	16481	O	PHE	J	43	30.330	161.911	174.610	1.00	77.04
ATOM	16482	CB	PHE	J	43	30.762	161.896	177.823	1.00	80.21
ATOM	16483	CG	PHE	J	43	30.824	161.039	179.043	1.00	83.11
ATOM	16484	CD1	PHE	J	43	31.256	159.720	178.960	1.00	82.15
ATOM	16485	CD2	PHE	J	43	30.413	161.538	180.277	1.00	84.55
ATOM	16486	CE1	PHE	J	43	31.273	158.909	180.089	1.00	85.65
ATOM	16487	CE2	PHE	J	43	30.427	160.734	181.415	1.00	85.70
ATOM	16488	CZ	PHE	J	43	30.856	159.418	181.323	1.00	86.08
ATOM	16489	N	CYS	J	44	29.200	163.563	175.656	1.00	76.98
ATOM	16490	CA	CYS	J	44	29.249	164.475	174.523	1.00	76.97

ATOM	16491	C	CYS	J	44	29.513	165.880	175.028	1.00	77.84
ATOM	16492	O	CYS	J	44	29.136	166.226	176.147	1.00	77.72
ATOM	16493	CB	CYS	J	44	27.921	164.492	173.775	1.00	74.87
ATOM	16494	SG	CYS	J	44	27.200	162.888	173.321	1.00	73.49
ATOM	16495	N	HIS	J	45	30.157	166.691	174.198	1.00	80.39
ATOM	16496	CA	HIS	J	45	30.437	168.075	174.557	1.00	81.63
ATOM	16497	C	HIS	J	45	30.122	168.955	173.352	1.00	82.69
ATOM	16498	O	HIS	J	45	29.890	168.457	172.244	1.00	82.61
ATOM	16499	CB	HIS	J	45	31.901	168.245	174.970	1.00	81.47
ATOM	16500	CG	HIS	J	45	32.868	168.067	173.846	1.00	82.77
ATOM	16501	ND1	HIS	J	45	32.844	166.968	173.014	1.00	83.54
ATOM	16502	CD2	HIS	J	45	33.887	168.846	173.414	1.00	83.93
ATOM	16503	CE1	HIS	J	45	33.807	167.080	172.117	1.00	85.32
ATOM	16504	NE2	HIS	J	45	34.455	168.209	172.338	1.00	85.50
ATOM	16505	N	ASN	J	46	30.121	170.265	173.571	1.00	83.75
ATOM	16506	CA	ASN	J	46	29.814	171.224	172.516	1.00	83.47
ATOM	16507	C	ASN	J	46	31.083	171.882	171.974	1.00	83.93
ATOM	16508	O	ASN	J	46	31.957	172.284	172.751	1.00	84.30
ATOM	16509	CB	ASN	J	46	28.866	172.281	173.078	1.00	81.54
ATOM	16510	CG	ASN	J	46	28.030	172.930	172.015	1.00	79.55
ATOM	16511	OD1	ASN	J	46	27.614	172.281	171.056	1.00	78.69
ATOM	16512	ND2	ASN	J	46	27.750	174.213	172.190	1.00	78.17
ATOM	16513	N	ASP	J	47	31.185	171.995	170.650	1.00	83.30
ATOM	16514	CA	ASP	J	47	32.367	172.605	170.040	1.00	83.71
ATOM	16515	C	ASP	J	47	32.362	174.133	170.011	1.00	83.15
ATOM	16516	O	ASP	J	47	33.424	174.760	170.072	1.00	81.37
ATOM	16517	CB	ASP	J	47	32.581	172.071	168.624	1.00	85.59
ATOM	16518	CG	ASP	J	47	33.177	170.677	168.616	1.00	88.57
ATOM	16519	OD1	ASP	J	47	34.039	170.400	169.480	1.00	88.04
ATOM	16520	OD2	ASP	J	47	32.798	169.865	167.741	1.00	90.56
ATOM	16521	N	TYR	J	48	31.173	174.723	169.903	1.00	82.62
ATOM	16522	CA	TYR	J	48	31.026	176.176	169.881	1.00	82.67
ATOM	16523	C	TYR	J	48	29.965	176.613	170.886	1.00	81.63
ATOM	16524	O	TYR	J	48	28.944	177.186	170.502	1.00	81.58
ATOM	16525	CB	TYR	J	48	30.606	176.670	168.495	1.00	84.73
ATOM	16526	CG	TYR	J	48	31.645	176.521	167.406	1.00	90.65
ATOM	16527	CD1	TYR	J	48	32.112	175.258	167.027	1.00	93.52
ATOM	16528	CD2	TYR	J	48	32.095	177.638	166.686	1.00	93.77
ATOM	16529	CE1	TYR	J	48	32.994	175.102	165.950	1.00	94.38
ATOM	16530	CE2	TYR	J	48	32.977	177.494	165.603	1.00	94.27
ATOM	16531	CZ	TYR	J	48	33.412	176.219	165.239	1.00	95.05
ATOM	16532	OH	TYR	J	48	34.223	176.052	164.141	1.00	93.50
ATOM	16533	N	PRO	J	49	30.201	176.366	172.186	1.00	80.58
ATOM	16534	CA	PRO	J	49	29.256	176.733	173.248	1.00	79.64
ATOM	16535	C	PRO	J	49	28.993	178.230	173.352	1.00	78.48
ATOM	16536	O	PRO	J	49	27.860	178.658	173.581	1.00	77.97
ATOM	16537	CB	PRO	J	49	29.917	176.172	174.506	1.00	80.40
ATOM	16538	CG	PRO	J	49	31.379	176.301	174.193	1.00	81.10
ATOM	16539	CD	PRO	J	49	31.440	175.812	172.761	1.00	80.99
ATOM	16540	N	GLU	J	50	30.045	179.021	173.188	1.00	77.27
ATOM	16541	CA	GLU	J	50	29.927	180.466	173.277	1.00	76.84
ATOM	16542	C	GLU	J	50	28.830	181.030	172.372	1.00	76.48
ATOM	16543	O	GLU	J	50	28.083	181.920	172.781	1.00	77.07
ATOM	16544	CB	GLU	J	50	31.272	181.120	172.936	1.00	77.55
ATOM	16545	CG	GLU	J	50	32.355	180.924	173.990	1.00	77.70
ATOM	16546	CD	GLU	J	50	32.647	179.461	174.283	1.00	77.68
ATOM	16547	OE1	GLU	J	50	33.173	178.763	173.390	1.00	72.99
ATOM	16548	OE2	GLU	J	50	32.348	179.009	175.410	1.00	78.19
ATOM	16549	N	THR	J	51	28.723	180.502	171.155	1.00	75.03
ATOM	16550	CA	THR	J	51	27.730	180.988	170.200	1.00	74.21
ATOM	16551	C	THR	J	51	26.637	179.985	169.847	1.00	74.18
ATOM	16552	O	THR	J	51	25.474	180.352	169.688	1.00	73.81

ATOM	16553	CB	THR	J	51	28.397	181.405	168.878	1.00	74.58
ATOM	16554	OG1	THR	J	51	29.679	181.980	169.154	1.00	74.19
ATOM	16555	CG2	THR	J	51	27.524	182.422	168.134	1.00	72.29
ATOM	16556	N	ILE	J	52	27.012	178.719	169.714	1.00	74.03
ATOM	16557	CA	ILE	J	52	26.053	177.686	169.345	1.00	74.98
ATOM	16558	C	ILE	J	52	25.682	176.755	170.503	1.00	75.11
ATOM	16559	O	ILE	J	52	26.546	176.320	171.264	1.00	75.49
ATOM	16560	CB	ILE	J	52	26.613	176.821	168.185	1.00	75.59
ATOM	16561	CG1	ILE	J	52	27.291	177.720	167.145	1.00	76.53
ATOM	16562	CG2	ILE	J	52	25.489	176.031	167.535	1.00	73.32
ATOM	16563	CD1	ILE	J	52	28.044	176.968	166.057	1.00	74.43
ATOM	16564	N	THR	J	53	24.394	176.458	170.641	1.00	74.80
ATOM	16565	CA	THR	J	53	23.935	175.538	171.680	1.00	74.82
ATOM	16566	C	THR	J	53	23.227	174.357	171.011	1.00	73.58
ATOM	16567	O	THR	J	53	22.301	174.538	170.215	1.00	73.51
ATOM	16568	CB	THR	J	53	22.992	176.233	172.690	1.00	75.46
ATOM	16569	OG1	THR	J	53	22.135	177.151	172.003	1.00	78.79
ATOM	16570	CG2	THR	J	53	23.797	176.981	173.735	1.00	74.16
ATOM	16571	N	ASP	J	54	23.679	173.148	171.333	1.00	72.55
ATOM	16572	CA	ASP	J	54	23.137	171.926	170.745	1.00	71.67
ATOM	16573	C	ASP	J	54	22.053	171.205	171.530	1.00	67.91
ATOM	16574	O	ASP	J	54	22.088	171.123	172.752	1.00	66.37
ATOM	16575	CB	ASP	J	54	24.275	170.937	170.453	1.00	76.23
ATOM	16576	CG	ASP	J	54	24.496	170.720	168.960	1.00	80.25
ATOM	16577	OD1	ASP	J	54	23.571	170.215	168.279	1.00	83.36
ATOM	16578	OD2	ASP	J	54	25.593	171.055	168.471	1.00	79.15
ATOM	16579	N	TYR	J	55	21.089	170.675	170.789	1.00	66.48
ATOM	16580	CA	TYR	J	55	19.974	169.926	171.356	1.00	65.11
ATOM	16581	C	TYR	J	55	20.218	168.477	170.968	1.00	64.28
ATOM	16582	O	TYR	J	55	20.417	168.170	169.789	1.00	65.24
ATOM	16583	CB	TYR	J	55	18.654	170.397	170.746	1.00	61.79
ATOM	16584	CG	TYR	J	55	18.509	171.891	170.753	1.00	61.37
ATOM	16585	CD1	TYR	J	55	18.895	172.637	171.861	1.00	62.17
ATOM	16586	CD2	TYR	J	55	17.988	172.562	169.652	1.00	59.69
ATOM	16587	CE1	TYR	J	55	18.765	174.014	171.875	1.00	65.13
ATOM	16588	CE2	TYR	J	55	17.856	173.936	169.650	1.00	61.38
ATOM	16589	CZ	TYR	J	55	18.244	174.661	170.767	1.00	64.37
ATOM	16590	OH	TYR	J	55	18.098	176.032	170.796	1.00	66.30
ATOM	16591	N	VAL	J	56	20.215	167.584	171.946	1.00	61.63
ATOM	16592	CA	VAL	J	56	20.448	166.191	171.635	1.00	60.42
ATOM	16593	C	VAL	J	56	19.280	165.345	172.112	1.00	58.17
ATOM	16594	O	VAL	J	56	18.776	165.529	173.216	1.00	56.12
ATOM	16595	CB	VAL	J	56	21.760	165.708	172.277	1.00	62.76
ATOM	16596	CG1	VAL	J	56	22.211	164.416	171.627	1.00	63.90
ATOM	16597	CG2	VAL	J	56	22.826	166.773	172.129	1.00	61.38
ATOM	16598	N	THR	J	57	18.855	164.415	171.269	1.00	56.40
ATOM	16599	CA	THR	J	57	17.727	163.559	171.599	1.00	56.85
ATOM	16600	C	THR	J	57	18.017	162.094	171.290	1.00	59.23
ATOM	16601	O	THR	J	57	19.059	161.760	170.715	1.00	59.82
ATOM	16602	CB	THR	J	57	16.500	163.966	170.777	1.00	52.47
ATOM	16603	OG1	THR	J	57	16.626	163.454	169.445	1.00	43.79
ATOM	16604	CG2	THR	J	57	16.408	165.478	170.704	1.00	52.87
ATOM	16605	N	LEU	J	58	17.096	161.222	171.693	1.00	59.51
ATOM	16606	CA	LEU	J	58	17.212	159.802	171.390	1.00	60.48
ATOM	16607	C	LEU	J	58	16.164	159.544	170.301	1.00	60.38
ATOM	16608	O	LEU	J	58	14.996	159.257	170.589	1.00	58.01
ATOM	16609	CB	LEU	J	58	16.927	158.929	172.625	1.00	62.33
ATOM	16610	CG	LEU	J	58	16.915	157.401	172.388	1.00	62.13
ATOM	16611	CD1	LEU	J	58	18.298	156.895	171.965	1.00	62.21
ATOM	16612	CD2	LEU	J	58	16.461	156.697	173.646	1.00	60.42
ATOM	16613	N	GLN	J	59	16.598	159.690	169.051	1.00	61.58
ATOM	16614	CA	GLN	J	59	15.748	159.495	167.881	1.00	64.97

ATOM	16615	C	GLN	J	59	14.928	158.211	167.976	1.00	67.06
ATOM	16616	O	GLN	J	59	13.693	158.222	167.874	1.00	66.65
ATOM	16617	CB	GLN	J	59	16.620	159.430	166.629	1.00	65.90
ATOM	16618	CG	GLN	J	59	16.545	160.633	165.728	1.00	69.47
ATOM	16619	CD	GLN	J	59	15.341	160.603	164.814	1.00	71.67
ATOM	16620	OE1	GLN	J	59	14.192	160.706	165.260	1.00	74.08
ATOM	16621	NE2	GLN	J	59	15.598	160.455	163.520	1.00	71.45
ATOM	16622	N	ARG	J	60	15.640	157.103	168.154	1.00	67.89
ATOM	16623	CA	ARG	J	60	15.027	155.792	168.248	1.00	68.73
ATOM	16624	C	ARG	J	60	15.793	154.981	169.282	1.00	69.75
ATOM	16625	O	ARG	J	60	16.510	155.523	170.128	1.00	68.81
ATOM	16626	CB	ARG	J	60	15.082	155.083	166.883	1.00	68.15
ATOM	16627	CG	ARG	J	60	14.147	153.891	166.747	1.00	71.35
ATOM	16628	CD	ARG	J	60	14.242	153.237	165.372	1.00	78.50
ATOM	16629	NE	ARG	J	60	15.320	152.247	165.271	1.00	86.41
ATOM	16630	CZ	ARG	J	60	16.431	152.392	164.546	1.00	87.01
ATOM	16631	NH1	ARG	J	60	16.638	153.498	163.839	1.00	87.01
ATOM	16632	NH2	ARG	J	60	17.336	151.419	164.523	1.00	85.75
ATOM	16633	N	GLY	J	61	15.634	153.670	169.199	1.00	71.49
ATOM	16634	CA	GLY	J	61	16.301	152.774	170.119	1.00	70.82
ATOM	16635	C	GLY	J	61	15.669	151.419	169.924	1.00	69.07
ATOM	16636	O	GLY	J	61	14.559	151.186	170.400	1.00	68.74
ATOM	16637	N	SER	J	62	16.365	150.541	169.206	1.00	67.11
ATOM	16638	CA	SER	J	62	15.866	149.204	168.933	1.00	65.54
ATOM	16639	C	SER	J	62	16.573	148.161	169.780	1.00	66.51
ATOM	16640	O	SER	J	62	17.791	148.183	169.912	1.00	68.64
ATOM	16641	CB	SER	J	62	16.051	148.874	167.457	1.00	63.23
ATOM	16642	OG	SER	J	62	15.408	149.836	166.646	1.00	62.73
ATOM	16643	N	ALA	J	63	15.798	147.251	170.361	1.00	67.49
ATOM	16644	CA	ALA	J	63	16.339	146.178	171.189	1.00	66.41
ATOM	16645	C	ALA	J	63	16.589	144.955	170.304	1.00	65.78
ATOM	16646	O	ALA	J	63	15.935	144.785	169.276	1.00	65.35
ATOM	16647	CB	ALA	J	63	15.353	145.830	172.302	1.00	64.97
ATOM	16648	N	TYR	J	64	17.549	144.118	170.688	1.00	65.67
ATOM	16649	CA	TYR	J	64	17.858	142.916	169.917	1.00	64.06
ATOM	16650	C	TYR	J	64	18.051	141.720	170.831	1.00	63.47
ATOM	16651	O	TYR	J	64	17.945	141.833	172.056	1.00	63.81
ATOM	16652	CB	TYR	J	64	19.115	143.116	169.075	1.00	64.65
ATOM	16653	CG	TYR	J	64	19.011	144.261	168.099	1.00	68.76
ATOM	16654	CD1	TYR	J	64	18.876	145.576	168.550	1.00	70.20
ATOM	16655	CD2	TYR	J	64	19.015	144.036	166.725	1.00	68.56
ATOM	16656	CE1	TYR	J	64	18.740	146.635	167.661	1.00	69.05
ATOM	16657	CE2	TYR	J	64	18.880	145.095	165.825	1.00	68.83
ATOM	16658	CZ	TYR	J	64	18.742	146.388	166.306	1.00	68.61
ATOM	16659	OH	TYR	J	64	18.588	147.440	165.440	1.00	71.90
ATOM	16660	N	GLY	J	65	18.315	140.573	170.218	1.00	61.52
ATOM	16661	CA	GLY	J	65	18.529	139.348	170.962	1.00	62.78
ATOM	16662	C	GLY	J	65	17.854	139.200	172.317	1.00	63.55
ATOM	16663	O	GLY	J	65	16.681	139.528	172.486	1.00	61.79
ATOM	16664	N	GLY	J	66	18.621	138.694	173.280	1.00	64.86
ATOM	16665	CA	GLY	J	66	18.122	138.467	174.623	1.00	67.45
ATOM	16666	C	GLY	J	66	17.170	139.488	175.218	1.00	68.75
ATOM	16667	O	GLY	J	66	16.233	139.113	175.930	1.00	68.15
ATOM	16668	N	VAL	J	67	17.406	140.770	174.943	1.00	70.37
ATOM	16669	CA	VAL	J	67	16.561	141.848	175.472	1.00	71.05
ATOM	16670	C	VAL	J	67	15.212	141.903	174.760	1.00	70.36
ATOM	16671	O	VAL	J	67	14.156	142.077	175.394	1.00	69.74
ATOM	16672	CB	VAL	J	67	17.261	143.237	175.337	1.00	71.78
ATOM	16673	CG1	VAL	J	67	16.237	144.361	175.460	1.00	73.97
ATOM	16674	CG2	VAL	J	67	18.316	143.395	176.428	1.00	71.05
ATOM	16675	N	LEU	J	68	15.268	141.742	173.441	1.00	67.81
ATOM	16676	CA	LEU	J	68	14.091	141.773	172.588	1.00	66.32

ATOM	16677	C	LEU	J	68	13.096	140.628	172.825	1.00	67.79
ATOM	16678	O	LEU	J	68	12.056	140.564	172.164	1.00	69.32
ATOM	16679	CB	LEU	J	68	14.536	141.765	171.130	1.00	59.86
ATOM	16680	CG	LEU	J	68	13.425	141.806	170.093	1.00	57.49
ATOM	16681	CD1	LEU	J	68	12.517	142.997	170.363	1.00	55.75
ATOM	16682	CD2	LEU	J	68	14.029	141.894	168.713	1.00	56.51
ATOM	16683	N	SER	J	69	13.395	139.736	173.768	1.00	67.81
ATOM	16684	CA	SER	J	69	12.507	138.611	174.019	1.00	66.23
ATOM	16685	C	SER	J	69	12.505	138.105	175.443	1.00	67.93
ATOM	16686	O	SER	J	69	11.855	137.099	175.722	1.00	69.98
ATOM	16687	CB	SER	J	69	12.872	137.440	173.109	1.00	64.76
ATOM	16688	OG	SER	J	69	14.096	136.855	173.518	1.00	60.93
ATOM	16689	N	ASN	J	70	13.218	138.771	176.346	1.00	68.32
ATOM	16690	CA	ASN	J	70	13.253	138.310	177.736	1.00	69.40
ATOM	16691	C	ASN	J	70	13.032	139.376	178.806	1.00	69.56
ATOM	16692	O	ASN	J	70	13.118	139.092	180.010	1.00	69.94
ATOM	16693	CB	ASN	J	70	14.570	137.583	178.015	1.00	69.89
ATOM	16694	CG	ASN	J	70	14.550	136.140	177.550	1.00	70.48
ATOM	16695	OD1	ASN	J	70	13.818	135.302	178.097	1.00	67.38
ATOM	16696	ND2	ASN	J	70	15.357	135.839	176.533	1.00	70.98
ATOM	16697	N	PHE	J	71	12.746	140.601	178.383	1.00	69.33
ATOM	16698	CA	PHE	J	71	12.524	141.654	179.358	1.00	68.75
ATOM	16699	C	PHE	J	71	11.510	142.692	178.914	1.00	67.31
ATOM	16700	O	PHE	J	71	11.456	143.067	177.749	1.00	65.32
ATOM	16701	CB	PHE	J	71	13.843	142.358	179.694	1.00	70.70
ATOM	16702	CG	PHE	J	71	14.993	141.419	179.942	1.00	71.17
ATOM	16703	CD1	PHE	J	71	15.768	140.952	178.878	1.00	69.66
ATOM	16704	CD2	PHE	J	71	15.295	140.995	181.234	1.00	70.75
ATOM	16705	CE1	PHE	J	71	16.824	140.080	179.095	1.00	70.59
ATOM	16706	CE2	PHE	J	71	16.347	140.123	181.468	1.00	71.95
ATOM	16707	CZ	PHE	J	71	17.117	139.662	180.395	1.00	74.12
ATOM	16708	N	SER	J	72	10.700	143.145	179.861	1.00	66.85
ATOM	16709	CA	SER	J	72	9.708	144.171	179.591	1.00	66.29
ATOM	16710	C	SER	J	72	10.333	145.456	180.118	1.00	67.08
ATOM	16711	O	SER	J	72	10.446	145.645	181.330	1.00	66.55
ATOM	16712	CB	SER	J	72	8.402	143.883	180.344	1.00	64.90
ATOM	16713	OG	SER	J	72	8.532	144.103	181.741	1.00	60.86
ATOM	16714	N	GLY	J	73	10.745	146.343	179.220	1.00	67.38
ATOM	16715	CA	GLY	J	73	11.361	147.569	179.691	1.00	69.10
ATOM	16716	C	GLY	J	73	11.080	148.899	179.016	1.00	68.34
ATOM	16717	O	GLY	J	73	10.507	148.985	177.928	1.00	66.68
ATOM	16718	N	THR	J	74	11.503	149.951	179.704	1.00	69.04
ATOM	16719	CA	THR	J	74	11.358	151.314	179.227	1.00	70.91
ATOM	16720	C	THR	J	74	12.760	151.911	179.132	1.00	71.73
ATOM	16721	O	THR	J	74	13.754	151.217	179.353	1.00	72.29
ATOM	16722	CB	THR	J	74	10.540	152.158	180.207	1.00	69.83
ATOM	16723	OG1	THR	J	74	11.131	152.068	181.504	1.00	69.82
ATOM	16724	CG2	THR	J	74	9.116	151.668	180.279	1.00	69.73
ATOM	16725	N	VAL	J	75	12.835	153.195	178.801	1.00	71.94
ATOM	16726	CA	VAL	J	75	14.110	153.884	178.696	1.00	71.58
ATOM	16727	C	VAL	J	75	14.023	155.172	179.502	1.00	72.22
ATOM	16728	O	VAL	J	75	13.075	155.958	179.355	1.00	70.15
ATOM	16729	CB	VAL	J	75	14.464	154.221	177.224	1.00	72.04
ATOM	16730	CG1	VAL	J	75	13.517	155.286	176.688	1.00	73.71
ATOM	16731	CG2	VAL	J	75	15.906	154.692	177.125	1.00	71.59
ATOM	16732	N	LYS	J	76	15.005	155.367	180.377	1.00	73.17
ATOM	16733	CA	LYS	J	76	15.064	156.562	181.209	1.00	72.51
ATOM	16734	C	LYS	J	76	15.888	157.585	180.449	1.00	70.60
ATOM	16735	O	LYS	J	76	17.079	157.353	180.203	1.00	71.40
ATOM	16736	CB	LYS	J	76	15.747	156.254	182.546	1.00	72.34
ATOM	16737	CG	LYS	J	76	15.951	157.477	183.431	1.00	74.08
ATOM	16738	CD	LYS	J	76	16.803	157.152	184.659	1.00	75.35

ATOM	16739	CE	LYS	J	76	16.980	158.367	185.574	1.00	74.44
ATOM	16740	NZ	LYS	J	76	17.704	158.019	186.830	1.00	71.86
ATOM	16741	N	TYR	J	77	15.261	158.695	180.059	1.00	66.40
ATOM	16742	CA	TYR	J	77	15.980	159.739	179.335	1.00	64.18
ATOM	16743	C	TYR	J	77	15.879	161.099	180.001	1.00	64.42
ATOM	16744	O	TYR	J	77	14.972	161.874	179.707	1.00	65.89
ATOM	16745	CB	TYR	J	77	15.478	159.877	177.907	1.00	60.97
ATOM	16746	CG	TYR	J	77	16.316	160.841	177.103	1.00	58.89
ATOM	16747	CD1	TYR	J	77	17.625	160.517	176.750	1.00	58.65
ATOM	16748	CD2	TYR	J	77	15.816	162.085	176.716	1.00	59.82
ATOM	16749	CE1	TYR	J	77	18.419	161.400	176.033	1.00	60.65
ATOM	16750	CE2	TYR	J	77	16.602	162.985	175.994	1.00	62.01
ATOM	16751	CZ	TYR	J	77	17.908	162.632	175.655	1.00	64.20
ATOM	16752	OH	TYR	J	77	18.707	163.502	174.935	1.00	66.97
ATOM	16753	N	SER	J	78	16.820	161.391	180.889	1.00	63.54
ATOM	16754	CA	SER	J	78	16.828	162.662	181.579	1.00	63.49
ATOM	16755	C	SER	J	78	15.554	162.867	182.397	1.00	64.94
ATOM	16756	O	SER	J	78	14.679	163.649	182.016	1.00	66.02
ATOM	16757	CB	SER	J	78	16.987	163.791	180.563	1.00	62.19
ATOM	16758	OG	SER	J	78	17.037	165.054	181.197	1.00	67.06
ATOM	16759	N	GLY	J	79	15.454	162.152	183.517	1.00	66.32
ATOM	16760	CA	GLY	J	79	14.302	162.280	184.400	1.00	66.42
ATOM	16761	C	GLY	J	79	13.074	161.475	184.020	1.00	66.44
ATOM	16762	O	GLY	J	79	12.546	160.716	184.836	1.00	65.49
ATOM	16763	N	SER	J	80	12.610	161.648	182.786	1.00	65.39
ATOM	16764	CA	SER	J	80	11.443	160.929	182.314	1.00	66.06
ATOM	16765	C	SER	J	80	11.790	159.567	181.723	1.00	67.88
ATOM	16766	O	SER	J	80	12.943	159.301	181.360	1.00	68.97
ATOM	16767	CB	SER	J	80	10.691	161.767	181.284	1.00	66.35
ATOM	16768	OG	SER	J	80	9.919	162.780	181.918	1.00	69.00
ATOM	16769	N	SER	J	81	10.775	158.705	181.646	1.00	68.32
ATOM	16770	CA	SER	J	81	10.909	157.352	181.109	1.00	66.25
ATOM	16771	C	SER	J	81	9.952	157.175	179.930	1.00	64.42
ATOM	16772	O	SER	J	81	8.820	157.677	179.937	1.00	63.28
ATOM	16773	CB	SER	J	81	10.565	156.324	182.187	1.00	67.50
ATOM	16774	OG	SER	J	81	11.102	156.705	183.439	1.00	70.42
ATOM	16775	N	TYR	J	82	10.410	156.459	178.915	1.00	62.14
ATOM	16776	CA	TYR	J	82	9.585	156.224	177.742	1.00	60.83
ATOM	16777	C	TYR	J	82	9.684	154.739	177.355	1.00	58.55
ATOM	16778	O	TYR	J	82	10.677	154.080	177.646	1.00	57.40
ATOM	16779	CB	TYR	J	82	10.053	157.123	176.583	1.00	60.64
ATOM	16780	CG	TYR	J	82	10.167	158.607	176.919	1.00	59.55
ATOM	16781	CD1	TYR	J	82	11.235	159.103	177.675	1.00	58.17
ATOM	16782	CD2	TYR	J	82	9.214	159.515	176.468	1.00	61.00
ATOM	16783	CE1	TYR	J	82	11.347	160.473	177.971	1.00	55.13
ATOM	16784	CE2	TYR	J	82	9.319	160.881	176.756	1.00	59.31
ATOM	16785	CZ	TYR	J	82	10.384	161.354	177.505	1.00	56.86
ATOM	16786	OH	TYR	J	82	10.470	162.704	177.771	1.00	50.95
ATOM	16787	N	PRO	J	83	8.645	154.193	176.705	1.00	56.10
ATOM	16788	CA	PRO	J	83	8.681	152.784	176.310	1.00	52.89
ATOM	16789	C	PRO	J	83	9.897	152.456	175.446	1.00	53.65
ATOM	16790	O	PRO	J	83	10.206	153.178	174.497	1.00	52.99
ATOM	16791	CB	PRO	J	83	7.383	152.612	175.526	1.00	51.49
ATOM	16792	CG	PRO	J	83	6.482	153.655	176.091	1.00	53.84
ATOM	16793	CD	PRO	J	83	7.392	154.834	176.267	1.00	55.09
ATOM	16794	N	PHE	J	84	10.596	151.375	175.777	1.00	54.71
ATOM	16795	CA	PHE	J	84	11.751	150.944	174.988	1.00	54.07
ATOM	16796	C	PHE	J	84	11.468	149.519	174.550	1.00	54.49
ATOM	16797	O	PHE	J	84	11.124	148.683	175.380	1.00	54.99
ATOM	16798	CB	PHE	J	84	13.041	150.958	175.809	1.00	52.34
ATOM	16799	CG	PHE	J	84	14.172	150.218	175.151	1.00	49.59
ATOM	16800	CD1	PHE	J	84	14.741	150.695	173.977	1.00	49.31

ATOM	16801	CD2	PHE	J	84	14.625	149.012	175.669	1.00	47.65
ATOM	16802	CE1	PHE	J	84	15.745	149.977	173.322	1.00	51.54
ATOM	16803	CE2	PHE	J	84	15.628	148.283	175.025	1.00	49.13
ATOM	16804	CZ	PHE	J	84	16.190	148.765	173.845	1.00	49.09
ATOM	16805	N	PRO	J	85	11.601	149.217	173.245	1.00	55.86
ATOM	16806	CA	PRO	J	85	11.985	150.060	172.106	1.00	57.45
ATOM	16807	C	PRO	J	85	11.217	151.369	172.031	1.00	59.70
ATOM	16808	O	PRO	J	85	10.005	151.398	172.244	1.00	62.16
ATOM	16809	CB	PRO	J	85	11.686	149.170	170.906	1.00	55.25
ATOM	16810	CG	PRO	J	85	11.956	147.812	171.435	1.00	55.72
ATOM	16811	CD	PRO	J	85	11.301	147.849	172.785	1.00	55.24
ATOM	16812	N	THR	J	86	11.921	152.452	171.721	1.00	60.78
ATOM	16813	CA	THR	J	86	11.281	153.755	171.616	1.00	59.93
ATOM	16814	C	THR	J	86	10.315	153.766	170.429	1.00	59.25
ATOM	16815	O	THR	J	86	10.575	153.147	169.394	1.00	58.41
ATOM	16816	CB	THR	J	86	12.325	154.879	171.426	1.00	60.63
ATOM	16817	OG1	THR	J	86	13.055	154.662	170.214	1.00	59.53
ATOM	16818	CG2	THR	J	86	13.300	154.898	172.587	1.00	60.85
ATOM	16819	N	THR	J	87	9.195	154.460	170.593	1.00	57.50
ATOM	16820	CA	THR	J	87	8.203	154.567	169.532	1.00	55.64
ATOM	16821	C	THR	J	87	8.172	156.002	168.995	1.00	54.70
ATOM	16822	O	THR	J	87	7.374	156.327	168.120	1.00	51.85
ATOM	16823	CB	THR	J	87	6.788	154.162	170.046	1.00	57.03
ATOM	16824	OG1	THR	J	87	6.406	154.992	171.154	1.00	56.27
ATOM	16825	CG2	THR	J	87	6.783	152.704	170.495	1.00	56.36
ATOM	16826	N	SER	J	88	9.061	156.848	169.518	1.00	55.58
ATOM	16827	CA	SER	J	88	9.151	158.254	169.118	1.00	56.80
ATOM	16828	C	SER	J	88	10.493	158.867	169.508	1.00	57.94
ATOM	16829	O	SER	J	88	11.277	158.257	170.243	1.00	59.37
ATOM	16830	CB	SER	J	88	8.049	159.055	169.790	1.00	56.23
ATOM	16831	OG	SER	J	88	6.806	158.404	169.633	1.00	64.09
ATOM	16832	N	GLU	J	89	10.753	160.077	169.013	1.00	58.50
ATOM	16833	CA	GLU	J	89	11.997	160.787	169.317	1.00	59.12
ATOM	16834	C	GLU	J	89	11.779	161.656	170.551	1.00	59.36
ATOM	16835	O	GLU	J	89	10.978	162.585	170.518	1.00	61.70
ATOM	16836	CB	GLU	J	89	12.419	161.671	168.140	1.00	57.37
ATOM	16837	CG	GLU	J	89	13.600	162.578	168.465	1.00	59.12
ATOM	16838	CD	GLU	J	89	13.822	163.662	167.425	1.00	58.59
ATOM	16839	OE1	GLU	J	89	12.833	164.287	167.001	1.00	59.71
ATOM	16840	OE2	GLU	J	89	14.984	163.905	167.041	1.00	57.26
ATOM	16841	N	THR	J	90	12.493	161.360	171.632	1.00	59.31
ATOM	16842	CA	THR	J	90	12.341	162.108	172.879	1.00	61.29
ATOM	16843	C	THR	J	90	12.567	163.617	172.710	1.00	63.50
ATOM	16844	O	THR	J	90	12.992	164.076	171.645	1.00	62.96
ATOM	16845	CB	THR	J	90	13.306	161.569	173.969	1.00	60.14
ATOM	16846	OG1	THR	J	90	14.664	161.818	173.588	1.00	62.41
ATOM	16847	CG2	THR	J	90	13.114	160.081	174.153	1.00	61.58
ATOM	16848	N	PRO	J	91	12.260	164.408	173.758	1.00	65.13
ATOM	16849	CA	PRO	J	91	12.422	165.869	173.762	1.00	67.21
ATOM	16850	C	PRO	J	91	13.867	166.256	173.459	1.00	69.25
ATOM	16851	O	PRO	J	91	14.593	165.483	172.840	1.00	70.54
ATOM	16852	CB	PRO	J	91	12.019	166.252	175.182	1.00	67.61
ATOM	16853	CG	PRO	J	91	10.981	165.237	175.519	1.00	67.83
ATOM	16854	CD	PRO	J	91	11.590	163.959	174.993	1.00	66.96
ATOM	16855	N	ARG	J	92	14.289	167.443	173.890	1.00	70.74
ATOM	16856	CA	ARG	J	92	15.670	167.857	173.657	1.00	72.76
ATOM	16857	C	ARG	J	92	16.444	168.207	174.932	1.00	73.41
ATOM	16858	O	ARG	J	92	15.960	168.934	175.800	1.00	73.37
ATOM	16859	CB	ARG	J	92	15.736	169.043	172.685	1.00	73.59
ATOM	16860	CG	ARG	J	92	15.178	170.361	173.214	1.00	79.33
ATOM	16861	CD	ARG	J	92	15.623	171.529	172.324	1.00	84.46
ATOM	16862	NE	ARG	J	92	14.973	172.808	172.633	1.00	89.60

ATOM	16863	CZ	ARG	J	92	15.057	173.452	173.797	1.00	91.89
ATOM	16864	NH1	ARG	J	92	15.770	172.948	174.801	1.00	92.93
ATOM	16865	NH2	ARG	J	92	14.425	174.611	173.954	1.00	91.03
ATOM	16866	N	VAL	J	93	17.648	167.659	175.043	1.00	74.91
ATOM	16867	CA	VAL	J	93	18.522	167.934	176.172	1.00	76.85
ATOM	16868	C	VAL	J	93	19.589	168.880	175.621	1.00	79.52
ATOM	16869	O	VAL	J	93	20.356	168.513	174.726	1.00	79.36
ATOM	16870	CB	VAL	J	93	19.198	166.654	176.693	1.00	75.88
ATOM	16871	CG1	VAL	J	93	20.140	166.992	177.834	1.00	75.63
ATOM	16872	CG2	VAL	J	93	18.148	165.672	177.156	1.00	75.95
ATOM	16873	N	VAL	J	94	19.624	170.104	176.141	1.00	81.86
ATOM	16874	CA	VAL	J	94	20.583	171.093	175.671	1.00	82.31
ATOM	16875	C	VAL	J	94	22.009	170.733	176.037	1.00	84.60
ATOM	16876	O	VAL	J	94	22.305	170.357	177.169	1.00	85.52
ATOM	16877	CB	VAL	J	94	20.256	172.497	176.218	1.00	80.46
ATOM	16878	CG1	VAL	J	94	18.888	172.934	175.721	1.00	79.41
ATOM	16879	CG2	VAL	J	94	20.293	172.493	177.727	1.00	80.41
ATOM	16880	N	TYR	J	95	22.885	170.846	175.048	1.00	87.52
ATOM	16881	CA	TYR	J	95	24.303	170.552	175.195	1.00	90.60
ATOM	16882	C	TYR	J	95	25.098	171.774	174.746	1.00	92.57
ATOM	16883	O	TYR	J	95	24.913	172.262	173.631	1.00	95.62
ATOM	16884	CB	TYR	J	95	24.669	169.346	174.324	1.00	90.18
ATOM	16885	CG	TYR	J	95	24.566	168.015	175.036	1.00	90.58
ATOM	16886	CD1	TYR	J	95	23.413	167.654	175.730	1.00	90.24
ATOM	16887	CD2	TYR	J	95	25.636	167.120	175.028	1.00	91.55
ATOM	16888	CE1	TYR	J	95	23.333	166.429	176.401	1.00	91.70
ATOM	16889	CE2	TYR	J	95	25.567	165.899	175.692	1.00	91.05
ATOM	16890	CZ	TYR	J	95	24.417	165.560	176.376	1.00	91.92
ATOM	16891	OH	TYR	J	95	24.359	164.354	177.035	1.00	91.49
ATOM	16892	N	ASN	J	96	25.976	172.280	175.604	1.00	93.15
ATOM	16893	CA	ASN	J	96	26.770	173.450	175.236	1.00	93.76
ATOM	16894	C	ASN	J	96	27.904	173.784	176.202	1.00	93.91
ATOM	16895	O	ASN	J	96	27.794	174.692	177.034	1.00	93.27
ATOM	16896	CB	ASN	J	96	25.858	174.669	175.048	1.00	93.80
ATOM	16897	CG	ASN	J	96	24.832	174.811	176.152	1.00	93.65
ATOM	16898	OD1	ASN	J	96	24.052	175.764	176.167	1.00	94.10
ATOM	16899	ND2	ASN	J	96	24.821	173.862	177.083	1.00	93.95
ATOM	16900	N	SER	J	97	28.998	173.039	176.066	1.00	93.35
ATOM	16901	CA	SER	J	97	30.194	173.209	176.885	1.00	92.96
ATOM	16902	C	SER	J	97	31.285	172.347	176.274	1.00	92.59
ATOM	16903	O	SER	J	97	31.070	171.170	175.996	1.00	92.49
ATOM	16904	CB	SER	J	97	29.941	172.758	178.328	1.00	93.40
ATOM	16905	OG	SER	J	97	28.997	173.589	178.983	1.00	93.54
ATOM	16906	N	ARG	J	98	32.452	172.931	176.052	1.00	92.97
ATOM	16907	CA	ARG	J	98	33.559	172.179	175.478	1.00	94.20
ATOM	16908	C	ARG	J	98	33.800	170.952	176.352	1.00	94.43
ATOM	16909	O	ARG	J	98	34.298	169.928	175.887	1.00	93.16
ATOM	16910	CB	ARG	J	98	34.812	173.056	175.435	1.00	95.10
ATOM	16911	CG	ARG	J	98	34.629	174.330	174.623	1.00	96.90
ATOM	16912	CD	ARG	J	98	35.242	174.215	173.230	1.00	98.11
ATOM	16913	NE	ARG	J	98	34.733	175.223	172.298	1.00	97.60
ATOM	16914	CZ	ARG	J	98	34.676	176.530	172.543	1.00	97.42
ATOM	16915	NH1	ARG	J	98	35.093	177.023	173.702	1.00	97.41
ATOM	16916	NH2	ARG	J	98	34.197	177.350	171.621	1.00	98.23
ATOM	16917	N	THR	J	99	33.428	171.076	177.626	1.00	95.76
ATOM	16918	CA	THR	J	99	33.582	170.008	178.611	1.00	95.70
ATOM	16919	C	THR	J	99	32.553	168.914	178.337	1.00	96.14
ATOM	16920	O	THR	J	99	31.441	169.201	177.886	1.00	96.22
ATOM	16921	CB	THR	J	99	33.354	170.541	180.049	1.00	95.60
ATOM	16922	OG1	THR	J	99	34.210	171.665	180.293	1.00	95.38
ATOM	16923	CG2	THR	J	99	33.653	169.456	181.075	1.00	96.25
ATOM	16924	N	ASP	J	100	32.915	167.664	178.612	1.00	96.15

ATOM	16925	CA	ASP	J	100	31.991	166.558	178.381	1.00	95.52
ATOM	16926	C	ASP	J	100	30.850	166.470	179.389	1.00	95.48
ATOM	16927	O	ASP	J	100	30.903	167.024	180.488	1.00	94.64
ATOM	16928	CB	ASP	J	100	32.734	165.222	178.350	1.00	93.82
ATOM	16929	CG	ASP	J	100	33.507	165.017	177.067	1.00	92.63
ATOM	16930	OD1	ASP	J	100	32.918	165.163	175.974	1.00	90.40
ATOM	16931	OD2	ASP	J	100	34.708	164.701	177.152	1.00	95.47
ATOM	16932	N	LYS	J	101	29.813	165.752	178.986	1.00	95.45
ATOM	16933	CA	LYS	J	101	28.632	165.557	179.803	1.00	95.37
ATOM	16934	C	LYS	J	101	28.085	164.191	179.405	1.00	96.87
ATOM	16935	O	LYS	J	101	28.240	163.760	178.257	1.00	97.47
ATOM	16936	CB	LYS	J	101	27.615	166.659	179.500	1.00	92.63
ATOM	16937	CG	LYS	J	101	26.368	166.654	180.360	1.00	90.20
ATOM	16938	CD	LYS	J	101	25.498	167.859	180.022	1.00	86.94
ATOM	16939	CE	LYS	J	101	24.267	167.936	180.907	1.00	86.30
ATOM	16940	NZ	LYS	J	101	23.482	169.163	180.629	1.00	83.13
ATOM	16941	N	PRO	J	102	27.471	163.472	180.354	1.00	96.99
ATOM	16942	CA	PRO	J	102	26.933	162.156	180.001	1.00	95.38
ATOM	16943	C	PRO	J	102	25.645	162.305	179.204	1.00	94.14
ATOM	16944	O	PRO	J	102	24.950	163.318	179.324	1.00	93.91
ATOM	16945	CB	PRO	J	102	26.673	161.508	181.362	1.00	96.36
ATOM	16946	CG	PRO	J	102	27.606	162.232	182.293	1.00	97.50
ATOM	16947	CD	PRO	J	102	27.491	163.653	181.815	1.00	97.47
ATOM	16948	N	TRP	J	103	25.342	161.303	178.381	1.00	92.27
ATOM	16949	CA	TRP	J	103	24.110	161.299	177.600	1.00	88.13
ATOM	16950	C	TRP	J	103	23.125	160.594	178.519	1.00	85.40
ATOM	16951	O	TRP	J	103	23.164	159.376	178.659	1.00	86.58
ATOM	16952	CB	TRP	J	103	24.288	160.506	176.304	1.00	87.29
ATOM	16953	CG	TRP	J	103	23.169	160.693	175.329	1.00	87.13
ATOM	16954	CD1	TRP	J	103	22.481	161.842	175.093	1.00	86.75
ATOM	16955	CD2	TRP	J	103	22.666	159.723	174.395	1.00	87.76
ATOM	16956	NE1	TRP	J	103	21.584	161.657	174.069	1.00	88.71
ATOM	16957	CE2	TRP	J	103	21.676	160.364	173.622	1.00	87.67
ATOM	16958	CE3	TRP	J	103	22.957	158.376	174.135	1.00	88.46
ATOM	16959	CZ2	TRP	J	103	20.973	159.704	172.603	1.00	87.04
ATOM	16960	CZ3	TRP	J	103	22.254	157.719	173.118	1.00	86.87
ATOM	16961	CH2	TRP	J	103	21.276	158.387	172.368	1.00	85.16
ATOM	16962	N	PRO	J	104	22.241	161.359	179.168	1.00	81.81
ATOM	16963	CA	PRO	J	104	21.230	160.848	180.096	1.00	80.09
ATOM	16964	C	PRO	J	104	20.358	159.735	179.519	1.00	78.59
ATOM	16965	O	PRO	J	104	19.160	159.912	179.332	1.00	77.83
ATOM	16966	CB	PRO	J	104	20.426	162.095	180.431	1.00	80.33
ATOM	16967	CG	PRO	J	104	20.474	162.861	179.137	1.00	81.12
ATOM	16968	CD	PRO	J	104	21.932	162.744	178.777	1.00	81.85
ATOM	16969	N	VAL	J	105	20.958	158.585	179.248	1.00	77.81
ATOM	16970	CA	VAL	J	105	20.217	157.466	178.690	1.00	77.37
ATOM	16971	C	VAL	J	105	20.431	156.181	179.475	1.00	77.63
ATOM	16972	O	VAL	J	105	21.487	155.537	179.370	1.00	76.93
ATOM	16973	CB	VAL	J	105	20.614	157.211	177.230	1.00	77.05
ATOM	16974	CG1	VAL	J	105	19.802	156.046	176.672	1.00	76.50
ATOM	16975	CG2	VAL	J	105	20.392	158.470	176.408	1.00	76.48
ATOM	16976	N	ALA	J	106	19.418	155.811	180.254	1.00	75.82
ATOM	16977	CA	ALA	J	106	19.481	154.602	181.055	1.00	73.37
ATOM	16978	C	ALA	J	106	18.323	153.663	180.731	1.00	73.45
ATOM	16979	O	ALA	J	106	17.155	154.073	180.695	1.00	69.74
ATOM	16980	CB	ALA	J	106	19.483	154.958	182.533	1.00	73.77
ATOM	16981	N	LEU	J	107	18.679	152.401	180.485	1.00	73.45
ATOM	16982	CA	LEU	J	107	17.734	151.338	180.163	1.00	72.92
ATOM	16983	C	LEU	J	107	17.304	150.586	181.412	1.00	73.92
ATOM	16984	O	LEU	J	107	18.139	150.175	182.208	1.00	71.96
ATOM	16985	CB	LEU	J	107	18.379	150.356	179.193	1.00	69.55
ATOM	16986	CG	LEU	J	107	17.883	150.380	177.751	1.00	69.05

ATOM	16987	CD1	LEU	J	107	17.717	151.812	177.279	1.00	66.87
ATOM	16988	CD2	LEU	J	107	18.871	149.612	176.871	1.00	67.60
ATOM	16989	N	TYR	J	108	15.998	150.407	181.578	1.00	77.55
ATOM	16990	CA	TYR	J	108	15.475	149.693	182.736	1.00	81.24
ATOM	16991	C	TYR	J	108	14.621	148.482	182.358	1.00	81.63
ATOM	16992	O	TYR	J	108	13.390	148.494	182.488	1.00	80.54
ATOM	16993	CB	TYR	J	108	14.694	150.653	183.641	1.00	83.74
ATOM	16994	CG	TYR	J	108	15.594	151.674	184.287	1.00	87.04
ATOM	16995	CD1	TYR	J	108	16.275	152.599	183.512	1.00	88.99
ATOM	16996	CD2	TYR	J	108	15.821	151.673	185.664	1.00	88.72
ATOM	16997	CE1	TYR	J	108	17.167	153.493	184.081	1.00	93.70
ATOM	16998	CE2	TYR	J	108	16.717	152.569	186.249	1.00	90.77
ATOM	16999	CZ	TYR	J	108	17.390	153.478	185.445	1.00	92.75
ATOM	17000	OH	TYR	J	108	18.299	154.373	185.976	1.00	94.44
ATOM	17001	N	LEU	J	109	15.315	147.438	181.899	1.00	81.71
ATOM	17002	CA	LEU	J	109	14.713	146.173	181.487	1.00	81.83
ATOM	17003	C	LEU	J	109	14.334	145.338	182.717	1.00	82.60
ATOM	17004	O	LEU	J	109	14.730	145.654	183.842	1.00	82.18
ATOM	17005	CB	LEU	J	109	15.712	145.383	180.637	1.00	80.01
ATOM	17006	CG	LEU	J	109	16.573	146.153	179.630	1.00	80.45
ATOM	17007	CD1	LEU	J	109	17.592	145.201	179.019	1.00	79.75
ATOM	17008	CD2	LEU	J	109	15.707	146.785	178.554	1.00	77.35
ATOM	17009	N	THR	J	110	13.569	144.272	182.497	1.00	83.65
ATOM	17010	CA	THR	J	110	13.148	143.385	183.584	1.00	83.97
ATOM	17011	C	THR	J	110	12.842	141.994	183.034	1.00	84.49
ATOM	17012	O	THR	J	110	12.230	141.858	181.977	1.00	84.62
ATOM	17013	CB	THR	J	110	11.895	143.919	184.303	1.00	82.31
ATOM	17014	OG1	THR	J	110	12.084	145.301	184.636	1.00	81.52
ATOM	17015	CG2	THR	J	110	11.650	143.134	185.580	1.00	80.05
ATOM	17016	N	PRO	J	111	13.256	140.940	183.754	1.00	84.67
ATOM	17017	CA	PRO	J	111	13.024	139.556	183.319	1.00	84.06
ATOM	17018	C	PRO	J	111	11.549	139.141	183.269	1.00	83.26
ATOM	17019	O	PRO	J	111	10.731	139.610	184.070	1.00	83.19
ATOM	17020	CB	PRO	J	111	13.804	138.732	184.352	1.00	84.55
ATOM	17021	CG	PRO	J	111	14.813	139.701	184.914	1.00	83.55
ATOM	17022	CD	PRO	J	111	14.014	140.967	185.016	1.00	83.38
ATOM	17023	N	VAL	J	112	11.217	138.264	182.324	1.00	81.59
ATOM	17024	CA	VAL	J	112	9.851	137.753	182.199	1.00	80.87
ATOM	17025	C	VAL	J	112	9.872	136.244	182.427	1.00	80.72
ATOM	17026	O	VAL	J	112	10.825	135.567	182.027	1.00	80.51
ATOM	17027	CB	VAL	J	112	9.233	138.021	180.792	1.00	79.79
ATOM	17028	CG1	VAL	J	112	8.831	139.478	180.660	1.00	76.71
ATOM	17029	CG2	VAL	J	112	10.221	137.626	179.701	1.00	78.03
ATOM	17030	N	SER	J	113	8.827	135.728	183.072	1.00	79.36
ATOM	17031	CA	SER	J	113	8.714	134.301	183.346	1.00	79.54
ATOM	17032	C	SER	J	113	9.342	133.483	182.230	1.00	80.79
ATOM	17033	O	SER	J	113	10.170	132.614	182.479	1.00	80.62
ATOM	17034	CB	SER	J	113	7.247	133.908	183.489	1.00	79.63
ATOM	17035	OG	SER	J	113	6.648	134.569	184.589	1.00	78.51
ATOM	17036	N	SER	J	114	8.946	133.766	180.995	1.00	83.81
ATOM	17037	CA	SER	J	114	9.482	133.051	179.843	1.00	87.83
ATOM	17038	C	SER	J	114	10.961	133.355	179.646	1.00	91.62
ATOM	17039	O	SER	J	114	11.361	133.945	178.640	1.00	93.36
ATOM	17040	CB	SER	J	114	8.692	133.409	178.578	1.00	84.93
ATOM	17041	OG	SER	J	114	8.486	134.804	178.473	1.00	83.79
ATOM	17042	N	ALA	J	115	11.770	132.943	180.620	1.00	95.32
ATOM	17043	CA	ALA	J	115	13.217	133.158	180.583	1.00	99.16
ATOM	17044	C	ALA	J	115	13.944	132.003	181.284	1.00	101.15
ATOM	17045	O	ALA	J	115	13.618	131.655	182.422	1.00	102.62
ATOM	17046	CB	ALA	J	115	13.563	134.490	181.254	1.00	98.39
ATOM	17047	N	GLY	J	116	14.927	131.414	180.605	1.00	102.33
ATOM	17048	CA	GLY	J	116	15.664	130.302	181.186	1.00	103.57

ATOM	17049	C	GLY	J	116	16.794	130.705	182.118	1.00104.51
ATOM	17050	O	GLY	J	116	16.686	130.586	183.342	1.00102.69
ATOM	17051	N	GLY	J	117	17.888	131.175	181.528	1.00105.93
ATOM	17052	CA	GLY	J	117	19.037	131.594	182.306	1.00107.74
ATOM	17053	C	GLY	J	117	19.919	132.522	181.495	1.00108.83
ATOM	17054	O	GLY	J	117	19.927	133.733	181.719	1.00109.23
ATOM	17055	N	VAL	J	118	20.667	131.958	180.550	1.00109.48
ATOM	17056	CA	VAL	J	118	21.543	132.756	179.701	1.00109.03
ATOM	17057	C	VAL	J	118	20.672	133.543	178.725	1.00109.82
ATOM	17058	O	VAL	J	118	20.614	133.225	177.535	1.00111.20
ATOM	17059	CB	VAL	J	118	22.535	131.869	178.895	1.00107.38
ATOM	17060	CG1	VAL	J	118	23.425	132.746	178.021	1.00105.62
ATOM	17061	CG2	VAL	J	118	23.387	131.034	179.843	1.00104.93
ATOM	17062	N	ALA	J	119	19.985	134.559	179.243	1.00109.41
ATOM	17063	CA	ALA	J	119	19.114	135.407	178.433	1.00108.42
ATOM	17064	C	ALA	J	119	19.942	136.177	177.399	1.00107.80
ATOM	17065	O	ALA	J	119	19.545	136.322	176.238	1.00107.33
ATOM	17066	CB	ALA	J	119	18.356	136.382	179.335	1.00106.48
ATOM	17067	N	ILE	J	120	21.103	136.655	177.832	1.00106.77
ATOM	17068	CA	ILE	J	120	21.995	137.410	176.964	1.00104.92
ATOM	17069	C	ILE	J	120	23.321	136.681	176.746	1.00103.80
ATOM	17070	O	ILE	J	120	23.948	136.214	177.694	1.00102.32
ATOM	17071	CB	ILE	J	120	22.280	138.816	177.559	1.00104.10
ATOM	17072	CG1	ILE	J	120	20.989	139.637	177.594	1.00102.21
ATOM	17073	CG2	ILE	J	120	23.339	139.531	176.740	1.00104.12
ATOM	17074	CD1	ILE	J	120	21.179	141.052	178.074	1.00100.17
ATOM	17075	N	LYS	J	121	23.733	136.584	175.486	1.00103.78
ATOM	17076	CA	LYS	J	121	24.992	135.934	175.130	1.00103.82
ATOM	17077	C	LYS	J	121	26.052	136.996	174.817	1.00103.91
ATOM	17078	O	LYS	J	121	25.845	137.851	173.952	1.00103.61
ATOM	17079	CB	LYS	J	121	24.807	135.020	173.908	1.00102.53
ATOM	17080	CG	LYS	J	121	24.088	133.702	174.190	1.00102.30
ATOM	17081	CD	LYS	J	121	22.637	133.906	174.607	1.00101.46
ATOM	17082	CE	LYS	J	121	21.970	132.590	174.984	1.00 97.87
ATOM	17083	NZ	LYS	J	121	21.994	131.605	173.876	1.00 95.23
ATOM	17084	N	ALA	J	122	27.177	136.943	175.527	1.00102.57
ATOM	17085	CA	ALA	J	122	28.266	137.891	175.321	1.00101.04
ATOM	17086	C	ALA	J	122	28.704	137.898	173.860	1.00100.61
ATOM	17087	O	ALA	J	122	29.072	136.855	173.317	1.00101.01
ATOM	17088	CB	ALA	J	122	29.443	137.525	176.206	1.00 99.43
ATOM	17089	N	GLY	J	123	28.662	139.070	173.226	1.00 99.97
ATOM	17090	CA	GLY	J	123	29.067	139.184	171.829	1.00 98.14
ATOM	17091	C	GLY	J	123	27.929	139.495	170.871	1.00 95.85
ATOM	17092	O	GLY	J	123	28.136	139.635	169.659	1.00 93.55
ATOM	17093	N	SER	J	124	26.723	139.594	171.428	1.00 94.87
ATOM	17094	CA	SER	J	124	25.518	139.893	170.662	1.00 92.47
ATOM	17095	C	SER	J	124	25.089	141.344	170.884	1.00 90.52
ATOM	17096	O	SER	J	124	25.347	141.933	171.940	1.00 90.12
ATOM	17097	CB	SER	J	124	24.373	138.948	171.065	1.00 93.10
ATOM	17098	OG	SER	J	124	23.928	139.182	172.394	1.00 93.09
ATOM	17099	N	LEU	J	125	24.437	141.910	169.873	1.00 88.27
ATOM	17100	CA	LEU	J	125	23.957	143.284	169.920	1.00 84.99
ATOM	17101	C	LEU	J	125	22.721	143.368	170.807	1.00 82.97
ATOM	17102	O	LEU	J	125	21.645	142.910	170.437	1.00 82.51
ATOM	17103	CB	LEU	J	125	23.639	143.762	168.499	1.00 84.01
ATOM	17104	CG	LEU	J	125	23.227	145.215	168.288	1.00 82.00
ATOM	17105	CD1	LEU	J	125	24.143	146.150	169.061	1.00 83.83
ATOM	17106	CD2	LEU	J	125	23.280	145.517	166.805	1.00 81.33
ATOM	17107	N	ILE	J	126	22.894	143.954	171.985	1.00 81.48
ATOM	17108	CA	ILE	J	126	21.821	144.103	172.963	1.00 80.98
ATOM	17109	C	ILE	J	126	20.782	145.151	172.564	1.00 80.08
ATOM	17110	O	ILE	J	126	19.573	144.948	172.726	1.00 79.78

ATOM	17111	CB	ILE	J	126	22.412	144.476	174.339	1.00	81.35
ATOM	17112	CG1	ILE	J	126	23.488	143.459	174.712	1.00	83.42
ATOM	17113	CG2	ILE	J	126	21.324	144.535	175.398	1.00	79.49
ATOM	17114	CD1	ILE	J	126	23.091	142.019	174.455	1.00	86.31
ATOM	17115	N	ALA	J	127	21.257	146.274	172.045	1.00	77.82
ATOM	17116	CA	ALA	J	127	20.366	147.337	171.630	1.00	76.45
ATOM	17117	C	ALA	J	127	21.061	148.264	170.647	1.00	75.75
ATOM	17118	O	ALA	J	127	22.242	148.095	170.331	1.00	76.85
ATOM	17119	CB	ALA	J	127	19.884	148.121	172.847	1.00	76.09
ATOM	17120	N	VAL	J	128	20.310	149.242	170.160	1.00	73.12
ATOM	17121	CA	VAL	J	128	20.826	150.213	169.215	1.00	71.24
ATOM	17122	C	VAL	J	128	20.134	151.531	169.524	1.00	72.55
ATOM	17123	O	VAL	J	128	18.987	151.752	169.116	1.00	72.72
ATOM	17124	CB	VAL	J	128	20.537	149.784	167.752	1.00	68.26
ATOM	17125	CG1	VAL	J	128	20.794	150.938	166.805	1.00	65.59
ATOM	17126	CG2	VAL	J	128	21.418	148.604	167.379	1.00	63.96
ATOM	17127	N	LEU	J	129	20.836	152.394	170.262	1.00	71.63
ATOM	17128	CA	LEU	J	129	20.308	153.696	170.649	1.00	69.88
ATOM	17129	C	LEU	J	129	20.803	154.783	169.714	1.00	69.55
ATOM	17130	O	LEU	J	129	22.001	155.050	169.659	1.00	70.36
ATOM	17131	CB	LEU	J	129	20.735	154.018	172.071	1.00	68.95
ATOM	17132	CG	LEU	J	129	20.342	152.925	173.063	1.00	70.58
ATOM	17133	CD1	LEU	J	129	20.906	153.274	174.427	1.00	70.59
ATOM	17134	CD2	LEU	J	129	18.821	152.773	173.111	1.00	68.65
ATOM	17135	N	ILE	J	130	19.877	155.403	168.982	1.00	67.96
ATOM	17136	CA	ILE	J	130	20.217	156.464	168.042	1.00	64.36
ATOM	17137	C	ILE	J	130	20.108	157.847	168.680	1.00	64.50
ATOM	17138	O	ILE	J	130	19.080	158.200	169.262	1.00	64.38
ATOM	17139	CB	ILE	J	130	19.310	156.433	166.804	1.00	61.21
ATOM	17140	CG1	ILE	J	130	19.482	155.118	166.040	1.00	62.45
ATOM	17141	CG2	ILE	J	130	19.659	157.586	165.891	1.00	62.73
ATOM	17142	CD1	ILE	J	130	18.842	153.913	166.701	1.00	62.64
ATOM	17143	N	LEU	J	131	21.184	158.620	168.563	1.00	62.73
ATOM	17144	CA	LEU	J	131	21.253	159.963	169.113	1.00	62.01
ATOM	17145	C	LEU	J	131	21.072	160.953	167.976	1.00	62.39
ATOM	17146	O	LEU	J	131	21.536	160.705	166.872	1.00	61.51
ATOM	17147	CB	LEU	J	131	22.613	160.156	169.795	1.00	61.41
ATOM	17148	CG	LEU	J	131	23.018	161.528	170.345	1.00	60.45
ATOM	17149	CD1	LEU	J	131	24.025	161.373	171.470	1.00	57.46
ATOM	17150	CD2	LEU	J	131	23.603	162.361	169.228	1.00	59.96
ATOM	17151	N	ARG	J	132	20.389	162.065	168.233	1.00	65.48
ATOM	17152	CA	ARG	J	132	20.174	163.069	167.187	1.00	67.12
ATOM	17153	C	ARG	J	132	20.533	164.477	167.654	1.00	66.37
ATOM	17154	O	ARG	J	132	19.961	164.986	168.621	1.00	65.66
ATOM	17155	CB	ARG	J	132	18.719	163.055	166.721	1.00	69.27
ATOM	17156	CG	ARG	J	132	18.497	163.801	165.416	1.00	71.69
ATOM	17157	CD	ARG	J	132	17.042	163.747	164.992	1.00	74.52
ATOM	17158	NE	ARG	J	132	16.880	163.976	163.560	1.00	78.29
ATOM	17159	CZ	ARG	J	132	15.713	163.941	162.924	1.00	78.42
ATOM	17160	NH1	ARG	J	132	14.599	163.690	163.601	1.00	77.98
ATOM	17161	NH2	ARG	J	132	15.663	164.146	161.612	1.00	77.03
ATOM	17162	N	ASN	J	133	21.474	165.107	166.959	1.00	67.22
ATOM	17163	CA	ASN	J	133	21.908	166.453	167.325	1.00	69.66
ATOM	17164	C	ASN	J	133	21.502	167.526	166.313	1.00	68.83
ATOM	17165	O	ASN	J	133	21.636	167.352	165.093	1.00	68.38
ATOM	17166	CB	ASN	J	133	23.433	166.487	167.547	1.00	71.32
ATOM	17167	CG	ASN	J	133	24.187	167.143	166.399	1.00	74.49
ATOM	17168	OD1	ASN	J	133	24.098	166.710	165.247	1.00	77.80
ATOM	17169	ND2	ASN	J	133	24.937	168.194	166.712	1.00	72.72
ATOM	17170	N	THR	J	134	20.995	168.633	166.850	1.00	67.04
ATOM	17171	CA	THR	J	134	20.557	169.771	166.057	1.00	65.12
ATOM	17172	C	THR	J	134	20.686	171.036	166.895	1.00	65.95

ATOM	17173	O	THR	J	134	19.975	171.217	167.879	1.00	65.49
ATOM	17174	CB	THR	J	134	19.100	169.621	165.618	1.00	61.38
ATOM	17175	OG1	THR	J	134	18.286	169.358	166.762	1.00	57.98
ATOM	17176	CG2	THR	J	134	18.961	168.495	164.619	1.00	58.29
ATOM	17177	N	ASN	J	135	21.601	171.905	166.482	1.00	67.46
ATOM	17178	CA	ASN	J	135	21.890	173.168	167.161	1.00	68.31
ATOM	17179	C	ASN	J	135	20.949	174.292	166.737	1.00	67.79
ATOM	17180	O	ASN	J	135	20.210	174.161	165.762	1.00	67.08
ATOM	17181	CB	ASN	J	135	23.329	173.589	166.844	1.00	68.81
ATOM	17182	CG	ASN	J	135	23.530	173.892	165.361	1.00	69.51
ATOM	17183	OD1	ASN	J	135	22.939	174.830	164.820	1.00	68.86
ATOM	17184	ND2	ASN	J	135	24.355	173.086	164.696	1.00	67.66
ATOM	17185	N	ASN	J	136	20.997	175.403	167.468	1.00	68.21
ATOM	17186	CA	ASN	J	136	20.168	176.557	167.147	1.00	70.34
ATOM	17187	C	ASN	J	136	20.990	177.573	166.356	1.00	73.07
ATOM	17188	O	ASN	J	136	20.837	178.783	166.523	1.00	73.76
ATOM	17189	CB	ASN	J	136	19.619	177.218	168.418	1.00	66.00
ATOM	17190	CG	ASN	J	136	20.678	177.968	169.198	1.00	64.76
ATOM	17191	OD1	ASN	J	136	20.358	178.841	170.006	1.00	61.65
ATOM	17192	ND2	ASN	J	136	21.946	177.628	168.969	1.00	66.18
ATOM	17193	N	TYR	J	137	21.871	177.073	165.497	1.00	76.58
ATOM	17194	CA	TYR	J	137	22.712	177.938	164.682	1.00	79.07
ATOM	17195	C	TYR	J	137	22.474	177.704	163.196	1.00	78.09
ATOM	17196	O	TYR	J	137	22.547	178.641	162.409	1.00	76.11
ATOM	17197	CB	TYR	J	137	24.190	177.707	165.008	1.00	84.38
ATOM	17198	CG	TYR	J	137	25.130	178.510	164.138	1.00	90.00
ATOM	17199	CD1	TYR	J	137	25.094	179.906	164.146	1.00	93.04
ATOM	17200	CD2	TYR	J	137	26.041	177.877	163.289	1.00	90.47
ATOM	17201	CE1	TYR	J	137	25.938	180.653	163.329	1.00	95.17
ATOM	17202	CE2	TYR	J	137	26.890	178.614	162.468	1.00	93.23
ATOM	17203	CZ	TYR	J	137	26.833	180.001	162.491	1.00	95.34
ATOM	17204	OH	TYR	J	137	27.648	180.736	161.660	1.00	97.52
ATOM	17205	N	ASN	J	138	22.200	176.454	162.821	1.00	78.81
ATOM	17206	CA	ASN	J	138	21.942	176.097	161.423	1.00	79.53
ATOM	17207	C	ASN	J	138	21.131	174.808	161.266	1.00	79.60
ATOM	17208	O	ASN	J	138	20.697	174.216	162.254	1.00	80.67
ATOM	17209	CB	ASN	J	138	23.258	175.974	160.653	1.00	79.56
ATOM	17210	CG	ASN	J	138	24.172	174.917	161.220	1.00	79.78
ATOM	17211	OD1	ASN	J	138	25.292	174.755	160.756	1.00	82.12
ATOM	17212	ND2	ASN	J	138	23.701	174.190	162.225	1.00	81.56
ATOM	17213	N	SER	J	139	20.933	174.374	160.023	1.00	79.44
ATOM	17214	CA	SER	J	139	20.156	173.167	159.749	1.00	80.19
ATOM	17215	C	SER	J	139	20.973	171.881	159.854	1.00	80.29
ATOM	17216	O	SER	J	139	20.790	170.946	159.069	1.00	78.87
ATOM	17217	CB	SER	J	139	19.502	173.254	158.361	1.00	80.88
ATOM	17218	OG	SER	J	139	20.472	173.256	157.327	1.00	81.33
ATOM	17219	N	ASP	J	140	21.874	171.836	160.830	1.00	80.53
ATOM	17220	CA	ASP	J	140	22.692	170.651	161.037	1.00	80.72
ATOM	17221	C	ASP	J	140	21.932	169.594	161.833	1.00	80.63
ATOM	17222	O	ASP	J	140	21.634	169.776	163.014	1.00	80.68
ATOM	17223	CB	ASP	J	140	23.989	171.002	161.769	1.00	81.17
ATOM	17224	CG	ASP	J	140	25.167	171.146	160.828	1.00	81.69
ATOM	17225	OD1	ASP	J	140	24.945	171.223	159.604	1.00	80.57
ATOM	17226	OD2	ASP	J	140	26.317	171.182	161.314	1.00	84.76
ATOM	17227	N	ASP	J	141	21.616	168.491	161.166	1.00	79.97
ATOM	17228	CA	ASP	J	141	20.905	167.381	161.779	1.00	78.68
ATOM	17229	C	ASP	J	141	21.787	166.158	161.573	1.00	78.76
ATOM	17230	O	ASP	J	141	21.910	165.653	160.453	1.00	78.36
ATOM	17231	CB	ASP	J	141	19.551	167.176	161.088	1.00	78.67
ATOM	17232	CG	ASP	J	141	18.757	166.013	161.668	1.00	77.39
ATOM	17233	OD1	ASP	J	141	19.297	164.890	161.762	1.00	78.20
ATOM	17234	OD2	ASP	J	141	17.581	166.222	162.021	1.00	76.49

ATOM	17235	N	PHE	J	142	22.411	165.691	162.648	1.00	77.97
ATOM	17236	CA	PHE	J	142	23.280	164.526	162.558	1.00	77.20
ATOM	17237	C	PHE	J	142	22.732	163.351	163.359	1.00	77.20
ATOM	17238	O	PHE	J	142	21.791	163.508	164.133	1.00	77.57
ATOM	17239	CB	PHE	J	142	24.685	164.906	163.031	1.00	74.71
ATOM	17240	CG	PHE	J	142	25.405	165.842	162.092	1.00	75.15
ATOM	17241	CD1	PHE	J	142	25.143	165.816	160.718	1.00	73.89
ATOM	17242	CD2	PHE	J	142	26.344	166.749	162.575	1.00	76.06
ATOM	17243	CE1	PHE	J	142	25.801	166.678	159.843	1.00	71.74
ATOM	17244	CE2	PHE	J	142	27.012	167.622	161.701	1.00	74.85
ATOM	17245	CZ	PHE	J	142	26.737	167.583	160.335	1.00	72.65
ATOM	17246	N	GLN	J	143	23.303	162.168	163.157	1.00	78.37
ATOM	17247	CA	GLN	J	143	22.846	160.990	163.883	1.00	79.36
ATOM	17248	C	GLN	J	143	23.943	160.082	164.406	1.00	78.57
ATOM	17249	O	GLN	J	143	24.262	159.063	163.793	1.00	78.68
ATOM	17250	CB	GLN	J	143	21.896	160.156	163.029	1.00	81.38
ATOM	17251	CG	GLN	J	143	20.512	160.748	162.890	1.00	87.66
ATOM	17252	CD	GLN	J	143	19.459	159.688	162.597	1.00	91.74
ATOM	17253	OE1	GLN	J	143	19.624	158.858	161.698	1.00	92.05
ATOM	17254	NE2	GLN	J	143	18.366	159.715	163.359	1.00	92.52
ATOM	17255	N	PHE	J	144	24.512	160.453	165.548	1.00	77.83
ATOM	17256	CA	PHE	J	144	25.547	159.650	166.184	1.00	76.94
ATOM	17257	C	PHE	J	144	24.866	158.349	166.619	1.00	75.01
ATOM	17258	O	PHE	J	144	23.901	158.384	167.379	1.00	75.60
ATOM	17259	CB	PHE	J	144	26.099	160.366	167.423	1.00	78.13
ATOM	17260	CG	PHE	J	144	26.709	161.714	167.137	1.00	79.31
ATOM	17261	CD1	PHE	J	144	25.951	162.738	166.579	1.00	78.32
ATOM	17262	CD2	PHE	J	144	28.039	161.968	167.456	1.00	78.38
ATOM	17263	CE1	PHE	J	144	26.510	163.989	166.344	1.00	77.66
ATOM	17264	CE2	PHE	J	144	28.604	163.216	167.223	1.00	77.77
ATOM	17265	CZ	PHE	J	144	27.838	164.227	166.668	1.00	76.75
ATOM	17266	N	VAL	J	145	25.358	157.210	166.143	1.00	72.69
ATOM	17267	CA	VAL	J	145	24.767	155.927	166.505	1.00	70.81
ATOM	17268	C	VAL	J	145	25.596	155.166	167.538	1.00	71.52
ATOM	17269	O	VAL	J	145	26.794	155.403	167.693	1.00	71.57
ATOM	17270	CB	VAL	J	145	24.590	155.031	165.269	1.00	69.02
ATOM	17271	CG1	VAL	J	145	23.853	153.766	165.653	1.00	67.50
ATOM	17272	CG2	VAL	J	145	23.845	155.784	164.189	1.00	67.12
ATOM	17273	N	TRP	J	146	24.937	154.256	168.247	1.00	73.02
ATOM	17274	CA	TRP	J	146	25.580	153.433	169.269	1.00	75.67
ATOM	17275	C	TRP	J	146	24.997	152.011	169.233	1.00	76.54
ATOM	17276	O	TRP	J	146	23.777	151.830	169.175	1.00	76.88
ATOM	17277	CB	TRP	J	146	25.358	154.021	170.675	1.00	75.00
ATOM	17278	CG	TRP	J	146	25.619	155.497	170.812	1.00	75.27
ATOM	17279	CD1	TRP	J	146	24.695	156.499	170.767	1.00	74.89
ATOM	17280	CD2	TRP	J	146	26.889	156.134	171.021	1.00	76.21
ATOM	17281	NE1	TRP	J	146	25.306	157.718	170.936	1.00	74.57
ATOM	17282	CE2	TRP	J	146	26.652	157.522	171.093	1.00	74.93
ATOM	17283	CE3	TRP	J	146	28.203	155.665	171.156	1.00	77.33
ATOM	17284	CZ2	TRP	J	146	27.680	158.447	171.294	1.00	76.23
ATOM	17285	CZ3	TRP	J	146	29.225	156.589	171.359	1.00	77.34
ATOM	17286	CH2	TRP	J	146	28.954	157.963	171.425	1.00	76.38
ATOM	17287	N	ASN	J	147	25.869	151.007	169.274	1.00	76.78
ATOM	17288	CA	ASN	J	147	25.433	149.614	169.254	1.00	76.49
ATOM	17289	C	ASN	J	147	25.804	148.954	170.577	1.00	76.35
ATOM	17290	O	ASN	J	147	26.958	148.610	170.809	1.00	77.80
ATOM	17291	CB	ASN	J	147	26.099	148.869	168.097	1.00	74.48
ATOM	17292	CG	ASN	J	147	25.908	149.569	166.773	1.00	73.76
ATOM	17293	OD1	ASN	J	147	24.786	149.810	166.343	1.00	73.52
ATOM	17294	ND2	ASN	J	147	27.010	149.903	166.117	1.00	77.26
ATOM	17295	N	ILE	J	148	24.819	148.777	171.443	1.00	75.49
ATOM	17296	CA	ILE	J	148	25.060	148.173	172.739	1.00	76.38

ATOM	17297	C	ILE	J	148	25.242	146.658	172.689	1.00	79.28
ATOM	17298	O	ILE	J	148	24.287	145.923	172.429	1.00	79.55
ATOM	17299	CB	ILE	J	148	23.912	148.505	173.710	1.00	74.07
ATOM	17300	CG1	ILE	J	148	24.007	149.971	174.143	1.00	73.75
ATOM	17301	CG2	ILE	J	148	23.975	147.592	174.931	1.00	72.31
ATOM	17302	CD1	ILE	J	148	24.060	150.962	173.005	1.00	73.88
ATOM	17303	N	TYR	J	149	26.473	146.202	172.946	1.00	81.48
ATOM	17304	CA	TYR	J	149	26.805	144.776	172.961	1.00	81.74
ATOM	17305	C	TYR	J	149	27.039	144.286	174.377	1.00	83.63
ATOM	17306	O	TYR	J	149	27.314	145.077	175.283	1.00	83.34
ATOM	17307	CB	TYR	J	149	28.062	144.491	172.151	1.00	79.29
ATOM	17308	CG	TYR	J	149	27.863	144.499	170.659	1.00	79.75
ATOM	17309	CD1	TYR	J	149	27.479	143.338	169.984	1.00	80.01
ATOM	17310	CD2	TYR	J	149	28.100	145.646	169.911	1.00	79.68
ATOM	17311	CE1	TYR	J	149	27.344	143.316	168.600	1.00	79.96
ATOM	17312	CE2	TYR	J	149	27.969	145.636	168.527	1.00	81.54
ATOM	17313	CZ	TYR	J	149	27.594	144.466	167.877	1.00	81.53
ATOM	17314	OH	TYR	J	149	27.487	144.440	166.504	1.00	83.55
ATOM	17315	N	ALA	J	150	26.946	142.972	174.560	1.00	86.88
ATOM	17316	CA	ALA	J	150	27.145	142.363	175.876	1.00	90.48
ATOM	17317	C	ALA	J	150	28.457	141.584	175.967	1.00	90.66
ATOM	17318	O	ALA	J	150	28.676	140.632	175.223	1.00	89.63
ATOM	17319	CB	ALA	J	150	25.973	141.442	176.203	1.00	90.99
ATOM	17320	N	ASN	J	151	29.325	141.996	176.884	1.00	92.00
ATOM	17321	CA	ASN	J	151	30.605	141.327	177.062	1.00	94.45
ATOM	17322	C	ASN	J	151	30.418	140.047	177.857	1.00	94.90
ATOM	17323	O	ASN	J	151	31.159	139.076	177.674	1.00	95.82
ATOM	17324	CB	ASN	J	151	31.599	142.244	177.785	1.00	95.15
ATOM	17325	CG	ASN	J	151	32.182	143.310	176.872	1.00	96.28
ATOM	17326	OD1	ASN	J	151	32.923	143.009	175.928	1.00	96.48
ATOM	17327	ND2	ASN	J	151	31.849	144.563	177.146	1.00	94.84
ATOM	17328	N	ASN	J	152	29.418	140.050	178.734	1.00	94.62
ATOM	17329	CA	ASN	J	152	29.132	138.891	179.567	1.00	94.08
ATOM	17330	C	ASN	J	152	27.841	138.197	179.157	1.00	95.42
ATOM	17331	O	ASN	J	152	27.376	138.326	178.020	1.00	94.91
ATOM	17332	CB	ASN	J	152	29.032	139.305	181.033	1.00	89.95
ATOM	17333	CG	ASN	J	152	27.862	140.217	181.294	1.00	87.51
ATOM	17334	OD1	ASN	J	152	27.765	141.300	180.719	1.00	87.08
ATOM	17335	ND2	ASN	J	152	26.960	139.784	182.164	1.00	87.01
ATOM	17336	N	ASP	J	153	27.273	137.457	180.103	1.00	96.36
ATOM	17337	CA	ASP	J	153	26.039	136.720	179.882	1.00	97.15
ATOM	17338	C	ASP	J	153	25.163	136.787	181.123	1.00	97.65
ATOM	17339	O	ASP	J	153	25.457	136.149	182.134	1.00	96.82
ATOM	17340	CB	ASP	J	153	26.345	135.252	179.553	1.00	96.39
ATOM	17341	CG	ASP	J	153	26.831	135.058	178.128	1.00	95.90
ATOM	17342	OD1	ASP	J	153	27.738	135.804	177.704	1.00	94.89
ATOM	17343	OD2	ASP	J	153	26.310	134.155	177.435	1.00	94.81
ATOM	17344	N	VAL	J	154	24.091	137.568	181.049	1.00	99.11
ATOM	17345	CA	VAL	J	154	23.170	137.686	182.172	1.00	100.29
ATOM	17346	C	VAL	J	154	22.478	136.339	182.361	1.00	100.51
ATOM	17347	O	VAL	J	154	22.343	135.554	181.419	1.00	100.01
ATOM	17348	CB	VAL	J	154	22.087	138.779	181.929	1.00	100.71
ATOM	17349	CG1	VAL	J	154	21.132	138.857	183.128	1.00	99.41
ATOM	17350	CG2	VAL	J	154	22.752	140.132	181.696	1.00	99.52
ATOM	17351	N	VAL	J	155	22.052	136.069	183.586	1.00	100.71
ATOM	17352	CA	VAL	J	155	21.379	134.823	183.881	1.00	100.55
ATOM	17353	C	VAL	J	155	20.053	135.098	184.567	1.00	101.67
ATOM	17354	O	VAL	J	155	19.950	135.976	185.425	1.00	100.30
ATOM	17355	CB	VAL	J	155	22.246	133.920	184.778	1.00	100.07
ATOM	17356	CG1	VAL	J	155	21.495	132.642	185.110	1.00	99.04
ATOM	17357	CG2	VAL	J	155	23.555	133.604	184.074	1.00	96.73
ATOM	17358	N	VAL	J	156	19.037	134.347	184.159	1.00	103.16

ATOM	17359	CA	VAL	J	156	17.702	134.474	184.721	1.00104.53
ATOM	17360	C	VAL	J	156	17.449	133.236	185.577	1.00105.66
ATOM	17361	O	VAL	J	156	16.846	132.258	185.122	1.00105.49
ATOM	17362	CB	VAL	J	156	16.625	134.557	183.611	1.00103.96
ATOM	17363	CG1	VAL	J	156	15.260	134.835	184.232	1.00101.75
ATOM	17364	CG2	VAL	J	156	16.995	135.640	182.601	1.00102.51
ATOM	17365	N	PRO	J	157	17.927	133.260	186.831	1.00106.29
ATOM	17366	CA	PRO	J	157	17.763	132.147	187.765	1.00106.63
ATOM	17367	C	PRO	J	157	16.428	131.428	187.660	1.00106.66
ATOM	17368	O	PRO	J	157	15.388	131.970	188.030	1.00106.18
ATOM	17369	CB	PRO	J	157	17.969	132.816	189.114	1.00106.17
ATOM	17370	CG	PRO	J	157	19.076	133.763	188.803	1.00106.22
ATOM	17371	CD	PRO	J	157	18.647	134.372	187.478	1.00105.67
ATOM	17372	N	THR	J	158	16.476	130.205	187.134	1.00107.66
ATOM	17373	CA	THR	J	158	15.290	129.379	186.995	1.00108.51
ATOM	17374	C	THR	J	158	14.730	129.171	188.402	1.00110.75
ATOM	17375	O	THR	J	158	15.374	128.563	189.263	1.00110.68
ATOM	17376	CB	THR	J	158	15.636	128.018	186.343	1.00106.39
ATOM	17377	OG1	THR	J	158	14.474	127.183	186.331	1.00104.47
ATOM	17378	CG2	THR	J	158	16.752	127.322	187.107	1.00106.32
ATOM	17379	N	GLY	J	159	13.532	129.700	188.630	1.00113.42
ATOM	17380	CA	GLY	J	159	12.904	129.595	189.933	1.00116.92
ATOM	17381	C	GLY	J	159	12.059	128.360	190.163	1.00119.41
ATOM	17382	O	GLY	J	159	11.936	127.499	189.290	1.00118.86
ATOM	17383	N	GLY	J	160	11.464	128.293	191.351	1.00122.09
ATOM	17384	CA	GLY	J	160	10.636	127.162	191.727	1.00125.68
ATOM	17385	C	GLY	J	160	9.409	126.920	190.870	1.00127.96
ATOM	17386	O	GLY	J	160	8.811	127.854	190.334	1.00127.67
ATOM	17387	N	CYS	J	161	9.039	125.649	190.740	1.00130.41
ATOM	17388	CA	CYS	J	161	7.876	125.263	189.959	1.00132.80
ATOM	17389	C	CYS	J	161	6.645	125.519	190.803	1.00134.79
ATOM	17390	O	CYS	J	161	6.518	124.993	191.912	1.00134.98
ATOM	17391	CB	CYS	J	161	7.961	123.788	189.584	1.00132.00
ATOM	17392	SG	CYS	J	161	9.467	123.406	188.643	1.00133.92
ATOM	17393	N	ASP	J	162	5.744	126.340	190.279	1.00136.88
ATOM	17394	CA	ASP	J	162	4.529	126.677	190.997	1.00138.98
ATOM	17395	C	ASP	J	162	3.694	125.435	191.252	1.00139.59
ATOM	17396	O	ASP	J	162	3.001	124.938	190.360	1.00139.29
ATOM	17397	CB	ASP	J	162	3.719	127.712	190.213	1.00140.79
ATOM	17398	CG	ASP	J	162	2.485	128.188	190.968	1.00142.58
ATOM	17399	OD1	ASP	J	162	2.613	128.537	192.162	1.00142.95
ATOM	17400	OD2	ASP	J	162	1.390	128.223	190.366	1.00143.26
ATOM	17401	N	VAL	J	163	3.792	124.929	192.478	1.00140.24
ATOM	17402	CA	VAL	J	163	3.040	123.755	192.896	1.00140.42
ATOM	17403	C	VAL	J	163	1.717	124.279	193.434	1.00140.17
ATOM	17404	O	VAL	J	163	1.550	124.465	194.640	1.00140.14
ATOM	17405	CB	VAL	J	163	3.782	122.982	194.009	1.00140.44
ATOM	17406	CG1	VAL	J	163	2.958	121.779	194.447	1.00140.29
ATOM	17407	CG2	VAL	J	163	5.154	122.539	193.507	1.00140.33
ATOM	17408	N	SER	J	164	0.785	124.531	192.522	1.00139.94
ATOM	17409	CA	SER	J	164	-0.520	125.057	192.887	1.00139.67
ATOM	17410	C	SER	J	164	-1.484	124.011	193.422	1.00140.10
ATOM	17411	O	SER	J	164	-1.823	123.046	192.736	1.00140.30
ATOM	17412	CB	SER	J	164	-1.153	125.767	191.689	1.00138.90
ATOM	17413	OG	SER	J	164	-0.465	126.966	191.391	1.00137.72
ATOM	17414	N	ALA	J	165	-1.915	124.218	194.662	1.00140.26
ATOM	17415	CA	ALA	J	165	-2.865	123.334	195.320	1.00140.49
ATOM	17416	C	ALA	J	165	-4.173	124.115	195.414	1.00140.73
ATOM	17417	O	ALA	J	165	-4.244	125.262	194.968	1.00140.90
ATOM	17418	CB	ALA	J	165	-2.364	122.968	196.713	1.00140.34
ATOM	17419	N	ARG	J	166	-5.205	123.507	195.989	1.00140.73
ATOM	17420	CA	ARG	J	166	-6.484	124.194	196.118	1.00140.21

ATOM	17421	C	ARG	J	166	-6.724	124.707	197.540	1.00140.78
ATOM	17422	O	ARG	J	166	-6.788	125.918	197.763	1.00140.48
ATOM	17423	CB	ARG	J	166	-7.630	123.272	195.683	1.00137.99
ATOM	17424	CG	ARG	J	166	-7.418	122.631	194.321	1.00134.37
ATOM	17425	CD	ARG	J	166	-7.004	123.644	193.268	1.00132.55
ATOM	17426	NE	ARG	J	166	-6.638	123.012	192.002	1.00129.93
ATOM	17427	CZ	ARG	J	166	-7.486	122.354	191.218	1.00128.82
ATOM	17428	NH1	ARG	J	166	-8.759	122.236	191.564	1.00127.97
ATOM	17429	NH2	ARG	J	166	-7.060	121.817	190.083	1.00128.31
ATOM	17430	N	ASP	J	167	-6.847	123.794	198.500	1.00141.35
ATOM	17431	CA	ASP	J	167	-7.086	124.187	199.885	1.00142.56
ATOM	17432	C	ASP	J	167	-6.904	123.035	200.870	1.00143.89
ATOM	17433	O	ASP	J	167	-5.819	122.835	201.423	1.00143.59
ATOM	17434	CB	ASP	J	167	-8.503	124.758	200.025	1.00142.43
ATOM	17435	CG	ASP	J	167	-8.811	125.239	201.437	1.00142.38
ATOM	17436	OD1	ASP	J	167	-7.910	125.194	202.301	1.00142.73
ATOM	17437	OD2	ASP	J	167	-9.960	125.668	201.684	1.00141.57
ATOM	17438	N	VAL	J	168	-7.978	122.283	201.089	1.00145.36
ATOM	17439	CA	VAL	J	168	-7.960	121.160	202.017	1.00146.54
ATOM	17440	C	VAL	J	168	-9.024	120.127	201.644	1.00147.11
ATOM	17441	O	VAL	J	168	-10.202	120.296	201.954	1.00147.34
ATOM	17442	CB	VAL	J	168	-8.193	121.655	203.470	1.00146.85
ATOM	17443	CG1	VAL	J	168	-9.416	122.560	203.527	1.00147.60
ATOM	17444	CG2	VAL	J	168	-8.372	120.480	204.403	1.00146.48
ATOM	17445	N	THR	J	169	-8.600	119.061	200.970	1.00148.23
ATOM	17446	CA	THR	J	169	-9.512	118.001	200.552	1.00149.64
ATOM	17447	C	THR	J	169	-10.391	117.565	201.718	1.00150.40
ATOM	17448	O	THR	J	169	-9.928	116.903	202.647	1.00150.34
ATOM	17449	CB	THR	J	169	-8.739	116.771	200.010	1.00150.00
ATOM	17450	OG1	THR	J	169	-8.066	117.123	198.793	1.00150.39
ATOM	17451	CG2	THR	J	169	-9.693	115.614	199.736	1.00150.19
ATOM	17452	N	VAL	J	170	-11.665	117.941	201.653	1.00151.30
ATOM	17453	CA	VAL	J	170	-12.630	117.618	202.698	1.00152.05
ATOM	17454	C	VAL	J	170	-13.353	116.293	202.443	1.00152.97
ATOM	17455	O	VAL	J	170	-14.546	116.280	202.137	1.00153.54
ATOM	17456	CB	VAL	J	170	-13.684	118.740	202.819	1.00151.52
ATOM	17457	CG1	VAL	J	170	-14.571	118.497	204.017	1.00151.18
ATOM	17458	CG2	VAL	J	170	-12.995	120.082	202.927	1.00150.72
ATOM	17459	N	THR	J	171	-12.633	115.182	202.575	1.00153.54
ATOM	17460	CA	THR	J	171	-13.221	113.864	202.358	1.00154.45
ATOM	17461	C	THR	J	171	-14.161	113.467	203.500	1.00155.30
ATOM	17462	O	THR	J	171	-13.920	112.492	204.211	1.00155.04
ATOM	17463	CB	THR	J	171	-12.121	112.785	202.186	1.00154.23
ATOM	17464	OG1	THR	J	171	-12.717	111.481	202.189	1.00154.54
ATOM	17465	CG2	THR	J	171	-11.095	112.884	203.300	1.00153.75
ATOM	17466	N	LEU	J	172	-15.244	114.229	203.650	1.00156.47
ATOM	17467	CA	LEU	J	172	-16.250	113.992	204.689	1.00157.92
ATOM	17468	C	LEU	J	172	-16.980	112.646	204.566	1.00159.25
ATOM	17469	O	LEU	J	172	-17.419	112.087	205.578	1.00159.44
ATOM	17470	CB	LEU	J	172	-17.278	115.143	204.703	1.00156.88
ATOM	17471	CG	LEU	J	172	-18.409	115.191	205.749	1.00154.95
ATOM	17472	CD1	LEU	J	172	-19.004	116.591	205.787	1.00152.80
ATOM	17473	CD2	LEU	J	172	-19.494	114.171	205.427	1.00153.59
ATOM	17474	N	PRO	J	173	-17.125	112.108	203.334	1.00160.04
ATOM	17475	CA	PRO	J	173	-17.824	110.823	203.227	1.00160.48
ATOM	17476	C	PRO	J	173	-17.330	109.796	204.244	1.00160.76
ATOM	17477	O	PRO	J	173	-16.159	109.798	204.629	1.00160.95
ATOM	17478	CB	PRO	J	173	-17.562	110.401	201.777	1.00160.15
ATOM	17479	CG	PRO	J	173	-16.298	111.134	201.414	1.00159.46
ATOM	17480	CD	PRO	J	173	-16.547	112.481	202.031	1.00159.80
ATOM	17481	N	ASP	J	174	-18.237	108.929	204.682	1.00160.85
ATOM	17482	CA	ASP	J	174	-17.910	107.903	205.660	1.00161.11

ATOM	17483	C	ASP	J	174	-16.667	107.108	205.282	1.00161.63
ATOM	17484	O	ASP	J	174	-15.956	107.448	204.336	1.00161.55
ATOM	17485	CB	ASP	J	174	-19.102	106.960	205.842	1.00160.85
ATOM	17486	CG	ASP	J	174	-20.306	107.657	206.451	1.00161.07
ATOM	17487	OD1	ASP	J	174	-20.746	108.685	205.894	1.00160.83
ATOM	17488	OD2	ASP	J	174	-20.813	107.177	207.487	1.00161.25
ATOM	17489	N	TYR	J	175	-16.419	106.041	206.032	1.00162.18
ATOM	17490	CA	TYR	J	175	-15.260	105.181	205.816	1.00162.79
ATOM	17491	C	TYR	J	175	-14.932	104.839	204.348	1.00162.44
ATOM	17492	O	TYR	J	175	-13.771	104.915	203.937	1.00162.70
ATOM	17493	CB	TYR	J	175	-15.428	103.891	206.635	1.00163.42
ATOM	17494	CG	TYR	J	175	-14.244	102.948	206.570	1.00164.42
ATOM	17495	CD1	TYR	J	175	-12.949	103.397	206.848	1.00164.51
ATOM	17496	CD2	TYR	J	175	-14.416	101.606	206.226	1.00164.61
ATOM	17497	CE1	TYR	J	175	-11.857	102.532	206.782	1.00164.08
ATOM	17498	CE2	TYR	J	175	-13.332	100.735	206.158	1.00164.50
ATOM	17499	CZ	TYR	J	175	-12.058	101.205	206.436	1.00164.13
ATOM	17500	OH	TYR	J	175	-10.990	100.346	206.359	1.00163.95
ATOM	17501	N	PRO	J	176	-15.943	104.468	203.539	1.00161.47
ATOM	17502	CA	PRO	J	176	-15.670	104.131	202.137	1.00160.31
ATOM	17503	C	PRO	J	176	-15.326	105.325	201.245	1.00159.75
ATOM	17504	O	PRO	J	176	-14.836	105.149	200.130	1.00159.69
ATOM	17505	CB	PRO	J	176	-16.957	103.443	201.701	1.00160.19
ATOM	17506	CG	PRO	J	176	-17.994	104.204	202.463	1.00160.45
ATOM	17507	CD	PRO	J	176	-17.376	104.297	203.846	1.00161.16
ATOM	17508	N	GLY	J	177	-15.577	106.531	201.746	1.00159.07
ATOM	17509	CA	GLY	J	177	-15.309	107.736	200.977	1.00158.42
ATOM	17510	C	GLY	J	177	-13.863	108.013	200.596	1.00157.96
ATOM	17511	O	GLY	J	177	-13.019	108.258	201.459	1.00157.53
ATOM	17512	N	SER	J	178	-13.589	107.984	199.291	1.00157.54
ATOM	17513	CA	SER	J	178	-12.252	108.245	198.751	1.00156.62
ATOM	17514	C	SER	J	178	-12.340	109.100	197.477	1.00155.36
ATOM	17515	O	SER	J	178	-12.648	108.596	196.392	1.00154.64
ATOM	17516	CB	SER	J	178	-11.529	106.924	198.446	1.00157.14
ATOM	17517	OG	SER	J	178	-12.184	106.191	197.425	1.00158.16
ATOM	17518	N	VAL	J	179	-12.068	110.396	197.623	1.00154.08
ATOM	17519	CA	VAL	J	179	-12.122	111.343	196.509	1.00152.27
ATOM	17520	C	VAL	J	179	-10.728	111.722	196.012	1.00150.73
ATOM	17521	O	VAL	J	179	-9.766	111.713	196.780	1.00151.58
ATOM	17522	CB	VAL	J	179	-12.848	112.656	196.921	1.00152.39
ATOM	17523	CG1	VAL	J	179	-14.288	112.363	197.317	1.00152.26
ATOM	17524	CG2	VAL	J	179	-12.103	113.325	198.075	1.00151.13
ATOM	17525	N	PRO	J	180	-10.601	112.054	194.714	1.00148.49
ATOM	17526	CA	PRO	J	180	-9.303	112.440	194.150	1.00146.70
ATOM	17527	C	PRO	J	180	-8.867	113.821	194.659	1.00145.56
ATOM	17528	O	PRO	J	180	-9.671	114.755	194.720	1.00144.75
ATOM	17529	CB	PRO	J	180	-9.560	112.410	192.645	1.00145.97
ATOM	17530	CG	PRO	J	180	-11.001	112.778	192.549	1.00146.51
ATOM	17531	CD	PRO	J	180	-11.620	111.960	193.654	1.00147.49
ATOM	17532	N	ILE	J	181	-7.592	113.939	195.026	1.00144.48
ATOM	17533	CA	ILE	J	181	-7.045	115.186	195.556	1.00143.23
ATOM	17534	C	ILE	J	181	-6.529	116.139	194.482	1.00142.84
ATOM	17535	O	ILE	J	181	-5.785	115.738	193.583	1.00143.06
ATOM	17536	CB	ILE	J	181	-5.889	114.910	196.537	1.00142.34
ATOM	17537	CG1	ILE	J	181	-6.343	113.920	197.611	1.00142.33
ATOM	17538	CG2	ILE	J	181	-5.435	116.212	197.179	1.00141.90
ATOM	17539	CD1	ILE	J	181	-5.230	113.440	198.513	1.00141.91
ATOM	17540	N	PRO	J	182	-6.919	117.423	194.570	1.00142.06
ATOM	17541	CA	PRO	J	182	-6.518	118.475	193.626	1.00141.18
ATOM	17542	C	PRO	J	182	-5.050	118.891	193.775	1.00140.38
ATOM	17543	O	PRO	J	182	-4.645	119.362	194.838	1.00140.43
ATOM	17544	CB	PRO	J	182	-7.470	119.620	193.965	1.00141.09

ATOM	17545	CG	PRO	J	182	-8.661	118.931	194.569	1.00140.73
ATOM	17546	CD	PRO	J	182	-8.009	117.900	195.439	1.00141.08
ATOM	17547	N	LEU	J	183	-4.267	118.730	192.708	1.00139.35
ATOM	17548	CA	LEU	J	183	-2.846	119.085	192.730	1.00138.46
ATOM	17549	C	LEU	J	183	-2.162	119.071	191.357	1.00137.57
ATOM	17550	O	LEU	J	183	-2.252	118.092	190.621	1.00136.53
ATOM	17551	CB	LEU	J	183	-2.096	118.144	193.678	1.00138.35
ATOM	17552	CG	LEU	J	183	-2.049	118.525	195.161	1.00137.84
ATOM	17553	CD1	LEU	J	183	-2.094	117.281	196.027	1.00137.02
ATOM	17554	CD2	LEU	J	183	-0.792	119.338	195.431	1.00138.36
ATOM	17555	N	THR	J	184	-1.476	120.167	191.030	1.00137.05
ATOM	17556	CA	THR	J	184	-0.748	120.311	189.765	1.00136.16
ATOM	17557	C	THR	J	184	0.507	121.158	189.988	1.00136.34
ATOM	17558	O	THR	J	184	0.560	121.967	190.919	1.00136.24
ATOM	17559	CB	THR	J	184	-1.601	121.008	188.681	1.00135.54
ATOM	17560	OG1	THR	J	184	-1.994	122.309	189.140	1.00134.26
ATOM	17561	CG2	THR	J	184	-2.836	120.191	188.364	1.00134.55
ATOM	17562	N	VAL	J	185	1.516	120.978	189.139	1.00135.73
ATOM	17563	CA	VAL	J	185	2.757	121.742	189.267	1.00135.53
ATOM	17564	C	VAL	J	185	3.334	122.126	187.907	1.00135.23
ATOM	17565	O	VAL	J	185	3.158	121.404	186.925	1.00134.74
ATOM	17566	CB	VAL	J	185	3.835	120.951	190.042	1.00135.76
ATOM	17567	CG1	VAL	J	185	3.316	120.571	191.415	1.00135.16
ATOM	17568	CG2	VAL	J	185	4.232	119.713	189.261	1.00136.52
ATOM	17569	N	TYR	J	186	4.028	123.262	187.861	1.00134.89
ATOM	17570	CA	TYR	J	186	4.630	123.750	186.621	1.00134.19
ATOM	17571	C	TYR	J	186	5.735	124.779	186.862	1.00132.75
ATOM	17572	O	TYR	J	186	5.794	125.400	187.924	1.00131.47
ATOM	17573	CB	TYR	J	186	3.544	124.343	185.715	1.00136.14
ATOM	17574	CG	TYR	J	186	2.500	125.146	186.457	1.00138.62
ATOM	17575	CD1	TYR	J	186	2.818	126.370	187.042	1.00139.23
ATOM	17576	CD2	TYR	J	186	1.198	124.664	186.601	1.00140.01
ATOM	17577	CE1	TYR	J	186	1.866	127.096	187.751	1.00139.71
ATOM	17578	CE2	TYR	J	186	0.237	125.383	187.314	1.00140.95
ATOM	17579	CZ	TYR	J	186	0.580	126.600	187.887	1.00140.87
ATOM	17580	OH	TYR	J	186	-0.358	127.319	188.596	1.00141.32
ATOM	17581	N	CYS	J	187	6.605	124.947	185.865	1.00131.71
ATOM	17582	CA	CYS	J	187	7.728	125.885	185.939	1.00130.40
ATOM	17583	C	CYS	J	187	7.888	126.698	184.654	1.00128.38
ATOM	17584	O	CYS	J	187	7.645	126.195	183.553	1.00127.56
ATOM	17585	CB	CYS	J	187	9.041	125.133	186.185	1.00131.71
ATOM	17586	SG	CYS	J	187	8.850	123.401	186.707	1.00132.90
ATOM	17587	N	ALA	J	188	8.311	127.950	184.801	1.00126.02
ATOM	17588	CA	ALA	J	188	8.529	128.817	183.652	1.00123.73
ATOM	17589	C	ALA	J	188	9.409	128.037	182.687	1.00122.13
ATOM	17590	O	ALA	J	188	9.182	128.022	181.477	1.00120.64
ATOM	17591	CB	ALA	J	188	9.230	130.097	184.092	1.00124.54
ATOM	17592	N	LYS	J	189	10.416	127.382	183.255	1.00121.25
ATOM	17593	CA	LYS	J	189	11.351	126.564	182.499	1.00120.29
ATOM	17594	C	LYS	J	189	11.236	125.119	182.968	1.00119.27
ATOM	17595	O	LYS	J	189	11.418	124.812	184.149	1.00118.75
ATOM	17596	CB	LYS	J	189	12.785	127.064	182.696	1.00120.97
ATOM	17597	CG	LYS	J	189	13.093	128.371	181.981	1.00121.83
ATOM	17598	CD	LYS	J	189	13.099	128.201	180.462	1.00123.21
ATOM	17599	CE	LYS	J	189	14.238	127.297	180.001	1.00123.18
ATOM	17600	NZ	LYS	J	189	14.289	127.152	178.517	1.00122.80
ATOM	17601	N	SER	J	190	10.924	124.237	182.029	1.00118.24
ATOM	17602	CA	SER	J	190	10.769	122.824	182.320	1.00117.26
ATOM	17603	C	SER	J	190	12.041	122.214	182.880	1.00116.47
ATOM	17604	O	SER	J	190	13.053	122.128	182.189	1.00116.89
ATOM	17605	CB	SER	J	190	10.366	122.073	181.052	1.00118.08
ATOM	17606	OG	SER	J	190	10.248	120.682	181.296	1.00119.46

ATOM	17607	N	GLN	J	191	11.978	121.794	184.138	1.00115.35
ATOM	17608	CA	GLN	J	191	13.106	121.159	184.810	1.00114.50
ATOM	17609	C	GLN	J	191	12.596	119.842	185.384	1.00113.96
ATOM	17610	O	GLN	J	191	11.438	119.757	185.798	1.00114.95
ATOM	17611	CB	GLN	J	191	13.613	122.045	185.942	1.00115.22
ATOM	17612	CG	GLN	J	191	12.505	122.562	186.841	1.00117.42
ATOM	17613	CD	GLN	J	191	13.024	123.126	188.149	1.00118.41
ATOM	17614	OE1	GLN	J	191	13.481	122.383	189.022	1.00118.53
ATOM	17615	NE2	GLN	J	191	12.962	124.447	188.290	1.00117.76
ATOM	17616	N	ASN	J	192	13.439	118.815	185.410	1.00112.21
ATOM	17617	CA	ASN	J	192	13.006	117.529	185.947	1.00110.39
ATOM	17618	C	ASN	J	192	12.427	117.702	187.339	1.00109.84
ATOM	17619	O	ASN	J	192	13.041	118.341	188.192	1.00110.10
ATOM	17620	CB	ASN	J	192	14.170	116.548	186.006	1.00109.13
ATOM	17621	CG	ASN	J	192	14.416	115.864	184.687	1.00108.06
ATOM	17622	OD1	ASN	J	192	13.516	115.245	184.123	1.00106.77
ATOM	17623	ND2	ASN	J	192	15.641	115.965	184.186	1.00108.93
ATOM	17624	N	LEU	J	193	11.245	117.139	187.567	1.00108.53
ATOM	17625	CA	LEU	J	193	10.610	117.247	188.874	1.00108.14
ATOM	17626	C	LEU	J	193	10.501	115.918	189.618	1.00107.77
ATOM	17627	O	LEU	J	193	10.503	114.847	189.009	1.00107.91
ATOM	17628	CB	LEU	J	193	9.221	117.879	188.747	1.00107.93
ATOM	17629	CG	LEU	J	193	9.152	119.407	188.804	1.00107.49
ATOM	17630	CD1	LEU	J	193	7.697	119.842	188.804	1.00108.35
ATOM	17631	CD2	LEU	J	193	9.838	119.914	190.063	1.00108.39
ATOM	17632	N	GLY	J	194	10.416	116.013	190.945	1.00106.49
ATOM	17633	CA	GLY	J	194	10.300	114.843	191.795	1.00104.19
ATOM	17634	C	GLY	J	194	9.616	115.237	193.089	1.00103.56
ATOM	17635	O	GLY	J	194	9.722	116.388	193.511	1.00102.88
ATOM	17636	N	TYR	J	195	8.916	114.295	193.719	1.00103.39
ATOM	17637	CA	TYR	J	195	8.210	114.571	194.968	1.00103.32
ATOM	17638	C	TYR	J	195	8.048	113.333	195.855	1.00103.52
ATOM	17639	O	TYR	J	195	8.113	112.202	195.377	1.00101.74
ATOM	17640	CB	TYR	J	195	6.825	115.143	194.666	1.00104.48
ATOM	17641	CG	TYR	J	195	5.904	114.147	193.993	1.00105.63
ATOM	17642	CD1	TYR	J	195	6.100	113.774	192.662	1.00105.60
ATOM	17643	CD2	TYR	J	195	4.862	113.543	194.702	1.00105.21
ATOM	17644	CE1	TYR	J	195	5.282	112.820	192.051	1.00104.39
ATOM	17645	CE2	TYR	J	195	4.041	112.588	194.101	1.00105.31
ATOM	17646	CZ	TYR	J	195	4.257	112.232	192.776	1.00104.14
ATOM	17647	OH	TYR	J	195	3.450	111.286	192.186	1.00103.32
ATOM	17648	N	TYR	J	196	7.826	113.570	197.147	1.00105.24
ATOM	17649	CA	TYR	J	196	7.628	112.508	198.134	1.00107.83
ATOM	17650	C	TYR	J	196	6.795	113.062	199.285	1.00110.96
ATOM	17651	O	TYR	J	196	6.458	114.243	199.285	1.00111.97
ATOM	17652	CB	TYR	J	196	8.979	111.983	198.651	1.00106.53
ATOM	17653	CG	TYR	J	196	9.781	112.926	199.541	1.00104.08
ATOM	17654	CD1	TYR	J	196	9.376	113.201	200.850	1.00102.42
ATOM	17655	CD2	TYR	J	196	10.972	113.506	199.087	1.00102.35
ATOM	17656	CE1	TYR	J	196	10.135	114.023	201.688	1.00102.17
ATOM	17657	CE2	TYR	J	196	11.740	114.332	199.914	1.00100.83
ATOM	17658	CZ	TYR	J	196	11.316	114.584	201.214	1.00101.78
ATOM	17659	OH	TYR	J	196	12.072	115.383	202.044	1.00 99.70
ATOM	17660	N	LEU	J	197	6.466	112.223	200.265	1.00114.59
ATOM	17661	CA	LEU	J	197	5.656	112.670	201.405	1.00117.99
ATOM	17662	C	LEU	J	197	6.385	112.522	202.744	1.00119.49
ATOM	17663	O	LEU	J	197	7.554	112.150	202.776	1.00120.34
ATOM	17664	CB	LEU	J	197	4.343	111.879	201.454	1.00118.14
ATOM	17665	CG	LEU	J	197	3.660	111.560	200.119	1.00118.79
ATOM	17666	CD1	LEU	J	197	2.312	110.919	200.415	1.00119.39
ATOM	17667	CD2	LEU	J	197	3.484	112.819	199.272	1.00118.16
ATOM	17668	N	SER	J	198	5.689	112.820	203.842	1.00121.33

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.